

BULLETIN

OF THE

BRITISH ORNITHOLOGISTS' CLUB.

EDITED BY
DR. G. CARMICHAEL LOW.

VOLUME LXI. SESSION 1940-1941.

LONDON:

H. F. & G. WITHERBY, 326 HIGH HOLBORN, W.C. 2.

A new Race of the Pigmy White-browed Robin-Chat and a new Race of the Mountain Greenbul from Tanganyika Territory.

Mr. R. E. Moreau sent the following descriptions and the types for exhibition:—

Cossypha polioptera kungwensis, subsp. nov.

Description.—Similar to Cossypha polioptera polioptera Reichenow, but differs in having the top of the head more olivaceous; the more or less concealed white eyebrow tipped with grey instead of black; stripe behind eye grey instead of black; tail-feathers darker and greyer, but washed and edged with chestnut.

Distribution.—Forests of Kungwe Mt. (7900 feet), Kigoma district, western Tanganyika Territory.

Type.—In the British Museum. Male adult. Ujamba forest, Kungwe Mt., 7900 feet. Kigoma district, western Tanganyika Territory, August 8, 1940; collected by Salim Asmani for R. E. Moreau. Collector's no. 5263. Brit. Mus. Reg. no. 1941.11.1.2.

Measurements of type.—Wing 75; tail 54 mm.

Remarks.—Four females measure wing 69–75; tail 47–54 mm. Dr. van Someren has very kindly examined these specimens and compared them with material in the Nairobi Museum.

Arizelocichla tephrolæma kungwensis, subsp. nov.

Description.—Very similar to Arizelocichla tephrolæma fusciceps (Shelley), but has the sides of the face, lores and throat pale grey, and the white round the eye ill-defined.

Soft parts.—Bill, upper mandible blackish; lower whitish brown.

Distribution.—Forests of Kungwe Mt., Kigoma district, western Tanganyika Territory.

Type.—In the British Museum. Male?, female adult. Kungwe Mt. (6900 feet), Kigoma district, western Tanganyika Territory, August 30, 1940; collected by Salim Asmani for R. E. Moreau. Collector's no. 5256. Brit. Mus. Reg. no. 1941.11.1.3.

Measurements of type.—Wing 94; culmen from base 17; tail 85; tarsus 24 mm,

Remarks.—I am indebted to Dr. V. G. L. van Someren for comparing my specimens with Kenya and Uganda forms, and to Mr. C. W. Benson and Dr. Austin Roberts for sending me A. t. fusciceps for comparison.

Another sexed as a male has the wing 90 and the tail 88 mm.