

Bird Taxonomic Index—1989

The following taxonomic index includes entries for common and scientific names of birds given in the Winter Bird Population Study and Breeding Bird Census. 'Visitors' in the Breeding Bird Census are not included. Numbers preceded by a 'W' refer to Winter Bird Population Studies. Numbers without a 'W' refer to Breeding Bird Censuses.

- Accipiter cooperii*, W7, W15, W16, W26, 15, 83
A. gentilis, 32
A. striatus, W2, W7, W20, W24, W26, W31, 36, 46
Actitis macularia, 70, 91
Aeronautes saxatalis, 52
Agelaius phoeniceus, W21, W26, W27, W28, W32, 16, 18, 22, 49, 58, 60, 61, 66, 70, 71, 72, 73, 74, 75, 78, 81, 84, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96
A. tricolor, 84
Aix sponsa, 8, 60, 85
Ammodramus caudacutus, W27
A. maritimus, W27, 87
A. savannarum, 17, 49, 73, 74, 75, 76, 78, 80, 82, 87, 88, 92, 93, 94
Amphispiza bilineata, 52
Anas americana, W26, W27
A. cyanoptera, W26, 84
A. discors, 74
A. platyrhynchos, W21, W26, 2, 60, 84, 85
A. platyrhynchos x *A. rubripes*, 16
A. rubripes, W21, 46
A. rubripes x *A. platyrhynchos*, 16
A. strepera, W20, W26, 78, 84
Aphelocoma coerulescens, W19, W23, W26, 1, 2, 3, 52, 54, 55, 57, 67, 68, 69
Archilochus alexandri, 2, 3, 83
A. colubris, 5, 9, 10, 11, 14, 18, 19, 20, 22, 31, 58, 64, 66
Ardea herodias, W2, W8, W20, W21, W26, W27, W28, 2, 60, 85
Arenaria interpres, W27
Asio flammeus, W25
A. otus, W24
Auriparus flaviceps, 83
Aythya affinis, W26, W27
A. americana, 60
A. collaris, W20, W26, 60
A. marila, W26
A. valisineria, W26
Bartramia longicauda, 73, 75, 76, 77, 81, 82, 87, 88
 Blackbird, Brewer's, see *Euphagus cyanocephalus*
 Red-winged, see *Agelaius phoeniceus*
 Tricolored, see *Agelaius tricolor*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
 Bluebird, Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucoides*
 Western, see *Sialia mexicana*
 Bobolink, see *Dolichonyx oryzivorus*
 Bobwhite, Northern, see *Colinus virginianus*
Bombycilla cedrorum, W4, W10, W22, W32, 5, 6, 11, 13, 18, 22, 38, 39, 49, 50, 58, 60, 62, 63, 70, 85, 90
Bonasa umbellus, W9, W10, W11, W13, W17, W18, W20, 4, 5, 6, 31, 36, 37, 38, 50, 60, 63, 70
Branta canadensis, W20, 21, 60, 85, 89
Bubo virginianus, W6, W12, W20, W22, W24, 2, 3, 16, 32, 34, 60, 62
Bucephala albeola, W26, W27
B. clangula, W20, W26, 60
 Bufflehead, see *Bucephala albeola*
 Bunting, Indigo, see *Passerina cyanea*
 Lazuli, see *Passerina amoena*
 Bushitit, see *Psaltriparus minimus*
Buteo jamaicensis, W1, W2, W6, W7, W8, W10, W19, W21, W22, W24, W27, W30, W31, W32, 10, 33, 38, 39, 52, 54, 55, 63, 67, 68, 69
B. lagopus, W25, W31
B. lineatus, W1, W4, W28, 2, 3, 14, 19, 20, 33, 34, 36, 66
B. platypterus, 30, 36, 63
Butorides striatus, 19, 32
Calidris alba, W27
C. alpina, W26, W27
C. canutus, W27
C. mauri, W27
Callipepla californica, W15, W26, 1, 2, 3, 42, 54, 55, 67, 68, 69, 71
C. gambelii, 83
Calypte anna, W26, 1, 54, 55, 67, 71, 83
C. costae, 83
 Canvasback, see *Aythya valisineria*
Caprimulgus vociferus, W16
 Cardinal, Northern, see *Cardinalis cardinalis*

- Cardinalis cardinalis*, W1, W2, W4, W6, W7, W8, W9, W12, W14, W20, W21, W22, W24, W27, W28, W30, W32, 4, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 26, 29, 30, 31, 32, 34, 35, 38, 39, 59, 61, 62, 63, 64, 66, 89, 90, 92, 93, 94, 95, 96
Carduelis lawrencei, 54
C. pinus, W15, W19, 46, 56, 60
C. psaltria, 1, 2, 3, 45, 54, 55, 56, 83
C. tristis, W1, W2, W4, W7, W8, W10, W20, W21, W22, W24, W29, W30, W32, 6, 10, 11, 13, 21, 22, 39, 42, 49, 58, 60, 63, 66, 67, 68, 71, 72, 73, 74, 78, 82, 84, 85, 90, 91, 92, 93, 94, 95
Carpodacus cassinii, 44, 60, 65
C. mexicanus, W1, W5, W7, W20, W21, W22, W24, W26, W30, W32, 7, 8, 18, 22, 52, 54, 55, 57, 58, 62, 71, 83, 92, 93, 95, 96
C. purpureus, W1, W15, W20, W21, W22, W24, 1, 31, 32, 36, 42, 47, 49, 50, 53, 58, 63, 67, 69, 70
Casmerodius albus, W27
 Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, W1, W27, 2, 32
Catharus fuscescens, 4, 5, 6, 7, 12, 13, 15, 17, 18, 27, 28, 30, 31, 32, 33, 34, 35, 36, 41, 47, 58, 59, 61, 70, 85
C. guttatus, W4, W9, 5, 15, 24, 30, 31, 32, 33, 37, 43, 44, 46, 48, 53
C. ustulatus, 2, 37, 42, 46, 60
Catherpes mexicanus, 54
Catoptrophorus semipalmatus, W27, 77, 79
Certhia americana, W1, W2, W3, W4, W6, W7, W8, W9, W10, W11, W12, W13, W14, W17, W19, W20, W21, W24, W32, 1, 4, 15, 32, 33, 36, 38, 44, 46, 47, 48, 53, 89
Ceryle alcyon, W2, W21, W26, W27, W29, 2, 21, 60, 91
Chaetura pelagica, 7, 25, 58, 64, 95
Chamaea fasciata, W26, 2, 53, 67, 68, 69, 84
Charadrius melodus, W27
C. semipalmatus, W27
C. vociferus, W27, W32, 77, 81, 88, 91, 94, 95
C. wilsonia, W27
 Chat, Yellow-breasted, see *Icteria virens*
 Chickadee, Black-capped, see *Parus atricapillus*
 Boreal, see *Parus hudsonicus*
 Carolina, see *Parus carolinensis*
 Chestnut-backed, see *Parus rufescens*
 Mountain, see *Parus gambeli*
Chordeiles minor, 60
Circus cyaneus, W15, W25, W26, W27, W31
- Cistothorus palustris*, W26, W27, 60, 84, 87
C. platensis, 74
Coccothraustes vespertinus, W18, 60
Coccyzus americanus, 9, 10, 11, 12, 13, 14, 19, 20, 21, 22, 25, 26, 28, 34, 38, 39, 61, 64
C. erythrophthalmus, 6, 13, 31, 38, 58, 70, 72, 85, 90
Colaptes auratus, W1, W2, W4, W9, W19, W23, W24, W26, W31, W32, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 19, 20, 21, 22, 29, 30, 31, 34, 35, 38, 39, 44, 53, 56, 57, 58, 59, 60, 61, 67, 68, 69, 70, 89, 91, 93, 94, 95, 96
Colinus virginianus, W23, W24
Columba fasciata, 2, 53
C. livia, W1, W2, W21, W31, W32, 95
Columbina passerina, W23, W27, W28
Contopus borealis, 42, 53
C. sordidulus, 1, 2, 45, 53, 57, 60
C. virens, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 38, 39, 40, 47, 48, 51, 59, 61, 64, 66, 70, 89, 94, 96
 Coot, American, see *Fulica americana*
Coragyps atratus, W1, W4
 Cormorant, Double-crested, see *Phalacrocorax auritus*
Corvus brachyrhynchos, W1, W2, W3, W4, W5, W6, W7, W9, W10, W12, W13, W14, W15, W19, W20, W21, W22, W24, W28, W30, W31, W32, 4, 6, 7, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 30, 32, 34, 37, 38, 39, 42, 51, 63, 71, 91, 92, 93, 94, 95
C. corax, W15, W18, W19, W25, 2, 37, 44, 52, 53, 60
C. ossifragus, W27, 14
 Cowbird, Brown-headed, see *Molothrus ater*
 Creeper, Brown, see *Certhia americana*
 Crossbill, Red, see *Loxia curvirostra*
 White-winged, see *Loxia leucoptera*
 Crow, American, see *Corvus brachyrhynchos*
 Fish, see *Corvus ossifragus*
 Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*
 Yellow-billed, see *Coccyzus americanus*
Cyanocitta cristata, W1, W2, W4, W6, W7, W9, W11, W12, W16, W17, W20, W21, W22, W23, W24, W28, W30, W32, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 15, 16, 19, 20, 21, 22, 23, 24, 29, 30, 31, 32, 34, 35, 36, 37, 38, 39, 41, 46, 50, 58, 59, 61, 63, 64, 66, 70, 92, 94, 96
C. stelleri, W15, W19, 1, 44, 53, 56

- Dendragapus obscurus*, 56
Dendroica caerulescens, 27, 28, 31, 41
D. castanea, 47
D. cerulea, 17, 21, 26, 27, 28, 33, 64, 89
D. coronata, W2, W4, W16, W23, W24, W26, W28, W32, 32, 36, 37, 43, 44, 46, 47, 48, 49, 50, 51, 53, 56, 58, 60, 65, 70
D. discolor, 63, 66
D. dominica, W27, 8, 19, 21, 25
D. fusca, 32, 36, 39, 46, 47, 50
D. magnolia, 36, 37, 46, 47, 50, 70
D. occidentalis, 44, 53
D. palmarum, W23, W27, W28
D. pennsylvanica, 4, 6, 27, 28, 30, 31, 36, 41, 58, 59, 63
D. petechia, 2, 6, 11, 13, 16, 17, 18, 22, 31, 42, 58, 60, 63, 70, 72, 74, 78, 79, 82, 83, 85, 89, 90, 91, 93, 94, 95
D. pinus, W16, W23, 19, 20, 31, 32, 39, 47, 48
D. tigrina, 47
D. virens, 32, 33, 36, 37, 40, 47, 48, 50, 51
 Dickcissel, see *Spiza americana*
Dolichonyx oryzivorus, 49, 73, 74, 75, 76, 78, 79, 80, 82, 87, 88, 92, 93
 Dove, Mourning, see *Zenaidura macroura*
 Rock, see *Columba livia*
 Dowitcher, Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, W1, W2, W4, W5, W9, W11, W13, W20, W21, W24, 4, 5, 7, 8, 9, 10, 11, 12, 14, 19, 20, 21, 25, 26, 27, 32, 34, 36, 38, 39, 42, 44, 53, 60, 61, 66
 Duck, American Black, see *Anas rubripes*
 Harlequin, see *Histrionicus histrionicus*
 Ring-necked, see *Aythya collaris*
 Ruddy, see *Oxyura jamaicensis*
 Wood, see *Aix sponsa*
Dumetella carolinensis, W1, W23, W27, 4, 6, 7, 10, 11, 12, 13, 16, 17, 18, 21, 22, 27, 28, 30, 31, 35, 41, 49, 50, 58, 59, 61, 62, 63, 64, 70, 72, 74, 85, 90, 92, 93, 94, 95
 Dunlin, see *Calidris alpina*
 Egret, Great, see *Casmerodius albus*
 Reddish, see *Egretta rufescens*
 Snowy, see *Egretta thula*
Egretta caerulea, W27
E. rufescens, W27
E. thula, W27
E. tricolor, W27
Elanus caeruleus, 71
Empidonax alnorum, 50, 63
E. difficilis, 1, 2, 3, 42, 53, 56, 60
E. flaviventris, 46
E. hammondii, 44, 45, 53, 60
E. minimus, 18, 58
E. oberholseri, 44, 53, 60
E. traillii, 18, 60, 72, 74, 78, 85, 90, 91, 92, 93, 94, 95
E. virescens, 7, 8, 9, 10, 11, 12, 13, 14, 19, 20, 21, 25, 26, 27, 28, 33, 40, 64, 66
Eremophila alpestris, W29, 49, 77
Euphagus cyanocephalus, 1
Falco sparverius, W7, W20, W27, W29, W31, 52, 54, 83
 Finch, Cassin's, see *Carpodacus cassinii*
 House, see *Carpodacus mexicanus*
 Purple, see *Carpodacus purpureus*
 Flicker, Northern, see *Colaptes auratus*
 Flycatcher, Acadian, see *Empidonax virescens*
 Alder, see *Empidonax alnorum*
 Ash-throated, see *Myiarchus cinerascens*
 Brown-crested, see *Myiarchus tyrannulus*
 Dusky, see *Empidonax oberholseri*
 Great Crested, see *Myiarchus crinitus*
 Hammond's, see *Empidonax hammondii*
 Least, see *Empidonax minimus*
 Olive-sided, see *Contopus borealis*
 Western, see *Empidonax difficilis*
 Willow, see *Empidonax traillii*
 Yellow-bellied, see *Empidonax flaviventris*
Fulica americana, W26, 60, 84
 Gadwall, see *Anas strepera*
Gallinago gallinago, W26
 Gannet, Northern, see *Sula bassanus*
Gavia immer, W27
Geothlypis trichas, W23, W26, W27, W28, 2, 3, 4, 5, 6, 7, 10, 11, 13, 16, 17, 18, 24, 25, 30, 31, 32, 35, 36, 46, 49, 50, 58, 59, 60, 61, 63, 70, 72, 73, 74, 78, 79, 81, 83, 84, 85, 90, 92, 93, 94, 95
 Gnatcatcher, Blue-gray, see *Poliptila caerulea*
 Godwit, Marbled, see *Limosa fedoa*
 Goldeneye, Common, see *Bucephala clangula*
 Goldfinch, American, see *Carduelis tristis*
 Lawrence's, see *Carduelis lawrencei*
 Lesser, see *Carduelis psaltria*
 Goose, Canada, see *Branta canadensis*
 Goshawk, Northern, see *Accipiter gentilis*
 Grackle, Boat-tailed, see *Quiscalus major*
 Common, see *Quiscalus quiscula*
 Grebe, Horned, see *Podiceps auritus*
 Pied-billed, see *Podilymbus podiceps*
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*
 Blue, see *Guiraca caerulea*
 Evening, see *Coccothraustes vespertinus*
 Rose-breasted, see *Pheucticus ludovicianus*
 Ground-Dove, Common, see *Columbina passerina*

- Grouse, Blue, see *Dendragapus obscurus*
 Ruffed, see *Bonasa umbellus*
- Guiraca caerulea*, 83
- Gull, Bonaparte's, see *Larus philadelphia*
 Glaucous-winged, see *Larus glaucescens*
 Great Black-backed, see *Larus marinus*
 Herring, see *Larus argentatus*
 Laughing, see *Larus atricilla*
 Lesser Black-backed, see *Larus fuscus*
 Ring-billed, see *Larus delawarensis*
- Gymnorhinus cyanocephalus*, 52
Haematopus palliatus, W27
- Harrier, Northern, see *Circus cyaneus*
- Hawk, Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Rough-legged, see *Buteo lagopus*
 Sharp-shinned, see *Accipiter striatus*
- Helmitheros vermivorus*, 14, 23, 33, 38, 39, 40, 66
- Heron, Great Blue, see *Ardea herodias*
 Green-backed, see *Butorides striatus*
 Little Blue, see *Egretta caerulea*
 Tricolored, see *Egretta tricolor*
- Hirundo pyrrhonota*, 84
H. rustica, 56, 58, 60, 92, 93, 94, 95
Histrionicus histrionicus, W27
- Hummingbird, Allen's, see *Selasphorus sasin*
 Anna's, see *Calypte anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Calliope, see *Stellula calliope*
 Costa's, see *Calypte costae*
 Ruby-throated, see *Archilochus colubris*
 Rufous, see *Selasphorus rufus*
- Hylocichla mustelina*, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 58, 59, 61, 62, 64, 66, 94, 95
- Icteria virens*, 2, 14, 66, 83
- Icterus cucullatus*, 83
- I. galbula*, 4, 5, 6, 8, 11, 13, 16, 18, 22, 31, 38, 55, 58, 59, 62, 64, 70, 83, 89, 90, 91, 94, 95
- I. parisorum*, 52
- I. spurius*, 11, 14, 22
- Ixoreus naevius*, W15, 43
- Jay, Blue, see *Cyanocitta cristata*
 Pinyon, see *Gymnorhinus cyanocephalus*
 Scrub, see *Aphelocoma coerulescens*
 Steller's, see *Cyanocitta stelleri*
- Junco hyemalis*, W1, W6, W7, W10, W12, W15, W19, W20, W21, W22, W24, W29, W30, 1, 36, 37, 41, 43, 44, 46, 48, 50, 51, 53, 56, 60
- Junco, Dark-eyed, see *Junco hyemalis*
- Kestrel, American, see *Falco sparverius*
- Killdeer, see *Charadrius vociferus*
- Kingbird, Eastern, see *Tyrannus tyrannus*
 Western, see *Tyrannus verticalis*
- Kingfisher, Belted, see *Ceryle alcyon*
- Kinglet, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
- Kite, Black-shouldered, see *Elanus caeruleus*
- Knot, Red, see *Calidris canutus*
- Lanius excubitor*, W15, W25
L. ludovicianus, W23, W26, W27
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, W20, W21, W27
L. atricilla, W27
L. delawarensis, W1, W20, W27, 60
L. fuscus, W27
L. glaucescens, W26
L. marinus, W20, W27
L. philadelphia, W27
Limnodromus griseus, W27
Limosa fedoa, W27, 78, 81
- Loon, Common, see *Gavia immer*
- Lophodytes cucullatus*, W20, W27, 46, 58
Loxia curvirostra, W15, W18
L. leucoptera, W30
- Maggie, Black-billed, see *Pica pica*
- Mallard, see *Anas platyrhynchos*
- Meadowlark, Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
- Melanerpes carolinus*, W1, W2, W4, W5, W6, W7, W9, W16, W20, W23, W24, W28, W32, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 20, 21, 25, 26, 29, 30, 33, 34, 58, 59, 61, 62, 64, 66, 89, 92, 94, 95, 96
- M. erythrocephalus*, W32, 22, 35, 89, 96
M. formicivorus, 1, 3, 54, 55
- Meleagris gallopavo*, W17, 1, 14, 33, 36, 38, 58
- Melospiza georgiana*, W27, W28, 17, 58, 73, 74, 85
- M. lincolnii*, W26, 65
- M. melodia*, W1, W2, W6, W7, W8, W15, W20, W21, W24, W26, W27, W32, 1, 2, 3, 4, 6, 7, 8, 13, 16, 17, 18, 21, 22, 31, 32, 36, 42, 47, 49, 50, 58, 60, 61, 62, 63, 67, 68, 69, 70, 71, 72, 74, 83, 84, 85, 89, 90, 91, 92, 93, 94, 95
- Merganser, Common, see *Mergus merganser*
 Hooded, see *Lophodytes cucullatus*
 Red-breasted, see *Mergus serrator*
- Mergus merganser*, W2, W20, W21
M. serrator, W20, W27
- Mimus polyglottos*, W1, W2, W23, W24, W27, W30, W32, 7, 11, 52, 90, 92, 93, 94, 95, 96

- Mniotilta varia*, 4, 5, 6, 10, 23, 30, 31, 32, 33, 37, 38, 39, 47, 58, 66, 70
- Mockingbird, Northern, see *Mimus polyglottos*
- Molothrus ater*, W7, W21, W32, 1, 2, 4, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 22, 23, 28, 29, 30, 31, 32, 34, 36, 38, 39, 42, 45, 49, 50, 52, 54, 55, 58, 59, 60, 63, 64, 66, 68, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 85, 87, 88, 90, 91, 96
- Myadestes townsendi*, 44, 53, 60
- Mycteria americana*, W27
- Myiarchus cinerascens*, 1, 2, 54, 55, 83
- M. crinitus*, W16, 4, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 19, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 47, 58, 61, 64, 70, 89, 92, 96
- M. tyrannulus*, 83
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
- Nighthawk, Common, see *Chordeiles minor*
- Nuthatch, Pygmy, see *Sitta pygmaea*
- Red-breasted, see *Sitta canadensis*
- White-breasted, see *Sitta carolinensis*
- Nycticorax nycticorax*, W26
- Oporornis formosus*, 9, 10, 11, 12, 14, 19, 20, 21, 34, 64, 66
- O. philadelphia*, 36, 39
- O. tolmiei*, 44, 53, 60
- Oreortyx pictus*, 44, 53
- Oriole, Hooded, see *Icterus cucullatus*
- Northern, see *Icterus galbula*
- Orchard, see *Icterus spurius*
- Scott's, see *Icterus parisorum*
- Osprey, see *Pandion haliaetus*
- Otus asio*, W24
- O. kennicottii*, 3
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barred, see *Strix varia*
- Great Horned, see *Bubo virginianus*
- Long-eared, see *Asio otus*
- Short-eared, see *Asio flammeus*
- Oxyura jamaicensis*, W26, 84
- Oystercatcher, American, see *Haematopus palliatus*
- Pandion haliaetus*, W26, W27, 60
- Partridge, Gray, see *Perdix perdix*
- Parula americana*, 8, 10, 11, 14, 19, 21, 25, 40, 46, 47, 51
- Parula*, Northern, see *Parula americana*
- Parus atricapillus*, W3, W5, W7, W8, W9, W10, W11, W12, W13, W14, W15, W17, W18, W19, W20, W21, W22, W30, 4, 5, 6, 13, 15, 16, 17, 18, 21, 22, 23, 24, 30, 31, 32, 33, 35, 36, 37, 38, 39, 41, 46, 47, 50, 51, 57, 58, 60, 61, 62, 63, 70, 89, 90
- P. bicolor*, W1, W2, W3, W4, W5, W6, W7, W9, W10, W13, W14, W20, W24, W32, 4, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31, 33, 34, 35, 38, 39, 40, 58, 59, 61, 62, 64, 66, 92, 93, 94, 96
- P. carolinensis*, W1, W2, W4, W6, W9, W24, W32, 7, 8, 9, 10, 11, 12, 14, 19, 20, 21, 26, 34, 64, 66, 96
- P. gambeli*, W18, W19, 44, 45, 53, 56, 57, 60, 65
- P. hudsonicus*, 46
- P. inornatus*, 1, 2, 3, 52, 54, 55, 83
- P. rufescens*, W15, 1, 42, 43
- Passer domesticus*, W1, W6, W7, W20, W21, W29, W32, 7, 18, 62, 91, 93, 94, 95, 96
- Passerculus sandwichensis*, W27, 49, 73, 74, 79, 80, 93
- Passerella iliaca*, W15, W24, W26, 44, 53, 65
- Passerina amoena*, 57
- P. cyanea*, 8, 9, 10, 11, 13, 17, 19, 21, 22, 26, 27, 31, 36, 38, 39, 49, 50, 63, 66, 70, 90, 91, 92, 93, 94, 95
- Pelecanus occidentalis*, W27
- Pelican, Brown, see *Pelecanus occidentalis*
- Perdix perdix*, W25, 73
- Phalacrocorax auritus*, W27
- Phasianus colchicus*, W15, W25, 16, 72, 73, 78, 94, 95
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus*, 4, 5, 6, 13, 17, 18, 22, 24, 28, 31, 38, 39, 41, 47, 58, 63, 70
- P. melanocephalus*, 1, 2, 53, 57, 67, 83
- Phoebe, Black, see *Sayornis nigricans*
- Eastern, see *Sayornis phoebe*
- Say's, see *Sayornis saya*
- Pica pica*, W18, W19, W25
- Picoides albolarvatus*, 44, 53
- P. nuttallii*, 1, 2, 3, 54, 55, 83
- P. pubescens*, W1, W2, W3, W4, W5, W6, W7, W8, W9, W10, W11, W12, W13, W14, W15, W16, W19, W20, W21, W22, W23, W24, W29, W30, W32, 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 25, 28, 30, 31, 32, 34, 35, 37, 38, 39, 60, 64, 66, 70, 93, 94, 96
- P. scalaris*, 83
- P. tridactylus*, 43
- P. villosus*, W1, W2, W3, W5, W6, W7, W8, W9, W10, W11, W12, W14, W20,

- W21, W22, W30, 3, 4, 5, 7, 8, 9, 10,
11, 12, 13, 15, 16, 19, 20, 21, 22, 23,
24, 26, 29, 30, 31, 32, 33, 34, 36, 38,
39, 43, 44, 45, 53, 58, 66, 70, 89, 92,
93, 94
- Pigeon, Band-tailed, see *Columba fasciata*
- Pipilo chlorurus*, 56
- P. erythrophthalmus*, W15, W16, W19, W23,
W24, W27, W32, 1, 2, 3, 4, 5, 6, 7, 10,
12, 13, 14, 16, 21, 24, 26, 27, 28, 29,
30, 31, 34, 39, 41, 42, 45, 49, 50, 53,
57, 58, 59, 63, 66, 67, 68, 69, 83, 96
- P. fuscus*, W26, 1, 54, 55, 67, 68, 69, 83, 84
- Piranga ludoviciana*, 1, 44, 53, 56
- P. olivacea*, 4, 5, 6, 9, 10, 11, 12, 13, 15, 19,
20, 21, 23, 24, 26, 27, 28, 29, 30, 31,
32, 33, 34, 35, 38, 39, 40, 41, 58, 61,
64, 66, 92
- P. rubra*, 14, 19, 20, 25, 66, 83
- Plover, Black-bellied, see *Pluvialis squatarola*
- Piping, see *Charadrius melodus*
- Semipalmated, see *Charadrius semipalmatus*
- Wilson's, see *Charadrius wilsonia*
- Pluvialis squatarola*, W27
- Podiceps auritus*, W27
- Podilymbus podiceps*, W26, 60, 84
- Poliophtila caerulea*, W23, W27, W28, 4, 8,
10, 11, 13, 14, 19, 20, 21, 22, 25, 26,
27, 31, 33, 38, 39, 40, 52, 55, 57, 64,
66, 89
- Poocetes gramineus*, 49, 56, 57, 81, 92, 93,
94
- Protonotaria citrea*, 14, 19, 25, 89
- Psaltriparus minimus*, W15, 1, 2, 3, 42, 54,
55, 67, 83
- Quail, California, see *Callipepla californica*
- Gambel's, see *Callipepla gambelii*
- Mountain, see *Oreortyx pictus*
- Quiscalus major*, W27
- Q. quiscula*, W1, W27, W32, 7, 9, 11, 18,
19, 20, 22, 58, 61, 62, 85, 90, 96
- Rail, Clapper, see *Rallus longirostris*
- Virginia, see *Rallus limicola*
- Rallus limicola*, 83
- R. longirostris*, W27, 87
- Raven, Common, see *Corvus corax*
- Redhead, see *Aythya americana*
- Redstart, American, see *Setophaga ruticilla*
- Regulus calendula*, W2, W4, W15, W16,
W23, W24, W26, W27, W28, W30,
W32, 47, 60, 65
- R. satrapa*, W2, W3, W4, W7, W10, W11,
W13, W14, W15, W17, W21, W32,
36, 37, 42, 43, 44, 46, 47, 51, 53
- Riparia riparia*, 91
- Robin, American, see *Turdus migratorius*
- Rynchops niger*, W27
- Salpinctes obsoletus*, 52
- Sanderling, see *Calidris alba*
- Sandpiper, Spotted, see *Actitis macularia*
- Upland, see *Bartramia longicauda*
- Western, see *Calidris mauri*
- Sapsucker, Red-breasted, see *Sphyrapicus ruber*
- Yellow-bellied, see *Sphyrapicus varius*
- Sayornis nigricans*, W26, 1, 2, 3
- S. phoebe*, W23, W28, 4, 30, 58, 64, 66, 94,
95
- S. saya*, 52
- Scaup, Greater, see *Aythya marila*
- Lesser, see *Aythya affinis*
- Scolopax minor*, W4, 6, 31, 49, 50, 63
- Screech-Owl, Eastern, see *Otus asio*
- Western, see *Otus kennicottii*
- Seiurus aurocapillus*, 4, 5, 6, 9, 10, 11, 12, 13,
15, 16, 19, 20, 23, 24, 27, 28, 30, 31,
32, 33, 34, 35, 36, 37, 38, 40, 47, 48,
58, 59, 61, 62, 64, 66
- S. noveboracensis*, 15, 32
- S. motacilla*, 4, 10, 14, 19, 30, 31, 34, 40, 58,
61
- Selasphorus platycercus*, 45, 56, 57
- S. rufus*, 42, 60
- S. sasin*, W26, 1, 67, 68, 69, 71, 84
- Setophaga ruticilla*, 4, 6, 10, 17, 18, 19, 27,
28, 31, 33, 37, 38, 39, 58, 60, 70, 89,
90
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Northern, see *Lanius excubitor*
- Sialia currucoides*, 56, 65
- S. mexicana*, 54, 56, 68
- S. sialis*, W4, W22, W23, W24, 58, 63, 89,
94
- Siskin, Pine, see *Carduelis pinus*
- Sitta canadensis*, W11, W15, W17, W18, 32,
36, 37, 42, 44, 46, 47, 48, 51, 53, 56,
60, 70
- S. carolinensis*, W1, W2, W3, W5, W6, W7,
W8, W9, W10, W11, W12, W13, W14,
W18, W19, W20, W21, W22, W32, 4,
5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 19,
20, 21, 22, 23, 25, 26, 27, 28, 29, 30,
32, 34, 35, 36, 38, 39, 45, 54, 55, 56,
57, 58, 59, 62, 64, 66, 70
- S. pygmaea*, W18, 45
- Skimmer, Black, see *Rynchops niger*
- Snipe, Common, see *Gallinago gallinago*
- Solitaire, Townsend's, see *Myadestes townsendi*
- Sparrow, American Tree, see *Spizella arboorea*
- Black-throated, see *Amphispiza bilineata*
- Chipping, see *Spizella passerina*

- Clay-colored, see *Spizella pallida*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Golden-crowned, see *Zonotrichia atricapilla*
 Grasshopper, see *Ammodramus savannarum*
 House, see *Passer domesticus*
 Lincoln's, see *Melospiza lincolni*
 Savannah, see *Passerculus sandwichensis*
 Seaside, see *Ammodramus maritimus*
 Sharp-tailed, see *Ammodramus caudacutus*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 Vesper, see *Poocetes gramineus*
 White-crowned, see *Zonotrichia leucophrys*
 White-throated, see *Zonotrichia albicollis*
Sphyrapicus ruber, W15, 44, 53
S. varius, W1, W2, W4, W24, W32, 5, 31, 46, 58
Spiza americana, 72, 73, 74, 75, 76, 87, 88
Spizella arborea, W6, W20, W21, W22, W24, W29, W30
S. pallida, 78, 79, 80, 81, 82
S. passerina, W23, 11, 17, 22, 36, 38, 39, 45, 48, 49, 50, 53, 56, 57, 58, 62, 63, 64, 65, 93, 94, 95
S. pusilla, W27, W32, 10, 49, 50, 63, 70, 90, 92, 93, 94, 95
 Starling, European, see *Sturnus vulgaris*
Stelgidopteryx serripennis, 2
Stellula calliope, 60
Sterna caspia, W27
S. forsteri, W27
S. maxima, W27
S. sandvicensis, W27
 Stork, Wood, see *Mycteria americana*
Strix varia, W2, W4, W11, 10, 12, 14, 15, 21, 30, 36, 66
Sturnella magna, W23, 88, 92, 94, 95
S. neglecta, W25, W26, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 87, 88
Sturnus vulgaris, W1, W2, W6, W7, W8, W20, W21, W26, W27, W30, W31, W32, 1, 7, 8, 16, 18, 21, 22, 54, 55, 58, 61, 68, 83, 91, 92, 93, 94, 95, 96
Sula bassanus, W27
 Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Cliff, see *Hirundo pyrrhonota*
 Northern Rough-winged, see *Stelgidopteryx serripennis*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Swift, Chimney, see *Chaetura pelagica*
 White-throated, see *Aeronautes saxatalis*
Tachycineta bicolor, W26, 18, 56, 58, 60, 61, 63, 85, 89
T. thalassina, 1, 45, 52, 54, 55, 56, 60
 Tanager, Scarlet, see *Piranga olivacea*
 Summer, see *Piranga rubra*
 Western, see *Piranga ludoviciana*
 Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 Tern, Caspian, see *Sterna caspia*
 Forster's, see *Sterna forsteri*
 Royal, see *Sterna maxima*
 Sandwich, see *Sterna sandvicensis*
 Thrasher, Brown, see *Toxostoma rufum*
 California, see *Toxostoma redivivum*
 Thrush, Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
Thryomanes bewickii, W15, W26, 1, 3, 42, 52, 54, 55, 67, 68, 69, 83
Thryothorus ludovicianus, W1, W2, W4, W7, W9, W10, W14, W16, W23, W24, W27, W32, 7, 8, 9, 10, 11, 12, 14, 19, 20, 21, 22, 25, 26, 30, 34, 59, 93, 94, 96
 Titmouse, Plain, see *Parus inornatus*
 Tufted, see *Parus bicolor*
 Towhee, Brown, see *Pipilo fuscus*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma redivivum, 3, 83
T. rufum, W4, W16, W23, W28, W32, 10, 11, 16, 49, 58, 70, 72, 74, 90, 93, 96
Tringa flavipes, W27
T. melanoleuca, W27
Troglodytes aedon, W23, W27, W28, 1, 2, 3, 4, 7, 18, 21, 22, 30, 36, 39, 54, 56, 59, 62, 63, 64, 70, 72, 83, 89, 92, 93, 94, 95
T. troglodytes, W1, W2, W15, 5, 36, 37, 40, 42, 43, 46, 47, 51, 53
Turdus migratorius, W1, W3, W10, W12, W15, W20, W23, W24, W26, W28, W32, 1, 4, 5, 6, 7, 9, 10, 11, 12, 13, 15, 16, 17, 18, 21, 22, 29, 31, 32, 34, 35, 36, 37, 38, 42, 44, 45, 47, 49, 50, 51, 53, 56, 57, 58, 59, 60, 62, 64, 65, 67, 68, 69, 70, 72, 89, 90, 91, 92, 93, 94, 95, 96
 Turkey, Wild, see *Meleagris gallopavo*
 Turnstone, Ruddy, see *Arenaria interpres*
Tyrannus tyrannus, 6, 9, 11, 22, 32, 39, 49, 50, 58, 70, 72, 74, 77, 78, 79, 80, 81, 82, 85, 90, 91, 93, 94, 95
T. verticalis, 52, 55, 78, 83
 Veery, see *Catharus fuscescens*
 Verdin, see *Auriparus flaviceps*

- Vermivora celata*, W27, 1, 2, 3, 42, 43, 60, 67, 68, 69
V. pinus, 4, 6, 13, 21, 30, 31, 58, 59, 61, 63, 90
V. pinus/chrysoptera, 6, 31 *V. ruficapilla*, 6, 44, 46, 47, 48, 53, 63, 70
V. virginiae, 57
Vireo flavifrons, 4, 5, 9, 10, 11, 13, 14, 17, 18, 19, 20, 21, 22, 26, 31, 33, 39, 58, 61, 64, 66, 89, 96
V. gilvus, 1, 2, 18, 22, 44, 53, 57, 58, 60, 90, 91
V. griseus, W16, W23, W27, W28, 10, 11, 12, 14, 30, 59, 66
V. huttoni, 1, 3, 42, 54, 55
V. olivaceus, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 38, 39, 40, 47, 58, 59, 60, 61, 62, 63, 64, 66, 70, 89, 92
V. solitarius, 1, 15, 27, 28, 31, 32, 36, 38, 40, 41, 44, 45, 46, 47, 48, 53, 57
V. vicinior, 52
Vireo, Gray, see *Vireo vicinior*
Hutton's, see *Vireo huttoni*
Red-eyed, see *Vireo olivaceus*
Solitary, see *Vireo solitarius*
Warbling, see *Vireo gilvus*
White-eyed, see *Vireo griseus*
Yellow-throated, see *Vireo flavifrons*
Vulture, Black, see *Coragyps atratus*
Turkey, see *Cathartes aura*
Warbler, Bay-breasted, see *Dendroica castanea*
Black-and-white, see *Mniotilta varia*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blackburnian, see *Dendroica fusca*
Blue-winged, see *Vermivora pinus*
Brewster's, see *Vermivora pinus/chrysoptera*
Canada, see *Wilsonia canadensis*
Cape May, see *Dendroica tigrina*
Cerulean, see *Dendroica cerulea*
Chestnut-sided, see *Dendroica pensylvanica*
Hermit, see *Dendroica occidentalis*
Hooded, see *Wilsonia citrina*
Kentucky, see *Oporornis formosus*
MacGillivray's, see *Oporornis tolmiei*
Magnolia, see *Dendroica magnolia*
Mourning, see *Oporornis philadelphia*
Nashville, see *Vermivora ruficapilla*
Orange-crowned, see *Vermivora celata*
Palm, see *Dendroica palmarum*
Pine, see *Dendroica pinus*
Prairie, see *Dendroica discolor*
Prothonotary, see *Protonotaria citrea*
Virginia's, see *Vermivora virginiae*
Wilson's, see *Wilsonia pusilla*
Worm-eating, see *Helmitheros vermivorus*
Yellow, see *Dendroica petechia*
Yellow-rumped, see *Dendroica coronata*
Yellow-throated, see *Dendroica dominica*
Waterthrush, Louisiana, see *Seiurus motacilla*
Northern, see *Seiurus noveboracensis*
Waxwing, Cedar, see *Bombycilla cedrorum*
Whip-poor-will, see *Caprimulgus vociferus*
Wigeon, American, see *Anas americana*
Willet, see *Catoptrophorus semipalmatus*
Wilsonia canadensis, 27, 35, 41, 47
W. citrina, 9, 10, 11, 12, 14, 17, 19, 20, 27, 28, 30, 34, 39, 59, 66
W. pusilla, 1, 42, 67, 69
Wood-Pewee, Eastern, see *Contopus virens*
Western, see *Contopus sordidulus*
Woodcock, American, see *Scolopax minor*
Woodpecker, Acorn, see *Melanerpes formicivorus*
Downy, see *Picoides pubescens*
Hairy, see *Picoides villosus*
Ladder-backed, see *Picoides scalaris*
Nuttall's, see *Picoides nuttallii*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes carolinus*
Red-headed, see *Melanerpes erythrocephalus*
Three-toed, see *Picoides tridactylus*
White-headed, see *Picoides albolarvatus*
Wren, Bewick's, see *Thryomanes bewickii*
Canyon, see *Catherpes mexicanus*
Carolina, see *Thryothorus ludovicianus*
House, see *Troglodytes aedon*
Marsh, see *Cistothorus palustris*
Rock, see *Salpinctes obsoletus*
Sedge, see *Cistothorus platensis*
Winter, see *Troglodytes troglodytes*
Wrentit, see *Chamaea fasciata*
Xanthocephalus xanthocephalus, 60
Yellowlegs, Greater, see *Tringa melanoleuca*
Lesser, see *Tringa flavipes*
Yellowthroat, Common, see *Geothlypis trichas*
Zenaida macroura, W1, W2, W6, W7, W15, W20, W21, W22, W24, W27, W28, W29, W31, W32, 1, 2, 3, 7, 9, 11, 12, 18, 19, 20, 22, 29, 37, 45, 52, 54, 55, 56, 57, 58, 60, 62, 64, 66, 67, 69, 71, 74, 78, 83, 84, 91, 92, 93, 94, 95, 96

Zonotrichia albicollis, W1, W4, W7, W24,
W27, W32, 37, 46, 47, 70

Z. atricapilla, W26

Z. leucophrys, W26, 42, 65, 67, 68, 69