

RECENT PUBLICATIONS ON WADERS

compiled by Theunis Piersma

We try to make these lists as complete as possible. Therefore, any help (e.g. sending titles, abstracts or reprints) is most welcome! These should be sent to: Theunis Piersma, Korte Nieuwsstraat 4, 9724 LC Groningen, The Netherlands (please note change of address). Thanks are due to Cor Smit and Jadwiga Gromadska for help. Translated titles of papers in languages other than English are bracketed: round brackets if the translation is by the author(s); square brackets if not. This list has been printed in two-column format for the first time. We hope that this will improve readability. It will also allow those readers who wish to compile complete reference lists to photocopy, and cut out, references for glueing onto card-index systems.

- ALLARD,P.R. 1981. Greater Sandplover at Breydon Water. Norfolk Bird & Mammal Report 1981: 89.
- ANONYMOUS. 1981. Wader primary moult scores. Chapter 4 in: N.J.B.A. Branson (ed.). Wash Wader Ringing Group Report 1979-1980: 63-66.
- BAILEY,E.P. & N.H.FAUST. 1981. Summer distribution and abundance of marine birds and mammals between Microfania and Sudwick Islands south of Alaska Peninsula, USA. Murrelet 62: 34-42. (USFWS, 10011 E Tudor Rd., Anchorage, Alaska 99502, USA).
- BAKER,A.J., M.PARSLAW & D.CHAMBERS. 1981. Karyological studies of a female Variable Oystercatcher (*Haematopus unicolor*). Can. J. Genet.Cytol. 23: 611-620. (Dept. Ornithol., Royal Ont. Mus., Toronto, Ontario, Canada M5S 2C6.)
- BANKS,J. & J.BANKS. 1981. Wilson's Phalarope (*Ateganopus tricolor*) or Marsh Sandpiper. Loris 15: 345-346.
- BEINTEMA,A.J. 1982. Meadowbirds in the Netherlands. In: Annual Rep. 1981 Research Institute of Nature Management: 86-93. (c/o Kasteel Broekhuizen, Leersum, Netherlands.)
- BRANSON,N.J.B.A. (ed.). 1981. Wash Wader Ringing Group Report 1979-1980. WWRG, Cambridge, 70pp.
- BRINKKEMPER,J. 1982. Over het gedrag van de Guntoot (*Limosa limosa*) Deel 1. [On the behaviour of the Black-tailed Godwit, Part 1] Graspieper 2: 54-58. In Dutch. (Paukenhof 45, 1544 ZD Zaandijk, Netherlands.) With 13 superb photographs of individual and social behaviour!
- BRINKKEMPER,J. 1982. [On the behaviour of the Black-tailed Godwit, Part 2.] Graspieper 2: 94-108. In Dutch. Descriptive, with many nice photographs.
- BROWN,B. 1982. Terek Sandpiper feeding like an Avocet. Notornis 29: 7-8. (39 Red Hill Rd., Papakura, New Zealand.)
- CAMERON,M. 1981. Effect of rainfall on waders at Lake Connewarre. Geelong Naturalist 17: 13. (4 Connor Str., East Geelong, Vic. 3219, Australia.)
- CHRISTEN,W. 1982. Der Durchzug des Triels Burhinus oedicnemus in der Schwiez. [Migration of Stone Curlews through Switzerland.] Orn. Beob. 79: 214-216. In German. (c/o Rüttenen, Switzerland.)
- CHRISTIE,D.A. 1982. Common Tern feeding by wading. Brit. Birds 75: 129. (119 Thornhill Park Rd., Southampton SO2 6AT, UK.)
- CINK,C.L. 1982. American Woodcock migration records for northeastern Kansas. Kansas Ornithol. Soc. Bull. 33: 21. (Biol. Dept., Baker Univ., Baldwin City, KS 78382, USA.)
- CLOSE,D.H. 1982. Recent records of the Oriental Plover. S.Aust. Ornithol. 28: 205-206. (30 Diosma Dr., Coromandel Valley, SA 5051, Australia.)
- CLOSE,D. 1982. Unidentified wader in South Australia. The Stilt No.2: 35-36.
- COLEMAN,R.A. 1981. The reproductive biology of the Hawaiian subspecies of the Black-necked Stilt *Himantopus mexicanus knudseni*. Ph.D. dissertation, Pa. State Univ., 116 pp.
- DAVIDSON,N.C. & P.R.EVANS. 1982. Mortality of Redshanks and Oystercatchers from starvation during severe weather. Bird Study 29: 183-188. (Dept. Zool., Univ. Durham, South Road, Durham, UK.)
- DAVIS,T.H. 1982. The 1981 fall shorebird season at Jamaica Bay Wildlife Refuge. Kingbird 32: 85-96. (9446 - 85 Rd., Woodhaven, NY 11421, USA.)
- DEAN,A.R. 1982. Supercilium pattern of immature Pectoral Sandpiper. Brit. Birds 75: 127. (2 Charingworth Rd., Solihull, W.Midlands B92 8HT, UK.)
- DIRKSEN,S. 1981. Dicht bij elkaar broeden vom Kievit en Tureluur. [Close breeding of Lapwings and Redshanks.] Aythya 20: 18-23. In Dutch. (van Heemskerkstr. 16a, 9726 GK Groningen, Netherlands.)
- DOROGOI,I.V. & V.I.PRIDATKO. 1981. [New and rare bird and mammal species from Wrangel Island, USSR.] Vestn. Zool. O? 45-49. In Russian. (see Biol. Abstr. 74(5): 30384).
- DOUGALL,T.W. 1982. Vertical escape flight of Woodcock. Brit. Birds 75: 468. (Dept. Geogr., The Univ., St. Andrews, Fife KY16 9AC, UK.)
- DRAKE,V.A. 1981. Marsh Sandpiper at the Yerabomberra wetlands. Canberra Bird Notes 6: 80-81.
- DUGAN,P.J. 1982. Seasonal changes in patch use by a territorial Grey Plover: weather-dependent adjustments in foraging behaviour. J.Anim. Ecol. 51: 849-858. (Station Biol. de la Tour du Valat, Le Sambuc, 13200 Arles, France.)
- EDWARDS,L. 1982. October wader count at Roebuck Bay, Broome, 1981. The Stilt No. 2: 27-28.
- EHLERS,R. & M.L.MORTON. 1982. Metabolic rate and evaporative water loss in the Least Seed Snipe *Thinocorus ruminivorus*. Comp. Biochem. Physiol. 73A: 233-235. (Dept. Biol., Occidental Coll., Los Angeles, CA 90041, USA.) 38% lower metabolic rate than predicted for 55g non-passerine bird is adaptive for existence in arid and hot environments, but must drink, or eat succulent vegetation to maintain water balance.
- ELMORE,J.B.Sr., 1982. Sighting of the Long-billed Dowitcher in Adair county. Ky. Warbler 58: 34-35. (Rt.1, Box 314-A, Eubank, Kentucky 42567, USA.)
- ERIKSSON,M.O.G. & F.GÖTMARK. 1982. Habitat selection: do passerines nest in association with Lapwings *Vanellus vanellus* as defence against predators? Ornis Scand. 13: 189-192. (Dept. Zool., Univ. of Gothenburg, P.O. Box 25059, S-40031 Gothenburg, Sweden.)
- ESSELINK,P. 1982. De verspreiding van Wulpfen (*Numenius arquata*) tijdens laagwater fouragerend op Zeeduizendpoten (*Nereis diversicolor*). [The distribution of Curlews foraging on Ragworms during low water.] Werkdocument R.Y.P. 1982-261 Abw. 115pp. In Dutch. (Zool. Laboratory, Univ. Groningen, Kerklaan 30, Haren (Gn.), Netherlands.)
- ETHERIDGE,B. 1982. Distribution of Dunlin *Calidris alpina* nests on an area of South Uist machair. Bird Study 29: 239-243.
- FAANES,C.A. 1982. Forty-fifth breeding bird census - low arctic tundra. Am. Birds 36: 97-98. (N.Prairie Wildl. Res. Center, P.O. Box 1747, Jamestown, ND 58401, USA.)
- FAANES,C.A. 1982. Avian use of Sheyenne Lake and associated habitats in central North Dakota. U.S. Fish Wildl. Serv. Resour. Publ. 144, 24pp. Information on breeding & migrating waders.
- FAIRLEY,J. & J.M.BONNIN. 1982. The Painted Snipe breeding at Strathalbyn. S. Aust. Ornithol. 28: 219. (19 Wilsden St., Walkerville, SA 5081, Australia.)
- FENWOOD,J.D. & L.O.WEBB. 1981. An aerial photo inventory of Woodcock habitat in West Virginia. Wildl. Soc. Bull. 9: 306-307. (USFWS, P.O. Box 255, Mount Ida, AR 71957, USA.)
- FIALA,V. 1982. Die Bestände der Wasservögel in der ČSR. [Waterbird populations in Czechoslovakia.] Acta Scient. Brno. 16(7): 1-49. In German. (Sv. Čechia 4, 61200 Brno, Czechoslovakia.) Information on Lapwings.
- FLETCHER,A., M.NEWMAN & P.PARK. 1981. Colour dyeing of Palearctic Waders at Hobart. The Stilt No.2: 11-13. (Tas. WSG, 58 Sinclair Ave., West Moonah, Tas. 7009, Australia.)

- FLINT,V.E. & P.S.TOMKOVICH. 1982. Ecological and ethological isolation in the Pectoral Sandpiper and the Sharp-tailed Sandpiper. In: Ornithological Studies in the USSR, Vol.2, Moscow. pp.241-261.
- FOREST,B.S. 1982. Ageing the Red-necked Stilt in the hand. The Stilt No.2: 29-30. (79 Rosslyn Ave., Seaforth, Vic. 3198, Australia.)
- FRANK,P.W. 1982. Effects of winter feeding on limpets by Black Oystercatchers Haematopus bachmani. Ecology 63: 1352-1362. (Dept. Biol., Univ. Oregon, Eugene, Oregon 97403, USA.)
- FREEDMAN,B. & J.SVOBODA. 1982. Populations of breeding birds at Alexandra fjord, Ellesmere Island, NWT, compared with other Arctic localities. Can. Field-Nat. 96: 56-60. (Dalhouse Univ., Dept. Biol., Halifax, Nova Scotia, Canada B3H 4J1.)
- FULLER,R.J. 1982. Bird habitats in Britain. T & A.D. Poyser, Calton. 320 pp. Occasionally useful information on waders.
- FULLER,R.J. & C.E.YOUNG. 1982. Grey Plovers associating with inland Golden Plover flocks. Brit. Birds 75: 127. (BTO, Tring, Herts HP23 5NR, UK.)
- GASTEREN,H.VAN. 1982. Steenlopers op Terschelling in 1982. [Turnstones on Terschelling in August 1982.] Aythya 21: 14-16. In Dutch. (Mecklenburgstr. 10, 1623 JP Hoorn, Netherlands.)
- GESSAMAN,J.A. & J.G.WORTHERN. 1982. The effect of weather on avian mortality. Utah State Univ. Printing Service, Logan, Utah. 173pp. (Cheque for \$12 to J.A.Gessaman, UMC53, Utah State Univ., Logan, Utah 84322, USA.) Extensive literature compilation with author-, title-, keyword- and species indexes.
- GLOE,P. 1982. Grossbrachvogel (Numenius arquata) rettet sich durch Sturz ins Wasser. [Curlew saving itself by diving in water.] Orn. Mitt. 34: 172-173. In German. (Mühlenstr. 10, D-2223 Meldorf, W.Germany.)
- GROVER,P.B.Jr., & M.GROVER. 1982. Breeding charadriiform birds of the Great Salt Plains. Bull. Okla. Ornithol. Soc. 15: 11-14. (Dept. Zool., 402 Life Sci. W., Okla. State Univ., Stillwater 74078, USA.)
- HAJEK,V. 1980. Ten years of Czechoslovak Wader Study Group. Ring 9: 104-105. (Břeclav, Czechoslovakia.)
- HALE,W.G. & R.P.ASHCROFT. 1982. Pair formation and pair maintenance in the Redshank Tringa totanus. Ibis 124: 471-490. (Dept. Biol., Liverpool Polytechnic, Byrom Str., Liverpool L3 3AF, UK.)
- HARRINGTON,B.A. 1982. Morphometric variation and habitat use of Semipalmated Sandpipers during a migratory stopover. J.Field Ornithol. 53: 258-262. (Manomet Bird Obs., Manomet, Mass. 02345, USA.)
- HARRIS,K. 1982. Highlights of wader-banding in southern Tasmania during 1981. The Stilt No.2: 37-38. (Phoenicea, Hall Str., Ridgeway, Tas. 7101, Australia.)
- HARRISON,C. 1982. An Atlas of the Birds of the Western Palearctic. Collins, London. 322pp. With 20pp. of very general distribution maps of waders.
- HARTWICK,E.B. 1981. Size gradients and shell polymorphism in limpets with consideration of the role of predation. Veliger 23: 254-264. Black Oystercatchers are the predators.
- HERBERT,L. 1982. Shorebirds at McCoid Lake (Seward Co.). Kans. Ornithol. Soc. Bull. 33: 21-22. (RR2, Box 116, Olpe, KS66865, USA.)
- HILDÉN,O. & P.SAUROLA. 1982. Speed of autumn migration of birds ringed in Finland. Ornis Fenn. 59: 140-143. (P.Rautatiekaku 13, SF-00100 Helsinki 10, Finland.)
- HIRONS,G.J.M. & R.B.OWEN.Jr. 1982. Radio tagging as an aid to the study of Woodcock. Symp. Zool. Soc. Lond. No. 49: 139-152. (Game Cons., Fordingbridge, Hampshire, UK.)
- HÖLZINGER,J. & G.SCHMID (eds.) 1982. Artenschutz-symposium Grosser Brachvogel. [Species protection symposium on Curlews.] Beih. Veröff. Naturschutz und Landschaftspflege Baden-Württemberg. 25: 1-124. In German. (DM12.- at DBV Landesverband B.-W., Rotebühlstr. 84/I, 7000 Stuttgart 1, W.Germany.) The status of and threats to Curlews in Germany and Switzerland.
- HOWELL,P.A.G. & K.C.HARRISON. 1982. A Turnstone-Banded Dotterel relationship. Notornis 29: 74.
- JAENSCH,R. 1982. Little Ringed Plover at Little Bool Lagoon. S. Aust. Ornithol. 28: 201-204. (15 Boya Crescent, Boya, WA 6056, Australia.)
- JAENSCH,R. 1982. Tattler nasal grooves. The Stilt No.2: 36-37.
- JANOY,J.Jr. 1980. Yellowlegs. St. Martin's Press, New York. 192pp. Imaginative Story.
- JOHNSGARD,P.A. 1981. The Plovers, Sandpipers and Snipes of the World. University of Nebraska Press, Lincoln. 493pp. \$45.
- JOHNSON,D.H., C.A.FAANES, & J.M.ANDREW. 1982. Forty-fifth breeding bird census-mixed prairie. Am. Birds 36: 79-80. (N.Prairie Wildl. Res. Center, P.O. Box 1747, Jamestown, ND58401, USA.)
- JONES,H.M. 1981. Wader weights. Chapter 5 in: N.J.B.A.Branson (ed.) Wash Wader Ringing Group Report 1979-1980. pp 67-70. WWRG, Cambridge.
- JUKEMA,J. 1982. (Moult and biometry of the Golden Plover Pluvialis apricaria.) Limosa 55: 79-84. In Dutch with Engl. summary. (Haerdawei 44, 5488 AC Oosterbierum, Netherlands.)
- KEW,J. & D.J.STANYARD. 1981. The status, migration and origins of waders in North Wales. In: D.J.Stanyard (ed.). Scan Ringing Group Report for 1979 to 1980. pp 26-33. (1 Mayday Cottages, Bury Rd., Brandon, Suffolk.)
- KIESER,J.A. 1982. Field identification of common waders: Ruff. Bokmakerie 34: 14-17. (Glenanda Shopping Centre, Vorster Ave., Glenanda, Johannesburg 2190, S.Africa.)
- KING,F. 1982. Turnstones and Purple Sandpipers eating bar of soap. Brit. Birds 75: 424. (The Orchards, Blennerville, Tralee, C. Kerry, Ireland.)
- KIPP,M. 1982. Zur Situation des Grossen Brachvogels (Numenius arquata) und der Uferschnepfe (Limosa limosa) im Kreis Minden-Lübbecke. [On the status of Curlew and Black-tailed Godwit in the M.-L. district.] Charadrius 18: 57-60. In German. (Kuhdamm 95, 4540 Lengerich, W.Germany.)
- KIRSCH,L.M., H.F.DUEBBERT & A.D.KRUSE. 1978. Grazing and haying effects of habitats of upland grazing birds. Trans. N. Am. Wildl. Nat. Resour. Conf. 43: 486-497. (N.Prairie Wildl. Res. Center, P.O. Box 1747, Jamestown, ND 58401, USA.)
- LANDMANN,A. & W.NENNEN. 1981. (A further breeding record of Lapwing (Vanellus vanellus) in North Tirol, Austria (Aves, Charadriidae).) Ber. Naturwiss - Med. Ver. Innsbruck 68: 169-172. In German with Engl. summary. (Inst. Zool., Univ. 4, A-6020 Innsbruck, Austria.)
- LANE,B.A. 1981. A Victorian record of the Ringed Plover. Geelong Naturalist 18: 8-11. (c/o RAOU Headquarters, 21 Gladstone St., Monee Ponds, Vic. 3039, Australia.)
- LANE,B.A. 1982. Hooded Plover survey, October 1981. The Stilt No.2: 46. An endangered endemic plover from southern Australia.
- LEOPOLD,M.F. & E.C.L.MARTEIJN. 1982. Meer albino Scholeksters. [More albinistic Oystercatchers.] Vogeljaar 30: 333-334. In Dutch. (N10Z, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands.)
- LEUZINGER,H. 1982. Erdklumpen an Zehen und Schabel von Kiebitzkücken (Vanellus vanellus). [Mudballing on toes and bill of a Lapwing chick.] Ornithol. Beob. 79: 65-66. In German. (Schneit/Elgg, Switzerland.)
- "LUCK,G. & H.MICHAELIS. 1982. Ecological effects of tourism in the Wadden Sea - Proceedings of the Wadden Sea Symposium. Schriftenreihe des Bundesministers für Ernährung, Landwirtschaft und Forsten. Heft 275 (Reihe A), Landwirtschaftsverlag GmbH, 4400 Münster-Hiltrup. 199pp. (Available for DM11 - at Landwirtschaftsverlag GmbH, P.O. Box 480210, 4400 Münster-Hilt-up, W.Germany.)
- MACLEAN,G.L. 1982. Opportunistic breeding of plovers under manipulated conditions. Ostrich 53: 52-54. (Dept. Zool., Univ. Natal, Pietermaritzburg, S.Africa 3201.) Charadrius tricollaris in S.Africa.

- MARECHAL,P.L.TH.A. 1981. Grutto (Limosa limosa). Ecoscript No. 12-04, De Ecologische en Economische letekenis van Vogels. 24pp. Foundation for Ecological Development Alternatives, P.O. Box 168, 2040 AD Zandvoort, Netherlands. In Dutch. On migration and wintering of Black-tailed Godwits.
- MARTINDALE,J. 1982. National Winter Count 1981. The Stilt No.2: 2-9. (3 Hawthorn Rd., Northcote, Vic. 3070, Australia.) Australia: 35000 waders counted by 91 observers.
- MARTINDALE,J. 1982. Count statistics one. The Stilt No.2: 31-34.
- McKEE,J. 1982. The winter feeding of Turnstones and Purple Sandpipers in Strathclyde. Bird Study 29: 213-216. (Dept. Zool., The Univ., Glasgow G12 8QQ, UK.)
- MELTOFTE,H. 1982. Jagtligge forstyrrelser af svømme - og vadefugle. (Shooting disturbance of waterfowl.) Dansk. Orn. Foren. Tidsskr. 76: 21-35. In Danish with Engl. summary. (Zool. Mus., 4. Afd., Universitetsparken 15, DK-2100 København Ø, Denmark.) Documents convincingly the enormous effects of game shooting on distribution and approachability of wildfowl and waders!
- MES,R.G. & R.J.VAN DER WAL. 1982. Sneekermeer, een relatiestudie waterrecreatie en weidevogels. [Lake Sneekermeer, a study of the relation between recreation and meadowbirds.] Bureau Ecoland/Staatsbosbeheer, Utrecht, report nr. 82-21, Dec. 1982. 98pp. In Dutch. (Ecoland, Ossekop 9, 8911 LE Leeuwarden, Netherlands.)
- MILDENBERGER,H. 1982. Die Vögel Rheinlandes. Band 1. Seetaucher-Alkenvögel (Gaviiformes - Alcidae). Gesellschaft Rheinischer Ornithologen, Düsseldorf. 400pp. In German. With 130pp. on waders, with graphs of patterns of occurrence.
- MINTON,C. & B.LANE. 1982. Trans-Tasman Double-banded Plovers. The Stilt No.2: 37. (10 Omama Str., Murrumbeena, Vic. 3163, Australia.)
- MINTON,C. & B.LANE. 1982. Recoveries of Curlew Sandpipers begin to link up in N.Hemisphere. The Stilt No.2: 37.
- MINTON,C. & J.MARTINDALE. 1982. Report on Wader Expedition to north west Australia in August/ September 1981. The Stilt No.2: 14-26. 150,000 waders counted and 1,200 ringed in a largely unvisited region.
- MORDUE,T.A. 1981. Wader passage in the Northern Province, PNG: October-December 1980. PNG Bird Soc. Newsletter No. 181-182: 18-20.
- MORGAN,N.C. 1982. An ecological survey of the standing waters in North West Africa, 2. Site descriptions for Tunisia and Algeria. Biol.Conserv. 24: 81-111. (Les Echettes, Thiefosse, 88290 Saulxures sur Moselotte, France.)
- MORGAN,N.C. 1982. An ecological survey of the standing waters in North West Africa, 3. Site descriptions for Morocco. Biol. Conserv. 24: 161-182.
- MORGAN,N.C. & V.BOVY. 1982. An ecological survey of the standing waters in North West Africa, 1. Rapid survey and classification. Biol. Conserv. 24: 5-44. A limnological approach, a few data on waders.
- MOSER,M. 1982. Birds of Estuaries Enquiry. BTO News Nr. 123: 3. (BTO, Beech Grove, Tring, Herts, UK.)
- MYERS,J.P., O.HILDÉN & P.TOMKOVICH. 1982. Exotic Calidris species of the Siberian tundra. Ornis Fenn. 59: 175-182. (c/o Acad. Nat. Sci. Phil., 19th and the Parkway, Philadelphia, PA 19103, USA.) Summarising descriptions of the known (esp. breeding) biology and nest photographs of C. ptilocnemis, bairdii, mauri, acuminata, tenuirostris, subminuta and ruficollis.
- NOL,E. & R.J.BROOKS. 1982. Effects of predator exclosures on nesting success of Killdeer. J.Field Ornithol. 53: 263-268. (Dept. Zool., Univ. of Guelph, Guelph, Ontario, Canada N1G 2W1.)
- OOSTVEEN,J.J.M.VAN. 1982. (Plumage and bare parts of juvenile Black-winged Stilt.) Dutch Birding 4: 89-90. In Dutch with Engl. summary. (Droevedaalsesteeg 75, 6708 PN Wageningen, Netherlands.)
- OSBORN,D. & K.R.BULL. 1982. Mersey bird mortalities 1979-1981: a pollution problem resolved? In: Annual Report I.T.E. 1982: 28-33. Death of waders and ducks probably caused by contamination of alkyl lead compounds.
- OSBORNE,B.C. 1982. Food-trembling and feeding behaviour in the Ringed Plover Charadrius hiaticula. Bird Study 29: 209-212. (90a Colney Lane, Cringleford, Norwich, Norfolk NR4 7RG, UK.)
- OSBORNE,D.R. 1982. Replacement nesting and polyandry in the Wattled Jacana. Wilson Bull. 94: 206-208. (Dept. Zool., Miami Univ., Oxford, Ohio 45056, USA.)
- PATON,D.C., B.J.WYKES & P.DANN. 1982. Moult of juvenile Curlew Sandpipers in southern Australia. Emu 82: 54-56. (Austr. Mus., 6-8 Coll. Str., Sydney, NSW2000, Australia.)
- PATTERSON,B. 1982. Activities of the Shorebird Study Group 1980-81 (Report from Tasmania). The Stilt No.2: 40-41. (89 Summerleas Rd., Ferntree, Tas.7107, Australia.)
- PEDLER,L. 1982. An Oriental Plover in the mid-north of South Australia. S. Aust. Ornithol. 28: 207. (Box 58, Koolunga, SA5464, Australia.)
- PETERSON,A.T. & D.R.OSBORNE. 1982. The Upland Sandpiper in Ohio. Ohio J. Sci. 82: 82. Abstract only. (Dept. Zool., Miami Univ., Oxford, Ohio 45056, USA.)
- PETTERSON,T.J.A. 1982. Resultat av ringmärkning av tofsvipa (Vanellus vanellus) på Gotland. (Results obtained from banding Lapwings.) Fauna og Flora. 77: 253-260. In Swedish with Engl. summary. (Hultgrens väg 5b, 44300 Lerum, Sweden.)
- PETTET,A. 1982. Feeding behaviour of White-tailed Plover. Brit. Birds 75: 182. (Botany Dept., Univ. Khartoum, Sudan.)
- PIENKOWSKI,M.W. 1982. Diet and energy intake of Grey and Ringed Plovers, Pluvialis squatarola and Charadrius hiaticula, in the non-breeding season. J. Zool., Lond. 197: 511-549.
- PIENKOWSKI,M.W. & A. 1981. Colour marking. How dye-marking studies at the Wash are helping to answer urgent conservation questions. Chapter 3 in: N.J.B.A.Branson (ed.). Wash Wader Ringing Group Report 1979-1980 pp. 58-62.
- POORTER,E.P.R. 1982. Trekvogels over Sahara en Sahel IV. (Senegal, Gambia, Guinée-Bissao). Panda 18: 121-123. In Dutch. (c/o R.IJ.P., Smedinghuis, Relystad, Netherlands.) Wetland descriptions and notes on their use by migrants.
- POORTER,E.P.R., J.VAN DER KAMP & J.JONKER. 1982. Verslag vande lepelaaexpeditie naarde Senegal-delta in de winter 1980-1981. [Report of the Spoonbill-expedition to Senegal-delta in winter 1980-1981.] Werkdocument R.IJ.P. 1982-199 Abw. August 1982. 46pp. In Dutch with French summary. Some data on wintering waders.
- PRATER,A.J. 1981. Wader Research Group Report, Debrecen. IWRB Bull. No.47: 74-78. (c/o IWRB, Slimbridge, Glos. GL2 7BX, UK.) Wader population level changes 1973-81 (midwinter counts): steady increase in H. ostralegus, R. avosetta, P. squatarola & C. alba; steady decline in C. canutus, C. alpina & L. limosa icelandica and stable level in L. lapponica, N. arquata, T. totanus & A. interpres.
- PYM,A. 1982. Identification of Lesser Golden Plover and status in Britain and Ireland. Brit. Birds 75: 112-124. (The Bungalow, Kites Abbey, Cold Ash, Berks. RG16 9NF, UK.)
- QUAMMEN,M.L. 1982. Influence of subtle substrate differences on feeding by shorebirds on intertidal flats. Marine Biology 71: 339-343. (Mar. Sci. Inst., Univ. Calif., Santa Barbara, CA 93106, USA.) In sandier substrates waders have difficulty in finding very small polychaete and oligochaete worms.
- REDFERN,C.P.F. 1982. Lapwing nest sites and chick mortality in relation to habitat. Bird Study 29: 201-208. (18 Livesey Terrace, Penicuik, Midlothian EH26 6NA, UK.)
- RETTIG,K. 1983. Zusammenstellung der Wochentlichen Limikolen-Zählungen im Überschlickungsgebiet Riepe für das Jahr 1982. [Weekly wader counts on sewage farm Riepe in 1982.] 13. Bericht der Beiträge zur Vogel- und Insektenwelt im Nordwestlichen Ostfriesland: 5. (Danziger Str. 11, 2970 Emden, W.Germany.)
- ROOS,G.T.DE. 1982. A Spotted Sandpiper in the south-western Cape. Ostrich 53: 57. (Dorpsstr. 198, 8899 AP Vlieland, Netherlands.)
- ROOS,G.T.DE. 1982. The impact of tourism upon some wader species on a Dutch Wadden Island. In: G.Lück & H.Michaelis (eds.). Ecological effects of tourism in the Wadden Sea, Landwirtschaftsverlag, Münster, pp. 109-126.

- ROSENBAND,G. 1982. Eye-ring of Sharp-tailed Sandpiper. *Brit. Birds* 75: 128. (9444 Kedvale, Skokie, Ireland.)
- ROUX,F. 1981. The wetlands of West Africa, their importance for waterfowl and their future. *IWRB Bull.* No.47: 83-87. (C.R.B.P.O., 55 Rue de Buffon, 75005 Paris, France.)
- RUNDLE,W.D. 1982. A case for esophageal analysis in shorebird food studies. *J. Field Ornithol.* 53: 249-257. (Hatchie Nat. Wildl. Refuge, P.O. Box 187, Brownsville, Tennessee 38012, USA.) A study on shot *Calidris melanotos*, *Tringa flavipes*, *Charadrius vociferus* and *Gallinago gallinago*.
- SAUROLA,P. 1980. (Recoveries of *Calidris* species ringed in Finland.) *Lintumies* 15: 146-153. In Finnish with Engl. summary. (P.Rautatiekaku 13, SF-00100 Helsinki 10, Finland.)
- SCHEKKERMAN,H. 1982. Drieteentjes op Terschelling in augustus 1982. [Sanderlings on Terschelling in August 1982.] *Aythya* 21(4): 17-21. In Dutch. (Mr. Ludwigstr. 1, 1901 PS Castricum, Netherlands.)
- SCHEKKERMAN,H. 1982. Steltlopers rond de Brandaris op 9-8-'81. [Waders migrating along the lighthouse Brandaris on Terschelling in the night of 8-9 August 1981.] *Aythya* 21(4): 27-30. In Dutch.
- SCOTT,D.A. 1980. A preliminary inventory of wetlands of international importance for waterfowl in West Europe and Northwest Africa. *IWRB Special Publication No.2.* 127pp.
- SMART,M. (ed.) 1981 *IWRB Bulletin No.47*. December 1981. IWRB, Slimbridge. 95pp. (IWRB, Slimbridge, Glos. GL2 7BX, UK.)
- SMITH,F.T.H. 1982. Dunlins undone. *The Stilt* No.2: 10-11. (71 Cobden St., Kew, Vic. 3101, Australia.) Field characters of Australian "Dunlins" are given, but which species?
- SPENCER,R. 1982. Birds in winter - an outline. *Bird Study* 29: 169-182. (BTO, Beech Grove, Tring, Herts., HP23 5NR, UK.)
- SPENCER,R. & R.HUDSON. 1982. Report on bird-ringing for 1981. *Ringing & Migration* 4: 65-128.
- STANYARD,D.J. (ed.). 1981. *Scan Ringing Group Report for 1979 to 1980*. Scan Ringing Group: 39pp. (Copies are available for £1 - at P.W.Challinor, Las Alondras, Trussell Close, Acton Trussell, Stafford, UK.)
- STEPHENES,M. 1982. Mate takeover and possible infanticide by a female Northern Jacana (*Jacana spinosa*). *Anim. Beh.* 30: 1253-1254. (Allee Lab., Anim. Beh., Univ. Chicago, 940 E 57th Str., Chicago II, 60637, USA.)
- SUMMERS,R.W. & S.M.SMITH. 1983. The diet of the Knot (*Calidris canutus*) on rocky shore of eastern Scotland in winter. *Ardea* 71: 151-154. (MAFF, Tangley Place, Worplesdon, Guildford, Surrey GU3 3LQ, UK.)
- SUTHERLAND,W.J. 1981. Turnover in a Turnstone population. In: D.J.Stanyard (ed.). *Scan Ringing Group Report for 1979 to 1980*: 34-35. (Edw. Grey Inst. Field Ornithol., Dept. Zool., S. Parks Rd., Univ. Oxford, Oxford OX1 3PS, UK.)
- SUTHERLAND,W.J. & P.KOENE. 1982. Field estimates of the strength of interference between Oystercatchers *Haematopus ostralegus*. *Oecologia (Berl.)* 55: 108-109.
- SWENNEN,C. & P.DUIVEN. 1983. Characteristics of Oystercatchers killed by cold-stress in the Dutch Wadden Sea. *Ardea* 71: 155-159. (N10Z, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands.)
- TAVERNER,J.H. 1982. Feeding behaviour of Spotted Redshank flocks. *Brit. Birds* 75: 333-334. (13 Stockers Ave., Weekes, Winchester, UK.)
- TAYLES,K.V. 1981. Lapwing tail-flicking. *The Magpie* No.2: 1 page. (14 Blackbrooke Rd., Sheffield, S.Yorks. S10 4LP. UK.)
- TAYLES,K.V. 1981. Observations at a Curlews nest. *The Magpie* No. 2: 41-45.
- TAYLOR,P.B. 1981. First East African record of the Red-necked Stint *Calidris ruficollis*. *Scopus* 5: 126-128. (P.O. Box 25138, Nairobi, Kenya.)
- THOMAS,M. & J.L.BURTON. 1982. Woodcocks roding at night. *Brit. Birds* 75: 467-468. (c/o 37 Park Ave., Southport, Merseyside PR9 9EF, UK.)
- TRAORE,N. 1981. The ornithological importance of the Central Delta of the Niger and its future. *IWRB Bull.* No. 47: 87-90.
- VELDMAN,D. 1982. Bepaling van legdata van weidevogels en het broedverloop in verschillende biotopen maart tm juni 1980. [Determination of laying dates and breeding phenology of meadowbirds in different habitats.] RUG-RIN report 1982, 62pp. In Dutch. (c/o RIN, Kasteel Broekhuizen, Leersum, Netherlands.)
- VEIT,R.R. & W.R.PETERSEN. 1982. First and second records of Rufous-necked Sandpiper (*Calidris ruficollis*) for Massachusetts. *Bird Observer East Mass.* 10: 75-77. (Univ. Mass., Boston, USA.)
- WALL,T.E. 1981. Waders at Marion Beach. *Tas. Nat.* No.64: 6.
- WALL,L.E. 1981. Plumage changes in the Banded Stilt. *Tas. Nat.* No.64: 7.
- WALTERS,J. 1982. (Late breeding of Oystercatcher *Haematopus ostralegus*.) *Limosa* 55: 100. In Dutch with Engl. summary. (c/o Zool. Mus., P.O. Box 20125, 1000 HC Amsterdam, Netherlands.) Vlieland: clutch laid between 11 and 18 July 1981.
- WALTERS,J. 1982. Van plevieren, sterns en mensen. [On plovers, terns and people.] *Vogels* 2: 220-223. In Dutch. Account of breeding behaviour of Ringed & Little Ringed Plover, illustrated with colour photographs.
- WALTERS,J.R. 1982. Parental behavior in Lapwings (Charadriidae) and its relationships with clutch sizes and mating systems. *Evolution* 36: 1030-1040 (Biol. Dept., Univ. of Chicago, Chicago, Illinois 60637, USA.)
- WALKER,W.A.Jr., & M.K.CAUSEY. 1982. Breeding activity of American Woodcock in Alabama. *J. Wildl. Manage.* 46: 1054-1057. (Dept. Zoo.-Entom., Auburn Univ., AL 36849, USA.)
- WIPRÄCHTIGER,P., U.N.GLUTZ VON BLOTZHEIM, R.LEVEQUE & R.LUDER. 1982. Ein Grasläufer *Tryngites subruficollis* im Wauwilermoos/Luzern. [A Buff-breasted Sandpiper in W./L.] *Ornithol. Beob.* 79: 65. In German. (Schötz, Switzerland.)
- WOLFF,W.J., P.J.H.REIJNDERS & C.J.SMIT. 1982. The effect of recreation on the Wadden Sea ecosystem: many questions, but few answers. In: G.Lück & H.Michaelis (eds.). *Ecological effects of tourism in the Wadden Sea*, Wirtschaftsverlag, Münster. pp. 85-108. (RIN, P.O. Box 59, Den Burg, Texel, Netherlands.)
- WREN,J. 1981. Sighting of Pectoral Sandpiper at Queerah, North Queensland. *Aust. Bird Watcher* 9: 13.
- YESOU,P. 1982. Les limnodromes *Linnodromus griseus* et *L. scolopaceus*, identification, synthèse des données français. [The identification of Dowitchers: synthesis of French data.] *Alauda* 50: 220-227. In French with Engl. summary. (4 rue Henri Servain, 22000 St. Brieuc, France.)
- YESOU,P. 1982. Semipalmated Plover in western Palearctic. *Brit. Birds* 75: 336.
- IJZENDOORN,E.J.VAN. 1982. (Winter record of Baird's Sandpiper for the Netherlands.) *Dutch Birding* 4: 87-88. In Dutch with Engl. summary. (3e Schinkelstr. 45, 1075 TK Amsterdam, Netherlands.)