could fly and swim as well as if he had never been hurt!" (italics are mme). While the trapper appears to contradict himself as to whether the bird was injured or not, he is to be commended for releasing it.—John A. Gillespie, Glenolden, Pennsylvania.

White-throated Sparrow Bandings and Repeats,—At my station in Worcester, Massachusetts, during 1931 I banded seventy-four White-throated Sparrows (Zonotrichia albicollis). These were nearly all taken

during October and were mostly birds-of-the-year.

For the purpose of indicating the apparent tarrying periods during their southern migration, I am presenting the following tabulated review, basing the temporary duration of their stay on the repeats taken. It will be seen that of the seventy-four birds banded, seventeen remained at the station from one to ten days, one remained seventeen days, and one, banded October 5th, remained until November 4th.

Banding Dates		Dates		No.	
		No.	Age	Repeating	Repeating Dates
Sept.	. 30	1	Imm.	1	Oct. 6—Leg broken, treated
•					and released in Conn., Oct. 7th
Oct.	1	5	"	1	Oct. 7
66	2	5	**	2	1 Oct. 8; 1 Oct. 7, 8, 9
66	2 5	11	"	2 3	1 Oct. 6; 1 Oct. 14, 21, 27;
44	6	11 7	**	3	Nov. 4; 1 Oct. 13, 15
44	7		"	2	1 Oct. 6; 1 Oct. 8
**	13	6 3	44	í	Oct. 15
**		3	66	2	
46	14	Ť	66	n- ²	1 Oct. 21; 1 Oct. 27, 30
"	15	5 2 12	"	None	
"	19	- 2		.,	
•••	21	12	9", 1 ad. 5 and		
			2 doubtful	2	1 Oct. 23; 1 Oct. 26
"	22	3	1 Imm., 1 doubtful	_ 1	Oct. 23, 26
**	26	$\frac{3}{2}$	Imm.	None	
**	27	1	"	1	Oct. 27, 28, 30
"	30	3	"	1	Nov. 4, 5
6.6	31	1	"	1	Nov. 3
Nov.	4	4	**	1	Nov. 5
***	5	i	"	None	
"	9	1	**	"	

—Mrs. Kenneth B. Wetherbee, 11 Dallas Street, Worcester, Massachusetts.

A Snow Bunting Recovered in Greenland,—On December 14, 1931, I received word from the Bureau of Biological Survey, informing me that a Snow Bunting (Plectrophenax nivalis nivalis) bearing band No. C98323, banded by me on February 17, 1931, at McMillan, Michigan, was shot by R. Horring at Igdlorpait, Julianehaab District, Greenland, on March 30, 1931. The Biological Survey advised me that the recovery was reported by Mr. R. Horring, Museum Inspector of the Zoologiske Museum, Copenhagen, Denmark, Mr. Horring merely stating that the Museum had received a foot and some skin of this bird which was shot at Igdlorpait, as stated, on March 30, 1931. Mr. Horring did not state from whom the fragments had been received. The area of the Atlantic Ocean lying between Labrador and Greenland, some five to six hundred miles wide, is, of course, a region of icebergs, so the bird may not have made the crossing from Labrador without resting.

I did not retake this bird after banding (February 17, 1931) and just how many days it remained about this vicinity before departing for Greenland of course I do not know, or how long it was in the locality of its recovery before March 30th. The total elapsed time between dates is forty-one days, and the airline distance is approximately eighteen hundred miles.