

INDEX FOR VOLUME XLV, 1933

Compiled by Leonard W. Wing

- Abbott, Cyril E. Mockingbird in Illinois and Michigan, 203
- acadica acadica*, Cryptoglaux, 139, 183
- Acanthus linaria*, 25
- Accipiter cooperi*, 139, 179
velox velox, 18, 139, 178
- Acititis macularia*, 20, 182
- Acuta tizithoa*, Dafla, 18, 86
- Aechmophorus occidentalis*, 17
- aedon aedon*, Troglodytes, 186
parkmani, 23
- aestiva*, Dendroica, 24, 190
- affinis*, Nyroca, 85, 142
- Agelaius phoeniceus arctolegus*, 25
fortis, 121
phoeniceus, 193
- Aix sponsa*, 85, 178
- Alabama, 29
- alba*, *Crocethia*, 21
- alba pratincola*, Tyto, 139, 182
- albeola*, Charitonetta, 18, 85
- albicollis*, Zonotrichia, 26, 194
- albifrons*, Anser, 17
Petrochelidon, 22, 186
- albus egretta*, Casmerodius, 35, 141, 142
- Aleedo, 81
- alycon*, Megacerle, 80, 183
- alpestris praticola*, *Otocoris*, 22, 185, 198
- americana*, *Fulicula*, 19, 181
Mareca, 18, 35, 85
Numenius, 20
Nyroca, 18, 86
pusilla, *Compsothlypis*, 190
Recurvirostra, 21
- americanus*, *Coccyzus*, 30, 182
- Ammodramus bairdi*, 25
savannarum australis, 194
bimaculatus, 25
- Amphispiza nevadensis nevadensis*, 136
- Anderson, Edwin C. Golden-winged Warbler in South Dakota, 197-198
- Anser *albifrons albifrons*, 17
- Anas platyrhynchos platyrhynchos*, 17, 178
rubripes tristis, 86, 178
- Anthus spinoletta rubescens*, 23, 114-117, 120
spraguei, 24, 120
- Antrostomus vociferous*, 183
- Aquila chrysaetos canadensis*, 32
- arborea*, Spizella, 26
- Archilochus colubris*, 183
- arctica pacifica*, *Gavia*, 89
- arctolegus*, *Agelaius phoeniceus*, 25
- Ardea herodias herodias*, 17, 32, 176
- Areonatus saxatalis saxatalis*, 135
- argentatus smithsonianus*, *Larus*, 200
- Arizona, 31
- Arkansas, 29
- Arquatella maritima*, 120
- Asio flammeus*, 139, 183
wilsonianus, 22, 139, 183, 198
- asio naevius*, Otus, 139, 182
- Astur atricapillus*, 139
- ater artemisiae*, *Molothrus*, 25, 193
ater, 54, 90
- atratus atratus*, *Corygyps*, 139, 203
- atricapillus*, *Astur*, 139
atricapillus, *Penthestes*, 186
septentrionalis, 23
- auratus luteus*, *Colaptes*, 22, 183
- aura septentrionalis*, *Cathartes*, 139, 178, 200
- auritus*, *Colymbus*, 17
Phalacrocorax, 17
- aurocapillus*, *Sciurus*, 76, 192
- Avocet, 21
- Baerg, W. J. Record of the Starling in Arkansas: A Correction, 29
- Baeolophus bicolor*, 87, 186
- bairdi*, *Ammodramus*, 25
Pisobia, 20
- Baker, William C. Sight Records from Ohio, 35-36
- Baldpate, 18, 35, 134
- Bartramia longicauda*, 20, 182
- Beebe, Ralph. Influence of Great Lakes on Migration, 118-121; White Gyrfalcon in Michigan, 79
- Bennett, Logan J. Fall Flight of Ducks, Northwest Iowa, 85-86
- bewicki*, *Thryomanes*, 187
- bicolor*, *Baeolophus*, 87, 186
Iridoprocne, 22, 185
- Bittern, American, 17, 87, 178
Least, 160, 178
- Blackbird, 8
Brewer's, 25, 111, 142
Yellow-headed, 25, 119
Red-winged, 4, 29, 63, 134
Rustv. 111, 113
- Bluebird, 3, 53, 66, 134
Eastern, 23, 188
Western, 23
- Bobolink, 4, 9, 63, 192
- Bob-white*, 62, 80, 122-132, 134
Eastern, 30, 180
- Bombycilla cedrorum*, 140, 188
garrula pallidiceps, 24
- Bonasa umbellus*, 179
- borealis borealis*, *Buteo*, 79, 139, 179, 200
calurus, 19
- Botaurus lentiginosus*, 17, 178
- brachyrhynchos*, *Corvus*, 23

- Branta canadensis canadensis*, 17
 hutchinsi, 17
 Breckenridge, W. J. Pomarine Jaeger in South Dakota, 79
breweri, Spizella, 26
 Brooks, Maurice. Notes on Waterfowl, West Virginia, 87
 Bryens, Oscar McKinley. Early Arrival of Great Blue Heron, 34
Bubo virginianus virginianus, 139, 183
 Bufflehead, 18, 85, 87
 Bunting. Eastern Snow, 26
 Indigo, 64, 174, 193
 Burleigh, Thomas D. Brewer's Black-bird in the Southeast, 111-113
 Burns, Frank L. Biographical Corrections, 36
Buteo borealis borealis, 79, 139, 179, 200
 calurus, 19
 lagopus s.-johannis, 19, 135, 139
 lineatus lineatus, 139, 179
 platypterus, 79, 139, 179
 swainsoni, 19, 120
Butorides virescens, 178
caerulea caerulea, Florida, 35, 141
 Guiraca, 141
 Polioptila, 30, 188
caerulescens, Chen, 83, 142
 caerulescens, Dendroica, 191
Calcarius lapponicus, 26, 120
 ornatus, 26, 120
 California, 4, 5, 8, 21
californicus, Larus, 21, 200
calliope, Stellula, 135
canadensis tabida, Grus, 19, 99-106
 Wilsonia, 192
 Canvasback, 18, 86
Capella delicata, 20, 181
 Cardinal, 33, 64, 134, 140, 141, 193
 Eastern, 90, 152
cardinalis cardinalis, Richmondena, 90, 152-154, 193
carolina, Porzana, 19, 180
canadensis, Branta, 17
 Sitta, 23, 186
carolinense, Nettion, 18, 86, 142
carolinensis carolinensis, Penthestes, 35, 186
 Dumetella, 23, 137, 187
carolinus, Centurus, 184
 Euphagus, 111
Carpodacus cassini, 136
 purpureus purpureus, 193
 Cartwright, B. W. (see C. G. Harrold)
Casmerodius albus egretta, 35, 141, 142
cassini, Carpodacus, 136
castanea, Dendroica, 72
 Catbird, 3, 23, 65, 80, 137, 158, 187
Cathartes aura, 200
 septentrionalis, 139, 178
cedrorum, Bombycilla, 140, 188
celata celata, Vermivora, 24
Centurus carolinus, 184
Ceophlaeus pileatus albieticola, 183
Certhia familiaris americana, 187
cerulea, Dendroica, 191
Chaetura pelagica, 183
Charadrius melodius, 19, 142, 187
 semipalmatus, 20
Charitonetta albeola, 18, 85
 Chat, 65
 Yellow-breasted, 192
Chaulelasmus streperus, 17, 85
Chen caerulescens, 83, 142
 hyperborea atlantica, 16
 hyperborea, 17
 Chewink, 11
 Chickadee, 65
 Black-capped, 158, 174, 186
 Carolina, 35, 186
 Long-tailed, 23
 Chicken, Prairie, 102
Chlidonias nigra surinamensis, 22, 182
chloropus cachinnans, Gallinula, 142, 181
Chondestes gramineus gramineus, 194
Chordeiles minor, 22, 183
chrysaëtus canadensis, Aquila, 32
chrysoptera, Vermivora, 198, 189
Circus hudsonius, 19, 179
Cistothorus stellaris, 187
citrea, Protonotaria, 137
citrina, Wilsonia, 192
clangula americana, Glaucionetta, 18
 Clay, Marcia B. Diurnal Activity of the Woodcock, 106-110.
clavata, Spatula, 18, 85, 142
Coccyzus americanus, 30, 182
 erythrophthalmus, 182
Colaptes auratus luteus, 22, 183
Colinus virginianus virginianus, 30, 180
collaris, Nyroca, 85
colubris, Archilochus, 183
columbarius, Falco, 19, 139, 179
columbianus, Cygnus, 17
Colymbus auritus, 16
Compsothlypis americana pusilla, 190
 Cook, Mrs. Horace P. Calls of the Barred Owl, 30; Some Hoosier Notes, 33-34; Notes on Rare Birds in Indiana, 141; Blue-gray Gnatcatcher in Indiana, 200-201; Notes on the Cerulean Warbler, 202
cooperi, Accipiter, 139, 179
 Coot, American, 19, 83, 134, 181, 196
Coragyps atratus atratus, 139, 203
corax principalis, Corvus, 201
 Cormorant, Double-crested, 17, 196
coronata coronata, Dendroica, 24, 71
Corvus brachyrhynchus, 23, 186
 corax principalis, 201
Coturnicops noveboracensis, 181

- Cowbird, 54, 63, 112, 134, 193
 Eastern, 90, 158
 Nevada, 25
- Crane, Sandhill, 19, 99-106
- Creep, Brown, 175, 187
- crinitus boreus, Myiarchus, 184
- cristata cristata, Cyanocitta, 186
- Crocethis alba, 21
- Crow, 7, 8, 9, 23, 63, 104, 134, 174, 186
 Fish, 88, 147
- Crytroglaux acadica acadica, 139, 183
- Cuckoo, 67
 Black-billed, 62, 182
 Yellow-billed, 30, 182
- cucullatus, Lophodytes, 85
- cunicularis hypugaea, Speotyto, 22
- cupido americanus, Tympanuchus, 19
- Curlew, Long-billed, 20
- currucoides, Sialia, 23
- Curtis, J. T. Brewer's Blackbirds in
 Waukesha County, Wisconsin, 142
- cyanea, Passerina, 192
- cyanocephalus, Euphagus, 25, 111-113,
 142
- Cyanocitta cristata cristata, 186
- Cygnus columbianus, 17
- Dafila acuta tzitzihoa, 18, 86
- deglandi, Melanitta, 18
- delawarensis, Larus, 21, 200
- delicata, Capella, 20, 181
- Dendroica aestiva aestiva, 24, 190
 caerulescens caerulescens, 191
 castanea, 72
 cerulea, 191
 coronata, 24, 71
 discolor discolor, 75
 fusca, 24, 191
 kirtlandi, 72
 magnolia, 24, 190
 palmarum palmarum, 24, 73
 pensylvanica, 72, 137, 191
 pinus pinus, 191
 striata, 24, 72
 virens virens, 191
- Dill, H. R. Black Vulture in Iowa, 203
- discolor discolor, Dendroica, 75
- discors, Querquedula, 18, 85, 178
- Dolichonyx oryzivorus, 192
- domesticus, Passer, 155, 156, 192, 197
- dominica, Pluvialis, 20, 91, 141
- Dove, Mourning, 62
 Eastern, 30, 182
 Western, 22, 134
- Dowitcher, 20
- Dryobates villosus monticola, 135
 septentrionalis, 135
- Duck, Black, 85, 134, 178
 Lesser Scaup, 18, 85, 142
 Ring-necked, 85, 134
 Ruddy, 18, 85
 Scaup, 87
 Wood, 85, 178
- Dumetella carolinensis, 23, 137, 187
- DuMont, Philip A. A Mensural Study
 of *Grus canadensis* from Iowa and
 Nebraska, 13-15; Some 1931 Middle
 Western Records of the Starling,
 29; Snowy Owl in Iowa, 82-83;
 Iowa Specimen of Pacific Loon Re-
 examined, 89-90; Western Sand-
 piper in Iowa, 197
- Eagle, Bald, 30, 32, 87-89, 160
 Golden, 32
 Northern, 19, 139, 179
 Southern, 200
- Ectopistes migratorius, 182
- Egret, American, 35, 141, 142, 175, 203
 Snowy, 35
- Egretta thula thula, 35
- Eifrig, G. In the Haunts of Cairn's
 Warbler, 60-66
- elegans, Rallus, 180
- Empidonax minimus, 22, 185
 trailli trailli, 184
 virescens, 184
- Ereunetes maurii, 196
 pusillus, 21
- Erismatura jamaicensis rubida, 18, 85
- Errington, Paul L. Nesting and the
 Life Equation of the Wisconsin
 Bob-white, 122-132
- erythrocephalus, Melanerpes, 184
- erythrogaster, Hirundo, 22, 186
- erythromelas, Piranga, 193
- erythrophthalmus, Coccyzus, 182
 erythrophthalmus, Pipilo, 194
- erythrorhynchus, Pelecanus, 17, 91, 197
- Esten, Sidney R. Fifteen Minutes of
 Bird Observation in a Duck Blind
 in Indiana, 134
- Euphagus carolinus, 111
 cyanocephalus, 25, 111-113, 142
- exilis, Ixobrychus, 178
- Falco columbarius, 19, 139, 179
 mexicanus, 19, 135
 peregrinus anatum, 19, 139
 rusticolus candicans, 79
 sparverius, 19, 139, 179
- Falcon, Prairie, 19, 135
- familiaris americana, Certhia, 187
- fedoa, Limosa, 21
- Finch, Cassin's Purple, 136
 House, 4, 8
 Purple, 158, 175, 193
- flammeus, Asio, 139
- flavifrons, Vireo, 188
- flavipes, Totanus, 20
- Flicker, 3, 62, 65
 Northern, 22, 80, 86, 183
- Florida, 113
- Florida caerulea caerulea, 35, 141

- Flycatcher, Acadian, 184
 Alder, 184
 Crested, 184
 Least, 22, 63, 174, 175, 176, 185
 Olive-sided, 135, 175, 185
- Freer, Ruskin S. Prairie Horned Lark
 in Virginia, 198-199
- Fuligula americana americana, 19
 fusca, Dendroica, 24, 191
 fuscescens fuscescens, *Hylocichla*, 188
 salicicola, 23
- Gadwall, 17, 85
 galbula, *Icterus*, 25, 193
 Gallinula chloropus cachinnans, 142, 181
 Gallinule, Florida, 142, 181
 Ganier, Albert F. A Ten-Year-Old Car-
 dinal, 152-154
- garrula pallidiceps*, *Bombycilla*, 24
Gavia arctica pacifica, 89
 immer, 198
 Georgia, 113, 147
Geothlypis trichas brachydactyla, 76, 192
 occidentalis, 24, 120
 gilvus gilvus, *Vireo*, 24, 189
Glauclionetta clangula americana, 18
 Gnatcatcher, Black-tailed, 31
 Blue-gray, 30-31, 188, 200
 Western, 31, 200
- Godwit, Marbled, 21
 Golden-eye, American, 18
 Goldfinch, 64, 174, 193
 Pale, 25, 136
- Goodman, Wilfred A. Various Herons
 in Kansas, 203
- Goose, Blue, 83, 142
 Canada, 17, 83
 Greater Snow, 16
 Hutchins's, 17
 Lesser Snow, 17
 White-fronted, 17
- Goshawk, 118, 139
- Grackle, 113
 Bronzed, 25, 63, 158, 193
 Purple, 63
- gramineus confinis*, *Poocetes*, 25
gramineus, 194
- Grammacus chondestes*, 194
- Grebe, Eared, 196
 Holboell's, 196
 Horned, 16
 Pied-billed, 176, 196
 Western, 16, 196
- Green, Morris M. Ornithological Remi-
 niscences of Washington, 12-13
- griseus*, *Limnodromus*, 20
- Grosbeak, Blue, 141
 Evening, 120
 Rocky Mountain, 25
 Rose-breasted, 25, 64, 138, 174, 193
- Grouse, Eastern Ruffed, 171, 179
 Prairie Sharp-tailed, 19
 Ruffed, 62, 171, 174
 Sharp-tailed, 121
- Grus canadensis canadensis*, 13
tabida, 13-15, 19, 99-106
- Guiraca caerulea*, 141
- Gull, Bonaparte's, 200
 Franklin's, 21, 79
 Great Black-backed, 120
 Herring, 80, 176, 200
 Ring-billed, 21, 176, 200
- guttata faxonii*, *Hylocichla*, 23, 188
- Gyrfalcon, White, 79
- haliaeetus carolinensus*, *Pandion*, 19, 139
- Haliaeetus leucocephalus*, 32, 87-89, 139
alascans, 19, 160, 179
leucocephalus, 200
- Hargrave, Lyndon L. Western Gnat-
 catcher Also Moves Its Nest, 30-31
- Harrod, C. G. Notes on the Birds
 Found at Lake Johnston and Last
 Mountain Lake, Saskatchewan. Dur-
 ing April and May, 1922, 16-26
- Hawk, American Rough-legged, 19, 135,
 139
 Broad-winged, 79, 118, 139, 160,
 175, 176, 179
 Cooper's, 118, 124, 129, 132, 139,
 160, 179
 Duck, 19, 118, 139, 175, 201-202
 Eastern Sparrow, 19, 139
 Ferruginous Rough-leg, 19
 Marsh, 19, 124, 129, 134, 139, 176,
 179
 Pigeon, 19, 139, 175
 Red-shouldered, 118, 139, 179
 Red-tailed, 62, 79, 102, 118, 139,
 179, 200
 Sharp-shinned, 18, 62, 129, 132,
 139, 178
 Sparrow, 62, 80, 118, 179
 Swainson's, 19, 120
 Western Red-tailed, 19
- Hedymeles ludovicianus*, 25, 138, 193
melanocephalus papago, 25
- Henderson, Grant. Robins and Rasp-
 berries, 10-11; Cardinals Re-claim
 a Deserted Nest, 90; Boldness of
 Barred Owls when Danger Threat-
 ens Young, 143; Loon Found in
 the Highway, 198
- Hendrickson, George O. An August
 Day's Toll of Birds' Lives on Pri-
 mary Iowa Roads, 86
- herodias*, *Ardea*, 17, 34, 176
- Heron, Black-crowned Night, 141, 175
 Great Blue, 17, 34, 134, 141, 176
 Green, 62, 178
 Little Blue, 35, 141, 175

- Hicks, Lawrence E. Statistical Study of Ohio Raptorial Birds, 139; Breeding Birds of Ashtabula County, Ohio, 168-195
- hiemalis hiemalis, Nannus, 23
- himantopus, Micropalama, 21
- Hirundo erythrogaster, 22, 186
- hirundo hirundo, Sterna, 21
- Holland, Harold M. Late Nestlings, 50
- hudsonius, Circus, 19, 179
- Hummingbird, Calliope, 135
- Ruby-throated, 33, 183
- hyemalis hyemalis, Junco, 26, 73, 194
- Hylocichla fuscescens fuscescens, 188
- salicicola, 23
- guttata faxoni, 23, 188
- minima aliciae, 137
- mustelina, 188
- ustulata swainsoni, 23, 137
- hyperborea atlantica, Chen, 16
- hyperborea, 17
- Icteria virens virens, 192
- Icterus galbula, 25, 193
- spurius, 141, 193
- illiaea shistacea, Passerella, 136
- Illinois, 29, 30, 136-138, 203
- immer, Gavia, 198
- Indiana, 30, 32, 64, 90, 134, 141, 198, 200, 203
- International Rules of Zoological Nomenclature, 27
- Iowa, 13, 29, 30, 32, 79, 82, 84, 85, 86, 89, 91, 140-141, 197, 203
- Iridoprocne bicolor, 22, 185
- Ixobrychus exilis, 178
- Jaeger, Pomarine, 79, 120
- jamaicensis rubida, Erismatura, 18, 85
- Jay, Blue, 33, 63, 80, 134, 174, 186, Pinyon, 8
- Johnson, Hazel S. Notes on the Family Life of a Pair of American Pipits, 114-117
- Jones, F. M. Day with the Bald Eagles, 87-89; Northern Raven in Virginia, 201-202
- Jones, Gordon W. Food Habits of the English Sparrow, 197
- Junco, Carolina, 64
- Slate-colored, 26, 73, 136, 158, 163, 174, 175, 176, 194
- Junco hyemalis, 64
- hyemalis, 26, 73, 136, 194
- Kansas, 29, 203
- Kentucky, 83, 142
- Killdeer, 20, 62, 109, 134, 181
- King, Franklin Hiram (Obituary), 66-69
- Kingbird, 62, 63
- Eastern, 22, 184
- Kingfisher, Belted, 80, 82, 183
- Kinglet, Eastern Golden-crowned, 23, 34
- Ruby-crowned, 80
- kirtlandi, Dendroica, 72
- Labrador, 114-117
- lagopus s.-johannis, Buteo, 19, 135, 139
- Lanius ludovicianus, 52
- excubitorides, 24
- lapponicus, Calcarius, 26, 120
- Lark, Horned, 5, 120, 185
- Prairie Horned, 22, 63, 120, 198
- Larus argentatus smithsonianus, 200
- californicus, 21, 200
- delawarensis, 21, 200
- marinus, 120
- philadelphia, 200
- pipixcan, 21, 79
- lentiginosus, Botaurus, 17, 178
- Leopold, Aldo. Mockingbird in Wisconsin, 143
- leucocephalus, Haliaeetus, 32, 87-89, 139, 200
- alascans, 19, 160, 179
- leucophrys gambeli, Zonotrichia, 26
- leucophrys, 26, 136
- Limnodromus griseus, 20
- Limosa fedoa, 21
- limicola, Rallus, 180
- linaria, Acanthus, 25
- lineatus lineatus, Borealis, 139, 179
- Linnet (see House Finch)
- Lobipes lobatus, 21
- longicauda, Bartramia, 20, 182
- Longspur, Chestnut-collared, 26, 120
- McCown's, 26
- Ladland, 26, 120
- Loon, Common, 198
- Pacific, 89
- Lophodytes cucullatus, 85
- ludovicianus excubitorides, Lanius, 24
- Hedymeles, 25, 138, 193
- Thryothorus, 187
- macroura carolinensis, Zenaidura, 30, 182
- marginella, 22
- macularia, Actitis, 20, 181
- maculatus arcticus, Pipilo, 25
- magna, Sturnella, 192
- magnolia, Dendroica, 24, 190
- Magpie, 8
- American, 23
- Mallard, 83, 86, 134
- Common, 17, 178
- Mareca americana, 18, 35, 85
- penelope, 35
- marinus, Larus, 120
- maritima, Arquatella, 120
- Martin, Purple, 23, 64, 186
- Maryland, 60-66
- maurii, Eruetes, 197
- McAtee, W. L. Meaning of Bird Control, 3-9
- mccowni, Rhynchophanes, 26

- Meadowlark., 63, 121, 134
 Eastern, 137, 192
 Western, 24, 120, 137
- Megaceryle alcyon alcyon, 80, 183
- Melanitta deglandi, 18
- Melanerpes erythrocephalus, 184
- melanocephalus papago, Hedymeles, 25
- melanctus, Pisobia, 20
- melanura californica, Polioptila, 31
- Meleagris gallopavo silvestris, 180
- melodus, Charadrius, 19, 181
- Melospiza georgiana, 193
 melodia beata, 51-59, 195
- Merganser, American, 18
 Hooded, 85
 Red-breasted, 85
- Mergus merganser americanus, 18
 serrator, 85
- mesoleucus, Nuttallornis, 135, 185
- mexicanus, Falco, 19, 135
- Mimus polyglottos, 187, 203
- Michigan, 34, 70-76, 79, 99-106, 118-121, 203
- Micropalama himantopus, 21
- migratorius, Ectopistes, 182
 Turdus, 23, 188
- Minnesota, 33, 82, 84
- minima aliciae, Hyllocichla, 137
- minimus, Empidonax, 22, 185
- minor, Chordeiles, 183
 Philohela, 106-110, 138, 142, 181
- Missouri, 29
- Mniotilta varia, 24, 71, 189
- Mockingbird, 143, 152, 187, 203
- Molothrus ater artemisiae, 25
 ater, 34, 90, 193
- Monk, Harry C. Cedar Waxwing
 Breeding at Nashville, Tennessee, 140; White Pelican on Tennessee River, 140
- motacilla, Seiurus, 192
- Montana, 134-136
- Moyer, John William, Bird Life Along the Kankakee, 136-138
- mustelina, Hyllocichla, 188
- Myiarchus crinitus boreus, 184
- Myiochanes virens, 185
- Nannus hiemalis hiemalis, 23
- Nauman, E. D. Too Much Red?, 140-Nebraska, 13, 32, 141
 141
- neglecta, Sturnella, 24, 120
- Nettion carolinense, 86, 142
- nevadensis, Amphispiza, 136
- New York, 4
- Nice, Margaret Morse. Relations Between the Sexes in Song Sparrows, 51-59; Winter Range of Tufted Titmice, 87
- nigra, Rynchops, 147-151
- nigra surinamensis, Chlidonias, 22, 182
- nivalis, Plectrophenax, 26
- North Carolina, 4, 111-113
- noveboracensis, Coturnicops, 181
 Seiurus, 24, 192
- Numenius americanus, 20
- Nuthatch, Red-breasted, 23, 175, 186
 White-breasted, 65, 134, 156-158, 160, 174, 186
- Nuttallornis mesoleucus, 135, 185
- Nyctea nyctea, 22, 32, 82, 139, 141, 165
- Nyroca affinis, 18, 85, 142
 americana, 18, 86
 collaris, 85
 valisineria, 18, 86
- occidentalis, Aechmophorus, 17
- Ohio, 29, 35, 51-59, 80, 87, 106-110, 139, 168-195
- Oklahoma, 7, 29
- olivaceus, Vireo, 24, 189
- Oporornis philadelphia, 24
- Oriole, Baltimore, 25, 63, 193
 Orchard, 141, 193
- ornatus, Calcarius, 26, 120
- oryzivorus, Dolichonyx, 192
- Osprey, 19, 139, 175
- Otocoris alpestris alpestris, 120
 praticola, 22, 120, 185, 198
- Otus asio naevius, 139, 182
- Oven-bird, 34, 65, 76, 158, 174, 192
- Owl, 7
 Barn, 139, 182
 Barred, 30
 Eastern Screech, 139, 182
 Great Horned, 30, 124, 125, 129, 132, 139, 183
 Long-eared, 22, 139, 183, 198
 Northern Barred, 139, 143, 183
 Saw-whet, 139, 183
 Short-eared, 139, 183
 Snowy, 22, 32, 82, 83, 84, 139, 141, 165
 Western Burrowing, 22
- Oxyechus vociferus, 20, 181
- pallida, Spizella, 26
- palmarum palmarum, Dendroica, 24, 73
- palustris dissaëptus, Telmatodytes, 187
- Pandion haliaëtus carolinensis, 19, 139
- paradisaea, Sterna, 121
- Partridge, European, 180
- Passerculus sandwichensis, 25
 campestris, 24
 savanna, 194
- Passer domesticus, 155-166, 192, 197
- Passerella iliaca shistacea, 136
- Passerherbulus caudacutus, 29
 henslowi henslowi, 194
- Passerina cyanea, 193
- passerina passerina, Spizella, 194
- Peale, Titian R., 36
- Pediocetes phasianellus campestris, 19
 phasianellus, 19, 121
- pelagica, Chaetura, 183

- Pelican, White, 17, 91, 197
 Pelecanus erythrorhynchos, 17, 191, 197
 Pelidna alpina sakkhalina, 175
 penelope, Mareca, 35
 Pennsylvania, 64, 79
 pensylvanica, Dendroica, 72, 137, 191
 Penthestes atricapillus, 186
 septentrionalis, 23
 carolinensis carolinensis, 35, 186
 Perdix perdix, 180
 peregrina, Vermivora, 137
 peregrinus anatum, Falco, 19, 139
 Petrochelidon albifrons, 186
 albifrons, 22
 Pewee, Wood, 63, 174, 185
 Phalacrocorax auritus auritus, 17
 Phalarope, Northern, 21
 Wilson's, 21, 142
 phasianellus campestris, Pedicetes, 19
 phasianellus, 121
 Pheasant, Ring-necked, 180
 philadelphia, Larus, 200
 Oporornis, 24
 Philohela minor, 106-110, 138, 142, 181
 Phoebe, 63
 Eastern, 184
 Say's, 22
 phoeniceus, Agelaius, 193
 arctolegus, 25
 Pica pica hudsonia, 23
 Pigeon, Passenger, 182
 Pintail, 83, 86, 134, 175
 American, 18
 pinus pinus, Dendroica, 191
 Spinus, 193
 Pipilo erythrophthalmus, 137, 194
 maculatus arcticus, 25
 Pipit, American, 23, 114-117, 120
 Sprague's, 24, 120
 pipixcan, Larus, 21, 79
 Piranga erythromelas, 193
 Pisobia bairdi, 20
 melanotus, 20
 minutilla, 20
 platypterus platypterus, Buteo, 139, 179
 platyrhynchos, Anas, 17, 86, 178
 Plectrophenax nivalis nivalis, 26
 Plover, American Golden, 20, 91, 141
 Black-bellied, 20, 140
 Piping, 19, 142, 181
 Semipalmated, 20
 Upland, 20, 182
 Pluvialis dominica dominica, 20, 91, 141
 Podilymbus podiceps, 176
 Polioptila melanura californica, 31
 caerulea amoenissima, 31
 caerulea, 30, 188
 polyglottos, Mimus, 187
 pomarinus, Stercorarius, 79, 120
 Poocetes gramineus confinus, 25
 gramineus, 194
 Porzana carolina, 19, 180
 Prairie Chicken, Greater, 19
 Progne subis subis, 23, 186
 Protonotaria citrea, 137
 purpureus purpureus, Carpodacus, 193
 pusilla pusilla, Wilsonia, 136
 Spizella, 30, 191
 pusillus, Ereunetes, 21
 Querquedula discors, 18, 85, 178
 querula, Zonotrichia, 26
 Quiscalus quiscula, 113
 aeneus, 25, 193
 Rail, King, 180
 Virginia, 176, 180
 Yellow, 104, 175, 181
 Rallus limicola limicola, 180
 elegans elegans, 180
 Raven, Northern, 201
 Recurvirostra americana, 21
 Red-head, 18, 86
 Redpoll, 25
 Redstart, 76, 192
 American, 24, 137, 158
 Red-wing, Eastern, 193
 Giant, 25
 Thick-billed, 121
 regalis, Buteo, 19
 Regulus satrapa satrapa, 23
 Riparia riparia riparia, 22, 185
 Richmondia cardinalis, 90, 152-154, 193
 Ritter, John H. Leconte's Sparrow at Toledo, Ohio, 29
 Robin, 3, 4, 6, 7, 10, 34, 66, 109, 134, 158, 160, 174, 188
 Eastern, 23
 Rook, 9
 rubripes tristis, Anas, 86, 178
 ruficapilla ruficapilla, Vermivora, 71, 190
 ruficollis serripennis, Stelgidopteryx, 135, 137, 185
 rufum, Toxostoma, 23, 187
 rusticolus canadicans, Falco, 79
 rutililla, Setophaga, 24, 76, 137, 192
 Rhynchophanes mccowni, 26
 Rynchops nigra nigra, 147-151
 Sanderling, 21, 119
 Sandpiper, Baird's, 20
 Buff-breasted, 21
 Least, 20, 175
 Pectoral, 20, 83
 Purple, 120
 Red-backed, 175
 Semipalmated, 21, 176
 Solitary, 20, 175
 Stilt, 21
 Spotted, 20, 62, 182
 Western, 197
 sandwichensis, Passerculus, 25
 campestris, 25
 savanna, 194
 Sapsucker, Yellow-bellied, 62, 75, 80, 176, 184

- satrapa satrapa, *Regulus*, 23
savannarum australis, *Ammodramus*, 194
 bimaculatus, *Ammodramus*, 25
saxatalis, *Aeronautus*, 135
Sayornis phoebe, 184
 saya saya, 22
Scoter, White-winged, 18
Seiurus aurocapillus, 192
 motacilla, 192
 noveboracensis, 24
 notabilis, 192
semipalmatus, *Charadrius*, 20
 inornatus, *Catoptrophorus*, 20
serrator, *Mergus*, 85
Setophaga ruticilla, 24, 76, 137, 192
Shoveller, 18, 85, 87, 142, 175
Shrike, 52, 65
 Migrant, 188
 White-rumped, 24
Sialia currucoides, 23
 sialis sialis, 23, 188
Siskin, Pine, 175, 193
Sitta canadensis, 23, 186
 carolinensis, 156, 186
Skimmer, Black, 147-151
Snipe, Wilson's, 20, 83, 102, 175, 176, 181
solitaria, *Tringa*, 20
Sora, 19, 180
 South Carolina, 112, 113, 147
 South Dakota, 32, 33, 79, 84
Sparrow, Baird's, 25
 Brewer's, 26
 Chipping, 64, 158, 160, 164
 Clay-colored, 26, 120
 Eastern Chipping, 73, 194
 Eastern Field, 30, 194
 Eastern Lark, 194
 Eastern Vesper, 194
 English, 3, 6, 8, 64, 80, 86, 155-166, 192, 196
 Field, 158, 161, 163, 164, 174
 Gambel's, 120
 Grasshopper, 64, 194
 Harris's, 26, 120
 Leconte's, 29
 Lincoln's, 80
 Mississippi Song, 195
 Northern Sage, 136
 Savannah, 25, 80, 114, 194
 Slate-colored Fox, 136
 Song, 51-59, 64, 80, 87, 134, 156-166
 Swamp, 64, 80, 102, 195
 Tree, 26, 80, 134
 Vesper, 64
 Western Grasshopper, 25
 Western Henslow's, 194
 Western Vesper, 25
 White-crowned, 80
 White-throated, 80, 136, 175, 176, 194
sparverius, *Falco*, 19, 139, 179
Spatula Clypeata, 18, 85, 142
Speotyto cunicularia hypugaea, 22
Sphyrapicus varius, 184
Spiker, Charles J. Flight of Broad-winged Hawks, 79; Analysis of Long-eared Owl Pellets, 198
spinoletta rubescens, *Anthus*, 23
Spinus pinus, 193
 tristis pallida, 25, 136
 tristis, 193
Spiza americana, 193
Spizella arborea, 26
 breweri breweri, 26
 pallida, 26
 passerina passerina, 73, 194
 pusilla pusilla, 30, 194
sponsa, Aix, 85, 178
spraguei, *Anthus*, 24, 120
spurius, *Icterus*, 141
Squaterola squaterola, 20, 142
Starling, 3, 4, 6, 8, 29, 63, 64, 80, 156-166, 188
Steganopus tricolor, 21, 142
Stelgidopteryx ruficollis serripennis, 135, 137, 185
stellaris, *Cistothorus*, 187
Stellula calliope, 135
Stephens, T. C. Early Snowy Owl Records from Nebraska, Iowa, South Dakota, and Minnesota, 83-85
Stercorarius pomarinus, 79, 120
Sterna hirundo hirundo, 21
 paradisaea, 121
Stevenson, James. Experiments on the Digestion of Food by Birds, 155-167
streperus, *Chauelasmus*, 17, 85
striata, *Dendroica*, 24, 72
Strix varia varia, 30, 139, 143, 182
Sturnella magna magna, 137, 192
 neglecta, 24, 120, 137
Sturnus vulgaris, 29, 156, 188
subis subis, *Progne*, 23, 186
subruficollis, *Tryngites*, 21
swainsoni, *Buteo*, 19, 120
Swallow, Bank, 185
 Barn, 22, 64, 186
 Cliff, 64, 186
 Northern Cliff, 22
 Rough-winged, 135, 137, 185
 Tree, 22, 64, 176, 185
 Violet-green, 135
Swan, Whistling, 17
Swanson, Gustav. Heavy Case of Internal Parasitism of the Belted Kingfisher, 80-82
Swift, Chimney, 63, 183
 White-throated, 135
Tachycinetta thalassima lepida, 135
Tanager, Scarlet, 140, 141, 161, 162, 174, 193
 Summer, 30

- Taylor, Mrs. H. J. Franklin Hiram King, 66-69
- Teal, Blue-winged, 18, 83, 85, 178
Green-winged, 18, 86, 142
- Telmatodytes palustris, 187
- Tennessee, 140, 152-154, 197
- Tern, Arctic, 121
Black, 22, 182
Caspian, 176
Common, 21, 176
Least, 148
- Texas, 5
- thalissima lepida, Tachycineta, 135
- Thrasher, Brown, 23, 53, 65, 187
- Thrush, Eastern Hermit, 23, 188
Gray-cheeked, 137
Hermit, 23, 80, 158, 175
Olive-backed, 23, 137
Willow, 23
Wood, 3, 11, 66, 72, 174, 188
- Thryomanes bewicki bewicki, 187
- Thryothorus ludovicianus, 187
- thula thula, Egretta, 35
- Titmouse, Tufted, 65, 87, 186
- Tomkins, Ivan R. Ways of the Black Skimmer, 147-151; Upward Currents Not Required for Soaring Flight, 200.
- Totanus flavipes, 20
- Towhee, 137, 174
Arctic, 25
Red-eyed, 158, 160, 161, 194
- Toxostoma rufum, 23, 53, 187
- trailli trailli, Empidonax, 184
- trichas brachidactyla, Geothlypis, 176, 192
occidentalis, 24, 120
- tricolor, Steganopus, 21, 142
- Tringa solitaria, 20
- tristis pallidus, Spinus, 25, 136
- Troglodytes aëdon aëdon, 53, 157, 187
parkmani, 23
- Tryngites subruficollis, 21
- Turdus migratorius, 23, 188
- Turkey, Wild, 62, 180
- Tympanuchus cupido americanus, 19
- Tyrannus tyrannus, 22, 184
- Tyto alba pratincola, 182
- umbellus, Bonasa, 179
- ustulata swainsoni, Hyllocichla, 23, 137
- valisineria, Nyroca, 18, 86
- varia, Mniotilta, 24, 71, 189
varia, Strix, 30, 139, 143, 182
- varius, Sphyrapicus, 184
- Veery, 65, 121, 174, 176, 188
- velox, Accipiter, 18, 139, 178
- Vermivora celata celata, 24
chrysoptera, 189, 198
leucobronchialis, 189
peregrina, 137
pinus, 189
ruficapilla ruficapilla, 71, 190
- vigorsii vigorsii, Dendroica, 73
- villosus septentrionalis, Dryobates, 135
- virens, Icteria, 192
Myiochanes, 184
virens, Dendroica, 191
- virescens, Butorides, 178
Empidonax, 184
- Virginia, 3, 87, 197, 198-199, 200
- virginianus virginianus, Bubo, 139, 182
Colinus, 30, 180
- Vireo, Blue-headed, 174, 175
Eastern Warbling, 24, 189
Red-eyed, 23, 65, 158, 174, 189
Yellow-throated, 65, 188
- Vireo flavifrons, 188
gilvus gilvus, 24, 189
olivaceus, 24, 189
- vociferus, Anrostomus, 183
Oxyechus, 20, 181
- vulgaris, Sturnus, 29, 156, 188
- Vulture, Black, 30, 139
Turkey, 139, 178, 200
- Walkinshaw, Lawrence H. Sandhill Crane in a Michigan Marsh, 99-106
- Warbler, Black and White, 24, 71, 189
Blackburnian, 24, 61, 65, 158, 174, 175, 191
Black-throated Blue, 65, 174, 175, 191
Black-throated Green, 65, 174, 191
Blackpoll, 24
Blue-winged, 174, 189, 202
Brewster's, 189
Cairn's, 60-65
Canada, 61, 65, 175, 192
Cerulean, 191, 202
Chestnut-sided, 65, 72, 137, 174, 191
Eastern Yellow, 24, 190
Golden-winged, 61, 65, 189, 197
Hooded, 61, 174, 192
Kentucky, 30
Kirtland's, 72, 74
Magnolia, 24, 61, 65, 174, 175, 176, 190
Mourning, 24
Myrtle, 24, 71, 72, 73, 75
Nashville, 71, 175, 190
Northern Parula, 190
Northern Pileolated, 136
Northern Pine, 73, 75, 191, 198
Northern Prairie, 75, 76
Orange-crowned, 24
Palm, 70, 76, 80
Parula, 65
Pine, 175
Prairie, 61
Prothonotary, 137, 138
Swainson's, 30
Tennessee, 137
Western Palm, 24, 73, 74, 75
Wilson's, 136
Worm-eating, 61

- Waterthrush, 24
 Grinnell's, 175, 176, 192
 Louisiana, 61, 65, 192
 Northern, 61, 65
- Watterson, William H. 1932 Fall Migration at Cleveland's Public Square, 80
- Waxwing, Bohemian, 24
 Cedar, 65, 140, 161, 188
- West Virginia, 64, 87
- Weydemeyer, Winton. Some Birds of Judith Basin Countv. Montana, 134-136
- Whip-poor-will, 30, 62, 183
- Widgeon, European, 35
- Wilson, Gordon. Blue Goose in Kentucky, 83; New Records for Bowling Green, Kentucky, 142
- Wilsonia canadensis, 192
 citrina, 192
 pusilla pileolata, 136
 pusilla, 136
- Wilsonianus, Asia, 22, 139, 198
- Wilson Ornithological Club, Annual Meeting, 27
 Past Officers, 2
 Proceedings, 37
- Wing, Leonard W. Summer Warblers of the Crawford County. Michigan, Uplands, 70-76
- Wisconsin, 142, 143
- Wren, Bewick's, 61, 65, 187
 Carolina, 187
 Eastern Winter, 23
 House, 33, 53, 65, 156-166, 187
 Long-billed Marsh, 104, 176
 Marsh, 102
 Prairie Marsh, 187
 Short-billed Marsh, 104, 176, 187
 Western House, 23
 Winter, 61, 65, 80
- Wood, Merrill. Partial Albino Red-tailed Hawk, 79
- Woodcock, 106-110, 138, 142, 176, 181
- Woodpecker, Downy, 62, 134, 160, 174, 184
 Hairy, 62, 160, 174, 184, 200-201
 Northern Hairv. 135
 Pileated, 30, 62, 183
 Red-bellied, 184
 Red-headed, 86, 134, 184
- Xanthocephalus xanthocephalus, 25, 119
- Yellow-legs, 83
 Greater, 175
 Lesser, 20, 175
- Yellow-throat, 24
 Maryland, 65
 Northern, 76, 80, 174, 192
 Western, 120
- Youngworth, William. Migration Records of Eagles and Snowy Owls in the Upper Missouri Valley, 32-33; Large Flocks of the Golden Plover and White Pelicans Near Sioux City, Iowa, 91; Song of the Female Orchard Oriole, 141
- Zenaidura macroura carolinensis, 30, 182
 marginella, 22
- Zonotrichia albicollis, 26, 194
 leucophrys gambeli, 26
 leucophrys, 26, 136
 querula, 26