

MALLOPHAGA FROM BIRDS OF NORTH AMERICA

BY RICHARD O. MALCOMSON

SIXTY years have elapsed since a list of Mallophaga with their hosts was made (Kellogg, 1899. Smithsonian Institution Bull. XII:39-100). During this time many new species have been described and new genera have been erected.

The purpose of this paper is to stimulate interest among biologists, including the bird banders, to study the parasites of birds. Almost all birds have parasites, and the bander has a good opportunity to take these without killing the birds, as was done in the past. I would suggest that the bander obtain official sanction (on his banding permit) to carry on this work. He can take these parasites by a very simple delousing process as follows:

Procure an insecticidal powder, pyrethrum for example, a few sheets of white paper and a paper carton. After the bird has been banded, thoroughly dust some of the powder through the feathers, but be careful not to get any powder into the eyes of the birds. Now place the bird on a sheet of white paper and invert the paper carton over it. Allow the bird to flutter around in this enclosure for about five minutes. In the meantime the parasites will have crawled to the tips of the feathers and dropped to the paper. Some of the lice will show movement, but all can be picked up by a small camel hair brush and transferred to a piece of medicinal cotton.

If the bander is not interested in collecting and identifying these parasites for himself, he may record on a slip of paper, the name of the bird, date, place taken and his name as collector. The piece of cotton containing label and specimens may be dropped into an envelope and mailed to some mallophagologist.

The cotton method is the most convenient way to send specimens by mail. On the other hand, if the bander is interested in collecting and identifying his own material, he should put the specimens taken from each bird into separate small vials containing 70 per cent alcohol, to preserve them for some future time. A small slip of paper containing the collector's name, name of the bird, date and place taken should be inserted in the vial. Labels printed with soft lead pencil will be legible indefinitely in 70 per cent alcohol.

To identify the material collected requires a definite process of mounting on microscope slides. Good results may be obtained by the following method:

1. Transfer contents of each vial to a vial of 20 per cent potassium hydroxide for a period of 24 to 48 hours, depending upon the degree of scleritization of the lice.
2. Wash in distilled water 30 minutes.
3. Dehydrate with 35 per cent alcohol for 10 minutes.
4. Place in 50 per cent alcohol for 10 minutes.
5. Place in 70 per cent alcohol for 10 minutes.

6. Place in 85 per cent alcohol plus 15 per cent benzol for 10 minutes.
7. Place in 95 per cent alcohol plus 50 per cent benzol for 10 minutes.
8. Place in absolute alcohol plus 75 per cent benzol for 10 minutes.
9. Place in 100 per cent benzol for 5 minutes.
10. Mount in euparal or a medium with benzol base.
11. Mount in center of slide and cover with 18 mm. round cover slip.

There are more than 2600 recorded species of living Mallophaga, and this paper lists 800 of these species and about 500 species of birds from which they are recorded. I have not recorded any subspecies of Mallophaga. This list of about 800 species probably represents about one fourth of the species yet to be described.

In this paper the birds are listed phylogenetically. Under each bird is listed the scientific names of the Mallophaga known to infest it, as described in the literature of Systematic Entomology. I have followed very closely the classification of Hopkins and Clay in, "A Check List of the Genera and Species of Mallophaga" (1952. British Museum, London).

ACKNOWLEDGMENTS

I appreciate the helpful suggestions and the exchange of literature from G. H. E. Hopkins and Theresa Clay of the British Museum. My thanks are also extended to Dr. Lowell Taylor, of the Dow Chemical Company Research Library, Midland, Michigan, for courtesies extended in this work. To my wife Sibyl I am indebted for successfully encouraging me to complete this work.

HOST LIST WITH PARASITES

Great Tinamou, <i>Tinamus major</i>	<i>Austrokelloggia boucardi</i>
<i>Kelloggia brevipes</i>	<i>Discocorpus furculus</i>
<i>Heptapsogaster minutus</i>	<i>Heptapsogaster boucardi</i>
<i>H. parvulus</i>	<i>H. modestae</i>
<i>Megaginius quadrithorax</i>	<i>H. tuxtlae</i>
<i>Menacanthus laticephalus</i>	<i>Megapeostus multiplex</i>
<i>Ornicalax alienus</i>	<i>Pectenosoma boucardi</i>
<i>O. mexicanus</i>	<i>Pseudolipeurus similis</i>
<i>O. robustus</i>	<i>Rhopaloceras heterogenitalis</i>
<i>Pseudolipeurus tinami</i>	<i>Strongylocotes boucardi</i>
<i>Pterocotes aberrans</i>	Rufescent Tinamou, <i>Crypturellus cinnamomeus</i>
<i>Rhopaloceras simplex</i>	<i>Heptapsogaster acutiventris</i>
<i>Strongylocotes pellucidifrons</i>	<i>Heterogniodes araeceps</i>
Little Tinamou, <i>Crypturellus soui</i>	<i>Megapeostus secundus</i>
<i>Heptapsogaster costaricensis</i>	<i>Pectenosoma cinnamomea</i>
<i>H. tapicollae</i>	<i>Strongylocotes fimbriatus</i>
<i>Megaginius laticlypeus</i>	<i>S. interruptus</i>
<i>Pectenosoma meserythra</i>	Bonaparte's Tinamou, <i>Nothocercus bona-partei</i>
<i>Physconella kelloggi</i>	<i>Nothocotus distinctus</i>
<i>Rhopaloceras rudimentarius</i>	<i>N. parvithorax</i>
Slaty-breasted Tinamou, <i>Crypturellus boucardi</i>	

- Common Loon, *Gavia immer*
Craspedonirmus bisetosus
- Arctic Loon, *Gavia arctica*
Craspedonirmus atricolor
C. colymbinus
C. frontatus
- Red-throated Loon, *Gavia stellata*
Craspedonirmus colymbinus
C. frontatus
- Horned Grebe, *Podiceps auritus*
Aquanirmus colymbinus
- Eared Grebe, *Podiceps caspicus*
Aquanirmus americanus
Incidifrons fulicae
Laemobothrion simili
Pseudomenopon insolens
- Western Grebe, *Aechmophorus occidentalis*
Pseudomenopon par
- Pied-billed Grebe, *Podilymbus podiceps*
Aquanirmus americanus
- Short-tailed Albatross, *Diomedea albatrus*
Docophoroides brevis
D. pacificus
Harrisoniella densa
Perineus concinnus
P. gigantica
Procellariphaga navigans
P. pinquis
- Black-footed Albatross, *Diomedea nigripes*
Docophoroides ferrisi
Episbates machilhennyi
Perineus confidens
- Black-browed Albatross, *Diomedea melanophrys*
Docophoroides harrisoni
D. murphyi
D. simplex
- White-capped Albatross, *Diomedea cauta*
Docophoroides brevis
- Yellow-nosed Albatross, *Diomedea chlororhynchos*
Docophoroides murphyi
- Cape Petrel, *Daption capensis*
Ancistriona procellariae
Naubates testaceus
Procellariphaga daptionis
Pseudonirmus gurlti
- Fulmar, *Fulmarus glacialis*
Ancistriona vagelli
- Perineus nigrolimbatus*
Austromenopon brevifimbriata
Saemundssonia occidentalis
- Black-tailed Shearwater, *Adamastor cinereus*
Halipeurus agusticeps
- Cory's Shearwater, *Puffinus diomedea*
Saemundssonia peusi
- Pink-footed Shearwater, *Puffinus creatopus*
Naubates major
- Greater Shearwater, *Puffinus gravis*
Halipeurus abnormis
Naubates harrisoni
- Wedge-tailed Shearwater, *Puffinus pacificus*
Clypedon pacificus
Longimenopon puffinus
- Sooty Shearwater, *Puffinus griseus*
Halipeurus diversus
Procellariphaga paulula
- Manx Shearwater, *Puffinus puffinus*
Naubates major
Saemundssonia valida
Trabeculus aviator
T. mirabilis
- Audubon's Shearwater, *Puffinus lherminieri*
Clypedon pacificus
Procellariphaga narboroughi
- Fork-tailed Petrel, *Oceanodroma furcata*
Philoceanus annuliventris
- Leach's Petrel, *Oceanodroma leucorhoa*
Acidoproctus kelloggi
Halipeurus subangusticeps
Saemundssonia incisa
- Guadalupe Petrel, *Oceanodroma macrodactyla*
Longimenopon dominicanum
- Red-billed Tropic-bird, *Phaethon aethereus*
Austromenopon becki
Saemundssonia breviantennata
S. phaetona
- Red-tailed Tropic-bird, *Phaethon rubricauda*
Saemundssonia hexagona
- White Pelican, *Pelecanus erythrorhynchos*
Colpocephalum unciferum
Piagetiella peralis
- Brown Pelican, *Pelecanus occidentalis*
Colpocephalum unciferum
Pectinopygus occidentalis

<i>Piagetiella bursaepelecani</i>	<i>Ardeicola stellaris</i>
Blue-faced Booby, <i>Sula dactylatra</i>	American Bittern, <i>Botaurus lentiginosus</i>
<i>Pectinopygus jamaicensis</i>	<i>Ardeicola stellaris</i>
Blue-footed Booby, <i>Sula nebouxii</i>	Wood Ibis, <i>Mycteria americana</i>
<i>Pectinopygus minor</i>	<i>Ardeicola loculater</i>
Brown Booby, <i>Sula leucogaster</i>	<i>Ciconiphilus maculipes</i>
<i>Pectinopygus annulatus</i>	<i>C. femoratus</i>
<i>P. garbei</i>	<i>Colpocephalum scalariforme</i>
Red-footed Booby, <i>Sula sula</i>	<i>Neophilopterus heteropygus</i>
<i>Pectinopygus sularum</i>	Glossy Ibis, <i>Plegadis falcinellus</i>
Gannet, <i>Morus bassanus</i>	<i>Ardeicola raphidius</i>
<i>Eidmanniella pustulosa</i>	<i>Ciconiphilus blagoweschenskii</i>
<i>Pectinopygus bassani</i>	<i>Colpocephalum leptopygos</i>
Great Cormorant, <i>Phalacrocorax carbo</i>	<i>Ibidoecus bisignatus</i>
<i>Eidmanniella brevipalpis</i>	<i>I. robustus</i>
<i>Pectinopygus gyricornis</i>	<i>Plegadiphilus plegadis</i>
Double-crested Cormorant, <i>Phalacrocorax auritus</i>	White Ibis, <i>Eudocimus albus</i>
<i>Eidmanniella kuwani</i>	<i>Colpocephalum fusconigrum</i>
<i>Pectinopygus gyricornis</i>	<i>Ibidoecus bimaculatus</i>
<i>Piagetiella incomposita</i>	Scarlet Ibis, <i>Eudocimus ruber</i>
Olivaceous Cormorant, <i>Phalacrocorax olivaceus</i>	<i>Ardeicola gracilentus</i>
<i>Eidmanniella eurygaster</i>	<i>Ibidoecus hians</i>
<i>Pectinopygus faralloni</i>	White Spoonbill, <i>Platalea leucorodia</i>
<i>P. gyroceras</i>	<i>Eucolpocephalum femorale</i>
<i>Piagetiella vigua</i>	<i>Ibidoecus plataleae</i>
Brandt's Cormorant, <i>Phalacrocorax penicillatus</i>	Roseate Spoonbill, <i>Ajaia ajaja</i>
<i>Eidmanniella kuwani</i>	<i>Colpocephalum ajajae</i>
<i>Piagetiella incomposita</i>	<i>Ibidoecus iberoamericanus</i>
Anhinga, <i>Anhinga anhinga</i>	American Flamingo, <i>Phoenicopterus ruber</i>
<i>Pectinopygus anhinge</i>	<i>Anaticola candidus</i>
Magnificent Frigate-bird, <i>Fregata magnificens</i>	Mute Swan, <i>Cygnus olor</i>
<i>Pectinopygus crenatus</i>	<i>Ornithobius cygni</i>
Gray Heron, <i>Ardea cinerea</i>	Whooper Swan, <i>Olor cygnus</i>
<i>Ardeicola ciconiae</i>	<i>Anatoecus musicus</i>
<i>A. ardeae</i>	Whistling Swan, <i>Olor columbianus</i>
<i>Ciconiphilus decimfasciatus</i>	<i>Ornithobius cygni</i>
Common Egret, <i>Casmerodius albus</i>	Canada Goose, <i>Branta canadensis</i>
<i>Ardeicola albulus</i>	<i>Ornithobius goniopleurus</i>
<i>Ciconiphilus obscurus</i>	<i>Trinoton anserium</i>
Little Egret, <i>Egretta garzetta</i>	Brant, <i>Branta bernicla</i>
<i>Ardeicola expallidus</i>	<i>Anaticola crassicornis</i>
Black-crowned Night Heron, <i>Nycticorax nycticorax</i>	<i>Anatoecus dentatus</i>
<i>Ciconiphilus nyctardis</i>	Barnacle Goose, <i>Branta leucopsis</i>
Least Bittern, <i>Ixobrychus exilis</i>	<i>Anatoecus brunneopygus</i>
	<i>Ornithobius hexopthalmus</i>
	White-fronted Goose, <i>Anser albifrons</i>
	<i>Anaticola brevimaculatus</i>
	<i>A. serratus</i>
	<i>Trinoton squalidum</i>

- Domestic Goose, *Anser a. domesticus*
Anaticola anseris
Anatoecus adustus
Ciconiphilus parvus
C. pectiniventris
Ornithobius mathisi
Trinoton anserium
T. squalidum
Black-bellied Tree Duck, *Dendrocygna autumnalis*
Acidoproctus hopkinsi
Fulvous Tree Duck, *Dendrocygna bicolor*
Anaticola chaetodens
West Indian Tree Duck, *Dendrocygna arborea*
Acidoproctus maximus
White-faced Whistling Duck, *Dendrocygna viduata*
Acidoproctus rostratus
Sheld-Duck, *Tadorna tadorna*
Anaticola tadornae
Colpocephalum quadrisceriatum
Mallard, *Anas platyrhynchos*
Anaticola crassicornis
A. parviceps
A. zukeri
Anatoecus adustus
Holomenopon transvaalense
Trinoton querquedulae
Black Duck, *Anas rubripes*
Anaticola crassicornis
Anatoecus dentatus
Trinoton lituratum
T. querquedulae
Gadwall, *Anas strepera*
Anaticola depuratus
Anatoecus dentatus
Trinoton querquedulae
Pintail, *Anas acuta*
Holomenopon clypeilargum
Trinoton luridum
Common Teal, *Anas crecca*
Anaticola sordidus
Holomenopon leucoxanthum
Green-winged Teal, *Anas carolinensis*
Anatoecus dentatus
Blue-winged Teal, *Anas discors*
Anatoecus dentatus
European Widgeon, *Mareca penelope*
Anaticola penelopes
Holomenopon marecae
Trinoton spinosum
American Widgeon, *Mareca americana*
Anaticola crassicornis
Trinoton luridum
T. querquedulae
Shoveler, *Spatula clypeata*
Anaticola hopkinsi
Anatoecus ferrugineus
Holomenopon steigerum
Trinoton squalidum
Wood Duck, *Aix sponsa*
Anaticola lepidotus
Anatoecus dentatus
Redhead, *Aythya americana*
Anatoecus dentatus
Common Pochard, *Aythya ferina*
Anatoecus difficilis
Canvasback, *Aythya valisineria*
Acidoproctus kelloggi
Greater Scaup, *Aythya marila*
Anatoecus dentatus
Lesser Scaup, *Aythya affinis*
Anaticola cornicephalus
Anatoecus dentatus
Trinoton querquedulae
Tufted Duck, *Aythya fuligula*
Anatoecus obtusus
Barrow's Goldeneye, *Bucephala islandica*
Anaticola clangulae
Bufflehead, *Bucephala albeola*
Anaticola crassicornis
Anatoecus dentatus
Oldsquaw, *Clangula hyemalis*
Anaticola crassicornis
Anatoecus clangulus
A. natatorum
Common Eider, *Somateria mollissima*
Anaticola rubromaculatus
King Eider, *Somateria spectabilis*
Anatoecus dentatus
A. obtusus
Muscovy Duck, *Cairina moschata*
Anaticola cairinensis
A. zunkieri
Holomenopon cairiniae
H. transvaalensis
Velvet Scoter, *Melanitta fusca*

<i>Anaticola punctulatus</i>	<i>D. temporalis</i>
<i>Anatoecus natatorum</i>	Bicolored Hawk, <i>Accipiter bicolor</i>
<i>Anaticus roesleri</i>	<i>Degeeriella epustulata</i>
White-winged Scoter, <i>Melanitta deglandi</i>	Cooper's Hawk, <i>Accipiter cooperii</i>
<i>Anaticola constrictus</i>	<i>Craspedorrhynchus dilatatus</i>
<i>Holomenopon loomisi</i>	<i>Degeeriella fusca</i>
Surf Scoter, <i>Melanitta perspicillata</i>	Red-tailed Hawk, <i>Buteo jamaicensis</i>
<i>Anaticola constrictus</i>	<i>Colpocephalum napiiforme</i>
Common Scoter, <i>Oidemia nigra</i>	<i>Craspedorrhynchus dilatatus</i>
<i>Anaticola augustolimbatus</i>	<i>Laemobothrion loomisi</i>
<i>Holomenopon lunarium</i>	Red-shouldered Hawk, <i>Buteo lineatus</i>
<i>Trinoton minus</i>	<i>Craspedorrhynchus buteonis</i>
Ruddy Duck, <i>Oxyura jamaicensis</i>	Broad-winged Hawk, <i>Buteo platypterus</i>
<i>Anaticola crassicornis</i>	<i>Kurodaia macrocybe</i>
Hooded Merganser, <i>Lophodytes cucullatus</i>	Swainson's Hawk, <i>Buteo swainsoni</i>
<i>Anatoecus dentatus</i>	<i>Colpocephalum costaricense</i>
Common Merganser, <i>Mergus merganser</i>	<i>Laemobothrion buteonivorum</i>
<i>Anaticola crassicornis</i>	Rough-legged Hawk, <i>Buteo lagopus</i>
<i>Anatoecus dentatus</i>	<i>Craspedorrhynchus dilatatus</i>
<i>A. ferrugineus</i>	White Hawk, <i>Leucopternis albicollis</i>
<i>Trinoton querquedulae</i>	<i>Craspedorrhynchus candidus</i>
Red-breasted Merganser, <i>Mergus serrator</i>	Golden Eagle, <i>Aquila chrysaetos</i>
<i>Anaticola crassicornis</i>	<i>Colpocephalum impressum</i>
<i>A. mergiserrati</i>	<i>Craspedorrhynchus aquilinus</i>
<i>Anatoecus icterodes</i>	<i>Degeeriella fulva</i>
<i>Trinoton mergi</i>	<i>Falcolipeurus auturalis</i>
<i>T. querquedulae</i>	Gray Sea Eagle, <i>Haliaeetus albicilla</i>
Turkey Vulture, <i>Cathartes aura</i>	<i>Colpocephalum flavescens</i>
<i>Laemobothrion canalese</i>	<i>Craspedorrhynchus macrocephalus</i>
<i>Colpocephalum kelloggi</i>	<i>Degeeriella discocephalus</i>
<i>Cuculiphilus alternatus</i>	<i>Falcolipeurus sulcifrons</i>
<i>Falcolipeurus marginalis</i>	Bald Eagle, <i>Haliaeetus leucocephalus</i>
Black Vulture, <i>Coragyps atratus</i>	<i>Craspedorrhynchus halieti</i>
<i>Falcolipeurus marginalis</i>	<i>Degeeriella amblys</i>
King Vulture, <i>Sarcoramphus papa</i>	Marsh Hawk, <i>Circus cyaneus</i>
<i>Colpocephalum megalops</i>	<i>Degeeriella fusca</i>
<i>Cuculiphilus cathartaeppapae</i>	Osprey, <i>Pandion haliaetus</i>
<i>Falcolipeurus ternatus</i>	<i>Kurodaia haliaeeti</i>
<i>Laemobothrion glutinans</i>	Small Forest Hawk, <i>Micrastur ruficollis</i>
White-tailed Kite, <i>Elanus leucurus</i>	<i>Craspedorrhynchus ultimus</i>
<i>Colpocephalum osborni</i>	<i>C. transversifrons</i>
Hook-billed Kite, <i>Chondrohierax uncinatus</i>	Caracara, <i>Caracara cheriway</i>
<i>Kurodaia keopeckei</i>	<i>Cuculicola splendidus</i>
<i>Laemobothrion condrohieracis</i>	Guadalupe Caracara, <i>Caracara lutosus</i>
Everglade Kite, <i>Rostrhamus sociabilis</i>	<i>Degeeriella caracarensis</i>
<i>Craspedorrhynchus obscurus</i>	Gyrfalcon, <i>Falco rusticolus</i>
<i>Falcolipeurus quadriguttatus</i>	<i>Degeeriella fasciata</i>
Goshawk, <i>Accipiter gentilis</i>	Peregrine Falcon, <i>Falco peregrinus</i>
<i>Degeeriella secondaria</i>	<i>Degeeriella fusca</i>

<i>D. temporalis</i>	Greater Prairie Chicken, <i>Tympanuchus</i>
Pigeon Hawk, <i>Falco columbarius</i>	<i>cupido</i>
<i>Degeeriella temporalis</i>	<i>Goniodes cupido</i>
Kestrel, <i>Falco tinnunculus</i>	Sharp-tailed Grouse, <i>Pedioecetes phasianellus</i>
<i>Degeeriella rufa</i>	<i>Goniodes nebraskensis</i>
<i>Laemobothrion tinnunculi</i>	<i>Lagopoecus perplexus</i>
<i>Rediella pediculoides</i>	Sage Grouse, <i>Centrocercus urophasianus</i>
Sparrow Hawk, <i>Falco sparverius</i>	<i>Goniodes centrocerci</i>
<i>Degeeriella carruthi</i>	<i>Lagopoecus gibsoni</i>
<i>D. castanea</i>	Bobwhite, <i>Colinus virginianus</i>
<i>D. giebelii</i>	<i>Cucloctogaster maculipes</i>
<i>D. secondaria</i>	<i>Goniodes ortygis</i>
<i>Laemobothrion intermedium</i>	<i>Lagopoecus numidianus</i>
<i>L. loomisi</i>	<i>Lipeurus dovei</i>
Curassow, <i>Crax rubra</i>	<i>Oxylipeurus clavatus</i>
<i>Oxylipeurus globicerus</i>	<i>O. cubanus</i>
<i>Amrysidea rubra</i>	Black-throated Quail, <i>Colinus nigrogularis</i>
Crested Guan, <i>Penelope purpurascens</i>	<i>Oxylipeurus yucatensis</i>
<i>Amrysidea purpurascens</i>	Scaled Quail, <i>Callipepla squamata</i>
<i>Oxylipeurus penelope</i>	<i>Goniodes squamatus</i>
Chachalaca, <i>Ortalis vetula</i>	<i>Lagopoecus pallidus</i>
<i>Amrysidea spicula</i>	<i>Oxylipeurus callipeplus</i>
<i>Oxylipeurus vetulae</i>	California Quail, <i>Lophortyx californicus</i>
Dusky-headed Chachalaca, <i>Ortalis garrula</i>	<i>Goniodes mammilatus</i>
<i>Menacanthus ortalidis</i>	<i>G. ovoidalis</i>
<i>Oxylipeurus costaricensis</i>	<i>Lagopoecus docophoroids</i>
<i>O. postmarginatus</i>	Gambel's Quail, <i>Lophortyx gambelii</i>
Black Chachalaca, <i>Penelopina nigra</i>	<i>Lagopoecus gambeli</i>
<i>Chelopistes rotundus</i>	Mountain Quail, <i>Oreortyx pictus</i>
Horned Guan, <i>Oreophasis derbianus</i>	<i>Goniodes pictus</i>
<i>Colpocephalum hoffmanni</i>	<i>Lagopoecus californicus</i>
Blue Grouse, <i>Dendragapus obscurus</i>	Harlequin Quail, <i>Cyrtonyx montezumae</i>
<i>Goniodes simoni</i>	<i>Goniodes submamilatus</i>
<i>G. merriamanus</i>	<i>Lagopoecus mearnsi</i>
<i>Lagopoecus obscurus</i>	<i>Oxylipeurus montezumae</i>
Spruce Grouse, <i>Canachites canadensis</i>	Ring-necked Pheasant, <i>Phasianus colchicus</i>
<i>Goniodes corpulentus</i>	<i>Amrysidea megalosoma</i>
Ruffed Grouse, <i>Bonasa umbellus</i>	<i>Cucloctogaster heterographus</i>
<i>Goniodes bonasus</i>	<i>Goniocotes chrysocephalus</i>
<i>Lagopoecus umbellus</i>	<i>Goniodes capitatus</i>
Willow Ptarmigan, <i>Lagopus lagopus</i>	<i>G. colchici</i>
<i>Goniodes lagopi</i>	<i>Lagopoecus colchicus</i>
<i>Amrysidea lagopi</i>	<i>Lipeurus maculosus</i>
<i>A. striata</i>	<i>Oxylipeurus colchicus</i>
<i>Lagopoecus affinis</i>	Gray Partridge, <i>Perdix perdix</i>
Rock Ptarmigan, <i>Lagopus mutus</i>	<i>Amrysidea megalosoma</i>
<i>Lagopoecus affinis</i>	<i>A. perdicis</i>
White-tailed Ptarmigan, <i>Lagopus leucurus</i>	<i>Cucloctogaster heterogrammicus</i>
<i>Goniodes leucurus</i>	

<i>Goniocotes microthorax</i>	Ocellated Turkey, <i>Agriocharis ocellata</i>
<i>G. simillimus</i>	<i>Oxylipeurus agriocharis</i>
<i>Goniodes dispar</i>	Whooping Crane, <i>Grus americana</i>
<i>Menopon pallens</i>	<i>Heleonomus assimilis</i>
Black-eared Wood-quail, <i>Odontophorus erythrops</i>	Sandhill Crane, <i>Grus canadensis</i>
<i>Chelopistes elongatus</i>	<i>Gruimenopom canadense</i>
<i>C. heterurus</i>	<i>Esthiopterum brevicephalus</i>
<i>Oxylipeurus melanotus</i>	Limpkin, <i>Aramus guarauna</i>
Marbled Wood-quail, <i>Odontophorus gujanensis</i>	<i>Ibidoeicus scolopaceus</i>
<i>Oxylipeurus repandus</i>	<i>Laemobothrion cubense</i>
Spotted Wood-quail, <i>Odontophorus guttatus</i>	Clapper Rail, <i>Rallus longirostris</i>
<i>Oxylipeurus guttatus</i>	<i>Rallicola californicus</i>
White-throated Wood-quail, <i>Odontophorus leucolaemus</i>	Virginia Rail, <i>Rallus limicola</i>
<i>Menacanthus meridionalis</i>	<i>Fulicoffula cumstocki</i>
Long-tailed Partridge, <i>Dendrotyx macroura</i>	<i>Incidifrons monachus</i>
<i>Chelopistes simillisis</i>	<i>Rallicola californicus</i>
Highland Partridge, <i>Dendrotyx leucophrys</i>	Water Rail, <i>Rallus aquaticus</i>
<i>Chelopistes dendrotyx</i>	<i>Fulicoffula rallina</i>
Peacock, <i>Pavo cristatus</i>	<i>Incidifrons ralli</i>
<i>Amyrsidea phaeostoma</i>	<i>Pseudomenopon scopulacorne</i>
<i>Goniocotes parviceps</i>	<i>Rallicola cuspidatus</i>
<i>G. rectangulatus</i>	Spotted Crake, <i>Porzana porzana</i>
<i>Goniodes meinertzhageni</i>	<i>Rallicola mystax</i>
<i>G. pavonis</i>	Yellow Rail, <i>Coturnicops noveboracensis</i>
<i>Lipeurus pavo</i>	<i>Rallicola porzanae</i>
Hen, <i>Gallus domesticus</i>	Wood Rail, <i>Aramides cajanea</i>
<i>Cuclocotogaster heterogaphus</i>	<i>Fulicoffula volsella</i>
<i>Goniocotes gallinæ</i>	<i>Rallicola ewingi</i>
<i>Goniodes assimilis</i>	Mexican Crake, <i>Laterallus albicularis</i>
<i>G. gigas</i>	<i>Fulicoffula obstinata</i>
<i>Lipeurus caponis</i>	<i>Pseudomenopon costaricense</i>
<i>Menacanthus stramineus</i>	Corn Crake, <i>Crex crex</i>
<i>Menapón gallinæ</i>	<i>Rallicola ortygometrae</i>
<i>M. pallens</i>	Purple Gallinule, <i>Porphyrrula martinica</i>
Guinea Hen, <i>Numida meleagris</i>	<i>Rallicola ellioti</i>
<i>Goniocotes gallinæ</i>	Common Gallinule, <i>Gallinula chloropus</i>
<i>Goniodes gigas</i>	<i>Fulicoffula gallinula</i>
<i>G. numidae</i>	<i>Incidifrons gallinula</i>
<i>Lipeurus numidae</i>	<i>Laemobothrion chloropodus</i>
<i>Menacanthus numidae</i>	European Coot, <i>Fulica atra</i>
<i>Menapón gallinæ</i>	<i>Fulicoffula lurida</i>
Turkey, <i>Meleagris gallopavo</i>	<i>Incidifrons fulicae</i>
<i>Chelopistes meleagridis</i>	<i>Laemobothrion atrum</i>
<i>Menacanthus stramineus</i>	<i>Pseudomenopon pilosum</i>
<i>Oxylipeurus corpulentus</i>	<i>Rallicola fulicae</i>
<i>O. polytrapezius</i>	American Coot, <i>Fulica americana</i>
	<i>Fulicoffula longipila</i>
	<i>Incidifrons transpositus</i>
	<i>Pseudomenopon pacificum</i>

<i>Rallicola fulicae</i>	<i>Rhynonirmus infuscatus</i>
Sun Grebe, <i>Heliornis fulica</i>	European Woodcock, <i>Scolopax rusticola</i>
<i>Fulicoffula heliornis</i>	<i>Austromenopon icterum</i>
Jacana, <i>Jacana spinosa</i>	<i>Cummingsiella aurea</i>
<i>Rallicola exiguifrons</i>	<i>Rhynonirmus helvolus</i>
European Oystercatcher, <i>Haematopus ostralegus</i>	Common Snipe, <i>Capella gallinago</i>
<i>Actornithophilus grandiceps</i>	<i>Austromenopon durisetosum</i>
<i>Austromenopon haemantopi</i>	<i>Cummingsiella ambigua</i>
<i>Saemundssonia haemantopi</i>	<i>Rhynonirmus scolopacis</i>
American Oystercatcher, <i>Haematopus palliatus</i>	<i>Actornithophilus stictus</i>
<i>Lunaceps haemantopi</i>	<i>Rhynonirmus magnocephalus</i>
<i>Quadraceps auratus</i>	European Jacksnipe, <i>Lymnocryptes minimus</i>
Lapwing, <i>Vanellus vanellus</i>	<i>Actornithophilus multisetosus</i>
<i>Actornithophilus svobodae</i>	Long-billed Curlew, <i>Numenius americanus</i>
<i>Lunaceps holophaeus</i>	<i>Cummingsiella longirostricola</i>
<i>Saemundssonia temporalis</i>	<i>C. ovalis</i>
Ringed Plover, <i>Charadrius hiaticula</i>	Eurasian Curlew, <i>Numenius arquata</i>
<i>Quadraceps fissus</i>	<i>Actornithophilus patellatus</i>
<i>Quadraceps hiaticulae</i>	<i>Austromenopon crocatum</i>
<i>Saemundssonia platygaster</i>	<i>Cummingsiella ovalis</i>
Semipalmated Plover, <i>Charadrius semipalmatus</i>	<i>Lunaceps numenii</i>
<i>Quadraceps major</i>	<i>Saemundssonia humeralis</i>
<i>Q. opacus</i>	<i>S. viridiscola</i>
<i>Saemundssonia platygaster</i>	Whimbrel, <i>Numenius phaeopus</i>
Killdeer, <i>Charadrius vociferus</i>	<i>Actornithophilus ocellatus</i>
<i>Austromenopon aegialitidis</i>	<i>Austromenopon phaeopodus</i>
<i>Quadraceps boophilus</i>	<i>Lunaceps phaeopi</i>
Dotterel, <i>Eudromias morinellus</i>	<i>Saemundssonia scolopacispheopodus</i>
<i>Saemundssonia semivittata</i>	<i>S. viridicola</i>
American Golden Plover, <i>Pluvialis dominica</i>	Bristle-thighed Curlew, <i>Numenius tahitensis</i>
<i>Actornithophilus timidus</i>	<i>Lunaceps hopkinsi</i>
<i>Quadraceps orarius</i>	Eskimo Curlew, <i>Numenius borealis</i>
<i>Saemundssonia hawaiiensis</i>	<i>Lunaceps rileyi</i>
Black-bellied Plover, <i>Squatarola squatarola</i>	Upland Plover, <i>Bartramia longicauda</i>
<i>Actornithophilus flavipes</i>	<i>Rhynonirmus infuscatus</i>
<i>Austromenopon squatarolae</i>	Spotted Sandpiper, <i>Actitis macularia</i>
<i>Lunaceps incoenis</i>	<i>Quadraceps ravus</i>
<i>Quadraceps hospes</i>	Solitary Sandpiper, <i>Tringa solitaria</i>
<i>Saemundssonia naumanii</i>	<i>Quadraceps waterstoni</i>
Ruddy Turnstone, <i>Arenaria interpres</i>	Wood Sandpiper, <i>Tringa glareola</i>
<i>Rediellia pediculoides</i>	<i>Quadraceps obscurus</i>
<i>Actornithophilus bicolor</i>	Wandering Tattler, <i>Heteroscelus incanum</i>
<i>Quadraceps strepsilaris</i>	<i>Actornithophilus kilauensis</i>
Black Turnstone, <i>Arenaria melanocephala</i>	<i>Saemundssonia hawaiiensis</i>
<i>Actornithophilus tigrus</i>	Polynesian Tattler, <i>Heteroscelus brevipes</i>
American Woodcock, <i>Philohela minor</i>	<i>Quadraceps impar</i>
	Willet, <i>Catoptrophorus semipalmatus</i>

<i>Austromenopon sachtlebeni</i>	<i>Saemundssonia tompsoni</i>
<i>Quadraceps carrikeri</i>	<i>Ruff, Philomachus pugnax</i>
Greater Yellowlegs, <i>Totanus melanoleucus</i>	<i>Actornithophilus pustulosus</i>
<i>Quadraceps austini</i>	<i>Austromenopon lutescens</i>
Lesser Yellowlegs, <i>Totanus flavipes</i>	<i>Carduiceps fulvofasciatus</i>
<i>Quadraceps falcigerus</i>	<i>Lunaceps holophaeus</i>
Knot, <i>Calidris canutus</i>	<i>Sanderling, Crocethia alba</i>
<i>Lunaceps drosti</i>	<i>Actornithophilus albus</i>
<i>Saemundssonia canuti</i>	<i>Carduiceps complexivus</i>
<i>S. islandica</i>	<i>Lunaceps actophilus</i>
Purple Sandpiper, <i>Erolia maritima</i>	American Avocet, <i>Recurvirostra americana</i>
<i>Lunaceps nereis</i>	<i>Actornithophilus uniformis</i>
Pectoral Sandpiper, <i>Erolia melanotos</i>	<i>Austromenopon indistinctum</i>
<i>Actornithophilus morsitans</i>	<i>Cirrophthirius recurvirostrae</i>
Least Sandpiper, <i>Erolia minutilla</i>	<i>C. testudinarius</i>
<i>Actornithophilus morsitans</i>	<i>Cummingsiella inexpectata</i>
<i>A. trilobatus</i>	<i>Quadraceps zephyra</i>
<i>Carduiceps zonarius</i>	Black-necked Stilt, <i>Himantopus mexicanus</i>
<i>Saemundssonia fusiformis</i>	<i>Actornithophilus mexicanus</i>
Dunlin, <i>Erolia alpina</i>	<i>Quadraceps mexicanus</i>
<i>Austromenopon alpinum</i>	Red Phalarope, <i>Phalaropus fulicarius</i>
<i>Carduiceps meinertzhageni</i>	<i>Austromenopon corporosum</i>
<i>C. zonarius</i>	<i>Quadraceps phalaropi</i>
Short-billed Dowitcher, <i>Limnodromus griseus</i>	Wilson's Phalarope, <i>Steganopus tricolor</i>
<i>Actornithophilus albus</i>	<i>Quadraceps fimbriatus</i>
Long-billed Dowitcher, <i>Limnodromus scolopaceus</i>	Northern Phalarope, <i>Lobipes lobatus</i>
<i>Quadraceps klatti</i>	<i>Carduiceps subscalaris</i>
Semipalmated Sandpiper, <i>Ereunetes pusillus</i>	<i>Quadraceps connexus</i>
<i>Actornithophilus hirsutus</i>	Mexican Thick-knee, <i>Burhinus bistriatus</i>
Western Sandpiper, <i>Ereunetes mauri</i>	<i>Quadraceps acuticeps</i>
<i>Lunaceps cabanisi</i>	Pomarine Jaeger, <i>Stercorarius pomarinus</i>
Marbled Godwit, <i>Limosa fedoa</i>	<i>Actornithophilus brachycephalus</i>
<i>Carduiceps clayae</i>	<i>Austromenopon circinatum</i>
<i>Lunaceps clayae</i>	<i>A. fuscofasciatum</i>
<i>L. lucidus</i>	<i>Perineus grandis</i>
<i>Rotundiceps cordatus</i>	<i>Perineus laculatus</i>
Bar-tailed Godwit, <i>Limosa lapponica</i>	<i>Quadraceps stellapolaris</i>
<i>Austromenopon meyeri</i>	Parasitic Jaeger, <i>Stercorarius parasiticus</i>
<i>Carduiceps clayae</i>	<i>Quadraceps normifer</i>
<i>Saemundssonia limosae</i>	<i>Saemundssonia cephalus</i>
Hudsonian Godwit, <i>Limosa haemastica</i>	Long-tailed Jaeger, <i>Stercorarius longicaudus</i>
<i>Lunaceps paschalis</i>	<i>Quadraceps parvapallidus</i>
<i>Rotundiceps cordatus</i>	Skua, <i>Catharacta skua</i>
Black-tailed Godwit, <i>Limosa limosa</i>	<i>Perineus piratae</i>
<i>Actornithophilus spimulosus</i>	<i>Saemundssonia stresemanni</i>
<i>Austromenopon limosae</i>	Glaucous Gull, <i>Larus hyperboreus</i>
<i>Carduiceps cingulatus</i>	<i>Quadraceps striolatus</i>
	<i>Saemundssonia lari</i>
	Glaucous-winged Gull, <i>Larus glaucescens</i>

- Actornithophilus funebris*
Austromenopon infrequens
Great Black-backed Gull, *Larus marinus*
Saemundssonia gonothorax
Actornithophilus lari
Herring Gull, *Larus argentatus*
Quadraceps ornatus
Ring-billed Gull, *Larus delawarensis*
Quadraceps sublingulatus
Mew Gull, *Larus canus*
Quadraceps ornatus
Saemundssonia congener
Black-headed Gull, *Larus ridibundus*
Austromenopon ridibundus
Quadraceps punctatus
Laughing Gull, *Larus atricilla*
Saemundssonia gonothorax
Bonaparte's Gull, *Larus philadelphicus*
Actornithophilus funebris
Heermann's Gull, *Larus heermanni*
Quadraceps felix
Saemundssonia meinertzhageni
Ivory Gull, *Pagophila eburnea*
Saemundssonia pagophilae
Black-legged Kittiwake, *Rissa tridactyla*
Austromenopon transversum
Quadraceps lineolatus
Q. paulschulzei
Saemundssonia tridactylae
Ross' Gull, *Rhodostethia rosea*
Quadraceps bryki
Sabine's Gull, *Xema sabini*
Quadraceps lineatus
Forster's Tern, *Sterna forsteri*
Saemundssonia parvigenetalis
Common Tern, *Sterna hirundo*
Austromenopon pachypus
Quadraceps sellatus
Saemundssonia sternae
Arctic Tern, *Sterna paradisaea*
Quadraceps houri
Roseate Tern, *Sterna dougallii*
Quadraceps giebelii
Sooty Tern, *Sterna fuscata*
Quadraceps birostris
Q. lepidus
Q. obtusus
Saemundssonia peristicta
S. petersi
- Bridled Tern, *Sterna anaethetus*
Saemundssonia meridiana
Royal Tern, *Thalasseus maximus*
Quadraceps praestans
Sandwich Tern, *Thalasseus sandvicensis*
Actornithophilus piceus
Saemundssonia laticaudata
Caspian Tern, *Hydroprogne caspia*
Quadraceps caspius
Q. griseus
Black Tern, *Chlidonias niger*
Actornithophilus maurus
Noddy Tern, *Anous stolidus*
Actornithophilus epiphanes
A. milleri
Clypedon incisus
Saemundssonia remota
Razorbill, *Alca torda*
Austramenopon nigropleurum
Quadraceps alcae
Saemundssonia celidoxa
Common Murre, *Uria aalge*
Austromenopon uriae
Quadraceps obliquus
Saemundssonia calva
Dovekie, *Plautus alle*
Austromenopon merguli
Quadraceps klatti
Saemundssonia merguli
Black Guillemot, *Cephus grylle*
Saemundssonia grylle
Pigeon Guillemot, *Cephus columba*
Quadraceps pacificus
Saemundssonia procax
Marbled Murrelet, *Brachyramphus marmoratus*
Saemundssonia montereysi
Ancient Murrelet, *Synthliboramphus antiquum*
Quadraceps maritimus
Saemundssonia montereysi
Cassin's Auklet, *Ptychoramphus aleutica*
Quadraceps maritimus
Saemundssonia isolata
S. montereysi
Crested Auklet, *Aethia cristatella*
Saemundssonia wumisuzume
Least Auklet, *Aethia pusilla*
Quadraceps aethereus

Rhinoceros Auklet, <i>Cerorhinca monocerata</i>	<i>Vernoniella macgregori</i>
<i>Quadraceps maritimus</i>	Barn Owl, <i>Tyto alba</i>
<i>Saemundssonia acuticeps</i>	<i>Kurodaia subpachygaster</i>
Common Puffin, <i>Fratercula arctica</i>	Screech Owl, <i>Otus asio</i>
<i>Austromenopon fraterculae</i>	<i>Kurodaia painei</i>
<i>Saemundssonia fraterculae</i>	<i>Strigiphilus ceblebrachys</i>
Tufted Puffin, <i>Lunda cirrhata</i>	Great Horned Owl, <i>Bubo virginianus</i>
<i>Actornithophilus perplanus</i>	<i>Strigiphilus oculatus</i>
<i>Quadraceps pacificus</i>	Snowy Owl, <i>Nyctea scandiaca</i>
Rock Dove, <i>Columba livia</i>	<i>Kurodaia menoponoides</i>
<i>Campanulotes compar</i>	<i>Strigiphilus ceblebrachys</i>
<i>Coloceras fahrenholzi</i>	<i>S. barbatus</i>
<i>C. piageti</i>	Burrowing Owl, <i>Speotyto cunicularia</i>
<i>Colpocephalum turbinatum</i>	<i>Kurodaia pectinata</i>
<i>Columbicola columbae</i>	<i>Strigiphilus speotyi</i>
<i>Horstiella lata</i>	Great Gray Owl, <i>Strix nebulosa</i>
Mourning Dove, <i>Zenaidura macroura</i>	<i>Strigiphilus remotus</i>
<i>Columbicola baculoides</i>	<i>S. syrnii</i>
<i>C. macrourae</i>	Long-eared Owl, <i>Asio otus</i>
<i>Physconelloides zenaidurae</i>	<i>Strigiphilus cursor</i>
Passenger Pigeon, <i>Ectopistes migratorius</i>	<i>S. barbatus</i>
<i>Columbicola extinctus</i>	Short-eared Owl, <i>Asio flammeus</i>
Ground Dove, <i>Columbigallina passerina</i>	<i>Strigiphilus cursor</i>
<i>Columbicola passerinae</i>	<i>S. nudipes</i>
Mexican Parrotlet, <i>Forpus cyanopygius</i>	Squamulated Owl, <i>Ciccaba virgata</i>
<i>Paragoniocotes illustris</i>	<i>Strigiphilus viridicrus</i>
<i>Psittacobrosus forpi</i>	Common Nighthawk, <i>Chordeiles minor</i>
Red-and-Green Macaw, <i>Ara chloroptera</i>	<i>Mulcticola macrocephalus</i>
<i>Heteromenopon sincipitalis</i>	Chimney Swift, <i>Chaetura pelagica</i>
<i>Paragoniocotes mirabilis</i>	<i>Dennynus dubius</i>
<i>Psittacomeronopon acuticeps</i>	<i>Eureum ewingi</i>
Scarlet Macaw, <i>Ara macao</i>	Vaux's Swift, <i>Chaetura vauxi</i>
<i>Neopsittacafrontalis trinoton</i>	<i>Dennynus richmondi</i>
<i>Paragoniocotes nanus</i>	Chestnut-collared Swift, <i>Chaetura rutila</i>
Green Macaw, <i>Ara militaris</i>	<i>Dennynus brunneitorques</i>
<i>Epiara dimorpha</i>	Spiny-tailed Swift, <i>Chaetura spinicauda</i>
Yellow-billed Cuckoo, <i>Coccyzus americanus</i>	<i>Dennynus limbus</i>
<i>Cuculoeus coccycigii</i>	White-throated Swift, <i>Aeronautes saxatalis</i>
<i>C. latifrons</i>	<i>Dennynus brunneri</i>
<i>Cuculiphilus decoratus</i>	Smoky Swift, <i>Cypseloides fumigatus</i>
Black-billed Cuckoo, <i>Coccyzus erythrophthalmus</i>	<i>Dennynus spininotus</i>
<i>Cuculiphilus fasciatus</i>	Black Swift, <i>Cypseloides niger</i>
Squirrel Cuckoo, <i>Piaya cayana</i>	<i>Dennynus spiniger</i>
<i>Cuculicola atopus</i>	Ruby-throated Hummingbird, <i>Archilochus colubris</i>
Smooth-billed Ani, <i>Crotophaga ani</i>	<i>Ricinus lineatus</i>
<i>Osborniella crotophagae</i>	Costa's Hummingbird, <i>Calypte costae</i>
<i>Vernoniella guimaraesi</i>	<i>Trochiloeetes prominens</i>
Groove-billed Ani, <i>Crotophaga sulcirostris</i>	Anna's Hummingbird, <i>Calypte anna</i>

- Brueelia eustigma*
Rufous Hummingbird, Selasphorus rufus
Picicola snodgrassi
Trochiloeetes ochoterenal
Lesser Broad-tailed Hummingbird, Selasphorus flammula
Ricinus doratophorum
Rieffer's Hummingbird, Amazilia tzacatl
Ricinus Jiminezii
Coppery-tailed Tropicbird, Trogon elegans
Trogonirmus elegans
Large-tailed Tropicbird, Trogon melanurus
Trogonirmus melanurus
Violaceous Tropicbird, Tropicbird violaceus
Trogonirmus hastiformis
T. laticephalus
Belted Kingfisher, Megaceryle alcyon
Actornithophilus subpustulatus
Rufous-crowned Motmot, Momotus mexicanus
Philopterus dennyi
Blue-crowned Motmot, Momotus momota
Brueelia marginella
Emerald Toucanet, Aulacorhynchus prasinus
Austrophilopterus minutus
Collared Aracari, Pteroglossus torquatus
Austrophilopterus torquatus
Keel-billed Toucan, Ramphastos sulfuratus
Austrophilopterus subsimilis
Yellow-shafted Flicker, Colaptes auratus
Philopterus alienus
Picicola mississippiensis
Menacanthus colaptis
Penenirmus jugens
Pileated Woodpecker, Dryocopus pileatus
Picicola marginatus
Gray-breasted Woodpecker, Centurus hypopolius
Menacanthus praecursor
Acorn Woodpecker, Melanerpes formicivorus
Penenirmus californiensis
Yellow-bellied Sapsucker, Sphyrapicus varius
Penenirmus californicus
P. varius
Hairy Woodpecker, Dendrocopos villosus
Penenirmus californiensis
- Downy Woodpecker, *Dendrocopos pubescens*
Menopon hirsutum
Myrsidea funerea
Penenirmus evagens
Nuttall's Woodpecker, Dendrocopos nuttallii
Philopterus singularis
Black-backed Three-toed Woodpecker,
Picoïdes arcticus
Menacanthus picicola
Northern Three-toed Woodpecker, Picoïdes tridactylus
Menacanthus picicola
Barred Antshrike, Thamnophilus doliatus
Machaerilaemus laticorpus
Masked Tityra, Tityra semifasciata
Machaerilaemus tityrus
White-collared Manakin, Manacus candei
Philopterus bruneri
Eastern Kingbird, Tyrannus tyrannus
Penenirmus tyrannus
Ricinus angulatus
Western Kingbird, Tyrannus verticalis
Picicola foedus
Cassin's Kingbird, Tyrannus vociferans
Ricinus arcuatus
Ash-throated Flycatcher, Myiarchus cinereascens
Menacanthus distinctus
Philopterus rufus
Picicola foedus
Say's Phoebe, Sayornis saya
Picicola foedus
Costa Rican Flycatcher, Empidonax atriceps
Myrsidea stenodesma
Western Flycatcher, Empidonax difficilis
Ricinus sucinaceus
Brueelia ductilis
Eastern Wood Pewee, Contopus virens
Philopterus fuscovenralis
Vermilion Flycatcher, Pyrocephalus rubinus
Philopterus insulicola
Skylark, Alauda arvensis
Menacanthus alaudae
Horned Lark, Eremophila alpestris
Ricinus serratus
Tree Swallow, Iridoprocne bicolor
Brueelia longa
Philopterus major

Bank Swallow, <i>Riparia riparia</i>	Verdin, <i>Auriparus flaviceps</i>
<i>Brueelia tenuis</i>	<i>Brueelia audax</i>
<i>Myrsidea latifrons</i>	Common Bushtit, <i>Psaltriparus minimus</i>
Rough-winged Swallow, <i>Stelgidopteryx ruficollis</i>	<i>Menacanthus robustus</i>
<i>Myrsidea pallorus</i>	Brown Creeper, <i>Certhia familiaris</i>
Barn Swallow, <i>Hirundo rustica</i>	<i>Penenirmus trimarginis</i>
<i>Brueelia domestica</i>	Dipper, <i>Cinclus mexicanus</i>
<i>Machaerilaemus malleus</i>	<i>Menacanthus aleskensis</i>
<i>Myrsidea rustica</i>	<i>Philopterus americanus</i>
<i>M. straminea</i>	Winter Wren, <i>Troglodytes troglodytes</i>
Purple Martin, <i>Progne subis</i>	<i>Penenirmus albiventris</i>
<i>Brueelia brevipes</i>	Bewick's Wren, <i>Thryomanes bewickii</i>
<i>Machaerilaemus americanus</i>	<i>Philopterus mirus</i>
<i>Myrsidea dissimilis</i>	Cactus Wren, <i>Campylorhynchus brunneicapillum</i>
<i>Philopterus domesticus</i>	<i>Menacanthus distinctus</i>
Gray-breasted Martin, <i>Progne chalybea</i>	Catbird, <i>Dumetella carolinensis</i>
<i>Dennynus similis</i>	<i>Picicola orpheus</i>
Blue Jay, <i>Cyanocitta cristata</i>	Red-wing, <i>Turdus musicus</i>
<i>Philopterus cristata</i>	<i>Brueelia iliaci</i>
White-tipped Brown Jay, <i>Psilorhinus mexicanus</i>	<i>B. inornata</i>
<i>Philopterus underwoodi</i>	<i>Myrsidea iliaci</i>
Scrub Jay, <i>Aphelocoma coerulescens</i>	Blackbird, <i>Turdus merula</i>
<i>Menacanthus persignatus</i>	<i>Brueelia ansel</i>
Black-billed Magpie, <i>Pica pica</i>	<i>B. jacobi</i>
<i>Brueelia biocellata</i>	<i>B. merulensis</i>
<i>Philopterus picae</i>	<i>Philopterus merulae</i>
Common Raven, <i>Corvus corax</i>	<i>Ricinus ernstlangi</i>
<i>Brueelia argula</i>	Clay-colored Robin, <i>Turdus grayi</i>
<i>Menacanthus gonophaeus</i>	<i>Penenirmus caligineus</i>
<i>Philopterus corvi</i>	Robin, <i>Turdus migratorius</i>
Common Crow, <i>Corvus brachyrhynchos</i>	<i>Brueelia vulgata</i>
<i>Brueelia rotundata</i>	<i>Ricinus merulae</i>
<i>Myrsidea interrupta</i>	<i>Sturnidoecus simplex</i>
<i>Philopterus corvi</i>	Fieldfare, <i>Turdus pilaris</i>
Rook, <i>Corvus frugilegus</i>	<i>Brueelia antimarginalis</i>
<i>Menacanthus laticeps</i>	<i>Philopterus bischoffi</i>
<i>Philopterus atratus</i>	Wood Thrush, <i>Hylocichla mustelina</i>
Hooded Crow, <i>Corvus cornix</i>	<i>Myrsidea incerta</i>
<i>Brueelia uncinosa</i>	Hermit Thrush, <i>Hylocichla guttata</i>
Piñon Jay, <i>Gymnorhinus cyanocephala</i>	<i>Myrsidea incerta</i>
<i>Philopterus phillipi</i>	Swainson's Thrush, <i>Hylocichla ustulata</i>
Clark's Nutcracker, <i>Nucifraga columbiana</i>	<i>Myrsidea incerta</i>
<i>Myrsidea brunea</i>	Gray-cheeked Thrush, <i>Hylocichla minima</i>
Black-capped Chickadee, <i>Parus atricapillus</i>	<i>Myrsidea incerta</i>
<i>Philopterus rutteri</i>	Veery, <i>Hylocichla fuscescens</i>
Carolina Chickadee, <i>Parus carolinensis</i>	<i>Myrsidea fuscomarginata</i>
<i>Brueelia vulgata</i>	Eastern Bluebird, <i>Sialia sialis</i>
	<i>Philopterus sialii</i>

Golden-crowned Kinglet, <i>Regulus satrapa</i>	<i>B. subtilis</i>
<i>Ricinus frenatus</i>	
White Wagtail, <i>Motacilla alba</i>	<i>Wagler Oropendola, Zarhynchus wagleri</i>
<i>Menacanthus pusillus</i>	<i>Bizarriifrons francisi</i>
<i>Philopterus passerinus</i>	<i>Myrsidea luoris</i>
<i>Sturnidoecus aeneas</i>	<i>M. miriabilis</i>
Yellow Wagtail, <i>Motacilla flava</i>	<i>Bobolink, Dolichonyx oryzivorus</i>
<i>Philopterus passerinus</i>	<i>Menacanthus expansus</i>
Water Pipit, <i>Anthus spinoletta</i>	<i>Eastern Meadowlark, Sturnella magna</i>
<i>Ricinus japonicus</i>	<i>Bruelia abrupta</i>
Meadow Pipit, <i>Anthus pratensis</i>	<i>B. picturata</i>
<i>Bruelia cordyalla</i>	<i>Yellow-headed Blackbird, Xanthocephalus xanthocephalus</i>
Bohemian Waxwing, <i>Bombycilla garrula</i>	<i>Bruelia xanthocephali</i>
<i>Bruelia brachythorax</i>	<i>Redwinged Blackbird, Agelaius phoeniceus</i>
<i>Philopterus garrulæ</i>	<i>Bruelia ornatissima</i>
<i>Ricinus bombycillæ</i>	<i>Philopterus agelaii</i>
Cedar Waxwing, <i>Bombycilla cedrorum</i>	<i>Scarlet-headed Oriole, Icterus pustulatus</i>
<i>Bruelia cedrorum</i>	<i>Machaerilaemus icterus</i>
Phainopepla, <i>Phainopepla nitens</i>	<i>Boat-tailed Grackle, Cassidix mexicanus</i>
<i>Bruelia peninsularis</i>	<i>Bizarriifrons meinertzhageni</i>
<i>Picicola foedus</i>	<i>Common Grackle, Quiscalus quiscula</i>
Northern Shrike, <i>Lanius excubitor</i>	<i>Philopterus quiscale</i>
<i>Bruelia imponderabilis</i>	<i>Brown-headed Cowbird, Molothrus ater</i>
<i>Menacanthus camelinus</i>	<i>Bruelia ornatissima</i>
Starling, <i>Sturnus vulgaris</i>	<i>Swainson Tanager, Piranga bidentata</i>
<i>Bruelia nebulosa</i>	<i>Bruelia melanococa</i>
<i>Menacanthus mutabilis</i>	<i>Cardinal, Richmondena cardinalis</i>
<i>Myrsidea cucularis</i>	<i>Menacanthus spinosus</i>
<i>Sturnidoecus sturni</i>	<i>Rose-breasted Grosbeak, Pheucticus ludovicianus</i>
Crested Myna, <i>Acridotheres cristatellus</i>	<i>Bruelia pallidula</i>
<i>Myrsidea invadens</i>	<i>Varied Bunting, Passerina versicolor</i>
Prothonotary Warbler, <i>Protonotaria citrea</i>	<i>Ricinus australis</i>
<i>Ricinus pallens</i>	<i>Dickcissel, Spiza americana</i>
Blue-winged Warbler, <i>Vermivora pinus</i>	<i>Myrsidea incerta</i>
<i>Ricinus picturatus</i>	<i>Brambling, Fringilla montifringilla</i>
Orange-crowned Warbler, <i>Vermivora celata</i>	<i>Bruelia cyclothorax</i>
<i>Ricinus picturatus</i>	<i>Evening Grosbeak, Hesperiphona vespertina</i>
Yellow Warbler, <i>Dendroica petechia</i>	<i>Bruelia pallidula</i>
<i>Myrsidea ridulosa</i>	<i>Purple Finch, Carpodacus purpureus</i>
Yellow-breasted Chat, <i>Icteria virens</i>	<i>Bruelia vulgata</i>
<i>Picicola foedus</i>	<i>House Finch, Carpodacus mexicanus</i>
House Sparrow, <i>Passer domesticus</i>	<i>Bruelia vulgata</i>
<i>Bruelia obligata</i>	<i>Myrsidea conspicua</i>
<i>B. subtilis</i>	<i>Pine Grosbeak, Pinicola enucleator</i>
<i>B. vulgata</i>	<i>Menacanthus alaskensis</i>
<i>Menacanthus annulatus</i>	<i>Chestnut-capped Atlapetes, Atlapetes brunnei-nucha</i>
<i>Philopterus fringillæ</i>	<i>Menacanthus difficilis</i>
European Tree Sparrow, <i>Passer montanus</i>	
<i>Bruelia cyclothorax</i>	

European Goldfinch, <i>Carduelis carduelis</i>	Oregon Junco, <i>Junco oreganus</i>
<i>Brueelia densilimba</i>	<i>Penenirmus mirinotatus</i>
<i>Menacanthus carduelis</i>	<i>Ricinus hastatus</i>
American Goldfinch, <i>Spinus tristis</i>	<i>R. pallidus</i>
<i>Myrsidea incerta</i>	Tree Sparrow, <i>Spizella arborea</i>
Red Crossbill, <i>Loxia curvirostra</i>	<i>Brueelia vulgata</i>
<i>Brueelia limbata</i>	Field Sparrow, <i>Spizella pusilla</i>
<i>Myrsidea quadrimaculata</i>	<i>Machaerilaemus complexus</i>
<i>Philopterus curvirostrae</i>	White-crowned Sparrow, <i>Zonotrichia leuco-</i>
Rufous-sided Towhee, <i>Pipilo erythrorthal-</i>	<i>phrys</i>
<i>mus</i>	<i>Brueelia vulgata</i>
<i>Brueelia vulgata</i>	Golden-crowned Sparrow, <i>Zonotrichia atri-</i>
<i>Myrsidea melanorum</i>	<i>capilla</i>
<i>Ricinus subhastatus</i>	<i>Brueelia vulgata</i>
Brown Towhee, <i>Pipilo fuscus</i>	Fox Sparrow, <i>Passerella iliaca</i>
<i>Brueelia vulgata</i>	<i>Ricinus angulatus</i>
Savannah Sparrow, <i>Passerculus sandwich-</i>	Song Sparrow, <i>Melospiza melodia</i>
<i>ensis</i>	<i>Ricinus melospizae</i>
<i>Ricinus diffusus</i>	<i>Machaerilaemus maestus</i>
Lark Sparrow, <i>Chondestes grammacus</i>	<i>M. melospizae</i>
<i>Brueelia augustifrons</i>	<i>Menacanthus chrysophaeus</i>
Sage Sparrow, <i>Amphispiza belli</i>	Lapland Longspur, <i>Calcarius lapponicus</i>
<i>Brueelia lautiuscula</i>	<i>Brueelia infrequens</i>
White-winged Junco, <i>Junco aikenii</i>	<i>Menacanthus meniscus</i>
<i>Ricinus hastatus</i>	Snow Bunting, <i>Plectrophenax nivalis</i>
<i>R. pallidus</i>	<i>Brueelia nivalis</i>
Slate-colored Junco, <i>Junco hyemalis</i>	<i>Myrsidea major</i>
<i>Brueelia vulgata</i>	<i>Philopterus hamatus</i>
<i>Ricinus pallidus</i>	<i>Ricinus angulatus</i>

DEPARTMENT OF BIOLOGY, CENTRAL MICHIGAN UNIVERSITY, MT. PLEASANT,
MICHIGAN, OCTOBER 3, 1959