

INDEX TO VOLUME 85, 1973

BY EMMA J. MESSERLY, JOHN F. MESSERLY AND MARY M. MCCLELLAN

This index includes in addition to the names of genera, species, and authors, references to the following topics: abnormalities, aggression, anatomy, banding, behavior, brood size, care of young, clutch size, communication, conservation, courtship, density, display, distribution, ecology, eggs, food and food habits, growth and development, habitat, hatching, incubation, locomotion, measurements, metabolism, migration, molts and plumages, morphology, mortality, nest building, nest sites, nesting, nesting failure, nesting success, nests, parasitism, pesticides, physiology, populations, predation, roosting, taxonomy, territory, voice and vocalizations, weather, and weights. Also included are references of biological significance to reptiles and mammals. Forms described as new in this volume are given in **boldface**.

- Abnormality, 329, 340-342, 345, 346
Acanthis hornemanni, 484
Actitis hypoleucos, 143
 macularia, 143, 473
Acrocephalus aequinoctialis, 95
 familiaris kingi, 90
Aechmophoros occidentalis, 449
Aenigmatolimnas, 410, 411
 marginalis, 404
Afropavo, 390
Agapornis personata, 503
Agelaius phoeniceus, 86, 209, 342, 450, 483
Aggression, 22, 23-24, 63-64, 71-74, 78,
 166, 289, 332-334, 338-339, 342-343,
 439, 440, 449-451, 480-481
Aimophila aestivalis, 50
 a. aestivalis, 50
 a. bachmanii, 50
 ruficeps, 346
Aix sponsa, 308, 467, 469
Akahige, Ryukyu, 16
Albatross, Black-footed, 91, 92
 Laysan, 91, 92, 94, 332
 Wandering, 331
Alcock, John, see Bird, Joan, and ———
Alectoris chukar, 442
Alligator, 469
Alopex lagopus, 83
Alsop, Fred J., III, Notes on the Hoary Red-
 poll on its central Canadian Arctic
 breeding grounds, 484-485
Amaurolimnas, 403, 411
Amaurornis, 382, 383, 402, 403, 404, 405,
 407, 408, 409, 411
 akool, 403, 404
 isabellina, 403, 408
 olivaceus, 403, 408
 olivieri, 404
 phoenicurus, 403, 404, 409
Amazon, 494
 Orange-winged, 494
 Red-crowned, 494
 White-fronted, 494
Amazona, 509
 albifrons, 494
 amazonica, 494
 autumnalis, 509
 ochrocephala, 502, 508, 509
 viridigenalis, 494, 509
Amblycercus holosericeus, 240, 241
Ammodramus savannarum, 50
 s. pratensis, 50
Ammospiza caudacuta, 50
 c. nelsoni, 50
 maritima, 348
Amphispiza belli, 348
Anarhynchus frontalis, 61, 68, 70
Anas, 297, 298, 302, 303, 304
 acuta, 296, 298, 301, 302, 304
 americana, 296, 298, 300, 301, 302, 303,
 429
 clypeata, 296, 298, 300, 301, 302, 303, 304
 cyanoptera, 296, 298, 301, 302, 303
 discors, 308
 fulvigula fulvigula, 77
 laysanensis, 91

- platyrhynchos, 77, 202, 296, 298, 300, 301, 302, 303, 429
strepera couesi, 95
Anatomy, 31-32, 295-307, 382-407, 409, 410
Anderson, Anders H., A Bibliography of Arizona Ornithology. Annotated, reviewed, 177
Anderson, Bruce H., see Taylor, Walter Kingsley and ———
Anderson, Daniel W., see Gress, Franklin, and ———
Anolis, 337
Anous stolidus, 94
 tenuirostris, 93
Anser albifrons, 266
Anurolimnas, 392, 393
 castaneiceps, 393
 fasciatus, 393
 viridis, 393, 411
Apapane, 238-240
Aphanolimnas, 405
 monasa, 405
Aphelocoma coerulescens, 28
Aphriza, 143
 virgata, 140, 143
Aquila chrysaetos, 324
Aramides, 384, 401, 402, 403, 408, 411
 cajanca, 388
 calopterus, 403
Aramidopsis, 411
 plateni, 401
Aratinga, 509
 canicularis, 494, 502, 506, 508
 finschi, 506
 pertainax, 494
Archilochus colubris, 324, 338
Ardea cinerea, 438
 herodius, 324, 429
Arenaria interpres, 143, 266
 melanocephala, 143
Arnold, Keith A., see Kroll, James C., and ———
Asio otus, 178, 334, 476
Atlantisia, 400, 411
 elpenor, 401
 rogersi, 401
Aythya, 299
 affinis, 296, 298, 301, 302, 303, 429
 americana, 468
 valisineria, 296, 298, 300, 301, 302, 305
Ball, Ronald E., see Easterla, David A., and ———
Bananaquit, 71, 72, 75, 76
Banding, 21, 31, 32, 46, 236, 345, 417, 418, 419, 420, 421, 423, 427
Banko, Winston, review by, 514-515
Baptista, Luis F., Leaf bathing in three species of emberizines, 346-347
Barbthroat, 164, 165, 167, 174, 175, 176
 Pale-tailed, 163, 165-168
Bat, 477, 478
 Florida Yellow, 46
 Hoary, 478
Bats, 232
"Bee-bee", 502
Behavior, 5-20, 21-30, 55, 55-56, 62-63, 64, 71-74, 75-76, 78, 79-82, 83, 84, 85, 116, 117, 119, 120, 121-122, 123, 124, 125, 126, 127-129, 130, 140, 141-142, 143, 163-177, 233-236, 236-237, 238, 242-243, 277, 278, 279, 280, 281, 291-294, 318-322, 331-332, 333, 334-335, 336-337, 337-338, 338-339, 340, 345, 346-347, 348-350, 437, 438, 439, 440, 442-448, 449-451, 471, 472, 472-473, 480-482, 484
Behle, William H., Further notes on Rosy Finches in winter in Utah, 344-346
Bell, D. J., and B. M. Freeman, Editors, Physiology and Biochemistry of the Domestic Fowl, reviewed, 515-517
Bennett, Shaun, review by, 365
Binford, Laurence C., A short method for treating avian breeding data in regional accounts, 244-246
Bird, captive, 77, 80, 81, 82, 170, 171, 178, 179, 180, 182-183, 223, 236, 308, 318, 319, 320, 321, 335, 346, 439, 442
 exotic, 491-500, 501-505, 506-512
Bird, Joan, John Alcock, and W. James Ereckmann, Starlings stealing worms from Robins, 480-482
Bittern, 44
 American, 279
Blackbirds, 75, 86-87
 Brewer's, 452-464

- Red-winged, 86, 209-222, 341, 341-342, 450, 483
 Yellow-headed, 219
 Blossom-head, 503
 Bluebird, 338
 Blythipicus sp., 11, 13, 14, 15, 16
 pyrrhotis, 9, 11, 14, 15
 rubiginosus, 8, 9, 11, 14
 Bobolink, 45, 49, 50
 Bobwhite, 52-59, 325, 442, 447
 Bohlen, H. David, First specimen of Laughing Gull for Illinois, 233
 Bolen, Eric, see Crawford, John A., and ———
 Bombycilla cedrorum, 242
 Bonasa umbellus, 223, 279, 442
 Booby, Blue-faced, 92, 94, 96, 100
 Brown, 438
 Red-footed, 92, 95, 96, 98
 White, 438
 Borrer, Donald J., review by, 517-519
 Botaurus lentiginosus, 279
 Brackbill, Hervey, Immature Robin gathering nest material, 238
 Brander, Robert, see Rasmussen, Gerald, and ———
 Brant, Black, 271
 Branta canadensis, 148, 308, 434
 nigricans, 271
 Breeding, 21-30, 115-147, 164-165, 197-208, 244-246, 331-332, 433, 482, 483, 484-485
 Brood size, 436-441
 Brotogeris, 508
 jugularis, 494, 502
 versicolorus, 492, 502, 506, 507, 508
 Brown, Robert J., Precocious lek behavior in Sharp-tailed Grouse chicks, 472-473
 Bubo virginianus, 178, 324, 334, 477, 478
 Bubulcus ibis, 493
 Bucephala albeola, 296, 298, 301, 302
 clangula, 296, 298, 300, 301, 302, 303, 429
 Budgerigar, 494, 502, 506, 510
 Bulbul, Red-vented, 98
 Red-whiskered, 492, 495, 497, 498, 510
 Bull, John, Exotic birds in the New York City area, 501-505
 Bullfinch, Puerto Rican, 75, 76
 Bulweria bulwerii, 90
 Bunting, Indigo, 45, 49-50
 Painted, 45, 50
 Burger, Joanna, Competition between American Coots and Franklin's Gulls for nest sites and egg predation by the Coots, 449-451
 Burleigh, Thomas D., Birds of Idaho, reviewed, 253-255
 Buteo harlani, 79
 Butler, Murrell, painting by, facing page 259
 Butorides virescens, 46
 Cabalus, 395
 dieffenbachii, 395, 396
 modestus, 395
 sylvestris, 397
 Cacique, Yellow-billed, 240
 Yellow-winged, 241
 Cain, Brian W., Effect of temperature on energy requirements and northward distribution of the Black-bellied Tree Duck, 308-317
 Cairina moschata, 308
 Calcearius pictus, 119
 Calder, William A., The timing of maternal behavior of the Broad-tailed Hummingbird preceding nest failure, 283-290
 Calidris (see also Erolia), 115, 140, 142
 acuminata, 142, 143
 alba, 115
 alpina, 39, 115, 119, 120, 142, 266
 bairdii, 475
 canutus, 128, 140
 ferruginea, 124, 140, 143
 fuscicollis, 115, 128, 142, 475
 maritima, 128, 142, 143
 mauri, 120, 142, 143
 melanotos, 115, 129, 142, 143
 minutilla, 119, 120, 128, 143
 ptilocnemis, 142, 143
 pusilla, 142, 143, 266
 subminuta, 143
 tenuirostris, 143
 Callipepla squamata, 442
 Calypte anna, 285, 324
 Calyptomena, 390
 Campylorhynchus brunneicapillus, 242
 Canary, 93, 492

- Canary-wing, 493
Canirallus, 385, 387, 389, 390, 391, 392,
403, 411
Canirallus kiolooides, 390
 oculeus, 385, 386, 387, 389, 390
Capella gallinago, 279
Caracara, 497
Cardinal, 344, 347, 469, 506, 511
 Brazilian, 496
Cardinalis cardinalis (see also Richmondena
 cardinalis), 324, 344, 506, 511
Cardoza, James E., see Heusmann, H. W.
 and ———
Care of young, 25–26, 83, 85, 122, 130–131,
 131, 134, 209, 283–290, 437, 438, 439,
 483, 483
Cariama, 412
Caribou, 84
Carpodacus mexicanus, 87
 purpureus, 350
Case, Ronald M., Bioenergetics of a covey
 of Bobwhites, 52–59
Cassiculus melanicterus, 241
Cassidix mexicanus, 328
Casualty, barbed wire, 477–478, 478
 electric fence, 476–477
 tower, 42–51, 479
Cat, feral, 79, 94, 96, 97, 98, 99, 100
Catbird, 44, 47, 71, 72, 242, 279, 318, 320,
 321, 341, 342
Catharacta skua, 324
Cathartes aura, 78
Catharus, 241
 fuscescens, 482
 f. salicicola, 339
 gracilirostris, 240, 241
 minimus minimus, 339
 ustulatus, 339
Celeus, 16, 465
 elegans, 467
 flavescens, 466, 467
 f. ochraceus, 466
 spectabilis, 465, 467
 s. exsul, 465, 466, 467
 s. **obrieni**, 465, 466, 467
 s. spectabilis, 465, 466, 467
 torquatus, 467
 t. torquatus, 466
Charadrius, 62, 64
 alexandrinus, 61, 63, 67, 69
 asiaticus, 61, 67, 69
 bicinctus, 61, 63, 63, 67, 69
 cinctus, 61, 68, 69
 collaris, 61, 67, 69
 dubius, 61, 63, 67, 69
 falklandicus, 61, 67, 69
 hiaticula, 61, 63, 67, 69, 143
 leschenaultii, 61, 67, 69
 marginatus, 61, 64, 67, 69
 melanops, 61, 63, 68, 69
 melodus, 61, 64, 67, 69
 modestus, 61, 67, 69
 mongolus, 61, 67, 69
 monatus, 60, 61, 68, 69
 novaeseelandiae, 61, 68, 70
 pecuarius, 61, 67, 69
 peronii, 61, 64, 67, 69
 placidus, 61, 64, 67, 69
 rubricollis, 60, 61, 68, 69
 sanctahelenae, 61, 67, 69
 semipalmatus, 60, 61, 67, 69, 143
 thoracicus, 61, 67, 69
 tricollaris, 61, 67, 69
 venustus, 61, 67, 69
 veredus, 61, 67, 69
 vociferus, 61, 62, 67, 69, 279
 wilsonia, 61, 67, 69
Chat, Yellow-breasted, 45, 49
Chelonia mydas, 91
Chen caerulescens, 266
Chick, domestic, 473
Chickadee, Black-capped, 318, 319
Chicken, 82, 340, 342, 468, 501
Chicken, Lesser Prairie, 471–472
Chiffchaff, 171
Chlorostilbon ricardii, 71
Chordeiles minor, 279
Chunga, 412
Chrysocolaptes, 16
Circus cyaneus, 332, 335
Cistothorus platensis, 47
Clench, Mary Heimerdinger, The fall mi-
 gration route of Kirtland's Warbler,
 417–428
Clutch size, 25, 80, 129, 133, 213, 216, 436,
 437, 438

- Clangula hyemalis*, 271
Coccyzus americanus, 46
 Cockatiel, 503, 506
 Cockatoo, 501
Coereba flaveola, 71
Colaptes spp., 7
Colinus virginianus, 52, 324, 442
Columba livia, 93, 494, 501, 507
Columbina talpacoti, 337
 Communication, 6, 8-11, 12-13, 62-63, 64, 83, 120, 121, 126, 131
 Conservation, 16-19, 89-103, 491-500, 501-505, 506-512
 Coot, 469
 American, 44, 449-451
 European, 450
 Cope, James B., see Huber, Michael R., and ———
 Copulation, 125, 125, 167, 168, 331, 332, 337-338
 Cormorant, Double-crested, 197-208, 429, 431
 European, 331
 Corrigendum, 177
Corvus brachyrhynchus, 506
 caurinus, 324, 325
 corax, 324
 cryptoleucus, 324
Coturnicops, 391, 392, 411
 exquisita, 391
 notata, 391
 noveboracensis, 391
Coturnix, 442, 447
 c. japonica, 442
 Courtship, 121-123
 Cowbirds, 241, 242, 483
 Bronzed, 240-242, 342-344
 Brown-headed, 242, 338, 342, 343, 476
 Coyote, 434
 Crakes, 382, 391, 393, 401, 403, 405, 410
 Crane, 148, 436-441
 Canadian Sandhill, 148, 149
 Florida Sandhill, 436
 Greater Sandhill, 148, 149, 436
 Japanese, 436
 Lesser Sandhill, 148, 437
 Sandhill, 148-162, 436, 437, 438, 439
 Whooping, 436, 437, 438, 439
 Crawford, John A., and Eric Bolen, Spring use of stock ponds by Lesser Prairie Chickens, 471-472
Crecopsis, 401, 410, 411
 egregia, 401
Crex, 401, 410, 411
 Crossbills, White-winged, 243-244
 Crow, 468
 Common, 506
 Cruz, Alexander, Food and foraging ecology of the Chestnut-bellied Cuckoo, 336-337
Cryptotis parva, 85
 Cuckoo, Chestnut-bellied, 336-337
 Long-tailed, 97
 Yellow-billed, 44, 46
 Curlew, 127, 128
 Hudsonian, 119, 124
Cyanocitta cristata, 318, 324
 stelleri, 28
Cyanolimnas, 405, 406, 407, 411
 cerverai, 405
Cygnus olor, 501
 Davis, L. Irby, A Field Guide to the Birds of Mexico and Central America, reviewed, 106-108
 Deedy, John, see Nobile, Philip ———
Dendragapus, 223
 obscura, 279
Dendrocopos, 13
Dendrocygna, 504
 arborea, 495
 autumnalis, 495
 bicolor, 493
Dendroica caerulescens, 48
 c. caerulescens, 48
 c. cairnsi, 48
 castanea, 48
 cerulea, 48, 482
 coronata, 48, 71
 discolor, 49, 71
 d. discolor, 49
 dominica, 48, 482
 d. dominica, 71
 d. flavescens, 71
 fusca, 48
 kirtlandii, 417
 magnolia, 48
 palmarum, 49, 71

- p. hypochrysea*, 49
p. palmarum, 49
pensylvanica, 48
petechia, 48, 339
p. aestiva, 48
p. amnicola, 48
pinus, 49
p. pinus, 49
pityophila, 71
striata, 49
tigrina, 48, 71
virens, 48
- Density, 5, 18, 122, 456
- Dickerman, Robert W., review by, 106-108
- Dickinson, Edward C., review by, 251-252
- Dinopium*, 16
- Diomedea immutabilis*, 91
nigripes, 91
- Dipodomys ordii*, 85
- Display, 63-64, 85, 120, 121, 122, 123, 126, 128, 129, 141, 142, 166-168, 169, 170, 171-172, 337, 338, 343, 472, 484
- Distribution, 75-77, 79, 79-82, 86, 89-103, 117, 118, 142-144, 148-162, 233, 240-242, 243-244, 259-275, 308-317, 339, 343-344, 344-346, 350-351, 390, 391, 394, 395, 398, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 417, 419-427, 433, 452-464, 465-467, 479-480, 482-483, 484
- Dolichonyx oryzivorus*, 49
- Dotterel, 63
Banded, 63
Black-fronted, 63
Hooded, 60
New Zealand, 63-64
- Dove, 494
Chinese Spotted, 506, 507
Inca, 495
Mourning, 182-196, 507
Ring, 124, 202
Ringed Turtle, 495, 507
Rock, 93, 494, 501, 507
Ruddy Ground, 337
White-winged, 495
- Dowitcher, Short-billed, 127, 136
- Dryolimnas*, 400, 411
atlantisia, 401
cuvieri, 400, 401
pectoralis, 401, 411
- Duck, 300, 431, 450, 469, 477
Black-bellied Tree, 308-317, 495
Florida, 77-78
Fulvous Tree, 493
Mallard, 202
Muscovy, 308
Ruddy, 305
Tree, 495, 498
Wood, 308, 467-468, 469
- Ducks, 295-307
- Ducula pacifica*, 97
- Duebert, Harold F., see Lokemoen, John T., and ———
- Duffin, Kathleen, Barn Swallows use fresh water and marine algae in nest construction, 237-238
- Dumetella carolinensis*, 47, 71, 242, 279, 318, 342
- Dunlin, 115, 119, 120, 121, 122, 123, 125, 126, 129, 131, 134, 135, 136, 138, 140, 266
- Dunn, Euan, see Hays, Helen, and ———
- duPont, John Eleuthère, Philippine Birds, Monograph Series No. 2, Delaware Museum of Natural History, reviewed, 251-252
- Easterla, David A., and Ronald E. Ball, The Rock Wren in Missouri, 479-480
- Ecology, 16, 17, 18, 163-177, 209-222, 308-317, 336-337, 429-435, 453, 454, 456-458, 459, 468, 469
- Edeburn, Ralph M., Great Horned Owl impaled on barbed wire, 478
- Edithornis silvestris*, 409, 410
- Edwards, Ernest P., A Field Guide to the Birds of Mexico, reviewed, 106-108
- Eggs, 80, 81, 125, 126, 129, 198-206, 213, 240, 241, 243, 284, 285, 286, 287, 288, 289, 323-326, 331, 340-342, 436, 437, 438, 439, 440, 468
- Egret, Cattle, 44, 493
- Eider, 259, 261, 262, 263, 264, 269, 270, 271, 273, 303, 305
Common, 259
King, 259
- Emerald, Cuban, 72

- Emlen, John T., Territorial aggression in wintering warblers at Bahama agave blossoms, 71-74
- Empidonax minimus, 482
traillii, 276, 278, 280, 339, 483
t. brewsteri, 276
virescens, 483
- Eckmann, W. James, see Bird, Joan, and ———
- Eithacus komodori, 16
- Erolia fuscicollis, (see also Calidris fuscicollis), 84
- Erythropgia, 340
zambesiana, 340
- Estrilda melpoda, 510
- Eudocimus albus, 230, 231, 498
ruber, 498
- Eudromias morinellus, 61, 63, 68, 70
- Eudynamis taitensis, 97
- Eulabeornis, 393, 408, 411
castaneiventris, 407, 408
- Euphagus cyanocephalus, 452
- Eurochelidon sirintarae, 390
- Eurynorhynchus pygmeus, 140, 143
- Falco sparverius, 231
- Fantail, Black-and-white, 340
- Farrar, Richard B., Jr., review by, 112
- french, Richard, see Tikasingh, Elisha S., and ———
- Finch, Black Rosy, 344, 345
Gray-crowned Rosy, 344
House, 87
Laysan, 91
Nihoa, 89
Purple, 350-351
Rosy, 344-346
- Fitzpatrick, John W., Response by a Long-eared Owl to Barred Owl calls, 334-335
- Flickers, 7, 10
Yellow-shafted, 44
- Flock, Warren L., Radar Observations of bird movements along the Arctic coast of Alaska, 259-275
- Flycatcher, 337
Acadian, 483
Great Crested, 338
Least, 482, 483
Traill's, 276-282, 339
Willow, 483
- Food and food habits, 7-8, 24, 25-26, 71, 72, 73, 81-82, 85-86, 122-123, 130, 131, 132, 134, 135-136, 178-181, 209, 209-222, 233-236, 318-322, 332, 332-334, 335, 336-337, 44, 450, 468-470, 473-476, 480-482, 483, 484
- Fox, Arctic, 83, 84
Red, 133
- Francis, William J., Blackbird nest placement and nesting success, 86-87
- Freeland, David B., Some food preferences and aggressive behavior by Monk Parakeets, 332-334
- Freeman, B. M., see Bell, D. J., and ———
- Freer, Valerie M., Sparrow Hawk predation on Bank Swallows, 231-233
- Fregata ariel, 96
minor, 90
- Frigatebird, Great, 90, 92, 94, 95, 96, 98
Lesser, 96, 99
- Fry, C. H., review by, 357-358
- Fulica, 382, 383, 384, 409, 410, 411
americana, 381, 386, 449
ardesiaca, 382, 383
armillata, 382, 383
atra, 383
caribaea, 383
cristata, 383
leucoptera, 383
rufifrons, 382, 383
- Gadwall, Washington Island, 95
- Gallicrex, 383, 408, 409, 411
cinerea, 390, 408, 409
- Gallinula, 382, 383, 401, 409, 410, 411
angulata, 410
chloropus, 46, 382, 409, 410
- Gallinules, 382, 402, 403, 404, 409, 410
Common, 44, 46
Purple, 44, 46, 409
- Gallirallus, 394, 396, 400, 411
australis, 396, 397, 398, 409
hartreei, 396, 397, 398
insignis, 398, 399
lafresnayanus, 397
minor, 396, 397
pectoralis, 400
p. mirificus, 400
philippensis, 394, 395, 396, 397, 398, 399, 401, 409

- striatus, 399, 400, 401
sylvestris, 397, 398
torquatus, 398, 399
- Gallus gallus, 340
- Garrulus lanceolatus, 15
lidthi, 15
- Gavia arctica, 434
immer, 230, 429
- Gecinulus, 15, 16
grantia, 15
viridis, 9, 11, 15
- George, William G., Molt of juvenile White-eyed Vireos, 327-330
- Geothlypis trichas, 49, 71
t. brachidactyla, 49
t. pelagitis, 49
t. trichas, 49
t. typhicola, 49
- Gilbert, Albert Earl, painting, facing p. 5
- Giltz, Maurice L., The Purple Finch nests in Ohio, 350-351
- Glaucis aenea, 165
hirsuta, 163, 164, 165, 172, 173, 174
- Gochfeld, Michael, Encrusted wings causing flightlessness in young terns, 236-237
- Godwit, 127, 128
Hudsonian, 119, 125, 136
- Goldeneye, Common, 429
- Goldfinch, American, 45
- Goose, Canada, 148, 308, 310, 311, 314, 434
Egyptian, 497
Snow, 266, 271
White-fronted, 266, 271
- Gore, M. E. J., and Won Pyon-Oh, The Birds of Korea, reviewed, 109-110
- Gotie, Robert F., see Kroll, James C. and ———
- Gould, John, Birds of New Guinea, reviewed, 110-112
- Grackle, Common, 340, 341, 456, 459
- Gracula religiosa, 495
- Graul, Walter D., Possible functions of head and breast markings in Charadriinae, 60-70
- Grebe, 300, 429, 431, 469
Pied-billed, 44, 450
Red-necked, 429
Western, 449
- Greenshank, 124
- Gress, Franklin, Robert W. Risebrough, Daniel W. Anderson, Lloyd F. Kiff, and Joseph R. Jehl, Jr., Reproductive failures of Double-Crested Cormorants in southern California, 197-208
- Grimm, Robert J., review by, 363-365
- Grosbeak, Black-headed, 243
Blue, 482
Rose-breasted, 45, 49, 242-243
- Grouse, Blue, 223, 279
Red, 473
Ruffed, 223-229, 279, 442
Sharp-tailed, 472-473
- Growth and development, 25, 26-27, 31-41, 81, 82, 130-131, 132, 136, 209-222
- Grus americana, 436
canadensis, 148, 155, 411, 436
c. canadensis, 148, 151, 152, 153, 154, 155, 156, 157, 158, 160, 437
c. pratensis, 436
c. rowani, 148, 151, 152, 153, 154, 155, 156, 157, 158, 160
c. tabida, 148, 151, 152, 153, 154, 155, 156, 157, 158, 436
japonensis, 436
- Gruson, Edward S., Words for Birds; A Lexicon of North American Birds with Biographical Notes, reviewed, 521-522
- Guillemot, 237
- Guiraca cerulea, 482
- Gull, Black-headed, 450
California, 429, 431, 434
Franklin's, 449-451
Glaucous, 266
Herring, 233
Laughing, 233
- Gygis alba, 93
- Gymnocrex, 403, 411
plumbeiventris, 403
rosenbergii, 403
- Gymnomyza samoensis, 98
- Habitat, 5, 16, 17, 18, 21, 79, 82, 118-119, 124, 165, 168, 169, 172, 173, 209, 219, 230, 231, 238, 239, 336, 418, 429-435, 453, 454, 456-458, 459, 468, 473, 482, 483
- Habropteryx, 398, 399
insignis, 398

- Habroptila, 383, 407, 408, 411
 inepta, 408
 wallacci, 407, 408
- Hagerbaumer, David, and Sam Lehman, Selected American Game Birds, reviewed, 519-520
- Hailman, Jack P., Double-scratching and terrestrial locomotion in emberizines: some complications, 348-350
- Half-moon, 502
- Hall, George A., reviews by, 317, 521-522
- Hardy, John William, Feral exotic birds in southern California, 506-512
- Harrison, Thomas P., and F. David Hoeniger, Editors, The Fowles of Heauen or History of Birdes, reviewed, 523-524
- Hartshorne, Charles, Born to Sing. An Interpretation and World Survey of Bird Song, reviewed, 517-519
- Hatching, 82-85, 129-130, 438, 468
- Hawk, 128, 297, 304, 334
 Harlan's, 78
 Marsh, 332, 335
 Red-tailed, 76
 Sharp-shinned, 76
 Sparrow, 76, 231-233
- Hawkins, Arthur S., see Kiel, William H., Jr. and ———
- Hays, Helen, Euan Dunn, and Alan Poole, Common, Arctic, Roseate, and Sandwich Terns carrying multiple fish, 233-236
- Healy, William M., and Jack Ward Thomas, Effects of dusting on plumage of Japanese Quail, 442-448
- Heintzelman, Donald S., A Guide to Northeastern Hawk Watching, reviewed, 256
- Helmitheros vermivorus, 48
- Henny, Charles J., An Analysis of the Population Dynamics of Selected Avian Species with Special Reference to Changes during the Modern Pesticide Era, Wildlife Research Rept. 1, U.S. Department of the Interior, reviewed, 362
- Hermit, 166, 173
 Guy's, 163, 168, 170, 172
 Hairy, 163, 164, 165, 173, 174, 175, 176
 Little, 163
 Long-tailed, 163, 164, 165, 168-169, 171, 173, 174, 175
 Reddish, 163, 164, 165, 167, 169-172, 173, 174, 175
- Heron, Black-crowned Night, 449, 468
 Gray, 438
 Great Blue, 429
 Green, 44, 46
 Yellow-crowned Night, 44
- Heteroscelus brevipes, 143
 incanus, 143
- Heusmann, H. W., and James E. Cardoza, Relocation of a Wood Duck clutch from a natural cavity to a nest-box, 467-468
- Himantornis, 383, 384, 385, 387, 388, 389, 390, 411
 haematopus, 384, 385, 386, 388
- Himatione sanguinea, 238
- Hinde, R. A., review by, 249-251
- Hirundo rustica, 478
- Hoeniger, F. David, see Harrison, Thomas P., and ———
- Honeyeater, Giant, 98
- Hubbard, John P., First specimens of certain thrushes and vireos from New Mexico, 339; review by, 354-356
- Huber, Michael R., and James B. Cope, House Sparrow dispossesses nesting Eastern Kingbird, 338-339
- Hummingbird, Anna's, 285, 289
 Broad-tailed, 283-290
 Cuban Emerald, 71
 Hermit, 163-177
 Ruby-throated, 232, 338
 Rufous, 283, 287, 289
- Hyetornis pluvialis, 336
- Hylocichla (see also Catharus)
 fuscescens, 47
 f. fuscescens, 47
 minima, 47
 m. minima, 47
 mustelina, 47
 ustulata, 47, 279
 u. almae, 47
- Hypotaenidia, 394, 396, 397, 402
 owstoni, 394
 pacifica, 397
 philippensis, 394
 striatus, 394, 399, 400

- s. *deignani*, 399
 torquatus, 394
 wakensis, 394
Ibis, Glossy, 231
 Scarlet, 498
 White, 230-231, 331-332, 498
Icteria *virens*, 49
Icterus *cucullatus*, 343
 galbula, 49, 339
 pectoralis, 495
 spurius, 343
Incubation, 25, 80, 81, 82-85, 125-126, 127-129, 284, 285, 286
Iridoprocne *bicolor*, 482
Ivacic, Donald L. and Ronald F. Labisky, Metabolic responses of Mourning Doves to short-term food and temperature stresses in winter, 182-196
Jackdaw, 469
Jaeger, 83, 84, 128, 134, 265, 266
 Parasitic, 133, 134, 266
 Pomarine, 266
Jay, Blue, 318, 319
 Scrub, 28
 Steller's, 28
Jehl, Joseph R., Jr., Breeding biology and systematic relationships of the Stilt Sandpiper, 115-147; see Gress, Franklin, and ———
Johnson, Douglas H., and Robert E. Stewart, Racial composition of migrant populations of Sandhill Cranes in the Northern Plains States, 148-162
Johnson, Terry W., The wing molt of the Florida duck, 77-78
Junco *hyemalis*, 324, 348, 350
 oreganus, 347, 348, 350
Junco, Oregon, 347
 Slate-colored, 350
Kale, Herbert W., II, House Finch nests abandoned after snow, 87
Kaufman, Donald W., Use of marked prey to study raptor predation, 335-336
Kaufmann, Gerald W., review by, 358-360
Kepler, Cameron B., Breeding biology of the Blue-faced Booby *Sula dactylatra personata* on Green Island, Kure Atoll, reviewed, 104-106
Kiel, William H., Jr., Arthur S. Hawkins, and Nolan G. Perret, Waterfowl Habitat Trends in the Aspen Parkland of Manitoba, reviewed, 522-523
Kiff, Lloyd F., New host records for the Bronzed Cowbird, 240-242; see Gress, Franklin, and ———
Killdeer, 62, 63, 64, 279
King, Warren B., Conservation status of birds of central Pacific islands, 89-103
Kingbird, Eastern, 44, 338-339
Kinglet, 73
 Ruby-crowned, 44, 47
Kittiwake, Black-legged, 123
Knot, 140, 142
Krohn, William B., see Owen, Ray B. and ———
Kroll, James C., Keith A. Arnold and Robert F. Gotie, An observation of predation by native fire ants on nestling Barn Swallows, 478-479
Kuenzel, Wayne J., and Richard G. Wiegert, Energetics of a Spotted Sandpiper feeding on brine fly larvae (Paracoenia; Diptera; Ephydriidae) in a thermal spring community, 473-476
Kuhnen, S. Marie, photograph by, facing page 115
Kushlan, James A., White Ibis Nesting in the Florida Everglades, 230-231; Promiscuous mating behavior in the White Ibis, 331-332
Labisky, Ronald F., see Ivacic, Donald L. and ———
Lagopus, 223
 leucurus, 56
Lanius, 318, 321
 ludovicianus, 318
 senator, 321
Lapwing, 469, 497
Larus *atricilla*, 233
 californicus, 429
 hyperboreus, 266
 pipixcan, 449
Lasiurus *borealis*, 478
 intermedius, 46
Laterallus, 392, 393, 411
 albigularis, 393

- fasciatus*, 393
hauxwelli, 393
jamaicensis, 393
leucopyrrhus, 392, 393
viridis, 392, 393, 411
 Lehman, Sam, see Hagerbaumer, David,
 and ———
Leucosticte atrata, 344, 345
atrata × *Leucosticte tephrocotis*, 346
tephrocotis, 344
t. littoralis, 344, 345
t. tephrocotis, 344, 345, 346
Lewinia, 411
Limicola, 143
falcinellus, 140
Limnocorax, 404
flavirostris, 404
olivieri, 404
Limnodromus griseus, 143
scolopaceus, 143
semipalmatus, 143
Limnithlypis swainsonii, 47
Limosa haemastica, 119, 143
lapponica baueri, 143
l. menzbieri, 143
limosa, 143
Limpkin, 411
 Linehan, John T., Nest records of Ceru-
 lean Warbler in Delaware, 482, 483
Lizard, 337, 492
Locomotion, 295–307, 348–350
 Lohrer, Fred E., see Wiley, James W., and
 ———
 Lokemoen, John T., and Harold F. Dueb-
 bert, An upland nest of the Redhead
 far from water, 468
 Long, Charles A., Exponential relations of
 standard metabolic rates of birds and
 the weights of eggs, 323–326
Longspur, Lapland, 119
 Smith's, 119
Loon, 230, 271
 Arctic, 434
 Common, 230, 429–435
Lophortyx californicus, 56
Lory, 501
Lovebird, 502
 Masked, 503
Loxia curvirostra, 324
leucoptera, 243
Macaw, 501
Malau, 79, 80, 81, 82
Mallard, 77, 202, 429, 469
Mango, 75
 Green, 76
 Marti, Carl D., Ten years of Barn Owl
 prey data from a Colorado nest site,
 85–86; food consumption and pellet
 formation rates in four owl species,
 178–181; House Sparrow feeding
 young at night, 483
Martin, Purple, 291
 Mayfield, Harold F., Black-bellied Plover
 incubation and hatching, 82–85
 McCarthy, Timothy, Ocular impalement
 of a Great Horned Owl, 477–478
 McCaskie, Guy, review by, 255–256
 McClure, H. Elliot, review by, 109–110
 McLaren, Peter L., Physical combat in
 the Brown-headed Cowbird, 342–343
 Meanley, Brooke, Natural History of the
 King Rail, North American Fauna
 Number 67, reviewed, 358–360
Measurements, 6, 150–157, 159–161, 164,
 212, 296, 297, 298, 299, 300, 301, 302,
 328, 329, 417, 465–466
Megacrex, 383, 407
inepta, 407
Megapodius pritchardii, 79–82
Melanitta, 301
deglandi, 429
fusca, 296, 298, 301, 302
perspicillata, 296, 298, 300, 301, 302,
 303
Meleagris gallopavo, 230, 442
Melopsittacus undulatus, 494, 506, 510
Melospiza georgiana, 50, 348, 482
g. georgiana, 50
lincolnii, 349
melodia, 238, 324, 349, 480
 Mengel, Robert M., review by, 523–524
Mentocrex, 389, 390
kioloides, 384, 389
Metabolism, 52–55, 182–196, 223–229, 310,
 311, 312, 313, 314, 475
Micropalama, 140, 143
himantopus, 128, 143

- Micropygia*, 391, 411
 schomburgkii, 392
Microtus, 86
 ochrogaster, 85
 pennsylvanicus, 85
Migration, 21-22, 37, 39, 42-51, 117, 119-120, 131-132, 149, 157, 160, 230, 259-275, 344, 417-428, 437, 457
Miller, Richard S., The brood size of cranes, 436-441
Millerbird, 90
Mimocichla plumbea, 71
Mimus polyglottos, 340, 469
Mniotilta varia, 47
Mockingbird, 44, 340, 469, 498
Moffitt, James, see Orr, Robert T., and ———
Molothrus aeneus, 240, 241
 ater, 242, 324, 338, 342, 476-477
Molts and plumages, 25, 26-27, 31-41, 50, 60-70, 77-78, 81, 138-139, 140, 165, 166, 327-330, 384, 387, 388, 389, 390, 391, 392, 393, 394, 395-396, 397-398, 399, 400, 402, 403, 404, 405, 406, 409, 410, 417, 418, 442-448, 465
Monachus schauinslandi, 91, 94
Monkey, 492
 Squirrel, 94
Monroe, Burt L., Jr., Wing-flashing in the Black-and-white Fantail (*Rhipidura leucophrys*), 340
Moorhen, 408
Moreau, R. E., The Palaearctic-African Bird Migration System, reviewed, 357-358
Morphology, 13-16, 295-307, 383, 384, 387, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409
Mortality, 133-135, 215, 216, 218, 219, 220, 236, 286, 287, 288, 289, 438, 439, 440, 478
Mortality, tower, 42-51
Mouse, 178, 468
 Old-field, 335
Murre, Common, 237
Mus musculus, 85, 178
Muskoxen, 84
Mustela erminea, 133
Myiarchus crinitus, 338
Myiopsitta monachus, 332, 494, 501, 502, 503
Myiozetetes, 337
 cayanensis, 337
 similis, 337
Myna, 492, 498
 Hill, 495, 497
Myotis lucifugus, 478
 sodalis, 478
Nandayus nenday, 502, 507
Neocrex, 389, 405, 406, 407, 411
 columbianus, 405, 406
 erythroptus, 405, 406
Neotoma spp., 85
Nero, Robert, review by, 522-523
Nesoclopeus, 394, 411
 poeciloptera, 393, 394
 woodfordi, 393
Nesocittes, 6
Nesofregatta albigularis, 99
Nesolimnas, 395
 dieffenbachii, 395
Nesophylax, 405
 ater, 405
Nest building, 237-238
Nest site, 86-87, 175, 176, 231, 238-240, 429-435, 449-451, 468, 482, 483
Nesting, 86-87, 87, 124-125, 165, 230-231, 237-238, 238-240, 242-243, 291-294, 338-339, 350-351, 429-435, 467-468, 468
Nesting failure, 87, 283-290, 434, 436
Nesting success, 28, 86-87, 123, 124-125, 133, 197-208, 213, 214, 332, 436
Nests, 24-25, 80, 83, 122, 125, 237-238, 238-240, 242-243, 284, 285, 286, 287, 288, 289, 332, 333, 338, 343, 433, 434, 449, 450, 482
Nighthawk, Common, 279
Nightingale-Thrush, 241
 Black-billed, 240
Ninox cannivens, 477
Nobile, Philip, and John Deedy, Editors, The Complete Ecology Fact Book, reviewed, 365
Noddy, Blue-gray, 91, 94, 99
 Black, 93, 99
 Brown, 94, 100
Noguchigera, 5

- Notornis, 383, 409
 Numenius borealis, 143
 minutus, 143
 phaeopus, 119
 p. phaeopus, 143
 p. variegatus, 143
 tahitiensis, 143
 Nycticorax nycticorax, 449
 Nymphicus hollandicus, 503, 506
 Oceanodroma markhami, 91
 Oldsquaw, 271
 Olor columbianus, 266
 Olson, Storrs L., A classification of the Rallidae, 381-416
 Ondatra zibethicus, 85
 Opossum, 504
 Oreopholus ruficollis, 61, 68, 70
 Oring, Lewis W., review by, 253-255
 Oriole, Baltimore, 45, 49, 339
 Hooded, 343
 Orchard, 45, 343, 344
 Spotted-breasted, 495, 496, 497
 Orr, Robert T., and James Moffitt, Birds of the Lake Tahoe Region, reviewed, 255-256
 Ortygonax, 405
 nigricans, 405
 sanguinolentus, 405
 Oryctolagus cuniculus, 91
 Osprey, 468-470
 Otus asio, 335, 476
 balli, 390
 icterorhynchus, 390
 ireneae, 390
 Ovenbird, 45, 46, 49, 86
 Owen, Oliver S., Natural Resource Conservation, an Ecological Approach, reviewed, 112
 Owen, Ray B., Jr., and William B. Krohn, Molt patterns and weight changes of the American Woodcock, 31-41
 Owl, 178-181, 328, 335, 390, 477, 478
 Barking, 477
 Barn, 79, 85-86, 178, 179, 180, 335
 Barred, 334-335
 Burrowing, 178, 179, 180
 Great Horned, 178, 179, 180, 334, 335, 477-478
 Horned, 478
 Long-eared, 178, 179, 180, 334-335
 Screech, 335, 476
 Spectacled, 497
 Tawny, 335
 Owre, Oscar T., A consideration of the exotic avifauna of southeastern Florida, 491-500
 Oxyura, 298, 300
 jamaicensis, 296, 300, 301, 302, 303, 305
 Padua oryzivora, 496
 Palmer, R. S., review by, 524
 Pandion haliaetus, 468
 Parakeet, 501
 Black-hooded, 502, 507
 Blossom-headed, 503
 Brown-throated, 494
 Canary-winged, 492, 493, 494, 502, 506, 507
 Carolina, 493
 Finsch's, 506
 Gray-breasted, 504
 Monk, 332-334, 494, 498, 501, 502, 503, 504, 505
 Orange-chinned, 494, 502
 Orange-fronted, 494, 502, 506
 Quaker, 501
 Ring-necked, 503
 Rose-ringed, 494, 498, 503, 510
 Shell, 502
 Tovi, 502
 Parasitism, 240-242, 343, 344, 483
 Pardirallus, 405, 406, 407, 411
 maculatus, 405
 nigricans, 405, 406
 sanguinolentus, 405, 406
 Pareaudiastes, 383, 410, 411
 pacificus, 409, 410
 silvestris, 410
 Parkes, Kenneth C., The President's Page, 352-353, 487
 Paroaria coronata, 496
 Parrot, 492, 493, 494, 498, 501, 505, 508
 Amazon, 502
 Red-crowned, 509
 Yellow-cheeked, 509
 Yellow-headed, 502, 508
 Partridge, Chukar, 442, 506

- Parula americana*, 48
Parus atricapillus, 318
Passer domesticus, 291, 333, 338, 483, 496,
501, 506
Passerculus princeps, 348, 350
 sandwichensis, 50, 119, 348, 349, 350
 s. labradorius, 50
Passerella iliaca, 324, 348, 349
Passerina ciris, 50
 cyanea, 49-50
Pavo cristatus, 506
Peacock, Congo, 390
Peafowl, Common, 506
Pearson, Ronald, The Avian Brain, re-
viewed, 363-365
Pediocetes phasianellus, 472
Pewee, Eastern Wood, 44
Pelecanus sp., 203
 occidentalis, 197, 201
 onocrotalus, 438
Pelican, 204
 Brown, 197-198, 201, 202, 205, 206
 White, 438, 440
Penguin, Adelie, 177
Pennula, 404, 405
Perdix perdix, 506
Perognathus spp., 85
Peromyscus spp., 85, 86
 polionotus, 335
Perret, Nolan G., see Kiel, William H., Jr.,
and ———
Perry, Richard, At the Turn of the Tide,
reviewed, 524
Pesticides, 199, 201, 202, 206
Petrel, Bonin, 92, 94
 Bulwer's, 90, 92
 Sooty Storm, 91, 92
 Storm, 468
 White-throated Storm, 99
Phaeornis obscura, 240
Phaethon rubricauda, 92
Phaethornis, 168, 170
 augusti, 163
 guy, 163, 168, 170, 173, 174
 longuemarcus, 163, 168, 170, 174
 ruber, 163, 164, 168, 169-172
 superciliosus, 163, 164, 168, 168-169,
170, 172
Phalacrocorax aristotelis, 201
 auritus, 197, 429
Phalarope, Northern, 136
 Red, 84
 Wilson's, 118
Phalaropus fulicarius, 84
 tricolor, 118
Phasianus colchicus, 224, 442, 501, 506
Pheasant, Ring-necked, 224, 442, 501, 506
Phegornis mitchelli, 61, 68, 70
Pheucticus ludovicianus, 49, 242
 melanocephalus, 243
Philohela minor, 31
Philomachus pugnax, 140, 143
Phodilus badius, 390
 prigoginei, 390
Phylloscopus spp., 171
Physiology, 52-59, 182-196, 223-229, 308-
317, 323-326, 473-476
Picoides, 13, 14
 kizuki, 7
 leucotos, 14
 l. owstoni, 13
Piculet, 390
Picus, 10, 13, 14, 15, 16
 canus, 6, 8, 9, 11, 12, 13, 14
 c. dedemi, 14
 viridis, 7, 8, 9, 14
 vittatus, 14
Pigeon, Pacific, 97
 Passenger, 325
Pintail, 304
Pipilo erythrophthalmus, 50, 347, 348, 349
 e. alleni, 50
 e. erythrophthalmus, 50
 fuscus, 324
Piranga rubra, 344
Plover, 83
 American Golden, 63, 84, 266
 Black-bellied, 64, 82-85
 Double-banded, 63
 European Golden, 63
 Golden, 119
 Greater Golden, 84
 Kentish, 63, 64
 Little Ringed, 63, 64
 Malay Sand, 64
 Mountain, 60, 63, 64
 Piping, 64

- Ringed, 63
 Semipalmated, 60
 Wilson's, 64
 White-fronted, 64
Pluvialis apricaria, 61, 63, 68, 70, 84
 dominica, 61, 63, 68, 70, 84, 119, 266
 d. dominica, 143
 d. fulva, 143
 obscura, 61, 64, 68, 70
 squatarola, (see also *Squatarola squatarola*), 61
 socialis, 61, 68, 70
Podiceps auritus, 300
 grisegena, 429
Podilymbus podiceps, 450
Poliolimnas, 405, 410, 411
 cinereus, 405
 flaviventer, 405
Poocetes gramineus, 87, 348
 Poole, Alan, see Hays, Helen, and ———
 Populations, 5, 82
Porphyrio, 383, 409, 411
Porphyriops, 382, 383, 410
 melanops, 382
Porphyriornis, 383
 comeri, 410
 nesiotis, 410
Porphyryula, 383, 401, 409
 flavirostris, 409
 martinica, 46
Porzana, 393, 401, 403, 404, 407, 410, 411
 albicollis, 401, 404
 bicolor, 404
 carolina, 46, 404
 flavirostris, 404
 flaviventer, 405
 fluminea, 404
 fusca, 404
 f. pennula, 405
 marginalis, 404
 olivieri, 404
 palmeri, 404
 parva, 391, 404
 porzana, 404
 pusilla, 404
 p. palmeri, 404
 tabuensis, 404, 405
 t. monasa, 405
 t. tabuensis, 98
Porzanula, 404, 405
 palmeri, 93, 404
 Power, Dennis M., see Stepney, P. H. R. and ———
 Predation, 75, 76, 79, 85-86, 87, 128, 133, 134, 231-233, 332, 334, 335-336, 434, 440, 449-451, 468-470, 478-479, 483
Procelsterna cetulea, 91
 Proctor, Noble S., Turkey Vulture harassed in flight by Mallard pair, 78; Marsh Hawk catches fish, 332
Procyon lotor, 468
Progne subis, 291
Pseudemys nelsoni, 469
Pseudocalyptomena, 390
Pseudochelidon eurystomina, 390
 sirintarae, 390
Psittacula cyanocephala, 503
 krameri, 494, 503, 510
 k. manillensis, 494
Psittirostra cantans cantans, 91
 c. ultima, 89-90
Psophia, 384, 385, 386, 387, 388
 crepitans, 386, 388
 leucoptera, 385
Ptarmigan, 223
 White-tailed, 56
Pterodroma hypoleuca, 92
Puffinus pacificus, 90
Pycnonotus cafer, 98
 jocosus, 492, 510
Pygoscelis adeliae, 177
 Pyon-Oh, Won, see Gore, M. E. J., and ———
 Quail, California, 56
 Japanese, 442-448
 Scaled, 442
Quiscalus quiscula, 340, 456
 Rabbit, 92, 468
 European, 91, 99
 marsh, 468
 Raccoon, 468
 Raikow, Robert J., Locomotor mechanisms in North American ducks, 295-307
 Rail, 382-412
 Clapper, 44, 46, 50
 Laysan, 93

- Sooty, 98
Virginia, 44, 46
- Rallicula, 384, 389, 390, 391, 392, 393
forbesi, 389
leucospila, 391
rubra, 389
- Rallina, 392, 393, 394, 411
canningi, 392
euryzonoides, 392, 393
fasciata, 392, 393
tricolor, 392
- Rallus, 381, 394, 399, 400, 402, 403, 406,
407, 411
alberti, 399
antarcticus, 402
aquaticus, 402
caerulescens, 402
cayanensis, 411
dieffenbachii, 395, 396
eacaudata, 397
elegans, 401, 402
exsul, 399
insignis, 399
limicola, 46, 401, 402
longirostris, 402, 406
l. crepitans, 47
maculatus, 402
madagascariensis, 402
mirificus, 400
modestus, 395, 396
nigricans, 402, 405
owstoni, 394
pacificus, 397
pectoralis, 399, 411
p. deignani, 399
p. insulsus, 399
philippensis, 394, 396
sanguinolentus, 402, 405
semiplumbeus, 402
striatus, 394
s. alberti, 399
s. exsul, 399
s. insulsus, 399
s. pectoralis, 399
torquatus, 394
viridis, 411
wakensis, 101, 394
wetmorei, 402
- Ramphocelus passerinii, 240, 241
- Rasmussen, Gerald, and Robert Brander,
Standard metabolic rate and lower
critical temperature for the Ruffed
Grouse, 223-229
- Rat, 468, 469
Black, 93, 94, 95, 98
Cotton, 335, 469, 470
Polynesian, 94, 95, 96, 97, 98, 99
Rice, 468
- Rattus exulans, 94
norvegicus, 85
rattus, 93
- Ravens, 128
- Rea, Amadeo M., Interordinal copulation
on coastal Venezuela, 337-338
- Redhead, 468
- Redpoll, 484
Hoary, 484-485
- Redstart, American, 45, 46, 49, 76, 242
- Redwings, 209, 211, 212, 214, 215, 216,
217, 218, 219
- Reese, Jan G., Red-winged Blackbird feed-
ing on horseshoe crab eggs, 483
- Regulus calendula, 47
- Reithrodontomys spp., 85, 86
- Reptile, 449, 469, 470, 492, 499
- Rhipidura leucophrys, 340
- Richmondia cardinalis (see also *Cardi-
nalis cardinalis*), 347
- Ringer, Robert K., review by, 515-517
- Riparia riparia, 231
- Ripley, S. Dillon, review by, 108-109
- Risebrough, Robert W., see Gress, Frank-
lin, and ———
- Rissa tridactyla, 123
- Robertson, Raleigh J., Optimal niche space
of the Red-Winged Blackbird. III.
Growth rate and food of nestlings in
marsh and upland habitat, 209-222
- Robin, 238, 279, 339, 480-482
- Roosting, 345
- Rothstein, Stephen I., Extreme overlap
between first and second nestings in
the Rose-breasted Grosbeak, 242-243;
The occurrence of unusually small
eggs in three species of song birds,
340-342

- Rougetius, 383, 411
rougetii, 402
Rufirallus, 411
Rutgers, Abram, Birds of New Guinea,
(text by Abram Rutgers), reviewed,
110-112
Sagittarius serpentarius, 304
Saimiri sp., 94
Salpinctus obsoletus, 479
Sandpiper, 115, 117, 120, 128, 131, 134,
135, 468, 475
Baird's, 475
Curlew, 140, 141, 142
Least, 119, 125, 126, 130
Red-backed, 39
Semipalmated, 266
Spotted, 473-476
Stilt, 115-147
White-rumped, 84, 475
Sapheopipo, 13, 14, 15, 16
noguchii, 5, 7, 9, 10, 12, 13, 14, 15, 16,
17, 18
Sapsucker, 339
Yellow-bellied, 44, 46, 50
Sarothrura, 383, 391, 392, 393, 411
ayresi, 392
elegans, 391
insularis, 391
pulchra, 391
rufa, 391
Sasia, 390
Scardafella inca, 324, 495
Scaup, Lesser, 429
Schodde, Richard, review by, 110-112
Scoter, 301
White-winged, 429
Scott, Peter and The Wildfowl Trust, The
Swans, reviewed, 514-515
Seal, Hawaiian monk, 91
Seasnake, 469
Secretarybird, 304
Seiurus aurocapillus, 49, 86
motacilla, 49
noveboracensis, 49
Selasphorus platycercus, 283
rufus, 283
Serinus serinus, 93
Setophaga ruticilla, 49, 242
Shag, 201
Shearwater, Wedge-tailed, 90, 91, 94, 100
Short, Lester L., Habits, relationships, and
conservation of the Okinawa Wood-
pecker, 5-20; A new race of *Ceelus*
spectabilis from eastern Brazil, 465-
467; review by, 248-249
Shoveler, 304
Shrike, 318-322
Loggerhead, 318, 319, 320, 469
Woodchat, 321
Sigmodon hispidus, 335, 469
Simmons, K. E. L., review by, 104-106
Skutch, Alexander F., Studies of Tropical
American Birds, reviewed, 248-249
Smith, Susan M., Food manipulation by
young passerines and the possible evo-
lutionary history of impaling by
shrikes, 318-322
Smith, Susan T., Communication and
Other Social Behavior in *Parus Caro-*
linensis, reviewed, 249-251
Snake, 469
garter, 28
water, 469
Snipe, Common, 279
Snow, Barbara K., The behavior and ecol-
ogy of Hermit Hummingbirds in the
Kanaku Mountains, Guyana, 163-177
Somateria, 297, 298, 305
fischeri, 296, 298, 301, 302
mollissima, 259, 296, 298, 301, 302, 303
spectabilis, 259, 296, 298, 300, 301, 302
Sora, 44, 46
Sorex spp., 85
Sparrow, Bachman's, 45, 50
Chipping, 45
Field, 349
Grasshopper, 45, 50
House, 233, 291-294, 333, 338, 338-339,
458, 483, 496, 497, 498, 501, 505, 506
Ipswich, 348
Java, 496, 497
Rufous-crowned, 346
Savannah, 45, 50, 119
Sharp-tailed, 45, 50
Song, 238, 350, 480
Swamp, 45, 50, 482
Tree, 349

- Vesper, 87, 348, 349
White-crowned, 45, 346, 347
Speirs, J. Murray, review by, 362
Speotyto cunicularia, 178
Sphyrapicus sp., 339
 varius, 46
Spizella arborea, 324, 348, 349
 passerina, 348
 pusilla, 349
Squatarola squatarola (see also *Pluvialis squatarola*), 82
Squirrel, ground, 468
Starling, 52, 57, 232, 291-294, 458, 480-482, 495, 497, 498, 505, 506
 Common, 501
Stepney, P. H. R., and Dennis M. Power, Analysis of the eastward breeding expansion of Brewer's Blackbird plus general aspects of avian expansion, 452-464
Stercorarius longicaudus, 83
 parasiticus, 83, 133, 266
 pomarinus, 83, 266
Sterna dougalli, 233
 fuscata, 90
 hirundo, 233, 236, 429
 lunata, 94
 paradisaea, 233
 sandvicensis, 233
Stettenheim, Peter, reviews by, 177, 256
Stewart, Paul A., Replacement of cavity-hunting Starlings and House Sparrows after removal, 291-294; Electrocution of birds by an electric fence, 476-477
Stewart, Robert E., see Johnson, Douglas H. and ———
Stewart, Robert M., Breeding behavior and life history of the Wilson's Warbler, 21-30
Streptopelia sp., 495
Streptopelia chinensis, 506
 c. chinensis, 507
 risoria, 124, 202, 507
Strix aluco, 335
 varia, 334
 camelus, 324
Sturnus vulgaris, 52, 291, 480, 495, 501, 506
Sula dactylatra, 92, 438
 leucogaster, 438
 sula, 92
Sutton, George Miksch, At a Bend in a Mexican River, reviewed, 360-361
Sutton, George Miksch, review by, 519-520
Swallows, Bank, 231-233
 Barn, 237-238, 478-479
 Cliff, 232, 345
 Tree, 482
Swan, 266
 Mute, 501
 Whistling, 266, 271
Sylvestromis, 397, 638
Sylvilagus spp., 85
Tanager, Blue-grey, 496, 497
 Puerto Rican, 75, 76
 Scarlet, 45
 Scarlet-rumped, 241, 242
 Stripe-headed, 75, 76
 Summer, 45, 344
Tangavivus aeneus, 343
Taxonomy, 13-16, 115-147, 139-141, 148-162, 150-157, 381-416, 465-467
Taylor, Walter Kingsley, and Bruce H. Anderson, Nocturnal migrants killed at a central Florida TV tower; autumn, 1969-1971, 42-51
Teal, Blue-winged, 308, 311, 314
 Laysan, 91
Telmatodytes palustris, 46-47, 124
 p. dissaeptus, 47
 p. palustris, 47
Tern, 236-237
 Arctic, 233-236
 Common, 233-236, 429, 431
 Fairy, 233
 Gray-backed, 94, 98
 Roseate, 233-236
 Sandwich, 233-236
 Sooty, 90-101
 White, 93, 94, 99
Territory, 22-24, 71-74, 76, 121-123, 127, 165, 168, 169, 175, 287, 331, 333, 431, 449
Thalasseus, sandvicensis, 233
Thamnophis sp., 28

- Thomas, Jack Ward, see Healy, William M., and ———
- Thrasher, Brown, 44
Pearly-eyed, 75
- Thraupis virens*, 496
- Threnetes, 165
leucurus, 163, 164, 165-168
ruckeri, 165, 166, 170, 174
- Thrush, 339-340, 480
Gray-cheeked, 44, 47, 339
Hawaiian, 240
Hermit, 44
Red-legged, 71, 72
Swainson's, 44, 47, 50, 279, 339
Wood, 44, 47
- Tigriornis*, 390
- Tikasingh, Elisha S., and Richard French, First record of the Ovenbird in Trinidad, West Indies, 86
- Tody, Puerto Rican, 76
- Topsell, Edward, The Fowles of Heauen or History of Birdes, Edited by Thomas P. Harrison and F. David Hoeniger, reviewed, 523-524
- Towhee, Rufous-sided, 45, 49, 50, 347
- Tribonyx*, 383, 410
comeri, 410
nesiotis, 410
- Tricholimnas*, 411
lafresnayanus, 397, 398
sylvestris, 397
- Tringa ocropus*, 143
nebularia, 124
solitaria, 143
- Troglodytes aedon*, 46, 324
- Tropic bird, Red-tailed, 92, 93, 94, 101
- Tryngites, 143
subruficollis, 140, 143
- Turdus migratorius*, 238, 279, 339, 480
- Turkey, 230, 442
- Turnstone, Ruddy, 266
- Turtle, 469
green sea, 91
painted, 469
red-bellied, 469
- Tympanuchus pallidicinctus*, 471
- Tyrannus tyrannus*, 338
- Tyto alba*, 79, 85, 178, 335
- Uria aalge*, 237
- van Riper, Charles, III, The nesting of the Apapane in lava caves of Hawaii, 238-240
- Vaurie, Charles, Tibet and its Birds, reviewed, 108-109
- Veery, 44, 47, 339, 482
- Vermeer, Kees, Some aspects of the nesting requirements of Common Loons in Alberta, 429-435
- Vermivora celata*, 48
c. celata, 48
peregrina, 48
- Verrauxia, 390
- Vini kuhli, 95
- Vireo flavifrons*, 47, 339, 483
gilvus, 483
griseus, 47, 327, 329
g. griseus, 47
g. noveboracensis, 47, 339
olivaceus, 47, 483
- Vireo*, Philadelphia, 44
Puerto Rican, 75, 76
Red-eyed, 44, 47, 483
Solitary, 44
Warbling, 483
White-eyed, 44, 47, 50, 327-330, 339, 483
Yellow-throated, 44, 47, 339, 483
- Voice and vocalizations, 8-11, 21, 22, 24, 82, 83, 120-121, 122, 123, 126, 129, 140-141, 142, 166, 167, 168, 169, 170, 171, 276-282, 334-335, 431, 472
- Vole, steppe, 468
- Vulpes fulva*, 133
- Vulture, Turkey, 78
- Warbler, 71-74, 75
Adelaide's, 75
Bay-breasted, 45, 48
Black-and-white, 44, 47, 76
Blackburnian, 45, 48
Blackpoll, 45, 49
Black-throated Blue, 45, 46, 48, 75, 76
Black-throated Green, 45, 48
Cape May, 45, 48, 71, 72, 73, 75
Cerulean, 45, 48, 482-483
Chestnut-sided, 45, 48
Christmas Island, 95, 96
Eastern Yellow-throated, 71

- Elfin Woods, 75, 76
Golden-winged, 44
Hooded, 45
Kentucky, 45
Kirtland's, 417-428
Magnolia, 45, 48
Myrtle, 45, 48, 71, 72
Olive-capped, 71, 72
Orange-crowned, 44, 48
Palm, 45, 46, 49, 71, 72
Parula, 45, 48, 75, 76
Pine, 45, 48
Prairie, 45, 49, 71
Prothonotary, 44
Swainson's, 44, 47
Tennessee, 44, 48
Willow, 171
Wilson's, 21-30
Worm-eating, 44, 48
Yellow, 45, 48, 339
Yellow-throated, 45, 48, 71, 72, 482
Waterfowl, 478, 501
Waterthrush, Louisiana, 45, 49
Northern, 45, 49
Wauer, Roland W., Bronzed Cowbird extends range into Texas Big Bend country, 343-344
Waxbill, Orange-cheeked, 510
Waxwing, Cedar, 242
Weasel, Short-tailed, 133
Weather, 43, 87, 134, 277, 418, 419, 471, 472
Wedemeyer, Winton, Singing habits of Traill's Flycatcher in northwestern Montana, 276-282
Weights, 31-41, 47, 137, 154, 155-156, 164, 178, 179, 180, 183, 184, 192, 193, 211, 212, 214, 224, 225, 226, 227, 296, 297, 298, 299, 309-310, 324, 325, 417
egg, 324, 325
Weir, Donald G., Status and habits of *Megapodius pritchardii*, 79-82
Weka, 396
Wetmore, Alexander, The Birds of Panama, reviewed, 354-356
Widgeon, American, 304, 429
Wiegert, Richard G., see Kuenzel, Wayne J., and ———
The Wildfowl Trust, see Scott, Peter and ———
Wiley, James W., and Fred E. Lohrer, Additional records of non-fish prey taken by Ospreys, 468-470
Wiley, R. Haven, review by, 513-514
Williams, Lovett E., Jr., Spring migration of Common Loons from the Gulf of Mexico, 230
"Willie Wagtail", 340
Willis, Edwin C., Local distribution of mixed flocks in Puerto Rico, 75-77
Willis, Edwin O., The Behavior of Spotted Antbirds, reviewed, 513-514
Wilson Ornithological Society
Announcement, 229
Conservation Section, 89-103, 491-512
Corrigendum, 177
The George Miksch Sutton Colorplate Fund, 486
Louis Agassiz Fuertes Award, 490
Margaret Morse Nice Award, 490
Membership, 41, 222, 246, 294, 307, 322, 416, 464, 485
Officers, 525
Ornithological News, 88, 181, 247, 353, 488-489
Presidents Page, 352-353, 487
Proceedings of the Fifty-fourth Annual Meeting, 366-378
Wilsonia pusilla, 21
p. pusilla, 21, 27
Wood, Merrill, Birds of Pennsylvania: When and where to find them, (2nd Ed.) reviewed, 317
Woodcock, American, 31-41
Woodpecker, Gray-headed, 6
Green, 7
Ivory-billed, 325
Okinawa, 5-20
Pileated, 325
Pygmy, 7
Worthen, Gary L., Harlan's Hawk from Utah: first record for the Great Basin, 79; First recorded specimens of the White-winged Crossbill from Utah, 243-244
Wren, Cactus, 242
House, 44, 46

- Long-billed Marsh, 44, 46-47, 124
Rock, 479-480
Short-billed Marsh, 44, 47
Xanthocephalus xanthocephalus, 219
Xiphidiopicus, 6, 13
Yellowthroat, 45, 46, 49, 50, 71, 72
Northern, 71
Zenaida asiatica, 495
Zenaidura macroura, 182, 507
- Zimmerman, Dale A., review by, 360-361
Zimmerman, William, painting by, facing
page 381
Zonerodius, 390
Zonotrichia albicollis, 324, 348, 349
capensis, 348, 349
leucophrys, 324, 346, 348, 349
querula, 349

This issue of *The Wilson Bulletin* was published on 31 December 1973.