

BIRD SIGHTINGS

MARCH 1993

SUMMARY



by Glenn d'Entremont and Robert H. Stymeist

March 1993 was a month most of us want to forget; it was cold, very wet, and very snowy. The temperature averaged 36.4 degrees, 3.2 degrees below average. The high mark was 60 degrees on March 27, while the low mark was 12 degrees on the 15th, which tied the record low for that date set in 1932. Precipitation totaled 7.67 inches, 3.98 inches more than normal. This was the sixth wettest March in 123 years of record. Snowfall accumulated to 38.9 inches in Boston, 31.5 inches more than normal, and a new record for the month of March. It was the second greatest snowfall total for any month, exceeded only by 41.2 inches in February 1969. This year snow covered the ground through March 26 in Boston, a rare event. There were five significant storms. The first storm of the month on March 4-6 left 9.2 inches. On March 13-14, 12.8 inches of snow fell, and the peak wind gust was 81 mph out of the northeast, the strongest gust recorded since 100 mph on August 31, 1954, during Hurricane Carol. Birds related to this windy storm included several Great Egrets and Laughing Gulls. More unusual were the reports of a dead Northern Parula on Martha's Vineyard and a dead Yellow-breasted Chat from Nantucket.

R. H. S.

LOONS THROUGH DOVES

On Martha's Vineyard large concentrations of waterbirds were counted on the 21st, following three days of northwest winds. Over 1500 Common Loons, 350 Horned Grebes, and specialties such as an Arctic/Pacific Loon, 60 Harlequin Ducks, 4 adult Lesser Black-backed Gulls, and over 500 Razorbills were seen. In Provincetown the Arctic/Pacific Loon returned to Race Point, where an alternate-plumage Eared Grebe was present at the end of the month. The big storm on March 13-14 was responsible for an unprecedented arrival of birds. On Martha's Vineyard, a Green-backed Heron and a Yellow-crowned Night-Heron were found, along with as many as 8 Great Egrets. Also on the Vineyard, a Western Sandpiper was carefully identified, along with 2 Semipalmated Plovers, 4 Red Phalaropes, and 12 Laughing Gulls. Nantucket also had its share of storm-related birds with Great Egret, Semipalmated Plover, and Red Phalarope sighted. The best bird of the storm was a Black Skimmer, which was picked up dead in a snowbank in Auburn. This bird had been banded in June 1989 in Maryland.

Normal March birding included the build-up of Red-necked Grebes in Hull and the expected arrival of Great Blue Herons, Wood Ducks, and Green and Blue-winged teals. Turkey Vultures and Ospreys were noted generally after March 20, and Red-shouldered Hawks were reported from nine locations. Shorebird movement was normal with the exception of the storm-related arrivals. Piping Plovers, Killdeers, and American Oystercatchers returned for the most part by the end of the month. A total of 46 American Woodcocks was noted, and most of them were displaying shortly after the storm. On Nantucket one observer picked up a dead Dovekie on March 14, and on March 30 dead Thick-billed and Common murres were found.

R. H. S.

Red-throated Loon

| | | | |
|----|----------------------|--------|--------------------------|
| 7 | Rockport | 2 | G. d'Entremont# |
| 21 | Boston Harbor, M. V. | 11, 22 | TASL (M. Hall), V. Laux# |

Arctic/Pacific Loon

| | | | |
|------------|---------------|------|--------------------|
| 12, 16; 21 | P'town; M. V. | 1; 1 | K. Jones; V. Laux# |
|------------|---------------|------|--------------------|

Common Loon

| | | | |
|--------|-----------------------|-----------|--------------------------|
| 7, 8 | Plymouth, Plum Island | 26, 12 | M. Lynch#, D. Chickering |
| 20, 21 | Nantucket, M. V. | 300, 1500 | P. Vennema, V. Laux# |

Pied-billed Grebe

| | | | |
|-----------|-----------------------|------|-----------------------------------|
| 14-31, 14 | Wayland, Somerville | 1, 1 | J. Hoye + v. o., fide W. Petersen |
| 20 | Lakeville, Framingham | 1, 2 | SSBC (W. Petersen), K. Hamilton# |

Horned Grebe

| | | | |
|--------|-----------------------------|---------|-------------------------------------|
| 7, 20 | Plymouth, Martha's Vineyard | 21, 350 | M. Lynch#, V. Laux |
| 21, 28 | Boston Harbor, P.I. | 145, 14 | TASL (M. Hall), BBC (D + D. Oliver) |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|--|--|----------------------------------|--|-------------|
| Red-necked Grebe 7, 20 27 | Plymouth, Martha's Vineyard Hull | 16, 12 75 | M. Lynch#, V. Laux# M. Rines# | |
| Eared Grebe 27-31 | Provincetown | 1 alt pl | G. Martin, K. Jones | |
| Great Cormorant 8 20, 28 | Nantucket Lakeville, Salisbury | 41 15, 18 | J. Papale SSBC (W. Petersen), J. Berry | |
| Double-crested Cormorant 28 | Scituate | 1 | G. d'Entremont# | |
| American Bittern 2, 26 | Nantucket | 1, 1 heard | N. Brooks, E. Andrews# | |
| Great Blue Heron 8-31, 8 23, 25 | Westboro, Nantucket Millis, E. Middleboro | 7 max, 5 3, 1 | E. Taylor, J. Papale P. Iarobino, K. Anderson | |
| Great Egret 14-31, 16 27 | Martha's Vineyard, Nant. S. Monomoy | 6-8, 1 1 dead | V. Laux, E. Andrews B. Nikula# | |
| Green-backed Heron 22 | Martha's Vineyard | 1 | G. Ben David | |
| Black-crowned Night-Heron thr | Boston (Muddy River) | 5 max 3/2 | T. Aversa | |
| Yellow-crowned Night-Heron 23 | Martha's Vineyard | 1 ad dead | J. Brown | |
| Mute Swan 2 7, 21 24, 28 | Wayland/Sudbury Plymouth, Lynn Framingham, Scituate | 2 9, 2 3, 25 | R. Walton M. Lynch#, I. Lynch K. Hamilton, G. d'Entremont# | |
| Brant 7, 21 21 | Plymouth, Harwich Nahant, Boston Harbor | 200+, 157 14, 1778 | M. Lynch#, M. Murphy I. Lynch, TASL (M. Hall) | |
| Canada Goose 21, 28 | Bellingham-Watertown, Newbypt | 405, 500 | M. Lynch#, J. Berry | |
| Wood Duck 14 19, 20 22, 23 25, 27 | Sudbury River Nantucket, Lakeville Framingham, W. Newbury Cumb. Farms, W. Roxbury | 25 17, 20 32, 18 25, 22 | J. Hoye# M. Dillon, K. Holmes K. Hamilton, R. Heil K. Anderson, T. Aversa | |
| Green-winged Teal 1 26, 28 | Roslindale, Westport Cumb. Farms, Newbypt | 19, 8 20, 43 | T. Aversa, M. Boucher T. Aversa, BBC (D. + D. Oliver) | |
| American Black Duck 7, 9 20, 21 | Plymouth, Cumb. Farms Newbypt-Salisbury, Boston H. | 600, 180 700, 1198 | M. Lynch#, K. Anderson M. Lynch#, TASL (M. Hall) | |
| Mallard 1, 21 | Westport, Bellingham-Watertown | 150, 309 | M. Boucher, M. Lynch# | |
| Northern Pintail thr, 20 20, 22 25-26, 28 27 | Beverly, Bridgewater Plum Island, New Bedford Cumb. Farms, Newbypt S. Monomoy | 2 m, 3 m 2, 1 f 2, 11 7 | N. Nash, T. Aversa M. Lynch#, M. Boucher v. o., BBC (D. + D. Oliver) B. Nikula# | |
| Blue-winged Teal 15 | Eastham | 1 m | P. Champlain | |
| Northern Shoveler 21 27 | Boston Harbor S. Monomoy | 1 3 | TASL (M. Hall) B. Nikula# | |
| Gadwall 8-26, 19-31 22, 26 27 | S. Dart., DWWS Boston (Muddy River), Dighton S. Monomoy | 11 max, 7 max 1 m, 1 30 | v. o. T. Aversa, K. Holmes B. Nikula# | |
| Eurasian Wigeon 7-20 19, 21 | Nantucket (Polpis H.) Plymouth (B. Sea), Chatham | 2 m 1 m, 1 m | B. Vigneau + v. o. D. Ludlow, K. Jones | |
| American Wigeon 25, 27 28; 28, 31 | Cumb. Farms, Lexington Newbypt; Scituate, W. Bridgewater | 2 m, 4 2; 4, 2 | K. Anderson, D. Oliver J. Berry; G. d'Entremont | |
| Canvasback 14, 20 21, 23 26 | Sudbury, Lakeville DWWS, W. Newbury S. Dartmouth (A. Pd.) | 1 f, 110 1 m, 2 20 | J. Hoye#, SSBC (W. Petersen) G. d'Entremont#, R. Heil T. Aversa | |
| Ring-necked Duck 7, 13 | Gloucester, Brockton | 2, 9 | G. d'Entremont#, R. Stymeist# | |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|---|----------------------------------|-----------------|--------------------------------|-------------|
| Ring-necked Duck (continued) | | | | |
| 22, 23 | Framingham, W. Newbury | 30, 43 (41 m) | K. Hamilton, R. Heil | |
| 28, 31 | Wayland, W. Bridgewater | 42, 25 | K. Hamilton, G. d'Entremont | |
| 31 | Concord (N.A.C.) | 110 | S. Perkins | |
| Greater Scaup | | | | |
| 21, 28 | Boston H., Newbypt | 819, 32 | TASL (M. Hall), J. Berry | |
| Lesser Scaup | | | | |
| 12, 13 | Marshfield, Lakeville | 1, 6 | D. Ludlow, G. d'Entremont# | |
| 19, 21 | Plymouth, Waltham | 4, 1 | D. Ludlow, M. Lynch# | |
| 27 | S. Monomoy | 1 | B. Nikula# | |
| Common Eider | | | | |
| 4, 7 | Salisbury, Plymouth | 1150, 800 | D. Chickering, M. Lynch# | |
| 20, 21 | Plum Island, Sandwich | 500, 2000 | M. Lynch#, E. Taylor | |
| 21 | F. H., Boston H. | 1500, 9821 | J. Hoye#, TASL (M. Hall) | |
| King Eider | | | | |
| 20 | Martha's Vineyard, P'town | 1 m, 1 ad m | A. Keith#, K. Jones | |
| 21 | Eastham | 1 imm m | W. Petersen | |
| Harlequin Duck | | | | |
| thr, 7 | Rockport, Plymouth | 11 max, 2 m | N. Nash, M. Lynch# | |
| 21 | Martha's Vineyard | 60 | V. Laux# | |
| Oldsquaw | | | | |
| 21, 28 | Martha's Vineyard, Newbypt | 1500, 200 | V. Laux#, J. Berry | |
| Black Scoter | | | | |
| 7 | Plymouth | 95 | M. Lynch# | |
| Surf Scoter | | | | |
| 7, 13 | Plymouth, Beverly | 45, 4 | M. Lynch#, J. Berry | |
| 21 | Boston Harbor | 52 | TASL (M. Hall) | |
| White-winged Scoter | | | | |
| 4, 8, 19 | Plum Island | 64, 94, 18 | D. Chickering | |
| 6, 21 | Rockport, Boston H. | 60, 652 | J. Berry#, TASL (M. Hall) | |
| Common Goldeneye | | | | |
| 6, 7 | Newbypt, Plymouth | 350+, 120 | S. Perkins#, M. Lynch# | |
| 21, 23 | Boston H., W. Newbury | 1631, 200+ | TASL (M. Hall), R. Heil | |
| 28 | Newbypt, Scituate | 150, 40 | J. Berry, G. d'Entremont# | |
| Barrow's Goldeneye | | | | |
| 2, 6 | Wayland, Newburyport | 1 m, 1 m | N. Patterson, G. Gove# | |
| 20; 21 | Newbypt; Nahant, M. V. | 1 m; 1 m, 1 | M. Lynch#; D. Lange#, V. Laux# | |
| Bufflehead | | | | |
| 16, 20 | S. Carver, Newbypt | 114, 120 | J. Shaw, M. Lynch# | |
| 21, 28 | Boston H., Scituate | 2134, 110 | TASL (M. Hall), G. d'Entremont | |
| Hooded Merganser | | | | |
| 7, 13 | Watertown, Wayland | 14, 4 | R. Stymeist, J. + C. Hepburn | |
| 19, 21 | Millis, Mendon-Watertown | 5, 14 | P. Iarobino, M. Lynch# | |
| Common Merganser | | | | |
| 16, 20 | S. Carver, Arlington | 84, 22 | J. Shaw, L. Taylor | |
| 21, 22 | Bellingham-Watertown, Framingham | 49, 65 | M. Lynch#, K. Hamilton | |
| 31 | GMNWR | 88 | S. Perkins | |
| Red-breasted Merganser | | | | |
| 7, 21 | Plymouth, Boston H. | 130, 1207 | M. Lynch#, TASL (M. Hall) | |
| Ruddy Duck | | | | |
| 27 | S. Monomoy | 3 | B. Nikula# | |
| Turkey Vulture | | | | |
| 5 | GMNWR | 1 | S. Perkins | |
| 22, 27 | Randolph, Quab. (Shaft 12) | 26, 9 | N. Smith, M. Lynch# | |
| Several scattered reports of 1-3 individuals after March 20. | | | | |
| Osprey | | | | |
| 22, 25 | Martha's Vineyard, Dighton | 2, 1 | V. Laux, K. Holmes | |
| 27 | Westport, Nantucket | 3, 1 | E. Salmela#, J. Papale | |
| Bald Eagle | | | | |
| 7, 20 | Cumb. Farms, Newbypt | 1 imm, 6 imm | K. Anderson, M. Lynch | |
| 23, 26 | W. Newbury, Wellesley | 5 (2 ad), 1 imm | R. Heil, R. Forster | |
| Northern Harrier | | | | |
| 4, 7 | Salisbury, DWWS | 3 (2 m), 2 | D. Chickering, M. Lynch# | |
| 26, 27 | Cumb. Farms, W. Roxbury | 5, 1 | T. Aversa | |
| Sharp-shinned Hawk | | | | |
| Reports of one to four individuals from ten locations (total 14). | | | | |
| Cooper's Hawk | | | | |
| thr, 5 | Framingham, Ipswich | 1 ad, 1 | K. Hamilton, J. Berry | |
| 1, 7 | Nantucket | 1, 1 | M. Reindel, J. Papale | |
| 6, 7 | Newbury, Beverly | 1, 1 | P. + F. Vale, F. Bouchard | |
| 21, 30-31 | Norwell, Millis | 1, 1 | G. d'Entremont#, P. Iarobino | |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|--|---|-----------------------------|---|-------------|
| Northern Goshawk 2, 19 20, 29 31 | E. Middleboro, Brookline Rowley, E. Middleboro GMNWR | 1, 1 ad 1 imm, 1 1 ad | K. Anderson, H. Wiggin H. Wiggin#, J. Brissette S. Perkins | |
| Red-shouldered Hawk thr | E. Middleboro, Wellesley | pr, 1 ad | K. Anderson, R. Forster | |
| | Reports of eight individuals from seven locations. | | | |
| Red-tailed Hawk 6, 7 22, 23 | W. Roxbury, DWWs Boston, W. Newbury | 6, 6 3 imm, 10 | T. Aversa, M. Lynch# T. Aversa, R. Heil | |
| Rough-legged Hawk 4 7 7, 22 | Salisbury, Braintree DWWs, Amesbury, Nant. P. I., Middleboro | 2, 1 1 dk, 3, 1 1, 4 | D. Chickering, K. Hamilton M. Lynch#, J. Hepburn, J. Papale I. Lynch#, M. Boucher | |
| American Kestrel Reports of one to three individuals (14 total) from ten locations. | | | | |
| Merlin Reports of ten individuals from eight locations. | | | | |
| Peregrine Falcon thr, 20 27 28, 31 | Boston, Nantucket S. Monomoy Salisbury, Saugus | 1, 1 1 ad 1, 1 ad | v. o., P. Vennema B. Nikula# BBC (D. + D. Oliver), J. Berry | |
| Ring-necked Pheasant 22, 23 | Wellesley, W. Newbury | 6, 9 | R. Forster, R. Heil | |
| Ruffed Grouse 19, 20 21 | Marshfield, Holbrook Marshfield, Boxford | 2, 1 3, 3 | T. Aversa, G. d'Entremont G. d'Entremont, T. Aversa | |
| Wild Turkey 13, 27 | Boxford, Barre | 12, 18 | J. Heeremans, M. Lynch# | |
| Virginia Rail 8 | Dighton | 1 dead | K. Holmes | |
| American Coot 3, 7 20, 21 | Milford, Plymouth Arlington, Lynn | 1, 10 8, 3 | R. Bradbury, M. Lynch# L. Taylor, I. Lynch | |
| Black-bellied Plover 20 | Nantucket | 4 | P. Vennema | |
| Semipalmated Plover 18, 23 | Nant., M. V. (West Tisbury) | 1, 2 | S. Reed, E. + M. Sibert | |
| Piping Plover 26-27, 27-31 28 | S. Dart. (A. Pd), Ipswich M. V. (Gay Head), P'town | 2 max, 2 1, 1 | v. o., D. Rimmer V. Laux, fide M. Blasing | |
| Killdeer 7, 12 13, 26 27 | Plymouth, N. A. C. Cumb. Farms, Salisbury Wellesley, West Roxbury | 2, 3 4, 12 7, 9 | M. Lynch#, R. Forster# G. d'Entremont#, P. + F. Vale R. Forster, T. Aversa | |
| General arrival during the last week of March. | | | | |
| American Oystercatcher 16; 28, 31 | Martha's Vineyard; Nantucket | 1; 1, 6 | V. Laux; E. Andrews#, B. Perkins | |
| Greater Yellowlegs 24, 26, 28 | Harwich, Cumb. Farms, P.I. | 3, 1, 1 | K. Hamilton, T. Aversa, J. Berry# | |
| Ruddy Turnstone 2 | Rockport | 1 | N. Nash | |
| Sanderling 19, 21 27 | P. I., Revere S. Monomoy | 45, 325 300 | D. Chickering, T. Aversa B. Nikula# | |
| Western Sandpiper 20-31 | M. V. (Edgartown) | 1 | V. Laux et al | |
| Purple Sandpiper 6, 7 20 | Rockport, Gloucester Salisbury | 30, 50 10 | J. Berry, G. d'Entremont# M. Lynch# | |
| Dunlin 21, 26; 27 | Revere, S. Dart.; S. Monomoy | 90, 86; 300 | T. Aversa; B. Nikula# | |
| Common Snipe 27 | Westport, W. Roxbury | 1, 3 | E. Salmela#, T. Aversa | |
| American Woodcock Reports of several individuals (46 total) from 14 locations. | | | | |
| Red Phalarope 6-7, 15 7 17 | Rockport, Eastham Dennis Nantucket, Martha's Vineyard | 1, 12 1 1, 4 | J. Berry + v. o., P. Champlain S. Clifton# J. Van Vorst, W. Manter | |
| Laughing Gull 14-22, 15-31 | Nantucket, M. V. | 8 max, 12 max | P. Gardner#, V. Laux# | |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|---|---|-------------------------------|--|-------------|
| Common Black-headed Gull thr, 16, 20 | Newbypt, Nant., Winthrop | 2 ad, 1, 12 | v. o., J. Papale, H. Wiggins# | |
| Bonaparte's Gull 13, 27 | Newburyport, Lynn | 10, 1 | BBC (W. Drummond), J. Quigley | |
| Iceland Gull thr, 6 16, 20-26 20 | P'town, Rockport Nantucket, Newbypt Martha's Vineyard, Lynn | 16 max, 3 ad 10, 5 2, 3 | K. Jones, J. Berry J. Papale, P. + F. Vale V. Laux, J. Quigley | |
| Lesser Black-backed Gull 16, 20 20-21, 21 | P'town, Lynn M. V., Nahant | 1 ad, 1 ad 4, 1 ad | fide M. McCaffery, J. Quigley V. Laux#, R. Stymeist# | |
| Glaucous Gull 7, 17 20, 21; 20-21 | Manomet, S. Wellfleet M.V.; P'town | 1 ad, 1 ad 1 1 W, 1 ad; 1 | M. Lynch#, K. Jones V. Laux#; J. Hoye# | |
| Black-legged Kittiwake 6 | Rockport | 20 | J. Berry# | |
| Black Skimmer 14 | Auburn | 1 ad b | D. Grocia | |
| Dovekie 14 | Nantucket | 1 dead | B. Perkins | |
| Common Murre 3, 30 | Provincetown, Nant. | 1, 1 dead | M. Lynch#, B. Perkins | |
| Thick-billed Murre 7, 21 30 | Rockport, P'town Nantucket | 1, 1 1 dead | G. d'Entremont# + v.o., J. Hoye# B. Perkins | |
| Razorbill 6, 27 20, 21 | Rockport M. V. | 3, 1 170, 500 | J. Berry#, J. Hepburn# V. Laux# | |
| Black Guillemot 7 | Gloucester, Rockport | 8, 2 | G. d'Entremont# | |
| Mourning Dove thr | Millis | 66 max 3/3 | P. Iarobino | |

CUCKOOS THROUGH FINCHES

A Black-billed Cuckoo, no doubt blown up from the March 13-14 storm, was found on March 30 in West Harwich. Other storm-related birds included a Northern Parula found dead on Martha's Vineyard.

Over 2800 American Crows and only 20 Fish Crows were noted at an evening roost in Framingham early in the month. Numbers fell off rapidly by the end of the month, as crows dispersed to find breeding territories. Carolina Wrens were seen in many towns, despite the especially snowy winter.

The more unusual sightings included feeder birds such as Painting Buntings from Eastham and Brewster and a Western Tanager from Berkley. At least two Dickcissels were found on Nantucket, and three White-crowned Sparrows were noted from Edgartown. Two reports of Evening Grosbeaks from central Massachusetts were the only winter finch sightings.

R. H. S.

| | | | |
|-----------------------------------|---------------------|------------------|---------------------|
| Black-billed Cuckoo 30 | W. Harwich | 1 | K. Hamilton |
| Eastern Screech-Owl thr, 13-31 | Mt. A., Salem | 2 (1 red), 2 red | v. o., I. Lynch# |
| 2, 16; 13 | Ipswich; Marshfield | pr; 3 gray | J. Berry; D. Ludlow |

Great Horned Owl

Reports of one to two individuals (10 total) from seven locations.

| | | | |
|--|---|----------------------|--|
| Snowy Owl 6, 12-13 21, 29 | Newbypt, Duxbury B. M. V. (2 sites); Nant. | 1, 1 1, 1; 1 | P. + F. Vale, D. Ludlow fide V. Laux; D. Rimmer |
| Barred Owl 9-11 | Marblehead | 1 | A. Hogarty |
| Long-eared Owl 6, 12-17 | W. Roxbury, Marshfield | 1, 1 | T. Aversa#, v. o. |
| Short-eared Owl 7-20, 12-27 6, 12 | Salisbury, Cumb. Farms Newburyport, Saugus | 2 max, 5 max 2, 1 | v. o. B. Malcolm#, J. Berry |
| Northern Saw-whet Owl 7-9 | Ipswich | 1 calling | J. Berry |
| Belted Kingfisher 19, 26 27, 31 | Marshfield, S. Dart. Manomet, Millis | 1, 3 1, 1 | T. Aversa T. Aversa, P. Iarobino |
| Red-bellied Woodpecker 12, 23 26, 27 | DWWS, W. Newbury S. Dart., Lakeville | 1 m, 2 1 m, 1 | D. Ludlow, R. Heil T. Aversa, K. Holmes |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|---|---------------------------|-----------------|-------------------------------------|-------------|
| Red-bellied Woodpecker (continued) | | | | |
| 27, 28 | Westport, Plymouth | 2, 1 | E. Salmela#, A. Hirschkop | |
| Yellow-bellied Sapsucker | | | | |
| 18-31 | Nantucket | 1 | E. Andrews# | |
| "Red-shafted" Northern Flicker | | | | |
| 14 | Nantucket | 1 | L. Van Duyne | |
| Pileated Woodpecker | | | | |
| 13, 27 | Wayland, Quab. (Shaft 12) | 2, 4 | J. Hepburn#, M. Lynch# | |
| 31 | Sherborn | pr | E. Taylor | |
| Eastern Phoebe | | | | |
| 27 | Quab. (Shaft 12), Hingham | 1, 1 | M. Lynch#, M. Rines | |
| 28, 30 | Bolton, Wenham | 1, 1 | M. Lynch#, N. Nash | |
| 31 | Millis, E. Middleboro | 1, 1 | P. Iarrobino, K. Anderson | |
| Horned Lark | | | | |
| thr | P. I., Cumb. Farms | 23 max, 50 max | v. o. | |
| 4, 20; 27 | Salisbury; W. Roxbury | 23, 18; 2 | D. Chickering, M. Lynch#; T. Aversa | |
| Tree Swallow | | | | |
| 14, 25 | M. V., Cumb. Farms | 3, 1 | R. Culbert, K. Anderson | |
| 27 | N. Dartmouth, Arlington | 1, 1 | M. Boucher, D. Oliver | |
| American Crow | | | | |
| 21, 31 | Framingham | 2800, 1600 | E. Taylor | |
| Fish Crow | | | | |
| thr, 2 | Framingham, Millis | 20, 2 | E. Taylor, P. Iarrobino | |
| 11, 27 | Wellesley, Braintree | 1, 1 | R. Forster, R. Stymeist# | |
| 31 | Wellesley, E. Middleboro | 2, 1 | R. Forster, K. Anderson | |
| Black-capped Chickadee | | | | |
| 23 | W. Newbury | 73 | R. Heil | |
| Red-breasted Nuthatch | | | | |
| thr | Ipswich, Brookline | 4 max 3/6, pr | J. Berry#, H. Wiggin | |
| 3, 13 | Lexington, Middleboro | 3, 1 f | J. Hepburn, G. d'Entremont# | |
| 16, 23 | S. Carver, E. Middleboro | 1, 1 | J. Shaw, K. Anderson | |
| Brown Creeper | | | | |
| thr, 3 | Millis, Newton | 3 max, 1 | P. Iarrobino, M. Murphy | |
| 10, 13 | E. Middleboro, Lakeville | 1, 1 | K. Anderson, S. Arena# | |
| Carolina Wren | | | | |
| 13, 20, 27, 28 | 51 towns | 67 | R. Stymeist# | |
| 1, 16; 6 | Westford; Rockport | 1; 2 | S. Selesky; J. Berry# | |
| 26, 31 | S. Dart., BMB | 17, 1 | T. Aversa, K. Mills | |
| Winter Wren | | | | |
| thr, 6 | E. Middleboro, Brookline | 1, 1 | K. Anderson, T. Aversa | |
| 7, 13 | Westport, Walpole | 1, 1 | M. Boucher, R. Stymeist# | |
| 23, 27-31 | W. Newbury, Wellesley | 1, 1 | R. Heil, R. Forster | |
| Marsh Wren | | | | |
| 26 | S. Dartmouth (DLSP) | 1 | T. Aversa | |
| Ruby-crowned Kinglet | | | | |
| 1-31, 28 | E. Orleans, Marshfield | 1, 1 | S. Thompson#, G. d'Entremont# | |
| Eastern Bluebird | | | | |
| thr, 6 | Millis, Westboro | 7 max 3/19, 5 | P. Iarrobino, M. Lynch# | |
| 7, 10 | Boxford, Wayland | 3, 4 | G. Lynch, S. Arena | |
| 20-25, 21-31 | Lakeville, DWWS | 4, 2 | K. Holmes#, G. d'Entremont# | |
| 22, 31 | E. Middleboro, BMB | 4, 2 | K. Anderson, K. Mills | |
| Hermit Thrush | | | | |
| 1, 6 | N. Dartmouth, Brookline | 1, 1 | M. Boucher, T. Aversa | |
| 6, 19 | P. I., Nantucket | 1, 5 | P. + F. Vale, J. Van Vorst | |
| Reports of single individuals from five locations after March 13. | | | | |
| Gray Catbird | | | | |
| 8; 8, 19 | Boston (A.A.); Nant. | 2; 1, 5 | T. Aversa; E. Andrews | |
| 8, 19 | N. Dart., Dedham | 1, 1 | M. Boucher, S. Arena | |
| 20, 27 | Ipswich, Braintree | 1, 1 | J. Berry, R. Stymeist# | |
| Brown Thrasher | | | | |
| 2, 9 | Newbury, Eastham (F.H.) | 1, 1 | D. Chickering, K. Jones | |
| American Pipit | | | | |
| 13-20 | Cumb. Farms | 12 max | G. d'Entremont# | |
| Cedar Waxwing | | | | |
| thr, 12-17 | Taunton, Millis | 125 max, 20 max | G. d'Entremont, P. Iarrobino | |
| 13, 20 | Wakefield, Sudbury | 200, 120 | P. + F. Vale, R. Forster# | |
| Northern Shrike | | | | |
| 9, 24 | Hingham, Lynnfield | 1, 1 | K. Hamilton, C. Leahy | |
| 26 | Sudbury | 1 ad | W. Petersen | |
| Northern Parula | | | | |
| 15 | Martha's Vineyard | 1 m dead | J. Barrett | |

| DATE | LOCATION | NUMBER | OBSERVERS | AUGUST 1993 |
|---|---|----------------------------------|---|-------------|
| Yellow-rumped Warbler 3, 6 16, 21 27, 28 | Nantucket, P.I. Nantucket, Marshfield Wellesley, Hingham | 55, 18 175, 5 1, 3 | J. Papale, P. + F. Vale J. Papale, G. d'Entremont R. Forster, G. d'Entremont# | |
| Yellow-breasted Chat 14 | Nantucket | 1 dead | L. Van Duyne | |
| Western Tanager thr | Berkley | 1 m | J. Katner + v. o. | |
| Painted Bunting thr | Eastham (F.H.), Brewster | 1 f, 1 m | fide D. Samson, A. Furman | |
| Dickcissel 18-31, 18 | Nantucket | 1, 1 | B. Vigneau, F. Reed | |
| Rufous-sided Towhee thr, 1-16 7, 15 20, 26 | Nant., S. Acton N. Dartmouth, Wayland Braintree, S. Dart. (DLSP) | 2, 1 3, 5 1, 9 m | E. Andrews#, B. Jaquet M. Boucher, S. Arena G. d'Entremont, T. Aversa | |
| American Tree Sparrow thr, 6 6, 13 20, 28 | Millis, W. Roxbury Harvard, Cumb. Farms Lakeville, DWWS | 41 max 3/3, 45 25, 15 5, 5 | P. Iarrobino, T. Aversa M. Lynch#, G. d'Entremont# K. Holmes, G. d'Entremont# | |
| Chipping Sparrow 19 | Hopkinton | 1 | R. Forster# | |
| Field Sparrow 2-31, 7 13, 31 | Millis, Brookline Middleboro, Worcester (BMB) | 6, 1 1, 3 | P. Iarrobino, H. Wiggin# G. d'Entremont#, K. Mills | |
| Savannah Sparrow 13, 20 21, 26 | Cumb. Farms, M. V. E. Boston, S. Dart. | 15, 60 1, 10 | G. d'Entremont#, V. Laux# T. Aversa | |
| "Ipswich" Sparrow 20, 21 27 | Salisbury, Lynn S. Dart., N. Monomoy | 1, 1 1, 3 | P. Iarrobino, R. Stymeist# E. Salmela#, B. Nikula# | |
| Fox Sparrow 1-21, 27 28 28, 29 30, 31 | Millis, Scituate DWWS, Pepperell Brewster, W. Newbury Brookline, Boston (F. Pk.) | 1, 1 4, 1 1, 1 1, 3 | P. Iarrobino, R. Stymeist# G. d'Entremont#, M. Lynch# R. Stymeist#, R. Heil H. Wiggin, T. Aversa | |
| Swamp Sparrow thr, 23 26, 31 | Nantucket, W. Newbury S. Dart. (DLSP), Wellesley | 1-2, 3 2, 1 | E. Andrews#, R. Heil T. Aversa, R. Forster | |
| White-throated Sparrow thr | Ipswich, Brookline | 26 max 3/5, 7 | J. Berry, B. Rielly# | |
| White-crowned Sparrow thr | Edgartown | 3 | V. Laux | |
| Dark-eyed Junco thr | Ipswich, Brookline | 15 max, 25 max | J. Berry, B. Rielly# | |
| Laplard Longspur 20, 21 28 | Salisbury, Chatham Plum Island | 6, 5 3 | H. Wiggin#, K. Jones BBC (D. + D. Oliver) | |
| Snow Bunting 13, 16 21, 27 | P. I., S. Wellfleet Nahant, Hardwick | 20, 14 6, 2 | BBC (W. Drummond), K. Jones R. Stymeist#, R. Bradbury | |
| Red-winged Blackbird 28 | Harvard, Bridgewater | 200, 600 | M. Lynch#, E. Taylor | |
| Eastern Meadowlark 7, 8 17, 22 | DWWS, Nantucket Nantucket, Middleboro | 1, 10 5, 13 | M. Lynch#, J. Papale# J. Papale#, M. Boucher | |
| Rusty Blackbird 6, 8 13; 26 27, 28 | Lynnfield, Millis Avon, Brockton; Wakefield Wellesley, Ipswich | 15, 1 1, 2; 1 12, 2 | P. + F. Vale, P. Iarrobino R. Stymeist#, P. + F. Vale R. Forster, J. Berry | |
| Common Grackle 13, 27 | several towns, Framingham | small flocks, 300 | R. Stymeist#, E. Taylor | |
| Brown-headed Cowbird 8 | Bridgewater | 50 | K. Anderson | |
| Purple Finch 2, 3 13, 27 | Acushnet, W. Roxbury E. Middleboro, Wellesley | 9, 1 m 10, 1 m | M. Bossiere, M. Murphy G. d'Entremont#, R. Forster | |
| Evening Grosbeak 27, 28 | Quab. (Shaft 12), Lunenburg | 2, 5 | M. Lynch# | |