



BIRD SIGHTINGS SEPTEMBER 1993 SUMMARY

by Richard A. Forster, Marjorie W. Rines and Robert H. Stymeist

September was a wet and cloudy month in eastern Massachusetts but the temperature averaged normal. The highest reading was 93 degrees on the 3rd. It reached 91 degrees on the 15th, the 20th day this year to reach 90 degrees or more, well over the 13-day average. The low reading in Boston was 43 degrees on both September 20 and 30, although some western suburbs had frost on the morning of September 20. Rainfall totaled 4.64 inches, 1.58 inches more than normal. Measurable amounts fell on 13 days, 4 more than average. Thunderstorms were recorded on three days. Winds were out of the northwest, traditionally the best for migrating birds, on September 19-21 and 24; however a very good migration occurred on the 10th and 11th with a westerly wind, and on the night of September 17 with winds from the northeast, a very low cloud ceiling, and fog.

R. H. S.

GREBES TO WOODPECKERS

An **Eared Grebe** located in Duxbury on the 18th still retained a substantial amount of its breeding plumage. Most records for this grebe are either late fall migrants, wintering birds, or spring migrants, but their appearance in early fall is not unprecedented. Reports of pelagic seabirds were more numerous compared with the summer months, due largely to reports from a trip to southern Georges Bank and the continental shelf. High points of this trip were the excellent numbers of Greater Shearwaters and five **Audubon's Shearwaters** which are regular in late summer in the southern limits of our area. Closer to the coast, appreciable numbers of Cory's Shearwaters were reported. This species is irregular in our area, but when they do occur, they are most prevalent in September and October. Excellent numbers of Greater Shearwaters were reported from Stellwagen Bank at midmonth.

Heron sightings continued from August, and Tricolored Herons appeared in Falmouth and South Dartmouth, not locations where they are routinely found. Apparently the **Little Egret** on Nantucket continued to midmonth.

The most notable event among the waterfowl was a major movement of Snow Geese on a broad front from Mt. Watatic to the coast on the last day of the month. Ducks appeared in the expected numbers, locations, and times.

Highlights among the raptor group included a Mississippi Kite in Marshfield on the 25th. This sighting, the latest recorded date in Massachusetts, is only the fourth fall report for the species. Seventeen Peregrine Falcons at Gay Head on the 30th is one of the highest single day counts for the species. A dark, or melanistic, immature Broad-winged Hawk at Mt. Watatic was very intriguing. There are at least two other reports of melanistic Broadwings in the state, and both were adults. The total of more than 50 Merlin indicates a very strong showing for this feisty falcon. The major Broadwing movement was on the somewhat late date of the 19th. An impressive count of ten Bald Eagles was recorded at Wachusett Mountain on the 19th. Good numbers of Sharp-shinned Hawks and American Kestrels were observed at Bolton Flats.

The few marsh bird reports were interesting. Reports of four Clapper Rails, always a scarce species, were notable, but two sightings of King Rail are very unusual because the species is seldom recorded on fall migration. The most notable shorebird report was an American Avocet in East Boston. Plover numbers were respectable. Twenty-one Upland Sandpipers at Cumberland Farms was a very good count, and a group of Marbled Godwits appeared with the more familiar Hudsonian Godwits at Monomoy throughout the month. Western Sandpipers were reported in small numbers but were widespread. An excellent count of White-rumped Sandpipers was recorded at Plum Island early in the month. Both Baird's and Buff-breasted sandpipers were below average, but a count of four Buff-breasted Sandpipers on Nantucket was unusual for this late date. As usual Plum Island hosted the majority of Long-billed Dowitchers and Stilt Sandpipers.

Jaegers were again very poorly reported except for the south Georges Bank area where, in addition to

numerous Pomarine Jaegers, two juvenile Long-tailed Jaegers were seen. There were only single reports of Common Black-headed and Little gulls, while Bonaparte's Gull put in a good showing. Reports of Little Gulls have declined in recent years. A Sabine's Gull appeared in midmonth on Stellwagen Bank, where they occur annually. Tern reports were very interesting. Caspian Terns had a noticeable movement on the 18th. Reports of four Sandwich Terns were a surprise because this rare visitor usually appears in midsummer or after tropical storms. The Ipswich report represents one of the few records for north of Boston, and the individual found dead in Eastham was banded, but no details are available yet. One of the best ever flights of Forster's Tern was in progress most of the month, and a very good flight of Black Tern occurred at midmonth.

The only good movement of Common Nighthawk occurred on the 5th, and this species was unusually widely reported through the end of the month. Likewise Chimney Swifts were numerous and uncharacteristically widespread in the last week of the month. A Yellow-bellied Sapsucker movement occurred on the 25th. R. A. F.

R. A. F.

FLYCATCHERS THROUGH EVENING GROSBEAKS

The fall migration of Olive-sided Flycatchers is usually concentrated in late August and early September. This year four individuals were reported in September. Good numbers of Eastern Phoebe were noted with especially high counts at Norfolk and Quabbin. Western Kingbirds were only reported from our offshore islands. Rough-winged Swallow reports included several unusually late birds that may have been "blown back" on southerly winds. Red-breasted Nuthatches were widespread, and unusually high numbers were reported from Quabbin.

A spectacular invasion of Northern Wheatears occurred on the East Coast. Three were reported in eastern Massachusetts, and a fourth at Northampton Airport in Western Massachusetts. Wheatears were also reported throughout the eastern Maritimes, south to New Jersey, and west to Whitefish Point, Michigan. This influx did not exceed the fall flight of 1976, when seven different birds were seen in Massachusetts. Wheatears typically appear for a day and then disappear, but the Plum Island Airport bird arrived conveniently on a Saturday and stayed until Thursday, affording hundreds of birders a chance to add the bird to their life and state lists.

On the rainy night of Friday, September 17, hundreds of thrushes and other migrants were heard flying overhead in Lincoln and Wellesley. The next day was one of the better days for numbers of individuals. A trip to Stellwagen Bank on the 17th also suggested bird movement, with reports of Merlin, Peregrine Falcon, Cedar Waxwing, Common Yellowthroat, Yellow-breasted Chat, Vesper Sparrow, and 3 Northern Orioles.

Reports of all the vireo species were received. Philadelphia Vireos were reported in fairly good numbers from a wide area. A total of 34 species of warblers were sighted during the month; among regularly occurring warblers, only Cerulean Warbler was not reported during September. Particularly noteworthy were 3 Golden-winged, 2 Orange-crowned, 3 Yellow-throated, 2 Prothonotary, 2 Kentucky, and 3 Hooded warblers. Nine Connecticut Warblers were reported, compared to just 3 last September, and observers reported 10 Yellow-breasted Chats compared to 2 last year.

Among western seedeaters, observers reported sightings of 4 Blue Grosbeaks, 7 Dickcissels, 3 Clay-colored and 2 Lark sparrows, and one very cooperative Le Conte's Sparrow. In addition, 2 Yellow-headed Blackbirds were reported. It was a good flight for Lincoln's and White-crowned sparrows, with reports from many locations.

There was a glimmer of hope for a winter finch year with reports of Red Crossbill from 2 locations, a small flock of Pine Siskins from West Peabody, and individual Evening Grosbeaks in Eastham and Wellesley. R. H. S.

| Date | Location | Number | Observers | Date | Location | Number | Observers |
|-------------------|---|--------|----------------|----------------------|-------------------|-----------|---------------|
| Common Loon | | | | 26-30 | Stellwagen | Bank 10+ | M. Weinrich |
| 18 | P.I. | 17 | D. F. Oliver# | 26 | Nantucket | 44 | E. Andrews# |
| 26 | Wachusett Res. | 8 | R. Bradbury | Greater Shearwater | | | |
| Pied-billed Grebe | | | | 2-19 | Stellwagen | 545 max | 9/17 P. Trull |
| 11 | Newbyp/P.I. | 7 | BBC (S. Moore) | 12 | S. Georges | Bank 1500 | W. Petersen# |
| 19 | Chatham | 7 | B. Nikula# | 19 | Nantucket | 50+ | J. Osborn# |
| 25 | S. Monomoy | 8 | S. Perkins# | Sooty Shearwater | | | |
| thr | Reports of 1 or 2 ind. from 9 locations | | | 12 | S. Georges | Bank 12 | W. Petersen# |
| Eared Grebe | | | | 16 | Dennis | 1 | K. Hamilton |
| 18 | Duxbury | 1 | R. Fox# | Audubon's Shearwater | | | |
| Cory's Shearwater | | | | 12 | Continental Shelf | 5 | W. Petersen# |
| 12 | S. Georges Bank | 75 | W. Petersen# | Manx Shearwater | | | |
| 19 | Nantucket | 50+ | S. Arena | 12 | Cox's Ledge | 1 | W. Petersen# |
| 19 | Stellwagen | 22 | P. Trull | 19 | Stellwagen | 1 | P. Trull |

| Wilson's Storm-Petrel | | | | Yellow-crowned Night-Heron | | | |
|---------------------------|-----------------|--------|-------------------|------------------------------------|-----------------|---------|-------------------|
| 12 | S. Georges Bank | 60 | W. Petersen# | 1-11 | Holden | 1 imm | K. Mills + v. o. |
| Leach's Storm-Petrel | | | | 3-18 | P.I. | 2 max | v. o. |
| 17 | Stellwagen | 1 | P. Trull | 6 | Chatham | 1 imm | B. Nikula# |
| Northern Gannet | | | | 25 | S. Monomoy | 1 imm | R. Stymeist# |
| 6 | Stellwagen | 3 | P. Trull | Glossy Ibis | | | |
| 16 | Cape Cod Bay | 7 | J. Botelho | 16 | P.I. | 2 | S. Perkins# |
| 20 | Wellfleet | 11 | R. Stymeist# | 18 | Squantum | 2 | G. d'Entremont# |
| Great Cormorant | | | | 20 | S. Monomoy | 2 | B. Nikula# |
| 2 | Nantucket | 6 | S. Perkins# | Whooper Swan (probable escapes) | | | |
| 6 | Westport | 1 | D. Brown# | 4 | Essex | 2 | R. Forster# |
| 16 | P.I. | 2 | S. Perkins# | Mute Swan | | | |
| 24 | Fairhaven | 3 | J. Botelho | 4 | Westport | 101 | F. Bouchard |
| Double-crested Cormorant | | | | Snow Goose | | | |
| 9 | Ipswich (C.B.) | 600+ | D. Rimmer | 30 | E. Middleboro | 30 | K. Anderson |
| 18 | Eastham | 170 | M. Lynch# | 30 | Ipswich (C.B.) | 200+ | D. Rimmer |
| 18 | P.I. | 225 | D. F. Oliver# | 30 | Mt. Watatic | 665 | EMHW |
| 26 | Wachusett Res. | 70 | R. Bradbury | Bar-headed Goose (probable escape) | | | |
| 30 | S. Dart. (A.Pd) | 153 | LCES (J. Hill) | 8 | P.I. | 1 ad | R. Heil |
| American Bittern | | | | Brant | | | |
| 5 | Lexington | 1 | M. Rines# | 2 | Duxbury | 2 | K. Anderson# |
| 12 | MNWS | 1 | S. Charette | 11 | WBWS | 1 | R. Stymeist# |
| 16 | Chatham | 1 | H. Wiggin# | 30 | Westport | 5 | J. Botelho |
| 17 | Eastham (F.E.) | 1 | H. Wiggin# | Wood Duck | | | |
| 21 | S. Dart. (A.Pd) | 1 | LCES (J. Hill) | 2 | P.I. | 17 | W. Drew# |
| 23 | P.I. | 1 | W. Drew# | 6 | Wakefield | 45 | P. + F. Vale |
| 25 | S. Monomoy | 1 | R. Stymeist# | 28 | GMNWR | 30 | J. Center |
| Great Blue Heron | | | | Green-winged Teal | | | |
| thr | GMNWR | 34 max | v. o. | thr | P.I. | 200 max | v. o. |
| thr | P.I. | 27 max | v. o. | 18 | Randolph | 35 | G. d'Entremont# |
| 18 | Eastham (F.H.) | 30 | M. Lynch# | 20 | S. Monomoy | 150 | B. Nikula# |
| Great Egret | | | | 24 | Lynn | 30 | R. Heil |
| 2, 30 | P.I. | 44, 14 | W. Drew# | 25 | Wakefield | 60 | R. Forster# |
| 5 | GMNWR | 7 | S. Perkins | 26 | Arlington Res. | 28 | L. Taylor |
| 11 | Eastham | 19 | BBC (R. Stymeist) | American Black Duck | | | |
| 18 | Swansea | 14 | R. Turner | 2, 30 | P.I. | 28, 365 | W. Drew# |
| 19 | Lexington | 13 | R. Forster | 30 | S. Dart. (A.Pd) | 107 | LCES (J. Hill) |
| 30 | S. Dart (A.Pd) | 32 | LCES (J. Hill) | Northern Pintail | | | |
| Little Egret (no details) | | | | 12 | S. Monomoy | 30 | S. Perkins# |
| 18 | Nantucket | 1 | J. Osborn# | 12 | Wakefield | 2 | G. d'Entremont# |
| Snowy Egret | | | | 14 | GMNWR | 4 | E. Taylor |
| 8 | GMNWR | 3 | J. Center | 20 | P.I. | 28 | R. Forster |
| 9 | Saugus/Revere | 50 | J. Berry | Blue-winged Teal | | | |
| 11 | WBWS | 75 | BBC (R. Stymeist) | 10 | P.I. | 27 | W. Drew# |
| 11 | P.I. | 575 | R. Heil | 11 | Eastham | 35 | BBC (R. Stymeist) |
| 19 | Lexington | 3 | R. Forster | 20 | S. Monomoy | 75 | B. Nikula# |
| 30 | S. Dart. (A.Pd) | 54 | LCES (J. Hill) | 25 | Wakefield | 10 | R. Forster |
| Little Blue Heron | | | | 28 | GMNWR | 10 | J. Center |
| 5 | Wareham | 1 | K. Anderson | Northern Shoveler | | | |
| 11 | P.I. | 5 | J. Botelho | 8 | Newburyport | 3 | R. Heil |
| 14 | Essex | 1 ad | N. Nash | 25 | S. Monomoy | 48 | R. Stymeist# |
| 18 | Eastham | 1 | M. Lynch# | Gadwall | | | |
| 19 | Turro | 1 imm | J. Center# | 20 | S. Monomoy | 25 | B. Nikula# |
| 19 | S. Dartmouth | 1 | M. Boucher | 26 | Barnstable | 2 | BBC (T. Prince) |
| Tricolored Heron | | | | American Wigeon | | | |
| thr | P.I. | 4 max | v. o. | thr | Arlington Res. | 22 max | L. Taylor |
| 1-5 | Falmouth | 1 | R. Farrell | thr | P.I. | 80 max | W. Drew# |
| 6 | S. Dart. (A.Pd) | 1 | G. d'Entremont# | 25 | S. Monomoy | 40 | S. Perkins# |
| 12 | S. Monomoy | 1 | S. Perkins# | Ring-necked Duck | | | |
| Cattle Egret | | | | 4, 30 | W. Newbury | 1, 75 | v. o. |
| 4 | Essex | 4 | R. Forster# | 9 | Lynn | 1 | R. Heil |
| Green Heron | | | | 17 | Southboro | 12 | E. Taylor |
| 3 | Arlington Res. | 3 | M. Rines | Greater Scaup | | | |
| 8 | GMNWR | 7 | J. Center | 25 | S. Monomoy | 8 | M. Rines# |
| 11 | WBWS | 7 | BBC (R. Stymeist) | Lesser Scaup | | | |
| 18 | Eastham | 3 | M. Lynch# | 18 | Lakeville | 12 | M. Kasprzyk |
| 25 | Salisbury | 1 | R. Forster# | 25 | S. Monomoy | 3 | S. Perkins# |
| Black-crowned Night-Heron | | | | Common Eider | | | |
| 6 | GMNWR | 15 | E. Taylor | 5 | Scituate | 10 | G. d'Entremont |
| 12 | S. Monomoy | 37 | S. Perkins# | 16 | Monomoy | 10 | H. Wiggin# |
| 19 | Eastham | 16 | J. Botelho | Black Scoter | | | |
| 25 | Barnstable | 20 | G. d'Entremont# | 17 | Provincetown | 1 | H. Wiggin# |

| American Golden-Plover (cont.) | | | | 20 | S. Monomoy | 1 | B. Nikula# | |
|--------------------------------|------------------|----------|-----------------|------------------------|------------------------|--------|-------------------|--|
| 19 | Lynn B. | 1 | R. Forster | Marbled Godwit | | | | |
| 19 | Nantucket | 15 | J. Osborn# | thr | N. Monomoy | 7 | B. Nikula# | |
| 21 | Concord (N.A.C.) | 1 | R. Forster | 11 | Marshfield | 1 | D. Laney | |
| 25 | Stowe | 1 | C. Cooke | 19 | Duxbury B. | 1 | D. Ludlow# | |
| 25 | Newbypt area | 43 | BBC (C. Paine) | Ruddy Turnstone | | | | |
| 29 | Ipswich (C.B.) | 4 | D. Rimmer | 2 | Duxbury B. | 30 | M. Kasprzyk# | |
| Semipalmated Plover | | | | 18 | Eastham | 10 | M. Lynch# | |
| thr | Ipswich (C.B.) | 612 | max 9/2 | D. Rimmer | | | | |
| 2 | Duxbury B. | 402 | M. Kasprzyk# | | | | | |
| 5, 18 | Chatham (S.B.) | 650, 350 | B. Nikula# | 2 | Duxbury B. | 91 | M. Kasprzyk# | |
| 5 | N. Scituate | 240 | S. Perkins# | 5, 18 | Chatham (S.B.) | 175 | B. Nikula# | |
| 17 | P.I. | 372 | W. Drew# | 6 | Scituate | 115 | D. Clapp | |
| Piping Plover | | | | 8 | Newburyport | 121 | R. Heil | |
| 1 | Ipswich (C.B.) | 4 | D. Rimmer | 16 | Dennis | 48 | R. Forster# | |
| 18 | Chatham (S.B.) | 10 | B. Nikula# | 18 | Eastham | 40 | M. Lynch# | |
| Killdeer | | | | Sanderling | | | | |
| 4 | Marshfield | 38 | D. Clapp | thr | Ipswich (C.B.) | 1052 | max D. Rimmer | |
| 13 | Newburyport | 50 | J. Berry | 2 | Duxbury B. | 298 | M. Kasprzyk# | |
| 25 | Salisbury | 31 | R. Forster# | 6 | S. Dart. (A.Pd) | 300 | G. d'Entremont# | |
| 26 | Concord (N.A.C.) | 40 | S. Perkins# | 16 | Chatham | 500 | H. Wiggins# | |
| American Oystercatcher | | | | 17 | P.I. | 465 | W. Drew# | |
| thr | N. Monomoy | 60 | B. Nikula# | 18 | Chatham (S.B.) | 2500 | B. Nikula# | |
| 6 | S. Dart. (A.Pd) | 6 | G. d'Entremont# | 18 | Arlington Res. | 1 | M. Rines | |
| 17 | Nantucket | 9 | J. Osborn# | 25 | Monomoy | 3000+ | S. Perkins# | |
| 24 | New Bedford | 1 | J. Botelho | Semipalmated Sandpiper | | | | |
| 30 | Westport | 2 | J. Botelho | thr | Ipswich (C.B.) | 580 | max 9/3 D. Rimmer | |
| American Avocet | | | | 3 | Cumb. Farms | 40 | K. Anderson# | |
| 17 | E. Boston | 1 | T. Aversa | 5 | Chatham (S.B.) | 200 | B. Nikula# | |
| Greater Yellowlegs | | | | 17 | P.I. | 877 | W. Drew# | |
| 8 | Arlington Res. | 9 | M. Rines | 19 | Lynn B. | 200 | R. Forster | |
| 11 | GMNWR | 10 | G. d'Entremont# | 25 | Monomoy | 70 | S. Perkins# | |
| 11 | Squantum | 100 | G. d'Entremont# | Western Sandpiper | | | | |
| 18 | Eastham | 120+ | M. Lynch# | 1-14 | Ipswich (C.B.) | 1 | D. Rimmer | |
| Lesser Yellowlegs | | | | 3 | Lynn B. | 2 | T. Aversa# | |
| 4 | Cumb. Farms | 7 | S. Arena# | 4 | P.I. | 4 | S. Perkins | |
| 8 | GMNWR | 6 | J. Center | 5 | N. Scituate | 5 | S. Perkins# | |
| 18 | Squantum | 8 | G. d'Entremont# | 19 | DWWS | 2 | G. d'Entremont# | |
| 25 | Provincetown | 5 | G. d'Entremont# | 19 | Lynn B. | 2 | R. Forster | |
| Solitary Sandpiper | | | | Least Sandpiper | | | | |
| 4 | Cumb. Farms | 4 | K. Anderson# | 1 | Cumb. Farms | 20 | K. Anderson | |
| 17 | MNWS | 2 | T. Aversa | 18 | Eastham | 10 | M. Lynch# | |
| 30 | Easton | 3 | S. Arena | 25 | Monomoy | 25 | S. Perkins# | |
| Willet | | | | 25 | Provincetown | 3 | G. d'Entremont# | |
| thr | N. Monomoy | 20 | max | B. Nikula# | White-rumped Sandpiper | | | |
| 2 | Duxbury B. | 1 | K. Anderson# | 2, 23 | P.I. | 304, 3 | W. Drew# | |
| 8 | Newburyport | 8 | R. Heil | 2 | Duxbury B. | 1 | K. Anderson# | |
| Spotted Sandpiper | | | | 5 | Chatham (S.B.) | 20 | B. Nikula# | |
| 6 | Sandwich | 6 | P. Trimble | 19 | Lynn B. | 5 | R. Forster | |
| 18 | Squantum | 1 | G. d'Entremont# | 25 | N. Monomoy | 2 | S. Perkins# | |
| 19 | Randolph | 1 | G. d'Entremont# | Baird's Sandpiper | | | | |
| 25 | Provincetown | 1 | G. d'Entremont# | 4 | P.I. | 3 | S. Perkins# | |
| 25 | Barnstable | 1 | G. d'Entremont# | 4 | Revere | 1 | L. Pivacek | |
| Upland Sandpiper | | | | 6 | S. Dart. (A.Pd) | 1 | G. d'Entremont# | |
| 4 | Cumb. Farms | 21 | T. Aversa | 11 | P.I. | 1 | BBC (S. Moore) | |
| 6 | Falmouth | 3 | P. Trimble | 20 | S. Monomoy | 1 | J. Sones# | |
| 7 | Katama (M.V.) | 2 | V. Laux | Pectoral Sandpiper | | | | |
| Whimbrel | | | | 11 | Concord (N.A.C.) | 3 | T. Aversa# | |
| 4 | Cumb. Farms | 1 | K. Anderson# | 12 | S. Monomoy | 45 | B. Nikula# | |
| 6 | S. Dart. (A.Pd) | 7 | G. d'Entremont# | 25 | Squantum | 5 | T. Aversa | |
| 9 | S. Peabody | 1 | R. Heil | Dunlin | | | | |
| 11 | W. Falmouth | 1 | P. Trimble | 2 | Duxbury B. | 1 | K. Anderson# | |
| 17 | Eastham (F.E.) | 4 | H. Wiggins# | 12 | P.I. | 1 | G. d'Entremont# | |
| 19 | N. Monomy | 4 | T. Aversa# | 5 | Chatham (S.B.) | 1 | B. Nikula# | |
| 25 | P.I. | 4 | J. Berry# | 18 | Chatham (S.B.) | 100 | B. Nikula# | |
| 26 | Barnstable | 1 | G. d'Entremont# | 25 | WBWS | 5 | G. d'Entremont# | |
| 26 | Sandwich | 1 | G. d'Entremont# | 25 | Newburyport | 5 | J. Berry# | |
| Hudsonian Godwit | | | | Stilt Sandpiper | | | | |
| 4 | Revere | 6 | L. Pivacek | 11 | WBWS | 3 | B. Nikula# | |
| 5, 18 | Chatham (S.B.) | 20, 5 | B. Nikula# | 11 | Randolph | 1 | G. d'Entremont | |
| 6 | Newburyport | 17 | S. Perkins# | 20 | S. Monomoy | 2 | B. Nikula# | |
| 11 | Eastham | 3 | S. Perkins | 20 | Ipswich | 4 | R. Forster | |

| | | | | | | | | |
|--------------------------|-------------|-----------------|--|--|--------|---|------------|-----------------|
| Buff-breasted Sandpiper | | | | | 16 | Ipswich (C.B.) | 150+ | D. Rimmer |
| 4-16 P.I. | 1 or 2 | v. o. | | | 18 | Chatham (S.B.) | 3000 | B. Nikula# |
| 12, 20 S. Monomoy | 1 | B. Nikula# | | | 18 | Eastham | 350 | M. Lynch# |
| 18 Nantucket | 4 | J. Osborn# | | | | Forster's Tern | | |
| Short-billed Dowitcher | | | | | thr | N. Monomoy | 60 max | B. Nikula# |
| 2 Duxbury B. | 13 | M. Kasprzyk# | | | 2 | Nantucket | 25 | S. Perkins# |
| 11, 18 Squantum | 30, 8 | G. d'Entremont# | | | 6 | S. Dart. (A.Pd) | 30 | D. Brown# |
| 12 P.I. | 5 | G. d'Entremont# | | | 12, 20 | S. Monomoy | 80, 2 | B. Nikula# |
| Long-billed Dowitcher | | | | | 18 | Eastham | 15 | M. Lynch# |
| thr P.I. | 87 max 9/11 | R. Heil | | | 18 | Newbypt/P.I. | 68 | S. Perkins# |
| 26 Barnstable (S.N.) | 1 | H. Ferguson | | | 30 | Westport | 12 | J. Botelho |
| Common Snipe | | | | | | Least Tern | | |
| 25 Sandwich | 1 | P. Trimble | | | 1-10 | Ipswich (C.B.) | 3-5 | D. Rimmer |
| 26 Concord (N.A.C.) | 8 | R. Forster# | | | 6 | Nantucket | 75 | J. Shetterly |
| American Woodcock | | | | | 11 | Eastham | 6 | S. Perkins# |
| 28 Wayland | 1 | K. Hamilton | | | 12 | S. Monomoy | 3 | S. Perkins# |
| Wilson's Phalarope | | | | | 12 | P.I. | 1 | M. Rines# |
| 8 P.I. | 1 juv | R. Heil | | | | Black Tern | | |
| Red-necked Phalarope | | | | | 3 | Wellesley | 1 | R. Forster# |
| 17 Stellwagen | 4 | P. Trull | | | 5 | Falmouth | 7 | R. Farrell |
| Pomarine Jaeger | | | | | 6 | Nantucket | 5 | J. Shetterly |
| 10 Martha's Vineyard | 2 | V. Laux | | | 7-10 | Ipswich (C.B.) | 1-6 | D. Rimmer |
| 17 Stellwagen | 4 | P. Trull | | | 8 | P.I. | 6 | R. Heil |
| 12 S. Georges Bank | 34 | W. Petersen# | | | 9 | Stellwagen | 3 | P. Trull |
| 21 Nantucket | 1 | S. Arena# | | | 12, 20 | S. Monomoy | 50 | S. Perkins# |
| Parasitic Jaeger | | | | | 12 | Dennis | 14 | R. Forster# |
| 6 Chatham (S.B.) | 2 | B. Nikula# | | | 17 | Chatham (F.E.) | 4 | H. Wiggins# |
| Long-tailed Jaeger | | | | | | Black Skimmer | | |
| 12 S. Georges Bank | 2 juv | W. Petersen# | | | 12 | Chatham (S.B.) | 5 | S. Perkins# |
| jaeger species | | | | | | Black-billed Cuckoo | | |
| 21 Nantucket | 2 | S. Arena# | | | 12, 18 | S. Chatham | 3 | P. Trimble |
| Laughing Gull | | | | | 29 | Yarmouth | 1 | P. Trimble |
| 4 Revere | 800 | L. Pivacek | | | | Yellow-billed Cuckoo | | |
| 16 Ipswich (C.B.) | 80 | D. Rimmer | | | 4 | Westport | 1 | F. Bouchard |
| 19 S. Dartmouth | 75 | M. Boucher | | | 24 | S. Peabody | 1 | R. Heil |
| Little Gull | | | | | | Barn Owl | | |
| 10 Ipswich (C.B.) | 1 | D. Rimmer | | | 24 | Sandwich | 1 ad | G. d'Entremont# |
| Common Black-headed Gull | | | | | | Eastern Screech-Owl | | |
| 11 Newburyport | 1 | M. Lynch# | | | 4-6 | 8 towns | 8 | R. Stymeist# |
| Bonaparte's Gull | | | | | 11, 20 | Wellfleet | 6 total | R. Stymeist# |
| 2 Newburyport | 800 | R. Heil | | | | Great Horned Owl | | |
| 16 Ipswich (C.B.) | 80 | D. Rimmer | | | 13 | Ipswich | 2 | J. Berry# |
| 19 Lynn | 1100 | S. Perkins# | | | 25 | S. Monomoy | 1 | S. Perkins# |
| Lesser Black-backed Gull | | | | | 29 | E. Middleboro | pr | K. Anderson |
| 4 P.I. | 1 | H. Wiggins# | | | | Barred Owl | | |
| 7, 19 N. Monomoy | 1, 2 | B. Nikula# | | | thr | Sherborn | 6 | E. Taylor |
| 12 S. Georges Bank | 1 3S | W. Petersen# | | | 5 | Boxford (C.P.) | 1 | J. Berry |
| Great Black-backed Gull | | | | | 18 | E. Middleboro | 1 | K. Anderson# |
| 22 Ipswich (C.B.) | 340+ | D. Rimmer | | | | Short-eared Owl | | |
| Sabine's Gull | | | | | 19 | Nantucket | 2 | J. Osborn# |
| 17 Stellwagen | 1 juv | P. Trull | | | | Northern Saw-whet Owl | | |
| Caspian Tern | | | | | 17 | Orleans | 1 | H. Wiggins |
| 4 P.I. | 1 | R. Forster# | | | 21 | P.I. | 1 | W. Drew# |
| 18 Squantum | 1 | R. O'Neill# | | | | Common Nighthawk | | |
| 18 Randolph | 3 imm | G. d'Entremont# | | | 5, 6 | Worcester | 300+, 120+ | M. Lynch# |
| 18 P.I. | 1 | D. F. Oliver# | | | 5 | Wellesley | 255 | R. Forster |
| Royal Tern | | | | | 27 | Newton | 4 | M. Murphy# |
| 4 P.I. | 1 juv | R. Walton | | | 30 | Boston | 7 | F. Bouchard |
| 7 Katama (M.V.) | 1 | V. Laux | | | 30 | Sandwich | 2 | P. Trimble |
| Sandwich Tern | | | | | 30 | Wellesley | 1 | R. Forster |
| 7 Katama (M.V.) | 2 | V. Laux | | | 23-25 | Reports of 1 or 2 ind. from 5 locations | | |
| 9 Ipswich (C.B.) | 1 | D. Rimmer | | | | Chimney Swift | | |
| 11 Eastham | 1 dead | S. Perkins# | | | 1-20 | Lawrence | 100-150 | S. Charette |
| Roseate Tern | | | | | 12 | Norfolk | 140 | B. Cassie |
| 2 Nantucket | 250 | S. Perkins# | | | 25 | P.I. | 30+ | W. Petersen# |
| 8 Newburyport | 10 | R. Heil | | | 26 | Concord (N.A.C.) | 30 | S. Perkins# |
| 12 Dennis | 100+ | R. Forster# | | | 28 | Newton | 10 | T. Aversa |
| 18 Chatham (S.B.) | 300 | B. Nikula# | | | 28 | W. Roxbury | 12 | T. Aversa |
| Common Tern | | | | | 28 | Wayland | 55 | S. Arena |
| 6 Stellwagen | 1000 | P. Trull | | | 29 | N. Andover | 3 | S. Charette |
| 6 Nantucket | 1000 | J. Shetterly | | | 30 | Watertown | 8 | R. Stymeist |
| 8 Newbypt/P.I. | 325+ | R. Heil | | | 30 | Wellesley | 2 | R. Forster |

| | | | | |
|--|--------|-------------------|--|--|
| Ruby-throated Hummingbird | | | | |
| 1-4 E. Boxford | 4 or 5 | J. Brown# | | |
| 3 MNWS | 2 | T. Aversa | | |
| 9 Medford | 1 | M. Rines | | |
| 16 Chatham (S.B.) | 1 | H. Coolidge | | |
| 24 Wayland | 1 | K. Hamilton | | |
| Belted Kingfisher | | | | |
| 17 P.I. | 7 | S. Charette | | |
| 17 Wellfleet | 4 | H. Coolidge | | |
| 25 S. Monomoy | 4 | S. Perkins# | | |
| Red-headed Woodpecker | | | | |
| 1-15 Sherborn | 2 ad | E. Taylor | | |
| Yellow-bellied Sapsucker | | | | |
| 25 P'town/Truro | 2 | G. d'Entremont# | | |
| 25 Chatham | 1 | P. Bailey# | | |
| 25 P.I. | 1 | BBC (C. Paine) | | |
| 25 GMNWR | 1 | BBC (S. Hepburn) | | |
| 28 Worc. (BMB) | 1 | M. Lynch# | | |
| Northern Flicker | | | | |
| 9 Worc. (BMB) | 32 | M. Lynch# | | |
| 12 E. Middleboro | 19 | K. Anderson | | |
| 16 Wellesley | 23 | R. Forster | | |
| 20 Salisbury/P.I. | 30 | R. Forster | | |
| Pileated Woodpecker | | | | |
| 5 Boxford (C.P.) | 1 | J. Berry | | |
| 12 Mt. Watatic | 1 | L. Taylor# | | |
| 19 Bolton | 3 | M. Lynch# | | |
| Olive-sided Flycatcher | | | | |
| 5 Quabbin (G45) | 2 | M. Lynch# | | |
| 11 Wellfleet | 1 | BBC (R. Stymeist) | | |
| 17 P.I. | 1 | D. Chickering | | |
| Eastern Wood-Pewee | | | | |
| 12 Boston (F.Pk) | 5 | T. Aversa | | |
| 18 Mt.A. | 2 | M. Rines | | |
| 21 Worc. (BMB) | 3 | M. Lynch# | | |
| 24 ONWR | 1 | T. Aversa | | |
| 25 Salisbury | 1 | R. Forster | | |
| 28 P.I. | 1 | D. Chickering | | |
| Yellow-bellied Flycatcher | | | | |
| 17 MNWS | 2 | T. Aversa | | |
| 18 Squantum | 1 | G. d'Entremont# | | |
| "Traill's" Flycatcher | | | | |
| 18 Squantum | 1 | G. d'Entremont# | | |
| Least Flycatcher | | | | |
| 19 Nahant | 1 | R. Forster | | |
| Empidonax species | | | | |
| 21 Worc. (BMB) | 2 | M. Lynch# | | |
| Eastern Phoebe | | | | |
| 6 Norfolk | 50 | B. Cassie | | |
| 6 Quabbin (G40) | 23 | M. Lynch# | | |
| 20 Salisbury/P.I. | 12 | R. Forster | | |
| 25 Malden | 11 | P. + F. Vale | | |
| Great Crested Flycatcher | | | | |
| 9 Worc. (BMB) | 3 | M. Lynch# | | |
| 11 Wellfleet | 2 | BBC (R. Stymeist) | | |
| 12 S. Monomoy | 1 | B. Nikula# | | |
| 16 Squantum | 1 | G. d'Entremont | | |
| 18 Mt.A. | 1 | M. Rines | | |
| 19 Chatham | 2 | T. Aversa# | | |
| Western Kingbird | | | | |
| 12-13 Nantucket | 1 | E. Andrews | | |
| 28 Gay Head (M.V.) | 1 | V. Laux | | |
| Eastern Kingbird | | | | |
| 11 Wellfleet | 5 | BBC (R. Stymeist) | | |
| 20 P.I. | 3 | R. Forster | | |
| Horned Lark | | | | |
| 17 Lynn B. | 1 | T. Aversa | | |
| Purple Martin | | | | |
| 7 Ipswich (C.B.) | 2 | D. Rimmer | | |
| 12 P.I. | 7 | G. d'Entremont# | | |
| Tree Swallow | | | | |
| 1 P.I. | 10,000 | D. Chickering | | |
| 25 S. Monomoy | 5000 | G. Ferguson# | | |
| thr Reports of 1000-2500 ind. from 6 locations | | | | |
| Northern Rough-winged Swallow | | | | |
| 5, 9 Wellesley | 13, 1 | R. Forster | | |
| 12, 19 W. Peabody | 16, 4 | R. Heil | | |
| Bank Swallow | | | | |
| 4 P.I. | 1 | G. d'Entremont# | | |
| 25 S. Monomoy | 4 | S. Perkins# | | |
| Cliff Swallow | | | | |
| 7 Ipswich (C.B.) | 1 | D. Rimmer | | |
| 11 Wellesley | 1 | R. Forster | | |
| 11 GMNWR | 1 | G. d'Entremont# | | |
| 11, 19 Wellfleet | 2, 1 | BBC (R. Stymeist) | | |
| 25 S. Monomoy | 1 | S. Perkins# | | |
| Barn Swallow | | | | |
| 17 P.I. | 100 | S. Charette | | |
| 25 S. Monomoy | 30+ | S. Perkins# | | |
| Fish Crow | | | | |
| 5 DWWS | 2+ | G. d'Entremont | | |
| Common Raven | | | | |
| 12 Mt. Watatic | 7 | L. Taylor# | | |
| Black-capped Chickadee | | | | |
| 11 Wellfleet | 180 | BBC (R. Stymeist) | | |
| Red-breasted Nuthatch | | | | |
| 6 Quabbin (G40) | 70 | M. Lynch# | | |
| 6 Sherborn | 11 | M. Rines# | | |
| thr Reports of 2-8 ind. from 10 locations | | | | |
| White-breasted Nuthatch | | | | |
| 4 Ipswich | 8 | J. Berry | | |
| 5 Boxford | 8 | J. Berry | | |
| 25 P.I. | 1 | W. Petersen# | | |
| Brown Creeper | | | | |
| 3 E. Middleboro | 1 | K. Anderson | | |
| 20 P.I. | 1 | R. Forster | | |
| Carolina Wren | | | | |
| 11 Wellfleet | 12 | BBC (R. Stymeist) | | |
| 21 N. Scituate | 6 | T. Aversa | | |
| 28 Worc. (BMB) | 3 | M. Lynch# | | |
| House Wren | | | | |
| 6 Quabbin (G40) | 6 | M. Lynch# | | |
| 9 S. Peabody | 13 | R. Heil | | |
| 28 W. Roxbury | 5 | T. Aversa# | | |
| Winter Wren | | | | |
| 6 Andover | 1 | S. Charette | | |
| 22 Groveland | 1 | D. Chickering | | |
| 29 Yarmouth | 1 | P. Trimble | | |
| Marsh Wren | | | | |
| 12 S. Georges Bank | 1 | W. Petersen# | | |
| 18 P.I. | 4 | D. Chickering | | |
| 24 Worc. (BMB) | 1 | M. Lynch# | | |
| 28 Newton | 1 | T. Aversa | | |
| Golden-crowned Kinglet | | | | |
| 20 P.I. | 1 | R. Forster | | |
| 21 N. Scituate | 1 | T. Aversa | | |
| Ruby-crowned Kinglet | | | | |
| 12 N. Scituate | 1 | S. Arena# | | |
| 12 Yarmouthport | 1 | R. Forster# | | |
| 17 Nahant | 1 | T. Aversa | | |
| Blue-gray Gnatcatcher | | | | |
| 19 Chatham | 3 | B. Nikula# | | |
| 20 Cambridge (F.P.) | 1 | M. Rines | | |
| 25 Provincetown | 2 | G. d'Entremont# | | |
| Northern Wheatear | | | | |
| 11-16 Newburyport | 1 | M. Mauer + v.o. | | |
| 11 Chilmark (M.V.) | 1 | A. Keith# | | |
| 25 S. Monomoy | 1 | R. Stymeist# | | |
| Eastern Bluebird | | | | |
| thr Sherborn | 45 | E. Taylor | | |
| thr E. Boxford | 6 or 7 | J. Brown# | | |
| 6 Ipswich | 6 | BBC (J. Berry) | | |
| 9 S. Peabody | 7 | R. Heil | | |
| 13 Worc. (BMB) | 13 | M. Lynch# | | |

| | | | | | | | | |
|---|----------|-------------------|------------------------------|---------------------------------------|--|--|--|--|
| Eastern Bluebird (cont.) | | | | | | | | |
| 19 Wellfleet | 4 | BBC (R. Stymeist) | 11 Wellfleet | 6 BBC (R. Stymeist) | | | | |
| 28 Lincoln | 22 | S. Perkins# | 11 ONWR | 4 S. Arena# | | | | |
| Veery | | | 14 (B.M.B.) | 6 M. Lynch# | | | | |
| 9 S. Peabody | 4 | R. Heil | 12 S. Chatham | 6 P. Trimble | | | | |
| 17 Lincoln | 3 | S. Perkins | 18 P.I. | 5 BBC (J. Center) | | | | |
| 18 S. Chatham | 1 | P. Trimble | 18 Mt.A. | 10 M. Rines | | | | |
| 21 N. Scituate | 1 | T. Aversa | 12 MNWS | 1 S. Charette | | | | |
| 26 Peabody | 1 | P. Trimble | 12 S. Chatham | 1 P. Trimble | | | | |
| Gray-cheeked Thrush | | | 20 Truro | 1 R. Stymeist# | | | | |
| 18, 25 Uxbridge | 1 b, 1 b | S. Wheelock# | Blue-winged Warbler | | | | | |
| 17 Nahant | 1 | T. Aversa | 12 S. Chatham | 1 S. Charette | | | | |
| 17 Lincoln | 3 | S. Perkins | 12 E. Middleboro | 1 P. Trimble# | | | | |
| Swainson's Thrush | | | 20 MBO | 1 m K. Anderson | | | | |
| 17 Mt.A. | 8 | R. Stymeist# | "Brewster's" Warbler | 1 m MBO staff | | | | |
| 17 Lincoln | 500+ | S. Perkins | 11 Salem | 1 I. Lynch | | | | |
| 19 S. Chatham | 1 | P. Trimble | Tennessee Warbler | 9-27 Reports of ind. from 8 locations | | | | |
| 20 Arlington | 1 | M. Rines | Orange-crowned Warbler | | | | | |
| 23 Boston (F.Pk) | 1 | T. Aversa | 6 ONWR | 1 R. Bradbury | | | | |
| Hermit Thrush | | | 21 (B.M.B.) | 1 M. Lynch# | | | | |
| 6 Townsend | 6 | L. Taylor# | 24 ONWR | 1 T. Aversa | | | | |
| 30 P.I. | 1 | N. Nash | Nashville Warbler | | | | | |
| Wood Thrush | | | 17 Nahant | 3 T. Aversa | | | | |
| 18 Squantum | 1 | G. d'Entremont# | 18 S. Chatham | 2 P. Trimble | | | | |
| 19 Lincoln | 1 | S. Perkins | 21 N. Scituate | 3 T. Aversa | | | | |
| 21 N. Scituate | 1 | T. Aversa | 25 Newton | 3 M. Lynch# | | | | |
| 21 Worc. (B.M.B.) | 1 | M. Lynch# | 28 W. Roxbury | 2 T. Aversa | | | | |
| American Robin | | | 28 Worc. (B.M.B.) | 3 M. Lynch# | | | | |
| 19 Bolton | 105 | M. Lynch# | Northern Parula | | | | | |
| 28 Worc. (B.M.B.) | 67 | M. Lynch# | 12 Boston (F.Pk) | 9 T. Aversa | | | | |
| Gray Catbird | | | 18 ONWR | 6 R. Bradbury | | | | |
| 7 Worc. (B.M.B.) | 36 | M. Lynch# | 18 Mt.A. | 12 M. Rines | | | | |
| 11 Wellfleet | 52 | BBC (R. Stymeist) | 19 Waltham | 10 L. Taylor | | | | |
| Brown Thrasher | | | 25 S. Monomoy | 15 S. Perkins# | | | | |
| 22 P.I. | 3 | D. Chickering | Yellow Warbler | | | | | |
| 26 Peabody | 1 | P. Trimble | 18 S. Chatham | 4 P. Trimble | | | | |
| 27 Medford | 2 | M. Rines | 18 Sandwich | 4 P. Trimble | | | | |
| American Pipit | | | 19 Truro | 4 BBC (R. Stymeist) | | | | |
| 18 Newbury | 105 | R. Forster# | 25 Salisbury | 1 R. Forster | | | | |
| 21 Concord (N.A.C.) | 36 | R. Forster | Chestnut-sided Warbler | | | | | |
| 21 Ipswich (C.B.) | 13 | D. Rimmer | 11, 19 Wellfleet | 6, 1 BBC (R. Stymeist) | | | | |
| Cedar Waxwing | | | 19 Truro | 1 BBC (R. Stymeist) | | | | |
| 11 Wellfleet | 41 | BBC (R. Stymeist) | Magnolia Warbler | | | | | |
| 17 Stellwagen | 1 | P. Trull | 11 ONWR | 4 T. Aversa# | | | | |
| 18 Mt.A. | 46 | R. Stymeist# | 12 Belmont | 3 L. Taylor | | | | |
| 19 P.I. | 65 | D. Chickering | 12 Mt. Watatic | 3 L. Taylor | | | | |
| Loggerhead Shrike | | | 18 Medford | 4 M. Rines | | | | |
| 2-5 DWWS | 1 | N. Ludlow + v. o. | 23 Boston (F.Pk) | 11 T. Aversa | | | | |
| White-eyed Vireo | | | 24 S. Peabody | 7 R. Heil | | | | |
| 1-19 DWWS | 1 or 2 | v. o. | Cape May Warbler | | | | | |
| 20 Chatham | 1 | R. Stymeist | 12 Stellwagen | 1 P. Trull | | | | |
| Solitary Vireo | | | 14 P.I. | 5 T. Aversa | | | | |
| 6 Quabbin (G40) | 7 | M. Lynch# | 20 MNWS | 2 N. Nash | | | | |
| 11-28 Reports of ind. from 7 locations | | | 25 S. Monomoy | 3 R. Stymeist# | | | | |
| Yellow-throated Vireo | | | 28 Worc. (B.M.B.) | 1 M. Lynch# | | | | |
| 5 Quabbin (G45) | 2 | M. Lynch# | Black-throated Blue Warbler | | | | | |
| 11 ONWS | 2 | T. Aversa# | 12 Mt. Watatic | 5 L. Taylor# | | | | |
| 12 Chatham | 1 | B. Nikula# | 17 MNWS | 6 T. Aversa | | | | |
| 18 P.I. | 1 | D. Chickering | 17 Medford | 3 M. Rines | | | | |
| 20 Chatham | 1 | B. Cassie# | 17 Truro | 3 G. d'Entremont# | | | | |
| Warbling Vireo | | | 25 P.I. | 1 S. Charette | | | | |
| 5 Wellesley | 5 | R. Forster | 25 R. Forster | 1 M. Lynch# | | | | |
| 6 Wakefield | 3 | P. + F. Vale | 28 Worc. (B.M.B.) | 1 | | | | |
| 11 ONWR | 4 | S. Arena# | 30 P.I. | 45 N. Nash | | | | |
| 19 Cambridge (F.P.) | 1 | R. Stymeist | 12 P.I. | 1 P. + F. Vale | | | | |
| 19 Bolton | 1 | M. Lynch# | 18 Squantum | 1 G. d'Entremont# | | | | |
| 20 Salisbury | 1 | R. Forster | 20 Salisbury | 1 R. Forster | | | | |
| 20 Boston (F.P.) | 1 | T. Aversa | 20 Wellfleet | 3 R. Stymeist# | | | | |
| 21 Worc. (B.M.B.) | 1 | M. Lynch# | 30 P.I. | 45 N. Nash | | | | |
| Philadelphia Vireo | | | Black-throated Green Warbler | | | | | |
| 20 Chatham | 4 | B. Cassie | 12 Belmont | 3 L. Taylor | | | | |
| 6-24 Reports of 1 or 2 ind. from 13 locations | | | | | | | | |

| | | | | | |
|--|--------|--------------------|-------------------------|-------|-----------------|
| Dickcissel (cont.) | | | Lapland Longspur | | J. Brown# |
| 17-20 Truro | 1 | H. Wiggin + v. o. | 26 Essex | 2 | |
| 18-30 Sandwich | 2 | P. Trimble | Bobolink | | B. Nikula# |
| 20 Chatham | 1 | B. Cassie# | 5 Chatham | 50 | D. Clapp |
| Rufous-sided Towhee | | | 6 DWWS | 25 | G. d'Entremont# |
| 9 Worc. (BMB) | 21 | M. Lynch# | 6 Westport | 40 | S. Arena# |
| 11 Wellfleet | 25 | BBC (R. Stymeist) | 11 Concord | 140+ | H. Wiggin# |
| Chipping Sparrow | | | 17 Provincetown | 30 | P. Trimble |
| 11 Wellfleet | 20 | BBC (R. Stymeist) | 18 Sandwich | 100 | |
| 15 Sherborn | 50 | E. Taylor | Red-winged Blackbird | | |
| 18 E. Middleboro | 20 | K. Anderson | 6 Rowley | 2500 | S. Perkins |
| 24 Concord (N.A.C.) | 50 | R. Forster# | 6 Wakefield | 300 | P. + F. Vale |
| 24 Weston | 52 | M. Rines# | 19 Bolton | 205 | M. Lynch# |
| 25 Sandwich | 21 | P. Trimble | Eastern Meadowlark | | |
| Clay-colored Sparrow | | | 9 Cumb. Farms | 15 | K. Anderson |
| 17 Truro | 2 | H. Wiggin# | Yellow-headed Blackbird | | |
| 25 Scituate | 1 | R. Abrams | 20 W. Bridgewater | 1 m | C. Krakowski |
| Field Sparrow | | | 20 P.I. | 1 imm | R. Forster |
| 9 Worc. (BMB) | 22 | M. Lynch# | Rusty Blackbird | | |
| 9 S. Peabody | 20 | R. Heil | 18 P.I. | 2 | R. Forster# |
| 17 Truro | 10 | H. Wiggin# | 18 Nantucket | 1 | J. Osborn# |
| 29 Sandwich | 10 | P. Trimble | Common Grackle | | |
| Vesper Sparrow | | | 6 Worcester | 510 | M. Lynch# |
| 17 Stellwagen | 1 | P. Trull | 11 Wakefield | 200 | P. + F. Vale |
| 17 Truro | 1 | H. Wiggin# | 12 W. Newbury | 650 | R. Stymeist# |
| 18 E. Middleboro | 1 | K. Anderson | Brown-headed Cowbird | | |
| 29 Sandwich | 3 | P. Trimble | 18 Newbury | 250 | S. Perkins# |
| Lark Sparrow | | | 26 Bridgewater | 1000 | K. Anderson |
| 3 P.I. | 1 imm | T. Aversa# | Orchard Oriole | | |
| 19 Nantucket | 1 | J. Osborn# | 5 DWWS | 1 | G. d'Entremont |
| Savannah Sparrow | | | Northern Oriole | | |
| 18 Newbury | 115 | R. Forster# | 17 Stellwagen | 3 | P. Trull |
| 19 Bolton | 45 | M. Lynch# | 17 S. Chatham | 4 | P. Trimble |
| 25 Sandwich | 60 | P. Trimble | 18 Mt.A. | 22 | R. Stymeist# |
| 25 Squantum | 55 | T. Aversa | 25 S. Monomoy | 10 | S. Perkins# |
| Le Conte's Sparrow | | | 25 Truro | 3 | G. d'Entremont# |
| 24-28 Newton | 1 juv. | R. Forster + v. o. | Purple Finch | | |
| Sharp-tailed Sparrow | | | 4 Ipswich | 6-8 | J. Berry |
| 11 Squantum | 10 | G. d'Entremont# | 5 Chatham | 4 | B. Nikula# |
| 30 S. Dart. (A.Pd) | 5 | LCES (J. Hill) | 12 Belmont | 3 | L. Taylor |
| Seaside Sparrow | | | 18 Lexington | 3 | L. Taylor |
| 18 Eastham | 1 | M. Lynch# | 29 Wellesley | 3 | R. Forster |
| 20 P.I. | 4 | R. Forster | Red Crossbill | | |
| 30 S. Dart. (A.Pd) | 1 | LCES (J. Hill) | 4 Fall River | 1 | G. Mock |
| Song Sparrow | | | 6 Quabbin (G40) | 1 | M. Lynch# |
| 9 Worc. (BMB) | 33 | M. Lynch# | Pine Siskin | | |
| 19 Bolton | 38 | M. Lynch# | 25 W. Peabody | 7 | R. Heil |
| 25 Sandwich | 80 | P. Trimble | Evening Grosbeak | | |
| Lincoln's Sparrow | | | 25 Eastham (F.H.) | 1 | G. d'Entremont |
| 8 Wellesley | 1 | R. Forster | 27 Wellesley | 1 | R. Forster |
| 12 S. Georges Bank | 1 | W. Petersen# | | | |
| 20 Chatham | 3 | R. Stymeist# | | | |
| 21 SRV | 6 | R. Forster | | | |
| 24 S. Peabody | 5 | R. Heil | | | |
| 28 Newton | 6 | T. Aversa | | | |
| 12-30 Reports of 1 or 2 ind. from 16 locations | | | | | |
| Swamp Sparrow | | | | | |
| 19 Bolton | 26 | M. Lynch# | | | |
| White-throated Sparrow | | | | | |
| 19 Chatham | 2 | T. Aversa# | | | |
| 20 Salisbury/P.I. | 10 | R. Forster | | | |
| 21 N. Scituate | 45 | T. Aversa | | | |
| White-crowned Sparrow | | | | | |
| 19-30 Reports of 1 or 2 ind. from 11 locations | | | | | |
| Dark-eyed Junco | | | | | |
| 12 Mt. Watatic | 6 | L. Taylor# | | | |
| 14 Milton | 2 | R. Abrams | | | |
| 20 P.I. | 10 | R. Forster | | | |
| 22 Salisbury | 3 | D. Chickering | | | |
| 24 ONWR | 3 | T. Aversa | | | |
| 25 S. Monomoy | 3 | R. Stymeist# | | | |