

THE BIRD OBSERVER SUMMARY FOR SEPTEMBER, 1975

The temperature for September averaged  $63.9^{\circ}$ , a few degrees cooler than usual. The most unusual aspect of the months weather was the predominance of heavily overcast weather. In fact, eighteen days of the month were cloudy and rainy making this September the cloudiest in almost one hundred years! The only heavy rain fell during a northeasterly storm on the 24th-26th, when 4-1/2 inches fell. This storm was followed by a cold front which moved in from the Northwest on the 27th. The only other period of northwesterly winds occurred on the 20th-21st.

As is frequently the case, a large number of Greater and Cory's Shearwaters was blown into the shoals off the south side of Nantucket by a "northeaster" which ended on the last day of August. On September 2nd, approximately 2000 of these birds, 90% Greater, were noted from shore. Although this was the only large flight of pelagic species noted during the course of the month, the previously mentioned storm of the 24th-26th did sweep small numbers of jaegers and phalaropes into Cape Cod Bay.

A rather large concentration of herons spent the month at Big Ram Island in Westport - a count of 50+ Great Egrets being the most noteworthy there. The immature White Ibis which arrived in South Dartmouth during August remained until the 14th of this month, during which period it was observed by many.

A pronounced flight of raptors followed the northwesterly winds on the 27th; accipiters and falcons particularly were noted moving at several coastal locations. Hundreds of Broad-winged Hawks were also observed migrating over Wellesley and Concord on the 14th.

Shorebird migrants tended to reach their peak concentrations earlier than usual. For instance, 37 Long-billed Dowitchers were already present in Newburyport by the 12th, and the majority of Buff-breasted Sandpipers, which normally reach their maximum concentrations in mid-September, were recorded during August. The high count for the latter species during the month was 6. In contrast, the count of Marbled Godwits at Monomoy reached an incredible high of 10 on the 6th-7th. Hudsonian Godwits were recorded in numbers away from traditional localities. A Ruff, rare in the area in fall, was seen at Wellfleet on the 10th. A first year Franklin's Gull was found in Newburyport Harbor on the 6th, but the bird apparently did not linger beyond that date.

The vast majority of migrant passerines moved through the state during the latter part of August. However, echoes of the flight remained into this month. Several warblers of predominantly southern distribution were recorded, such as Prothonotary, Worm-eating and Kentucky. Remnants of the tremendous Bay-breasted and Cape May Warbler incursion of this fall continued to be the most common species of migrant warblers recorded. The tremendous increase in the population of these two species over the last two years has been attributed to a parallel population explosion of Spruce Budworm, a favored food of the two species, on the warblers' northern breeding grounds. At Manomet, 11 Cape May and 27 Bay-breasted Warblers were banded this month (c.f. September totals since 1971 - 91,6,15,37 and 13,2,22, 5, respectively). The most pronounced waves of migrant passerines occurred following cold fronts on the 20th-21st and the 27th-28th.

The most noteworthy varieties this month included a Bewick's Wren on Cuttyhunk Island on the 27th, and a Wheatear on Nantucket on the 20th-22nd.

After the birds recorded in August\*, 4 additional Yellow-headed Blackbirds were seen this month. A Lapland Longspur arrived early at Concord on the 10th.

R.R.V.

Common Loon:

|                     |                       |              |                |                            |
|---------------------|-----------------------|--------------|----------------|----------------------------|
| 8                   | on                    | 9 localities | 35 individuals | v.o.                       |
| Red-throated Loon:  |                       |              |                |                            |
| 17&20               | Dartmouth             |              | 1              | M.Haley,R.Woodbridge       |
| Red-necked Grebe:   |                       |              |                |                            |
| 24                  | Barnstable(S.N.)      |              | 1              | R.Forster                  |
| Pied-billed Grebe:  |                       |              |                |                            |
| 7                   | Ipswich               |              | 4              | BBC(J.Berry)               |
| Cory's Shearwater:  |                       |              |                |                            |
| 2,27                | Nantucket,off Chatham |              | 20+,3          | K.Harte,BBC(H.D'Entremont) |
| Greater Shearwater: |                       |              |                |                            |
| 2,27                | Nantucket,off Chatham | 1000/hr.,75+ |                | K.Harte,BBC(H.D'Entremont) |
| 28                  | Eastham               | 20           |                | H.Wiggin#                  |

|                             |   |                      |                                |  |
|-----------------------------|---|----------------------|--------------------------------|--|
| Sooty Shearwater:           |   |                      |                                |  |
| 27                          | off Chatham   | 6                    | BBC(H.D'Entremont)             |  |
| Manx Shearwater:            |   |                      |                                |  |
| 20-21,28                    | Nantucket, Eastham  | 1,2                  | BBC(L.Jodrey),B.Nikula#        |  |
| Gannet:                     |   |                      |                                |  |
| 22,25                       | Manomet, Barnstable(S.N.)   | 1,10                 | M.B.O.Staff,R.Forster          |  |
| 27,28                       | off Chatham, Eastham  | 2,40                 | BBC(H.D'Entremont),H.Coolidge# |  |
| Great Cormorant:            |   |                      |                                |  |
| 17;20,27                    | Boston; Duxbury, Cuttyhunk Is.                                    | 1;5,5                | D.Brown;W.Petersen#            |  |
| Double-crested Cormorant:   |   |                      |                                |  |
| 6,16                        | Sterling, Squantum  | 4,300+               | H.Merriman,R.Veit              |  |
| 27                          | Concord(GMNWR)  | 1                    | R.Shaw                         |  |
| Great Blue Heron:           |   |                      |                                |  |
| thr.                        | 16 localities<br>(over 35+ at Big Ram Island, Westport all month) | 128 individuals      | v.o.                           |  |
| Green Heron:                |   |                      |                                |  |
| 27,28                       | Manchester, S.Wellfleet(WBWS)                                     | 1,4                  | BBC(G.Hotz),R.Stymeist#        |  |
| Little Blue Heron:          |   |                      |                                |  |
| thr., 6-20,7                | Westport, P.I., Marshfield  | 20+,1-2,2 ad.        | v.o.,v.o.,B.Cassie             |  |
| Cattle Egret:               |   |                      |                                |  |
| 1-11                        | Ipswich   | 5-12                 | J.Berry                        |  |
| Great Egret:                |   |                      |                                |  |
| thr.                        | Westport(Big Ram Is.)   | 50+                  | R.O'Hara# & v.o.               |  |
| 6-20,6                      | P.I., Duxbury   | 1-4,7                | v.o.,W.Petersen#               |  |
| 18,20-28                    | Ipswich, Nauset   | 4,1                  | J.Berry,v.o.                   |  |
| Snowy Egret:                |   |                      |                                |  |
| thr.                        | Westport(Big Ram Is.)   | max. 96(Sept. 7)     | R.Stymeist# & v.o.             |  |
| thr.                        | P.I.  | max. 50(Sept. 6)     | R.Stymeist#                    |  |
| 6,7                         | Duxbury, Barnstable   | 75+,48               | W.Petersen#,W.Petersen#        |  |
| 20                          | Quincy, Scituate  | 30,27                | SSBC                           |  |
| 20                          | Marshfield, Duxbury   | 55,45                | SSBC                           |  |
| Louisiana Heron:            |   |                      |                                |  |
| 1-13                        | Dartmouth-Westport  | 1-2                  | v.o.                           |  |
| Black-crowned Night Heron:  |   |                      |                                |  |
| thr.                        | Westport(Big Ram Is.), P.I.                                       | 20+,11+              | v.o.                           |  |
| 1,19                        | Concord(GMNWR), Squantum  | 10,26                | BBC(V.Albee),R.Emery#          |  |
| Yellow-crowned Night Heron: |   |                      |                                |  |
| 6,8                         | P.I., Monomoy   | 2 imm., 1 imm.       | R.Stymeist#,W.Bailey           |  |
| 13,14                       | S.Dartmouth, Newburyport  | 1 imm., 1            | D.Brown,R.Heil                 |  |
| 21,27                       | Eastham, Cuttyhunk Is.  | 1,1 ad.              | R.Veit#,W.Petersen#            |  |
| Least Bittern:              |   |                      |                                |  |
| 6                           | P.I.  | 1                    | BBC(W.Drummond)                |  |
| American Bittern:           |   |                      |                                |  |
| 6 on, 7,14                  | P.I., Scituate, Lancaster   | 1-3,1,1              | v.o.,M&B Litchfield,H.Merriman |  |
| 20,23                       | Marshfield, Peabody   | 1,1                  | SSBC(M&B Litchfield),R.Heil    |  |
| Glossy Ibis:                |   |                      |                                |  |
| 1&7                         | S.Dartmouth   | 5&1                  | W.Petersen# & R.O'Hara         |  |
| 6,13                        | P.I., Newburyport   | 8,1                  | W.Drummond,W.Petersen#         |  |
| White Ibis:                 |   |                      |                                |  |
| 1-14                        | S.Dartmouth-Westport  | 1 imm.(from Aug. 23) | v.o.                           |  |
| Canada Goose:               |   |                      |                                |  |
| 1                           | Concord(GMNWR)  | 300+                 | BBC(V.Albee)                   |  |
| Brant:                      |   |                      |                                |  |
| 14,20                       | N.Scituate  | 1                    | M&B Litchfield#                |  |
| 14,25                       | Barnstable(S.N.), Plymouth  | 25,3                 | D.Casoni,H&D Carmichael        |  |
| Gadwall:                    |   |                      |                                |  |
| 7,8                         | Ipswich, Monomoy  | 20,1                 | BBC(J.Berry),W.Bailey#         |  |
| 20,27                       | P.I., Cuttyhunk Is.   | 7,1                  | BBC(H.Weissberg),W.Petersen#   |  |
| Green-winged Teal:          |   |                      |                                |  |
| 6                           | P.I.  | 80                   | BBC(W.Drummond)                |  |
| Blue-winged Teal:           |   |                      |                                |  |
| 6,9                         | P.I., Weston  | 80,30                | BBC(W.Drummond),L.Robinson     |  |
| 20                          | Marshfield  | 19                   | W.Harrington#                  |  |
| Pintail:                    |   |                      |                                |  |
| 24                          | Barnstable(S.N.)  | 9                    | R.Forster                      |  |
| American Wigeon:            |   |                      |                                |  |
| 7,16                        | Ipswich, Nantucket  | 2,156                | BBC(J.Berry),R.Stymeist#       |  |
| Northern Shoveler:          |   |                      |                                |  |
| 6,24                        | P.I., Barnstable(S.N.)  | 2,5                  | BBC(W.Drummond),R.Forster      |  |

|                         |                              |                |                                 |  |
|-------------------------|------------------------------|----------------|---------------------------------|--|
| Wood Duck:              |                              |                |                                 |  |
| thr., <sup>4</sup>      | Lancaster,Cambridge(Mt.A.)   | 20-30,2        | H.Merriman,R.Stymeist           |  |
| 11,19                   | Weston,Milton                | 22,7           | L.Robinson,T.Lawrence#          |  |
| 20                      | Duxbury                      | 36             | W.Petersen#                     |  |
| Greater Scaup:          |                              |                |                                 |  |
| 20                      | Quincy,Duxbury               | 5,1            | S.Higginbotham#,W.Petersen#     |  |
| 29                      | Manomet                      | 10             | M.B.O.Staff                     |  |
| Common Eider:           |                              |                |                                 |  |
| 20                      | Scituate,Duxbury,Plymouth    | 20,80,38       | SSBC(Roundup)                   |  |
| White-winged Scoter:    |                              |                |                                 |  |
| 25                      | Barnstable(S.N.)             | 150            | B.Sorrie                        |  |
| Surf Scoter:            |                              |                |                                 |  |
| 6,29                    | P.I.,Manomet                 | 1,85           | BBC(W.Drummond),M.B.O.Staff     |  |
| Black Scoter:           |                              |                |                                 |  |
| 20,24                   | Marshfield,Barnstable(S.N.)  | 6,4            | W.Harrington#,R.Forster         |  |
| Ruddy Duck:             |                              |                |                                 |  |
| 13-14                   | P.I.                         | 1              | E.Pyburn#,R.Heil                |  |
| Red-breasted Merganser: |                              |                |                                 |  |
| 6                       | Duxbury,P.I.                 | 6,1            | W.Petersen#,BBC(W.Drummond)     |  |
| 7                       | Westport                     | 1              | R.O'Hara#                       |  |
| Turkey Vulture:         |                              |                |                                 |  |
| 1,5,28                  | Webster,Paxton,Wellfleet     | 1,1,1          | J.Clancy,D.Crompton,H.Coolidge# |  |
| Sharp-shinned Hawk:     |                              |                |                                 |  |
| 13,18                   | Lancaster,Plymouth           | 1,1            | H.Merriman,H&D Carmichael       |  |
| 28                      | Newton,P.I.,Cuttyhunk Is.    | 1,5,35+        | R.O'Hara,D.Ewer,W.Petersen#     |  |
| Cooper's Hawk:          |                              |                |                                 |  |
| 14,27                   | Weston,Truro                 | 1,1            | L.Robinson,H.Wiggin#            |  |
| 28                      | P.I.,Brookline               | 1,1            | BBC(P.Parsons),R.O'Hara         |  |
| Red-tailed Hawk:        |                              |                |                                 |  |
| thr.                    | 12 localities                | 24 individuals | v.o.                            |  |
| Red-shouldered Hawk:    |                              |                |                                 |  |
| 5                       | Marshfield                   | 1 imm.         | W.Petersen                      |  |
| Broad-winged Hawk:      |                              |                |                                 |  |
| 14,15                   | Concord,Wellesley,Weston     | 238,316,61     | A.Clayton,R.Forster,J.Hines     |  |
| 14,28                   | Jamaica Plain(A.A.),Newton   | 6,7            | P.Deveau#,R.O'Hara              |  |
| Rough-legged Hawk:      |                              |                |                                 |  |
| 15,28                   | Ipswich,W.Newbury            | 1,1            | R.Dwelley,P.Parsons#            |  |
| Marsh Hawk:             |                              |                |                                 |  |
| thr.                    | 11 localities                | 58 individuals | v.o.                            |  |
| Osprey:                 |                              |                |                                 |  |
| thr.                    | 20 localities                | 26 individuals | v.o.                            |  |
| Peregrine Falcon:       |                              |                |                                 |  |
| 7,27,28                 | P.I.                         | 1,1,2          | M&A Argue,E.Morrier#,P.Parsons# |  |
| 13,22,26                | Annisquam,Westport,Truro     | 1,1,1          | H.Wiggin,R.O'Hara,W.Bailey      |  |
| 27-28,30                | Cuttyhunk Is.,Plymouth       | 1-2,1          | W.Petersen#,B.Harrington#       |  |
| Merlin:                 |                              |                |                                 |  |
| thr.                    | 22 localities                | 35 individuals | v.o.                            |  |
| American Kestrel:       |                              |                |                                 |  |
| 16,20                   | Nantucket,Quincy-Plymouth    | 16,60          | P.Fox#,SSBC(Fall Roundup)       |  |
| Ruffed Grouse:          |                              |                |                                 |  |
| 1,9,20                  | Westwood,Canton,Lancaster    | 1,6,1          | J.Clancy,D.Brown,H.Merriman     |  |
| Clapper Rail:           |                              |                |                                 |  |
| 21                      | S.Wellfleet(WBWS)            | 1              | R.Veit#                         |  |
| Virginia Rail:          |                              |                |                                 |  |
| 20,21                   | Marshfield,Concord(GMNWR)    | 1,1            | W.Harrington#,BBC(R.Clayton)    |  |
| 23,27                   | S.Peabody                    | 3,4            | R.Heil                          |  |
| Sora:                   |                              |                |                                 |  |
| 20                      | Concord(GMNWR),Duxbury       | 7,3            | R.Stymeist,SSBC(Fall Roundup)   |  |
| 28,30                   | Truro,Plymouth               | 1,1            | R.Veit#,H&D Carmichael          |  |
| Common Gallinule:       |                              |                |                                 |  |
| 20,23,28                | Concord(GMNWR),Peabody,P.I.  | 7,2,1          | R.Stymeist,R.Heil,P.Parsons#    |  |
| American Oystercatcher: |                              |                |                                 |  |
| 6,9,17                  | Barnstable,Monomoy,Nantucket | 2,3,4          | R.Pease,V.Laux#,R.Stymeist#     |  |
| Semipalmated Plover:    |                              |                |                                 |  |
| 6                       | P.I.                         | 80             | BBC(W.Drummond)                 |  |
| 20                      | Marshfield,Duxbury           | 201,100        | W.Harrington,W.Petersen         |  |
| Piping Plover:          |                              |                |                                 |  |
| 6,7                     | P.I.,Barnstable(S.N.)        | 8,16           | BBC(W.Drummond),W.Petersen      |  |
| 20                      | Plymouth                     | 2              | SSBC(J.Kenneally)               |  |

|                          |                           |               |                                 |
|--------------------------|---------------------------|---------------|---------------------------------|
| Killdeer:                |                           |               |                                 |
| thr.,7,20                | Lancaster,P.I.,W.Newbury  | 25-50,22,48   | H.Merriman,M&A Argue,R.Forster  |
| Golden Plover:           |                           |               |                                 |
| 14,21                    | Ipswich,Concord(GMNWR)    | 11,29         | J.Berry,BBC(R.Stymeist)         |
| Black-bellied Plover:    |                           |               |                                 |
| 1,17                     | Ipswich,Newburyport       | 725+,1000+    | J.Berry,R.Stymeist              |
| 20                       | Duxbury                   | 600           | W.Petersen#                     |
| Ruddy Turnstone:         |                           |               |                                 |
| 6,14                     | Duxbury,N.Scituate        | 20,20         | SSBC(W.Petersen,M&B Litchfield) |
| 20                       | Marshfield                | 201           | SSBC(W.Harrington)              |
| American Woodcock:       |                           |               |                                 |
| 28                       | Sandwich                  | 7             | R.Veit,R.Stymeist,T.Lawrence    |
| Common Snipe:            |                           |               |                                 |
| 20                       | Randolph                  | 5             | SSBC(S.Higginbotham)            |
| Whimbrel:                |                           |               |                                 |
| 6,13                     | Barnstable,S.Dartmouth    | 6,16          | R.Pease,D.Brown                 |
| 7,28                     | Dartmouth,Cuttyhunk Is.   | 25,7          | BBC(R.O'Hara),W.Petersen        |
| Upland Sandpiper:        |                           |               |                                 |
| 6                        | Newburyport               | 2             | BBC(W.Drummond)                 |
| Solitary Sandpiper:      |                           |               |                                 |
| 17                       | Nantucket                 | 8             | R.Stymeist                      |
| Willet:                  |                           |               |                                 |
| 20,28                    | Duxbury,Nauset            | 8,3           | W.Petersen,R.Forster            |
| Greater Yellowlegs:      |                           |               |                                 |
| 27,28                    | S.Peabody,P.I.            | 110,91        | R.Heil,P.Parsons                |
| Lesser Yellowlegs:       |                           |               |                                 |
| 13,20                    | P.I.                      | 125,65        | BBC(E.Pyburn),BBC(H.Weissberg)  |
| Red Knot:                |                           |               |                                 |
| 6                        | Duxbury,P.I.              | 12,30         | SSBC,BBC(W.Drummond)            |
| Purple Sandpiper:        |                           |               |                                 |
| 14,20                    | N.Scituate                | 2,6           | W.Petersen,M&B Litchfield       |
| Pectoral Sandpiper:      |                           |               |                                 |
| 14,27 on                 | Newburyport,Lancaster     | 18,40-50      | R.Forster,H.Merriman            |
| 27                       | Nauset,Newburyport        | 200,48        | v.o.,E.Morrier                  |
| White-rumped Sandpiper:  |                           |               |                                 |
| 6                        | Monomoy,P.I.              | 2,3           | E.Morrier,BBC(W.Drummond)       |
| 7,20                     | P.I.                      | 2,1           | M&A Argue,BBC(H.Weissberg)      |
| Baird's Sandpiper:       |                           |               |                                 |
| 2                        | Concord(GMNWR)            | 3             | D.Brown                         |
| 1-20                     | 8 localities              | 9 individuals | v.o.                            |
| Least Sandpiper:         |                           |               |                                 |
| 6,20                     | P.I.                      | 50,35         | BBC(W.Drummond,H.Weissberg)     |
| Dunlin:                  |                           |               |                                 |
| 14,20                    | P.I.,Marshfield           | 10,400        | R.Heil,SSBC(W.Harrington)       |
| 20                       | Duxbury                   | 80            | W.Petersen                      |
| Short-billed Dowitcher:  |                           |               |                                 |
| 7,28                     | Dartmouth,P.I.            | 100,21        | BBC(R.O'Hara),P.Parsons         |
| Long-billed Dowitcher:   |                           |               |                                 |
| 12                       | P.I.                      | 37            | M.Gardler                       |
| Stilt Sandpiper:         |                           |               |                                 |
| 27                       | P.I.                      | 11            | E.Morrier                       |
| Semipalmated Sandpiper:  |                           |               |                                 |
| 6,13                     | P.I.                      | 250,500       | BBC(W.Drummond,E.Pyburn)        |
| 20                       | Marshfield,Duxbury        | 600,225       | SSBC(S.Higginbotham)            |
| Western Sandpiper:       |                           |               |                                 |
| 4;7,20                   | Nauset;Barnstable,Duxbury | 2;2,4         | W.Bailey;W.Petersen             |
| Buff-breasted Sandpiper: |                           |               |                                 |
| 1                        | Nantucket                 | 6             | K.Harte                         |
| 1-16                     | 5 localities              | 5 individuals | v.o.                            |
| Marbled Godwit:          |                           |               |                                 |
| 1-6;7                    | Revere;Dartmouth,P.I.     | 1;1,1         | S.Zendeh;v.o.                   |
| 6-7                      | Monomoy                   | 10            | W.Bailey                        |
| Hudsonian Godwit:        |                           |               |                                 |
| 1,6                      | P.I.,Tuckernuck Is.       | 12,11         | J.Berry,R.Veit                  |
| 12,24                    | Wellfleet,Barnstable      | 10,55         | P.Bailey,R.Forster              |
| 26                       | Scituate                  | 9             | M.Litchfield                    |
| Ruff:                    |                           |               |                                 |
| 10                       | Wellfleet                 | 1             | B.Nikula                        |

|                       |                            |                       |                               |  |
|-----------------------|----------------------------|-----------------------|-------------------------------|--|
| Sanderling:           |                            |                       |                               |  |
| 20                    | Marshfield,Duxbury         | 2160,550              | SSBC(W.Harrington)            |  |
| Red Phalarope:        |                            |                       |                               |  |
| 25-27                 | Barnstable,off Chatham     | 8-9,8                 | B.Sorrie,BBC(H.D'Entremont)   |  |
| Wilson's Phalarope:   |                            |                       |                               |  |
| 6-14,30               | P.I.,Wellfleet(WBWS)       | 1,1                   | v.o.,P.Bailey                 |  |
| Northern Phalarope:   |                            |                       |                               |  |
| 1,27                  | Worcester,off Chatham      | 1,15                  | D.Crompton,BBC(H.D'Entremont) |  |
| 25                    | Sandwich(S.N.)             | 50+                   | B.Sorrie,R.Veit#              |  |
| Jaeger (species ?):   |                            |                       |                               |  |
| 1                     | Nantucket                  | 15                    | S.Perkins                     |  |
| Pomarine Jaeger:      |                            |                       |                               |  |
| 16,20                 | Nantucket,Nauset           | 2 dark,1              | R.Stymeist,B.Nikula#          |  |
| 28                    | Eastham(First Encounter)   | 1-2                   | C.Goodrich#                   |  |
| Parasitic Jaeger:     |                            |                       |                               |  |
| 12,24                 | Nauset,Barnstable(S.N.)    | 10,5                  | V.Laux,R.Forster              |  |
| 28                    | Eastham(First Encounter)   | 15                    | H.Wiggin                      |  |
| Black-headed Gull:    |                            |                       |                               |  |
| 11                    | Squantum                   | 3-4                   | R.Veit                        |  |
| Laughing Gull:        |                            |                       |                               |  |
| 10,17                 | Squantum                   | 100,125               | D.Brown                       |  |
| Franklin's Gull:      |                            |                       |                               |  |
| Last wk.              | Newburyport                | 1 imm.(1st year bird) | W.Russell                     |  |
| Bonaparte's Gull:     |                            |                       |                               |  |
| 6,28                  | P.I.,Salisbury             | 35,25                 | BBC(W.Drummond),M&A Argue     |  |
| 6                     | Revere                     | 135                   | R.Stymeist & P.Butler         |  |
| Little Gull:          |                            |                       |                               |  |
| 6;10                  | Revere;Squantum            | 1 ad.,1 imm.;2 imm.   | R.Stymeist;D.Brown            |  |
| 20                    | Salisbury                  | 1                     | R.Forster                     |  |
| Forster's Tern:       |                            |                       |                               |  |
| 12,13                 | Newburyport Harbor         | 3-4                   | M.Gardler,W.Petersen          |  |
| 16                    | Nantucket                  | 1                     | R.Stymeist,R.Emery            |  |
| Common Tern:          |                            |                       |                               |  |
| 10,16-17              | Squantum,Nantucket         | 500+,550+             | D.Brown,R.Stymeist            |  |
| 20                    | Duxbury                    | 150                   | SSBC(W.Petersen)              |  |
| Roseate Tern:         |                            |                       |                               |  |
| 7,14                  | Barnstable(S.N.),Salisbury | 1000+,10              | W.Petersen,R.Forster          |  |
| Least Tern:           |                            |                       |                               |  |
| 6                     | P.I.,Duxbury               | 4,1                   | BBC(W.Drummond),W.Petersen    |  |
| Caspian Tern:         |                            |                       |                               |  |
| 25,29                 | Barnstable(S.N.),Fairhaven | 2,2                   | R.Pease,G&J Fernandez         |  |
| Black Tern:           |                            |                       |                               |  |
| 7,8                   | Barnstable(S.N.),Monomoy   | 8,7                   | W.Petersen,W.Bailey           |  |
| 12,24                 | P.I.,Barnstable            | 2,4                   | M.Gardler,R.Forster           |  |
| Black Skimmer:        |                            |                       |                               |  |
| 7,14                  | Scituate                   | 2,1                   | SSBC(M&B Litchfield)          |  |
| Mourning Dove:        |                            |                       |                               |  |
| 16,20                 | Nantucket,Hingham          | 300+,316              | R.Stymeist,SSBC(N.Osborne)    |  |
| 30                    | Weston                     | 185                   | L.Robinson                    |  |
| Yellow-billed Cuckoo: |                            |                       |                               |  |
| 3,6                   | Westport,P.I.              | 1 dead,3              | R.O'Hara,BBC(W.Drummond)      |  |
| 13,21                 | Lancaster,Ashland          | 1,1                   | H.Merriman,K.Hamilton         |  |
| Balck-billed Cuckoo:  |                            |                       |                               |  |
| 1-29                  | 6 localities               | singles               | v.o.                          |  |
| Screech Owl:          |                            |                       |                               |  |
| thr.                  | 6 localities               | 8 individuals         | v.o.                          |  |
| Great Horned Owl:     |                            |                       |                               |  |
| early Sept.           | Monomoy                    | 1                     | B.Cassie                      |  |
| 20                    | P.I.,Norwell               | 1,3                   | J.Berry,W.Petersen & R.Veit   |  |
| Saw-whet Owl:         |                            |                       |                               |  |
| 8-10                  | Assonet                    | 1                     | N.Hill                        |  |
| Whip-poor-will:       |                            |                       |                               |  |
| 4,15                  | Nantucket,Plymouth         | 3-4,1                 | S.Perkins,M.B.O.Staff         |  |
| 20,27                 | Plymouth,Braintree         | 1,1                   | SSBC(J.Kenneally),J.Clancy    |  |
| Common Nighthawk:     |                            |                       |                               |  |
| 4&5,8                 | S.Peabody;Wayland,Weston   | 220+,100,60           | R.Heil;J.Hines                |  |
| Chimney Swift:        |                            |                       |                               |  |
| 6,8,16,30             | P.I.;Framingham            | 60;295,727,314        | BBC(W.Drummond);E.Taylor      |  |

|                            |   |                    |                                  |  |
|----------------------------|---|--------------------|----------------------------------|--|
| Ruby-throated Hummingbird: |   |                    |                                  |  |
| thr.                       | 12 localities                                   | 17 individuals     | v.o.                             |  |
| Common Flicker:            |   |                    |                                  |  |
| 17,28                      | Nantucket,Cuttlyhunk Is.                        | 40+,250+           | R.Stymeist,W.Petersen            |  |
| Pileated Woodpecker:       |   |                    |                                  |  |
| thr.                       | Lancaster                                       | 1-2                | H.Merriman                       |  |
| Yellow-bellied Sapsucker:  |   |                    |                                  |  |
| 6                          | P.I.  | 1                  | BBC(W.Drummond)                  |  |
| 28                         | P.I.,Cuttlyhunk Is.                             | 3,5                | R.Emery,W.Petersen               |  |
| Eastern Kingbird:          |   |                    |                                  |  |
| 6,17                       | P.I.,Nantucket                                  | 85,12              | BBC(W.Drummond),R.Stymeist#      |  |
| 20                         | Salisbury,Plymouth                              | 1,1                | R.Forster,SSBC(J.Kenneally)      |  |
| Western Kingbird:          |   |                    |                                  |  |
| 6,12                       | Tuckernuck Is.,N.Truro                          | 1,1                | R.Veit,C.Goodrich                |  |
| 14                         | Barnstable                                      | 1                  | R.Pease                          |  |
| Great Crested Flycatcher:  |   |                    |                                  |  |
| 20,23                      | Plymouth,P.I.                                   | 1,1                | SSBC(J.Kenneally),M.McClellan    |  |
| Eastern Phoebe:            |   |                    |                                  |  |
| 28                         | Cuttlyhunk Is.                                  | 60+                | W.Petersen#                      |  |
| 29                         | Squantum,Weston                                 | 13,80              | D.Brown,J.Hines                  |  |
| Yellow-bellied Flycatcher: |   |                    |                                  |  |
| thr.,9                     | Manomet,Monomoy                                 | 3 b.,1             | M.B.O.Staff,W.Bailey#            |  |
| Least Flycatcher:          |   |                    |                                  |  |
| thr.,11                    | Manomet,Monomoy                                 | 1 b.,1             | M.B.O.Staff,W.Bailey#            |  |
| Eastern Wood Pewee:        |   |                    |                                  |  |
| 27,28                      | Manchester,Mattapoisett                         | 1,1                | BBC(G.Hotz),G.Mock               |  |
| Olive-sided Flycatcher:    |   |                    |                                  |  |
| 5,7                        | Chatham,Monomoy                                 | 1,1                | M.Argue#,W.Bailey#               |  |
| 14                         | Marblehead(MNWS)                                | 1                  | C.Leahy                          |  |
| Tree Swallow:              |   |                    |                                  |  |
| 6,7,13                     | P.I.  | 1500;10,000;15,000 | W.Drummond#,M&A Argue,W.Petersen |  |
| 20,28                      | P.I.  | 800,8              | H.Weissberg,R.Emery#             |  |
| 12,15                      | Sandwich,Plymouth                               | 15,000+;3000       | R.Pease,M.B.O.Staff              |  |
| Bank Swallow:              |   |                    |                                  |  |
| 1,20                       | Concord(GMNWR),Duxbury                          | 3+,1               | H.Merriman,W.Petersen#           |  |
| Barn Swallow:              |   |                    |                                  |  |
| 20                         | Duxbury,Plymouth                                | 5,5                | W.Petersen#,J.Kenneally#         |  |
| 20                         | Marshfield                                      | 2                  | W.Harrington                     |  |
| 26,28                      | P.I.  | 10,1               | BBC(H.Weissberg,P.Parsons)       |  |
| Cliff Swallow:             |   |                    |                                  |  |
| 13,14                      | P.I.,Salisbury                                  | 1,1                | W.Petersen#,R.Forster            |  |
| Purple Martin:             |   |                    |                                  |  |
| 6&20                       | P.I.  | 8&1                | BBC(W.Drummond,H.Weissberg)      |  |
| 7,20,22                    | Ipswich,Plymouth,Canton(F.M.)                   | 7,2,3              | J.Berry#,J.Kenneally#,D.Brown    |  |
| Blue Jay:                  |   |                    |                                  |  |
| 28                         | Cuttlyhunk Is.,Chatham                          | 125,78             | W.Petersen#,R.Stymeist#          |  |
| 28                         | Weston,P.I.<br>(all migrating birds)            | 25,24              | L.Robinson,BBC(P.Parsons)        |  |
| Common Raven:              | (carefully observed 15-20 minutes, voice heard) |                    |                                  |  |
| 29                         | S.Wellfleet(WBWS)                               | 1                  | W.Bailey                         |  |
| Fish Crow:                 |   |                    |                                  |  |
| 7,17                       | Pembroke,Abington                               | 2,1                | W.Petersen,E.Pearson             |  |
| Red-breasted Nuthatch:     |   |                    |                                  |  |
| thr.                       | 24 localities                                   | 147 individuals    | v.o.                             |  |
| Brown Creeper:             |   |                    |                                  |  |
| 28,29                      | P.I.,Weston                                     | 2,1                | BBC(P.Parsons),J.Hines           |  |
| House Wren:                |   |                    |                                  |  |
| 20                         | Milton,Scituate                                 | 7,7                | R.Stymeist#,M&B Litchfield#      |  |
| 20                         | Marshfield,Lancaster                            | 3,1                | W.Harrington,H.Merriman          |  |
| 20                         | Quincy,Hingham                                  | 5,3                | S.Higginbotham,N.Osborne         |  |
| Winter Wren:               |   |                    |                                  |  |
| 20,28,29                   | Duxbury,Manomet,Wayland                         | 1,1 b.,2           | W.Petersen#,M.B.O.Staff,J.Hines  |  |
| Bewick's Wren:             | (details submitted)                             |                    |                                  |  |
| 27                         | Cuttlyhunk Is.                                  | 1                  | W.Petersen,B.Sorrie              |  |
| Carolina Wren:             |   |                    |                                  |  |
| 1                          | Mattapoisett                                    | 1                  | G.Mock                           |  |
| 20                         | Marshfield,Plymouth                             | 2,2                | W.Harrington#,J.Kenneally#       |  |
| Long-billed Marsh Wren:    |   |                    |                                  |  |
| 28                         | Orleans,P.I.                                    | 1,1                | R.Veit#,BBC(P.Parsons)           |  |

|                                 |  |                     |  |
|---------------------------------|--|---------------------|--|
| <u>Short-billed Marsh Wren:</u> |  |                     |  |
| 6,27                            | Newburyport,P.I.                           | 1,1                 | E.Pyburn,S.Garrett#,v.o.                               |
| Gray Catbird:                   |  |                     |  |
| 6,17                            | P.I.,Nantucket                             | 200,100+            | BBC(W.Drummond),R.Stymeist#                            |
| Brown Thrasher:                 |  |                     |  |
| 6,28                            | P.I.                                       | 40,6                | BBC(W.Drummond,P.Parsons)                              |
| American Robin:                 |  |                     |  |
| 22                              | Canton(F.M.)                               | 1000                | D.Brown  |
| Wood Thrush:                    |  |                     |  |
| 22,27                           | Ipswich,Manchester                         | 1,1                 | J.Berry,BBC(G.Hotz)                                    |
| Hermit Thrush:                  |  |                     |  |
| 26-30,30                        | Westwood,Weston                            | 2,1                 | J.Clancy,J.Hines                                       |
| Swainson's Thrush:              |  |                     |  |
| 20;29                           | Scituate,Duxbury;Weston                    | 8,8;1               | M.Litchfield,W.Petersen;J.Hines                        |
| Gray-cheeked Thrush:            |  |                     |  |
| 7,13,20                         | P.I.                                       | 1,1,1               | M&A Argue,BBC(E.Pyburn,H.Weissberg)                    |
| 13,16,17                        | Assonet,Sandwich,Weston                    | 1,1,1               | N.Hill,R.Pease,L.Robinson                              |
| 20,29                           | Boston(Long Is.),Manomet                   | 1,1 b.              | S.Higginbotham,M.B.O.Staff                             |
| Veery:                          |  |                     |  |
| 21,28                           | Nantucket,P.I.                             | 1,1                 | BBC(L.Jodrey,P.Parsons)                                |
| Eastern Bluebird:               |  |                     |  |
| 20                              | Milton,Plymouth                            | 2,5                 | S.Higginbotham#,J.Kenneally#                           |
| 20                              | Harvard                                    | 8                   | P.Kinney   |
| <u>Wheatear:</u>                |  |                     |  |
| 20-22                           | Nantucket<br>(excellent photo. by G.Soucy) | 1                   | J.Murphy,S.Garrett,E.Pyburn & 23<br>members of the BBC |
| 27                              | Block Is.(Rhode Island)                    | 1(same bird)        | SSBC(J.Kenneally)                                      |
| Blue-gray Gnatcatcher:          |  |                     |  |
| 1,4                             | Ipswich,Chatham                            | 1,1                 | J.Berry,R.Emery#                                       |
| 15,20                           | Marshfield,Plymouth                        | 1,2                 | B.Cassie,J.Kenneally#                                  |
| Golden-crowned Kinglet:         |  |                     |  |
| 20,28,29                        | Plymouth,Manomet,Weston                    | 1,1 b.,5            | J.Kenneally#,M.B.O.Staff,J.Hines                       |
| Ruby-crowned Kinglet:           |  |                     |  |
| 4,6                             | Chatham,Abington                           | 1,1                 | R.Emery,E.Pearson                                      |
| 8,28                            | Weston,Cuttyhunk Is.                       | 1,70                | J.Hines,W.Petersen#                                    |
| Water Pipit:                    |  |                     |  |
| 6-28,14                         | P.I.,Westport                              | 2-50(max.Sept.28),1 | R.Heil# & v.o.,R.O'Hara                                |
| 16,20                           | Squantum,Scituate                          | 20,1                | R.Veit,SSBC(M&B Litchfield)                            |
| 27 on,27                        | Lancaster,Plymouth                         | 40-50,4             | H.Merriman,H&D Carmichael                              |
| Cedar Waxwing:                  |  |                     |  |
| 5,13                            | Canton(F.M.),Acton                         | 225,99              | D.Brown,D.Verger                                       |
| 17,19                           | Nantucket,Boston(Long Is.)                 | 150+,46             | R.Stymeist#,R.Emery#                                   |
| Loggerhead Shrike:              |  |                     |  |
| 3-14,5-7                        | P.I.,Eastham                               | 1,1                 | v.o.,C.Goodrich#                                       |
| 10-13,16-17                     | Monomoy,Nantucket                          | 1,1                 | J.Harris#,P.Fox#                                       |
| 20&21,20                        | Duxbury,Salisbury                          | 1&1,1               | W.Petersen & R.Veit,R.Forster                          |
| White-eyed Vireo:               |  |                     |  |
| 6&13,5                          | P.I.,Chatham                               | 1,1                 | BBC(W.Drummond),M&A Argue                              |
| 20                              | Marshfield,Plymouth                        | 3,9                 | SSBC(W.Harrington#)                                    |
| Yellow-throated Vireo:          |  |                     |  |
| 5,10                            | Chatham,Orleans                            | 2,2                 | R.Emery,B.Nikula                                       |
| 15,28                           | Sandwich,Abington                          | 1,1                 | R.Pease,E.Pearson                                      |
| Solitary Vireo:                 |  |                     |  |
| 5-21                            | 7 localities                               | singles             | v.o.   |
| Red-eyed Vireo:                 |  |                     |  |
| 1,13                            | Marblehead,P.I.                            | 6,6                 | M&A Argue,BBC(E.Pyburn)                                |
| 7,20                            | Weston,P.I.                                | 4,13                | L.Robinson,R.Forster                                   |
| Philadelphia Vireo:             |  |                     |  |
| 2-21                            | 16 localities                              | 26 individuals      | v.o.   |
| Warbling Vireo:                 |  |                     |  |
| 1,5,14                          | Sandwich,Chatham,Salisbury                 | 1,1,1               | R.Pease,C.Goodrich,R.Forster                           |
| Black-and-white Warbler:        |  |                     |  |
| 14,18,23                        | Cambridge,P.I.,S.Peabody                   | 10,7,10             | BBC(E.Cushman),R.Stymeist,R.Heil                       |
| Prothonotary Warbler:           |  |                     |  |
| 10,30                           | Morris Is., Chatham                        | 1,1                 | P.Trull,V.Laux   |
| Worm-eating Warbler:            |  |                     |  |
| 10,15                           | Chatham                                    | 1,1                 | P.Trull,V.Laux   |
| "Brewster's" Warbler:           |  |                     |  |
| 14                              | Manomet                                    | 1 b.                | M.B.O.Staff  |

|                               |                             |                   |                                    |
|-------------------------------|-----------------------------|-------------------|------------------------------------|
| Tennessee Warbler:            |                             |                   |                                    |
| 6,13                          | P.I., Weston                | 6,9               | BBC(W.Drummond), L.Robinson        |
| Orange-crowned Warbler:       |                             |                   |                                    |
| 22,27,29                      | Canton, Manchester, Manomet | 1,1,1 b.          | D.Brown, BBC(G.Hotz), M.B.O.Staff  |
| Nashville Warbler:            |                             |                   |                                    |
| 3-5,13                        | Chatham, Weston             | 2,3               | R.Emery, L.Robinson                |
| 14,21                         | N.Sciuate, Chatham          | 2,2               | SSBC(M&B Litchfield), BBC(Baines)  |
| Northern Parula:              |                             |                   |                                    |
| 5-21                          | 9 localities                | 16 individuals    | v.o.                               |
| Yellow Warbler:               |                             |                   |                                    |
| 20                            | Salisbury, Nantucket        | 6,2               | R.Forster, L.Jodrey#               |
| Magnolia Warbler:             |                             |                   |                                    |
| 20                            | Quincy, P.I.                | 3,2               | S.Higginbotham, R.Forster          |
| Cape May Warbler:             |                             |                   |                                    |
| thr., 1                       | Manomet, Annisquam          | 11 b., 20         | M.B.O.Staff, H.Wiggin              |
| 6,16&17                       | P.I., Nantucket             | 12,25             | BBC(W.Drummond, R.Stymeist)        |
| 20,28                         | Duxbury, Cuttyhunk Is.      | 20,40             | SSBC; W.Petersen, B.Sorrie         |
| Black-throated Blue Warbler:  |                             |                   |                                    |
| 30                            | Chatham                     | 15                | B.Laux                             |
| Yellow-rumped Warbler:        |                             |                   |                                    |
| 4,6                           | Chatham, P.I.               | 12,25             | C&T Banes, BBC(W.Drummond)         |
| 16&17, 20, 27                 | Nantucket, P.I., Manchester | 30,50,72          | R.Stymeist, J.Berry, BBC(G.Hotz)   |
| Black-throated Green Warbler: |                             |                   |                                    |
| 23                            | Lincoln, S.Peabody          | 25,20             | R.Forster, R.Heil                  |
| Blackburnian Warbler:         |                             |                   |                                    |
| 5-21                          | 5 localities                | singles           | v.o.                               |
| Chestnut-sided Warbler:       |                             |                   |                                    |
| 28                            | Cuttyhunk Is.               | 1                 | W.Petersen                         |
| Bay-breasted Warbler:         |                             |                   |                                    |
| thr., 20,23                   | Manomet, Duxbury, Lincoln   | 27 b., 135,35     | M.B.O.Staff, W.Petersen, R.Forster |
| Blackpoll Warbler:            |                             |                   |                                    |
| 23                            | Lincoln, S.Peabody          | 200,90            | R.Forster, R.Heil                  |
| Pine Warbler:                 |                             |                   |                                    |
| 20,21                         | Plymouth, Concord           | 10,6              | SSBC(J.Kenneally), BBC(R.Clayton)  |
| 21-28,27                      | Westwood, Manchester        | 6,4               | J.Clancy, BBC(G.Hotz)              |
| Prairie Warbler:              |                             |                   |                                    |
| 20,28                         | Plymouth, Chatham           | 4,2               | SSBC(J.Kenneally), R.Veit#         |
| Palm Warbler:                 |                             |                   |                                    |
| 16-17                         | Nantucket                   | 15                | R.Stymeist, R.Emery#               |
| Ovenbird:                     |                             |                   |                                    |
| 6;20                          | P.I.; Duxbury               | 6;2,2             | BBC(W.Drummond); J.Berry, R.Veit   |
| Northern Waterthrush:         |                             |                   |                                    |
| thr., 1                       | 10 localities, Annisquam    | 22 individuals, 5 | v.o., H.Wiggin                     |
| 4,30                          | Chatham, Plymouth Beach     | 5,1               | H.Rich, H&D Carmichael             |
| Kentucky Warbler:             |                             |                   |                                    |
| 9,10                          | Monomoy, Manomet            | 1,1 b.            | A.Palmer#, M.B.O.Staff             |
| Connecticut Warbler:          |                             |                   |                                    |
| 11-30                         | 6 localities                | singles           | v.o.                               |
| Mourning Warbler:             |                             |                   |                                    |
| 1-15                          | 5 localities                | singles           | v.o.                               |
| 18,20                         | Boston (Long Is.), Duxbury  | 1,1               | R.Veit, W.Petersen                 |
| Yellow-breasted Chat:         |                             |                   |                                    |
| thr.                          | Orleans-Chatham             | 10-12 reports     | v.o.                               |
| 9-29                          | 6 localities                | singles           | v.o.                               |
| Hooded Warbler:               |                             |                   |                                    |
| 10                            | Chatham                     | 1 m.              | B.Nikula                           |
| Wilson's Warbler:             |                             |                   |                                    |
| 11-30                         | 6 localities                | singles           | v.o.                               |
| American Redstart:            |                             |                   |                                    |
| 20                            | Quincy, Plymouth            | 10,18             | SSBC                               |
| Bobolink:                     |                             |                   |                                    |
| 4                             | Nantucket, Truro            | 600/hr., 200      | S.Perkins, R.Emery#                |
| 13,14                         | Concord, Ipswich            | 200,60+           | H.Merriman, J.Berry                |
| Yellow-headed Blackbird:      |                             |                   |                                    |
| 5,8&9                         | Orleans, Monomoy            | 2,1 m.            | V.Laux#, W.Bailey#                 |
| 20,28                         | Plymouth, Orleans           | 1,1 f.            | B.Harrington, R.Veit & R.Stymeist  |
| Red-winged Blackbird:         |                             |                   |                                    |
| 14-30                         | Ipswich                     | 500-1500          | J.Berry                            |

|                           |                               |                |   |
|---------------------------|-------------------------------|----------------|---|
| Northern Oriole:          |                               |                |   |
| 4,16&17                   | Monomoy,Nantucket             | 60,7           | J.Harris,R.Stymeist                         |
| Rusty Blackbird:          |                               |                |   |
| 27,28,30                  | Lancaster,Orleans,Wayland     | 10+,4,15       | H.Merriman,R.Veit,J.Hines                   |
| Common Grackle:           |                               |                |   |
| 20                        | Marshfield,Duxbury            | 6542,5000+     | SSBC(W.Harrington),W.Petersen               |
| Brown-headed Cowbird:     |                               |                |   |
| 15                        | Marshfield                    | 350+           | B.Cassie                                    |
| Scarlet Tanager:          |                               |                |   |
| 6,20                      | P.I.                          | 8,7            | BBC(W.Drummond),R.Forster                   |
| 28                        | Cuttyhunk Is.                 | 5              | W.Petersen                                  |
| Summer Tanager:           |                               |                |   |
| 10                        | Orleans                       | 1              | C.Goodrich                                  |
| Rose-breasted Grosbeak:   |                               |                |   |
| 28,30                     | Cuttyhunk Is.,Weston          | 16,3           | W.Petersen#,L.Robinson                      |
| Blue Grosbeak:            |                               |                |   |
| 20                        | S.Dartmouth                   | 1              | Hartford Audubon Society                    |
| 24                        | Nantucket                     | 1              | L.Jodrey & G.Soucy                          |
| 26-30                     | Truro                         | 3              | R.Forster,R.Veit,R.Stymeist,B.Nikula & v.o. |
| Indigo Bunting:           |                               |                |   |
| 20,30                     | Hingham & Marshfield,Truro    | 2&2,15         | SSBC(W.Harrington),B.Nikula#                |
| Dickcissel:               |                               |                |   |
| 1,2                       | Monomoy,Westport              | 1,1            | C.Goodrich,D.Brown                          |
| 17,26                     | Nantucket,Truro               | 1,1            | R.Stymeist,C.Goodrich                       |
| Evening Grosbeak:         |                               |                |   |
| 13,27                     | Acton,Nantucket               | 35,7           | D.Verger,J.Perkins                          |
| 29                        | Winchester,Framingham         | 3,8            | M.McClellan,M.Duffy                         |
| Purple Finch:             |                               |                |   |
| 15,20;6-20                | Marshfield,Plymouth;Ipswich   | 30+,35;25+     | SSBC(W.Harrington);J.Berry                  |
| Pine Siskin:              |                               |                |   |
| 5                         | Orleans-Pochet                | 1              | C.Goodrich                                  |
| American Goldfinch:       |                               |                |   |
| 20,27                     | Hingham & Plymouth,Manchester | 24&54,38       | SSBC(W.Harrington),BBC(G.Hotz)              |
| Red Crossbill:            |                               |                |   |
| 5                         | Orleans-Pochet                | 2              | V.Laux                                      |
| Rufous-sided Towhee:      |                               |                |   |
| 27&28                     | Cuttyhunk Is.                 | 200+           | W.Petersen & B.Sorrie                       |
| Savannah Sparrow:         |                               |                |   |
| 16-17,20,27               | Nantucket,P.I.,So.Peabody     | 100,65,120     | R.Stymeist,R.Forster,R.Heil                 |
| Grasshopper Sparrow:      |                               |                |   |
| 20-21                     | Nantucket                     | 1              | BBC(L.Jodrey)                               |
| Sharp-tailed Sparrow:     |                               |                |   |
| 7,10                      | Scituate,Squantum             | 20,40          | M&B Litchfield,R.Veit                       |
| Seaside Sparrow:          |                               |                |   |
| 6,20                      | Duxbury,P.I.                  | 1,3            | SSBC(W.Petersen),J.Berry                    |
| 30                        | Concord,Manomet               | 1,1 b.         | M&A Argue,M.B.O.Staff                       |
| Vesper Sparrow:           |                               |                |   |
| 2-28                      | 6 localities                  | 15 individuals | v.o.  |
| Lark Sparrow:             |                               |                |   |
| 1,4                       | Annisquam,Chatham             | 1,1            | H.Wiggin,H.Rich                             |
| 16                        | Framingham,Nantucket          | 1,1            | K.Hamilton,L.Jodrey#                        |
| 21,28                     | S.Wellfleet,P.I.              | 1-2,1          | R.Veit & V.Laux,G.Soucy                     |
| 29                        | Orleans                       | 1              | B.Nikula,C.Goodrich                         |
| Dark-eyed Junco:          |                               |                |   |
| 23,28                     | So.Peabody,Cuttyhunk Is.      | 50,75+         | R.Heil,W.Petersen                           |
| (Oregon) Dark-eyed Junco: |                               |                |   |
| 18                        | Boston(Long Island)           | 1 adult        | R.Veit                                      |
| Chipping Sparrow:         |                               |                |   |
| 21,28                     | Pembroke,Cuttyhunk Is.        | 50,40          | R.Veit,W.Petersen                           |
| Clay-colored Sparrow:     |                               |                |   |
| 20-27,28                  | Truro,P.I.                    | 1,1            | V.Laus & W.Bailey,R.Emery#                  |
| Field Sparrow:            |                               |                |   |
| 14,23                     | Marshfield,So.Peabody         | 5,6            | SSBC(M&B Litchfield),R.Heil                 |
| White-crowned Sparrow:    |                               |                |   |
| 27,28                     | P.I.,Cuttyhunk Is.            | 2,4            | E.Morrier,W.Petersen                        |
| White-throated Sparrow:   |                               |                |   |
| 20                        | Duxbury,Scituate              | 175+,156       | SSBC(W.Petersen),S.Higginbotham             |
| 27                        | So.Peabody                    | 100            | R.Heil                                      |
|                           |                               | 205            |   |

|                          |                |                |                      |
|--------------------------|----------------|----------------|----------------------|
| Lincoln's Sparrow:       |                |                |                      |
| 5-29                     | 13 localities  | 23 individuals | v.o.                 |
| Song Sparrow:            |                |                |                      |
| 20                       | Quincy         | 84             | SSBC(S.Higginbotham) |
| <u>Lapland Longspur:</u> |                |                |                      |
| 10&12                    | Concord(GMNWR) | 1              | J.Baird & P.Miliotis |

---

Addenda for August 1975

|                                 |           |     |                        |
|---------------------------------|-----------|-----|------------------------|
| Baird's Sandpiper:              |           |     |                        |
| 28                              | Nantucket | 2   | K. Harte               |
| Buff-breasted Sandpiper:        |           |     |                        |
| 31                              | Nantucket | 18  | K. Harte               |
| Bay-breasted Warbler:           |           |     |                        |
| 20                              | Chatham   | 100 | B. Nikula, C. Goodrich |
| Cape May Warbler:               |           |     |                        |
| 19                              | MBO       | 40b | Staff                  |
| Yellow-breasted Chat:           |           |     |                        |
| 29                              | Nantucket | 1   | K. Harte               |
| Mourning Warbler:               |           |     |                        |
| 29                              | Nantucket | 1   | K. Harte               |
| <u>Yellow-headed Blackbird:</u> |           |     |                        |
| 29                              | Nantucket | 1   | K. Harte               |
| Seaside Sparrow:                |           |     |                        |
| 27                              | Nantucket | 2   | K. Harte               |

Corrigenda for July 1975

Saw-whet Owl:  
 26 Scituate 1 B. Litchfield  
 (Mrs. Litchfield did not see a Saw-whet Owl on this date. She has, however, a Saw-whet Owl that she found in July 1974 which she is keeping for educational purposes under her salvage permit. The young owl was found with a damaged wing and eye.)

Yellow-bellied Flycatcher:  
 4; 23, 28, 31 Annisquam; Manomet 1 singing; 1,1,1 H. Wiggin; MBO Staff

should read

4 Annisquam 1 singing H. Wiggin.

Royal Tern:  
 thr., 1-18 Nauset, Plymouth 2, 1 v.o., D&H Carmichael & v.o.

should read

thr.; 1-29 Nauset; Plymouth 2, 1-4 v.o.; D&H Carmichael, MBO Staff & v. o.

Corrigenda for August 1975

Yellow-breasted Chat:  
 24, 26 Orleans, Manomet 1, 5b W. Petersen#, MBO Staff

should read

24, 26 on Orleans, Manomet 1, 5b W. Petersen#, MBO Staff