

THE MIGRANT

A QUARTERLY JOURNAL
DEVOTED TO TENNESSEE BIRDS

Published by
THE TENNESSEE
ORNITHOLOGICAL
SOCIETY



James
'36

JUNE, 1991
VOL. 62, NO. 2

THE MIGRANT

A QUARTERLY JOURNAL OF ORNITHOLOGY

FIRST ISSUE PUBLISHED IN JUNE 1930

PUBLISHED BY
THE TENNESSEE ORNITHOLOGICAL SOCIETY

Founded at Nashville, Tennessee on 7 October 1915
The T.O.S. is a non-profit, educational, scientific,
and conservation organization.

EDITORIAL STAFF

Editor — T. David Pitts, Biology Dept. UTM, Martin, TN 38238
State Count Compiler — Susan McWhirter, 4962 Gwynne, Memphis, TN
38117
Season Editor — Robert P. Ford, Tennessee Dept. of Conservation,
460 Ozier Road, Pinson, TN 38366

OFFICERS FOR 1989-1991

President — Barbara Finney, P.O. Box 11667, Knoxville, TN 37919
Vice Presidents:
East Tenn. — J.B. Owen, 2324 Antietam Road, Knoxville, TN 37917
Middle Tenn. — Portia MacMillan, 3201 Overlook Drive, Nashville,
TN 37212
West Tenn. — Virginia Reynolds, 4241 Waymar Dr., Memphis, TN 38117
Directors-at-Large:
East Tenn. — Dee Eiklor, Rt. 11, Box 178, Gray, TN 37615
Middle Tenn. — David Snyder, Biology Department, Austin Peay
State University, Clarksville, TN 37044
West Tenn. — John R. Conder, P.O. Box 443, Camden, TN 38320
Curator — James T. Tanner, 417 Switzerland Dr., Knoxville, TN 37920
Secretary — Nancy Tanner, 417 Switzerland Dr., Knoxville, TN 37920
Treasurer — George R. Payne, 5834 Edgewater Cove #2, Memphis,
TN 38134

All TOS members receive *The Migrant* and the TOS newsletter, *The Tennessee Warbler*. The newsletter carries information about meetings, forays, and club activities.

Annual dues are \$10.00 for an Active membership. Other categories of membership are: Student - \$5.00; Family - \$12.00; Library - \$15.00; Sustaining - \$20.00; Life - \$200.00. Chapters may collect additional fees to cover local expenses. Dues, contributions, and bequests are deductible from Federal income and estate taxes. Back issues of *The Migrant* may be purchased from the Curator. Please correspond with the Treasurer for subscriptions, memberships, and changes of address.

Published quarterly (March, June, September, and December).
Printed by Tennessee Industrial Printing Services, Inc., 51 Miller Ave., Jackson, TN 38305.

THE MIGRANT

Published by the Tennessee Ornithological Society,
to Record and Encourage the Study of Birds in Tennessee.
Issued in March, June, September, and December.

VOL. 62

JUNE 1991

NO. 2

The Migrant, 62(2):29-31, 1991.

HURRICANE HUGO BRINGS OCEANIC BIRDS TO WATAUGA LAKE, TENNESSEE

H.P. LANGRIDGE¹ AND BRIAN CROSS²
¹11421 W. Ocean Ave., Lantana, FL 33462
²21110 Edgewood St., Johnson City, TN 37604

At 1000 on 22 September 1989, the remnants of Hurricane Hugo with 66 km/hr winds and 5-8 cm of rain passed over Watauga Lake and dropped several unusual birds to this deep water lake in East Tennessee. Yet, on this day only 35 km west at Boone Lake, Rick Knight found no unusual species.

At 1120 under cloudy and windy conditions and a light rain, Brian Cross was observing a flock of 22 Forster's Terns (*Sterna forsteri*) (from an overlook 0.8 km west of the Watauga Point Recreational Area in Carter Co., Tennessee) when a light-phased jaeger and a dark-phased jaeger, both showing white in the primaries, flew into the flock, harassed the terns for about 30 seconds, and then lit on the water. From a distance of 0.5 km, using a spotting scope with a 20-45X zoom lens, Brian saw on the light-phase bird a black cap, white throat and flanks, a distinct dark breast band, dark brown upperparts, and very long dark brown wings folded with tips and tail together giving the bird a very pointed appearance to its posterior. The dark-phase bird appeared uniformly dark brown but shared the same distinctive jaeger profile as the first bird and seemed to be the same size. The birds were observed and sketched for over 20 minutes when they were flushed by a windsurfer. They flew in a wide circle that brought them to within 150 m of the overlook. Silhouetted against the sky, both birds showed broad twisted tail streamers which were easily discernible with 7 x 35 binoculars, signifying adult Pomarine Jaegers (*Stercorarius pomarinus*). This is the second record for the state and the first for East Tennessee. The first state record was 28 June - 4 September 1987 in Henry County (Waldron 1987, Waldron 1988).

Scanning the water with the scope for other birds, Brian observed for approximately one minute a tiny, dark bird fluttering across the water at a distance of more than 1 km. The bird appeared swallow-like but had longer, narrower wings and a narrow white band extending around the rump. Because of the strong winds and the distance, the flight style, size and the tail shape were difficult to judge; consequently, the genus and species of this bird could not be determined, and it can only safely be identified as a storm-petrel (sp.). This sighting is

only the third record of a storm-petrel in Tennessee. The first two records were after the passage of Hurricane Eloise and consisted of one unidentified storm-petrel found on 24 September 1975 near Collegedale, east of Chattanooga (Jacobson 1976), and three dead Band-rumped Storm-Petrels (*Oceanodroma castro*) found in the Great Smoky Mountains National Park on 24-26 September 1975 (Eller 1976).

A thorough search of the lake from other likely vantage points east to Roan's Creek revealed no other birds on the lake. Returning to Watauga Point at 1250, Brian found and studied for 15 minutes from a distance of 0.7 km the two Pomarine Jaegers and, in addition, a flock of five light-phased jaegers of roughly equal size. One was in typical adult plumage with a distinct dark breast band. Three of the jaegers were similar with only subtle variations in color and extent of barring; each had a dark head, dark throat, and dark upperparts with white on the flanks and breast. A row of dark bars showed below the wing on the upper flank area and joined with bars on the upper breast and undertail coverts. The remaining jaeger had a pale straw colored head, breast, and flanks that showed indistinct bars, a dark brown back, tail, and wings, and a very heavy dark bill. This plumage was similar to the light-phase South Polar Skua (*Catharacta maccormicki*), but the bird was not a skua because of its flight, shape, and the amount of white in the wing.

After alerting local birders, Brian joined H. P. Langridge, Martha Dillenbeck, and Frank Ward. At 1520 we could not find any unusual species near Watauga Point. However, at 1730 about 8 km directly east in the Roan Creek arm we found an adult Parasitic Jaeger (*Stercorarius parasiticus*), and adult black-backed gull (*Larus* sp.), two adult Herring Gulls (*Larus argentatus*), six Laughing Gulls (*Larus atricilla*), two Royal Terns (*Sterna maxima*), and about 50 Forster's/Common type terns before rain drove us out at 1830. Langridge had wintered on the lower east coast of Florida for 32 years and was familiar with all of these common coastal or continental shelf species.

An adult light-phase Parasitic Jaeger flew in and dropped on the water 70 m from us. It had a black cap, white belly, white throat, white on the front of the neck, white breast, some white in the primaries and a typical jaeger profile. Through a 30X spotting scope and two zoom (15-60X and 20-45X) spotting scopes, we could clearly differentiate between the primaries and the pointed feathers of the tail. This is the third record of this species for the state and the first for East Tennessee. The first state record was on 16 September - 27 October 1978 in Franklin County (Stedman and Robinson 1987) and the second was on 6 - 22 October 1985 in Henry County (Stedman and Robinson 1986).

The adult black-backed gull (sp.) rested on the water well over 0.5 km away. The yellow bill, white head, white neck, white breast, and the black back could be seen. The two adult Herring Gulls in the vicinity were not close enough for us to make size comparisons and determine whether we were observing a Great Black-backed Gull (*Larus marinus*) or a Lesser Black-backed Gull (*Larus fuscus*).

A flock of six Laughing Gulls flew in and circled close to the water about 0.8 km from us. Through the scopes the dark gray mantle and white tails of the adults and the white and black tail pattern on the immatures could be seen. This is only the third sighting for northeast Tennessee (R. Knight, pers. comm.).

In company with a flock of more than 30 Forster's/Common type terns, the two larger Royal Terns each had a white head with black on the back of the head and a pale orange bill that was thinner than the bill of a Caspian Tern (*Sterna caspia*). No Caspian Terns were present for comparison but several members of our party were familiar with both species. The Royal Terns flew as close as 50 m to us several times and were within good viewing range of our 7 x 35, 7 x 50, and 10 x 40 binoculars. The birds gave their rolling "brrret" call about 10 times. This is the first record of this species in Tennessee.

The next day, 23 September 1989, was a cold, windy, and rainy day. Fred Alsop, Catherine Bireley, Brian Cross, Dee and John Eiklor, Sally Goodin, Rick Knight, H. P. Langridge, Dick Lura, Steve Satterfield, Cathi Sullins, Gary Wallace, and a boat party of four led by Daniel Jacobson observed for over six hours at Watauga Lake. We found at the Roan Creek arm one adult Parasitic Jaeger, one adult Pomarine Jaeger, one light-headed jaeger, one second-year Laughing Gull and over 50 Forster's/Common type terns.

During the morning of 24 September at the Roan Creek arm the light-headed jaeger was again observed. It was straw colored from the water line including the entire head, neck, and nape to the very dark mantle. There was no visible cap or chest band. When chasing Forster's Terns the jaeger appeared to have pointed central tail feathers extending beyond the tail about 4-5 cm, signifying an immature Parasitic Jaeger. When seen resting on the water beside a second year Herring Gull it appeared to be about the same length as the Herring Gull, suggesting a Pomarine Jaeger. Because both species were known to have been present and because not all observers agreed on the identity of this bird, it is perhaps best identified as jaeger sp.

The harvest from Hurricane Hugo for Tennessee birding was a rich and bountiful one. Several fortunate area birders were able to see: Royal Tern (first for Tennessee), Pomarine Jaeger (second for the state and first for East Tennessee), Parasitic Jaeger (third for the state and first for East Tennessee), storm-petrel (sp.) (third Tennessee record), Laughing Gull (third record for northeast Tennessee), and black-backed gull (sp.)

The authors thank Rick Knight for furnishing information on the hurricane and the status of the birds in Tennessee and Fred Alsop, Gary Wallace, and Rick for helping with the manuscript.

LITERATURE CITED

- Eller, G. D. 1976. The season: Eastern mountain region. *Migrant* 47:23-24.
Jacobson, D. R. 1976. The season: Eastern ridge and valley region. *Migrant* 47:20-23.
Stedman, S. J., and J. C. Robinson. 1986. First record of Parasitic Jaeger in Tennessee. *Migrant* 57:44-46.
Stedman, S. J., and J. C. Robinson. 1987. First record of Parasitic Jaeger in Tennessee: Addenda. *Migrant* 58:89-90.
Waldron, M. G. 1987. The season: Western coastal plain region. *Migrant* 58:136-138.
Waldron, M. G. 1988. The season: Western coastal plain region. *Migrant* 59:31-33.

1991 SPRING FIELD DAYS

SUSAN N. McWHIRTER

Eleven counts were held across the state for the 1991 Spring Field Days, resulting in a total of 198 species recorded. This is the lowest number of species since 1971 and well below the 20-year average of 211 total species recorded. All counts experienced cloudy weather, and many were hindered by rain. Notable species include the Swainson's and Connecticut Warblers.

INFORMATION ON THE COUNTS

MEMPHIS - 5 May; 0750-1800; cloudy to partly sunny; 37 observers. Martha Waldron (compiler - 1626 Yorkshire Dr., Memphis 38119).

HATCHIE - 4 May; partly cloudy to overcast, some light rain; wind S 5-7 mph; temp. 75-82F; 12 observers in 4 parties. Bob Browne, Carolyn Bullock, Gail Greene, Mark Greene (compiler - 194 Mt. Orange Rd., Trenton 38382), Marvin Nichols, Martha Lyle Reid, Virginia Reynolds, David Smith, Martha Waldron, Susan Winkler.

CLARKSVILLE - 4-5 May; mostly cloudy; temp. 65-75F; 8 observers. Joe D. Allen (compiler - 3002 Nicole Rd., Clarksville 37040), Michael Dinsmore, Annie Heilman, Bill Milliken, Gloria Milliken, James Watts, Claudell Wooten, Stanley York.

COLUMBIA - 3-4 May; cloudy with light rain; temp. 65-80F; 11 observers. Steven Brinkley, William Fuqua, William Jernigan, Sam Kuykendall, Allyn Lay, Anne Lochridge, Bedford Lochridge, Cleo Mayfield, George Mayfield (compiler - 999 Sunnyside Dr., Columbia 38401), Dianne Presnell, Charles Wolff.

MURFREESBORO - 4-5 May; heavy thundershowers for half of each day; temp. 68-74F; 6 observers including 3 at feeders; 15 party hours, 50 miles by car, 4 miles on foot; 4 party hours at feeders. Bertha Chrietzberg, James Chrietzberg, Anne Hettish, Richard Hunter, Wilma Hunter (compiler - Rt. 6, Box 58, Wilson Rd., Murfreesboro 37130), Ferrell Wilson.

LEBANON - 4-5 May; overcast with rain one afternoon; temp. 64-74F; 12 observers for 52 party hours, 89 miles by car, and 5 miles on foot. Kay Norris (compiler - 1609 Ponderosa Trail, Lebanon 37087).

HIGHLAND RIM - 5 May; 0200-1800; mostly cloudy and calm but periods of wind and rain; temp. 60-70F; 12 observers in 8 parties plus 3 at feeders; 24 party hours by car, 15 on foot, plus 8 hours at feeders and 3 hours owling; 320 miles by car, 15 on foot, plus 40 miles owling. Don Davidson (compiler - 1703 2nd Ave., Manchester 37355), Katherine Gilliam, Ruth Luckadoo, Agnes Marcrom, H.D. Marcrom, Corinne Martinez, Joe Martinez, Nicky Medley, Chloe Peebles, Howell Peebles, Erma Rogers, Harry Yeatman, Jean Yeatman, Grady York, Willa York.

CHATTANOOGA - 11 May; 0530-2130; mostly cloudy with trace of rain; wind S, 0-21 mph; temp. 67-79F; 10 observers. Ken Dubke (compiler - 8139 Roy Ln., Ooltewah 37363), Lil Dubke, Gertrude Fleming, Bill Haley, Linda Harris, Paul Harris, Bill Hayes, Dick Hughes, Jonnie Sue Lyons, Frank Strack.

KNOXVILLE - 5 May; overcast in a.m. and intermittent showers in afternoon; temp. 61-75F; 26 observers in 15 parties for 112.5 party hours, 475 miles by car, and 37.8 miles on foot. Mary Bartolini, Betty Reid Campbell, Jim Campbell, Howard Chitwood, Carol Coleman, Gene Coleman, Bob Collier, Erik Collier, Andrew Core, Marcia Davis, Dottie Ely, Louise Fuller, Paul Hartigan, Audrey Hoff, Ron Hoff (compiler - 4523 McCloud Rd., Knoxville 37938), Tony Koella, Beth Lacy, Bettie Mason, Jim Mason, Bill McNutt, Chuck Nicholson, Holly Overton, Paul Pardue, Truett Patterson, Boyd Sharp, Ralph Zaenglein.

GREENEVILLE - 11 May; 0600-2100; mostly cloudy; temp. 61-82F; 15 observers in 8 parties plus 1 at a feeder; 49.5 party hours including 31.5 by car, 15 on foot, and 3 by boat, plus 4.5 at a feeder; 301.5 party miles including 284.5 by car, 15 on foot, and 2 by boat. Denise Ashworth, Ben Britton, Phine Britton, Susan Ford, King Gant, Margaret Gant, Henrietta Holt, Jim Holt (compiler - 311 Colonial Cl., Greeneville 37743), Michael Nevius, Richard Nevius, Willie Ruth Nevius, Linda Northrop, Roy Northrop, Jo Anne Routledge, Larry Routledge, Royal Spees.

ELIZABETHTON - 5 May; 0430-2000; mostly cloudy with a brief shower in PM; wind light; temp. 50-77F; 68 party hours, plus 4.5 owling; 25 observers in 6 parties. James Brooks, Janet Brown, Brian Cross, Martha Dillenbeck, Rusty Dunn, Elizabeth Funkhouser, Dick Hegler, Dan Huffine, Rick Knight (compiler - 804 N. Hills Dr., Johnson City 37604), Richard Lura, Rad Mayfield, Perry McDormand, Tom McNeil, Jennifer Miller, Mark Selvia, John Shumate, Lorrie Shumate, Stan Strickland, Glenn Swofford, Julia Wade, Ben Wallace, Gary Wallace, Frank Ward, Jim Wayland, Shirley Wayland.

ANNOUNCEMENT

Wallace J. Coffey
will assume the editorship of
The Migrant

beginning with the March 1992 issue.

All new manuscripts should be addressed to Wallace at
100 Bellebrook Drive, Bristol, TN 37620.

1991 SPRING COUNT

Species	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chat	Knox	Greene	Eliz
Common Loon	1	*	*	*	*	*	17	4	*	*	1
Pied-billed Grebe	*	1	*	3	*	*	*	1	*	*	1
Horned Grebe	*	*	*	*	*	*	*	*	*	*	*
Double-crested Cormorant	*	*	*	8	*	*	5	25	6	*	*
American Bittern	*	*	*	*	*	*	*	1	*	*	*
Least Bittern	*	1	*	1	*	*	*	1	*	*	*
Great Blue Heron	16	9	*	6	8	4	25	20	35	5	*
Great Egret	2	*	*	1	*	*	*	2	*	*	*
Cattle Egret	4	12	*	*	*	*	*	*	*	*	*
Green-backed Heron	8	6	5	14	2	4	2	3	10	15	8
Black-crowned Night Heron	*	*	*	*	*	1	*	*	8	*	*
Yellow-crowned Night Heron	4	1	*	*	*	*	*	6	*	*	3
Canada Goose	*	8	6	75	14	21	28	15	118	42	55
Wood Duck	13	25	15	14	2	1	18	6	25	29	98
Mallard	110	3	*	14	6	12	12	5	20	10	66
Blue-winged Teal	2	1	*	10	*	*	5	*	*	1	1
Gadwall	*	*	*	*	*	*	*	*	*	*	1
Ringed-neck Duck	*	*	*	1	*	*	1	*	*	*	*
Hooded Merganser	*	9	*	*	*	*	*	*	*	*	*
Red-breasted Merganser	1	*	*	1	*	*	*	*	*	*	7
Ruddy Duck	4	*	*	*	*	*	*	*	*	*	*
Black Vulture	1	8	17	65	12	56	14	10	1	9	14
Turkey Vulture	*	1	23	3	4	17	14	30	43	36	34
Osprey	*	*	2	*	*	*	*	1	2	*	1
Mississippi Kite	16	1	*	*	*	*	*	*	*	*	*
Sharp-shinned Hawk	1	*	*	1	*	1	1	*	*	*	1
Cooper's Hawk	*	*	*	1	2	1	*	1	2	3	2
Accipiter sp.	*	*	*	*	*	*	*	*	1	*	*
Red-shouldered Hawk	*	5	3	1	*	2	*	2	2	*	*
Broad-winged Hawk	2	*	*	2	*	*	*	*	5	*	3
Red-tailed Hawk	2	1	5	5	2	11	4	2	6	4	6
American Kestrel	4	*	9	8	3	6	2	2	7	10	9
Ruffed Grouse	*	*	*	*	*	*	*	1	*	*	7

1991 SPRING COUNT

<i>Species</i>	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chat	Knox	Greene	Eliz
Wild Turkey	5	•	•	19	•	•	•	1	•	•	1
Northern Bobwhite	11	8	50	25	5	21	12	3	29	25	17
Virginia Rail	•	•	•	•	•	•	•	•	•	1	•
Sora	•	1	•	3	•	•	•	•	•	•	1
American Coot	•	•	•	5	•	1	1	1	2	1	1
Black-necked Stilt	15	•	•	•	•	•	•	•	•	•	•
Semipalmated Plover	14	•	•	3	•	•	•	•	•	•	•
Killdeer	52	7	26	36	6	14	19	6	45	36	38
Greater Yellowlegs	15	2	•	•	•	•	4	•	•	•	•
Lesser Yellowlegs	197	2	•	2	2	•	1	•	•	•	4
Solitary Sandpiper	11	3	•	8	1	3	3	4	2	4	32
Willet	6	•	•	1	•	•	•	•	•	•	•
Spotted Sandpiper	12	5	1	7	•	•	4	4	5	8	19
Upland Sandpiper	1	•	•	•	•	•	•	•	•	•	•
Semipalmated Sandpiper	11	•	•	2	•	•	•	8	•	•	•
Western Sandpiper	4	•	•	•	•	•	•	•	•	•	•
Least Sandpiper	1609	•	•	5	•	•	10	4	10	•	21
Pectoral Sandpiper	520	•	•	•	•	•	4	5	•	•	1
Stilt Sandpiper	17	•	•	•	•	•	•	•	•	•	•
Short-billed Dowitcher	27	•	•	1	•	•	•	•	•	•	•
Long-billed Dowitcher	18	•	•	•	•	•	•	•	•	•	•
Dowitcher sp.	•	4	•	•	•	•	•	•	•	•	•
Common Snipe	•	•	•	•	•	•	•	•	1	•	1
American Woodcock	•	•	•	1	•	•	•	•	•	1	•
Bonaparte's Gull	•	•	•	•	•	•	1	•	•	•	•
Ring-billed Gull	•	•	•	•	•	•	3	6	17	•	1
Herring Gull	•	•	•	•	•	•	•	1	•	•	•
Forster's Tern	5	4	•	1	•	•	•	4	1	•	•
Rock Dove	38	3	13	69	25	7	29	100	470	23	104
Mourning Dove	14	12	89	90	133	160	68	20	398	163	266
Black-billed Cuckoo	2	•	•	1	•	•	•	•	1	•	1
Yellow-billed Cuckoo	9	4	6	17	3	9	5	1	19	16	1
Barn Owl	•	•	•	1	1	•	•	•	•	1	2

1991

1991 SPRING FIELD DAYS

35

1991 SPRING COUNT

<i>Species</i>	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chat	Knox	Greene	Eliz
Eastern Screech-owl	*	*	*	4	*	*	2	1	11	1	12
Great-horned Owl	*	*	4	6	3	1	4	*	6	*	2
Barred Owl	7	2	8	7	*	*	7	1	4	*	2
Common Nighthawk	6	*	1	7	1	5	13	4	4	1	10
Chuck-will's-widow	*	1	1	23	*	2	7	2	20	1	8
Whip-poor-will	*	*	4	4	1	*	11	1	1	1	11
Chimney Swift	66	39	127	86	27	65	64	30	340	180	289
Ruby-throated Hummingbird	16	16	14	7	4	8	1	2	13	7	18
Belted Kingfisher	5	6	6	13	2	2	12	4	18	10	8
Red-headed Woodpecker	20	15	8	10	2	9	2	1	1	*	5
Red-bellied Woodpecker	54	17	33	35	4	17	9	10	73	22	28
Downy Woodpecker	13	8	13	23	2	4	1	13	30	14	14
Hairy Woodpecker	1	2	5	9	*	6	*	3	6	2	3
Northern Flicker	14	12	12	5	5	4	8	4	30	27	29
Pileated Woodpecker	12	4	9	18	*	2	3	4	26	15	19
Olive-sided Flycatcher	*	*	*	*	*	*	*	*	*	*	1
Eastern Wood-Pewee	51	17	23	11	*	16	5	4	11	10	1
Acadian Flycatcher	55	16	13	21	*	*	2	4	*	2	7
Willow Flycatcher	*	*	*	*	*	*	*	*	*	*	*
Least Flycatcher	*	*	*	*	*	*	*	*	*	*	7
Eastern Phoebe	1	1	25	20	5	17	6	6	33	19	32
Great Crested Flycatcher	33	13	24	24	5	6	5	2	18	30	8
Eastern Kingbird	23	16	20	28	22	57	18	14	42	45	51
Horned Lark	12	*	*	*	*	*	*	*	1	*	*
Purple Martin	217	*	99	31	130	51	19	35	48	19	137
Tree Swallow	49	20	*	19	*	6	2	1	4	3	14
N. Rough-winged Swallow	37	2	30	67	*	7	5	12	56	19	83
Bank Swallow	82	*	*	*	*	*	*	2	27	*	5
Cliff Swallow	*	*	634	*	*	*	*	30	3	*	32
Barn Swallow	192	18	79	45	165	103	37	20	180	173	230
Blue Jay	39	23	53	57	31	69	33	26	250	112	234
American Crow	33	43	56	52	37	75	61	31	259	138	170
Fish Crow	4	1	*	*	*	*	*	*	*	*	*

1991 SPRING COUNT

<i>Species</i>	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chal	Knox	Greene	Eliz
Common Raven	•	•	•	•	•	•	•	•	•	•	5
Carolina Chickadee	43	35	38	25	16	30	5	36	160	43	63
Tufted Titmouse	63	33	62	56	6	34	20	31	115	47	66
White-breasted Nuthatch	8	5	16	11	•	•	7	4	9	4	10
Brown-headed Nuthatch	•	•	•	•	•	•	•	2	•	•	•
Carolina Wren	106	26	76	64	10	26	8	28	197	47	90
Bewick's Wren	•	•	•	2	•	•	•	•	•	•	•
House Wren	•	•	2	4	2	•	•	•	2	11	18
Marsh Wren	1	•	•	•	•	•	•	•	•	•	1
Golden-crowned Kinglet	•	•	•	•	•	•	•	•	•	•	1
Ruby-crowned Kinglet	•	•	1	2	7	•	2	•	8	•	9
Blue-gray Gnatcatcher	80	45	•	41	1	21	7	18	76	22	40
Eastern Bluebird	14	11	108	80	33	111	44	32	83	60	63
Veery	2	•	•	5	•	•	1	•	5	2	27
Gray-checked Thrush	7	•	1	1	•	•	1	•	1	•	•
Swainson's Thrush	20	2	4	13	•	•	2	1	43	•	1
Wood Thrush	65	20	13	19	•	1	4	7	58	2	32
American Robin	117	8	153	157	191	103	104	33	526	172	587
Gray Catbird	6	1	1	18	1	3	3	1	29	5	46
Northern Mockingbird	51	7	29	51	101	94	47	42	172	87	63
Brown Thrasher	15	8	24	43	17	32	26	8	44	33	31
Water Pipit	•	•	•	•	•	•	•	•	8	•	•
Cedar Waxwing	16	48	•	15	•	•	4	30	77	6	15
Loggerhead Shnke	3	1	12	4	9	5	2	1	2	4	4
European Starling	114	153	230	195	1000	357	267	49	922	282	692
White-eyed Vireo	64	23	38	56	•	4	7	5	28	5	8
Solitary Vireo	•	•	•	•	•	•	1	•	1	•	26
Yellow-throated Vireo	10	7	5	9	•	•	•	4	9	1	6
Warbling Vireo	5	1	9	9	•	•	•	•	•	3	3
Philadelphia Vireo	•	•	•	•	•	•	1	•	•	•	1
Red-eyed Vireo	20	8	14	30	•	3	7	38	132	22	97
Blue-winged Warbler	4	•	2	9	•	•	1	•	2	•	•
Golden-winged Warbler	•	•	1	1	•	•	•	•	•	•	2

1991

1991 SPRING FIELD DAYS

37

1991 SPRING COUNT

<i>Species</i>	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chat	Knox	Greene	Eliz
Tennessee Warbler	124	22	12	34	*	*	4	2	26	*	6
Orange-crowned Warbler	*	*	*	1	*	*	*	*	*	*	*
Nashville Warbler	2	*	*	7	*	*	*	*	4	*	*
Northern Parula	46	35	3	21	*	*	2	2	*	*	12
Yellow Warbler	2	2	2	23	2	2	3	6	8	5	48
Chestnut-sided Warbler	7	3	*	13	*	*	*	1	8	*	86
Magnolia Warbler	1	*	*	3	6	*	1	2	10	*	6
Cape May Warbler	1	*	*	1	*	*	1	2	19	1	4
Black-throated Blue Warbler	*	*	*	*	*	*	*	*	*	*	60
Yellow-rumped Warbler	6	19	6	16	*	2	4	3	42	9	120
Black-throated Green Warbler	9	*	*	4	*	*	1	2	10	*	19
Blackburnian Warbler	7	1	*	1	*	*	*	1	4	*	5
Yellow-throated Warbler	4	*	4	13	*	*	1	14	1	*	6
Fine Warbler	1	2	2	6	*	*	2	8	11	4	4
Prairie Warbler	*	*	13	12	*	10	5	2	6	*	*
Palm Warbler	6	2	1	18	*	2	5	*	6	*	2
Bay-breasted Warbler	5	1	*	2	*	*	1	*	12	*	5
Blackpoll Warbler	15	11	1	1	*	1	3	2	25	2	5
Cerulean Warbler	19	1	*	5	*	*	*	1	*	*	2
Black and White Warbler	9	1	2	8	*	*	2	2	8	*	36
American Redstart	41	22	*	4	*	*	*	14	3	*	4
Prothonotary Warbler	16	42	19	8	*	1	1	2	3	10	1
Worm-eating Warbler	3	*	1	4	*	*	1	1	5	3	7
Swainson's Warbler	6	2	*	1	*	*	1	1	1	*	1
Ovenbird	2	1	1	2	*	1	2	2	17	2	71
Northern Waterthrush	*	*	*	4	*	1	*	1	1	*	1
Louisiana Waterthrush	6	*	1	10	*	*	1	1	3	1	6
Kentucky Warbler	39	14	8	29	*	*	1	4	10	*	5
Connecticut Warbler	*	*	1	*	*	*	*	1	*	*	1
Common Yellowthroat	22	38	58	48	*	26	15	6	61	15	30
Hooded Warbler	3	2	*	8	*	*	*	2	6	1	60
Wilson's Warbler	*	*	*	*	*	*	*	*	*	*	1
Canada Warbler	2	*	*	*	*	*	*	1	*	*	10
Yellow-breasted Chat	10	18	12	40	*	7	5	5	29	9	9

1991 SPRING COUNT

<i>Species</i>	Memp	Hatch	Clarks	Colu	Murf	Leb	High	Chat	Knox	Greene	Eliz
Summer Tanager	42	18	24	27	•	8	6	3	9	5	1
Scarlet Tanager	6	1	5	18	1	•	2	3	33	3	32
Northern Cardinal	144	62	205	138	76	126	60	38	317	117	168
Rose-breasted Grosbeak	13	4	3	12	•	•	4	2	42	2	19
Blue Grosbeak	1	1	6	2	2	3	1	5	13	13	2
Indigo Bunting	168	58	104	90	9	67	13	45	180	175	85
Dickcissel	13	2	23	31	•	•	1	•	1	•	•
Rufous-sided Towhee	14	2	50	35	6	33	8	12	79	25	73
Chipping Sparrow	3	2	32	20	•	9	7	8	21	22	41
Field Sparrow	3	•	42	53	7	48	5	10	97	21	24
Vesper Sparrow	•	•	•	•	•	•	•	•	•	•	2
Savannah Sparrow	18	2	•	13	•	•	•	1	4	•	7
Grasshopper Sparrow	•	•	5	•	•	3	1	2	7	5	9
Song Sparrow	•	5	•	4	•	1	7	12	164	49	181
Lincoln's Sparrow	5	•	•	•	•	•	•	•	•	•	•
Swamp Sparrow	•	•	•	4	•	•	1	•	•	•	1
White-throated Sparrow	1	•	•	16	•	1	7	•	30	•	32
White-crowned Sparrow	43	•	2	2	3	7	•	•	•	•	1
Dark-eyed Junco	•	2	•	•	•	•	•	•	•	•	29
Bobolink	20	•	123	•	18	•	•	1	•	•	19
Red-winged Blackbird	169	375	125	225	103	86	31	26	253	133	181
Eastern Meadowlark	71	37	102	105	97	133	50	34	221	159	148
Common Grackle	225	78	115	106	100+	276	88	63	394	261	464
Brown-headed Cowbird	139	25	67	61	28	30	26	9	115	42	56
Orchard Oriole	20	7	17	34	2	10	2	6	22	15	10
Northern Oriole	16	1	1	1	•	4	•	1	5	3	8
Purple Finch	•	•	•	•	•	•	•	•	2	1	2
House Finch	6	•	26	18	8	10	10	24	128	81	73
Pine Siskin	•	•	•	•	2	•	•	•	•	•	6
American Goldfinch	14	31	76	71	15	34	64	18	104	43	128
Evening Grosbeak	•	•	•	•	•	•	3	•	•	•	23
House Sparrow	70	21	150	48	33	11	45	32	170	52	117
Total Species	145	109	103	147	68	87	121	131	131	98	156

PLAN TODAY FOR FUTURE CHRISTMAS BIRD COUNTS

KRISTIN ZIMET
805 Beechwood
Kingsport, TN 37663

How can local count organizers ensure the perpetuation of a count? Where do we obtain enough count participants to replenish the pool and ensure maximum coverage? How do we see to it that younger people acquire the expertise to be capable of replacing today's leaders? How do we instill the habits of observation, skills of identification, and level of interest that draw new people to become not only counters but year-round advocates for birds?

From Kingsport, Tennessee comes a new approach to these questions. Working with veteran compiler Arthur Smith and educator Dee Eiklor, Kristin Zimet (Education Chair for the Watauga Audubon Society) held a half-day Kids' Count in conjunction with the full-day Christmas Bird Count. Zimet addressed school Ecology Clubs and Boy Scout groups on the purposes, methods, and rewards of the Christmas County. She arranged to supply teams of young people and parents with leaders, colored guide sheets to verify identities of common local birds, careful instructions, and maps. A simplified tally sheet included a special section in which to record the fieldmarks of birds of whose identity the parties were not certain. This helped eliminate guesswork and to serve as the basis for later clarification and education. Zimet acted as dispatcher and as liaison between the Kids' Count and the regular count and conducted a mini-compilation and celebration.

The results were excellent. The number of Kingsport counters jumped over 200 percent, from 23 to 73. Colonial Heights, a developed area formerly receiving limited coverage, but home ground to the Kids' Count parties, was thoroughly explored, adding 59 miles by car and 9.5 miles on foot. Over 1100 birds of 38 species were added to the full count, including the only Sharp-shinned Hawk. Most of the first-time birders expressed eagerness to join future Kids' Counts. Three youngsters joined adult teams and counted for the remainder of the day.

To learn more about organizing a Kids' Count in your area, write Kristin Zimet, 805 Beechwood Drive, Kingsport, TN 37663 or Arthur Smith, 100 Otari Drive, Kingsport, TN 37664.

Accepted 30 January 1991.

The Migrant, 62(2)41-44, 1991.

MINUTES OF THE SPRING 1991 TOS BOARD OF DIRECTORS MEETING

The Spring 1991 TOS Board of Directors Meeting was held at the Baptist Convention Center in Nashville, TN, on April 27. The meeting was called to order by President Barbara Finney. A quorum was present. Minutes of the Fall 1990 TOS Board of Directors Meeting were distributed. The minutes were approved as submitted.

VICE-PRESIDENTS AND DIRECTORS-AT-LARGE: There were no reports.

TREASURER'S REPORT: George Payne reported that current assets are \$76,864.39. Income during the period October 24, 1990 to April 24, 1991 was \$16,414.92 and expenses were \$7,690.41. Anticipated liabilities are projected at \$20,362.77. The report is filed with the secretary.

George reported that there are 783 paid memberships, which is slightly higher than at this time last year. The Jackson Chapter, which is in its second year with 41 members, has shown the most growth.

CURATOR: President Barbara Finney reported that James Tanner, Curator of TOS for many years, died on January 21. Among the items Jim was responsible for was the original TOS charter, which Barbara had with her. Ben Coffey moved that Barbara keep the charter in her safe deposit box until further instructed by TOS. George Mayfield seconded, and the motion was approved.

Barbara also said that there needed to be a decision made concerning the memorial contributions made in memory of Dr. Tanner and of Mrs. Mayfield. It was Nancy Tanner's wish that the funds for Dr. Tanner be used to purchase additional shares in the MIT fund, the proceeds of which are used for the publication of *The Migrant*. The motion was made by Martha Waldron to put all the memorial contributions into the MIT fund. Ron Hoff seconded, and the motion carried.

EDITOR, *THE MIGRANT*: David Pitts sent a report which was presented by Barbara Finney. David Vogt has resigned as compiler of the Season Report for the Highland Rim and Basin Region, and a replacement is needed. David Pitts will resign as Editor of *The Migrant* following completion of Volume 62, 1991. The Nominating Committee will appoint a Search Committee to find a replacement. Postage for *The Migrant* has increased from \$84 to \$131, due to the postal rate increase. David asked that photographs and chapter activities and histories be submitted for the 75th Anniversary issue.

NOMINATING COMMITTEE: Chairman Jim Ferguson sent a report that was presented by Ron Hoff. The following were placed into nomination: Vice Presidents: West TN - Martha Ramey; Middle TN - Ann Tarbell; East TN - Wallace Coffey; Secretary - Bob Hatcher; Treasurer - George Payne; Editor, *The Migrant* - David Pitts. The appointed Directors-at-Large are: West TN - John Conder; Middle TN - David Hassler; East TN - Dee Eiklor.

FINANCE COMMITTEE: Chairman Fred Carney was absent. Committee members Dick Newton and Martha Waldron reviewed and approved the Treasurer's Report.

BREEDING BIRD ATLAS: Chuck Nicholson reported that the project was coming along fairly well. This will be the sixth and last year of field work. There are 25-30 priority blocks still to be assigned. Most of the money currently in the Atlas fund will be used this year to pay for blockbusting. The Tennessee Wildlife Resources Agency has a request for \$25,000 to help pay for publishing costs that is currently being considered by the House, but with the current state financial crisis, the request will probably be denied. Chuck encouraged members to contact their legislators and urge support of funding. Rick Knight reported that he and other members of the Herndon Chapter will be conducting a Bird-a-thon again this year and asked for pledges and donations. Last year over \$500 was raised.

RECORDS COMMITTEE: Chairman Rick Knight reported that John Henderson has been appointed to fill the East TN alternate position. The two West TN members' terms end with this meeting, and these positions will be appointed before the next meeting by in-coming President Bob Ford. The committee will meet this weekend to elect a new chairman. The committee has acted on several records that have been submitted. Some records are still pending, and documentation has been sent to outside experts for their opinions.

CONSERVATION AND EDUCATION: Ken Dubke introduced George Mayfield, who reported on Governor McWherter's proposed reorganization of the Tennessee Department of Conservation, which would move the Division of State Parks to the Department of Tourism, the Division of Forestry to the Department of Agriculture, and the Division of Environment from the Department of Public Health to the Department of Conservation. The removal of State Parks will be delayed one year for further study. George introduced a resolution that states, in part, that TOS approves the proposed move of the Division of Environment to the expanded Department of Environment and Conservation, approves the delay in moving the Division of State Parks to the Department of Tourism, recommends not to remove the Division of State Parks from Conservation, and that a decision be delayed for at least one year for further study. George Mayfield moved that TOS support this resolution. James Brooks seconded, and the motion passed unanimously.

Bob Ford presented plans for the Tennessee Migratory Bird Project, which is to be a three year, state-wide project to design and implement a conservation plan for the protection of habitats in Tennessee for neotropical migrant birds. The Tennessee Conservation League has received grants from the Fish and Wildlife Service and the Lyndhurst Foundation to fund a coordinator for the project, a position which Bob has accepted. Bob outlined three phases of the project. About 50% of the project will be education, primarily in schools through slide shows given by volunteers, to teach children about the problems that exist due to loss of habitat in rural and urban areas. Teachers will also be taught about natural resource management. Adults will be targeted through conservation organizations, and landowners will be encouraged to manage their land for migrant habitats. Twenty-five percent of the project will consist of upgrading the

geographic information in Tennessee, resulting in computer mapping of the types and conditions of the vegetation across the state, and designing a plan for identifying and protecting key habitats for neotropical migrants. The Breeding Bird Atlas Project information will be very useful in identifying key habitats. Several state and federal agencies will participate in this phase. Finally, research will be done to determine how to best protect these habitats; this will be a cooperative effort between the Project and university, state, and federal research projects. Bob introduced a resolution that TOS endorse and support the Tennessee Migratory Bird Project through field research and continued educational efforts. Ron Hoff moved that the resolution be adopted, James Brooks seconded, and the motion was approved.

Ken Dubke presented a resolution submitted by David Vogt that TOS endorse environmentally responsible landscape practices by encouraging the use of native plants in landscaping and avoiding the use of invasive exotic plants. Since many exotic plants out-compete native species, they reduce the native plant diversity and contribute to the loss of habitat for both migrant and native species of birds. Government agencies, businesses, and landowners are strongly urged to use native plant species in landscaping, and especially to avoid using the following exotic species: kudzu, purple loosestrife, Japanese and shrub honeysuckles, autumn olive, common privet, creeping euonymus, burning bush, tree of heaven, multiflora rose, vinca, sawtooth oak, and lespedeza. Ken Dubke moved, and Margaret Mann seconded, that the resolution be adopted. Bob Hatcher moved that the amendment be added that all appropriate agencies be strongly urged to consider the consequences of using these species before utilizing these plants. George Mayfield seconded, and the motion passed. The resolution with the amendment passed.

Ken Dubke pointed out the posted that TWRA has distributed asking for information about possible nesting Peregrine Falcons. TOS is listed among the organizations to contact with information.

Ken Dubke introduced Wallace Coffey, who described the fund-raising efforts he coordinated through *The Bristol Herald-Courier* to raise money to support the TWRA eagle-hacking program on South Holston Lake. To date, well over \$15,000 has been raised, with money coming from many states.

PATCHES AND DECALS: No report.

FALL SYMPOSIUM: Volunteers are needed to find a location and to put together the Symposium.

EDITOR, *TENNESSEE WARBLER*: Jim Finney reported that the last *Warbler* was mailed on March 25, at a cost of \$542. Over 1000 copies were printed.

TENNESSEE ENVIRONMENTAL COUNCIL: Ken Dubke reported that the effort to stop channelization of West Tennessee rivers had failed. Bob Ford reported that landowners will be able to drain wetlands, if they were being used in 1970, without getting a permit.

TOS AWARDS COMMITTEE: Ron Hoff reported that before the final design for the award pin was approved he had designed and purchased an original

Mockingbird pin, in 24 carat gold, which he would like to donate to TOS to be used as the "President's Pin," which would be passed on to each incoming President. Ron asked for input on guidelines for determining TOS award recipients. It was decided that there would be no formal rules made at this time, that the award could be presented either for service to birdlife and/or to the TOS organization, recipients will be current TOS members only, and that the chair of the committee would be appointed by each new TOS President.

OLD BUSINESS

MIGRANT COVER: Barbara Finney reported that only two entries have been received, but that they are not available at this meeting. James Brooks moved that the entries be closed, and that the two entries, plus the current cover, be brought to the Fall Meeting, and that a final decision be made at that meeting. Dick Newton seconded, and the motion was approved.

NEW BUSINESS

TOS MEMORIAL MARKER: Margaret Mann reported that she has gotten the approval of the Nashville Historical Commission to have a marker placed on the site of the founding of TOS in Nashville in 1915. TOS will have to purchase the marker, which will cost \$1250. Margaret asked if there was money in the budget for this purchase. Treasurer George Payne stated that the current year's budget would not allow this expense. Margaret asked if the TOS chapters would make donations for this. Dick Newton moved that TOS support the historical marker project, Ron Hoff seconded, and the motion passed. Ben and Lula Coffey offered to donate the entire amount as a memorial to Ben B. Coffey, Sr., who lived in Nashville for over 60 years. The directors accepted this gracious offer, and Margaret will ask that the Nashville Historical Commission also acknowledge this memorial contribution.

1992 SPRING MEETING: There are no announcements at this time.

TOS CURATOR: Barbara Finney reported that a committee has been appointed to analyze the responsibilities of the Curator. Part of the Curator's duties includes keeping all of the literature, field records, papers, etc., that are the possessions of TOS. There currently is a large collection of *Migrants* and records stored at Hessler Biology Building at the University of Tennessee in Knoxville, where Jim Tanner had an office. These need to be moved, but TOS needs to find permanent storage for them. A Curator will not be elected at this time, until the committee determines if the Curator will be responsible for finding storage space, and if the records will have to be moved each time a new Curator is elected. The committee will also check into the possibility of preseving back issues of *The Migrant* on microfilm instead of in journal form. Serving on the committee will be David Pitts, Lula Coffey, Chuck Nicholson, Barbara Finney, and Ann Tarbell. The committee will give a report at the 1991 Fall Meeting.

There being no further business, the meeting was adjourned at 5:00 p.m.

Respectively submitted,
Audrey R. Hoff, Secretary TOS

TOS ANNUAL MEETING

The seventy-sixth annual meeting of the TOS was held at the Baptist Convention Center in Nashville on April 27, 1991. Dick Newton, President of the Nashville Chapter, welcomed everyone and thanked all the Nashville TOS members whose work had made the meeting so successful.

Barbara Finney, President of the TOS, called the business meeting to order at 7:45 p.m. Secretary Audrey Hoff read the minutes of the 1990 Spring Annual Meeting, which were approved as read. The Secretary then gave a summary of the Board of Directors Meeting held earlier that afternoon.

Treasurer George Payne repeated his report as given at the Board of Directors Meeting. A report was filed with the Secretary.

Nominating Committee member Ron Hoff presented the following slate of officers for 1991 which was approved by the Board of Directors: Vice President, West TN - Martha Ramey; Vice President, Middle TN - Ann Tarbell; Vice President, East TN - Wallace Coffey; Secretary - Bob Hatcher; Treasurer - George Payne; Editor, *The Migrant* - David Pitts; Directors-at-Large, West TN - John Conder; Middle TN - David Hassler; East TN - Dee Eiklor. Helen Dinkelspiel moved to accept the slate by acclamation, George Mayfield seconded, and the motion was approved.

Finance Committee member Dick Newton reported that the committee had reviewed the Treasurer's report and found it to accurately reflect the financial status of TOS.

Breeding Bird Atlas chairman Chuck Nicholson repeated his report, and also called for members to turn in yard lists.

Barbara Finney asked for volunteers to coordinate the 1991 Fall Symposium. The date and location of the meeting will be announced later.

Rick Knight announced his plans for a Bird-a-thon again this spring to raise money for the Breeding Bird Atlas. He said that last year's efforts had raised over \$500, and he asked for pledges for this year.

TOS Awards Committee chairman Ron Hoff presented this year's TOS Distinguished Service Awards. A brief history of each recipient's contributions to TOS was given. The recipients were as follows: from Memphis - Ben Coffey, Lula Coffey, Helen Dinkelspiel; from Columbia - George Mayfield; Member-at-Large - Robbie Hassler.

Barbara Finney announced the formation of a committee to analyze the TOS Curator's responsibilities, and to examine possible storage sites for TOS materials. The committee consists of David Pitts, Lula Coffey, Chuck Nicholson, Barbara Finney, and Ann Tarbell.


Barbara Finney conducted a chapter roll call. There were 89 members present from 11 chapters and members-at-large. Barbara then announced the donation of a gold Mockingbird "President's Pin" by Ron Hoff. She thanked the outgoing officers of TOS for their services and the members of the Nashville chapter for their arrangements for the meeting. Barbara then turned the gavel and pin over to the new President, Bob Ford. The business meeting was then adjourned.

The evening program was presented by Bob and Martha Sargent from the Alabama Ornithological Society. Their talk, "All You Wanted To Know About Hummingbirds and Were Afraid To Ask" presented their work about banding hummingbirds in the southeast.

Respectfully submitted,
Audrey R. Hoff, Secretary TOS

THE SEASON

ROBERT P. FORD, Editor



FALL: 1 AUGUST - 30 NOVEMBER 1990

The fall season is often among the favorite of field observers, since migration and dispersal patterns of birds offer ample opportunity for bird study. This fall season in Tennessee was no exception. Generally normal weather patterns provided many good days to be in the field, and observers reported several important occurrences of birds.

Rare species observed this season included Yellow Rail and Marbled Godwit from west Tennessee, Rufous Hummingbird in middle Tennessee, and Yellow-headed Blackbird from east Tennessee. Migration patterns were followed closely, with about average results. However, Black-throated Blue Warblers were reported near the Mississippi River, and species of shorebirds offered a few surprises for careful observers.

The season report is long this fall, thanks to the efforts of many diligent observers. Take time to read through these, and find the patterns of migration and rare species that will add incentives to your time in the field.

Abbreviations used in the following report include: ad-adult; b-banded; Co.-County; EOP-end of period; ers-earliest reported sighting; et al.-and others; fide-reported by; im-immature; lrs-latest reported sighting; max-maximum 1 day count in 1 county; m.ob.-many observers; ph-photograph; reg-regular; yg-young; *-documentation on file.

WESTERN COASTAL PLAIN - Several rare species were reported in the region this fall. The Yellow Rail, a rare migrant, was reported for a first sighting in Shelby County, and a second for West Tennessee. The Marbled Godwit was a first for Shelby County, but a sixth for the region. American White Pelican, White Ibis, King Rail, and Red Knot were also unexpected visitors. The Black-throated Blue Warbler was reported in two separate locations, both sightings were well documented. Temperatures and rainfall were about average for the region. Fifty observers spent 82 of the 122 days in the field. These observers reported on 215 species, observations for 89 species were selected for this report.

Pelican-Duck: American White Pelican: 25 Sep (107) Is 13 (MAG, RPF). Double-crested Cormorant: 6 Sep (8) PAP (MAG); 15 Sep (6) Is 13 (WGC, m.ob.); 16/22 Sep (20/80), 26 Sep (450+) REL, OBC (MAG); 29 Sep (145) Is 13 (MLR, RPF); 5 Oct (280) REL (WGC); 6 Oct (1) HWR (JTOS); 17 Oct (15) ROL (CHB, BHW, HBD, NMS, SSL); 20 Nov (46) Is 13 (WGC). Anhinga: 22 Sep (1) NE MDC

(JBC, CTW). American Bittern: 24 Oct (1) BRF (JCR). Least Bittern: 3 Sep (2 seen, 5 heard) TEC (JRW, VBR). Green-backed Heron: 16 Nov (1) JNP (RPF), late. Black-crowned Night Heron: 10 Aug (1) CWR (MAG); 16 Sep (7 im) Is 13 (WGC). White Ibis: 12 Aug (1) Wardlow's Pocket, LDC (MAG). Greater White-fronted Goose: 13 Nov (2 im) Is 13 (WGC). Snow Goose: 24 Nov (300+) LWR, LDC (MAG, SDL), about 60% were Blue morph. Blue-winged Teal: 16/22 Sep (115/26) Is 13 (WGC); 25 Sep (500+) Is 13 (MAG, RPF). Green-winged Teal: 8 Sep (6) Is 13 (JBG, RPF, JRW); 1/22 Sep (1/2) Is 13 (WGC, m.ob.); 21 Oct (8) PEF (CHB, RWP, BEB). Oldsquaw: 23 Nov (1 f) REL, LKC (WGC, JRW). Red-breasted Merganser: 6 Nov (1) REL, LKC (MAG, JKK). Ruddy Duck: 17 Oct (10) ROL (HBD, NMS, SSL, CHB).

Raptor-Rail: Osprey: 18 Aug (1) TEC (Santi Lombardo); 15 Sep (1) HWR (JBC); 22 Sep (1) NE MDC (JBC, CTW); 15/25 Sep (1) Is 13 (MAG); 5 Oct (1) REL, LKC, 14 Oct (1), Is 13 (WGC, m.ob.); 9 Oct (1) REL, OBC (MAG, JKK); 23 Oct (1) FPP (LCC, HBD). Mississippi Kite: 1 Aug-1 Sep (6-2) Is 13 (WGC). Bald Eagle: 5 Oct (2 ad), 14 Oct-EOP (2 ad, 5 im) REL, LKC (WGC). Northern Harrier: 29 Aug (1) PEF (GRP, JKP). Sharp-shinned Hawk: 7 Oct (1) PEF (MGW, VBR, CHB); 16 Oct (1) MDC (JBC); 10 Nov (1) JNP (RPF); 18 Nov (1) REL, LKC, 22 Nov (1) Old Eaton Rd, GBC (MAG, SDL); 30 Nov (1) Iris Hill, SBC (JAF); 29 Nov (1) DYC (WGC). Cooper's Hawk: 15 Sep (1) PEF (MTOS); 24 Sep/19 Oct (1) PEF (SNM); 2 Oct (1) REL, LKC (MAG, EKW); 6 Oct (1) HWR (JTOS); 10 Oct (1) PEF (CHB, NMS, VBR, HBD); 24 Oct (1) HWR, HYC (SSL, NMS, HBD, CHB); 27 Oct (1) MIL (SNM, NPM); 31 Oct (1) Jackson (JBC); 4 Nov (1) PEF (MTOS); 21 Nov (2) PEF (DDP). Red-shouldered Hawk: 12 Oct (2) Jackson (JBC); 4 Nov (1) PEF (MTOS); 11 Nov (1) Ponderosa, DTC (CHB); 14 Nov (1) TEC (CHB, SSL, VBR, BHW, HBD, NMS); 21 Nov (1) PEF (DDP). Golden Eagle: 6 Nov (1 im) REL, LKC (MAG, JKK). Merlin: 15/16 Sep (1) Is 13 (WGC). Peregrine Falcon: 14 Sep (1) MEM (Walk Jones); 16 Sep (1 im) Is 13 (WGC); 2 Oct (1 im) 0.5 mi S of Martin, WKC (fide TDP) died of gunshot wounds, first record for WKC; 3 Oct (1) Is 13 (MAG); 6 Oct (1 im) TEC (CHB); 14 Oct (1 im) TEC (MRR). YELLOW RAIL: 22 Sep (1) Iris Hill, SBC (JAF), first SBC, second West TN. King Rail: 28 Aug (1) Kirby Pocket, OBC (MAG); 22 Sep (2) Iris Hill, SBC (JAF). Sora: 23 Sep (2) MEM (MGW).

Shorebirds: Migration of shorebirds was followed at THE EARTH COMPLEX (TEC). The data below represent the lowest and highest numbers during the period. Unless otherwise noted, the observers were VBR, CHB, DPB, DAM, MGW, MLG, Santi Lombardo. Black-bellied Plover: 14-30 Sep (2-6) TEC; 26 Aug-15/23 Sep (2/6), 14/19 Oct (6/3) Is 13 (WGC); 25 Sep (15) LKC (MAG, RPF); 2/16 Nov (3/4) Is 13 (WGC). Lesser Golden Plover: 19 Aug-13 Oct (1-8) TEC; 15/22 Sep (10/4) Is 13 (WGC); 3 Oct (2) Is 13 (MAG). Semipalmated Plover: 1 Aug-14 Sep (1-27) TEC; 7/26 Aug-14 Oct (1-15) Is 13 (WGC); 21 Oct (3) TEC (MLG); 24-25 Oct (1) BRF (JCR). Killdeer: 1 Aug-EOP (16-196) TEC. Black-necked Stilt: 1 Aug-25 Sep (20) TEC. Greater Yellowlegs: 14 Sep-6 Oct (5-2) TEC; 3 Aug (1) Is 13 (WGC); 21 Oct (45) TEC (MLG); 2-20 Nov (20-1) Is 13; 18/20 Nov (5/4) DYC (WGC). Lesser Yellowlegs: 1 Aug-17 Nov (1-173) TEC. Solitary Sandpiper: 1 Aug-14 Sep (1-17) TEC. Spotted Sandpiper: 1 Aug-18 Sep (1-4) TEC; 1 Aug-15 Sep (1-4) Is 13 (WGC). MARBLED GODWIT: 13 Aug (2) TEC (JRW), first SBC. Ruddy

Turnstone: 8 Sep (1) Is 13 (JBG, RPF, JRW); 14/18 Sep (1) TEC. Red Knot: 7 Sep (5) PAP (AHH); 12 Sep (1) TEC (JRW); 15/16 Sep (2) Is 13 (WGC). Sanderling: 12 Aug (1) TEC (VBR, MGW); 3 Aug (1), 1 Sep (4), 15/23 Sep (9/3) Is 13 (WGC); 8 Sep (18) Is 13 (JBG, RPF, JRW); 25 Sep/3 Oct (3/1) Is 13 (MAG, MLR, RPF). Semipalmated Sandpiper: 1 Aug-27 Sep (800+) TEC. Western Sandpiper: 8 Aug-30 Sep (2-48) TEC; 25 Sep/3 Oct (8/1) Is 13 (MAG, MLR, RPF); 22 Sep (1), 14 Oct (1) Is 13 (WGC); 21 Oct (1) TEC (MLG). Least Sandpiper: 1 Aug-EOP (5-1946+) TEC; 17/26 Aug (10/15); 15 Sep-20 Nov (60-3) Is 13 (WGC). Baird's Sandpiper: 8 Aug-30 Sep (3-1) TEC; 29 Sep (2) Is 13 (MLR, RPF); 21 Oct (1) TEC (MLG). Pectoral Sandpiper: 1 Aug-EOP (1049-1) TEC. Dunlin: 1 Sep-EOP (1-10) Is 13 (WGC); 23 Sep (1) TEC (VBR, MGW, DAM, CHB); 21 Oct (1) TEC (MLG); 18 Nov-EOP (6-4) Jct 103 & GRR, DYC (WGC). Stilt Sandpiper: 28 Aug/3 Oct (2/2) Is 13 (MAG); 4 Sep-6 Oct (1-12) TEC. Buff-breasted Sandpiper: 15/22 Sep (1) Is 13 (WGC, m.ob.); 25 Sep/3 Oct (1/1) Is 13 (MAG, RPF); 27 Sep (1) TEC (CHB, VBR, MGW). Short-billed Dowitcher: 19/22/26 Aug/14 Sep (4-1) TEC; 3 Oct (5) Is 13 (MAG); 21 Oct (60+) TEC (MLG), active, calling. Long-billed Dowitcher: 21 Oct (10) TEC (MLG), active, calling; 24-25 Oct (8) BRF (JCR). Dowitcher spp.: 27 Sep-4/14 Oct (2-30) TEC; 5/7 Oct (5/24) DYC (WGC); 12 Oct (1) MDC (JBC); 18/20 Nov (5) DYC (WGC).

Phalarope-Nighthawk: Wilson's Phalarope: 7 Aug/14 Oct (1/3) TEC (MLG); 1 Sep (1) PAP (NRH); 8 Sep (1) Is 13 (JBG, RPF, JRW). Red-necked Phalarope: 8 Sep (1) Is 13 (JBG, RPF, JRW). Franklin's Gull: 24 Oct (1) BRF (JCR), winter plumage. Ring-billed Gull: 6 Sep (15) PAP (MAG); 2-20 Nov (20-40) Is 13 (WGC). Common Tern: 6 Sep (1) PAP (MAG). Forster's Tern: 1 Sep (2) Is 13 (WGC); 6 Sep (2) PAP (MAG). Black Tern: 4/9 Aug (22/12) TEC (MLG); 10 Aug (2) LHWR, LDC (MAG); 17 Aug (1) Is 13 (WGC); 28 Aug (1) Is 13 (MAG). Barn Owl: 6 Aug (1 dead) MEM (Debbie Walker, Van Harris). Short-eared Owl: 25 Oct (1 injured) N LKC (Knox Martin), four to five additional owls reported in the area by local observers. Common Nighthawk: 23 Aug-7 Sep (34-2) MEM (Martha Heinemann); 25 Aug-14 Sep (1-4) south of SBC, Desoto Co, Mississippi (Gil B. Beaver); 1-30 Aug (3) MEM (Ginger L. Ilardi); 30 Aug (37) University of TN campus, WKC (MAG); 30 Sep (46) MEM (JLL); mid-Sep (1-3) MEM (WBF).

Flycatcher-Pipit: Yellow-bellied Flycatcher: 24 Sep (1) PEF (MGW, VBR, CHB), identified by call. Purple Martin: 10 Aug (500+) LHWR, LDC (MAG, Mark Williams); 28 Aug (3000+) Is 13 (MAG). Tree Swallow: 28 Aug/3 Oct (2500+/5000+) Is 13 (MAG, RPF). Bank Swallow: 1 Aug (1200+) Is 13 (WGC). Cliff Swallow: 25 Sep (5) Is 13 (MAG, RPF). Fish Crow: 10 Aug (26) Fulton, LDC (MAG); 15 Aug (2) Middle Fork Forked Deer, Crockett Co. (MAG, JCG); 28 Aug (10) Is 13 (MAG); 6 Nov (2) REL, LKC (MAG, JKK). White-breasted nuthatch: 24 Oct (10) HWR, HYC (SSL, NMS, HBD, CHB). House Wren: 2 Oct (1) MEM (CHB); 4 Oct (1) PEF (RWP); 13 Oct (2) KEP (MTOS); 14 Nov (1) TEC (CHB, SSL, VBR, BHW, HBD, NMS); 24 Nov (1) PEF (MGW, James Waldron). Sedge Wren: 22/23 Sep (15/8) Iris Hill, SBC (JAF); 6 Oct (1) HWR (JTOS). Winter Wren: 16 Oct (1) MEM (SNM); 3 Nov (2) Cypress Grove, MDC (JTOS); 6 Nov (3) REL, LKC (MAG, JKK); 14 Nov (1) TEC (CHB, SSL, VBR, HBD, NMS); 16 Nov (1) Jackson (Allen Hight, HSH). American Pipit: 5 Oct (1) Is 13 (WGC); 17 Nov (2) TEC (DAM, VBR, CHB, MGW); 29 Nov (4) TEC (DAM, MGW, Dianne Bean).

Vireo-Finch: Philadelphia Vireo: 24 Sep (1) PEF (VBR, CHB, MGW). Golden-winged Warbler: 10 Oct (1) Jackson (Allen Hight), late. Orange-crowned Warbler: 19 Oct (1) PEF (RWP); 21 Oct (1) PEF (CHB, BEB, RWP); 24 Oct (1) BRF, 25 Oct (2) PAP (JCR). BLACK-THROATED BLUE WARBLER: 29 Sep (1 m*) MLK (Dan Henderson, Vickie Rea); 4 Oct (1 f*) Munford, TIC (DDP), good documentation. Pine Warbler: 11/15 Sep (1/15) PEF (VBR, MTOS), early for SBC, there are no summer breeding records. Palm Warbler: 4 Oct (1) PEF (RWP); 6 Oct (1) HWR (JTOS); 10 Oct (1) PEF (HBD, VBR, NMS, CHB). Bay-breasted Warbler: 11 Sep (1) PEF (VBR), early SBC. Black-and-White Warbler: 15 Sep (3) PEF (MTOS); 22 Sep (6) PEF (VBR, CHB); 6 Oct (1) HWR (JTOS); 2 Nov (1) PEF (MTOS). Worm-eating Warbler: 2 Sep (1) PEF (VBR, CHB). Connecticut Warbler: 19 Sep (1*) TEC (RPF, JRW). Mourning Warbler: 23 Sep (1) PEF (MLG). Canada Warbler: 2 Oct (2) REL (MAG); 13 Oct (1) KEP (MGW), late for west TN but not for unpublished MEM records. Blue Grosbeak: 24 Sep (2) PEF (DAM, CHB, VBR, MGW), late SBC. LeConte's Sparrow: 24 Oct (1) BRF (JCR). Fox Sparrow: many reports from observers. Vesper Sparrow: 4 Nov (3) PEF (MTOS); 17 Nov (1) TEC (VBR, DAM, CHB, MGW); 21 Nov (2) PEF (DDP). Song Sparrow: 1 Aug (1) TEC (CHB). Lincoln's Sparrow: 17 Nov (2) TEC (VBR, DAM, CHB, MGW). White-crowned Sparrow: seen more often and in larger numbers than in past years. House Finch: increasingly more common, seen at feeders on a regular basis and observed in small flocks while in the field.

Locations: BRF-Britton Ford, TN National Wildlife Refuge, Henry Co.; CWR-Chickasaw National Wildlife Refuge, LDC; DTC-Decatur Co.; DYC-Dyer Co.; FPP-Fort Pillow State Park, LDC; GBC-Gibson Co.; HWR-Hatchie National Wildlife Refuge, Haywood Co.; Is 13-Joe Echles Towhead, LKC; JNP-Jackson Nature Park, MDC; KEP-Kennedy Park, MEM; LDC-Lauderdale Co.; LHWR-Lower Hatchie National Wildlife Refuge; MDC-Madison Co.; MEM-Memphis; MIL-Millington, SBC; MLK-Martin Luther King Park, MEM; OBC-Obion Co.; PAP-Pace Point, Benton Co.; PEF-Penal Farm, MEM; REL-Reelfoot Lake, LKC & OBC; ROL-Robco Lake, SBC; SBC-Shelby Co.; TEC-The Earth Complex, SBC; TIC-Tipton Co.; WKC-Weakly Co.

MARTHA G. WALDRON, 1626 Yorkshire Dr., Memphis, TN 38119

HIGHLAND RIM AND BASIN REGION - Generally, precipitation in the region was above normal. The total rainfall for the period in Nashville was 2.59 inches above normal. Sep, however, received over an inch below normal rainfall. Temperatures were near normal for the period, with the exception of Nov, which had temperatures substantially above normal.

Among the more unusual reports were two White-winged Scoters at Woods Reservoir and a Rufous Hummingbird at a feeder in Tullahoma. Boreal species were represented by fair numbers of Pine Siskins and Purple Finches late in the period. Red-breasted Nuthatches and Evening Grosbeaks were scarce.

Cormorant-Crane: Double-crested Cormorant: 8 Sep (2) WDR, FKC (DLD), ers; 10 Nov (100) WDR, FKC (DLD), max. Great Egret: 11 Aug (2) Hillsboro, CFC (RWL); 29 Sep (4) OHL (LFK). Little Blue Heron: 1 Sep (1) WDR, FKC (DLD), only report. Snow Goose: 13 Oct (1 blue color morph) WDR, FKC (RWL), only report. Lesser Scaup: 29 Sep (3) OHL (LFK), ers. White-winged Scoter: 10 Nov

(2*) WDR, FKC (DLD). Hooded Merganser: 19 Nov (20) Dale Hollow Lake, Pickett Co. (RCH), max. Osprey: 1 Sep (1) WDR, FKC (DLD); 29 Sep (1) CHC (CGD); 29 Sep (1) OHL (LFK). Bald Eagle: 23 Nov (1 ad, 1 im) Eagles Cove, PIC (RCH, Margaret Farmer). Red-tailed Hawk: 1 Nov (1) Bellvue, DVC (Robert English), this bird had albinistic plumage with little or no pigment. Peregrine Falcon: 27 Oct (1) Narrows of the Harpeth State Park, CHC (DFV, RLK, RPF). Sora: 8 Sep (1) WSMV television tower, DVC (Robert English), this bird was a tower casualty collected as part of an ongoing project at this location. Sandhill Crane: 15 Oct (30) Hillsboro, FKC (FNM), ers; 29 Oct (30) Lovelady Community, PIC (RCH); 13-20 Nov (approximately 180) BAH, PUC (RWS), lrs.

Sanderling-Hummingbird: Sanderling: 29 Sep (1) CHC (CGD, et al.), 30 Sep (1) OHL (LFK), only reports. Stilt Sandpiper: 29 Sep (1) CHC (CGD, et al.), only report. Short-eared Owl: 28 Oct (1*) Murfreesboro, North Woods Subdivision, RUC (TJW), new Nashville area early date. Ruby-throated Hummingbird: 3 Nov (1) Sewanee, FKC (Cindy Porter, fide Harry C. Yeatman). RUFIOUS HUMMINGBIRD: 10 Nov-9 Feb (1* ph) Manchester, CFC (DLD, Robert Sargent), observed at feeder, attempts to catch this individual for measurements failed.

Sapsucker-Warbler: Yellow-bellied Sapsucker: 14 Oct (1) CLA, MTC (AHH), ers. Least Flycatcher: 9 Oct (1 b) Lewis Co (GRM), only report. Tree Swallow: 13 Oct (50) WDR, FKC (RWL), lrs. Northern Rough-winged Swallow: 6 Oct (1) Hillsboro, CFC (DLD), lrs. Red-breasted Nuthatch: 25 Sep (1) Tullahoma, CFC (MDH), ers. Brown Creeper: 20 Sep (1) Tullahoma, CFC (MDH), ers. Ruby-crowned Kinglet: 17 Sep (1) BAH, PUC (RWS), ers. Solitary Vireo: 2 Nov (1) AEDC, CFC (DLD), lrs. Philadelphia Vireo: 30 Sep (15) RDL, DVC (NTOS-FBC), max. Golden-winged Warbler: 7 Sep (1) BAH, PUC (RWS), ers; 9 Sep (2) CLA, MTC (AHH), max; 11 Oct (1 tower casualty) WSMV television tower, DVC (DFV), lrs, study skin in Warner Parks Nature Center collection. Orange-crowned Warbler: 27 Oct (1) CLA, MTC (AHH), only report. Black-throated Blue Warbler: 15 Sep (1) Bradley Creek, CFC (DLD), ers; 16 Oct (1) Percy Warner Park, DVC, (DFV, Brian Bowen), lrs. Black-throated Green Warbler: 27 Oct (1) CLA, MTC (AHH), lrs. Blackburnian Warbler: 11 Oct (1 tower casualty) WSMV television tower (SDB), lrs. Yellow-throated Warbler: 29 Sep (1) CHC (CGD, et al.), lrs. Black-and-white Warbler: 25 Oct (2) Tullahoma, CFC (MDH), lrs. American Redstart: 14 Oct (1) CLA, MTC (AHH), lrs. Prothonotary Warbler: 4 Sep (1) CLA, MTC (AHH), lrs. Ovenbird: 29 Oct (1) Tullahoma, CFC (CWP, JHP), lrs. Connecticut Warbler: 4 Sep (1) Tullahoma, CFC (MDH), only report. Mourning Warbler: 20 Oct (1) Gum Creek, FKC (DLD), only report. Hooded Warbler: 13 Oct (1 tower casualty) WSM television tower (Robert English), lrs, study skin in Warner Park Nature Center collection. Canada Warbler: 25 Aug (1) CLA, MTC (AHH), ers.

Grosbeak-Siskin: Rose-breasted Grosbeak: 3 Sep (1) WDR, FKC (DLD), ers. Purple Finch: 19 Oct (1) BAH, PUC (RWS), ers. Pine Siskin: 7 Nov (1) Pickett Co. (RCH), ers.

Locations: AEDC-Arnold Engineering Development Center; BAH-Barnes Hollow; CFC-Coffee Co.; CHC-Cheatham Co.; CLA-Clarksville; DVC-Davidson Co.; FKC-Franklin Co.; MTC-Montgomery Co.; OHL-Old Hickory Lake; PIC-Pickett Co.; PUC-Putnam Co.; RUC-Rutherford Co.; WDR-Woods Reservoir.

DAVID F. VOGT, 7818 Old Charlotte Pike, Nashville, TN 37209

EASTERN RIDGE AND VALLEY REGION - Short term weather patterns varied considerably; but, the weather for the season was near normal. Rainfall in Aug was near normal, while that for Sep and Nov was below average, especially in the northeast. Oct rains were heavy, with twice the average amount falling in Johnson City. Seasonal precipitation totaled 0.5 in or less below average region-wide. Temperatures from late Sep through Oct were cooler than usual, while much of Nov was above average (e.g., a record high 77 degrees F on Nov 27 in Johnson City). Cold fronts seemed to ground few waves of migrants.

Birding was also a mixed bag. Waterfowl and boreal irruptives were scarce. Hawks, shorebirds and warblers were "unspectacular". Highlights included the region's first verified record of Yellow-headed Blackbird, an injured Northern Saw-whet Owl, some good counts of Great Egret, and a continuation of the late summer movement of immature White Ibises.

For the past decade the region has had two small banding stations operating, but only one was in action this fall. Rick Knight ran mist nets at Austin Springs on 35 days from 4 Sep to 4 Nov, with 358 birds of 38 species banded. This total and the capture rate were slightly below the longterm average.

Loon-Ibis: Common Loon: 23 Oct (3) BOL (BLC), ers; 12 Nov (130) CHL (Brainard Cooper, Jr.), max. Pied-billed Grebe: 25 Aug (1) HRA (KHD, LHD), ers; 17 Nov (46) CHL (KHD, LHD), max. Horned Grebe: 12 Nov (65) CHL (Brainard Cooper, Jr.), max. Double-crested Cormorant: 14 Aug (1) CHL (Elena S. Killian); 8 Sep (1) KSP (KHD, LHD); 9 Sep (1) CRL (RLK); 9-14 Sep (1), 17-21 Oct (2-4) AUS (RLK); reg, max 10 Nov (18) HRA (TOS); 10 Nov (18) BOL (JWC); 26 Nov (10) Nickajack Lake, Marion Co (Albert M. Jenkins, Eugene M. Ryther). American Bittern: 18 Aug (1) LST (BLC); 14 Sep (1) AUS (JWB, RLK), only reports. Great Egret: 2-19 Aug (max 23 on 9 Aug) CRL (RLK); 4-25 Aug (max 21 on 18 Aug) RAB (JAK); 10 Aug-20 Sep (1-3) Nolichucky Waterfowl Sanctuary, GNC (Jim Holt, Jerry Rhinehardt); 11 Aug-15 Oct (max 25 on 23 Sep) SAB (KHD, LHD); 25 Aug-13 Oct (1-4) KSP (KHD, LHD); 26 Aug-14 Sep/14 Oct (1) AUS (RLK et al.). Little Blue Heron: 25 Aug (2) KSP (KHD, LHD). Cattle Egret: 25 Aug (2) KSP (KHD, LHD). Green-backed Heron: 6 Nov (1) JNC (DH), lrs. Black-crowned Night Heron: reg thru mid Oct (1-9) AUS, BOL (RLK, et al.); 2 Aug-9 Sep (25+) CRL (RLK); 20 Aug-late Oct (6) Kinser Park, GNC (Jim Holt, et al.); 25 Aug (8) KSP (KHD, LHD); 25 Aug (3) RAB (JAK). White Ibis: 1-28 Aug (1 im) Collegedale, Hamilton Co. (Gertrude Fleming); 13 Sep (1 im) Nolichucky Waterfowl Sanctuary, GNC (Jerry Rhinehardt); 4 Nov (1 im) HRA (KHD, LHD).

Goose-Falcon: Canada Goose: 15 Nov (1850) Watts Bar Lake, Meigs, Rhea, & Roane Cos (TWRA), max. Green-winged Teal: 17 Nov (130) HRA (KHD, LHD), max. American Black Duck: 29 Nov (108) HRA (TWRA), max. Mallard: 29 Nov (506) HRA (TWRA), max. Northern Pintail: 12 Nov (12) HRA (KHD, LHD), max. Blue-winged Teal: 13 Oct (40) SAB (KHD, LHD), max. Gadwall: 26 Nov (375) Nickajack Lake, Marion Co. (Albert M. Jenkins, Eugene M. Ryther), max. American Wigeon: 29 Nov (255) HRA (TWRA), max. Ring-necked Duck: 4 Nov (800) HRA (KHD, LHD), max. White-winged Scoter: 24 Nov (1) CHL (Steve Satterfield). Common Goldeneye: 29 Nov (23) Watts Bar Lake, Meigs, Rhea & Roane Cos. (TWRA), max. Hooded Merganser: 12 Nov (195) HRA (KHD, LHD), max. Osprey: 6 Nov (1) BOL (RLK); 10 Nov (1) HRA (KHD, LHD), lrs. Bald

Eagle: 19 Oct (1 im) BOL (fide FJA). Peregrine Falcon: 24 Sep (1) LST (Brenda Hull); 15 Oct (1) JNC (Rick Phillips); 8 Nov (1) Sevier Co. (FJA); 16 Nov (1) Bradley Co. (William F. Neal).

Rail-Snipe: Sora: 21 Aug (1) LST (DH); 23 Sep/16 Oct (1) AUS (RLK); only reports. American Coot: 17 Nov (475) CHL (KHD, LHD), max. Sandhill Crane: 29 Oct (56) SAB (LHD), ers. Lesser Golden Plover: 28 Oct (1) SAB (KHD, LHD). Greater Yellowlegs: 12 Nov (3) HRA (KHD, LHD), lrs. Solitary Sandpiper: 12 Oct (1) WGC (BLC), lrs. Spotted Sandpiper: 21 Oct (1) AUS (RLK), lrs. Sanderling: 30 Sep-3 Oct (1) AUS (RLK), only report. Western Sandpiper: 10 Sep (1) BOL (BLC), only report. Least Sandpiper: 3 Nov (1) AUS (RLK), lrs away from the reg wintering sites in the CHA area. Pectoral Sandpiper: 12 Nov (1) HRA (KHD, LHD), lrs. Dunlin: 13 Oct (7) KSP (KHD, LHD), ers; 16 Oct-4 Nov (1-4) AUS (RLK); 10 Nov (45) HRA (KHD, LHD), max at reg wintering site. Long-billed Dowitcher: 24-25 Oct (1) LST (BLC et al.), ID by call notes. Common Snipe: 9 Sep (1) LST (RLK), ers; 12 Nov (164) HRA (KHD, LHD), max.

Gull-Nighthawk: Ring-billed Gull: 3 Aug (1) CHL (Elena S. Killian); 13 Sep (1) AUS (RLK), both early. Caspian Tern: 25 Aug (2) KSP (KHD, LHD); 26 Aug (2) CRL (RLK); 1 Oct (2) SAB (KHD, LHD). Forster's Tern: no reports. Black Tern: 26 Aug (1) CRL (RLK); 9 Sep (2) LST (RLK); only reports. Barn Owl: 25 Aug (1 found dead) RAB (JAK); 11 Nov (4 yg fledged from nest in barn) Sulphur Springs, WGC (DH), second nesting at this site this year. NORTHERN SAW-WHET OWL: 9 Nov (1 ad) Bowmantown, WGC (fide Ken Ripley, ph RLK, FJA), found injured beside road, rehabilitated and released near where it was found, second regional winter record, first JNC area record away from Roan Mountain. Common Nighthawk: 23 Aug-1 Oct (3518, max 340 on 8 Sep) JNC (RLK), counted 31.3 hrs. near dusk on 38 days.

Flycatcher-Vireo: Least Flycatcher: 10-24 Sep (3 b) AUS (RLK). Great Crested Flycatcher: 10 Sep (1) AUS (RLK), lrs, seldom seen in Sep. Purple Martin: 7 Aug (350+) CRL (RLK), max; 18 Sep (1) AUS (RLK), lrs. Bank Swallow: 19 Sep (5) AUS (FJA), lrs. Cliff Swallow: 24 Sep (2) AUS (RLK), lrs. Barn Swallow: 14 Oct (1) WGC (FJA), lrs. Common Raven: 8 Nov (3) JNC (BLC); Oct-Nov (1-2) Hawkin's Co, near Clinch Mountain (Stan Stricklands). Red-breasted Nuthatch: 8 Aug (1) CHA (Lenny Kafka), ers; 3 other reports in CHA area (fide KHD); none in JNC area (fide RLK). House Wren: 14 Nov (1) AUS (RLK), lrs. Sedge Wren: 5-19 Aug (1-3) SAB (KHD, LHD); 3 Oct (1) AUS (RLK). Marsh Wren: 17 Sep-5 Oct (1-2) AUS (RLK). Gray-cheeked Thrush: 24 Oct (1) JNC (SG), lrs. Swainson's Thrush: 20 Oct (1) JNC (SG), lrs. Wood Thrush: 13 Nov (1) JNC (SG), lrs. Gray Catbird: 29 Oct (1 b) AUS (RLK), lrs. American Pipit: 29 Oct-4 Nov (1-4) AUS (RLK); 10 Nov (25) HRA (KHD, LHD). White-eyed Vireo: 20 Oct (1) JNC (SG), lrs. Solitary Vireo: 6 Nov (1) WGC (JWB), lrs. Yellow-throated Vireo: 14 Oct (1) WGC (FJA), lrs.

Warbler-Grosbeak: Blue-winged Warbler: 5 Aug (1) CHA (TLR), ers. Golden-winged Warbler: 30 Sep (1) JNC (RLK), only report. Yellow-rumped Warbler: 30 Sep (1) LST (RLK, JWB), ers. Blackburnian Warbler: 14 Oct (1) WGC (FJA), lrs. Prairie Warbler: 1 Oct (1) JNC (RLK), lrs. Bay-breasted Warbler: 17 Oct (1) JNC (SG), lrs. Cerulean Warbler: 5 Aug (1) CHA (TLR), only report. Prothonotary

Warbler: 5 Aug (1) CHA (TLR). Northern Waterthrush: 4 Sep-3 Oct (9 b) AUS (RLK). Wilson's Warbler: 30 Sep/5 Oct (1/1 b) AUS (RLK), only reports. Summer Tanager: 11 Oct (1) JNC (SG), lrs. Vesper Sparrow: 24 Oct (2) Tri-cities Airport, Sullivan Co. (Tom McNeil), ers. Savannah Sparrow: 11 Sep (1) AUS (RLK), ers. Grasshopper Sparrow: 5 Oct (1) AUS (RLK), lrs. Fox Sparrow: 29 Oct (1) AUS (RLK), ers. Lincoln's Sparrow: 18 Sep-21 Oct (2 b, plus 3 other sightings) AUS (RLK), low. Bobolink: 13 Oct (22) WGC (BLC), max. YELLOW-HEADED BLACKBIRD: 18-24 Sep (1 f) LST (JWB, BLC, *RLK, et al.), first confirmed record in East Tennessee. Pine Siskin: 6 Nov (8) Gray, WGC (Shirley Wayland), ers; few other reports in JNC area; 12 Nov (1) Signal Mountain, Hamilton Co. (Jonnie Sue Lyons), only CHA area report. Evening Grosbeak: 4 Nov (1) Jonesborough, WGC (DH), ers; only one other report in the JNC area.

Locations: AUS-Austin Springs, Washington Co.; BOL-Boone Lake, Sullivan and Washington Cos.; CHA-Chattanooga; CHL-Chickamauga Lake, Hamilton Co. portion; CRL-Cherokee Lake, Grainger, Hamblen, Hawkin's Cos.; GNC-Greene Co.; HRA-Hiwassee River Area, primarily Meigs Co., but also Bradley, McMinn and Rhea Cos.; JNC-Johnson City; KSP-Kingston Steam Plant, Roane Co.; LST-Limestone, Washington Co.; RAB-Rankin Bottoms, Cocke Co.; SAB-Savannah Bay, Hamilton Co.; WGC-Washington Co.

RICHARD L. KNIGHT, 804 North Hills Dr., Johnson City, TN 37604

EASTERN MOUNTAIN REGION - Precipitation was normal to slightly below normal for each month in the period except for Oct, for which it was above normal. Warm, mild temperatures persisted through the end of the period. Although there was not any major weather phenomenon, like Hugo of a year ago, there were still some excellent sightings and lots of reports for the period. This seemed to be due in part to increased field work. The most notable sighting was a Great White Heron at South Holston Lake. The Great White Heron is considered a color morph of the Great Blue Heron and is rarely seen away from salt water or this far north.

Loon-Duck: Common Loon: 5 Aug (1) SHL (BLC, et al.); 15 Oct (2) SHL (BLC, RLK, HPL), ers; 9 Nov (43/96) WTL/SHL (BLC), max., high for area. Horned Grebe: 12 Nov (1) WTL (RLK), ers. Double-crested Cormorant: 25 Sep (1), 30 Sep (19), 16/20 Oct (12/2), 9 Nov (92), SHL (BLC), very high number for area. GREAT WHITE HERON: 15-19 Oct (1*, ph) SHL, at TN-VA line (HPL, RLK, BLC), very unusual away from salt water, first TN state record if accepted by TN Bird Records Committee. Great Egret: 25 Aug thru 30 Aug (1-7) SHL (BLC, JWC, RPL). Little Blue Heron: 20 Aug (1 im) UNC (Sally Goodin). Yellow-crowned Night Heron: 7 Oct (1) ELI (GOW), lrs. Canada Goose: 9 Sep (60+) HOV (RPL), max, one flock in flight. Snow Goose: early Nov (1, blue morph) UNC (Johnny Lynch). Green-winged Teal: 13 Nov (10) SHL (BLC), only report. Northern Pintail: 30 Oct (14) SHL (BLC), only report. American Wigeon: 20 Oct (1) SHL (RLK, BLC); 17 Nov (4) SHL (BLC, et al.). Canvasback: 9 Nov (1) WTL (BLC), only report. Redhead: early Sep into Oct (1) UNC (RM); 9 Nov (10) WTL (BLC). Ring-necked Duck: 16 Oct (1) SHL (RLK), ers. Lesser Scaup: 13 Oct (5) SHL (BLC), ers. Surf Scoter: 5 Nov (3) SHL (BLC). White-winged Scoter: 9 Nov (1) WTL (BLC). Bufflehead: 21 Oct (1) WIL (FJA), ers; 26 Nov (100+) WIL (CFW), max. Hooded Merganser:

10 Nov (3) WIL (TM); 23 Nov (4) RIP (CFW). Ruddy Duck: 20 Oct (1) SHL (BLC), only report.

Osprey-Tern: Osprey: 15 Aug (1) WTL (RLK), ers. Bald Eagle: 15 Sep (1 ad) RNM (ES); 17 Nov (1 ad) SHL (BLC, et al.). Northern Harrier: 5/15 Sep (1/1) BBM (RM); 30 Sep (3) UNC (GWS, RM); 1 Nov (1) Round Bald, RNM (RLK). Sharp-shinned Hawk: 6 reports, Sep-Nov. Cooper's Hawk: 7 reports, Sep-Nov. Northern Goshawk: 3 Nov (1 ad) RNM (Brenda Hull). Red-shouldered Hawk: 15 Nov (1) HOV (RPL), only report. Merlin: 30 Sep (1) ELI (GOW). Peregrine Falcon: 5 Sep (2) BBM (RM); 3 Oct (1) Nolichucky River, UNC (RM). American Coot: 28 Oct (310) SHL (BLC), max. Semipalmated Plover: 11 Sep (1) WTL (BLC, HPL), only report. Western Sandpiper: 28 Oct (1) SHL (BLC). RED PHALAROPE: 11 Sep (1*) WTL (RLK), area's first record. Ring-billed Gull: 4 Aug(1) SHL (JWC), early. Herring Gull: 25 Sep-9 Oct (1) SHL (BLC), only report. Caspian Tern: 25 Aug (2) SHL (RPL). Common Tern: 25 Sep (1) SHL (BLC). Forster's Tern: 15 Aug (5) WTL (RLK). Black Tern: 5 Aug (9) SHL (RLK, BLC, JWC); 15 Aug (2) WTL (RLK); 25, 30 Sep (8,4) SHL (BLC).

Swift-Waxwing: Chimney Swift: 15 Oct (15) BUF (TM), lrs. Red-headed Woodpecker: 25 Sep (1) SHL (BLC); 30 Sep (1) RNM (FJA). Yellow-bellied Sapsucker: 25 Sep (1) SHL (BLC), ers. Great Crested Flycatcher: 30 Sep (1) WTR (GOW, CFW, Richard Lura), lrs, seldom seen in Sep. Purple Martin: 6 Sep (40) Roan Creek, JOC (BLC), lrs. Common Raven: 7 Nov (22) RNM (ES, Arthur Smith), max, high number; regular on RNM and BBM. Red-breasted Nuthatch: 16 Sep (2) BUF (TM); 30 Sep (2) RIP (FJA), only reports. Brown Creeper: 16 Sep (1) BUF (TM), ers. Sedge Wren: 24 Sep (1) RCP (LN); 30 Sep (1) BVCC (BLC, et al.). Marsh Wren: 1-4 Oct (1) BVCC (BLC, et al.). Ruby-crowned Kinglet: 6 Sep (1) BBM (GRM, RM), ers. Swainson's Thrush: 8 Sep (1) RNM (FJA), ers.; 30 Sep (44) ELI Fall count, max. Hermit Thrush: 23 Sep (1) SHL (James Brooks), ers. American Pipit: 4 Oct/1 Nov (1/28) Round Bald, RNM (GOW/RLK). Cedar Waxwing: 17 Nov (100) WIL (Lois Herndon), max, otherwise, small flocks.

Vireo-Siskin: Solitary Vireo: 31 Oct (2) BUF (RLK), lrs. Warbling Vireo: 30 Sep (1/1) Butler, JOC/SHL (FJA/BLC), only reports. Philadelphia Vireo: 1 Sep (1) ELI (HPL), only report. Blue-winged Warbler: 21 Aug (1) ELI (HPL), only report. Golden-winged Warbler: 6 Sep (1) ELI (HPL), only report. Orange-crowned Warbler: 30 Sep (1) ELI (GOW); 5, 18 Sep (1) SHL (BLC). Yellow Warbler: 23 Sep (1) BUF (TM), lrs. Chestnut-sided Warbler: 17 Oct (1) BUF (TM), lrs. Magnolia Warbler: 2 Sep (1) ELI (HPL), ers. Cape May Warbler: 5 Sep (1) BBM (RM, GRM), ers. Blackburnian Warbler: 2 Sep (1) ELI (HPL), ers. Prairie Warbler: 7 Oct (1) ERW (GWS), lrs. Bay-breasted Warbler: 6 Sep (1) ELI (HPL), ers. Cerulean Warbler: 8 Sep (1) Roan Mtn State Park, CAR (BLC, FJA), only report. Prothonotary Warbler: 24 Sep (1) RCP (LN). Connecticut Warbler: 19 Sep (1) ERW (GWS); 23 Oct (1) SHL (BLC). Yellow-breasted Chat: 30 Sep (1) UNC (BLC, GWS), lrs. Summer Tanager: 9 Oct (1) SHL (BLC), lrs. Rose-breasted Grosbeak: 30 Sep (456) ELI Fall count, max. BLACK-HEADED GROSBEAK: 30 Sep (1*, im male) RIP (FJA), region's first record. Blue Grosbeak: 30 Sep (1) UNC (BLC, GWS), lrs. Grasshopper Sparrow: 16 Oct (1) ELI airport (BLC), lrs. Fox Sparrow: 1 Nov (1) RNM (RLK), ers. White-throated Sparrow: 30 Sep (1) WIL (GOW), ers. Snow Bunting: 18 Nov (1) Grassy Ridge, RNM (ES). Rusty

Blackbird: 23 Sep (14) WTR (GOW), ers. Purple Finch: 27 Oct (1) HOV (RPL), ers, low numbers since. Pine Siskin: 11 Nov (1, b) HOV (RPL), ers, very few reports.

Locations: BBM-Big Bald Mountain, Unicoi Co.; BUF-Buffalo Mountain, Washington Co.; BVCC-Buffalo Valley Country Club, Unicoi Co.; CAR-Carter Co.; ELI-Elizabethton; ERW-Erwin; HOV-Holston Valley, Sullivan Co.; JOC-Johnson Co.; RCP-Rock Creek Park, Unicoi Co.; RIP-Ripshin Lake, Carter Co.; RNM-Roan Mountain, Carter Co.; SHL-South Holston Lake, Sullivan Co.; WIL-Wilbur Lake, Carter Co.; WTL-Watauga Lake, Carter Co.; WTR-Watauga River, Carter Co.; UNC-Unicoi Co.

Addendum: Snow Bunting: Jan 1990 (4-5) BBM (RM).

Corrigendum: Migrant 58:31, 1987- Willet: should be 8 Aug, not 8 Nov. Error repeated in J.C. Robinson (1990) An Annotated Checklist of the Birds of Tennessee, U. Tenn. Press, p. 95.

RICHARD P. LEWIS, 407 V.I. Ranch Road, Bristol, TN 37620

OBSERVERS:

- FJA-Fred J. Alsop
 BEB-Barbara E. Bullock
 JWB-James W. Brooks
 LCC-Lula C. Coffey
 BLC-Brian L. Cross
 HBD-Helen B. Dinkelspiel
 LHD-Lillian H. Dubke
 CGD-C. Gerald Drewry, Jr.
 RPF-Robert P. Ford
 SG- Sally Goodin
 IBG-Joe B. Guinn
 DH- Dan Huffine
 MDH-Marguerette D. Hernandez
 NRH-Neil R. Heilman
 JKK-Judy K. Knox
 LFK-Lee F. Kramer
 SDL-Selena D. Little
 SLL-Selma L. Lewis
 RPL-Richard P. Lewis
 RM- Rad Mayfield
 SNM-Susan N. McWhirter
 DAM-Dwight A. Miller
 DDP-Dick D. Preston
 JHP-J. Howell Peeples
 GRP-George R. Payne
 VBR-Virginia B. Reynolds
 MLR-Martha Lyle Reid
 MRR-Martha R. Ramey
 NMS-Noreen M. Smith
 RWS-Richard W. Simmers, Jr.
 CFW-C. Frank Ward
 TJW-Terry J. Witt
 GOW-Gary O. Wallace
 CTW-Corene T. Welch
 MTOS-Memphis Chapter, TOS
 NTOS-FBC-Nashville Chapter TOS, Fall Bird Count
 TWRA-Tennessee Wildlife Resources Agency
 SDB-Sandra D. Bivens
 CHB-Carolyn H. Bullock
 JBC-Joyce B. Campion
 WGC-William G. Criswell
 JWC-J. Wallace Coffey
 KHD-Kenneth H. Dubke
 DLD-Donald L. Davidson
 JAF-James A. Ferguson
 WPF-William B. Fowler
 MAG-Mark A. Greene
 MLG-Murray L. Gardler
 RCH-Robbie C. Hassler
 AHH-Annie H. Heilman
 HSH-Helen S. Hight
 JAK-Jon A. Koella
 RLK-Richard L. Knight
 JLL-Jo L. Levy
 HPL-Howard P. Langridge
 RWL-Ruth W. Luckadoo
 TM- Tom McNeil
 GRM-George R. Mayfield, Jr.
 LN- Linda Northrop
 TDP-T. David Pitts
 JKP-Jeanne K. Payne
 RWP-Robert W. Peeples
 JCR-John C. Robinson
 TLR-Tommie L. Rogers
 ES- Ed Schell
 GWS-Glenn W. Swofford
 DFV-David F. Vogt
 BHW-Barbara H. Wilson
 EKW-Eddie K. Wilbanks
 JRW-Jeff R. Wilson
 JTOS-Jackson Chapter, TOS

INSTRUCTIONS TO AUTHORS

The Migrant records observations and studies of birds in Tennessee and adjacent areas. Most articles are written by members of the Tennessee Ornithological Society.

SUBMISSIONS: The original and, if feasible, two copies of the manuscript should be sent to the Editor: T. David Pitts, Biology Department, University of Tennessee at Martin, Martin, TN 38238. Manuscripts that have been published in other journals should not be submitted.

MATERIAL: The subject matter should relate to some phase of Tennessee ornithology. It should be original, factual, concise, and scientifically accurate.

STYLE: Both articles and short notes are solicited; recent issues of *The Migrant* should be used as a guide in the preparation of manuscripts. Where more detail is needed, reference should be made to the *Style Manual for Biological Journals*; this book is available at many public libraries and from the American Institute of Biological Sciences, 1401 Wilson Boulevard, Arlington, VA 22209.

COPY: Manuscripts should be typed *double spaced* on 8.5 x 11" paper with adequate margins for editorial notations. Tables should be prepared on separate sheets with appropriate title and column headings. Photographs intended for reproduction should be sharp with good contrast on glossy white paper; black and white photographs will usually reproduce better than color photographs. Weights, measurements, and distances should be in metric units. Dates should be in "continental" form (e.g., 16 March 1968). Use the 24-hour clock (e.g., 0500 or 1900).

NOMENCLATURE: The common and scientific names of a species should be given the first time it is mentioned. The scientific name should be underlined. Names should follow the A.O.U. Check-list of North American Birds (1983 edition or subsequent supplements).

TITLE: The title should be concise, specific, and descriptive.

ABSTRACT: Manuscripts of five or more typed pages should include an abstract. The abstract should be less than 5% of the length of the manuscript. It should include a brief explanation of why the research was done, the major results, and why the results are important.

LITERATURE CITED: List all literature citations in a Literature Cited section at the end of the text. Text citations should include the author and year.

IDENTIFICATION: Manuscripts including reports of rare or unusual species or of species at atypical times will be reviewed by the TOS Certification Committee before publication in *The Migrant*. Verifying evidence should include: date, time, light and weather conditions, exact location, habitat, optical equipment, distance, behavior of bird, comparison with other similar species, characteristic markings, experience of observer, other observers verifying the identification, and reference works consulted.

REPRINTS: Reprints are available to authors on request. Billing to authors will be through the TOS Treasurer.

SEASON REPORTS: Observations that are to be considered for publication in The Season section should be mailed to the appropriate Regional Compiler. Consult a recent issue of *The Migrant* for the name and address of the compilers.

CONTENTS

HURRICANE HUGO CARRIES OCEANIC BIRDS TO WATAUGA LAKE, TENNESSEE <i>H.P. Langridge and Brian Cross</i>	29
1991 SPRING FIELD DAYS <i>Susan N. McWhirter</i>	32
PLAN TODAY FOR FUTURE CHRISTMAS BIRD COUNTS. <i>Kristin Zimet</i>	40
MINUTES OF THE SPRING 1991 TOS BOARD OF DIRECTORS MEETING AND TOS ANNUAL MEETING. <i>Audrey R. Hoff</i>	41
SEASON REPORT: 1 August 1990 - 30 November 1990 <i>Robert P. Ford</i>	46