

**10-VOLUME INDEX TO THE MISSISSIPPI KITE:  
1991-2000**

Mark S. Woodrey  
Mississippi State University –  
Coastal Research and Extension Center  
Grand Bay NERR  
6005 Bayou Heron Road  
Moss Point, MS 39562

This index has been compiled using standardized common names following the 1998 American Ornithologists' Union Checklist of North American Birds (including the 42nd, 43rd and 44th Supplements to the Check-list, as published in *The Auk* 117:847-858 (2000); 119:897-906 (2002); 120:923-932 (2003). Where changes in common names have been introduced after the publication of certain volumes of the Mississippi Kite, the species are cross-referenced. This is an index to bird species and authors included in volumes 21-30 of the Mississippi Kite. Species groups that are often referred to by a common or Genus name (e.g., *Accipiter*, *Empidonax*, dowitcher sp.) are also included.

Alexander, G.E., Jr., Timing of wood warbler migration in western Mississippi as documented by bird banding, 23:2-11

\_\_\_\_\_, In memory of Elie Ganier, 25:30-31

*Ammodramus* sp. 29:5-6

Anhinga, 21:8; 22:22; 24:27; 25:12-14, 34; 28:8, 33; 29:13, 58

Ani, Groove-billed, 21:18; 23:35; 24:36; 29:72

*Archilochus* sp., 21:18; 22:32; 24:37

- Avocet, American, 21:14; 22:27; 24:33; 25:39; 28:13, 41; 29:24, 67
- Bittern, American, 21:8; 22:22; 23:23; 24:27; 25:34; 27:16; 28:7, 33;  
29:13, 58
- \_\_\_\_\_, Least, 21:9; 22:22; 23:23; 25:34; 27:16; 28:33; 29:14, 59
- Blackbird, Brewer's, 21:25; 22:39; 23:44; 24:45; 28:58; 29:80
- \_\_\_\_\_, Red-winged, 24:14, 23; 26:24-25; 27:16; 29:1-2, 80
- \_\_\_\_\_, Rusty, 21:25; 23:44; 28:58; 29:80
- \_\_\_\_\_, Yellow-headed, 21:25; 22:39; 23:44; 25:50; 28:23
- Bluebird, Eastern, 21:20, 35; 26:23; 28:27
- Bobolink, 22:39; 23:43; 24:45; 28:23, 57; 29:79
- Bobwhite, Northern, 27:16
- Booby, Masked, 21:8
- Brant, 22:7, 23; 23:25
- Briscoe, R.E., see Davis, W.M., G.C. Knight, S. Knight, and \_\_\_\_\_
- Broerman, F.J., First record of Northern Harrier nesting in Mississippi,  
27:14-17
- \_\_\_\_\_, and W.M. Davis, Diurnal fall migration of Peregrines in north  
Mississippi, 28:4-6
- Bufflehead, 22:24; 23:27; 24:28; 28:37; 29:18, 62
- Bunting, Indigo, 21:4, 24; 22:38; 23:42; 24:43; 25:49; 27:2; 28:22, 56;  
29:41, 79
- \_\_\_\_\_, Lark, 21:24

- \_\_\_\_\_, Lazuli, 23:12; 24:43
- \_\_\_\_\_, Painted, 21:24; 22:38; 23:42; 24:43; 25:49; 28:22, 56; 29:41, 79
- \_\_\_\_\_, Snow, 24:45
- Canvasback, 22:24; 23:26; 24:29; 25:36; 28:10, 36; 29:17, 62
- Cardinal, Northern, 22:37; 26:14
- Catbird, Gray, 21:4, 21; 22:35; 23:20, 39; 26:14; 28:19, 51; 29:36, 75
- Cawthorn, J.M., see Chandler, C.R., M.S. Woodrey, and \_\_\_\_\_
- Chandler, C.R., and M.S. Woodrey, Status of Henslow's Sparrows during winter in coastal Mississippi, 25:20-24
- \_\_\_\_\_, \_\_\_\_\_, and J.M. Cawthorn, Breeding by the Black-and-white Warbler in southern Mississippi, 24:2-4
- Chat, Yellow-breasted, 21:4; 23:7-9, 42; 24:4, 43; 28:2, 21, 55; 29:40, 78
- Chickadee, Carolina, 24:4; 29:34
- Chicken, 24:12, 15
- Chuck-will's-widow, 21:3; 22:31; 23:18; 23:36; 25:43; 28:16; 29:31, 72
- Cimprich, D.A., Summer observations of birds in DeSoto National Forest, Mississippi, 26:6-9
- \_\_\_\_\_, First documentation of Sharp-shinned Hawk nesting in Mississippi, 29:48-55
- Collared-Dove, Eurasian, 22:31; 23:35; 24:36; 28:16, 45; 29:30, 71
- Cooper, C.M., see Maul, J.D., and \_\_\_\_\_
- Coot, American, 22:26; 23:29, 25:39; 28:12, 40; 29:23, 65

Cormorant, Double-crested, 21:8; 22:7, 22; 23:23; 24:27; 25:34; 28:4, 8, 33; 29:13, 58

*Corvus* sp., 28:4

Cowbird, Bronzed, 21:25; 22:40; 23:44; 24:45

\_\_\_\_\_, Brown-headed, 24:14, 23; 26:10-11; 28:29; 29:1

\_\_\_\_\_, Shiny, 22:40 .

Crane, Sandhill, 22:26; 23:29; 24:31; 25:39; 28:12, 40; 29:23, 66

Creep, Brown, 24:39; 28:19, 50; 29:35

Crossbill, Red, 21:26; 22:40; 23:4; 28:23, 58; 29:45, 80

Crow, American, 29:74

\_\_\_\_\_, Fish, 21:20; 22:5, 34; 23:38; 24:39; 25:45; 28:19, 50; 29:34

Cuckoo, Black-billed, 21:17; 22:31; 23:35; 24:36; 28:46

\_\_\_\_\_, Yellow-billed, 22:31; 23:35; 24:36; 25:42; 28:46; 29:31

Curlew, Long-billed, 23:31; 28:42

Davis, W.E., Jr., see Jackson, J.A., and \_\_\_\_\_.

Davis, W.M., A guide to birding in the Oxford, Mississippi, area, 22:2-10

\_\_\_\_\_, Tree Swallow: First documented nesting in Mississippi, 25:16-19

\_\_\_\_\_, A specimen of the Northern Goshawk from north Mississippi, 26:2-5

\_\_\_\_\_, Multiple bird species eating fruit of one sugarberry tree, 26:13-15

\_\_\_\_\_, Spotted Sandpiper: Winter feeding on small fishes and winter

distribution in Mississippi, 30:1-7

\_\_\_\_\_, Cooper's Hawk feeding at a deer carcass, 30:12-14

\_\_\_\_\_, and D.J. Horn, Feeder use by spring migrant Rose-breasted Grosbeaks in north Mississippi and adjacent states, 27:2-5

\_\_\_\_\_, G. Knight, S. Knight, and R.E. Briscoe, Prairie Falcon: First documented record in Mississippi, 22:17-19

\_\_\_\_\_, G. Knight, and J.R. Wilson, Photographic documentation and new sites for the Common Black-headed Gull in Mississippi, 21:33-34

\_\_\_\_\_, see Broerman, F.J. and \_\_\_\_\_

Delmas, C., Winter record of a Connecticut Warbler for Mississippi, 23:20

\_\_\_\_\_, Predation of a Peregrine on a Red-winged Blackbird that was mobbing it, 26:24-25

Dendy, F.E., Lazuli Bunting in Oxford, Mississippi, 23:12

Dickeissel, 21:24; 22:38; 24:43; 25:49; 27:16; 28:22, 56; 29:42, 80

Dove, Inca, 28:46

\_\_\_\_\_, Mourning, 24:36; 25:8; 26:26-27; 29(2) cover photo

\_\_\_\_\_, Rock, 22:18

\_\_\_\_\_, White-winged, 21:17; 22:31; 23:35; 28:16; 29:31, 71

dowitcher, sp., 22:29

\_\_\_\_\_, Long-billed, 21:16; 22:29; 23:33; 24:34; 25:41; 28:14, 43; 29:28, 69

\_\_\_\_\_, Short-billed, 21:16; 22:29; 23:33; 24:34; 25:41; 28:14, 43; 29:28, 69

- Duck, American Black, 22:23; 23:26; 24:28; 28:35; 29:16
- \_\_\_\_\_, Black-bellied Whistling, 26:21-22
- \_\_\_\_\_, Long-tailed, see Oldsquaw
- \_\_\_\_\_, Mottled, 21:11
- \_\_\_\_\_, Ring-necked, 21:11; 22:23; 23:26; 24:29; 25:36; 28:10, 36; 29:18, 62
- \_\_\_\_\_, Ruddy, 21:12; 22:25; 23:27; 24:30; 25:37; 28:37; 29:19, 63
- \_\_\_\_\_, Wood, 21:11, 35; 22:23; 25:25-26; 29:61
- Dunlin, 21:16; 22:28; 23:31; 24:34; 25:41; 28:14, 43; 29:27, 69
- Eagle, Bald, 21:12; 22:5-6, 25; 23:28; 24:30; 25:37; 28:11, 38; 29:20, 63
- \_\_\_\_\_, Golden, 21:13; 22:26; 23:28; 24:31; 25:38; 28:11, 39; 29:21, 64
- Egret, Cattle, 21:9; 22:22; 23:24; 24:27; 25:10, 12-14, 34; 28:8, 34; 29:14, 59
- \_\_\_\_\_, Great, 21:9; 22:22; 23:24; 24:27; 25:12-13, 34; 28:8, 33; 29:14, 59
- \_\_\_\_\_, Reddish, 21:9; 22:22; 23:24; 26:24
- \_\_\_\_\_, Snowy, 21:9; 22:22; 23:24; 24:27; 25:12-14, 34; 28:8, 33; 29:14
- Emberizinae, 24:5
- Empidonax* sp., 21:19; 23:37; 24:38; 25:44; 28:18, 48
- Falcon, Peregrine, 21:13; 22:6-7, 17-19, 26; 23:29; 24:31; 25:38; 26:24-25; 28:4-5, 12, 39; 29:22, 64
- \_\_\_\_\_, Prairie, 22:17-19, 26; 23:29; 24:31; 25:38; 28:5, 12; 29:22, 65

Farrar, R.M., A July record of a male Rufous Hummingbird in Starkville, Mississippi, 25:4-5

Finch, House, 21:25, 36-38; 22:40; 23:44; 24:45; 25:51; 28:27, 58; 29:45, 80

\_\_\_\_\_, Purple, 21:25; 25:51; 28:23, 58; 29:45, 80

Flicker, Common, 24:12, 15

\_\_\_\_\_, Northern, 22:32; 26:14; 28:18; 30:8-10; also see Flicker, Common

Flycatcher, Acadian, 21:19; 22:5, 32; 24:38; 28:48; 29:33, 73

\_\_\_\_\_, Alder, 21:19; 22:32; 23:37; 24:38; 25:44

\_\_\_\_\_, Ash-throated, 21:19; 24:38

\_\_\_\_\_, Great Crested, 21:19; 22:33; 28:18, 49; 29:33

\_\_\_\_\_, Least, 21:19; 22:33; 23:37; 24:38; 25:44; 28:18, 48; 29:33, 73

\_\_\_\_\_, Olive-sided, 21:18; 22:32; 23:37; 28:48; 29:33, 73

\_\_\_\_\_, Scissor-tailed, 21:19; 23:37; 24:38; 25:45; 28:18, 49; 29:33, 73

\_\_\_\_\_, Vermillion, 22:33; 23:37; 24:38; 25:45

\_\_\_\_\_, Willow, 21:19; 22:32; 23:37; 25:44; 28:29-30, 48; 29:33

\_\_\_\_\_, Yellow-bellied, 21:18; 22:32; 23:37; 25:44; 28:48; 29:33, 73

Fosdick, C.R., and G.T. Fuller, Loggerhead Shrike predation on Henslow's Sparrow, 29:4-9

Frigatebird, Magnificent, 21:8; 23:23; 28:8, 33; 29:58

Fuller, G.T., see Fosdick, C.R., and \_\_\_\_\_

- Gadwall, 21:11; 23:26; 28:36; 29:17
- Gallinule, Purple, 21:14; 23:29; 29:65
- Gannet, Northern, 22:21; 23:23
- Gnatcatcher, Blue-Gray, 22:34; 23:39; 24:4, 40; 25:46; 28:19, 51; 29:36, 75
- Godwit, Hudsonian, 23:31; 29:68
- \_\_\_\_\_, Marbled, 21:15; 22:28; 23:31; 24:33; 29:26, 68
- Goldeneye, Common, 21:12; 22:24; 23:27; 24:29; 28:37; 29:18, 62
- Golden-Plover, American, 23:30; 28:12; also see Golden-Plover, Lesser, and Plover, American Golden
- \_\_\_\_\_, Lesser, 21:14; 22:26
- Goldfinch, American, 21:26; 22:40; 23:44; 24:45; 28:58; 29:45, 80
- Goose, Canada, 21:11; 22:5, 7; 24:28; 25:36; 28:9, 35; 29:16, 61
- \_\_\_\_\_, Greater White-fronted, 21:10; 22:7, 23; 23:25; 24:28; 25:35; 28:9, 35; 29:16, 61
- \_\_\_\_\_, Ross', 21:10; 22:7, 23; 23:25; 24:28; 25:36; 28:9, 35; 29:16, 61
- \_\_\_\_\_, Snow, 21:10; 22:7; 23:25; 25:35; 28:9, 35; 29:16, 61
- Goshawk, Northern, 23:28; 26:2-5; 28:39
- Grackle, Common, 27:8
- \_\_\_\_\_, Great-tailed, 28:58
- Grebe, Eared, 21:8; 22:21; 23:22; 24:26; 25:33; 28:7, 32; 29:12, 58
- \_\_\_\_\_, Horned, 21:8; 22:21; 23:22; 24:26; 25:33; 28:7, 32; 29:12, 57



- \_\_\_\_\_, Pied-billed, 22:21; 25:33; 27(1) cover photo; 28:7, 32; 29:12, 57
- \_\_\_\_\_, Red-necked, 22:21; 23:22; 24:26; 28:7
- \_\_\_\_\_, Western, 23:23; 28:7, 32; 29:12
- Grosbeak, Black-headed, 21:24; 24:43; 28:22, 56; 29:41
- \_\_\_\_\_, Blue, 22:38; 24:43; 25:49; 27:2; 27:16; 28:22, 56; 29:41
- \_\_\_\_\_, Evening, 22:40; 24:45; 25:51; 28:23, 58
- \_\_\_\_\_, Rose-breasted, 21:24; 22:38; 23:42; 24:43; 25:49; 26:14; 27:2-5;  
28:55; 29:41, 79
- Ground-Dove, Common, 21:17; 22:31; 23:35; 24:36; 28:16; 29:31, 71
- Gull, Bonaparte's, 21:17, 33; 23:33; 24:35; 25:41; 28:15, 44; 29:29, 70
- \_\_\_\_\_, California, 28:4
- \_\_\_\_\_, Common Black-headed, 21:33; 22:29; 24:35
- \_\_\_\_\_, Franklin's, 21:16; 22:29; 23:33; 24:35; 25:41; 28:15, 44; 29:28,  
70
- \_\_\_\_\_, Glaucous, 23:34; 24:35; 28:15, 45; 29:29
- \_\_\_\_\_, Great Black-backed, 21:17; 22:30; 23:34
- \_\_\_\_\_, Herring, 22:30; 24:35; 25:42; 28:44; 29:29, 70
- \_\_\_\_\_, Laughing, 21:16; 22:13-14, 29; 23:33; 24:35; 25:2, 41; 28:14, 44;  
29:28, 70
- \_\_\_\_\_, Lesser Black-backed, 21:17; 22:30; 23:33; 28:44; 29:29
- \_\_\_\_\_, Little, 21:34; 22:29; 25:41; 28:15, 44; 29:29

\_\_\_\_\_, Ring-billed, 21:17; 22:30; 23:33; 24:35; 25:42; 28:15, 44; 29:29,  
70

\_\_\_\_\_, Sabine's, 24:35, 70

\_\_\_\_\_, Slaty-backed, 24:35

\_\_\_\_\_, Thayer's, 28:44

Harrier, Northern, 21:13; 22:6; 23:28; 24:30; 25:37; 27:14-16, 21; 28:38;  
29:6, 20, 64; 30:13

Hawk, Broad-winged, 21:13; 22:25; 23:28; 24:31; 25:38; 28:4, 11, 39;  
29:21, 64

\_\_\_\_\_, Cooper's, 21:13; 2:25; 23:28; 25:38; 26:3-4; 28:38; 29:21, 49-50,  
64; 30:12-13

\_\_\_\_\_, Ferruginous, 22:25

\_\_\_\_\_, Red-shouldered, 28:39; 29:21

\_\_\_\_\_, Red-tailed, 21:13; 22:6, 25; 23:28; 24:31; 27:14, 16; 28:39; 29:21,  
64

\_\_\_\_\_, Rough-legged, 22:6; 22:26; 23:28; 28:11

\_\_\_\_\_, Sharp-shinned, 22:25; 23:28; 24:23-24, 30; 25:37; 26:3-4; 28:38;  
29:20, 48-53, 64

\_\_\_\_\_, Swainson's, 21:13; 28:39; 29:21

Henne-Kerr, J., see Nelms, C.O., D.J. Twedt, and \_\_\_\_\_

Herbert, N., and D.R. Simons, Trumpeter Swan in Bolivar County,  
Mississippi, 21:29-32

Heron, Great Blue, 21:9; 23:24; 24:27; 25:9, 12-14, 34; 27:18; 28:8;  
29:14

\_\_\_\_\_, Green, 23(1) cover photo; 24(1) cover photo; 25:34; 29:15, 59;  
also see Heron, Green-backed

\_\_\_\_\_, Green-backed, 21:9; 23:24

\_\_\_\_\_, Little Blue, 21:9; 23:24; 24:27; 25:12-14, 34; 28:8, 33; 29:14

\_\_\_\_\_, Tricolored, 21:9; 23:24; 24:27; 25:10, 12-13, 34; 28:8, 33; 29:14,  
59

Hodges, M.F., see Jackson, J.A., \_\_\_\_\_, D.J. Ingold, and B.J.S. Jackson

Horn, D.J., see Davis, W.M., and \_\_\_\_\_

hummingbird, sp., 22:32

\_\_\_\_\_, Allen's, 23:37; 25:44; 28:17; 29:32

\_\_\_\_\_, Anna's, 25:4, 43; 28:17, 47

\_\_\_\_\_, Black-chinned, 22:32; 23:36; 24:37; 25:43; 28:16, 47; 29:32, 72

\_\_\_\_\_, Broad-billed, 29:72

\_\_\_\_\_, Broad-tailed, 24:37; 25:43; 28:17, 47

\_\_\_\_\_, Buff-bellied, 21:18; 22:32; 23:36; 25:43; 28:16, 47; 29:32, 72

\_\_\_\_\_, Calliope, 23:36; 24:37; 25:43; 28:17, 47; 29:32

\_\_\_\_\_, Ruby-throated, 21:18; 22:32; 23:36; 25:2; 25:43; 27:23; 28:16,  
47; 29:32, 72

\_\_\_\_\_, Rufous, 21:18; 23:36; 24:37; 25:4-5, 43; 28:17, 47; 29:32, 72

\_\_\_\_\_, White-eared, 28:16, 46

Husak, M.S., and A.E. Latham, Use of garage confines by Northern  
Flickers, 30:8-11

Hutto, M., see Turcotte, W.H., and \_\_\_\_\_

Ibis, Glossy, 21:10; 22:22; 23:25; 25:35; 28:9, 34; 29:15, 60

\_\_\_\_\_, White, 21:9; 22:22; 23:25; 24:28; 25:10, 12-13; 28:9, 34; 29:15, 60

\_\_\_\_\_, White-faced, 21:10; 23:25; 25:35; 28:9, 34; 29:15, 60

Icterinae, 24:5

Ingold, D.J., see Jackson, J.A., M.F. Hodges, \_\_\_\_\_, and B.J.S. Jackson

Jackson, B.J.S., see Jackson, J.A. and \_\_\_\_\_

\_\_\_\_\_, see Jackson, J.A., M.F. Hodges, D.J. Ingold, and \_\_\_\_\_

Jackson, J.A., Northern Rough-winged Swallows excavating at holes among the roots of upturned trees, 23:13-14

\_\_\_\_\_, The Mississippi legacy of Ben B. Coffey, Jr., 23:16-19

\_\_\_\_\_, Garage-nesting Carolina Wren parasitized by Brown-headed Cowbird, 26:10-12

\_\_\_\_\_, Mourning Dove nesting persistence, 26:26-27

\_\_\_\_\_, and W.E. Davis, Jr., Selection of a strand line for nesting by Least Terns: Management Implications, 26:18-20

\_\_\_\_\_, M.F. Hodges, D.J. Ingold, and B.J.S. Jackson, Fall nesting of Killdeers in Mississippi, 25:16-17

\_\_\_\_\_, and B.J.S. Jackson, Kleptoparasitism of an American Robin by a Red-headed Woodpecker, 24:21-22

\_\_\_\_\_, and \_\_\_\_\_, Killdeer with an extra rectrix, 27:10-11

\_\_\_\_\_, and J.P. Key, Lethal mobbing of a Laughing Gull by Least Terns, 22:13-15

\_\_\_\_\_, see Smith, G.A., and \_\_\_\_\_

jaeger, sp., 23:33

\_\_\_\_\_, Pomarine, 22:29; 23:33

Jones, B.L., and L.A. Jones, A brood of albino Eastern Bluebirds in Meridian, Mississippi, 26:23

Jones, L.A., see Jones, B.L. and \_\_\_\_\_

Junco, Dark-eyed, 21:5, 25; 25:50; 28:23, 57; 29:79

Kestrel, American, 22:26; 23:29; 24:12, 15, 31; 25:38; 28:39; 29:64

Key, J.L., Grain elevator supports winter Barn Owl nest, 24:5-6

\_\_\_\_\_, Spring diet of the Barn Owl in north Mississippi, 24:10-16

Key, J.P., Black-shouldered Kite in Tallahatchie County, 21:6

\_\_\_\_\_, see Jackson, J.A. and \_\_\_\_\_

Killdeer, 23:30; 25:16-17; 27:10-11; 28:40; 29:24

Kingbird, Cassin's, 28:49

\_\_\_\_\_, Eastern, 21:19; 22:33; 24:38; 28:49; 29:33, 73

\_\_\_\_\_, Gray, 22:33; 28:49; 29:73

\_\_\_\_\_, Western, 21:19; 22:33; 23:37; 24:38; 28:49; 29:33, 73

Kingfisher, Belted, 23:13; 28:48

Kinglet, Golden-crowned, 23:39; 24:40; 25:46; 28:19, 50; 29:36

\_\_\_\_\_, Ruby-crowned, 21:20; 22:34; 23:39; 24:40; 25:46; 28:19, 50; 29:36, 75

Kite, American Swallow-tailed, 21:12; 24:30; 25:37; 29:19, 63

\_\_\_\_\_, Black-shouldered, 21:6, 12; 22:25; 23:28

\_\_\_\_\_, Mississippi, 21:6, 12; 22:25; 23:28; 24:30; 25:37; 28:11, 38;  
29:19, 63

\_\_\_\_\_, Swallow-tailed, see Kite, American Swallow-tailed

Kittiwake, Black-legged, 21:17, 34; 23:34; 24:35; 25:42; 28:15, 45

Knight, G.C., First nesting record of a Willow Flycatcher in Mississippi,  
28:29-30

\_\_\_\_\_, Birds around the state: January-December 1998, 29:56-82

\_\_\_\_\_, see Davis, W.M., \_\_\_\_\_, S. Knight, and R.E. Briscoe

\_\_\_\_\_, see Davis, W.M., \_\_\_\_\_, and J.R. Wilson

Knight, S., see Davis, W.M., G.C. Knight, \_\_\_\_\_, and R.E. Briscoe

Knot, Red, 21:15; 22:28; 23:31; 24:33

Lark, Horned, 22:7, 33; 23:38

Latham, A.E., see Husak, M.S., and \_\_\_\_\_

Longspur, Chestnut-collared, 24:45

\_\_\_\_\_, Lapland, 21:25; 22:7, 39; 23:43; 24:44; 25:50; 28:23, 57; 29:79

\_\_\_\_\_, McCown's, 24:44

\_\_\_\_\_, Smith's, 21:25; 22:7, 39; 23:43

Loon, Common, 21:8; 22:21; 23:22; 24:26; 25:33; 28:7, 32; 29:11, 57

\_\_\_\_\_, Pacific, 23:22; 28:32; 29:11

- \_\_\_\_\_, Red-throated, 22:21; 23:22; 25:33; 28:7, 32; 29:11
- Mallard, 22:23; 28:10, 35; 29:17
- Martin, Purple, 21:19; 22:33; 23:38; 24:38; 25:45; 28:18, 49; 29:34, 74
- Maul, J.D., and C.M. Cooper, Escape behavior of Blue-winged Teal from attack by a Northern Harrier, 27:21-22.
- \_\_\_\_\_, and \_\_\_\_\_, An interspecific interaction between a European Starling and a Green-winged Teal, 29:1-3
- McCabe, C.A, see Mueller, A.J. and \_\_\_\_\_
- McWhorter, V., Brown Pelican at Okatibbee Lake, Lauderdale County, Mississippi, 24:19-20
- Meadowlark, Eastern, 22:7; 23:43; 24:14, 45; 27:16
- \_\_\_\_\_, Western, 23:43; 24:45; 25:50; 28:23, 58; 29:80
- Merganser, Common, 22:24; 23:27; 25:37; 28:11, 37
- \_\_\_\_\_, Hooded, 21:12; 22:24; 23:27; 24:29; 25:37; 28:11, 37; 29:18, 62
- \_\_\_\_\_, Red-breasted, 21:12; 22:25; 23:27; 24:30; 25:37; 28:11, 37; 29:18, 63
- Merlin, 21:13; 22:6-7, 26; 23:29; 24:31; 25:38; 28:5, 12, 39; 29:21, 63
- Mockingbird, Northern, 25:27-29; 26:14
- Moorhen, Common, 23:29; 24(2) cover photo, 31; 25:39; 27(2) cover photo; 29:23, 65
- Mueller, A.J., The first annual Mississippi colonial waterbird count, 25:8-15
- \_\_\_\_\_, Antiphonal singing in the Yellow-throated Vireo, 27:8-9

- \_\_\_\_\_, and C.A. McCabe, Possible nest attempt by Wood Storks in Mississippi, 27:18-20
- \_\_\_\_\_, and C. Nelms, Sharp-shinned Hawk feeds through a chain link fence, 24:23-24
- Nelms, C.O., D.J. Twedt, and J. Henne-Kerr, Warbling Vireo possibly breeding in Issaquena County, Mississippi, 25:6-7
- \_\_\_\_\_, see Mueller, A.J., and \_\_\_\_\_
- nighthawk, sp., 22:31
- \_\_\_\_\_, Common, 21:18; 22:31; 24:37; 28:46; 29:31, 72
- Night-Heron, Black-crowned, 21:9; 22:22; 23:24; 24:28; 25:10, 12-13, 35; 28:34; 29:15, 59
- \_\_\_\_\_, Yellow-crowned, 21:9; 22:22; 23:24; 25:10, 12, 14, 35; 28:8, 34; 29:15, 59
- Nuthatch, Brown-headed, 28:50; 29:75
- \_\_\_\_\_, Red-breasted, 21:20; 22:34; 24:39; 25:45; 28:19, 50; 29:35, 75
- \_\_\_\_\_, White-breasted, 29:75
- Oldsquaw, 21:11, 23:26; 24:29; 25:36; 28:36; 29:18, 62
- Oriole, Baltimore, 28:23, 58; 29:44, 80; also see Oriole, Northern
- \_\_\_\_\_, Northern, 21:25; 22:40; 23:44; 24:45; 25:50
- \_\_\_\_\_, Orchard, 21:25; 22:40; 23:44; 28:23, 58; 29:44, 80
- Osprey, 21:12; 22:5-6, 25; 23:27; 24:30; 25:37; 28:11, 37; 29:9, 63
- Ovenbird, 21:23; 22:37; 23:5, 8, 10; 24:42; 25:48; 28:21, 55; 29:40, 77
- Owl, Barn, 21:18; 22:31; 24:5-6, 10-13, 36; 25:42; 28:46; 29:31



- \_\_\_\_\_, Barred, 28(2) cover photo
- \_\_\_\_\_, Burrowing, 23:36; 28:16
- \_\_\_\_\_, Eastern Screech, 28:46; 29:31
- \_\_\_\_\_, Great Horned, 23:35; 28:16, 46; 29:72
- \_\_\_\_\_, Long-eared, 21:18
- \_\_\_\_\_, Short-eared, 21:18; 22:31; 23:36; 24:37; 25:43; 28:46; 29:31, 72
- Oystercatcher, American, 21:14; 22:27; 23:30; 24:32; 29:24, 66
- Parula, Northern, 21:22; 22:8, 36; 23:4, 7, 9; 24:41; 28:53; 29:38
- \_\_\_\_\_, Tropical, 21:22
- Pelican, American White, 21:8; 22:21; 23:23; 24:26; 25(1) cover photo, 18; 25:33; 28:7, 32; 29:12, 58
- \_\_\_\_\_, Brown, 23:23, 24:17, 19-20
- Phalarope, Red, 28:44
- \_\_\_\_\_, Red-necked, 21:16; 22:29; 23:33; 25:41
- \_\_\_\_\_, Wilson's, 21:16; 22:29; 23:33; 24:34; 28:14, 44; 29:28, 70
- Phoebe, Eastern, 21:19; 24:38; 25:44; 26:14; 28:18, 49; 29:73
- \_\_\_\_\_, Say's, 22:33; 25:45
- Pigeon, Rock, see Dove, Rock
- Pintail, Northern, 21:11; 24:29; 28:10, 35; 29:17, 61, 75; 30:13
- Pipit, American, 21:21; 23:39; 28:51; 29:36

\_\_\_\_\_, Sprague's, 22:35; 23:39

*Plegadis* sp., 21:10; 25:35; 28:9, 34

Plover, American Golden, 22:7; 24:32; 25:39; 28:40; 29:23, 66

\_\_\_\_\_, Black-bellied, 21:14; 22:26; 23:30; 24:32; 25:39; 26:24; 28:12, 40; 29:23, 66

\_\_\_\_\_, Mountain, 28:40

\_\_\_\_\_, Piping, 22:27; 24:32; 29:24, 66

\_\_\_\_\_, Semipalmated, 21:14; 22:27; 23:30; 24:32; 25:39; 28:13, 40; 29:24, 66

\_\_\_\_\_, Snowy, 21:14; 22:27; 23:30; 24:32; 26:24; 29:23, 66

\_\_\_\_\_, Wilson's, 21:14; 28:12

Qualls, B., European Starling "helper" at late season Red-bellied Woodpecker nest, 28:26-28

Rail, King, 21:3; 23:29; 24:31; 25:38; 28:12, 39; 29:22, 65

\_\_\_\_\_, Virginia, 21:14; 22:26; 23:29; 25:38; 28:12, 40; 29:22, 65

\_\_\_\_\_, Yellow, 25:23, 38; 29:22

Redhead, 22:24; 28:10, 36; 29:18, 62

Redstart, American, 21:23; 23:5, 41; 24:42; 25:48; 26:7-8; 28:21, 54

Robin, American, 21:4; 22:35; 24:21; 26:13; 29:36

Ruff, 28:43; 29:27

Sanderling, 21:15; 22:28; 23:31; 24:33; 25:2-3, 40; 28:13, 42; 29:26, 68

Sandpiper, Baird's, 21:15; 22:7, 28; 23:31; 24:34; 25:41; 28:14, 42;

29:27, 68

\_\_\_\_\_, Buff-breasted, 21:16; 22:7, 29; 23:31; 24:34; 25:41; 28:14, 43;  
29:27, 69

\_\_\_\_\_, Least, 21:15; 22:28; 23:31; 24:34; 25:40; 28:13, 42; 29:2, 26

\_\_\_\_\_, Pectoral, 21:16; 22:28; 23:31; 28:14, 43; 29:27, 69

\_\_\_\_\_, Purple, 21:16; 23:31

\_\_\_\_\_, Semipalmated, 21:15; 22:28; 23:31; 24:33; 25:40; 28:13, 42;  
29:26, 68

\_\_\_\_\_, Solitary, 21:15; 23:31; 24:33; 25:40; 28:13, 41; 29:25, 67

\_\_\_\_\_, Spotted, 21:15; 22:27; 23:31; 24:33; 25:40; 28:13, 41; 29:25, 67;  
30:1-6

\_\_\_\_\_, Stilt, 21:16; 22:28; 23:31; 25:41; 28:14, 43; 29:27, 69

\_\_\_\_\_, Upland, 21:15; 22:7, 27; 23:31; 24:33; 25:40; 28:13, 42; 29:25, 67

\_\_\_\_\_, Western, 21:15; 22:28; 23:31; 24:34; 25:40; 28:13, 42; 29:26, 68

\_\_\_\_\_, White-rumped, 21:15; 22:28; 23:31; 25:40; 28:13, 42; 29:26, 68

Sapsucker, Yellow-bellied, 21:18; 22:32; 23:37; 24:37; 25:44; 26:14;  
28:18, 48; 29:32, 73

scaup, sp., 22:24; 28:36

\_\_\_\_\_, Greater, 21:11; 22:24; 23:26; 24:29; 25:36; 28:10, 36; 29:62

\_\_\_\_\_, Lesser, 23:26; 24:29; 25:36; 28:10, 36; 29:18, 62

Schiefer, T.L., Birds around the state: January-December 1990, 21:7-27

\_\_\_\_\_, Birds around the state: January-December 1991, 22:20-42

- \_\_\_\_\_, Birds around the state: January-December 1992, 23:21-46
- \_\_\_\_\_, Birds around the state: January-December 1993, 24:25-47
- \_\_\_\_\_, Birds around the state: January-December 1994, 25:32-52
- \_\_\_\_\_, Birds around the state: January-December 1995, 28:6-24
- \_\_\_\_\_, Birds around the state: January-December 1996, 28:31-60
- \_\_\_\_\_, Birds around the state: January-December 1997, 29:10-47
- Scoter, Black, 21:11; 22:24; 23:27; 24:29; 25:36; 28:37; 29:18; 29:62
- \_\_\_\_\_, Surf, 21:11; 22:24; 23:27; 24:29; 25:36; 28:10, 37; 29:62
- \_\_\_\_\_, White-winged, 21:12; 22:24; 23:27; 25:37; 28:10, 37; 29:62
- Screech-Owl, Eastern, see Owl, Screech
- Selasphorus* sp., 21:18; 22:32; 25:44; 28:17, 48
- Shoveler, Northern, 22:23; 25:36; 27:21; 28:10, 36; 29:17, 61
- Shrike, Loggerhead, 28:27, 51; 29:4-7
- Simons, D.R., see Herbert, N., and \_\_\_\_\_
- Sims, R.A., Wood Duck attempts to enter bluebird nest box, 21:35
- \_\_\_\_\_, Dual nesting by female Wood Ducks, 25:25-26
- Siskin, Pine, 21:26; 23:44; 24:45; 28:58; 29:45
- Skimmer, Black, 23:35; 24:36; 25:10, 12
- Slack, H.E., III, Avian mortality at buildings along the Mississippi Gulf coast during fall migration, 21:2-5
- Smith, G.A., and J.A. Jackson, Red-bellied Woodpecker predation on a

green anole, 24:7-8

Snipe, Common, 21:16; 23:33; 24:12, 15, 34; 25:41; 28:43; 29:2, 28, 69

\_\_\_\_\_, Wilson's, see Snipe, Common

Sora, 21:3; 22:26; 23:29; 24:12, 15, 31; 25:39; 28:12, 40; 29:22, 65

Sparrow, American Tree, 22:38

\_\_\_\_\_, Bachman's, 21:24; 22:38; 23:42; 28:22; 29:42, 78

\_\_\_\_\_, Chipping, 21:4; 24:44; 26:7-8; 28:56; 29:42

\_\_\_\_\_, Clay-colored, 21:24; 23:42; 25:49; 28:22

\_\_\_\_\_, Field, 21:24; 24:44; 25:49; 28:22; 29:42

\_\_\_\_\_, Fox, 21:5, 25; 23:43; 25:50; 28:22, 57; 29:43, 79

\_\_\_\_\_, Grasshopper, 21:5, 24; 22:39; 23:42; 24:44; 25:50; 28:22, 56;  
29:6, 42, 78

\_\_\_\_\_, Harris', 28:57

\_\_\_\_\_, Henslow's, 21:24; 23:42; 24:44; 25:20-23; 29:4-7, 42, 78

\_\_\_\_\_, House, 24:21

\_\_\_\_\_, Lark, 21:24; 22:38; 23:42; 24:44; 25:49; 28:22, 56 ; 29:42, 78

\_\_\_\_\_, Le Conte's, 21:24; 22:39; 23:43; 24:44; 25:50; 28:22, 57; 29:6,  
42, 78

\_\_\_\_\_, Lincoln's, 21:5, 25; 22:39; 23:43; 24:44; 25:50; 28:23, 57; 29:43,  
79

\_\_\_\_\_, Nelson's Sharp-tailed, 29:79

\_\_\_\_\_, Savannah, 21:4, 24; 22:39; 23:42; 28:56; 29:5; 29:42, 78

\_\_\_\_\_, Seaside, 22:39; 29:6

\_\_\_\_\_, Sharp-tailed, 21:25; 29:6

\_\_\_\_\_, Song, 21:5; 22:39; 23:43; 25:50; 28:57; 29:43

\_\_\_\_\_, Swamp, 21:2, 5; 22:39; 23:43; 24:44; 28:57; 29:43, 79

\_\_\_\_\_, Vesper, 22:38; 24:44; 28:22, 56; 29:78

\_\_\_\_\_, White-crowned, 21:25; 22:39; 23:43; 25:50; 28:57; 29:44, 79

\_\_\_\_\_, White-throated, 21:5, 25; 23:20, 43; 24:44; 25:50; 28:23, 57;  
29:43, 79

Spoonbill, Roseate, 23:25; 24:28; 25:35; 28:9, 34; 29:15, 60

Starling, European, 24:21; 28:26-27; 29:1-2

Stevens, M.P., Cliff Swallows nesting at Ross Barnett Reservoir,  
Mississippi, 22:11-12

Stilt, Black-necked, 21:14; 22(2) cover photo, 27; 23:30; 24:32; 25:39;  
28:13, 40; 29:24, 66

Stork, Wood, 21:10; 22:23; 23:25; 24:28; 25:35; 27:18-19; 28:9, 34;  
29:15, 60

sulid, sp. 21:8

Swallow, Bank, 21:20; 22:33; 23:14, 38; 24:38; 25:45; 28:49; 29:34, 74

\_\_\_\_\_, Barn, 21:20; 22:11-12, 34; 23:38; 24:39; 25:45; 27:16; 28:18, 49;  
29:34, 74

\_\_\_\_\_, Cliff, 21:20; 22:11-12, 33; 24:39; 25:45; 28:18, 49; 29:34, 74

\_\_\_\_\_, Northern Rough-winged, 21:20; 22:33; 23:13-14; 25:45; 28:18,  
49; 29:34, 74

\_\_\_\_\_, Tree, 21:19; 22:33; 23:38; 24:38; 25(2) cover photo, 16-18, 45;  
28:18, 49; 29:34, 74

Swan, Trumpeter, 21:10, 29-32; 22:7, 23; 23:25

\_\_\_\_\_, Tundra, 21:10; 21(2) cover photo, 29-31; 22:7, 23; 23:25; 24:28;  
25:35; 28:35; 29:15, 61

Swift, Chimney, 21:18; 22:31; 23:18, 36; 24:37; 25:43; 28:16, 46; 29:32

Tanager, Scarlet, 21:23; 22:37; 23:42; 24:43; 25:49; 26:14; 28:21, 55;  
29:41, 78

\_\_\_\_\_, Summer, 21:23; 22:37; 23:42; 24:4, 43; 28:21, 55; 29:41

\_\_\_\_\_, Western, 24:43

Tarbell, A.T., Sanderling feeding on carrion, 25:2-3

Teal, Blue-winged, 21:11; 22:23; 23:26; 24:29; 25:36; 27:21; 28:10, 36;  
29:17, 61

\_\_\_\_\_, Cinnamon, 21:11; 23:26; 29:17

\_\_\_\_\_, Green-winged, 21:11; 22:23; 23:26; 28:9, 35; 29:1-2, 16, 62

Tern, Black, 21:17; 22:30; 23:34; 24:36; 25:42; 28:15, 45; 29:30, 71

\_\_\_\_\_, Caspian, 21:17; 22:30; 23:34; 24:35; 28:15, 45; 29:29, 70

\_\_\_\_\_, Common, 22:30; 23:34; 24:36; 28:15, 45; 29:29, 70

\_\_\_\_\_, Forster's, 21:17; 22:5, 30; 23:34; 24:36; 25:42; 28:15, 45; 29:30,  
71

\_\_\_\_\_, Gull-billed, 22:30; 29:70

\_\_\_\_\_, Least, 21:17; 22:13-14, 30; 23:34; 24:36; 25:9-14, 42; 26:18-20;  
28:15, 45; 29:30, 71

\_\_\_\_\_, Little, 22:13

\_\_\_\_\_, Royal, 23(2) cover photo, 34

\_\_\_\_\_, Sandwich, 23(2) cover photo, 34

\_\_\_\_\_, Sooty, 23:34

Thrasher, Brown, 24:21, 23

Thrush, Gray-cheeked, 22:34; 23:39; 24:40; 25:46; 28:51; 29:36

\_\_\_\_\_, Hermit, 21:4; 22:34; 24:40; 28:19, 51; 29:75

\_\_\_\_\_, Swainson's, 21:4, 20; 22:34; 24:40; 25:46; 26:14; 28:19, 51;  
29:36, 75

\_\_\_\_\_, Wood, 21:4, 21; 22:35; 24:40; 25:46; 26:14; 28:19, 51

Tidwell, D., see Tidwell, T, and \_\_\_\_\_

Tidwell, T., and D. Tidwell, A fall observation of unusual behavior of  
Ruby-throated Hummingbirds, 27:23-24

Towhee, Eastern, see Towhee, Rufous-sided

\_\_\_\_\_, Rufous-sided, 24:4

Turcotte, W.H., Nesting of Northern Mockingbirds in an artificial  
structure, 25:27-29

\_\_\_\_\_, Roosting posture of Carolina Wrens, 27:6-7

\_\_\_\_\_, and M. Hutto, Nesting of the House Finch in downtown Jackson,  
Mississippi, 21:36-38

Turkey, Wild, 21:13; 29:22

Turnstone, Ruddy, 23:31; 24:33; 25:40; 28:42; 29:26



Turtle-Dove, Ringed, 23:35; 25:42

Twedt, D.J., see Nelms, C.O., \_\_\_\_\_, and J. Henne-Kerr

Veery, 21:20; 23:39; 24:40; 25:46; 28:52; 29:36, 75

Vireo, Bell's, 21:21; 23:39; 28:51

\_\_\_\_\_, Blue-headed, 29:37, 74

\_\_\_\_\_, Philadelphia, 21:21; 22:35; 23:40; 24:40; 25:46; 28:52; 29:37, 74

\_\_\_\_\_, Red-eyed, 21:21; 22:35; 23:40; 24:41; 25:47; 28:20, 52; 29:37, 74

\_\_\_\_\_, Solitary, 21:21; 22:35; 23:39; 24:40; 25:46; 28:52

\_\_\_\_\_, Warbling, 23:39; 25:6-7; 28:20, 52; 29:37, 74

\_\_\_\_\_, White-eyed, 21:21; 22:35; 23:39; 24:40; 25:46; 28:20, 51; 29:37,  
73

\_\_\_\_\_, Yellow-throated, 21:21; 22:8, 35; 23:39; 24:40; 25:46; 27:8;  
28:52; 29:37, 74

vulture, sp., 24:30

\_\_\_\_\_, Black, 22:19; 24:30; 28:11, 37; 29:19, 60

\_\_\_\_\_, Turkey, 21:12; 22:19; 28:11; 29:19

Wagtail, Citrine, 23:39

Ware, M.S., A note on the status of the Brown Pelican in Mississippi,  
24:17-18

Warbler, Bay-breasted, 21:22; 22:36; 23:5, 41; 25:48; 28:21, 54; 29:39,  
77

- \_\_\_\_\_, Blackburnian, 21:22; 22:36; 23:40; 24:41; 25:48; 28:53; 29:39, 76
- \_\_\_\_\_, Blackpoll, 22:36; 23:41; 28:21, 54; 29:39, 77
- \_\_\_\_\_, Black-and-white, 21:4, 23; 22:37; 23:5, 8, 41; 24:2-4, 42; 25:48; 28:21, 54; 29:39
- \_\_\_\_\_, Black-throated Blue, 21:22; 22:36; 23:40; 24:41; 25:47; 29:38
- \_\_\_\_\_, Black-throated Gray, 23:40; 29:76
- \_\_\_\_\_, Black-throated Green, 21:22; 22:36; 23:40; 24:41; 25:47; 28:20, 53; 29:39, 76
- \_\_\_\_\_, Blue-winged, 21:21; 22:35; 24:41; 28:20, 52; 29:37, 76
- \_\_\_\_\_, Canada, 21:23; 22:37; 23:6, 10, 41; 24:43; 25:49; 28:55; 29:40
- \_\_\_\_\_, Cape May, 21:22; 24:41; 25:47; 28:20; 29:76
- \_\_\_\_\_, Cerulean, 21:22; 22:36; 23:41; 25:48; 28:21, 54; 29:39, 77
- \_\_\_\_\_, Chestnut-sided, 21:22; 22:36; 23:40; 24:41; 25:47; 28:20, 53; 29:38, 76
- \_\_\_\_\_, Connecticut, 21:23; 22:37; 23:20; 24:42
- \_\_\_\_\_, Golden-winged, 21:21; 22:35; 23:40; 24:41; 25:47; 28:52; 29:37, 76
- \_\_\_\_\_, Hooded, 21:23; 22:37; 23:6, 8, 10, 41; 24:42; 25:49; 28:21, 55; 29:40, 78
- \_\_\_\_\_, Kentucky, 22:37; 23:6, 8-10, 41; 24:42; 28:21, 55; 29:40, 77
- \_\_\_\_\_, Magnolia, 21:22; 22:36; 23:4, 7, 10, 40; 25:47; 28:2, 28, 53; 29:38, 76
- \_\_\_\_\_, Mourning, 21:23; 22:37; 23:6, 41; 24:42; 25:48; 28:55; 29:40, 77

- \_\_\_\_\_, Nashville, 21:21; 22:35; 24:41; 28:20, 53; 29:38, 76
- \_\_\_\_\_, Orange-crowned, 21:21; 22:35; 23:4; 24:41; 25:47; 28:53; 29:38,  
76
- \_\_\_\_\_, Palm, 21:22; 22:36; 23:40; 24:42; 25:48; 28:21, 54; 29:39
- \_\_\_\_\_, Pine, 28:54
- \_\_\_\_\_, Prairie, 21:22; 23:5; 24:4, 42; 29:77
- \_\_\_\_\_, Prothonotary, 21:23; 22:37; 24:42; 25:48; 28(1) cover photo, 54;  
29:39, 77
- \_\_\_\_\_, Swainson's, 22:9, 37; 23:41; 24:42; 25:48; 28:54; 29:40, 77
- \_\_\_\_\_, Tennessee, 22:35; 23:4, 7, 40; 25:47; 28:20, 52; 29:38, 76
- \_\_\_\_\_, Wilson's, 21:23; 22:37; 23:6, 41; 24:43; 25:49; 28:21, 55; 29:40,  
78
- \_\_\_\_\_, Worm-eating, 21:23; 22:37; 23:5, 41; 24:42; 25:48; 26:7-8; 28:54
- \_\_\_\_\_, Yellow, 21:22; 22:36; 23:40; 25:47; 28:20, 53; 29:38
- \_\_\_\_\_, Yellow-rumped, 21:22; 22:36; 23:4, 7, 9, 40; 28:20, 53; 29:39
- \_\_\_\_\_, Yellow-throated, 21:22; 22:8, 36; 24:41; 25:48; 28:21, 54; 29:39,  
77
- Waterthrush, Louisiana, 21:23; 22:8; 23:5, 41; 25:48; 26:7-8; 28:55
- \_\_\_\_\_, Northern, 21:23; 22:37; 23:41; 28:21, 55; 29:40, 77
- Waxwing, Cedar, 21:21; 23:39; 24:40; 25:46; 28:20, 51; 29:36, 76
- Whimbrel, 21:15; 22:28; 23:31; 28:13; 29:68
- Whip-poor-will, 21:18; 22:31; 23:18; 23:36; 29:72

Whistling-Duck, Black-bellied, Also see Duck, Black-bellied Whistling

\_\_\_\_\_, Fulvous, 22:23; 28:9; 29:60

Wigeon, American, 21:11; 22:23; 23:26; 24:29; 25:36; 28:10, 36; 29:17,  
61

Willet, 21:15; 23:31; 24:33; 25:40; 26(1) cover photo; 28:13, 41; 29:25,  
67

Wilson, J.R., see David, W.M., G. Knight, and \_\_\_\_\_

Wood, D.R., Black-bellied Whistling Ducks at Yazoo National Wildlife  
Refuge, Mississippi, 26:21-22

Woodcock, American, 21:3; 24:34; 25:8; 28:14, 43; 29:28

Woodpecker, Downy, 23:37

\_\_\_\_\_, Hairy, 22:32; 25:44

\_\_\_\_\_, Pileated, 26:14; 29:32

\_\_\_\_\_, Red-bellied, 22(1) cover photo; 24:7-8; 26:14; 28:26-27

\_\_\_\_\_, Red-cockaded, 21(1) cover photo; 30:8

\_\_\_\_\_, Red-headed, 22:6; 24:21; 28:48; 29:32

Wood-Pewee, Eastern, 21:18; 22:32; 23:37; 24:37; 25:44; 28:18, 48;  
29:33, 73

\_\_\_\_\_, Western, 22:32

Woodrey, M.S., see Chandler, C.R., and \_\_\_\_\_

\_\_\_\_\_, see Chandler, C.R., \_\_\_\_\_, and J.M. Cawthorn

Woodson, C.A., A Yellow-breasted Chat entangled in beggar's lice,  
28:2-3

Wren, Bewick's, 21:20; 22:34; 23:38; 24:39; 25:45; 28:19, 50; 29:35

\_\_\_\_\_, Carolina, 26:10-11; 27:6-7

\_\_\_\_\_, House, 21:3, 20; 22:34; 23:38; 24:39; 25:45; 28:19, 50; 29:35, 75

\_\_\_\_\_, Marsh, 21:3, 20; 22:34, 23:38, 24:39; 25:46; 28:19, 50; 29:35, 75

\_\_\_\_\_, Sedge, 21:20; 22:34; 23:38; 24:39; 25:45; 28:19, 50; 29:35, 75

\_\_\_\_\_, Winter, 23:38; 24:39; 28:50; 29:35

Yellowlegs, Greater, 21:14; 23:30; 24:33; 25:39; 28:41; 29:24, 67

\_\_\_\_\_, Lesser, 21:14; 22:27; 23:30; 24:33; 25:40; 28:13, 41; 29:25, 67

Yellowthroat, Common, 21:2, 4, 23; 22:37, 23:6, 10; 24:42; 25:49; 27:16;  
28:55; 29:40, 78