

# ORNITOLOGIA NEOTROPICAL

EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 18, 2007**

(Authors, key words, families, common names, latin names)

An International Journal of Neotropical Ornithology  
published by

**THE NEOTROPICAL ORNITHOLOGICAL SOCIETY**

- Abundance, 99–110, 223–232  
*Aburria aburri*, 21–36  
 Acary Mountains, 339–368  
 Acevedo, M. A., 305–310  
 Acosta Hospitaleche, C., 277–284  
 Aerial hawking, 171–187  
 Age, 1–9  
 Agroecosystem, 187–194  
 Alava, J. J., 223–232  
 Alder Flycatcher, 171–187  
 Alfaro, M., 421–432  
 Alvarez, M. E. , 627–633  
*Amazona brasiliensis*, 379–393  
*Amazona oratrix*, 263–276  
*Amazona*, 439–444  
 Amazonian forest, 519–534  
*Amblyramphus holosericeus*, 407–419  
 Anatomy, 277–284  
*Ancistrodes genuflexa*, 433–437  
 Andes, 139–142, 161–170, 587–602, 603–606  
*Anhima cornuta*, 223–232  
 Antarctica, 143–146  
 Anti-predator response, 543–552  
 Aponte, M. A., 519–534  
 Arañero Cara negra, 195–208  
*Aratinga erythrogenys*, 223–232  
 Arcos-Torres, A., 445–448  
 Areta, J. I., 209–222  
 Argentina, 11–19, 121–125, 127–131, 187–194, 195–208, 293–300, 407–419, 481–492, 493–502, 587–602, 627–633  
 Argentinean Exclusive Economic Zone, 553–561  
 Arosemena, X., 223–232  
 Arredondo de la Mata, Oscar Paulino, 149–154  
*Arremonops rufivirgatus*, 369–377  
 Astudillo, E., 223–232  
 Atlantic forest, 127–131, 469–476  
 Austral summer, 61–73  
 Austral Yungas, 627–633  
 Avian pests, 61–73  
 Avifauna, 321–337, 339–368, 369–377, 519–534  
 Bailarín castaño, 127–131  
 Bala, Luis Oscar, 37–46  
 Barbieri, E., 563–572  
 Barbieri, Edison, 99–110  
 Barger, C. P., 293–300  
 Barred Forest-Falcon, 395–405  
 Barred Hawk, 607–612  
*Basileuterus fraseri*, 617–621  
 Bates, J. M., 519–534  
 Bearded Word-Partridge, 463–467  
 Behavior, 469–476  
 Belize, 47–59  
 Benítez, L., 143–146  
 Benítez, S., 143–146  
 Beryl-spangled Tanager, 603–606  
 Biological control, 187–194  
 Biometric characters, 161–170  
 Bird community, 321–337, 369–377  
 Bird diversity, 369–377  
 Birds, 321–337  
 Black-capped Manakin, 127–131  
 Blanco, D. E., 493–502  
 Blendinger, P. G. , 627–633  
 Bobolink, 61–73, 493–502  
 Bodrati, A., 127–131, 209–222  
 Body size, 587–602  
 Bohorquez, C., 223–232  
 Bolivia, 61–73, 251–261, 321–337, 519–534, 627–633  
 Book reviews, 155–158, 319–320, 477–479  
 Braun, M. J., 339–368  
 Brazil, 99–110, 379–393, 563–572  
 Brazilian Amazonian coast, 285–291  
 Breeding, 47–59, 147–148, 243–249  
 Breeding behavior, 251–261, 573–585  
 Breeding biology, 47–59, 603–606  
 Breeding ecology, 251–261, 453–457  
 Breeding season, 395–405  
 Breeding success, 407–419  
 Brewer, G. L., 573–585  
 Brood parasitism, 111–115, 481–492  
*Brotogeris pyrrhopterus* , 223–232  
 Brumfield, R. T., 321–337  
 Buenos Aires Province, 121–125, 481–492  
 Bulgarilla, M., 587–602  
*Buteo albicincta*, 11–19

- Buteo magnirostris*, 453–457  
*Buteo nitidus*, 453–457  
*Buteogallus meridionalis*, 453–457  
 Cabanne, G. S., 469–476  
 Caecilian, 607–612  
*Cairina moschata*, 223–232  
*Calidris alba*, 623–626  
*Calidris fuscicollis*, 37–46  
*Calidris pusilla*, 285–291  
*Campylopterus hemileucurus*, 133–138  
 Canada, 623–626  
 Cananéia Estuary, 563–572  
 Cancino de La Fuente, F., 243–249  
 Caparroz, R., 439–444  
 Capllonch, P., 11–19, 195–208  
 Captive breeding, 463–467  
 Caribbean, 305–310  
 Castañeda-Guayasamin, G., 369–377  
 Cayenne Tern, 563–572  
 Cerrado, 75–97  
*Chamaepetes goudotii*, 21–36  
*Chamaepetes unicolor*, 21–36  
 Chapada Diamantina, 469–476  
 Chapare, 251–261  
*Charadrius alexandrinus*, 147–148  
*Charadrius falklandicus*, 121–125  
 Chile, 11–19, 433–437, 449–452, 573–585, 623–626  
 Chinalia, L. A., 439–444  
 Chivizcoyo, 463–467  
 Chorlito Doblecollar, 121–125  
*Chusquea quila*, 433–437  
 Cierva Point, 143–146  
 Clara, M., 421–432  
 Cloud forest, 133–138, 603–606  
 Cloudbridge Nature Reserve, 133–138  
*Cnemotriccus fuscatus*, 459–461  
 Coahuila, 369–377  
 Coastal habitat, 293–300  
 Coastal lagoon, 421–432  
 Cochabamba Department, 321–337  
 Collared Forest-Falcon, 395–405  
 Collevatti, R. G., 439–444  
 Colombia, 161–170, 313–318  
 Colonial nesting, 251–261  
*Columba livia*, 503–518  
 Commercial longlines, 553–561  
 Common Pigeon, 503–518  
 Communal breeding, 209–222  
 Community, 421–432  
 Comparative histology, 503–518  
 Comparative morphology, 503–518  
 Comparatore, V., 187–194  
 Comportamiento, 209–222  
 Conservation, 61–73, 313–318, 493–502  
 Copulation, 311–312  
 Cornejo, J., 463–467  
 Cortés-Diago, A., 161–170  
*Coryphistera alandina*, 209–222  
*Corythopsis delalandi*, 627–633  
*Coscoroba coscoroba*, 573–585  
 Coscoroba Swan, 573–585  
 Costa Gonçalves, E., 285–291  
 Costantino, M., 223–232  
 Costa-Rica, 117–119, 133–138  
*Coturnix coturnix japonica*, 503–518  
 Cracidae, 21–36  
 Cracinae, 21–36  
 Craik, Alan, 139–142  
 Cráter Iturralde, 519–534  
*Crax alberti*, 21–36  
*Crax alector*, 21–36  
*Crax blumenbachii*, 21–36  
*Crax daubentoni*, 21–36  
*Crax fasciolata*, 21–36  
*Crax globulosa*, 21–36  
*Crax rubra*, 21–36  
 Crested Duck, 587–602  
 Crestudo, 209–222  
 Critically endangered species, 313–318  
*Crotophaga major*, 311–312  
 Cruz Schneider, M. P., 285–291  
 Cuare Wildlife Refuge, 147–148  
 Cucarachero de Nicéforo, 313–318  
 Curry, R. L., 543–552  
 Dávila, N., 313–318  
 Defecation interval, 37–46  
*Dendrortyx barbatulus*, 463–467  
 Depredation, 481–492  
 Depredator, 535–541

- Díaz, M., 459–461  
 Diet, 21–36, 37–46, 139–142, 187–194, 449–452, 469–476  
 Distribution, 99–110, 195–208, 263–276, 369–377, 627–633  
*Dolichonyx oryzivorus*, 61–73, 493–502  
 Dry forest, 313–318  
 Duré Ruiz, N. M., 481–492  
 Ecology, 61–73, 171–187  
 Ecuador, 139–142, 223–232, 301–303, 445–448, 603–606, 607–612, 617–621  
 Eggs, 301–303, 445–448, 617–621  
 Eitniear, J. C., 449–452  
 El Canclón Lagoon, 223–232  
 El Yali Wetland, 573–585  
 Electroretinograms, 503–518  
 Elevation, 587–602  
*Empidonax alhorum*, 171–187  
 Endangered, 313–318  
 Endemic, 243–249, 313–318  
 Epecuén Lagoon, 121–125  
*Eriocnemis*, 161–170  
*Eriocnemis alinae alinae*, 161–170  
*Eriocnemis isabellae*, 161–170  
*Eriocnemis mirabilis*, 161–170  
*Eriocnemis mosquera mosquera*, 161–170  
*Eriocnemis nigrivestis*, 161–170  
*Eriocnemis vestitas smaragdinipectus*, 161–170  
 Esper, L., 143–146  
 Essequibo River, 339–368  
 Estuarine environment, 421–432  
 Estuary, 99–110, 563–572  
 Éxito reproductivo, 481–492  
 Fabian-Turja, B., 263–276  
*Falco peregrinus*, 613–616  
 Falcon State, 147–148  
 Fariña, N., 127–131  
 Feather wear, 293–300  
 Federal, 407–419  
 Feeding behavior, 133–138, 139–142, 305–310  
 Feeding rates, 301–303, 603–606  
 Fernández, G. J., 407–419, 481–492  
 Ferreira Rodrigues, A. A., 285–291  
 Ferruginous Pygmy Owl, 543–552  
 Finch, D. W., 339–368  
 Fisheries, 553–561  
 Fitness, 111–115  
 Flocks, 75–97  
 Flooding pampa, 187–194  
 Flowers, 133–138  
 Flying Steamer Duck, 293–300  
 Folivory, 21–36  
 Food availability, 37–46  
 Food for sex, 311–312  
 Foraging, 251–261  
 Foraging flocks, 61–73  
 Forest, 223–232, 233–242  
 Forest fragments, 233–242  
 Forested wetland, 305–310  
 Fork-tailed Flycatcher, 47–59  
*Formicivora grisea*, 459–461  
 Foster, M., 171–187  
 Fraga, R., 251–261  
 Frailecito, 147–148  
 Frugivory, 21–36  
 Gandini, P. A., 553–561  
 GARP, 263–276  
 Garrapatero Mayor, 311–312  
 Garza de León, A., 243–249  
 Gasparini, G., 277–284  
 Gates, J. Edward, 111–115  
 Gavilán Barreteado, 607–612  
 Gavilán de Collar, 395–405  
 Gavilancito de Selva, 395–405  
 Gelis, R. A., 607–612, 617–621  
 Geographic variation, 587–602  
*Geothlypis aequinoctialis velata*, 195–208  
 Giant Cowbird, 111–115  
 Giner, Sandra, 147–148  
*Glaucidium brasilianum*, 543–552  
 Golden orb-spider, 117–119  
 Gorgeted Puffleg, 161–170  
 Gorrión de Worthen, 243–249  
*Grallaricula loricata*, 1–9  
 Grassland, 243–249  
 Gray-and-gold Warbler, 617–621  
 Greater Ani, 311–312  
 Greater Rhea, 187–194  
 Green Hermit, 133–138

- Green-crowned Brilliant, 133–138  
 Greeney, H. F., 139–142, 301–303, 603–606, 607–612, 617–621  
 Grigera, D., 535–541  
 Guatemala, 395–405  
 Guyana, 339–368  
 Habitat, 161–170, 627–633  
 Habitat conservation, 223–232  
 Habitat preference, 627–633  
 Habitat use, 493–502  
*Harpagus diodon*, 469–476  
 Hatching, 301–303  
*Heliconia beckneri*, 133–138  
*Heliconia tortuosa*, 133–138  
*Heliodoxa jacula*, 133–138  
 Hernández, María de los Ángeles, 37–46  
 Heterologous primers, 439–444  
 Historia natural, 209–222  
 Home range, 395–405  
 Hummingbird, 433–437  
*Hylophylax naevia*, 301–303  
*Icterus pectoralis*, 111–115  
*Icterus pustulatus*, 111–115  
 Iguape, 563–572  
 Isla Comprida, 99–110, 563–572  
 Incubation, 47–59  
 Itatiaia National Park, 469–476  
 Iturralde Crater, 519–534  
 Japanese Quail, 503–518  
 Jonsson, Robert, 139–142  
 Juárez, G., 143–146  
 Juréa Ecological Station, 469–476  
 Kattan, Gustavo M., 21–36  
 Kéry, M., 613–616  
 Kopuchian, C., 587–602  
 Kreft, S., 251–261  
 La Paz, 519–534  
 Landscape characteristics, 233–242  
 Lark-like Brushrunner, 209–222  
 Leite, K. C. E., 439–444  
*Leucopternis occidentalis*, 223–232  
*Leucopternis princeps*, 607–612  
 Levandoski, G., 369–377  
 Life history, 407–419  
 Llambias, P. E., 407–419  
 Logue, D. M., 311–312  
 Longevity, 459–461  
 Long-tailed Hermit, 117–119  
 López de Aquino, S., 243–249  
 López-Cordova, E. A., 263–276  
 López-Lanús, B., 493–502  
*Lopbonetta specularioides*, 587–602  
*Lopbosoria quadripinnata*, 433–437  
 Loro Cabeza amarilla, 263–276  
 Lyra Lopes, A. T., 285–291  
 Maders, Claudio, 127–131  
 Maillard Z., O., 321–337, 519–534  
 Manglares Churute Ecological Reserve, 223–232  
 Mangrove, 223–232  
 Mann N., M., 623–626  
 Marín E., G., 453–457  
 Marín-Togo, M. C., 263–276  
 Masked Yellowthroat, 195–208  
 Maugeri, Fernando Gabriel, 121–125  
 Mazariegos-Hurtado, L., 161–170  
 McCormack, J. E., 369–377  
 McCracken, K. G., 293–300, 587–602  
 McCrary, Jeffrey K., 111–115  
 McGehee, S. M., 449–452  
 McNeil, R., 503–518  
 Mendoza, 587–602  
 Mermoz, M. E., 407–419  
 México, 243–249, 263–276, 369–377, 463–467  
 Michoacán, 263–276  
*Micrastur ruficollis*, 395–405  
*Micrastur semitorquatus*, 395–405  
 Microanalysis, 187–194  
*Micromonacha lanceolata*, 321–337  
 Microsatellite, 439–444  
 Migrants, 61–73, 543–552  
 Migration, 11–19, 195–208, 285–291, 623–626  
 Milenski, C. M., 339–368  
 Miller, E. T., 617–621  
 Misiones, 127–131  
 Mitchell, M. A., 503–518  
*Mitu mitu*, 21–36  
*Mitu salvini*, 21–36  
*Mitu tomentosa*, 21–36

- Mitu tuberosa*, 21–36  
 Mixed clutch, 121–125  
 Mixed-species flocks, 75–97  
 Miyaki, C. Y., 439–444  
 Mobbing, 543–552  
*Molothrus oryzivorus*, 111–115  
 Molt, 293–300  
 Montane forest, 321–337  
 Monterrubio-Rico, R. C., 263–276  
 Morán Rosales, I., 243–249  
 Morphology, 587–602  
 Morphometry, 1–9  
 Mosquitero, 627–633  
 Multivariate analysis, 277–284  
 Muñoz G., J., 453–457  
 Muñoz, Marcia C., 21–36  
 Nagy, Alejandro, 147–148  
 Ñandú Común, 187–194  
 Nariño Tapaculo, 445–448  
 Natural history, 251–261, 407–419, 603–606  
 Navarino Island, 449–452  
 Navarro R., R., 453–457  
 Nearctic migrant, 171–187  
*Nephtilia clavipes*, 117–119  
 Nest, 139–142, 301–303, 313–318, 469–476,  
 445–448, 603–606, 607–612, 617–621  
 Nest building materials, 433–437  
 Nest description, 445–448  
 Nest predation, 407–419  
 Nest site selection, 143–146  
 Nest site, 143–146, 445–448  
 Nest success, 47–59  
 Nest usurpation, 121–125  
 Nesting, 139–142, 143–146, 147–148  
 Nesting behavior, 407–419  
 Nesting habitat, 233–242  
 Nesting success, 243–249, 407–419, 481–492  
 Nestling, 139–142, 301–303, 445–448, 469–  
 476, 603–606  
 Nestling period, 47–59  
 Nest-site selection, 313–318  
 New records, 339–368  
 New species, 161–170  
 News, 158–160, 480  
 Nicaragua, 111–115  
 Niceforo's Wren  
 Nidification, 433–437  
 Nocera, J. J., 543–552  
 Non-breeding ecology  
*Nothocrax urumutum*, 21–36  
 Nuptial feeding, 311–312  
 Nuptial gift, 311–312  
 O'Shea, B. J., 339–368  
 Oasis, 369–377  
 Obituary, 149–154  
 Occurrence, 223–232  
*Oceanites oceanicus*, 143–146  
 Olive Oropendola, 251–261  
*Oreobasis derbianus*, 21–36  
 Orgeira, J. L., 143–146  
*Ortalis canicollis*, 21–36  
*Ortalis cinereiceps*, 21–36  
*Ortalis erythroptera*, 21–36, 223–232  
*Ortalis garrula*, 21–36  
*Ortalis leucogastra*, 21–36  
*Ortalis motmot*, 21–36  
*Ortalis poliocephala*, 21–36  
*Ortalis ruficauda*, 21–36  
*Ortalis supercilialis*, 21–36  
*Ortalis vetula*, 21–36  
*Ortalis wagleri*, 21–36  
 Ortega, L. A., 161–170  
 Ortiz, D., 195–208  
 Osorio, F., 433–437  
 Owl, 543–552  
 Pampa, 187–194, 407–419  
 Paraná, 379–393  
 Parental care, 301–303, 603–606  
 Parque Nacional Henry Pittier, 459–461  
 Parra, J. E., 313–318  
 Parrot, 439–444  
*Parula pitiayumi*, 369–377  
 Passeriformes, 535–541  
 Patagonia, 587–602  
 Patagonian birds, 535–541  
 Patagonian Sierra-Finch, 449–452  
 Paternal investment, 311–312  
*Pauxi pauxi*, 21–36  
*Pauxi unicornis*, 21–36  
 Peñafiel, M., 223–232

- Penelope albipennis*, 21–36  
*Penelope argyrotis*, 21–36  
*Penelope barbata*, 21–36  
*Penelope dabbenei*, 21–36  
*Penelope jacquacu*, 21–36  
*Penelope jacucaca*, 21–36  
*Penelope marail*, 21–36  
*Penelope montagnii*, 21–36  
*Penelope obscura*, 21–36  
*Penelope ochrogaster*, 21–36  
*Penelope ortonii*, 21–36  
*Penelope perspicax*, 21–36  
*Penelope pileata*, 21–36  
*Penelope purpurascens*, 21–36  
*Penelope superciliaris*, 21–36  
*Penelopina nigra*, 21–36  
 Penelopinae, 21–36  
 Peregrine Falcon, 613–616  
 Perú, 171–187, 613–616  
 Peruvian Amazon, 613–616  
 Petracchi, P. F., 493–502  
*Phaethornis guy*, 133–138  
*Phaethornis superciliosus*, 117–119  
 Philopatry, 285–291  
*Phrygilus patagonicus*, 449–452  
 Piaskowski, Victoria M., 47–59  
 Picaflor Rubi, 433–437  
 Pinche-Höschinkolibri, 161–170  
 Pinna, F. V., 99–110, 563–572  
*Pipile cunjubi*, 21–36  
*Pipile cumanensis*, 21–36  
*Pipile jacutinga*, 21–36  
*Pipile pipile*, 21–36  
*Piprites pileata*, 127–131  
 Playback, 543–552  
 Plumage characteristics, 1–9  
 Pollination, 133–138  
 Ponchito Pechiescamado, 1–9  
 Population, 379–393  
 Population genetics, 439–444  
 Population sink, 233–242  
 Population source, 233–242  
 Predator size, 535–541  
 Premontane forest, 627–633  
 Presa, 535–541  
 Prey, 607–612  
 Prey selection, 37–46  
 Prey size, 535–541  
 Prince, W., 339–368  
 Productivity, 481–492  
*Psarocolius angustifrons alfredi*, 251–261  
*Psarocolius yuracares*, 251–261  
 Psittaciformes, 439–444  
*Pterocarpus officinalis*, 305–310  
 Pucallpa, 613–616  
 Puerto Rican Vireo, 233–242  
 Puerto Rico, 305–310  
 Pujol, E. M., 407–419  
 Ramírez, Y. M., 503–518  
 Range extension, 369–377  
 Recoveries, 623–626  
 Red-tailed Amazon, 379–393  
 Renfrew, Rosalind B., 61–73  
 Restoration success, 305–310  
 Retina structure, 503–518  
 Reudink, M. W., 543–552  
*Rhea americana*, 187–194  
 Rice, 61–73  
 Rice fields, 493–502  
 Rice, N. H., 339–368  
 Río Manupare, 519–534  
 Río Paracti Valley, 321–337  
 Robbins, M. B., 339–368  
 Rocha Lagoon, 421–432  
 Roesler, I., 469–476, 493–502  
 Rojas, L. M., 503–518  
 Roost counts, 379–393  
 Roosting, 209–222  
*Rostbramus sociabilis*, 223–232  
 Royal Tern, 99–110  
 Rufous-collared Sparrow, 481–492  
 Rufous-thighed Kite, 469–476  
 Russet-backed Oropendola, 251–261  
 Saavedra, Ana Maria, 61–73  
 Sakal, Walter H., 117–119  
*Sakidiornis melanotos*, 223–232  
 Sallaberry A., M., 623–626  
 Sanderling, 623–626  
 Santa Fe province, 493–502  
 São Paulo, 99–110

- Savage index, 37–46  
 Savanna, 75–97  
 Scallop-breasted Antpitta, 1–9  
 Scarlet-headed Blackbird, 407–419  
 Scherer Neto, P., 379–393  
 Schmidt, B. K., 339–368  
*Scytalopus vicinior*, 445–448  
 Seabird assemblages, 553–561  
 Seabirds, 421–432  
 Seasonal variation, 99–110  
 Seco Pon, J. P., 553–561  
 Seed dispersal, 21–36  
 S  ller, A.-A., 161–170  
 Semipalmated Sandpiper, 285–291  
*Sephanoides sephanooides*, 433–437  
*Sericosypha albo cristata*, 139–142  
 Serra, M., 493–502  
 Serrania del Pinche, 161–170  
 Sex, 1–9  
 Sheldon, 139–142, 603–606  
 Shite-rumped Sandpiper, 37–46  
 Shorebirds, 421–432  
 Sierra Madre Oriental, 369–377  
 Sierra Santa Rosa, 369–377  
 Silva, A., 285–291  
 Silva-Garc  a, C. M., 573–585  
 Simba  a, Jose, 139–142  
 Site fidelity, 285–291  
 Sky islands, 369–377  
 Snowy Plover, 147–148  
 Social behavior, 209–222  
 Solano-Ugalde, A., 445–448  
 Sol  rzano, A., 459–461  
 Sonsthagen, S. A., 293–300  
 Sorani-Dalbon, V., 263–276  
 South America, 75–97  
 Southern Antpipit, 627–633  
 Southern Lapwing, 121–125  
 Southwestern Atlantic Ocean, 553–561  
 Soybean, 61–73  
 Spatial distribution, 37–46  
 Spheniscidae, 277–284  
 Spider web, 117–119  
*Spizella wortheni*, 243–249  
 Spot-backed Antbird, 301–303  
 Spot-breasted Oriole, 111–115  
 Streak-backed Oriole, 111–115  
 Streamer Duck, 293–300  
 Su  rez, G. M., 433–437  
 Sympatric, 133–138  
 Sympson, L., 11–19  
 Systematic, 277–284  
*Tachyeres patagonicus*, 293–300  
*Tangara nigroviridis*, 603–606  
 Tarsometatarsus, 277–284  
 Taxonomy, 251–261  
 Taylor, J., 133–138  
 Tello, J. G., 519–534  
 Temporal variation, 421–432, 563–572  
 Temporal variation  
*Terenura sharpei*, 321–337  
 Tero Comun, 121–125  
 Territoriality, 407–419  
 Te  l, Mario, 47–59  
*Thalasseus maximus*, 99–110  
*Thalasseus sandwicensis eurynatha*, 563–572  
 Thomlinson, J. R., 233–242  
 Thorstrom, R., 395–405  
 Threatened birds, 223–232  
 Threatened species, 243–249  
 Tikal National Park, 395–405  
 Tinajero Hern  ndez, R., 243–249  
 Toledo, M. C. B., 379–393  
 Torres, M., 143–146  
 Torres-Dowdall, J., 433–437  
 Tossas, A. G., 233–242  
 Trejo, A., 11–19, 535–541  
 Trochilidae, 161–170  
 Trophic ecology, 535–541  
 Tropical deciduous forest, 617–621  
*Tropidacris*, 469–476  
 Tubelis, Darius Pukenis, 75–97  
 Tumbesian Region, 617–621  
 Two-banded Plover, 121–125  
*Typha dominguenis*, 305–310  
*Tyrannus savana*, 47–59  
 Uruguay, 421–432  
 Usurpaci  n de nido, 121–125  
 Valderrama, S. V., 313–318  
 Valdiviana forest, 433–437



- Valqui, T. H., 587–602  
*Vanellus chilensis*, 121–125  
 Venezuela, 1–9, 147–148, 453–457, 459–461  
 Verea, C., 1–9, 459–461  
 Villaseñor-Gómez, L. E., 263–276  
 Violet Sabrewing, 133–138  
*Vireo flavoviridis*, 369–377  
*Vireo latimeri*, 233–242  
 Vocalization, 543–552  
 Weight, 1–9  
 Wetland, 223–232  
 White, Stewart A., 133–138  
 White-capped Tanager, 139–142  
 White-throated Hawk, 11–19  
 Williams, K. M., 47–59  
 Wilson, R. E., 293–300, 587–602  
 Wilson's Storm Petrel, 143–146  
 Winter behavior, 171–187  
 Winter territory, 171–187  
 Wintering, 613–616  
 Wintering behavior, 613–616  
 Wintering range, 61–73  
 Worthen's Sparrow, 243–249  
 Yagueddú, C., 187–194  
 Yellow-billed Oropendola, 251–261  
 Yellow-headed Parrot, 263–276  
 Yucatan Peninsula, 543–552  
 Yungas, 627–633  
 Zaccagnini, M. E., 493–502  
 Zamarrito del Pinche, 161–170  
 Zyskowski, K., 617–621

## REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 18

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (\*) manuscripts for Volume 18: Carolina Acosta Hospitaleche\*, J. L. B. Albuquerque, Herculano Alvarenga\*, Maria Alice S. Alves, J. A. Amat, Pablo de Tarso Antas Z.\*, Rosana Aramburú, Wayne J. Arendt, Juan Ignacio Areta, Adrián Azpiroz, J. Banbura, J. Mazar Barnett, A. H. Beltzer, Karl S. Berg, John G. Blake, Pedro G. Blendinger\*, Alejandro Bodrati, Clara Isabel Bohorquez, Elisa Bonaccorso\*, Sérgio H. Borges, Carlos Bosque, Michael D. B. Burt, Leonardo Cabrera, C. Daniel Cadena, Patricia Capllonch\*, M. L. Chatellenaz, Jaime A. Collazo, Victor Cuelto, Andrés M. Cuervo, Carlos Darrieu\*, Pedro F. Develey\*, Robert C. Dobbs\*, Christian Énard, Marco Favero, Esteban Fernandez-Juricic, M. S. Ficken, M. S. Foster, A. G. Di Giacomo, Thomas Donegan, Sarah Durell\*, Clinton Jack Eitniear, Graciela Escudero, Cristián Estades, J. Ferguson-Lees, G. J. Fernández, Jon Fieldså, Jordi Figuerola, Rosendo Fraga, S. W. Gabrey, Mauro Galleti, Dimétrio Luis Guadagrín, Rudolfe A. Gelis, Sandra Giner, Silvia Nery Godoy, Jaqueline Maria Goerck, D. L. Graham, Cheri L. Gratto-Trevor, Harold F. Greeney\*, Paul B. Hamel, Floyd E. Hayes\*, Brian Harrington\*, Sebastian K. Herzog\*, Steven L. Hilty, Elisabeth Höfling\*, Fernanda Imperatrice, Mort Isler\*, Fabian M. Jaksic\*, France Jame, Jason Jones, Martyn Kennedy, Oliver Komar, David Logue, Gustavo Adolfo Londoño, Scott F. Lowell, M. A. Marini, R. J. Marsden, Paul Martin, J. F. Masello, Fernando Gabriel Maugeri, R. McNeil\*, J. Michael Meyers, J. A. Mobley, Diego Montalti, Frank R. Moore, R. I. Guy Morrison\*, D. L. Neudorf, Erica Nol, Manuel Nores\*, Cristian E. Olivo Quiroga, Fabio Olmos, Juan Francisco Ornelas, Sergio Pacheco\*, Eduardo Pavez, Robert B. Payne, Noah Perlut\*, A. T. Peterson, Victoria D. Piaskowski, Brigitte Poulin\*, J. J. Price, P. Quillfeldt, R. D. Quintana\*, José Ragusa-

Netto, John Rappole, J. Rebores, Eileen Rees, Rosalind Renfrew, Katherine Renton\*, Robin Restall, M. S. Ritz, S. K. Robinson, W. D. Robinson, Clemencia Rodner, Adriana Rodríguez-Ferraro\*, Mark B. Robbins, Ghislain Rompré, Sievert Rowher, Maria del Carmen Ruiz-Jaen, Dave Sample, Alejandro Salinas-Melgoza, Virginia Sanz, Roberto Schlatter, E. A. Schreiber, Karl-L. Schuchmann, Luis F. Silveira, J. E. Simon, Humphrey P. Sitters\*, N. F. R. Snyder, F. Gary Stiles, D. Sol, Marc Théry, Jean-Marc Thiollay\*, Jefferey

Thompson, Jorge A. Tomasevic, J. C. Torres-Mura, Adrienne G. Tossas, Ana Trejo, Darius P. Tubelis\*, Jose de J. Vargas G., Carlos Vereá, Peter Vickery\*, F. J. Vilella, François Vuilleumier\*, Anita Wajntal, André Weller\*, James W. Wiley\*, C. M. White, Joseph M. Wunderle, Pablo Yorio.

The abstracts were kindly corrected by Cristina Yumi Miyaki for the Portuguese, and by Elisa Bonaccorso for the Spanish. Page-setting was done by Barbara Durán, Elisa Muñoz and María Rojas G.

## EDITOR FOR ORNITOLOGÍA NEOTROPICAL

The Neotropical Ornithological Society is in search of a new editor for its journal *Ornithología Neotropical*. The new editor will replace the current editor who plans to retire from his editorial duties in 2009. Potential candidates should be capable of editing manuscripts in both English and Spanish. An ability to read Portuguese is also useful. The journal is published four times a year with approximately 660 pages per volume based on receipt of 4 to 5 manuscripts per week. The editor is responsible for identifying and communicating with reviewers as well as making final

decision on manuscripts and providing editorial comments. The editorial board may be enlisted to assist with the review process or suggest appropriate reviewers. The society is presently exploring the possibility of making the journal available online to its membership. Those interested in the position of editor or those who wish to suggest names as candidates for a new editor should contact Joseph M. Wunderle. *E-mail:* jmwunderle@gmail.com.