

# **ORNITOLOGIA NEOTROPICAL**

EDITOR

**RAYMOND McNEIL**

## **INDEX TO VOLUME 19, 2008**

(Authors, key words, families, latin names)

An International Journal of Neotropical Ornithology  
published by

**THE NEOTROPICAL ORNITHOLOGICAL SOCIETY**

The “S” prefix before page numbers refers to pages in the Proceedings of the VIII<sup>th</sup> Neotropical Ornithological Congress held in Venezuela, 13–19 May 2007, and published as a supplement to Volume 19 (2008) of *Ornitología Neotropical*.

- Abaco National Park, S165–S171
- Abreu, M., S461–S472
- Abundance, 345–359, S287–S293, S295–S303, S433–S443, S491–S500
- Accipiter erythronemius*, 15–29
- Acute stress responses, S241–S251
- Adaptations, S511–S519
- Addis, E., S241–S251
- Adrenocortical responses, S241–S251
- Advances, S329–S337, S339–S346
- Aggressive interactions, 329–334
- Agile Tit-Tyrant, 117–122
- Agroecosystems, S575–S585
- Agroforestry, 15–29
- Aguaruna indigenous communities, S587–S594
- Aguaruna-Jívaro communities, S587–S594
- Águila Poma, 611–616
- Aimophila sumichrasti*, 123–127
- Alarcón-Nieto, G., 371–376
- Albrieu, C., S311–S319, S433–S443
- Alducin-Chávez, G. D., 123–127
- Alfaro, M., S461–S472, S641–S651
- Alice S. Alves, M., S391–S399
- Aloe arborescens*, 275–281
- Alvarado, S. A., 129–135
- Amazon, 287–292
- Amazona agilis*, S135–S149
- Amazona barbadensis*, S123–S134
- Amazona finschi*, 427–439
- Amazona leucocephala bahamensis*, S165–S171
- Amazona rhodocorytha*, S183–S196
- Amazonia, 243–253, 371–376
- Anairetes*, 117–122
- ANAM, S321–S327
- Anas cyanoptera*, 307–314
- Anciás, M., S151–S163
- Andean Solitaire, 213–219
- Andean Thrush, 161–174
- Andes, 117–122, 137–142, 143–147, 213–219, 335–344, 403–416, 451–456, 457–461, 467–471, 495–515, 581–585
- Androgen receptors, S229–S239
- Angulo Pratolongo, F., S279–S286
- Animal communication, 175–199
- Antagonism, S485–S490
- Antioquia, 467–471, 495–515
- Antshrike, 293–297
- Ara*, S173–S181
- Ara ararauna*, 321–328, S113–S122
- Ara chloropterus*, 321–328
- Ara macao*, 321–328
- Ara militaris*, 255–263
- Araucaria angustifolia*, 15–29
- Arbeláez, D., S567–S574
- Arbeláez-Alvarado, D., S549–S565
- Ardea cocoi*, 485–493
- Ardiles, K., 485–493
- Areta, J. I., 201–211
- Argentina, 15–29, 31–41, 71–80, 109–116, 161–174, 201–211, 299–303, 315–319, 473–479, 553–563, 611–616, 617–625, S269–S278, S311–S319, S401–S414, S433–S443, S445–S452, S575–S585, S605–S611
- Army ants, 137–142
- Arthropods, 81–95
- Artificial feeders, S491–S500
- Athene cunicularia*, 71–80
- Atlantic forest, 15–29, 98–107, 201–211, 229–242, 417–426, 599–606, 607–610, S269–278
- Attenuation, 175–199
- Avifauna, 495–515, 531–551
- Azpiroz, A., S461–S472
- Bahama Parrot, S165–S171
- Bala, L. O., S445–S452, S605–S611
- Bare-crowned Antbir, 153–156d
- Barker Swarthout, S., S531–S539
- Barreira, A. S., 441–450

- Barrer, N. K., 175–199  
 Barreto, G. R., S287–S293, S347–S352  
 Barrientos, C., 485–493  
*Bartramia longicauda*, S613–S621  
 Bates, J. M., S427–S432  
 Bauxite mining, S135–S149  
 Bearded Tachuri, 157–160  
 Becasina de Mar, S623–S631  
 Behavior, 143–147, 451–456, S113–S122  
 Behavioral evolution, S61–S71  
 Behavioral monitoring, S113–S122  
 Beissinger, S. R., S73–S83  
 Benjamin, T., S541–S548  
 Berkunsky, I., 315–319, S254–S268  
 Bertolero, A., 587–584  
 Bertsch, C., S287–S293, S347–S352.  
 Biancucci, L., 137–142  
*Biacruata* group, 283–285  
 Bilenca, D., S575–S585  
 Biodiversity, S541–S548  
 Bird assemblages, S575–S585  
 Bird song, 175–199  
 Black-and-chestnut Eagle, 611–616  
 Black-and-white Hawk Eagle, 607–610  
 Black-billed Parrot, S135–S149  
 Blake, J. G., S151–S163  
 Blanco, D. E., S613–S621  
 Blue Dacnis, 441–450  
 Blue-and-yellow Macaw, 321–328, S113–S122  
 Blue-black Grassquit, S85–S93  
 Blue-crowned Manakin, 243–253  
 Bó, M. S., 71–80  
 Bodrati, A., 201–211  
 Body mass, 599–606  
 Boersma, P. D., S219–S228  
 Bolivia, 1–14  
 Bonded pair, S113–S122  
 Bonier, F., 117–122  
 Bonta, M., S595–S604  
 Boodoo, D., S113–S122  
 Book reviews, 481–482, 627–631  
 Bosque, C., S1–S32  
 Botero, J. E., S567–S574  
 Botero, J. M., 495–515  
 Bradley, D. W., 153–156  
 Bran-colored Flycatcher, 31–41  
 Brazil, 15–29, 201–211, 321–328, 345–359,  
     417–426, 599–606, 607–610, S183–S196,  
     S329–S337, S391–S399  
 Brazilian cerrado, 345–359  
 Breeding, 221–228, 553–563, S39–S59  
 Breeding biology, 15–29, 287–292, 315–319,  
     463–406, 485–493, 565–571  
 Breeding chronology, 255–263  
 Breeding ecology, S445–S452  
 Breeding season, S73–S83  
 Breeding sites, 587–584  
 Breeding success, S491–S500  
 Breeding system, 157–160  
 Brightsmith, D. J., S173–S181  
 Brisson, S361–S366  
 Bronzy Inca, 565–571  
 Brood parasitism, 299–303, S61–S71  
 Brooding, 153–156  
 Brown Booby, 517–529  
 Brumfield, R. T., S427–S432  
 Bucher, E. H., S311–S319  
 Bücker, A., 335–344  
 Budget, S1–S32  
 Buenos Aires, 71–80  
 Buffon, S361–S366  
 Buitrón-Jurado, G., 243–253  
 Bulgarilla, M., 553–563  
 Burrowing Owl, 71–80  
 Busch, S., S241–S251  
*Buteo albogula*, 129–135  
 Bylaws, S33–S38  
 Cabanne, G. S., 15–29  
 Cadena, C. D., S427–S432  
 Cahill, J., 403–416  
 Calderón-F., D., 495–515  
*Calidris canutus rufa*, S605–S611  
*Calidris fuscicollis*, S605–S611  
 Canopy phenology, 345–359  
 Canuto, M., 607–610  
 Caplonch, P., 31–41, 161–174, 473–479  
 Captivity, S353–S360  
 Caquetá River  
 Carbamate, S641–S651  
 Cardoso da Silva, J. M., S391–S399

- Caribbean, S415–S426  
 Caribbean pine, S165–S171  
 Carrera, J. D., 315–319  
 Carrizo, M., 157–160  
 Castellanos, O., S567–S574  
 Castillo, L. F., S453–S460  
 Cauca Guan, S295–S303  
 Cavities, S254–S268, S269–278  
 Cavity abundance, S269–278  
 Cavity nest, S269–278  
 Cavity quality, S269–278  
 Cavity-nesting birds, S254–S268  
 Cella Pizarro, L., 553–563  
 Censuses, S287–S293  
 Central Amazonia, 321–328  
 Central America, S531–S539  
 Central llanos, S287–S293  
 Central-periphery, 517–529  
 Central-satellite, 517–529  
 Cerrado, 345–359  
 Cerulean Warbler, S521–S529  
 Cestari, C., 98–107  
 Chablé-Santos, J. B., 55–70  
 Chaco, 31–41, 473–479  
 Challenges, S329–S337, S339–S346  
 Change in editor, 484  
 Charadriidae, S445–S452  
 Charadriinae, S461–S472  
*Charadrius falklandicus*, S445–S452  
 Chatellenaz, M. L., 617–625  
 Chat-Tyrants, 361–370  
 Chauá, S183–S196  
 Chaves, L., 305–306  
 Chestnut-colored Swift, 391–402  
 Chile, 129–135, 485–493  
*Chlorophonia callophrys*, 305–306  
 Chocó, 495–515  
*Chondrohierax uncinatus*, 221–228  
 Chopi Glackbird, 299–303  
 Chorlito Ceniciente, S433–S443  
 Chorlo de Doble collar, S445–S452  
 Cinnamon Teal, 307–314  
 Cinnamon-tailed Sparrow, 123–127  
 Clams, S605–S611  
 Clark, A., S241–S251  
 Cloud forest, 149–152, 213–219, 335–344, 361–370, 451–456, 457–461, 531–551  
 Clutch size, 43–53, 463–406  
*Clytoctantes alixii*, 467–471  
 Coastal range, 129–135  
 Cockle, K., S254–S268, S269–278  
 Codesido, M., S575–S585  
 Coeligena coeligena  
*Coffea arabica*, S541–S548  
 Coffee, S567–S574  
 Coffee agroforestry, S541–S548  
 Collaboration, S321–S327, S521–S529, S531–S539  
 Collet, F., 403–416  
 Colodner-Chamudis, A. G., 531–551  
 Colombia, 467–471, 495–515, 517–529, S381–S389, S453–S460, S567–S574  
 Colombian Amazonia, 371–376  
 Colombian Andes, 467–471  
 Coloniality, 517–529  
 Color divergence, 307–314  
 Color vision, 307–314  
 Colorado, G., S521–S529  
 Colorado, G. J., 467–471  
 Colorín Pecho Naranja, 265–274  
 Community, 1–14, 55–70, 229–242  
 Comportamiento migratorio, 31–41, 161–174  
 Connectivity, S541–S548  
 Conservation, 371–376, 531–551, 587–584, 611–616, S183–S196, S219–S228, S279–S286, S305–S309, S311–S319, S321–S327, S329–S337, S339–S346, S491–S500, S549–S565, S567–S574, S587–S594, S595–S604, S613–S621, S623–S631  
 Conservation easement, S305–S309  
 Conservation scale, 531–551  
 Conservation strategies, S531–S539  
 Contreras-González, A. M., 255–263  
 Convergence, S511–S519  
 Cooper, R. J., S587–S594  
 Cooperative breeding, 43–53, 299–303, S61–S71, S85–S93  
 Coping, S241–S251  
*Cordia alliodora*, S541–S548  
 Cordillera Central, 517–529

- Cordillera de Colán, S587–S594  
 Córdoba, S., S381–S389  
 Córdoba-Córdoba, S., S197–S205  
 Cormorants, 553–563  
 Cornelius, C., S254–S268  
 Corticosteroids, S241–S251  
 Corticosterone, S207–S218  
 Costa Rica, 293–297, 391–402, 595–598, S353–S360  
*Cotorra cabeciamarilla*, S123–S134  
*Couratari gyuiensis*, 321–328  
 Courtship, S229–S239  
 Courtship displays, S229–S239  
 Cracidae, S279–S286, S287–S293  
 Cracids, S295–S303, S347–S352  
*Crax daubentoni*, S287–S293, S347–S352  
*Crax globulosa*, 371–376  
*Crax rubra*, S353–S360  
 CRIMBI, S321–S327  
 Critically endangered, S279–S286  
 Cruz Nieto, M. A., S305–S309  
 Cuervo, A. M., 495–515  
*Cypseloides cherriei*, 391–402  
*Dacnis cayana*, 441–450  
 Danner, R. M., 283–285  
 Dauphiné, N., S587–S594  
 Davis, S. E., 1–14  
 Day, L., S229–S239  
 de Almeida, R., S183–S196  
 de los Ángeles Hernández, M., S445–S452, S605–S611  
 Degradation, 175–199  
 del Coro Arizmendi, M., 255–263, S491–S500  
 Delhey, K., 157–160  
*Dendroica cerulean*, S521–S529  
*Dendroica magnolia*, 81–95  
 Density, S295–S303  
 Depredación, S123–S134  
 Description, 607–610  
 Desert, 587–584  
 Di Giacomo, A. G., S401–S414  
 Di Giacomo, A. S., S401–S414  
 Diet, 71–80, 315–319, 417–426, 553–563, 617–625, S95–S112  
 Dieta, 109–116, 617–625, S605–S611  
 Dietsch, T., 283–285  
 Distribución, 265–274  
 Distribution, 129–135, S433–S443, S461–S472, S613–S621  
 Distribution mapping, S183–S196  
 Distributional maps, S521–S529  
 Disturbance, 403–416  
 Divergence, S511–S519  
 Diversification, S427–S432  
 Diversity, 1–14, 55–70, S491–S500  
*Dixiphia pipra*, 243–253  
 DNA, S61–S71, S427–S432  
 Dobbs, R. C., 1–14, 335–344  
 Dolphin Gull, 109–116  
 Dry chaco, 315–319  
 Dry forest, 1–14  
 Dry season, 81–95  
 Duráñez, R., 287–292, S151–S163  
 Duration, 229–242  
 Dyrcz, A., 565–571  
*Dysithamnus mentalis*, 417–426  
 Earthwatch, S173–S181  
 Eaton, M., 307–314  
 eBird, S531–S539  
 Echeverry-Galvis, M. A., S197–S205  
 Ecological niche factor análisis, 265–274  
 Ecological niches, S95–S112  
 Ecology, S501–S509  
 Ecomorphology, S511–S519  
 Ecotourism, S173–S181  
 Ecotoxicology  
 Ecuador, 143–147, 149–152, 213–219, 243–253, 287–292, 293–297, 335–344, 451–456, 457–461, 463–406, 565–571, 581–585, S381–S389  
 Egg, 123–127, 143–147, 335–344, 451–456, 463–406  
 Eggs, 149–152, 213–219, 283–285, 287–292, 305–306, 565–571  
 El Grupo Cerúleo, S521–S529  
 El Grupo Ceruleo, S531–S539  
 Endangered species, 255–263, S587–S594  
 Endemic species, 265–274  
 Endemic, S295–S303  
 Endemism, S295–S303, S433–S443

- Endocrine stress physiology, S219–S228  
 Endocrinology, S219–S228  
 ENFA, 265–274  
 Environment, S39–S59  
 Epiphytes, 98–107  
*Erythrina poeppigiana*, S541–S548  
 Escalante, P., S1–S32  
 Espírito Santo State, S183–S196  
 Esquivel M., A., 229–242  
 Ethnoornithology, S595–S604  
 Evaporative water loss, S501–S509  
 Excavator, S269–278  
 Exotic plantation, S295–S303  
 Extra-pair fertilization, S73–S83  
 Extra-pair paternity, S151–S163, S85–S93  
 Farmers, S567–S574  
 Fecal sac, 457–461  
 Feeding behavior, 275–281  
 Feeding ecology  
 Feeding preferences, 417–426  
 Feeding rates, 293–297, 581–585  
 Fenología, 31–41  
 Fernández, F. J., 315–319  
 Fernández, G., S633–S640  
 Ferrari, S., S311–S319, S433–S443  
 Ferruginous Pygmy-Owl, 315–319  
 Figueroa, J., 377–390  
 Figueroa, R. A., 485–493  
 Figueroa R., R. A., 129–135  
 Finegan, B., S541–S548  
 Flooded savanna, 43–53  
 Flores-Moreno, I., S491–S500  
 Florian, E., S541–S548  
 Flower abundance, S473–S483  
 Folivory, 617–625  
 Food, S39–S59  
 Foraging behavior, 243–253, 403–416, 595–598  
 Foraging specialization, 98–107  
 Forest cover, S541–S548  
 Formoso, A. E., 611–616  
*Forpus passerinus*, S73–S83  
 Fournier, R., S353–S360  
 Fraga, R. M., 299–303, S61–S71  
 Fragmentation, 403–416, S541–S548  
 Fragmented landscape, S347–S352  
 Franco, N. G., S567–S574  
 Fray Diego Garcíá, S361–S366  
 Freeman, B. G., 581–585  
 Freile, J. F., 627–631, S381–S389  
 French Guiana, S339–S346  
 Frere, E., 109–116  
 Frugivory, 345–359, 617–625  
 Fruit-eating birds, 473–479  
 Funding, S173–S181  
 Furnariidae, 451–456  
 Fusani, L., S229–S239  
 Gallery forest, 1–14  
*Gallinago*, S453–S460  
 Gandini, P. A., 109–116  
 Garcia, G., 441–450  
 García-Peña, G. E., S445–S452  
 Garza Cuca, 485–493  
 Gasztónyi, A., 553–563  
 Gaviota austral, 109–116  
 Gelis, R. A., 335–344  
 Geographic variation, S73–S83  
 George, G., 595–598  
 Gibli, S., S311–S319  
*Glaucidium brasiliense*, 315–319  
 Global climate change, S241–S251  
 Glomerular filtration rate, S501–S509  
*Gnorimopsar chopi*, 299–303  
 GnRH, S39–S59  
 Golden-browed Chlorophonia, 305–306  
 Golden-collared Manakin, S229–S239  
 Gonad growth, S39–S59  
 González, A., 485–493  
 González Fischer, C., S575–S585  
 González-Acuña, D., 485–493  
 González-Rojas, J. I., 55–70  
 Gorgona Nacional Natural Park, 517–529  
 Government, S321–S327  
 Graish Saltator, 617–625  
*Grallaria quitensis*, 143–147  
*Grallaricula nana*, 457–461  
 Gran Chaco, 1–14  
 Great Antshrike, 293–297  
 Great Curassow, S353–S360  
 Greater Antilles, S415–S426

- Greeney, H., 287–292  
 Greeney, H., 565–571  
 Greeney, H. F., 143–147, 149–152, 213–219,  
   293–297, 335–344, 361–370, 451–456,  
   457–461, 581–585  
 Green-rumped Parrotlet, S73–S83  
 Grenada, 221–228  
 Greney, H. F., 463–406  
 Group size, 43–53  
 Group territoriality, 43–53  
 Guano, 377–390  
 Guerrero, R., 265–274  
 Guianas, S339–S346  
 Guira Cuckoo, S85–S93  
*Guira guira*, S85–S93  
 Guyana, S339–S346  
*Gymnoccibla nudiceps*, 153–156  
 Haase, B., S641–S651  
 Habitat, 175–199, S311–S319  
 Habitat associations, 1–14  
 Habitat conditions, S183–S196  
 Habitat conservation, S165–S171  
 Habitat fragmentation, 403–416  
 Habitat loss, S633–S640  
 Habitat mosaic, 345–359  
 Habitat use, S165–S171  
 Habitat use, S295–S303, S461–S472  
 Halupka, K., 213–219  
 Hamel, P., S521–S529  
 Hannelly, E. C., 149–152  
 Hardwood forest, S165–S171  
 Harms, I., 143–147  
 Hartman Bakken, B., S501–S509  
 Harvey, C. A., S541–S548  
 Hatching, 565–571  
 Hatching asynchrony, S73–S83  
 Hau, M., S39–S59  
 Haugaasen, T., 321–328  
 Hawk-eagle, 607–610  
*Hellmayrea gularis*, 451–456  
 Helper, 43–53  
 Hidalgo, J. R., 287–292  
 High elevations, S511–S519  
 Historical processes, S427–S432  
 History of Neotropical Ornithology, S361–  
   S366, S367–S379, S381–S389, S391–S399,  
   S401–S414, S415–S426  
 Home range, S165–S171, S287–S293  
 Honduras, S595–S604  
 Hook-billed Kite, 221–228  
 Hooper, M. J., S641–S651  
 Hormonal control, S229–S239  
 Horn, R. I., 1–14  
 House Sparrow, 275–281  
 Hudsonian Godwit, S605–S611, S623–S631  
 Human activity, S219–S228  
 Human disturbance, S241–S251  
 Human geography, S595–S604  
 Hummingbirds, S473–S483, S485–S490,  
   S491–S500, S501–S509, S511–S519  
 Hunter Jr., M., S254–S268  
 Hybridization, S151–S163  
*Hylocharis leucotis*, S473–S483, S485–S490  
 Icteridae, S61–S71  
 Imberti, S., S433–S443  
 Immune, S207–S218  
 Impacts, S219–S228  
 Imperial Cormorant, 553–563  
 Incubation, 143–147, 391–402  
 Incubation behavior, 451–456  
 Incubation patterns, 391–402  
 Insectivorous birds, 403–416, 417–426  
 Intermittent incubation, 391–402  
 Isótopos estables, S95–S112  
 Jahn, A. E., 1–14  
 Janik, D., S353–S360  
 Jiménez, J. E., 129–135  
 Johnson, K. A., S641–S651  
 Johnston-González, R., S453–S460  
 Juárez, L., S491–S500  
 Juhant, M. A., 611–616  
 Kaa-Iya National Park, 1–14  
 Kacoliris, F. P., 315–319  
 Karubian, J., S151–S163  
 Kattan, G., S295–S303  
 Kaufmann, D. W., S321–S327  
 Kernel, S165–S171  
 Kleemann Júnior, L., S183–S196  
 Koenig, S. E., S135–S149  
 Kuba, L., 553–563

- Kuchinski, K., S113–S122  
 Kvarnbäck, J., S347–S352  
*Labidus praedator*, 137–142  
 Lagoa do Peixe, S329–S337  
 Lal, M., S113–S122  
 Lanctot, R. B., S641–S651  
 Land use patterns, S575–S585  
 Landscape, S541–S548  
 Langridge, S., 283–285  
 Lank, D. B.  
 Lara, C., S485–S490  
*Larus scoresbii*, 109–116  
 Latin America, S1–S32  
 Lebbin, D. J., 329–334  
 Lekking, S151–S163  
 Lentijo, G. M., S567–S574  
*Lepidothrix coronata*, 243–253  
 Lesser Antilles, S415–S426  
 Lesterhuis, A. J., S641–S651  
 Leveau, L. M., 275–281  
 Levy, C., S415–S426  
 Life history, S207–S218  
 Lijtmaer, D. A., 441–450  
 Lilac-crowned Parrot, 427–439  
 Limiting resource, S254–S268  
*Limosa haemastica*, S605–S611, S623–S631  
 Linnaeus, S361–S366  
 Lishman, C., S433–S443  
 Lista de participantes, S1–S32  
 Llanos, S287–S293, S347–S352  
 Lobos de Afuera, 377–390  
 Local ecological knowledge, S595–S604  
 Local experience, S311–S319  
 Loekemeyer, N., S311–S319  
 Loiselle, B. A., S151–S163  
 Londoño, G., 137–142  
 Londoño, G. A., S295–S303  
 Long-tailed Tapaculo, 581–585  
 Long-term studies, S73–S83  
 López, A. M., S567–S574  
 López, L., S641–S651  
 López-Lanús, B., S613–S621  
 López-Saut, E., S491–S500  
 Loro corona lila, 427–439  
 Lougheed, S. C., 441–450  
 Macaws, 321–328, S173–S181  
 Macedo, R. H., S85–S93, S151–S163  
*Machaeropterus regulus striolatus*, 287–292  
 Magellanic Penguin, S219–S228  
 Magellanic Plover, S433–S443  
 Malizia, A. I., 71–80  
*Manacus vitellinus*, S229–S239  
 Management, S311–S319  
 Manakins, 243–253  
 Manhães, M. A., 417–426  
 Mapping, S183–S196  
 Mar Chiquita Biosphere Reserve, 71–80  
 Maranhão, S329–S337  
 Margarita Island, S123–S134  
 Marín, M., 391–402  
 Marine biodiversity, 377–390  
 Martin, K., S254–S268, S269–278  
 Martin, P. R., 117–122, 335–344  
 Martin II, L. B., S207–S218  
 Martínez del Rio, C., S95–S112  
 Martins Dias, M., 417–426  
 Marz, A. C., S641–S651  
 Masked Crimson Tanager, 329–334  
 Master, R., 595–598  
 Mate choice, Reproductive skew, S151–S163  
 Mating behavior, S85–S93  
 Mating systems, S85–S93  
 Matthysen, E., 403–416  
 Maturín, S1–S32  
 McAndrews, A. E., 123–127  
 McCracken, K. G., 307–314  
 McCrary, J. K., 593–580  
 McQueen, D., 221–228  
*Melozzone biarcuata*, 283–285  
 México, 55–70, 81–95, 255–263, 265–274,  
     427–439, 531–551, S305–S309, S367–  
     S379  
 México City, S491–S500  
 Michoacán, 427–439  
 Migration, 31–41, 161–174, 201–211, 473–  
     479, 593–580, S95–S112, S311–S319,  
     S623–S631  
 Migratory behavior, 161–174  
 Migratory movements, S433–S443  
 Migratory shorebirds, S605–S611, S633–

- S640, S641–S651  
 Military Macaw, 255–263  
 Miller, E. T., 361–370, 457–461  
 Minimum convex polygon, S165–S171  
 Miró R., R., S321–S327  
 Misiones, 15–29  
 Mixed flock composition, 403–416  
 Mixed flocks, 403–416  
 Mixed-species flocks, 98–107, 243–253  
 Modelling assessment, S521–S529  
 Mohammed, N., S113–S122  
*Molothrus rufoaxillaris*, 299–303  
 Molt, S197–S205  
 Monagas, S1–S32  
 Monogamy, 157–160  
 Montag, H., 335–344  
 Montane forest, 403–416  
 Montane rainforest, 417–426  
 Monteiro, T. V., S183–S196  
 Montejío-Díaz, J. E., 123–127  
 Monterrue-Rico, T. C., 427–439  
 Monterrue-Solis, C., S491–S500  
 Moore, I. T., 117–122, S39–S59, S241–S251  
 Morales, C., S641–S651  
 Morales Loa, M., S305–S309  
 Moreno, L., 485–493  
 Moreno, M. I., S531–S539  
 Moschione, F. N., 611–616  
 Mosqueta estruada, 31–41  
 Multiscalar, S123–S134  
 Múnера, W. A., 495–515  
 Municipal-level inventories, 531–551  
 Muñoz, M. C., S295–S303  
*Muscipipra vetula*, 201–211  
 Museums, S391–S399  
 Musmeci, L. R., S605–S611  
*Myadestes ralloides*, 213–219  
*Myioborus melanocephalus*, 335–344  
*Myioborus fasciatus*, 31–41  
 Naranjero, 473–479  
 Nariva Swamp, S113–S122  
 Natural history, 149–152, 293–297, 581–585  
 Navarro-Sigüenza, A. G., S367–S379  
 Nearctic shorebirds, S623–S631  
 Nechí lowlands, 495–515  
 Nectar, S473–S483  
 Nectar feeders, S491–S500  
 Nectarivory, 275–281, S501–S509  
 Neotropical, S531–S539  
 Neotropical model systems, S85–S93  
 Neotropical Ornithological Society, S1–S32, S33–S38  
 Neotropical shorebirds, S453–S460, S461–S472  
 Neotropical Waterbird Census, S453–S460  
 Neotropics, S85–S93, S197–S205, S427–S432, S633–S640  
 Nest, 15–29, 117–122, 123–127, 143–147, 153–156, 157–160, 283–285, 287–292, 293–297, 305–306, 335–344, 451–456, 457–461, 565–571, 607–610  
 Nest architecture, 361–370, 457–461  
 Nest characteristics, S61–S71, S123–S134  
 Nest construction, 463–406  
 Nest description, 117–122, 153–156  
 Nest predation, S123–S134  
 Nest site, 15–29, 427–439, 517–529  
 Nest site limitation, S269–278  
 Nest site selection, S347–S352  
 Nesting, 299–303  
 Nesting behavior, 287–292  
 Nesting biology, 213–219  
 Nesting ecology, 335–344  
 Nesting habitat, 587–584  
 Nesting success, S347–S352  
 Nestling, 149–152, 213–219, 293–297, 457–461  
 Nestling provisioning, 565–571  
 Nestling vocalizations, 581–585  
 Nests, 213–219, 221–228  
 Neto, P. S., S183–S196  
 New records, 611–616  
 Nicaragua, 593–580  
 Niche shift, 403–416  
 Nocoya, S353–S360  
 Non-breeder, 43–53  
 Non-breeding distribution, S613–S621  
 Non-breeding period, S531–S539  
 Non-breeding range assessment, S521–S529  
 Non-breeding season, S623–S631, S633–S640

- Number of point counts, 229–242  
 Observations, 593–580  
 Ochoa-Quintero, J. M., 495–515  
*Ochthoeca*, 361–370  
*Ochthoeca diadema*, 149–152  
 Ojeda, V., S254–S268  
 Opportunistic breeding, S39–S59  
 Opportunistic nectarivory, 275–281  
 Orange-breasted Bunting, 265–274  
 Organizing committee, S1–S32  
 Organophosphate, S641–S651  
 Ortega Huerta, M. A., 265–274  
 Ortega-Rodríguez, J. M., 427–439  
 Ortiz, D., 31–41, 161–174, 473–479  
 Ortiz-Pulido, R., S367–S379, S473–S483  
 Osmoregulation, S501–S509  
 Ospina-Alvarez, A., 517–529  
 Ottema, O. H., S339–S346  
 Overwintering, 81–95  
 Pacific, 517–529  
 Pacific coast, 427–439  
 Pagano, L., 315–319  
 Pagaray, 299–303  
 Palacio, A., 495–515  
 Palacios, E., 371–376  
 Pampean Region, S575–S585  
 Panama, S321–S327  
 Paraguay, 201–211, 229–242  
*Paramo*, 143–147  
 Parapeti River, 1–14  
 Parental behavior, 153–156  
 Parental care, 149–152, 157–160, 293–297,  
     457–461, 581–585  
 Parker, P. G., S151–S163  
 Parrot, S269–278, S73–S83, S173–S181  
 Participatory research, S567–S574  
 Pasos-Enríquez, R. M., 55–70  
*Passer domesticus*, 275–281  
*Passerina leclancherii*, 265–274  
 Patagonia, 109–116, 553–563, S433–S443,  
     S605–S611  
 Paula de Faria, I., 599–606  
 Paulson, B., S641–S651  
 Pava caucana, S295–S303  
 Pavón Moquirrojo, 371–376  
 Pedestrian and car traffic, 275–281  
 Peña Herrera, V., S453–S460  
 Peña-Peniche, L. A., 55–70  
*Penelope albipennis*, S279–S286  
*Penelope perspicax*, S295–S303  
 Península Faldés, S445–S452  
 Península Valdés, S605–S611  
 Pepitero Gris, 617–625  
 Pérez, G. E., S95–S112  
 Perfito, N., S39–S59  
 Peris, S., 229–242  
 Peru, 329–334, 377–390, 587–584, S173–  
     S181, S279–S286, S587–S594  
 Peruvian Tern, 587–584  
 Pescadero-Ituango, 467–471  
 Pesticide exposure, S641–S651  
 Petens, 55–70  
 Peterson, A. R., S367–S379  
*Phalacrocorax atriceps*, 553–563  
*Phalacrocorax magellanicus*, 553–563  
 Phenology, 321–328  
 Photoperiod, S39–S59  
 Phylogenetic patterns, S427–S432  
 Phylogeny, 201–211, 361–370, S61–S71,  
     S511–S519  
 Physiology, S207–S218, S501–S509  
 Pilgrim, K., S113–S122  
 Pine forest, S165–S171  
*Pipraeidea melanota venezuelensis*, 473–479  
 Pipridae, 243–253, 287–292  
 Piquero Café, 517–529  
 Pizo, M. A., 98–107  
 Plain Antvireo, 417–426  
 Plair, B. L., S113–S122  
 Plant reproduction, S491–S500  
 Plant-hummingbird relationship, S473–S483  
 Plasma cholinesterases, S641–S651  
 Plenge, M. S., 587–584  
 Plumage divergence, 307–314  
 Plumage evolution, 441–450  
 Plural breeding, 43–53  
*Pluriannellus socialis*, S433–S443  
 Poaching, S339–S346  
 Población, 371–376  
 Podesta, D. H., 611–616

- Point counts, 229–242  
 Policy makers, S135–S149  
 Politi, N., S254–S268  
 Pollinators, S491–S500  
 Polygyny, 157–160  
*Polylepis* woodland, 403–416  
*Polystictus pectoralis*, 157–160  
 Population, S279–S286  
 Population density, 371–376  
 Population estimate, 221–228  
 Population structure, S73–S83  
 Population viability assessment, S135–S149  
 Porce rever, 495–515  
*Porphyrrula martinica*, 43–53  
 Porzecanski, A. I., 1–14.  
 Prado, F., S241–S251  
 Predation, 517–529, 587–584  
 Pre-dispersal, 321–328  
 Premontaje forest, 495–515  
 President's commentary, i–ii  
 Prevost's Ground Sparrow, 283–285  
 Prey selection, 417–426  
 Priority migrant, S531–S539  
 Private land conservation program, S305–S309  
 Productivity, 221–228  
 Pronatura, S305–S309  
 Psittacidae, 321–328  
 Puebla, 531–551  
 Pulgarín, P. C., 495–515  
 Purple Gallinule, 43–53  
 PVA, S135–S149  
 Quesada, C., 305–306  
 Quintana, F., 553–563  
 Rabau, R., S461–S472  
 Radio-telemetry, S287–S293  
 Ragusa-Netto, J., 345–359  
 Rain forest, 607–610  
 Rainfall, S39–S59  
 Rainforest expedition, S173–S181  
 Ramadhar, A., S113–S122  
 Ramos, F. M., S183–S196  
 Rampaul, B., S113–S122  
 Ramphastidae, 345–359  
*Ramphastos toco*, 345–359  
*Ramphocelus*, 329–334  
*Ramphocelus carbo*, 329–334  
*Ramphocelus nigrogularis*, 329–334  
 Ramsar, S321–S327  
 Ramsubage, S., S113–S122  
 Raptors, 593–580  
 Rarefaction, 1–14  
 Reaumur, S361–S366  
 Record housing, S531–S539  
 Recurve-billed Bushbird, 467–471  
 Red Knot, S605–S611  
 Red-and-Green Macaw, 321–328  
 Red-browed Parrot, S183–S196  
 Reflectance spectrophotometry, 441–450  
 Región Andina, S381–S389  
 Reintroduction, S113–S122, S279–S286, S353–S360  
 Relative abundance, S183–S196, S461–S472  
 Release, S353–S360  
 Renal function, S501–S509  
 Renjifo, L. M., S549–S565  
 Reproduction, S39–S59, S197–S205, S353–S360, S433–S443, S445–S452  
 Reproductive success, 517–529  
 Research, S173–S181, S549–S565  
 Research funding, S173–S181  
 Research needs, S633–S640  
 Resource abundance, 321–328  
 Restricted distribution, S295–S303  
 Reversed sexual dominance, 329–334  
 Rios, M., 137–142  
 Rios, M. M., S295–S303  
 Risk-aversion, S485–S490  
 Risk-prone, S485–S490  
 Risk-sensitivity, S485–S490  
 Rivas-Fuenzalida, T., 129–135  
 Rivera, L., S254–S268  
 Rivera-Ortiz, F. A., 255–263  
 Robertson, R. J., 81–95  
 Rock Shag, 553–563  
 Rodewald, A., S521–S529  
 Rodríguez-Flores, C., S491–S500  
 Rodríguez-Jorquerá, I., 129–135  
 Roesler, I., 611–616  
 Rojas-Soto, O. R., 531–551

- Rosenberg, K. V., S531–S539  
 Rubenstein, D. R., S207–S218  
 Rufous-thighed Hawk, 15–29  
 Rural landscape, S549–S565  
 Ryan, J., S113–S122  
 Ryder, T. B., S151–S163  
 Saavedra, A. M., 1–14  
 Sabat, P., S241–S251, S501–S509  
 Saíra de antifaz, 473–479  
*Saltator coerulescens*, 617–625  
 Sampling design, 229–242  
 Sánchez, J., 305–306  
 Sánchez, K. B., 71–80  
 Sánchez-Clavijo, L. M., S549–S565  
 Sandercock, B. K., S641–S651  
 Sandoval, L., S254–S268  
 Sanz, V., S123–S134  
 Sapoznikow, A., 553–563  
 Sawicki, Z., S311–S319  
 Scarlet Macaw, 321–328  
 Schlinger, B. A., S229–S239  
 Schneider Costa, E., S391–S399  
 Schondube, J. E., S95–S112  
 Science-based prediction, S135–S149  
 Scientific program, S1–S32  
 Scouastic adaptation hypothesis, 175–199  
 Screaming Cowbird, 299–303  
*Scytalopus latrans*, 463–406  
*Scytalopus micropterus*, 463–406, 581–585  
*Scytalopus parkeri*, 463–406  
*Scytalopus* Tapaculo, 463–406  
 Seabirds, 377–390  
 Seasonal abundante, 255–263  
 Seasonal breeding, S39–S59  
 Seasonal changes, 81–95  
 Seasonal movements, 201–211, S165–S171  
 Seasonality, 1–14  
 Seco Pon, J. P., 109–116  
 Secondary cavity nester, 255–263, S269–278  
 Seed loss, 321–328  
 Seed predation, 321–328  
 Seed predators, 321–328  
 Seipke, S. H., 15–29  
 Selective logging, S269–278  
 Semi-arid region, 255–263  
 Senner, N. R., S623–S631  
 Sepúlveda, M. A., 129–135  
*Serpophaga cinerea*, 595–598  
 Serrano, I. L., S329–S337  
*Setopbaga ruticilla*, 81–95  
 Sexual dichromatism, 441–450  
 Sexual dimorphism, 441–450  
 Sexual dominance, 329–334  
 Sexual selection theory, S151–S163  
 Shear-tailed Gray-Tyrant, 201–211  
 Sheldon, K. S., 293–297  
 Shorebirds  
 Shorebirds, S305–S309, S311–S319, S329–S337, S339–S346, S445–S452, S453–S460, S461–S472, S605–S611, S633–S640, S641–S651  
 Silva-Rodríguez, E. A., 129–135  
 Silver-beaked Tanager, 329–334  
*Sihicultrix* group  
 Skutch, 293–297  
 Slate-crowned Antpitta, 457–461  
 Smith, A. L., 81–95  
 Smith, T. B., S151–S163  
 Soberanes-González, C. A., 255–263  
 Social behavior, S85–S93  
 Social cues, S39–S59  
 Social groups, S113–S122  
 Social system, S73–S83  
 Sociality, S85–S93  
 Song structure, 175–199  
 Song transmission, 175–199  
 Sonnini, S361–S366  
 Soria, K., 161–174  
 Soto, G., S541–S548  
 Sound transmission, 175–199  
 Sousa de Paula, S., 599–606  
 South America, S1–S32 S521–S529, S531–S539, S613–S621, S623–S631  
 Southern Lapwing, S85–S93  
 Spatio-temporal scale, S473–S483  
 Spectacled Whitestart, 335–344  
*Spheniscus magellanicus*, S219–S228  
*Spizaetus isidori*, 611–616  
*Spizaetus melanoleucus*, 607–610  
 Spot-fronted Swift, 391–402

- Stable isotopes, S95–S112  
 Stahala, C., S165–S171  
 Status, 221–228, S279–S286, S623–S631  
 Stein, A. C., S151–S163  
*Sternula lorata*, 587–584  
 Steroids, S229–S239  
 Stiles, F. G., S361–S366, S511–S519  
 Stop-over, 473–479  
*Streptoprocne rutila*, 391–402  
 Stress hormones, S207–S218  
 Structural complexity, S541–S548  
 Strum, K. M., S641–S651  
 Stucchi, M., 377–390  
 Student participation, S1–S32  
 Subspecies, 307–314  
 Subtropical forest, S269–278  
 Sub-urban park, S491–S500  
 Successional forest, 81–95  
*Sula leucogaster*, 517–529  
 Supúlveda-Fuentes, M. A., 129–135  
 Suriname, S339–S346  
 Survival, S113–S122  
 Swallow Tanager, 441–450  
 Swifts, 391–402  
 Sympatric species, 553–563  
 Sympatry, 553–563  
 Tanagers, 329–334  
 Tapaculo, 463–406  
*Taraba major*, 293–297  
 Tárano, Z., 43–53  
 Tawny Antpitta, 143–147  
 Tejeda-Cruz, C., 531–551  
 Tello, J. G., S427–S432  
 Temperate forest, 129–135  
 Territoriality, 43–53  
 Territory defense, 43–53  
 Territory quality, 43–53  
 Territory size, 43–53  
*Tersina viridis*, 441–450  
 Testosterone, S229–S239  
*Thamnophilidae*, 153–156  
 Thogmartin, W., S521–S529  
 Thorstrom, R., 221–228  
 Thraupidae, 441–450, 473–479  
*Thraupis bonariensis schulzei*, 473–479  
 Threats, S339–S346  
 Time of day, 229–242  
 Timing of breeding, S39–S59  
 Toco Toucan, 345–359  
 Tori, W. P., S151–S163  
 Torrent Tyrannulet, 595–598  
 Torres-Dowdall, J., S641–S651  
 Toucans, 345–359  
 Tourism, S219–S228  
 Trinidad, S113–S122  
 Trophic ecology, 71–80, 417–426  
 Tropical birds, S39–S59  
 Tropical rain forest, 599–606  
 Tropical-temperate comparison, S151–S163  
 Tropical deciduous forest, 265–274  
 Tropics, S39–S59  
 Tsamajain-Yagkuag, S., S587–S594  
 Tubaro, P. L., 441–450  
*Turdus nigriceps*, 161–174  
 Two-banded Plover, S445–S452  
 Tyrannidae, 117–122, 157–160, 361–370  
 Ultimate and proximate factors, S197–S205  
 Unión Venezolana de Ornitológos, S1–S32  
 Universities, S391–S399  
 Upland Sandpiper, S613–S621  
 Upper Bay of Panama, S321–S327  
 Urban environment, 71–80, 275–281  
 Urban systems, S491–S500  
*Uromyias agilis*, 117–122  
 Uruguay, S461–S472  
 Uy, J. A. C., S151–S163  
 Valdés Peninsula, S445–S452  
 Valdivian ecoregion, 129–135  
 Valiente-Banuet, A., 255–263  
*Vanellus chilensis*, S85–S93  
 Vargas-Licona, G., S473–S483  
 Vasquez, R. A., S241–S251  
 Vega Picos, X., S305–S309  
 Vega Rivera, J. H., 265–274  
 Vegetation, 175–199  
 Venezuela, 43–53, S1–S32, S73–S83, S287–S293, S347–S352  
 Venezuela VIIIth Neotropical Ornithological Congress, S1–S32  
 Villa-Bonilla, B., 531–551

- Visual signals, S151–S163  
Viudita Coluda, 201–211  
Vocalizations, S229–S239  
*Volatina jacarina*, S85–S93  
Volunteers, S173–S181  
Vulnerability, S123–S134  
Wada, H., S241–S251  
Waders, S641–S651  
Walker, B. G., S219–S228  
Warren, S., S113–S122  
Water balance, S501–S509  
Water loss, 213–219, 451–456, 463–406  
Waterbird census, S453–S460  
Waterbirds, S453–S460  
Wattled Curassow, 371–376  
Web-based recording program, S531–S539  
Webster M. S., S151–S163  
Weekly cycles, 275–281  
Weicker, J. J., 1–14  
Weight, 599–606  
Western Hemisphere Shorebird Reserve Network, S311–S319, S329–S337, S339–S346  
Western Striped Manakin, 287–292  
Wetland conservation, S623–S631  
Wetlands, S321–S327  
White-browed Spinetail, 451–456  
White-crowned Manakin, 243–253  
White-eared Hummingbird, S473–S483, S485–S490  
White-faced Ground Sparrow, 283–285  
White-necked Heron, 485–493  
White-rumped Sandpiper, S605–S611  
White-throated Hawk, 129–135  
White-winged Guan, S279–S286  
WHSRN, S311–S319, S321–S327, S329–S337, S339–S346  
Wiebe, K., S269–278  
Will, T. C., S531–S539  
Wilson, R. E., 307–314  
Wingfield, J. C., S219–S228, S241–S251  
Winter distribution, S531–S539  
Woodpecker, S269–278  
Wunderle, J. M., i–ii  
Yellow-bellied Chat-Tyrant, 149–152  
Yellow-knobbed Curassow, S287–S293, S347–S352  
Yellow-shouldered Parrot, S123–S134  
Young, 117–122  
Young, D. P., Jr., 593–580  
Yucatán, 55–70  
Yucatán Peninsula, 81–95  
Yungas, 161–174, 473–479  
Zacapoaxtla, 531–551  
Zaccagnini, M. E., S641–S651  
Zavalaga, C. B., 587–584  
Zonas cafeteras, S567–S574  
Zonation, S613–S621  
*Zoonotrichia*, S241–S251  
Zorزال Plomizo, 161–174  
Zyskowski, K., 451–456

## REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 19

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (\*) manuscripts for Volume 19: Juan Aguilar Amat, Juan Aguirre, Fernando Angulo Pratolongo, J. W. Bates, Marc Bechard, K. S. Berg, John D. Blake\*, Daniel Blanco, Pedro Blendinger, Mark Bonta, E. L. Bull, G. S. Cabanne, Carlos Daniel Cadena, Jennifer Cahill\*, Jay D. Carlisle, Roberto Carmona, R. Casaux, C. Casler, Oliver Chassot, J. Chaves-Campos, R. T. Chesser, N. J. Collar, Charles Collins, Andres M. Cuervo, Victor Cueto, I. C. Cuthill, Martin de la Peña\*, Celine de Melo, Adrián Di Giacomo, Luis dos Anjos, D. C. Duffy\*, Charles D. Duncan, J. B. Dunning, Maria A. Echeverry, Graciela Escudero, Guillermo Fernández, Guillermo J. Fernández-Aceves, Marcelo Ferreira de Vasconcelos, J. W. Fitzpatrick, Jon Fjeldså, Rosendo Fraga, Esteban Frere, Leonardo Galetto, Ignacio García-Godos, Rudolphe A. Gelis, Alan Giraldo López, Alejandro Giraudo, Fernando González García, Harold F. Greeney\*, I. Hahn, Adriani Hass, Erica Hasui, Floyd E. Hayes\*, A. Bennett Hennessey\*, María de los Ángeles Hernández, Salvador Hernández Vazquez, Sebastián K. Herzog\*, Steve Hilty, P. A. Hosner, Mort L. Isler, P. G. Jablonski, A. E. Jahn, Fabián Jakasic\*, A. Jaramillo, Jaime Jiménez, M. D. Johnson, Oliver Komar, N. Krabbe\*, James A. Kushlan, W. E. Lanyon, Carlos Lara, Daniel Lebbin, Lucas Leveau, Catherine Lin-

dell\*, Gustavo Londoño, German López\*, Francisco Mallet-Rodrigues\*, Miguel Ángelo Marini\*, Miguel Angel Martinez, K. J. McGraw, R. McNeil\*, Diego Montalti, Eugene Morton, J. C. Motta-Junior, Eaton Muir, R. L. Mumme, Roberto Murua, K. Naoki, Marilyn A. Norconk, Manuel Nores, Valeria Ojeda, Christian Olivo, Oshika Oniki, Mariano Ordano, José Luis Orgeira, Steve Ormerod, Raúl Ortiz-Pulido, Pete Osner, S. Pacheco, Eduardo Pavez, Luis António Pedreira Gonzaga, Nicky Petkov, Augusto Piratelli, Marco Aurelio Pizo, Manuel Plenge, Lars Pomara, Brigitte Poulin, R. O. Prum, P. C. Pulgarín, John Rappole, Andrea Raya Rey, Catherine Renton, R. Reyes-Arriagada, Jean-Pierre Reynaud, Margarita M. Ríos, S. K. Robinson\*, W. Doublas Robinson, Mercedes Rougés, Paul Salaman, Jorge E. Saliva, Diego Sandiago, Virginia Sanz, Roberto J. Schlatter, Karl-L. Schuchmann\*, Tom Schulenberg, Juan Seco Pon, S. H. Scipke, Nathan R. Senner, Javier Simenotti, Alejandro Simeone, Fernando Straube\*, A. M. Strong, Bridjet Stuchbury, Jean-Marc Thiollay\*, Russell Thorstrom, Janeese Touchon, Darius Tubelis, A. C. Vallely, Tomas Valqui, André Weller, D. F. Whitacre, Clayton M. White, Jim Wiley, Edwin O. Willis\*, Susan Willson, Adrián Wolf, Y. Yoniki, Pablo Yorio\*, H. Glyn Young, Carlos Zavalaga, Kristof Zyskowski\*.

Some of the abstracts were kindly corrected by Cristina Yumi Miyaki for the Portuguese, and by Elisa Bonaccorso for the Spanish. Page-setting was done by Barbara Durán and María Rojas G.