

ORNITOLOGIA NEOTROPICAL

EDITOR

ANDRÉ-ALEXANDER WELLER

INDEX TO VOLUME 20, 2009

(Authors, key words, families, scientific names)

An International Journal of Neotropical Ornithology
published by

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Abalos, R., 215–230
 Acosta Hospitaleche, C., 19–26
 Acre State, 467–470
Actitis macularia, 181–201
 Activity pattern, 27–34
 Adoption, 623–627
 Age-related plumage, 451–459
Aglaioocercus kingi, 181–201
Aimophila carpalis, 565–584
Alectrurus risora, 585–595
Alectrurus tricolor, 585–595
Alipiopsitta xanthops, 421–430, 479–489
 Allens Hummingbird, 81–91
Amazilia fimbriata, 181–201
Amazilia lactea, 535–552
Amazilia tobaci, 181–201
 Amazon forest, 467–470
Amazona aestiva, 421–430
Amazona albifrons, 491–509
Amazona auropalliata, 491–509
Amazona autumnalis, 491–509
Amazona farinosa, 467–470, 491–509
Amazona finschi, 491–509
Amazona oratrix, 491–509
Amazona viridigenalis, 491–509
Amazona xantholora, 491–509
 Amethyst-throated Sunangel, 609–618
Anacardium humile, 421–430
Anas acuta, 171–179
Anas americana, 171–179
Anas cyanocephala, 171–179
Anas crecca, 171–179
Anas cyanoptera, 171–179
Anas discors, 171–179
Anas flavirostris, 321–337
Anas georgica, 321–337
Anas platalea, 321–337
Anas sibilatrix, 321–337
Anas specularis, 321–337
Anas strepera, 171–179
Anas versicolor, 321–337
Ancistrops strigilatus, 535–552
 Andean foothills, 153–156
 Anderson, C. B., 231–245, 321–337
 Andes, 305–310, 471–475, 609–618
 Angulo-Gastélum, U. T., 291–298
Anthracothorax nigricollis, 181–201, 535–552
Anthus nattereri, 585–595
 Anti-parasite strategies, 523–533
 Antón, F., 181–201
Anurolimnas viridis, 535–552
Aphrastura spinicauda, 231–245, 321–337
Aptedonytes forsteri, 27–34
Ara ararauna, 421–430, 479–489
Ara macao, 491–509
Ara militaris, 491–509
 Arambarri, A. M., 93–98
 Aramburú, R. M., 93–98
Aramus guarauna, 535–552
Aratinga astec, 491–509
Aratinga aurea, 421–430
Aratinga brewsteri, 491–509
Aratinga canicularis, 491–509
Aratinga holochlora, 491–509
Aratinga pertinax, 99–112
Aratinga pertinax margaritensis, 99–112
Aratinga pertinax tortuguensis, 99–112
Aratinga strenua, 491–509
Aratinga weddellii, 467–470
 Araujo, M. A., 181–201
Archilocichus colubris, 81–91
 Areta, J. I., 215–230
 Argentina, 47–60, 127–141, 215–230, 585–595
Arremon brunneinucha, 451–459
 Arriagada, A. M., 247–253
 Artificial nests, 357–368
 Arturi, M. F., 203–213
 Ascanio, D., 315–316
Atalotriccus pilaris, 181–201
 Atlantic forest, 431–444, 623–627
Auriparus flaviceps, 565–584
 Austral migrant, 131–135
 Avifauna, 321–337
Aythya affinis, 171–179
 Azanar, J.-C., 511–521
 Azpírua, J. C., 311–314
 Baessolo, L., 247–253
 Bamboo, 305–310
 Bananaquit, 477–478

- Barbieri, E., 73–79, 409–419
 Barlow, J., 467–470
 Barn Owl, 127–141
 Barrantes, G., 401–407
Basileuterus chrysogaster, 535–552
Basileuterus flaveolus, 181–201
Basileuterus griseiceps, 311–314
 Bay-capped Wren-Spinetail, 347–355
 Bejarano-Bonilla, D. A., 471–475
 Biaggi, Jr., V., 477–478
 Bianchi, C. A., 479–489
 Bilenca, D., 47–60
 Biodiversity, 35–46
 Bird assemblage, 47–60
 Bird survey, 535–552
 Bird-Picó, F. J., 523–533
 Birds of Trinidad and Tobago, 315–316
 Black-browed Albatross, 623–627
 Black-capped Vireo, 291–298
 Black-crested Warbler, 461–465
 Black-faced Cotinga, 467–470
 Black-faced Solitaire, 451–459
 Blood parasites, 461–465
 Blue-and-yellow Macaw, 421–430
 Blue-headed Macaw, 467–470
 Blue-headed Parrot, 467–470
 Blue-throated Hummingbird, 81–91
 Body condition, 265–273
 Body mass, 597–607
Bolborhynchus ferrugineifrons, 471–475
Bolborhynchus lineola, 491–509
 Bolgeri, M. J., 127–141
 Bolivia, 121–130
 Bonacic, C., 321–337
 Bonier, F., 461–465
 Botero, J. E., 285–290
 Boyle, W. A., 265–273
 Branco, J. O., 409–419
 Brazil, 143–146, 299–303, 409–419, 467–470,
 479–489, 597–607, 623–627
 Brazilian Amazonia, 147–151
 Breeding, 181–201
 Breeding biology, 255–263, 369–380, 409–419
 Breeding habitat, 553–564
 Breeding season, 401–407
 Breeding success, 61–72
 Broad-tailed Hummingbird, 81–91
 Brood parasitism, 523–533
 Brooding, 619–622
Brotogeris cyanoptera, 467–470
Brotogeris jugularis, 491–509
 Brown Skua, 369–380
 Brown-bellied Swallow, 461–465
 Brown-throated Parakeet, 99–112
Bxileuterus nigrocristatus, 461–465
Bubo magellanicus, 127–141
 Bucconidae, 1–18
 Buenos Aires Province, 203–213
 Buffer zone, 535–552
 Burned forests, 467–470
Buteo albogularis, 511–521
Buteo brachyurus, 535–552
Buteo magnirostris, 181–201
Cacicus cela, 157–170
Cacicus haemorrhous, 623–627
 Cadena, C. D., 99–112
Calidris alba, 247–253
 Calvo, S., 93–98
Calypte anna, 81–91
Campephilus pallens, 357–368
Campstostoma oboletum, 181–201
 Canada Warbler, 121–130
 Cananéia, 73–79
 Caparú, 275–283
 Cape Horn, 231–245, 321–337
Capsiempis flaveola, 181–201
 Captive bird, 265–273
Caracara plancus, 231–245
 Cardenal Común, 203–213
Cardinalis cardinalis, 565–584
 Cardoni, D. A., 347–355
Carduelis barbata, 231–245
Carduelis siemiradzki, 157–170
Carpodacus mexicanus, 565–584
 Castillo-Guerrero, J.A., 291–298, 553–564
 Castro, M., 247–253
Cathartes antarctica, 369–380
Catharus aurantiirostris, 451–459
Catharus fuscater, 451–459
Catharus fuscescens, 181–201

- Catharus mexicanus*, 265–273
Catharus ustulatus, 391–399
 Cavity nest, 431–444
Celeus spectabilis, 535–552
Celtis ehrenbergia, 93–98
Celtis tala, 203–213
Cercomacra cinerascens, 535–552
 Cerrado, 275–283, 421–430, 479–489
 Cerulean Warbler, 121–130
 Chaco, 47–60
Chalybura buffonii, 181–201
 Chandler, R. B., 451–459
Charadrius modestus, 321–337
 Chaves-Campos, J., 445–449
 Chestnut-capped Brush-Finch, 451–459
 Chestnut-naped Antpitta, 305–310
 Chile, 215–230, 231–245
Chiroxiphia lanceolata, 181–201
Chloephaga hybrida, 321–337
Chloephaga picta, 231–245, 321–337
Chloephaga poliocephala, 231–245, 321–337
Chlorophanes spiza, 265–273
Chlorospingus ophthalmicus, 181–201
Chlorostilbon mellisugus, 181–201
Chondestes grammacus, 565–584
Chrysuronia oenone, 181–201
Cinclodes patagonicus, 231–245
Cinclus leucocephalus, 401–407
 Cinereous Conebill, 461–465
 Cinereous Harrier, 511–521
Circus cinereus, 511–521
 Class, A. M., 445–449
 Climatic correlates, 511–521
Cnemotriccus fuscatus, 181–201
 Coastal lagoon, 171–179
 Cobalt-winged Parakeet, 467–470
 Cochrane, M. A., 467–470
 Codesido, M., 47–60, 585–595
Coeligena coeligena, 181–201
Coereba flava, 477–478
Coereba flaveola, 181–201
 Coffee plantation, 285–290
Colibri thalassinus, 81–91
 Colombia, 285–290, 471–475
Colorhamphus parvirostris, 231–245, 321–337
Columbina passerina, 181–201
Columbina spp., 181–201
Columbina squammata, 181–201
Columbina talpacoti, 181–201
 Common Tody-Flycatcher, 401–407
 Community, 157–170
Conioptilon mcilhennyi, 467–470
Conirostrum cinereum, 461–465
 Connecticut Warbler, 121–130
Conopophaga peruviana, 535–552
 Conservation, 35–46, 491–509
Contopus cinereus, 181–201
Contopus nigrescens, 535–552
 Copello, S., 369–380
Corapipo altera, 265–273
 Cordillera Azul, 535–552
 Cordillera de Tilarán, 451–459
Coscoroba coscoroba, 321–337
 Costa Rica, 265–273, 451–459
 Cozzani, N. C., 35–46
 Crested Oropendola, 401–407
 Cryptic sexual dimorphism, 347–355
 Cryptic species, 215–230
 Cueto, V. R., 275–283
Culicivora caudacuta, 585–595
Cyanocompsa brissonii, 181–201
Cyanocompsa cyanooides, 535–552
Cyclarhis gujanensis, 181–201
Cygnus melanocoryphus, 321–337
 Davis, S. E., 121–130
 Demongin, L., 629–632
Dendrocincla fuliginosa, 181–201, 535–552
Dendrocolaptes picumnus, 181–201
 Dendrocolaptinae, 1–18
Dendrocygna autumnalis, 171–179
Dendroica cerulea, 121–130
Dendroica petechia, 181–201, 255–263
Dendroica petechia bryanti, 255–263
Dendroica striata, 181–201
Dendropanax arboreus, 391–399
 Development, 171–179
 Di Giacomo, A. G., 275–283
 Díaz, M., 181–201
 Diet, 127–141, 479–489, 597–607
 Diet selection, 247–253

- Diglossa cyanea*, 461–465
Diopsittaca nobilis, 421–430, 479–489
 Distress, 265–273
 Distribution, 143–146, 215–230, 285–290, 511–521
Disythamnus mentalis, 181–201
 DNA analysis, 347–355
 Donadio, E., 127–141
 Doradito, 215–230
 Drab-breasted Pygmy-Tyrant, 299–303
 Drozd, A. A., 47–60
Dumetella carolinensis, 391–399
 Durán, S. M., 285–290
 Dusky Spinetail, 153–156
 Dusky-headed Parakeet, 467–470
Dysithamnus mentalis, 451–459
 Eberhard, J. R., 99–112
 Ecological niche model, 511–521
 Ecological niche models, 491–509
 Ecuador, 157–170, 305–310, 381–389, 461–465, 619–622
 Egg, 311–314, 597–607
 Eggs, 633–638
 Egg volume, 553–564
 El Bagual, 275–283
Elaenia albiceps, 231–245
 Elphick, C. S., 231–245
 Emberizidae, 1–18, 597–607
Embernagra longicauda, 597–607
Empidonax traillii, 275–283
Epinecrophylla spodionota, 535–552
Eucalyptus, 511–521
Encometis penicillata, 181–201
Eudocimus ruber, 73–79
Eudyptes chrysocome chrysocome, 623–627
Eugenys fulgens, 81–91
Euphonia anneae, 451–459
Euphonia xanthogaster, 181–201
 Falkland Islands, 623–627
 Favero, M., 27–34
 Feeding, 73–79
 Fernández-Badillo, A., 181–201
 Ferreira, E. B., 431–444
 Figueroa-Esquível, E. M., 391–399
 Fire management, 421–430
 Flock size, 421–430
Fluvicola nengeta, 339–346
 Food provisions, 445–449
 Foraging behaviour, 27–34, 445–449
 Foraging, 247–253
 Forest birds, 231–245
 Formicariidae, 1–18
Formicarius analis, 181–201
Formicivora grisea, 181–201
Forpus cyanopygius, 491–509
 Fracasso, H. A. A., 409–419
 Fraga, R. M., 585–595
 Freeman, B., 99–112
 Freshwater flow, 171–179
 Frugivory, 265–273, 391–399
 Furnariidae, 1–18
 Gado, P. A., 47–60
Galbulia ruficauda, 181–201
 García-Solíz, V. H., 121–130
 Gelis, R. A., 619–622
 Geophagy, 471–475
Geotrygon violacea, 181–201
 Giant Antpitta, 633–638
 Gilabert, H., 321–337
 Gizzard, 93–98
Glanidium nanum, 231–245
Glaucis hirsutus, 181–201
Glyphorynchus spirurus, 535–552
 González, M., 81–91
 González-Acuña, D., 485–493
 González-Medina, E., 291–298, 553–564
Grallaria alleni, 305–310
Grallaria andicolus, 305–310
Grallaria gigantea, 633–638
Grallaria gigantea hylophila, 633–638
Grallaria guatemalensis, 285–290, 305–310
Grallaria haplonota, 305–310
Grallaria hylophila, 633–638
Grallaria nuchalis, 305–310
Grallaria nuchalis obsoleta, 305–310
Grallaria quitensis, 305–310
Grallaria ruficapilla, 305–310
Grallaria varia, 305–310
Grallaria watkinsi, 305–310, 619–622
Grallaricula loricata, 181–201

- Grallaricula nana*, 305–310
Granadeiro, J. P., 623–627
 Grassland bird, 347–355
 Gray-capped Flycatcher, 401–407
 Gray-headed Warbler, 311–314
 Great Kiskadee, 401–407
 Green Violetear, 81–91
 Greenberg, R., 347–355
 Greeney, H. F., 153–156, 381–389, 305–310,
 619–622
Griseotyrannus a. aurantioatrocristatus, 275–283
 Grit, 93–98
 Guará, 73–79
 Guevara-Medina, M., 291–298
 Guilds, 47–60, 157–170
 Gulf of California, 553–564
 Habitat, 285–290, 511–521
Haematopus leucopodus, 321–337
Haemoproteus, 461–465
 Halupka, K., 381–389
Hapalopsittaca fuertesi, 357–368
 Harris, J. B. C., 305–310
 Hasui, É., 431–444
 Hatching asynchrony, 61–72
Helianzelus amethysticollis, 609–618
Helianzelus amethysticollis amethysticollis, 609–618
Helianzelus amethysticollis apurimacensis ssp. nov.,
 609–618
Helianzelus amethysticollis decolor, 609–618
Helianzelus amethysticollis laticlavius, 609–618
Helianzelus regalis, 535–552
Heliodoxa branickii, 535–552
Heliodoxa leadbeateri, 181–201
Heliornis fulica, 535–552
Hemitriccus diops, 299–303
Hemitriccus flammulatus, 299–303
Hemitriccus kaempferi, 299–303
Hemitriccus margaritaceiventer, 299–303
Hemitriccus nidipendulus, 299–303
Hemitriccus obsoletus obsoletus, 299–303
Hemitriccus obsoletus zimmeri, 299–303
Hemitriccus orbitatus, 299–303
Hemitriccus striaticollis, 299–303
Hemitriccus zosterops flavirides, 299–303
 Henri Pittier National Park, 181–201
 Henry, P.-Y., 511–521
 Hernández, C. L. L., 311–314
 Herzog, S. K., 121–130
 Highland birds, 451–459
 Hoffmann, D., 597–607
 Hogan, R. I., 61–72
 Humboldt Penguin, 19–26
 Hummingbirds, 81–91
Hylocharis leucotis, 81–91
Hylocichla mustelina, 391–399
Hylophilus flavipes, 181–201
 Ibarra, J. T., 321–337
Icteria virens, 391–399
Icterus bullockii, 565–584
Icterus pustulatus, 565–584
 Ilha Comprida, 73–79
 Indigo-winged Parrot, 357–368
 Intratropical migrants, 157–170
 Ippi, S., 231–245
 Isacch, J. P., 347–355
 Isla Guamblin National Park, 247–253
 Jahn, A. E., 275–283
 Johnson, A., 535–552
 Juíña J., M. E., 305–310
 Kelp Gull, 61–72, 409–419
 King, D. I., 451–459
 Kirwan, G. M., 147–151, 299–303
Klais guimeti, 181–201
Knipolegus hudsoni, 275–283
 La Tortuga Island, 99–112
Lampornis clemenciae, 81–91
 Land use change, 491–509
 Landscape structure, 431–444
 Lara, C., 81–91
Larus dominicanus, 61–72, 409–419
Legatus leucophaius, 401–407, 623–627
 Lentijo, G. M., 285–290
Lepidocolaptes souleyetii, 181–201
Lepidothrix coronata, 535–552
Leptopogon superciliaris, 181–201
Leptosittaca branickii, 357–368
Leptotila rufaxilla, 181–201
Leptotila verreauxi, 181–201
Leucophaeus atricilla, 553–564
Leucophaeus scoresbii, 321–337

- Leucopternis*, 147–151
Leucopternis kuhlii, 147–151
Leukocytozoon, 461–465
 Lewis, A. R., 477–478
Lonchura malacca, 181–201
Lonchura oryzivora, 181–201
 Lopes, L. E., 597–607
 Lopez de Casenave, J., 275–283
 López, A. M., 285–290
 López-Ortiz, R., 523–533
Lophonetta specularioides, 321–337
 Luévano, J., 171–179
 Lumbreras, K., 81–91
Machaeropterus pyrocephalus, 535–552
Machaeropterus regulus, 535–552
Macronectes giganteus, 369–380
 Magellanic Horned Owl, 127–141
 Magellanic Penguin, 19–26, 27–34
 Magnificent Hummingbird, 81–91
Malacoptila mystacalis, 181–201
 Maldonado, J. E., 347–355
 Mamani, A. M., 275–283
Manacus candei, 265–273
 Mangrove, 73–79
 Mangrove Warbler, 255–263
 Manual shrub removal, 47–60
 Margarita Island, 99–112
 Mark, T., 535–552
 Marra, P. P., 255–263
 Marsh Tapaculo, 143–146
 Martin, P. R., 461–465
 Masked Flowerpiercer, 461–465
 Masked Water-Tyrant, 339–346
 Matias, R., 623–627
 McGehee, S. M., 321–337
 Mealy Parrot, 467–470
Mecocerculus calopterus, 157–170
Melanerpes rubricapillus, 181–201
Melanerpes uropygialis, 565–584
 Mellink, E., 171–179, 553–564
 Melo, C., 339–346
Melopsiza georgiana, 275–283
 Menezes, G. dos R., 431–444
 Merino, M. L., 127–141
 Merkord, C. L., 535–552
 Mestre, L. A. M., 467–470
 México, 81–91, 491–509
Micrastur buckleyi, 535–552
 Migration, 215–230
 Migratory birds, 391–399
 Millán, P. A., 99–112
 Miller, E. T., 619–622
Milvago chimango, 231–245
Mimus patagonicus, 275–283
Mionectes oleagineus, 265–273, 535–552
Mionectes olivaceus, 265–273, 451–459
 Mlíkowský, J., 143–146
Molothrus bonariensis, 523–533
 Molt, 1–18, 181–201, 451–459, 565–584, 597–607
 Molt intensity, 565–584
 Molt-breeding overlap, 565–584
 Molt-migration, 565–584
 Momotidae, 1–18
 Monk Parakeets, 93–98
 Monsoon, 565–584
 Montane forest, 265–273
 Monte, 275–283
 Moore, I. T., 461–465
 Morales-Rozo, A. 113–120
 Munro, H. J., 461–465
Myadestes melanops, 265–273, 451–459
Myiarchus cinerascens, 565–584
Myiarchus nuttingi, 565–584
Myiarchus tyrannulus, 181–201
Myiobius barbatus, 535–552
Myiobius villosus, 535–552
Myioborus, 99–112
Myioborus flavivertex, 99–112
Myioborus melanocephalus, 461–465
Myioborus miniatus, 451–459
Myiodynastes maculatus, 157–170, 623–627
Myiopagis gaimardi, 181–201
Myiophobus fasciatus, 181–201
Myiophobus roraimae, 535–552
Myiopsitta m. monachus, 93–98
Myiornis albiventris, 535–552
Myiornis ecaudatus, 181–201
Myiozetetes granadensis, 401–407
Myiozetetes similis, 181–201, 401–407

- Myrmoborus leucophrys*, 305–310
Myrmotherula longicauda, 535–552
Myrmotherula schisticolor, 181–201
Ñacuñán, 275–283
Native grasslands, 585–595
Natural history, 153–156, 215–230, 381–389
Navarino Island, 321–337
Navarro-Sigüenza, A., 491–509
Navas, O., 181–201
Nearctic–Neotropical migrant, 121–130
Nectarivory, 81–91
Neotropical passerine, 131–135
Neotropics, 461–465
Nest, 305–310, 311–314, 597–607
Nest abundance, 401–407
Nest architecture, 153–156
Nest description, 633–638
Nest poaching, 99–112
Nest site, 431–444
Nest success, 35–46
Nest usurpation, 401–407
Nesting habitat, 203–213
Nesting site, 99–112
Nesting, 147–151, 299–303, 305–310
Nestling, 619–622
Nestlings, 93–98
New World, 1–18
Niche partitioning, 81–91
Notiochelidon murina, 461–465
Nyctidromus albicollis, 181–201
Ocellated Antbird, 445–449
Ocreatus underwoodii, 181–201
Olaciregui, C. A., 99–112
Olive-striped Flycatcher, 451–459
Oporornis agilis, 121–130
Oporornis tolmei, 291–298
Orange-billed Nigthengale-Thrush, 451–459
Ornithion brunneicapillus, 181–201
Ortíz Ramírez, M. F., 565–584
Oxyura jamaicensis, 171–179, 321–337
Pachyramphus, 623–627
Pachyramphus aglaiae, 565–584
Pachyramphus castaneus, 623–627
Pachyramphus polycopterus, 181–201
Pachyramphus validus, 623–627
Painted Parakeet, 467–470
Pale-eyed Thrush, 381–389
Pale-throated Serra-finch, 597–607
Pale-vented Thrush, 451–459
Pampas grasslands, 35–46
Pampas Meadowlark, 35–46
Paraguay, 585–595
Paramo, 471–475
Parasitism, 623–627
Parental care, 339–346, 633–638
Paroaria coronata, 203–213
Parra, L., 181–201
Parrots, 491–509
Parulidae, 1–18, 99–112, 311–314
Passer domesticus, 511–521
Passerina ciris pallidior, 565–584
Passerina versicolor, 565–584
Patagioenas plumbea, 467–470
Patagioenas subvinacea, 467–470
Patagonia, 369–380
Path analysis, 431–444
Paz, A., 633–638
Paz, W., 633–638
Peach-fronted Parakeet, 421–430
Penstemon roseus, 81–91
Pereira, H. de S., 431–444
Pérez-Emán, J., 311–314
Peru, 609–618
Pezzoni, M., 93–98
Phacellodomus rufifrons, 181–201
Phaenostictus mcleannani, 445–449
Phaeomyias murina, 181–201
Phaethornis anthophilus, 181–201
Phaethornis hispidus, 535–552
Phaethornis strigularis, 181–201
Phaethornis superciliosus, 535–552
Phalacrocorax atriceps, 321–337
Pheucticus melanocephalus, 565–584
Philopatry, 275–283
Phimosus infuscatus, 181–201
Phoenicopterus chilensis, 321–337
Phrygilus patagonicus, 231–245
Phrygilus unicolor, 461–465
Picus rivolii, 357–368
Picumnus cirratus, 431–444

- Pimm regressions, 565–584
Pionites leucogaster, 467–470
Pionospitta haematotis, 491–509
Pionus menstruus, 467–470
Pionus senilis, 491–509
Pipra chloromeros, 535–552
Pipra fasciicauda, 535–552
Pipra filicauda, 181–201, 535–552
Pipreola formosa, 181–201
Pipridae, 1–18
Piranga ludoviciana, 565–584
Piratic Flycatcher, 401–407
Pitangus sulphuratus, 401–407, 623–627
Pizo, M. A., 623–627
Plain Antvireo, 451–459
Plantaginaceae, 81–91
Plasmodium, 461–465
Platycichla, 381–389
Platyrinchus flavigularis, 535–552
Platyrinchus mystaceus, 181–201, 299–303
Plumage, 1–18
Plumage sequence, 1–18
Plumage variation, 147–151
Plumbeous Pigeon, 467–470
Plumbeous Sierra Finch, 461–465
Podiceps occipitalis, 321–337
Poecilotriccus latirostris, 535–552
Point-count surveys, 231–245
Poisbleau, M., 623–627
Polioptila plumbea, 157–170, 535–552
Polystictus pectoralis, 215–230, 585–595
Predicted distribution, 511–521
Prellvitz, L. J., 61–72
Primolius couloni, 467–470
Protected areas, 491–509
Protective nest accociation, 623–627
Psarocolius bifasciatus, 535–552
Psarocolius decumanus, 401–407, 535–552
Psarocolius viridis, 535–552
Pseudocolopteryx acutipennis, 215–230
Pseudocolopteryx cf. citreola, 215–230
Pseudocolopteryx dinellianus, 215–230
Pseudocolopteryx flaviventris, 131–135, 215–230
Pseudocolopteryx sclateri, 215–230
Psittacidae, 99–112, 421–430, 471–475, 479–489
Psittaciformes, 93–98
Puebla-Olivares, F., 391–399
Puerto Rico, 523–533
Purple-throated Fruitcrow, 467–470
Pygarrhichas albogularis, 231–245
Pygochelidon cyanoleuca, 231–245
Pyrocephalus r. rubinus, 275–283
Pyrrhura picta, 467–470
Querula purpurata, 467–470
Quintana, F., 369–380
Quiroga, E., 247–253
Rain forest, 391–399
Ramphastos toco, 421–430
Raya Rey, A., 27–34
Red-rumped Cacique, 623–627
Red-shouldered Macaw, 421–430
Repennig, M., 131–135
Replacement material, 93–98
Reproduction, 479–489
Reproduction biology, 99–112, 381–389
Reproductive parameters, 357–368
Reproductive success, 339–346
Rhinocryptidae, 1–18, 143–146
Rhodopingus cruentus, 157–170
Rhynchositta pachyrhyncha, 491–509
Rhynchositta terrisi, 491–509
Riojas-López, M., 171–179
Ríos-Muñoz, C. A., 491–509
Robertson, R. J., 255–263
Rodríguez, J. P., 99–112
Rodríguez-Clark, K. M., 99–112
Rodríguez-Ortiz, E., 99–112
Rohwer, S., 565–584
Rohwer, V. G., 565–584
Rozzi, R., 231–245, 321–337
Ruby-throated Hummingbird, 81–91
Ruddy Pigeon, 467–470
Rufous Hummingbird, 81–91
Rufous-and-white Wren, 451–459
Rufous-collared Sparrow, 461–465
Rufous-fronted Parakeet, 471–475
Ruiz, O. J., 181–201
Ryder, T. B., 1–18

- Sagario, M. C., 275–283
Sakesphorus canadensis, 181–201
Sakesphorus melanotus, 181–201
 Salgado-Ortiz, J., 255–263
 Salt lick, 471–475
Saltator coerulescens, 181–201, 565–584
Saltator striaticeps, 181–201
 San Martín, 535–552
 Sánchez, R., 35–46
 Sanderling, 247–253
 Sandoval, L., 401–407
 Santa Catarina, 409–419
 Santos-Pavletic, G. S., 247–253
 Savanna, 421–430
 Scarlet Ibis, 73–79
 Schiavini, A., 27–34
Schistes geoffroyii, 181–201
 Scioscia, G., 27–34
Sclerurus albicularis, 181–201
Scutia buxifolia, 203–213
Scytalopus iraiensis, 143–146
 Seabirds, 553–564
 Seasonal variations, 321–337
 Seasonality, 157–170
 Seed dispersal, 391–399
 Segura, L. N., 203–213
Seiurus aurocapilla, 391–399
Seiurus noveboracensis, 181–201
Selasphorus platycercus, 81–91
Selasphorus rufus, 81–91
Selasphorus sasin, 81–91
Sephanoides sephaniodes, 231–245
Serpophaga griseicapilla, 275–283
Serpophaga griseiceps, 275–283
 Serranía Turimiquire, 311–314
 Sex determination, 347–355
 Sex-related plumage, 451–459
 Shiny Cowbird, 523–533
 Shorebirds, 247–253
 Sierra Nevada de Santa Marta, 99–112
 Silva-Júnior, E. L. da, 339–346
 Sinaloa, 291–298
Sittasomus griseicapillus, 181–201
 Slate-throated Whitestart, 451–459
 Slaty-backed Nigthingale-Thrush, 451–459
 Social Flycatcher, 401–407
 Solano-Ugalde, A., 633–638
 Solórzano, A., 181–201
 South America, 511–521
 Southern Brazil, 61–72, 131–135
 Southern Giant Petrel, 369–380
 Southern Rockhopper Penguin, 623–627
Spartonoica maluroides, 347–355
 Spectacled Whitestart, 461–465
Spheniscus demersus, 19–26
Spheniscus humboldti, 19–26
Spheniscus magellanicus, 19–26, 27–34
Spheniscus mendiculus, 19–26
Sporophila bouvronides, 181–201
Sporophila cinammomea, 585–595
Sporophila intermedia, 181–201
Sporophila minuta, 181–201
Sporophila palustris, 585–595
Sporophila ruficollis, 585–595
Steatornis caripensis, 181–201
 Stripe-necked Tody-Tyrant, 299–303
Sturnella defilippii, 35–46
 Suazo, C. S., 247–253
 Subantarctic forests, 231–245
 Sub-Antarctic, 321–337
Sublegatus arenarum, 181–201
 Subtropical forest, 47–60
 Suertegaray Fontana, C., 131–135
 Susanibar, D., 535–552
Synallaxis moesta, 153–156
Synallaxis, 153–156
 Synthetic diet, 265–273
Tachuris rubrigastra, 215–230
Tachycineta meyenii, 231–245, 321–337
Tachyeres patachonicus, 321–337
Tachyeres pteneres, 321–337
Tachyphonus delatrii, 265–273
Tachyphonus rufus, 535–552
 Talares, 203–213
Tangara florida, 265–273
Tangara icterocephala, 265–273
 Tawny-capped Euphonia, 451–459
Thalassarche melanophrys, 623–627
 Thamnophilidae, 1–18, 445–449
Theristicus melanopis, 231–245

- Thom, G., 467–470
 Thorns, 93–98
 Threatened passerines, 585–595
 Threskiornithidae, 73–79
Thryothorus rufalbus, 181–201, 451–459
Thryothorus sinaloa, 565–584
Tiaris bicolor, 181–201
Tiaris fuliginosus, 181–201
 Tidal cycle, 73–79
 Tinoco, B., 157–170
Tityra cayana, 181–201
 Toco Toucan, 421–430
Todirostrum cinereum, 157–170, 181–201, 401–407
 Tolima, 471–475
Tolmomyias flaviventris, 181–201
Tolmomyias sulphurescens, 181–201, 401–407
 Tossas, A. G., 523–533
 Tourist management, 27–34
 Tovar Martínez, A. E., 357–368
 Trochilidae, 81–91, 609–618
Troglodytes aedon, 157–170
Troglodytes musculus, 181–201, 231–245
 Troglodytidae, 1–18
Trogon collaris, 181–201
 Trogonidae, 1–18
 Tropic interactions, 127–141
 Tropical dry forest, 291–298
 Tropical Mexico, 171–179
 Tubelis, D. P., 421–430
 Tumbesian dry forest, 157–170
 Turdidae, 1–18, 381–389
Turdus falcklandii, 231–245
Turdus fumigatus, 181–201
Turdus leucomelas, 381–389
Turdus nudigenis, 181–201
Turdus obscurus, 451–459
Turdus reevei, 157–170
 Tyrannidae, 339–346
Tyrannus albogularis, 275–283, 623–627
Tyrannus m. melanobolicus, 275–283
Tyrannus niveigularis, 157–170
Tyrannus verticalis, 565–584
Tyto alba, 127–141
Upucerthia d. dumetaria, 275–283
 Uruguay, 585–595
Vanellus chilensis, 231–245
 Vasconcelos, M. F., 597–607
 Vegetation structure, 47–60
 Venezuela, 181–201, 311–314
Veniliornis irkii, 181–201
 Ventosa-Febles, E. A., 523–533
 Verea, C., 181–201
Vermivora celata, 291–298
Vermivora luciae, 291–298, 565–584
 Vidoz, J. Q., 275–283
 Vincenty, M., 523–533
Vireo atricapilla, 291–298
Vireo bellii, 565–584
Vireo gilvus, 291–298
Volatinia jacarina, 181–201
 Vooren, C. M., 61–72
 Warbling Doradito, 131–135
 Waterfowl, 171–179
 Watkins' Antpitta, 619–622
 Web nest, 431–444
 Weller, A.-A., 609–618
 West Mexico, 565–584
 Wetlands, 321–337
 Wheeler, J. A., 171–179
 White-bellied Parrot, 467–470
 White-browed Hawk, 147–151
 White-eared Hummingbird, 81–91
 White-throated Hawk, 511–521
 Whittaker, A., 299–303
Wilsonia canadensis, 121–130
Wilsonia pusilla, 291–298
 Winter distribution, 291–298
 Wolfe, J. D., 1–18, 451–459
Xanthopsar flavus, 585–595
Xenops minutus, 181–201
Xiphorhynchus fuscus, 431–444
Xiphorhynchus picus, 181–201
Xiphorhynchus susurrans, 181–201
Xolmis dominicanus, 585–595
Xolmis pyrope, 231–245
 Yellow Warbler, 255–263, 523–533
 Yellow-crowned Redstart, 99–112
 Yellow-faced Parrot, 421–430, 479–489
 Yellow-olive Flycatcher, 401–407

- Young, 633–638
Yucatan Peninsula, 255–263
Yungas, 121–130
Zager, I., 99–112
Zalba, S. M., 35–46
- Zonotrichia capensis*, 231–245, 275–283, 321–337
Zonotrichia capensis australis, 275–283
Zonotrichia capensis hypoleuca, 275–283

REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 20

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (*) manuscripts for Volume 20: A. Aleixo, V. D'Amico, L. dos Anjos*, R. Aramburu, W. Arendt, J. I. Areta*, A. Azpiroz, E. Barbieri, J. Bates*, C. Bechtold, L. Biancucci, R. Bierregard, J. Blake*, M. R. Bornschein, J. O. Branco*, D. Brightsmith, R. Brumfield, R. Caparroz, P. Caplonch, L. Chapa-Vargas, J. Chaves*, M. Codesido, G. Colorado, N. Coria, M. del Coro Arizmendi*, V. Cueto, M. P. Dantas Santos, S. Duijns, M. Efe, J. C. Eitnhear*, G. Fernandez*, E. Fernández-Juricic, R. Figueroa, M. Foster*, R. Fraga*, B. G. Freeman, J. F. Freile, E. Frere, P. Gandini, M. Gochfeld, H. Gomez Silva, D. A. González-Medina, H. F. Greeney*, D. Grigera, B. Harris, G. Hernandez Volpato, A. M. Herrada, S. L. Hilty, E. Höfling, N. Horlent, S. Imberti, A. Jahn*, O. Jahn*, M. Kruegel, D. Lebbin, D. Levey, H. Lloyd, G. A. Londoño, B. Loiselle, R. Macedo, F. Mallet-Rodrigues*, M. A. Marini, L. Marone, M. Martella, P. Martin, M. A. Martinez Morales, R. McNeil*, E.

Mellink*, S. McGehee, I. McGregor, M. Morelli*, J. C. Motta Junior*, T. Monterrubio, A. Navarro Sigüenza*, F. Olmos, J. F. Pacheco, S. Pacheco, D. Patterson, R. B. Payne, M. A. Pizo, A. J. Piratelli, D. Pombo, P. Pulgarín, P. Pyle*, J. Ragusa-Netto, M. Raposo*, J. Rappole*, A. Raya Rey, J. V. Remsen*, K. Renton, S. Robinson, D. Robinson*, M. Rodrigues, I. Roesler, G. Rompré, J. J. Roper, K. V. Rosenberg, D. Roshier, T. B. Ryder*, K. Rylander, M. Salaberry, C. Sánchez, V. Sanz, A. Schmitz*, K.-L. Schuchmann*, K. Sheldon, L. F. Silveira, A. Simeone, R. Strewe, M. Stucchi, B. Stutchberry, P. Teta, J. M. Thiollay, A. Trejo*, P. Tubaro, A. Uezu, M. F. Vasconcelos*, J. H. Vega-Rivera*, P. D. Vickery, F. Vilella*, A.-A. Weller*, A. Whittaker, J. Wiley*, S. K. Willson, C. Witt, E. Woehler, J. Wunderle*, P. Yorio, K. Zimmer, K. Zyskowski.

Some of the abstracts and/or manuscripts were kindly corrected by J. C. Eitnhear, A. Miglo, and J. Rappole for English, by L. d. Anjos, M. Raposo, and M. F. Vasconcelos for Portuguese, and by J. Bourke S., K. Busse, and A. Schmitz for Spanish. Page-setting was done by R. McNeil and A.-A. Weller.

