

# ORNITOLOGIA NEOTROPICAL

EDITOR

ANDRE-ALEXANDER WELLER

## INDEX TO VOLUME 23, 2012

(Authors, key words, families, latin names)

An International Journal of Neotropical Ornithology

published by

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Accipiter bicolor*, 569–584  
 Acosta-Rojas, D. C., 439–453  
*Acridotheres cristatellus*, 467–488  
 Age determination, 215–223  
 Ageing, 23–32  
*Agelaioides badius*, 169–184  
*Agelaius cyanopus*, 467–488  
*Agelasticus thibinus*, 169–184  
 Aggression, 545–553  
 Agricultural landscape, 201–213  
 Aispuro, A. A., 193–199  
*Alectrurus risora*, 467–488  
*Arenaria interpres*, 467–488  
*Asthenes modesta*, 467–488  
 Alejandro Selkirk Island, 73–82  
 Alza, L. A., 287–290  
*Amazilia fimbriata*, 385–405  
*Amazilia versicolor*, 569–584  
*Amazona aestiva*, 385–405  
*Amazonetta brasiliensis*, 169–184  
*Anabacertbia lichtensteini*, 569–584  
*Anabacertbia variegaticeps*, 113–131  
*Anas georgica*, 287–290  
 Anatidae, 287–290, 407–415  
 Andean Condor, 133–135  
 Andean Flamingo, 243–250  
 Andean Solitaire, 215–223  
 Andes, 133–135, 367–374  
 Angulo, F., 95–112  
*Anthus correndera*, 151–158, 169–184  
*Anthus bellmayri dabbenei*, 151–158  
*Antristomus sericocaudatus*, 569–584  
*Anumbius anumbi*, 169–184  
*Aphrastura spinicauda*, 1–9  
*Aramides saracura*, 569–584  
*Aratinga aurea*, 385–405  
*Aratinga aurea*, 585–595  
*Aratinga leucophthalma*, 569–584  
*Ardea alba*, 169–184  
 Ardia, D. R., 95–112  
 Arendt, W. J., 23–32, 113–131  
 Argentina, 11–21, 83–93, 287–290, 313–323, 407–415, 455–460, 467–488  
*Arremon castaneiceps*, 417–427  
 Arriagada, A. M., 235–242  
 Arturi, M. F., 11–21  
*Arundinicola leucocephala*, 261–267  
*Asio clamator*, 159–168  
*Asthenes humicola*, 1–9  
 Atlantic Forest, 51–61, 137–141, 455–460, 499–505, 569–584  
 Austral Temperate Forest, 529–544  
*Automolus leucophthalmus*, 569–584  
 Avian diversity, 113–131  
 Avian inventory, 467–488  
*Aythya americana*, 287–290  
*Aythya valisineria*, 287–290  
 Baessolo, L., 235–242  
 Bamboo, 375–383  
*Baryphthengus ruficapillus*, 569–584  
*Basileuterus culicivorus*, 113–131, 569–584  
*Basileuterus leucoblepharus*, 569–584  
 Bee Hummingbird, 143–149  
 Berkunsky, I., 489–498  
 Berón, M. P., 83–93  
 Bibles, B. D., 507–515  
 Biogeography, 467–488  
 Bird abundance, 11–21  
 Bird communities, 169–184  
 Bird distribution, 11–21  
 Birds, 569–584  
 Bispo, A. A., 303–306  
 Black-billed Thrush, 215–223  
 Black-necked Swan, 555–569  
 Blake, J. G., 63–71  
 Blue-crowned Manakin, 63–71  
 Boal, C. W., 507–515  
 Bodrati, A., 325–334  
 Body condition index, 1–9  
 Body mass, 349–365  
 Body size, 1–9  
 Bolivia, 185–192  
 Borges, F. J. A., 385–405  
*Bourcieria torquata*, 277–285  
 Bravo, S. P., 313–323  
 Brazil, 51–61, 341–348, 585–595  
 Brazilian Atlantic forest, 303–306  
 Breeding behavior, 341–348  
 Breeding biology, 225–234, 517–527  
 Breeding season, 555–569

- Breeding, 235–242  
 British Virgin Islands, 507–515  
*Brotogeris chiriri*, 585–595  
*Buteo albonotatus*, 467–488  
*Buteo brachyurus*, 467–488  
*Buteo leucorrhous*, 51–61  
*Buteo nitidus*, 467–488  
*Buteogallus meridionalis*, 385–405  
 Caatinga, 43–50, 429–437  
 Caballero-Sadi, D., 83–93  
 Cabrera F, L. E., 517–527  
 Caceres, D., 95–112  
*Cacicus cela cela*, 193–199  
*Cacicus haemorrhous*, 569–584  
*Cacicus koepckeae*, 375–383  
*Calidris canutus*, 467–488  
 Call structure, 251–260  
 Calling rate, 251–260  
 Camacho, I., 499–505  
*Campophilus magellanicus*, 529–544  
*Campophilus melanoleucus*, 467–488  
*Campophilus robustus*, 569–584  
*Campostoma obsoletum*, 385–405, 569–584  
 Cañete, R., 151–158  
*Caprimulgus parvulus*, 385–405  
*Capsiempis flaveola*, 569–584  
*Caracara plancus*, 385–405  
*Cariama cristata*, 385–405  
 Caribbean, 143–149, 507–515  
 Carlos Anwandter Sanctuary, 555–569  
 Carneiro, A. P. B., 201–213  
 Carro, M. E., 251–260  
 Carstensen, D. W. 143–149  
 Castro, M., 235–242  
 Caten, H. T., 585–595  
*Cathartes aura*, 569–584  
 Cathartidae, 133–135  
*Catharus mexicanus*, 113–131  
 Cavity-nesting bird, 325–334  
*Celex flavesens*, 569–584  
 Central Brazil, 385–405  
 Cerón, G., 407–415  
 Cerrado, 585–595  
 Cerrado Region, 159–168  
 Cestari, C., 261–267  
*Chaetocercus berlepschi*, 335–340  
*Chaetura andrei*, 467–488  
*Chaetura cinereiventris*, 569–584  
*Chaetura meridionalis*, 467–488  
*Chaetura meridionalis*, 569–584  
*Chamaeza campanisona*, 569–584  
*Chauna torquata*, 169–184  
 Chazarreta, M. L., 529–544  
 Checklist, 467–488  
 Chile, 1–9, 151–158, 201–213, 555–569  
 Chilean Skua, 235–242  
*Chiroxiphia boliviana*, 185–192, 597–601  
*Chiroxiphia caudata*, 569–584, 597–601  
*Chiroxiphia lanceolata*, 597–601  
*Chiroxiphia linearis*, 597–601  
*Chiroxiphia pareola*, 597–601  
*Chloephaga picta*, 235–242, 287–290  
*Chloephaga poliocephala*, 235–242  
*Chlorophonia cyanea*, 569–584  
*Chlorospingus ophthalmicus*, 113–131  
*Chlorostilbon ricordii*, 143–149  
*Chrysomus ruficapillus*, 169–184  
 Chust, L., 313–323  
*Ciccaba huhula*, 569–584  
*Ciconia maguari*, 169–184  
*Cissopis leverianus*, 569–584  
*Cistothorus platensis*, 385–405  
*Claravis pretiosa*, 569–584  
 Clarion Island, 291–298  
 Clarion Wren, 291–298  
 Claudino, R. M., 137–141  
 Cloud forest, 113–131, 277–285  
 Clutch manipulation, 33–41  
 Clutch size, 555–569  
*Cnemotriccus fuscatus*, 569–584  
*Coccyzus melacoryphus*, 569–584  
 Cockle, K. L., 325–334  
*Coeligena coeligena*, 277–285  
*Coeligena torquata*, 277–285  
*Coereba flaveola*, 385–405, 507–515  
 Coffee plantations, 113–131  
*Colaptes melanochloros*, 569–584  
 Colombia, 215–223  
 Colombian Chacalaca, 439–453  
*Colonia colonus*, 569–584

- Colony, 193–199  
 Communication, 251–260  
 Community structure, 569–584  
 Comparative analysis, 349–365  
*Conirostrum speciosum*, 569–584  
*Conopias trivirgatus*, 569–584  
*Conopophaga lineata*, 569–584  
 Conservation, 43–50, 51–61, 113–131, 143–149, 569–584  
 Cooper, C. B., 95–112  
*Coragyps atratus*, 569–584  
 Corral, M. G., 251–260  
 Corredor, G., 439–453  
*Coryphaspiža melanotis*, 467–488  
*Corythobis delalandi*, 569–584  
 Costa Rica, 33–41  
 Costa, P. M., 385–405  
*Crax fasciolata*, 467–488  
*Crypturellus obsoletus*, 569–584  
*Crypturellus parvirostris*, 385–405, 467–488  
*Crypturellus tataupa*, 467–488, 569–584  
 Cuba, 143–149  
 Cueto, V. R., 313–323  
*Culicivora candacuta*, 385–405  
*Curatella americana*, 585–595  
 Cursach, J., 243–250  
*Cyanocorax chrysops*, 569–584  
*Cyanocorax cristatellus*, 385–405  
*Cyanocorax cyanopogon*, 585–595  
*Cyanoliseus patagonus*, 467–488  
*Cyclarhis gujanensis*, 385–405, 569–584  
*Cygnus melanocoryphus*, 555–569  
*Cyrtograpsus angulatus*, 83–93  
*Dacnis cayana*, 569–584  
 Dalsgaard, B., 143–149  
 De Stefano, K., 169–184  
 Defense, 193–199  
*Dendrocincla anabatina*, 113–131  
*Dendrocincla fuliginosa*, 569–584  
*Dendrocolaptes platyrostris*, 569–584  
 Density, 11–21, 43–50  
*Denticula thermalis*, 243–250  
 Diatoms, 243–250  
 Díaz, C., 243–250  
 Diet, 185–192, 243–250, 261–267  
 Dilleniaceae, 585–595  
*Diopsittaca nobilis*, 585–595  
 Distribution, 151–158, 467–488  
*Dives dives*, 113–131  
*Donacospiza albifrons*, 467–488  
*Doryfera ludoviciae*, 277–285  
*Dromococcyx pavoninus*, 569–584  
*Dryophila malura*, 569–584  
*Dryornis bridgesii*, 169–184  
*Dryocopus galeatus*, 455–460, 569–584  
*Dryocopus schulzi*, 467–488  
 Duca, C., 385–405  
 Durães, R., 63–71  
 Dyrz, A., 277–285  
*Dysithamnus mentalis*, 569–584  
 Ecología trófica, 83–93  
 Ecological redundancy, 185–192  
 Ecotourism, 489–498  
 Ecuador, 277–285, 335–340  
 Egg description, 291–298  
 Egg, 277–285, 367–374  
 Eggs, 385–405, 461–466  
 Ejection, 33–41  
*Elaenia albiceps chilensis*, 313–323  
*Elaenia flavogaster*, 385–405  
*Elaenia obscura*, 385–405, 467–488  
*Elaenia sordida*, 467–488  
*Eleothreptus anomalus*, 467–488  
 Elliott, K. H., 33–41  
*Empidonomus aurantiatrocristatus*, 385–405  
*Empidonomus varius*, 385–405  
*Enicognathus leptorhynchus*, 201–213  
 Environmental heterogeneity, 169–184  
 Esquivel M., A., 569–584  
 Estades, C. F., 1–9  
*Eucalyptus*, 133–135  
*Eudypetes chrysocome*, 235–242  
*Eupetomena macroura*, 385–405  
*Euphonia chlorotica*, 385–405, 569–584  
*Euphonia pectoralis*, 569–584  
*Euphonia xanthogaster*, 215–223  
*Falco femoralis*, 385–405  
*Falco peregrinus cassini*, 235–242  
 Fandiño, B., 467–488  
 Favero, M., 83–93

- Feeding, 235–242  
 Feeding behavior, 585–595  
 Fernandes, B. C., 499–505  
 Fernández, G. J., 251–260  
 Fledgling, 367–374, 455–460  
 Flórez-V., C., 417–427  
 Food niche, 269–276  
 Foraging behaviour, 313–323  
 Forest edge, 113–131  
 Forest fragmentation, 201–213  
 Forest structure, 11–21  
*Formicarius analis*, 113–131  
*Forpus xanthopterygius*, 569–584  
 Fraga, R. M., 375–383  
 França, B. R. A., 43–50  
 França, L. C., 385–405  
 França, L. F., 385–405  
 Francisco, M. R., 341–348  
 Freitas, M. S., 341–348  
 Frugivore-insectivore birds, 313–323  
 Frugivory, 133–135, 439–453, 585–595  
 Fruit availability, 439–453  
 Fuentes, N., 243–250  
 Fungal nest, 375–383  
 Furnariidae, 1–9, 303–306, 517–527  
*Gallinago paraguaiiae*, 169–184  
*Gampsonyx swainsoni*, 467–488  
 Gantz, A., 243–250  
 García, G. O., 83–93  
 Geophagy, 335–340  
*Geothlypis (Oporornis) formosa*, 113–131  
*Geotrygon montana*, 569–584  
*Geotrygon violacea*, 569–584  
 Germination, 439–453  
 Giraudo, A. R., 467–488  
*Glaucidium brasilianum*, 569–584  
*Glaucidium nanum*, 467–488  
 Golden Tanager, 215–223  
*Grallaria andicola*, 367–374  
*Grallaria varia*, 569–584  
 Grassland Yellow-Finch, 341–348  
 Great Kiskadee, 269–276  
 Green-backed Firecrown, 545–553  
 Greeney, H. F., 277–285, 367–374, 517–527  
 Gressler, D. T., 385–405  
 Grilli, P., 375–383  
 Guerra Navarro, G., 313–323  
 Guigueno, M. F., 33–41  
 Guilds, 569–584  
*Habia fuscicauda*, 113–131  
*Habia rubica*, 113–131, 569–584  
 Habitat fragmentation, 499–505  
 Habitat use, 73–82  
 Habitat, 63–71, 151–158  
 Hagen, E., 545–553  
*Halobaena caerulea*, 235–242  
*Harpagus diodon*, 569–584  
 Harris, J. B. C., 335–340  
 Hauenstein, E., 151–158  
 Hazlehurst, J., 597–601  
*Heliactin bilophus*, 385–405  
*Helianthea torquata*, 277–285  
 Hellmayr's Pipit, 151–158  
 Heming, N. M., 385–405  
*Hemithraupis guira*, 569–584  
*Hemitriccus diops*, 569–584  
*Henicorbina leucosticta*, 113–131  
 Henna-hooded Foliage-gleaner, 517–527  
*Henriettella hispidula*, 439–453  
 Hernández, A., 215–223  
 Hernández-Yáñez, H., 291–298  
*Herpsilochmus atricapillus*, 569–584  
*Herpsilochmus rufimarginatus*, 569–584  
 Hickman, B. R., 335–340  
 Hidalgo, J. R., 63–71  
 High Andean wetland, 243–250  
*Hirundinea ferruginea*, 467–488  
 Hodum, P. J., 73–82  
 Home range, 43–50  
 Honorato, R. dos S., 499–505  
 Human disturbance, 489–498  
 Hummingbird-plant interactions, 143–149  
 Hummingbirds, 545–553  
*Hydropsalis torquata*, 385–405  
*Hylodyptes erythrocephalus*, 517–527  
*Hylopezus nattereri*, 569–584  
*Hylophilus poicilotis*, 569–584  
*Hymenops perspicillata*, 169–184  
*Hypoedaleus guttatus*, 569–584  
 Icteridae, 193–199, 375–383

- Ictinia plumbea*, 569–584  
 Incubation behavior, 417–427  
 Incubation, 287–290, 555–569  
 Iñigo-Elias, E. E., 95–112  
 Insular biome, 529–544  
 Interspecific interactions, 545–553  
 Interspecific nest parasitism, 287–290  
 Interspecific, 193–199  
 Iriarte, A., 243–250  
 Irusta, J. B., 43–50, 429–437  
 Jaramillo, A., 151–158  
 Jiménez, J. E., 201–213  
 Juan Fernández Firecrown, 545–553  
 Juiña, M. E., 335–340  
 Kandus, P., 169–184  
 Kanegae, M. F., 499–505  
 Kirkconnell, A., 143–149  
 Klavins, J., 325–334, 455–460  
 La Araucania, 151–158  
 Lagos, N., 243–250  
 Lammertink, M., 455–460, 529–544  
 Landbirds, 215–223  
 Landscape structure, 169–184  
 Landscape, 113–131  
*Lanio cucullatus*, 585–595  
*Larus atlanticus*, 83–93, 467–488  
*Larus dominicanus*, 235–242  
*Lathrotriccus euleri*, 569–584  
 Lavinia Oblanca, P. D., 349–365  
*Legatus leucophaius*, 467–488  
 Lentino, M., 461–466  
*Lepidocolaptes angustirostris*, 169–184, 385–405  
*Lepidocolaptes falcinellus*, 569–584  
*Lepidothrix coronata*, 63–71  
*Leptasthenura aegithaloides*, 1–9  
*Leptodon cayanensis*, 467–488, 569–584  
*Leptopogon amaurocephalus*, 569–584  
*Leptotila rufaxilla*, 569–584  
*Leptotila verreauxi*, 569–584  
 Lichter-Marck, I., 517–527  
 Life history, 63–71, 95–112  
 Lobo, Y., 385–405  
 Loiselle, B. A., 63–71  
 Londoño, G. A., 417–427, 597–601  
 Longevity, 303–306  
 Lopes, L. E., 385–405  
 Lopresti, E., 95–112  
*Luma apiculata*, 235–242  
*Lurocalis semitorquatus*, 569–584  
*Mackenziaena leachii*, 569–584  
*Mackenziaena severa*, 569–584  
*Macrocystis pyrifer*, 235–242  
 Magellanic Woodpecker, 529–544  
 Magnano, A. L., 169–184  
 Management measures, 407–415  
 Mangrove, 461–466  
 Manica, L. T., 385–405  
 Manu National Park, 597–601  
 Mar Chiquita, 83–93  
 Marini, M. Â., 385–405  
 Martín González, A. M., 143–149  
 Martínez García, O., 143–149  
 Martínez-Gómez, J. E., 291–298  
 Mato Grosso, 585–595  
 McCracken, K. G., 287–290  
 McCracken, T. G., 287–290  
 Medeiros, R. C. S., 385–405  
*Megarynchus pitangua*, 569–584  
*Megascops atricapilla*, 569–584  
*Megascops choliba*, 137–141, 569–584  
*Melanerpes catcorum*, 169–184  
*Melanerpes flavifrons*, 569–584  
 Melastomataceae, 185–192, 439–453  
*Mellisuga belenae*, 143–149  
 Melo, C., 269–276  
*Melozone leucotis*, 225–234  
 Mendonça-Lima, A., 51–61  
 Mennill, D. J., 225–234, 291–298  
*Merganetta armata*, 407–415  
 Merler, J. A., 169–184  
*Miconia minutiflora*, 439–453  
*Miconia rubiginosa*, 439–453  
*Micrastur ruficollis*, 467–488, 569–584  
*Micrastur semitorquatus*, 569–584  
*Microcerculus philomela*, 113–131  
 Microhabitat selection, 313–323  
 Mikusek, R., 277–285  
 Miller, E. T., 517–527  
*Mimus saturninus*, 585–595  
*Mimus triurus*, 169–184

- Mionectes rufiventris*, 569–584  
 Mobbing behaviour, 159–168  
 Molina, J., 95–112  
*Molothrus aeneus*, 33–41  
*Molothrus bonaerensis*, 169–184  
 Molt, 23–32, 215–223  
 Montaña-Centellas, F. A., 185–192  
 Morphometrics, 507–515  
 Morphometry, 235–242  
 Motta-Junior, J. C., 159–168  
 Muñoz, M. C., 439–453  
*Myadestes ralloides*, 215–223  
*Myadestes unicolor*, 113–131  
*Myiarchus swainsoni*, 385–405, 569–584, 585–595  
*Myiodinastes maculatus*, 385–405, 569–584, 585–595  
*Myiopagis caniceps*, 569–584  
*Myiopagis viridicata*, 569–584  
*Myiopsitta monachus*, 169–184  
*Myiornis auricularis*, 569–584  
*Myiozetetes cayanensis*, 385–405  
*Myiozetetes similis*, 569–584  
 Nanni, A. S., 169–184  
 National parks management, 407–415  
*Nemosia pileata*, 385–405, 569–584  
*Neobelice granulata*, 83–93  
 Neotropical Austral migrants, 313–323  
 Neotropics, 23–32  
 Nest, 277–285, 367–374, 455–460, 461–466  
 Nest architecture, 225–234  
 Nest description, 291–298  
 Nest predation, 489–498  
 Nest site, 137–141  
 Nest success, 489–498  
 Nest type description, 225–234  
 Nesting behavior, 555–569  
 Nesting biology, 417–427  
 Nesting, 193–199, 261–267  
 Nesting site, 429–437  
 Nestling, 277–285, 367–374  
 Nestling diet, 269–276  
 Nestlings, 325–334  
 Nests, 385–405  
 Nest-site selection, 63–71  
 Nicaragua, 23–32, , 113–131  
 Niche breadth, 529–544  
*Nonnula rubecula*, 569–584  
 Norambuena, H. V., 151–158  
 Northern Chile, 243–250  
*Notharchus swainsoni*, 569–584  
 Nutrient, 335–340  
*Nyctibius griseus*, 385–405, 569–584  
*Nyctidromus alicollis*, 385–405, 569–584  
*Nyctiphrynus ocellatus*, 467–488, 569–584  
*Nystalus chacuru*, 385–405  
 Ochraceous Piculet, 43–50, 429–437  
*Odontophorus capneira*, 569–584  
 Offspring, 261–267  
 Ojeda, V., 529–544  
 Olivaceous Woodcreeper, 325–334  
 Olive-finch, 417–427  
 Oliveira, J. P. F., 585–595  
 Olog's Gull, 83–93  
 Opportunism, 269–276  
 Orange-billed Euphonia, 215–223  
*Ortalis columbiana*, 439–453  
*Oxyruncus cristatus*, 569–584  
*Pachyramphus polychopterus*, 569–584  
 Paiva, L. V., 385–405  
 Paraná River Delta, 169–184  
 Parasitism, 33–41  
*Pardirallus nigricans*, 467–488  
*Pardirallus sanguinolentus*, 467–488  
 Parental behavior, 291–298  
 Parental care, 261–267, 277–285, 325–334, 341–348  
*Parkesia noveboracensis*, 113–131  
*Paroaria coronata*, 11–21, 489–498  
*Parula pitiayumi*, 569–584  
 Pascotto, M. C., 585–595  
*Patagioenas cayennensis*, 569–584  
*Patagioenas picazuro*, 569–584, 585–595  
 Patagonia, 287–290, 407–415  
 Paterlini, C., 83–93  
*Pelecanoides magellani*, 235–242  
 Pellets, 269–276  
*Penelope superciliaris*, 569–584  
 Pereira, Z. P., 269–276, 385–405  
 Peris, S., 569–584

- Peru, 193–199, 375–383, 597–601  
*Phaeochroa cuvierii*, 277–285  
*Phaethornis eurynome*, 569–584  
*Phalacrocorax atriceps*, 235–242  
*Pharomachrus mocinno*, 113–131  
*Pheucticus aureoventris*, 467–488  
*Philydor atricapillus*, 569–584  
*Philydor rufum*, 569–584  
*Phimosus infuscatus*, 169–184  
*Phoenicoparrus andinus*, 243–250  
*Phrygilus fruticeti*, 467–488  
*Phrygilus plebejus*, 467–488  
*Phyllomyias burmeisteri*, 569–584  
*Phylloscartes eximius*, 569–584  
*Phylloscartes paulista*, 569–584  
*Phylloscartes ventralis*, 467–488  
*Piaya cayana*, 569–584  
 Picidae, 455–460  
*Piculus aurulentus*, 569–584  
*Picumnus limae*, 43–50, 429–437  
*Picumnus temminckii*, 569–584  
*Pionopsitta pileata*, 569–584  
*Pionus maximiliani*, 569–584  
*Pipra filicauda*, 63–71  
 Pipridae, 63–71, 185–192  
*Piprites chloris*, 569–584  
*Piranga flava*, 385–405, 585–595  
*Pitangus sulphuratus*, 269–276, 569–584  
 Plain-flanked Rail, 461–466  
*Platyrinchus leucorhynchus*, 569–584  
*Platyrinchus mystaceus*, 569–584  
 Playback, 151–158  
*Plegadis chibi*, 169–184  
*Poecilotriccus plumbeiceps*, 569–584  
 Point counts, 569–584  
*Polioptila dumicola*, 169–184  
*Polioptila lactea*, 569–584  
*Polylepis*, 367–374  
 Population density, 569–584  
 Potential seed dispersal, 585–595  
 Predator recognition, 159–168  
*Premnoplex brunnescens*, 417–427  
*Procellaria aequinoctialis*, 235–242  
 Procellariidae, 73–82  
*Procnias nudicollis*, 569–584  
*Psarocolius angustifrons angustifrons*, 193–199  
*Psarocolius montezuma*, 113–131  
*Pseudocolopteryx acutipennis*, 467–488  
*Pseudoseisura lophotes*, 169–184  
*Psilorhinus (Cyanocorax) morio*, 113–131  
 Psittacidae, 201–213  
*Pterodroma externa*, 73–82  
*Pterodroma longirostris*, 73–82  
*Pteroglossus bailloni*, 569–584  
*Pteroglossus castanotis*, 569–584  
*Puffinus creatopus*, 235–242  
*Puffinus griseus*, 235–242  
*Pulsatrix koeniswaldiana*, 499–505  
*Pyriglena leucoptera*, 569–584  
*Pyrocephalus rubinus*, 169–184  
*Pyroderus scutatus*, 569–584  
*Pyrrhocomma ruficeps*, 569–584  
*Pyrrhura frontalis*, 569–584  
 Quintana, R. D., 169–184  
 Raimilla, V., 151–158  
*Rallus wetmorei*, 461–466  
*Ramphastos dicolorus*, 569–584  
 Raptors, 499–505  
 Rarity, 569–584  
 Rasmussen, J. L., 33–41  
 Rau, J. R., 243–250  
 Red-crested Cardinal, 11–21, 489–498  
 Reproduction, 51–61, 137–141, 385–405  
 Reproductive activity, 429–437  
 Reproductive biology, 341–348, 597–601  
 Revillagigedo Archipelago, 291–298  
 Reyes-Arriagada, R., 73–82  
 Robinson Crusoe Island, 545–553  
 Rodrigues, M. C., 43–50, 429–437  
 Rodrigues, R. C., 137–141  
 Rodrigues, S. S., 385–405  
 Rodríguez-Ferraro, A., 461–466  
*Rolland rollandia*, 169–184  
 Roper, J. J., 385–405  
*Rostbramus sociabilis*, 169–184  
*Rupornis magnirostris*, 569–584  
 Russet-backed Oropendula, 193–199  
 Ryder, T. B., 63–71  
 Salas, M. A., 235–242  
*Saltatricula atricollis*, 585–595



- Salvador, S.-A., 325–334  
 Sánchez, E., 461–466  
 Sandoval, L., 225–234  
 Santa Fe, 467–488  
 Santos, L. R., 385–405  
 Santos-Filho, P. S., 159–168  
 Savanna, 385–405  
 Scattered trees, 201–213  
 Scherer-Neto, P., 303–306  
*Schiffornis virescens*, 569–584  
 Schlatter, R. P., 73–82, 555–569  
*Sclerurus scansor*, 569–584  
 Scrub Tanager, 215–223  
 Seabird, 235–242  
 Sealy, S. G., 33–41  
 Seasonal variation, 11–21  
 Seasonality, 143–149  
 Seasonally dry tropical forest, 95–112  
 Seco Pon, J. P., 83–93  
 Seed dispersal, 185–192, 439–453  
 Segura, L. N., 11–21, 489–498  
*Selenidera maculirostris*, 569–584  
 Selva Cacique, 375–383  
*Sephanoides fernandensis*, 545–553  
*Sephanoides sephaniodes*, 467–488, 545–553  
*Serpophaga griseicapilla*, 467–488  
*Serpophaga munda*, 467–488  
*Serpophaga subcristata*, 169–184, 385–405, 467–488  
 Sex determination, 215–223, 507–515  
 Sexual dimorphism, 185–192, 529–544  
*Sicalis flaveola*, 169–184  
*Sicalis luteola*, 169–184, 341–348  
 Silva, C. P., 555–569  
 Silva, M., 43–50, 429–437  
 Silva, M. R. B., 137–141  
 Silveira, M. B., 385–405  
 Simbaõa, J. A., 277–285  
*Sirystes sibilator*, 569–584  
*Sittasomus griseicapillus*, 325–334, 569–584  
 Slender-billed Parakeet, 201–213  
 Smith, M. M., 287–290  
 Soave, G., 375–383  
 Social behavior, 375–383  
 Song structure, 349–365  
 Sosa-López, J. R., 291–298  
 Soto-Gamboa, M. R., 201–213, 555–569  
 Sousa, N. O. M., 385–405  
 Southern House Wren, 251–260  
 Souza Filho, C., 499–505  
 Species richness, 467–488, 569–584  
 Species-accumulation curves, 467–488  
*Spizæetus melanoleucus*, 467–488  
*Sporophila cinnamomea*, 467–488  
*Sporophila hypocroma*, 467–488  
*Sporophila hypoxantha*, 467–488  
*Sporophila plumbea*, 467–488  
*Sprattus fuegensis*, 235–242  
 Stager, M., 95–112  
*Stephanophorus diadematus*, 467–488  
*Stephanoxis lalandi*, 569–584  
*Stercorarius chilensis*, 235–242  
*Sterna hirundinacea*, 235–242  
 Streaked Xenops, 303–306  
 Strigiformes, 137–141  
 Stripe-headed Antpitta, 367–374  
*Strix chacoensis*, 467–488  
*Strix hylophila*, 569–584  
*Strix rufipes*, 467–488  
*Sturnella defilippi*, 467–488  
*Sturnus vulgaris*, 467–488  
 Suazo, C. G., 235–242  
 Sub-Antarctic, 235–242  
*Sublegatus modestus*, 385–405  
 Suburban forest, 439–453  
*Suiriri suiriri*, 385–405  
*Suirirella sella*, 243–250  
 Survival rate, 1–9  
 Sutherland, W. J., 143–149  
 Swans, 555–569  
*Sylviothorhynchus desmursii*, 1–9  
 Sympatric populations, 73–82  
*Synallaxis cinerascens*, 569–584  
*Synallaxis frontalis*, 467–488  
*Synallaxis ruficapilla*, 569–584  
*Synallaxis spixi*, 467–488  
*Syndactyla rufosuperciliata*, 569–584  
*Tachycineta albiventer*, 467–488  
*Tachycineta leucorrhoa*, 385–405  
*Tachycineta stolzmanni*, 95–112

- Tachyphonus coronatus*, 569–584  
*Tangara arthus*, 215–223  
*Tangara palmarum*, 585–595  
*Tangara sayaca*, 585–595  
*Tangara vitriolina*, 215–223  
 Tawny-browed Owl, 499–505  
 Taylor, N., 95–112  
 Tello, A., 133–135  
 Temperate forest passerines, 1–9  
*Terenura maculata*, 569–584  
*Thalassarche chrysostoma*, 235–242  
*Thalassarche melanophrys*, 235–242  
*Thalurania glaucopis*, 569–584  
*Thamnophilus caerulescens*, 569–584  
 Thicket habitat, 225–234  
 Thomson, R. F., 1–9  
 Thraupidae, 489–498  
*Thraupis sayaca*, 385–405  
 Thrushes, 349–365  
*Thryothorus modestus*, 23–32  
*Thryothorus rufalbus*, 23–32  
 Timmermann, A., 143–149  
*Tityra cayana*, 569–584  
*Tityra inquisitor*, 569–584  
 Tobar, C., 243–250  
*Tolmomyias sulphurescens*, 569–584  
 Tori, W. P., 63–71  
 Torrent Duck, 407–415  
 Torres G., A. M., 439–453  
 Tórriz, M., 23–32, 113–131  
 Trejo, A., 407–415  
*Trichothraupis melanops*, 569–584  
*Tringa* spp., 169–184  
 Trochilidae, 143–149, 277–285, 335–340  
*Troglodytes aedon*, 1–9, 169–184, 385–405  
*Troglodytes musculus*, 251–260  
*Troglodytes tanneri*, 291–298  
 Troglodytidae, 1–9, 251–260  
*Trogon rufus*, 569–584  
*Trogon surrucura*, 569–584  
 Tropical dry forest, 439–453  
 Tropical Screech Owl, 137–141  
 Tubaro, P. L., 349–365  
 Tumbes Swallow, 95–112  
 Tumbesian, 517–527  
*Turdus*, 349–365  
*Turdus albicollis*, 349–365, 569–584  
*Turdus amaurochalinus*, 349–365, 385–405, 569–584  
*Turdus assimilis*, 349–365  
*Turdus chiguanco*, 349–365  
*Turdus falcklandii*, 349–365  
*Turdus flavipes*, 349–365  
*Turdus fulviventris*, 349–365  
*Turdus fumigatus*, 349–365  
*Turdus fuscater*, 349–365  
*Turdus grayi*, 33–41, 349–365  
*Turdus haplochrous*, 349–365  
*Turdus hauxwelli*, 349–365  
*Turdus ignobilis*, 215–223, 349–365  
*Turdus leucomelas*, 349–365, 385–405, 569–584  
*Turdus leucops*, 349–365  
*Turdus maculirostris*, 349–365  
*Turdus maranonicus*, 349–365  
*Turdus nigriceps*, 349–365  
*Turdus nudigenis*, 349–365  
*Turdus obsoletus*, 349–365  
*Turdus olivater*, 349–365  
*Turdus pelios*, 349–365  
*Turdus reevei*, 349–365  
*Turdus rufiventris*, 349–365, 569–584  
*Turdus serranus*, 349–365  
 Tyrannidae, 261–267, 269–276  
*Tyrannus melancholicus*, 169–184, 385–405, 585–595  
*Tyto alba*, 159–168, 569–584  
 Urbanization, 269–276  
 Uruguay, 83–93  
 Van Els, P., 133–135  
*Vanellus chilensis*, 169–184  
 Venezuela, 461–466  
*Veniliornis spilogaster*, 569–584  
*Vermivora chrysoptera*, 113–131  
 Vieira, M. V., 499–505  
 Vilchez, S., 113–131  
 Villalobos, R., 243–250  
*Vireo olivaceus*, 569–584, 585–595  
*Volatinia jacarina*, 585–595  
*Vultur gryphus*, 133–135  
 Waterfowl, 287–290

- West Indies, 143–149  
 Wetlands, 169–184  
 White Jr., T. H., 201–213  
 White-crested Elaenia, 313–323  
 White-eared Ground-sparrow, 225–234  
 White-headed Marsh-Tyrant, 261–267  
 White-rumped Hawk, 51–61  
 Winkler, D. W., 95–112  
 Wire-tailed Manakin, 63–71  
 Wolf, C., 545–553  
 Wrens, 23–32
- Xanthopsar flavus*, 467–488  
*Xenops minutus*, 569–584  
*Xenops rutilans*, 303–306  
*Xiphocolaptes albicollis*, 569–584  
*Xiphorhynchus fuscus*, 569–584  
*Xolmis cinereus*, 385–405  
*Xolmis dominicanus*, 467–488  
 Yellow-rumped Cacique, 193–199  
 Yungas Manakin, 185–192, 597–601  
 Zilio, F., 51–61  
*Zonotrichia capensis*, 169–184

## REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 23

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following persons kindly reviewed one or more (\*) manuscripts for Volume 23: T. D. d. J. Abreu Guerra, I. Agostini, A. Aleixo, L. d. Anjos\*, J. Arata, P. C. Araujo dos Santos Jr., E. Arbeláez-Cortés, F. Arengo, J. I. Areta\*, A. A. Astié, F. K. Barker, L. Benedict, I. Berkunsky\*, P.-P. Bitton, J. Blake\*, J. Bower, K. Bowers, D. Brightsmith, E. Bucher\*, J. Cabot, L. Campagna, W. Cardona, J. Chaves-Campos, M. L. Chazarreta, N. Cleere, K. Cockle, M. Codesido, J. Collazo, M. A. Crozariol, A. Cruz, V. Cueto, J. Cursach, M. P. Dantas Santos\*, A. Di Giacomo, C. Duca\*, A. Dyrz, J. C. Eitniear\*, P. Escalante, C. Estades, R. Fandini, G. Fernandez, V. Ferretti, K. Fierro-Calderon, J. Fjeldsã, M. Foster, R. Fraga\*, V. Gabriel, D. A. Gonzáles-Acuña, H. F. Greeney\*, S. Guallar, E. Hasui, N. Heming, F. Hertel, D. Hoffmann\*, S. Imberti, J. Ingels, S. Ippi, J. P. Isacch, A. Jahn, I. Jimenez, S. Johnson, D. King, G. M. Kirwan\*, M. M. Krugel, G. Londoño, L. E. Lopes, B. S. Low, J. Maley, C. Marantz, G. Marateo, M. Marin\*, M. A. Marini, V. Massoni, S. McGehee, E. Mellink\*, D. Mennill\*, W. Menq, M. Mermoz, L. Mestre, T. Monterubio, J. C. Motta-Junior, A. Navarro Siguenza\*, G. Nuñez, V. Ojeda\*, M. Patten, M. A. Pizo\*, M. Poisbleau, N. Politi, J. J. Price, P. Pyle\*, J. L. Rangel-Salazar, M. Raposo\*, A. Raya Rey, R. S. Ridgely, M. Robbins, W. D. Robinson\*, K. Roesler\*, E. Ruelas Inzunza\*, L. A. Sánchez-González, L. Sandoval, I. Sazima, R. Schlatter, A. Schmitz\*, K.-L. Schuchmann\*, T. Schulenberg, S. Sealy, A. Simeone, J. Simonetti, M. Small, R. W. Soria-Auza, F. G. Stiles, B. Straussberger, J. M. Thiollay\*, A. Trejo\*, T. Valqui\*, E. Varga Lopes, M. F. Vasconcelos\*, P. Vergara, S. Vilchez, F. Villela\*, G. H. Volpato\*, A.-A. Weller\*, J. Wiley\*, J. Wolfe, J. Wunderle\*. Page-setting was done by A.-A. Weller.

