

October to December interval or 0.93 to 1.58 hours for a male tending his incubating female and, later, his nestlings.

4. This led to the hypothesis that selection should operate to minimize H_{TD} , and since changes in behavior are the greatest source of variation in H_{TD} , selection should favor those behaviors that maximize the return on the investment of time and energy in activity.

The cost of foraging, and the required foraging efficiency (η_{RF}) for any one day depended on the characteristics of the food resource being utilized. Consequently η_{RF} varied during the year, but always in such a way that long-term fitness seemed to be enhanced when 1) individual food items were large, finding and swallowing time was short, rate of energy intake high, and η_{RF} was high (10.1 to 10.5) and 2) individual food items were small, finding and swallowing took longer, the rate of energy intake was low, and η_{RF} was low (3.2 to 4.5).

The time-activity laboratory method used in this investigation was evaluated and shown to provide inexpensive, reasonably accurate estimates of H_{TD} , provided that measured energy equivalents can be assigned to the behaviors being described and that thermoregulatory demands are adequately determined.

ACKNOWLEDGMENTS

This investigation was completed by the principal author in partial fulfillment of the Ph. D. degree at Washington State University. The work reported was supported by the National Institutes of Health (Predoctoral Training Grant, GM 01276-13), and the National Science Foundation (Predoctoral Dissertation Award, GB 35638, to John N. Mugaas; and grant BMS 75-20338 to James R. King). Awards from the West Virginia School of Osteopathic Medicine Foundation, Inc., and the Graduate School Research and Development Fund of Washington State University helped defray part of the cost of printing.

Thanks are due to many individuals whose help and cooperation were felt throughout this investigation. G. S. Campbell provided many hours of technical advice and assistance on meteorological instrumentation, and A. R. Koch provided help and advice in writing programs for data reduction and analysis. Access to the relatively undisturbed magpie population used in this study was made possible by a number of people who granted permission to use their property, or property under their jurisdiction: D. Coonrad, Beef Cattle Center; D. Caldwell, Farm Shop; M. Russell, Sheep Center; E. St. Pierre, Poultry Plant; R. K. Farrell, Animal Disease Field Laboratory, Animal Disease Research Fur Farm, and his private property; R. W. Dingle, Stephan Center; F. Webb, Plant Materials Center; and M. J. Poppe, her private property. Without the goodwill and support of these people the field work would have been impossible.

LITERATURE CITED

- ASCHOFF, J., AND H. POHL. 1970. Rhythmic variations in energy metabolism. *Fed. Proc.* 29:1541-1552.
- BALDA, R. P., AND W. J. BOCK. 1971. Ecology and morphology of food storage in the Clark's Nutcracker. *Abstr. 89th Stated Meeting, A. O. U.* Seattle, Washington.
- BALDA, R. P., M. L. MORRISON, AND T. R. BEMENT. 1977. Roosting behavior of the Piñon Jay in autumn and winter. *Auk* 94:494-504.
- BARTHOLEMEW, G. A. 1958. The role of physiology in the distribution of terrestrial vertebrates. Pp. 81-95 in C. L. Hubbs (ed.), *Zoogeography*. Publ. No. 51, Amer. Assoc. Advan. Sci., Washington, D. C.
- BENDIRE, C. H. 1895. Life histories of North American birds. U.S. Natl. Mus., Spec. Bull. 3:1-518.
- BERGER, M., AND J. S. HART. 1974. Physiology and energetics of flight. Pp. 415-477 in D. S. Farner and J. R. King (eds.), *Avian biology*. Vol. IV. Academic Press, New York.
- BERNSTEIN, M. H., S. P. THOMAS, AND K. SCHMIDT-NIELSEN. 1973. Power input during flight of the Fish Crow, *Corvus ossifragus*. *J. Exper. Biol.* 58:401-410.

- BIRKEBAK, R. C. 1966. Heat transfer in biological systems. Int. Rev. Gen. and Exper. Zool. 2:269-344.
- BLACKMORE, F. H., JR. 1969. The effect of temperature, photoperiod and molt on the energy requirements of the House Sparrow, *Passer domesticus*. Comp. Biochem. Physiol. 30:433-444.
- BLANCHARD, B. D. 1941. The White-crowned Sparrows (*Zonotrichia leucophrys*) of the Pacific seaboard: environment and annual cycle. Univ. Calif. Publ. Zool. 46:1-178.
- BOCK, C. E., AND L. W. LEPTHIEN. 1975. Distribution and abundance of the Black-billed Magpie (*Pica pica*) in North America. Great Basin Natur. 35:269-272.
- BROWN, J. H. 1968. Adaptation to environmental temperature in two species of woodrats, *Neotoma cinerea* and *N. albigena*. Misc. Publ. Mus. Zool., Univ. Mich. 135:1-48.
- BROWN, R. L. 1957. The population ecology of the magpie in western Montana. Unpubl. M. S. thesis, Univ. Montana, Missoula.
- BRUNS, E. H. 1977. Winter behavior of pronghorns in relation to habitat. J. Wildl. Mgmt. 41:560-571.
- BUTLIN, S. M. 1971. Food-hiding by Magpie. Brit. Birds 64:422.
- CALDER, W. A. 1971. Temperature relationships and nesting of the Calliope Hummingbird. Condor 73:314-321.
- CALDER, W. A. 1973. Microhabitat selection during nesting of hummingbirds in the Rocky Mountains. Ecology 54:127-134.
- CALDER, W. A. 1974. Consequences of body size for avian energetics. Pp. 86-151 in R. A. Paynter (ed.), Avian energetics. Publ. Nuttall Ornithol. Club 15:1-334.
- CALDER, W. A. 1975. Daylength and the hummingbirds' use of time. Auk 92:81-97.
- CALDER, W. A., AND J. R. KING. 1974. Thermal and caloric relations of birds. Pp. 259-413 in D. S. Farner and J. R. King (eds.), Avian biology. Vol. IV. Academic Press, New York.
- CAMPBELL, G. S. 1977. Introduction to environmental biophysics. Springer-Verlag, New York.
- CAMPBELL, G. S., J. N. MUGAAS, AND J. R. KING. 1978. Measurement of long-wave radiant flux in animal energy budgets: a comparison of three methods. Ecology 59:1277-1281.
- CARPENTER, F. L. 1976. Ecology and evolution of an Andean hummingbird (*Oreotrochilus estella*). Univ. Calif. Publ. Zool. 106:1-74.
- CHARNOV, E. L. 1973. Optimal foraging: some theoretical explorations. Unpubl. Ph.D. thesis, Univ. Washington, Seattle.
- CHARNOV, E. L. 1976. Optimal foraging: attack strategy of a mantid. Amer. Natur. 110:141-151.
- CHILGREN, J. D. 1975. Dynamics and bioenergetics of post-nuptial molt in captive White-crowned Sparrows (*Zonotrichia leucophrys gambelii*). Unpubl. Ph.D. thesis, Washington State Univ., Pullman.
- CUSTER, T. W., AND F. A. PITELKA. 1972. Time-activity patterns and energy budget of nesting Lapland Longspurs near Barrow, Alaska. Tundra Biome Symposium, Lake Wilderness Center, Univ. Washington, pp. 160-164.
- DAUBENMIRE, R. F. 1970. Steppe vegetation of Washington. Wash. Agr. Exper. Sta. Bull. 62:1-131.
- DAVIS, E. A., JR. 1955. Seasonal changes in the energy balance of the English Sparrow. Auk 72:385-411.
- DAVIS, M. 1945. The molt of the Emperor Penguin. Auk 62:144.
- DAWSON, W. R., AND J. W. HUDSON. 1970. Birds. Pp. 223-310 in G. C. Whittow (ed.), Comparative physiology of thermoregulation. Vol. I, Invertebrates and nonmammalian vertebrates. Academic Press, New York.
- DICE, L. R. 1917. Habits of the magpie in southeastern Washington. Condor 19:121-124.
- DOLNIK, V. R., AND T. I. BLYUMENTHAL. 1967. Autumnal premigratory and migratory periods in the Chaffinch (*Fringilla coelebs coelebs*) and some other temperate zone passerine birds. Condor 69:435-468.
- DOW, D. D. 1965. The role of saliva in food storage by the Gray Jay. Auk 82:139-154.
- DRENT, R. H. 1970. Functional aspects of incubation in the Herring Gull (*Larus argentatus* Pont.). Behaviour Suppl. 17:1-132.
- DRENT, R. H. 1972. Adaptive aspects of the physiology of incubation. Proc. XVth Int. Ornithol. Congr. (The Hague), pp. 255-280.
- EBBINGE, B., K. CANTERS, AND R. DRENT. 1975. Foraging routines and estimated daily food intake in Barnacle Geese wintering in northern Netherlands. Wildfowl 26:5-19.

- EL-WAILLY, A. J. 1966. Energy requirements for egg-laying and incubation in the Zebra Finch, *Taeniopygia castanotis*. Condor 68:582-594.
- EMLEN, J. M. 1966. The role of time and energy in food preference. Amer. Natur. 100:611-617.
- EMLEN, J. T. 1978. Density anomalies and regulatory mechanisms in land bird populations on the Florida Peninsula. Amer. Natur. 112:265-286.
- ERPINO, M. J. 1968. Nest-related activities of Black-billed Magpies. Condor 70:154-165.
- EVENDEN, F. G. 1947. Nesting studies of the Black-billed Magpie in southern Idaho. Auk 64:260-266.
- EYSTER, M. B. 1954. Quantitative measurement of the influence of photoperiod, temperature, and season on the activity of captive songbirds. Ecol. Monogr. 24:1-28.
- FEDAK, M. A., B. PINSHOW, AND K. SCHMIDT-NIELSEN. 1974. Energy cost of bipedal running. Amer. J. Physiol. 227:1038-1044.
- FISHER, R. A. 1930. The genetical theory of natural selection. Dover Reprint 1958, Oxford Univ. Press, London.
- GATES, D. M. 1962. Energy exchange in the biosphere. Harper and Row Publ., New York.
- GATES, D. M. 1970. Animal climates (where animals must live). Environ. Res. 3:132-144.
- GEIGER, R. 1965. The climate near the ground. Harvard Univ. Press, Cambridge.
- GESSAMAN, J. A. 1973. Methods of estimating the energy costs of free existence. Pp. 3-31 in J. A. Gessaman (ed.), Ecological energetics of homeotherms. Utah State Univ. Monogr. Series 20:1-155.
- GIBB, J. 1956. Food, feeding habits, and territory of the Rock Pipit *Anthus spinosus*. Ibis 98:506-530.
- GIBB, J. 1957. Food requirements and other observations on captive tits. Bird Study 4:207-215.
- GIBB, J. 1960. Populations of tits and goldcrests and their food supply in pine plantations. Ibis 102:163-208.
- GRABBER, R. R. 1962. Food and oxygen consumption in three species of owls (Strigidae). Condor 64:473-487.
- GREENLAW, J. S. 1969. The importance of food in the breeding system of the Rufous-sided Towhee, *Pipilo erythrrophthalmus* (L.). Unpubl. Ph.D. thesis, Rutgers Univ., New Brunswick, N. J.
- HAILS, C. J. 1979. A comparison of flight energetics in hirundines and other birds. Comp. Biochem. Physiol. 63A:581-585.
- HAILS, C. J., AND D. M. BRYANT. 1979. Reproductive energetics of a free-living bird. J. Anim. Ecol. 48:471-482.
- HAINSWORTH, F. R. 1977. Foraging efficiency and parental care in *Colibri coruscans*. Condor 79:69-75.
- HAMMEL, H. I. 1956. Infrared emissivities of some arctic fauna. J. Mammal. 37:375-378.
- HART, J. S. 1952. Effects of temperature and work on metabolism, body temperature, and insulation: results with mice. Can. J. Zool. 30:90-98.
- HART, J. S. 1957. Climatic and temperature induced changes in the energetics of homeotherms. Rev. Can. Biol. 16:133-174.
- HART, J. S. 1960. The role of equivalence of specific dynamic action: exercise thermogenesis and cold thermogenesis. Pp. 271-302 in S. M. Horvath (ed.), Cold injury transactions. Sixth Conf. Joseiah Macy Jr. Found., New York.
- HART, J. S. 1963. Physiological responses to cold in nonhibernating homeotherms. Pp. 373-406 in J. D. Hardy (ed.), Temperature: Its measurement and control in science and industry. Vol. III, Pt. 3. VanNostrand-Reinhold, Princeton.
- HART, J. S. 1971. Rodents. Pp. 1-149 in G. C. Whitlow (ed.), Comparative physiology of thermoregulation. Vol. II, Mammals. Academic Press, New York.
- HART, J. S., AND O. HEROUX. 1955. Exercise and temperature regulation in lemmings and rabbits. Can. J. Biochem. Physiol. 33:428-435.
- HART, J. S., AND L. JANSKY. 1963. Thermogenesis due to exercise and cold in warm-and-cold-acclimated rats. Can. J. Biochem. Physiol. 41:629-643.
- HAUKIOJA, E. 1971. Flightlessness in some moulting passerines in northern Europe. Ornis Fenn. 48:101-116.
- HAYMAN, R. R. 1958. Magpie burying and recovering food. Brit. Birds 51:275.
- HENTY, C. J. 1975. Feeding and food-hiding responses of Jackdaws and Magpies. Brit. Birds 68:463-466.

- HOLMES, R. T., AND F. W. STURGES. 1973. Annual energy expenditure by the avifauna of a northern hardwoods ecosystem. *Okios* 24:24-29.
- IDSO, S. B., AND R. D. JACKSON. 1969. Thermal radiation from the atmosphere. *J. Geophysical Res.* 74:5397-5403.
- IMLER, R. H. 1937. Weights of some birds of prey of western Kansas. *Bird-Banding* 8:166-169.
- JANSKY, L. 1959. Oxygen consumption in white mice during physical exercise. *Physiol. Bohemoslov.* 8:464-471.
- JANSKY, L. 1966. Body organ thermogenesis of the rat during exposure to cold at maximal metabolic rate. *Fed. Proc.* 25:1297-1302.
- JOHNSON, R. L. 1972. Ecology of the Black-billed Magpie in southeastern Washington. Unpubl. M. S. thesis, Washington State Univ., Pullman.
- JONES, R. E. 1958. The effect of magpie predation on pheasant and waterfowl populations in southern Idaho. Unpubl. M. S. thesis, Univ. Idaho, Moscow.
- JONES, R. E. 1960. Activities of the magpie during the breeding period in southern Idaho. *Northwest Sci.* 34:18-24.
- KALE, H. W. II. 1965. Ecology and bioenergetics of the Long-billed Marsh Wren, *Telmatodytes palustris griseus* (Brewster) in Georgia salt marshes. *Publ. Nuttall Ornithol. Club* 5:1-142.
- KALMBACH, E. R. 1927. The magpie in relation to agriculture. *U.S. Dept. Agr. Tech. Bull.* 24:1-29.
- KELTY, M. P., AND S. I. LUSTICK. 1977. Energetics of the Starling (*Sturnus vulgaris*) in a pine woods. *Ecology* 58:1181-1185.
- KENDEIGH, S. C. 1963. Thermodynamics of incubation in the House Wren, *Troglodytes aedon*. *Proc. XIIth Int. Ornithol. Congr.* (Ithaca), pp. 884-904.
- KENDEIGH, S. C. 1973. Monthly variation in the energy budget of the House Sparrow throughout the year. Pp. 17-44 in S. C. Kendeigh and J. Pinowski (eds.), *Productivity, population dynamics, and systematics of granivorous birds*. Polish Scientific Publ., Warsaw.
- KING, J. R. 1973. Energetics of reproduction in birds. Pp. 78-107 in D. S. Farner (ed.), *Breeding biology of birds*. Nat. Acad. Sci., Washington, D.C.
- KING, J. R. 1974. Seasonal allocation of time and energy resources in birds. Pp. 4-85 in R. A. Paynter (ed.), *Avian energetics*. *Publ. Nuttall Ornithol. Club* 15:1-334.
- KING, J. R. In press. Energetics of avian moult. *Proc. XVIIth Int. Ornithol. Congr.* (Berlin), 1978.
- KING, J. R., AND D. S. FARNER. 1961. Energy metabolism, thermoregulation, and body temperature. Pp. 215-288 in A. J. Marshall (ed.), *Biology and comparative physiology of birds*. Vol. II. Academic Press, New York.
- KLEIBER, M. 1961. *The fire of life*. John Wiley and Sons, New York.
- KOKSHAYSKY, N. V. 1970. Flight energetics of insects and birds. *Zh. Obshch. Biol.* 31, No. 5, pp. 525-549 (in Russian).
- KONTOGIANNIS, J. E. 1968. Effect of temperature and exercise on energy intake and body weight of the White-throated Sparrow, *Zonotrichia albicollis*. *Physiol. Zool.* 41:51-64.
- KREBS, J. R. 1973. Behavioral aspects of predation. Pp. 73-111 in P. P. G. Bateson and P. H. Klopfer (eds.), *Perspectives in ethology*. Plenum, New York.
- KUSHILAN, J. A. 1977. Population energetics of the American White Ibis. *Auk* 94:114-122.
- LASIEWSKI, R. C. 1963. Oxygen consumption of torpid, resting, active and flying hummingbirds. *Physiol. Zool.* 37:212-223.
- LEE, J. S., AND N. LIFSON. 1960. Measurement of total energy and material balance in rats by means of doubly labeled water. *Amer. J. Physiol.* 199:238-242.
- LEFEBVRE, E. A. 1964. The use of D_2O^{18} for measuring energy metabolism in *Columba livia* at rest and in flight. *Auk* 81:403-416.
- LEFEVRE, J., AND A. AUGUET. 1933. La thermoregulation du travail. Rapports de ses courbes avec celles du repos. *Ann. Physiol. Physicochim. Biol.* 9:1103-1121.
- LEFEVRE, J., AND A. AUGUET. 1934. Le courbes thermoregulatrices et les rendements de la machine vivante dans les grandes puissances de travail. *Ann. Physiol. Physicochim. Biol.* 10:1116-1134.
- LIFSON, N., AND J. S. LEE. 1961. Estimation of material balance of totally fasted rats by doubly labeled water. *Amer. J. Physiol.* 200:85-88.
- LIFSON, N., G. B. GORDON, AND R. M. MCCLINTOCK. 1955. Measurement of total carbon dioxide production by means of D_2O^{18} . *J. Appl. Physiol.* 7:704-710.
- LINDSAY, J. M. 1937. The natural history of magpies. *Pacific Coast Avifauna* 25:1-234.

- LINDSAY, J. M. 1946a. American Magpie. Pp. 133–155 in A. C. Bent, Life histories of North American jays, crows, and titmice. Dover Reprint, 1964, U.S. Natl. Mus. Bull. 191:1–495.
- LINDSAY, J. M. 1946b. Yellow-billed Magpie. Pp. 155–183 in A. C. Bent, Life histories of North American jays, crows, and titmice. Dover Reprint, 1964, U.S. Natl. Mus. Bull. 191:1–495.
- LIST, R. J. 1971. Smithsonian meteorological tables. Smithsonian Misc. Coll. 114:1–527.
- LUSTICK, S., B. BATTERSBY, AND M. KELTY. 1978. Behavioral thermoregulation: orientation toward the sun in Herring Gulls. *Science* 200:81–83.
- MACARTHUR, R. H., AND E. R. PIANKA. 1966. On optimal use of a patchy environment. *Amer. Natur.* 100:603–609.
- MAHONEY, S. A., AND J. R. KING. 1977. The use of the equivalent black-body temperature in the thermal energetics of small birds. *J. Thermal Biol.* 1977:115–120.
- MARGARIA, R., P. CERRETELLI, P. AGHEMO, AND G. SASSI. 1963. Energy cost of running. *J. Appl. Physiol.* 18:367–370.
- MCCLINTOCK, R., AND N. LIFSON. 1957. Applicability of the D₂O¹⁸ method to the measurement of the total carbon dioxide output of obese mice. *J. Biol. Chem.* 226:153–156.
- MCCLINTOCK, R., AND N. LIFSON. 1958a. Determination of the total carbon dioxide outputs of rats by the D₂O¹⁸ method. *Amer. J. Physiol.* 192:76–78.
- MCCLINTOCK, R., AND N. LIFSON. 1958b. CO₂ output of mice measured by D₂O¹⁸ under conditions of isotope re-entry into the body. *Amer. J. Physiol.* 195:721–725.
- MEWALDT, L. R., S. S. KIBBY, AND M. L. MORTON. 1968. Comparative biology of Pacific coastal White-crowned Sparrows. *Condor* 70:14–30.
- MONTEITH, J. L. 1973. Principles of environmental physics. Amer. Elsevier Publ. Co., New York.
- MORHARDT, S. S. 1971. Energy exchange properties, physiology, and general ecology of the belding ground squirrel. Unpubl. Ph.D. thesis, Washington Univ., St. Louis, Mo.
- MORHARDT, S. S., AND D. M. GATES. 1974. Energy exchange analysis of the belding ground squirrel and its habitat. *Ecol. Monogr.* 44:17–44.
- MOSHER, J. A., AND P. F. MATRAY. 1974. Size dimorphism: a factor in energy savings for Broad-winged Hawks. *Auk* 91:325–341.
- MOUNT, L. E., AND J. V. WILLMONT. 1967. The relation between spontaneous activity, metabolic rate and the 24 hour cycle in mice at different environmental temperatures. *J. Physiol.*, Lond. 190:371–380.
- MUGAAS, J. N. 1976. Thermal energy exchange, microclimate analysis, and behavioral energetics of Black-billed Magpies, *Pica pica hudsonia*. Unpubl. Ph.D. thesis, Washington State Univ., Pullman.
- MULLEN, R. K. 1970. Respiratory metabolism and body water turnover rates of *Perognathus formosus* in its natural environment. *Comp. Biochem. Physiol.* 32:259–265.
- MULLEN, R. K. 1971a. Energy metabolism and body water turnover rates of two species of free-living kangaroo rats, *Dipodomys merriami* and *Dipodomys microps*. *Comp. Biochem. Physiol.* 39A:379–380.
- MULLEN, R. K. 1971b. Note on the energy metabolism of *Peromyscus crinitus* in its natural environment. *J. Mammal.* 52:633–635.
- NEWTON, I. 1966. The molt of the Bullfinch, *Pyrrhula pyrrhula*. *Ibis* 108:41–67.
- NIELSEN, M. 1938. Die Regulation der Körpertemperatur bei Muskelerarbeit. *Skand. Arch. Physiol.* 79:193–230.
- NIELSEN, B., AND M. NIELSEN. 1962. Body temperature during work at different environmental temperatures. *Acta Physiol. Scand.* 56:120–129.
- O'HALLORAN, P. L. 1961. Dynamics of a reduced magpie population. Unpubl. M. S. thesis, Univ. Montana, Missoula.
- ORIANS, G. H. 1961. The ecology of blackbird (*Agelaius*) social systems. *Ecol. Monogr.* 31:285–312.
- OWEN, D. F. 1956. The food of nestling jays and magpies. *Bird Study* 3:257–265.
- PEARSON, O. P. 1954. The daily energy requirements of a wild Anna Hummingbird. *Condor* 56:317–322.
- PENNEY, R. L. 1967. Molt in the Adelie Penguin. *Auk* 84:61–71.
- POHL, H. 1969. Some factors influencing the metabolic response to cold in birds. *Fed. Proc.* 28:1059–1064.
- POHL, H., AND G. C. WEST. 1973. Daily and seasonal variation in metabolic response to cold during rest and forced exercise in the Common Redpoll. *Comp. Biochem. Physiol.* 45A:851–867.

- PORTER, W. P., AND D. M. GATES. 1969. Thermodynamic equilibria of animals with environment. *Ecol. Monogr.* 39:227-244.
- PULLIAM, H. R. 1974. On the theory of optimal diets. *Amer. Natur.* 108:59-74.
- PYKE, G. H., H. R. PULLIAM, AND E. L. CHARNOV. 1977. Optimal foraging: a selective review of theory and tests. *Quart. Rev. Biol.* 52:137-154.
- RICKLEFS, R. E. 1974. Energetics of reproduction in birds. Pp. 152-297 in R. A. Paynter (ed.), *Avian energetics*. *Publ. Nuttall Ornithol. Club* 15:1-334.
- ROBINSON, D. E., G. S. CAMPBELL, AND J. R. KING. 1976. An evaluation of heat exchange in small birds. *J. Comp. Physiol.* 105:153-166.
- ROMIJN, C., AND E. L. VREUGDENHIL. 1969. Energy balance and heat regulation in the white leghorn fowl. *Neth. J. Vet. Sci.* 2:32-58.
- RUBNER, M. 1910. Über Kompensation und Summation von funktionellen leistungen des Körpers. *Sitzungber Königlich preussischen Akad. Wiss.* 1910:316-324.
- RUITER, L. DE. 1967. Feeding behavior of vertebrates in their natural environment. Pp. 97-116 in C. F. Cody (ed.), *Handbook of physiology*, Sec. 6: Alimentary canal, Vol. 1, Food and water intake. *Amer. Physiol. Soc.*, Washington, D.C.
- RUSSELL, R. J. 1931. Dry climates of the United States. I. Climatic map. *Univ. Calif. Publ. Geog.* 4:1-41.
- SALFELD, D. 1969. Jays recovering buried food from under snow. *Brit. Birds* 62:238-240.
- SCHARTZ, R. L., AND J. L. ZIMMERMAN. 1971. The time and energy budget of the male Dickcissel (*Spiza americana*). *Condor* 73:65-76.
- SCHMID, W. D. 1965. Energy intake of the Mourning Dove *Zenaidura macroura marginella*. *Science* 150:1171-1172.
- SCHOENER, T. W. 1971. Theory of feeding strategies. *Ann. Rev. Ecol. Syst.* 2:369-404.
- SMITH, A. T. 1974. The distribution and dispersal of pikas: influences of behavior and climate. *Ecology* 55:1368-1376.
- SMITH, J. N. M., AND H. P. A. SWEATMAN. 1974. Food-searching behavior of titmice in patchy environments. *Ecology* 55:1216-1232.
- SOKAL, R. R., AND F. J. ROHLF. 1969. *Biometry*. W. H. Freeman and Co., San Francisco.
- STEVENSON, R. E. 1971. Temperature acclimatization in the Black-billed Magpie (*Pica pica hudsonia*, Sabine). Unpubl. Ph.D. thesis, Montana State Univ., Bozeman.
- STILES, F. G. 1971. Time, energy, and territoriality of the Anna Hummingbird (*Calypte anna*). *Science* 173:818-821.
- TARBOTON, W. R. 1978. Hunting and the energy budget of the Black-shouldered Kite. *Condor* 80:88-91.
- TRIVERS, R. L. 1972. Parental investment and sexual selection. Pp. 136-149 in B. Campbell (ed.), *Sexual selection and the descent of man*, 1871-1971. Aldine Publ. Co., Chicago.
- TURČEK, F. J., AND L. KELSO. 1968. Ecological aspects of food transportation and storage in the Corvidae. *Comm. Behav. Biol.* 1:277-297.
- UTTER, J. M. 1971. Daily energy expenditure of free-living Purple Martins (*Progne subis*) and Mockingbirds (*Mimus polyglottos*) with comparison of two northern populations of Mockingbirds. Unpubl. Ph.D. thesis, Rutgers Univ., New Brunswick, N. J.
- UTTER, J. M., AND E. A. LEFEBVRE. 1970. Energy expenditure for free flight by the Purple Martin (*Progne subis*). *Comp. Biochem. Physiol.* 35:713-719.
- VERBEEK, N. A. M. 1964. A time and energy budget of the Brewer Blackbird. *Condor* 66:70-74.
- VERBEEK, N. A. M. 1970. The exploitation system of the Yellow-billed Magpie (*Pica nutalli*). Unpubl. Ph.D. thesis, Univ. Calif., Berkeley.
- VERBEEK, N. A. M. 1972a. Daily and annual time budget of the Yellow-billed Magpie. *Auk* 89:567-582.
- VERBEEK, N. A. M. 1972b. Comparison of displays of the Yellow-billed Magpie (*Pica nutalli*) and other corvids. *J. für Ornithol.* 113:297-314.
- VERBEEK, N. A. M. 1973. The exploitation system of the Yellow-billed Magpie. *Univ. Calif. Publ. Zool.* 99:1-58.
- VERME, L. J. 1968. An index of winter weather severity for northern deer. *J. Wildl. Mgmt.* 32:566-574.
- VERNER, J. 1965. Time budget of the male Long-billed Marsh Wren during the breeding season. *Condor* 67:125-139.

- WAKELY, J. S. 1978. Activity budgets, energy expenditures, and energy intakes of nesting Ferruginous Hawks. *Auk* 95:667-676.
- WALSBERG, G. E. 1977. Ecology and energetics of contrasting social systems in *Phainopepla nitens* (Aves: Ptilogonatidae). *Univ. Calif. Publ. Zool.* 108:1-63.
- WALSBERG, G. E. 1978. Brood size and the use of time and energy by the Phainopepla. *Ecology* 59:147-153.
- WALSBERG, G. E. In press. Energy expenditure in free-living birds: patterns and diversity. *Proc. XVIIth Intern. Ornithol. Congr. (Berlin)*, 1978.
- WALSBERG, G. E., AND J. R. KING. 1978a. The heat budget of incubating Mountain White-crowned Sparrows (*Zonotrichia leucophrys oriantha*) in Oregon. *Physiol. Zool.* 51:92-103.
- WALSBERG, G. E., AND J. R. KING. 1978b. The energetic consequences of incubation for two passerine species. *Auk* 95:644-655.
- WALSBERG, G. E., AND J. R. KING. 1978c. The relationship of the external surface area of birds to skin surface area and body mass. *J. Exper. Biol.* 76:185-189.
- WEST, G. C. 1960. Seasonal variation in energy balance of the Tree Sparrow in relation to migration. *Auk* 77:306-329.
- WEST, G. C. 1968. Bioenergetics of captive Willow Ptarmigan under natural conditions. *Ecology* 49:1035-1045.
- WEST, G. C. 1973. Foods eaten by Tree Sparrows in relation to availability during summer in northern Manitoba. *Arctic* 26:7-21.
- WEST, G. C., AND J. S. HART. 1966. Metabolic responses of Evening Grosbeaks to constant and fluctuating temperatures. *Physiol. Zool.* 39:171-184.
- WEST, G. C., AND B. B. DEWOLFE. 1974. Populations and energetics of taiga birds near Fairbanks, Alaska. *Auk* 91:757-775.
- WHITE, F. N., AND J. L. KINNEY. 1974. Avian incubation. *Science* 186:107-115.
- WHITTOW, G. C. 1965. Energy metabolism. Pp. 239-271 in P. D. Sturkie (ed.), *Avian physiology*. Second ed. Cornell Univ. Press, Ithaca, N.Y.
- WIENS, J. A., AND G. S. INNIS. 1973. Estimation of energy flow in bird communities. II. A simulation model of activity budgets and population bioenergetics. *Proc. Summer Computer Simulation Conf., Montreal, Canada*, pp. 739-752.
- WIENS, J. A., S. G. MARTIN, W. R. HOLTHAUS, AND F. A. IWEN. 1970. Metronome timing in behavioral ecology studies. *Ecology* 51:350-352.
- WILLIAMSON, F. S. L. 1956. The molt and testis cycles of the Anna Hummingbird. *Condor* 58:342-366.
- WILLIAMSON, K. 1957. The annual post-nuptial moult in the Wheatear (*Oenanthe oenanthe*). *Bird-Banding* 28:129-135.
- WILSON, E. O. 1975. *Sociobiology, the new synthesis*. Belknap Press, Harvard Univ. Press, Cambridge.
- WINSLOW, C. E. A., L. P. HERRINGTON, AND A. P. GAGGE. 1936a. A new method of partitional calorimetry. *Amer. J. Physiol.* 116:641-655.
- WINSLOW, C. E. A., L. P. HERRINGTON, AND A. P. GAGGE. 1936b. The determination of radiation and convection exchanges by partitional calorimetry. *Amer. J. Physiol.* 116:669-684.
- WINSLOW, C. E. A., L. P. HERRINGTON, AND A. P. GAGGE. 1937. Physiological reactions of the human body to varying environmental temperatures. *Amer. J. Physiol.* 120:1-22.
- WOLF, L. L. 1975. Energy intake and expenditure in a nectar-feeding sunbird. *Ecology* 56:92-104.
- WOLF, L. L., AND F. R. HAINSWORTH. 1971. Time and energy budgets of territorial hummingbirds. *Ecology* 52:980-988.
- WOLF, L. L., F. R. HAINSWORTH, AND F. B. GILL. 1975. Foraging efficiencies and time budgets in nectar-feeding birds. *Ecology* 56:117-128.
- WUNDER, B. A. 1970. Energetics of running activity in Merriam's chipmunk, *Eutamias merriami*. *Comp. Biochem. Physiol.* 33:821-836.
- ZIMMERMAN, J. L. 1965. Carcass analysis of wild and thermal-stressed Dickcissels. *Wilson Bull.* 77:55-70.