CONTENTS

ABSTRACT1
INTRODUCTION
Aphelocoma Jays
Overview
STUDY AREA AND METHODS
Location of Study Area4
Climate
Vegetation
Methods
FOOD AND FORAGING
Seasonal Abundance of Food
Seasonal Foraging Behavior of Breeders and Floaters
TERRITORIES AND TERRITORIAL BEHAVIOR17
Territorial Behavior
Territory Acquisition
Territory Characteristics
DISPERSAL AND FLOATING
Juvenile Dispersal
Floater Movements and Dispersion Patterns in the Nonbreeding Season
Floater Movements and Dispersion Patterns during the Breeding
Season
Social Organization of Floaters
Dispersal Distances
REPRODUCTION
Breeding Chronology
Annual Production of Fledglings and Independent Young 50
Factors Influencing Reproductive Success
Ecological and Environmental Effects
Effects of Age and Experience

SURVIVORSHIP
Survivorship of Breeders
Annual Survivorship
Life Tables and Survivorship of Nonbreeders
The Life Tables
Estimating Lifetime Reproductive Success
TEST OF THEORIES AND COMPARISONS
Brown's Theory of Habitat Saturation and Group Living72
The Marginal Habitat Hypothesis
The Florida Scrub-Jay Model
The Benefits of Philopatry Model
Delayed Dispersal Threshold Model
SYNOPSIS
Scrub-Jay Dispersal and Floating in Central Coastal California 90
ACKNOWLEDGMENTS
LITERATURE CITED 92

TABLES

TABLE 1. Types and frequencies of aggressive behaviors
directed at floaters by breeders
TABLE 2. Age at which jays hatched on the study area
first acquired territories
TABLE 3. Study area size, territory size, breeder density,
and area occupied
TABLE 4. Vegetation attributes of occupied and unoccupied areas 29
TABLE 5. Characteristics of territories of different quality 30
TABLE 6. Percentage of radio locations of three male juveniles 32
TABLE 7. Radio location summaries
TABLE 8. Home range of floaters during the breeding season 43
TABLE 9. First egg date and the percentage of pairs renesting 50
TABLE 10. Annual production of fledglings and independent young. 52
TABLE 11. Annual variation in reproductive variables 52
TABLE 12. Age composition of pairs and failure to initiate breeding. 53
TABLE 13. Fate of eggs, fledglings, and nestlings
TABLE 14. Annual predation and starvation rates on eggs,
nestlings, and nests
TABLE 15. Correlations of reproductive variables with acorns
and insect abundance
TABLE 16. Age composition of pairs and breeding success 58
TABLE 17. Correlations of reproductive variables with age and
years together as a pair
TABLE 18. Effects of breeder age on reproduction 59
TABLE 19. Effects of past breeding experience on reproduction 61
TABLE 20. Annual survivorship of breeders
TABLE 21. Age specific survivorship of known age breeders 63
TABLE 22. Calculating the age jays first acquire territories 67
TABLE 23. Female life table 70
TABLE 24. Male life table.
TABLE 25. Age distribution of breeders
TABLE 26. Estimated life time reproductive success under
various scenarios
TABLE 27. Demographic comparisons among <i>Alphelocoma</i> jays 76
TABLE 28. Prediction of models for the evolution of
group-living and cooperative breeding
TABLE 29. Index of breeding space competition for
Aphelocoma jays and cooperative breeders

FIGURES

FIGURE 1. Location of the Hastings Reservation4
FIGURE 2. Study area showing local topography
and vegetation communities
FIGURE 3. Forty-year mean rainfall and temperatures
at the Hastings Reservation (1938–1978) 6
FIGURE 4. Relative abundance and seasonality of
invertebrates at the Hastings Reservation
FIGURE 5. Relative abundance of acorns on the study area 13
FIGURE 6. Seasonal pattern of acorn fall
FIGURE 7. Seasonal change in foraging activities of territorial jays 14
FIGURE 8. Percentage of time territorial jays spent foraging
in two good acorn years and in one poor acorn year
FIGURE 9. Percentage of foraging time territorial jays spent
looking for, eating, caching, and recovering stored acorns 16
FIGURE 10. Percentage of foraging time territorial jays
spent recovering and eating cached acorns
FIGURE 11. Seasonal change in foraging activities of
nonbreeding floater scrub-jays
FIGURE 12. Rate of border interactions and vocalizations
of territorial jays
FIGURE 13. Seasonal change in aggressive behaviors
breeders directed at floaters
FIGURE 14. Age distribution of first-time breeders
filling territory vacancies
FIGURE 15. Location of scrub-jay territories in 1981
FIGURE 16. Location of scrub-jay territories in 1982
FIGURE 17. Location of scrub-jay territories in 1983
FIGURE 18. Location of scrub-jay territories in 1984
FIGURE 19. Location of scrub-jay territories in 1985
FIGURE 20. Relationship between mean territory
size and mean breeder density
FIGURE 21. Schematic representation illustrating
preferred, occupied scrub-jay habitat
FIGURE 22. Radio-tracked dispersal of male 570
from its natal territory
FIGURE 23. Radio-tracked dispersal of male 640
from its natal territory
FIGURE 24. Mean numbers and distribution of floaters
on the study area during the nonbreeding season

FIGURE 25. Radio-locations and winter home range use	
by two radio-collared first-year female floaters	7
FIGURE 26. Diagram of the chronology of dispersal and floating 39)
FIGURE 27. Radio-locations and home range of two first-year	
male floaters and one first-year female floater during late March	
and early April 1985	2
FIGURE 28. Radio-locations and home range of two first-year male	
floaters and two first-year female floaters during mid-May 1985 44	1
FIGURE 29. Home range of floaters in relation to territories	
and nest locations	5
FIGURE 30. Comparison of breeders and floaters in habitat	
use and foraging behavior during the breeding season 46	5
FIGURE 31. Floater association and movements of individuals	
during the breeding season	3
FIGURE 32. Natal-to-breeding dispersal distances within the	
study area and immediate vicinity)
FIGURE 33. Nesting chronology of Hastings scrub-jays,	
1981–1985	1
FIGURE 34. Log of breeder density and K-values, 1981–1985 55	5
FIGURE 35. Age-specific fledgling production of breeding	
males and females)
FIGURE 36. Seasonal pattern of deaths of males and	
females during the study period, with and without including	
deaths during the acorn crop failure	1
FIGURE 37. Survivorship of breeding California Scrub-Jays	
as the proportion of banded breeders surviving from 1 to 4 years	
after banding	
FIGURE 38. Life table estimates of reproductive value and $l_x m_x \dots 69$)
FIGURE 39. Increase in reproductive success with age for the	
noncooperative California Scrub-Jay, the cooperative	_
Florida Scrub-Jay, and the Mexican Jay)
FIGURE 40. Variation in fledgling production over geographic	_
segments of the California and Florida scrub-jay study areas 85)
FIGURE 41. Floater and breeder (territorial scrub-jay) movements	
in an idealized mosaic of habitat qualities as found in	1
central coastal California	1