

LITERATURE CITED

- AEBISCHER, N. J. 1999. Multi-way comparisons and generalised linear models of nest success: extensions of the Mayfield method. *Bird Study* 46: S22–S31.
- AGRESTI, A., AND B. FINLAY. 1986. *Statistical methods for the social sciences*. 2nd ed. Dellen Publishing Company, San Francisco, CA
- AKAIKE, H. 1973. Information theory and an extension of the maximum likelihood principle. Pp. 267–281 in B. N. Petran, and F. Csaki (editors). *International symposium on information theory*, 2nd ed. Budapest, Hungary.
- ALBRECHT, T. 2004. Edge effect in wetland-arable land boundary determines nesting success of Scarlet Rosefinches (*Carpodacus erythrinus*) in the Czech Republic. *Auk* 121:361–371.
- ALDRIDGE, C. L., AND R. M. BRIGHAM. 2001. Nesting and reproductive success of Greater Sage-Grouse in a declining northern fringe population. *Condor* 103:537–543.
- ALLISON, P. D. 1999. *Logistic regression using the SAS system, theory and application*. SAS Institute, Cary, NC.
- ANDERSON, D. R., AND K. P. BURNHAM. 2002. Avoiding pitfalls when using information-theoretic methods. *Journal of Wildlife Management* 66:912–918.
- ANDERSON, D. R., W. A. LINK, D. H. JOHNSON, AND K. P. BURNHAM. 2001. Suggestions for presenting the results of data analyses. *Journal of Wildlife Management* 65:373–378.
- ANDERSON, P. K., O. BORGAN, R. D. GILL, AND N. KEIDING. 1992. *Statistical models based on counting processes*. Springer-Verlag, New York, NY.
- ANDERSON, P. K., J. P. KLEIN, K. M. KNUDSEN, AND R. T. PALACIOS. 1997. Estimation of variance in Cox's regression model with shared gamma frailties. *Biometrics* 53:1475–1484.
- ANONYMOUS. 1981. Correction. *Ibis* 123:595.
- ARMSTRONG, D. P., E. H. RAEBURN, R. G. POWLESLAND, M. HOWARD, B. CHRISTENSEN, AND J. G. EWEN. 2002. Obtaining meaningful comparisons of nest success: data from New Zealand Robin (*Petroica australis*) populations. *New Zealand Journal of Ecology* 26:1–13.
- ARTMAN, V. L., E. K. SUTHERLAND, AND J. F. DOWNHOWER. 2001. Prescribed burning to restore mixed-oak communities in southern Ohio: effects on breeding-bird populations. *Conservation Biology* 15: 1423–1434.
- BAICICH, P. J., AND J. O. HARRISON. 1997. *A guide to the nests, eggs, and nestlings of North American birds*, 2nd ed. Academic Press, San Diego, CA.
- BANERJEE, S., M. M. WALL, AND B. P. CARLIN. 2003. Frailty modeling for spatially correlated survival data, with application to infant mortality in Minnesota. *Biostatistics* 4:123–142.
- BART, J., AND D. S. ROBSON. 1982. Estimating survivorship when the subjects are visited periodically. *Ecology* 63:1078–1090.
- BATARY, P., AND A. BALDI. 2004. Evidence of an edge effect on avian nest success. *Conservation Biology* 18:389–400.
- BEAUCHAMP, W. D., R. R. KOFORD, T. D. NUDDS, R. G. CLARK, AND D. H. JOHNSON. 1996. Long-term declines in nest success of prairie ducks. *Journal of Wildlife Management* 60:247–257.
- BELETSKY, L. D. 1996. *The Red-winged Blackbird. The biology of a strongly polygynous songbird*. Academic Press, San Diego, CA.
- BERGER, J. O., V. DE OLIVEIRA, AND B. SANS. 2001. Bayesian analysis of spatially correlated data. *Journal of the American Statistical Association* 96:1361–1374.
- BERGSTROM, P. W. 1982. *Ecology of incubation in Wilson's Plover (Charadrius wilsonia)*. Ph.D. dissertation, University of Chicago, Chicago, IL.
- BERGSTROM, P. W. 1988. Breeding biology of Wilson's Plovers. *Wilson Bulletin* 100:25–35.
- BEST, L. B., K. E. FREEMARK, J. J. DINSMORE, AND M. CAMP. 1995. A review and synthesis of habitat use by breeding birds in agricultural landscapes of Iowa. *American Midland Naturalist* 134:1–29.
- BEST, L. B., K. E. FREEMARK, B. S. STEINER, AND T. M. BERGIN. 1996. Life history and status classifications of birds breeding in Iowa. *Journal of the Iowa Academy of Science* 103:34–45.
- BETTINGER, P., M. LENNETTE, K. N. JOHNSON, AND T. A. SPIES. 2005. A hierarchical spatial framework for forest landscape planning. *Ecological Modelling* 182:25–48.
- BISHOP, Y. M. M., S. E. FIENBERG, AND P. W. HOLLAND. 1975. *Discrete multivariate analysis*. MIT Press, Cambridge, MA.
- BOYD, R. L. 1972. Breeding biology of the Snowy Plover at Cheyenne Bottoms Waterfowl Management Area, Barton County, Kansas. M.S. thesis, Emporia State University, Emporia, KS.
- BRESLOW, N. 1974. Covariance analysis of censored survival data. *Biometrics* 30:89–99.
- BRESLOW, N. E., AND D. G. CLAYTON. 1993. Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association* 88:9–25.
- BRITTON, J. C., AND B. MORTON. 1989. *Shore ecology of the Gulf of Mexico*. University of Texas Press, Austin, TX.
- BROMAGHIN, J. F., AND L. L. McDONALD. 1993a. Weighted nest survival models. *Biometrics* 49:1164–1172.

- BROMAGHIN, J. F., AND L. L. McDONALD. 1993b. A systematic-encounter-sampling design for nesting studies. *Auk* 110:646-651.
- BROOKS, S. P., E. A. CATCHPOLE, B. J. T. MORGAN, AND S. C. BARRY. 2000. On the Bayesian analysis of ring-recovery data. *Biometrics* 56:951-956.
- BROOKS, S. P., E. A. CATCHPOLE, B. J. T. MORGAN, AND M. P. HARRIS. 2002. Bayesian methods for analyzing ringing data. *Journal of Applied Statistics* 29:187-206.
- BROWN, S., C. HICKEY, B. HARRINGTON, AND R. GILL (EDITORS). 2001. *The U.S. Shorebird Conservation Plan*, 2nd ed. Manomet Center for Conservation Sciences, Manomet, MA.
- BUDNIK, J. M., F. R. THOMPSON III, AND M. R. RYAN. 2002. Effect of habitat characteristics on the probability of parasitism and predation of Bell's Vireo nests. *Journal of Wildlife Management* 66:232-239.
- BURHANS, D. E., D. DEARBORN, F. R. THOMPSON III, AND J. FAABORG. 2002. Factors affecting predation at songbird nests in old fields. *Journal of Wildlife Management* 66:240-249.
- BURKE, D. M., AND E. NOL. 2000. Landscape and fragment size effects on reproductive success of forest-breeding birds in Ontario. *Ecological Applications* 10:1749-1761.
- BURNHAM, K. P., AND D. R. ANDERSON. 2002. *Model selection and multi-model inference: a practical information-theoretic approach*, 2nd ed. Springer-Verlag, New York, NY.
- BURNHAM, K. P., AND D. R. ANDERSON. 2004. Multimodel inference—understanding AIC and BIC in model selection. *Sociological Methods and Research* 33: 261-304.
- BURNHAM, K. P., D. R. ANDERSON, G. C. WHITE, C. BROWNIE, AND K. H. POLLOCK. 1987. Design and analysis experiments for fish survival experiments based on capture-recapture. *American Fisheries Society Monograph* No. 5.
- CACCAMISE, D. F. 1976. Nesting mortality in the Red-winged Blackbird. *Auk* 93:517-534.
- CACCAMISE, D. F. 1977. Breeding success and nest site characteristics of the Red-winged Blackbird. *Wilson Bulletin* 89:396-403.
- CACCAMISE, D. F. 1978. Seasonal patterns of nesting mortality in the Red-winged Blackbird. *Condor* 80:290-294.
- CAHAYLA-WYNNNE, R., AND D. C. GLENN-LEWIN. 1978. The forest vegetation of the driftless area, northeast Iowa. *American Midland Naturalist* 100:307-319.
- CAI, T., AND R. A. BETENSKY. 2003. Hazard regression for interval-censored data with penalized spline. *Biometrics* 59:570-579.
- CAM, E., W. A. LINK, E. G. COOCH, Y.-A. MONNAT, AND E. DANCHIN. 2002. Individual covariation in life-history traits: seeing the trees despite the forest. *American Naturalist* 159:96-105.
- CANFIELD, R. H. 1941. Application of the line interception method in sampling range vegetation. *Journal of Forestry* 38:388-394.
- CAO, J., AND C. Z. HE. 2005. Bias adjustment in Bayesian estimation of bird nest age-specific survival rates. *Biometrics* 61:877-878.
- CAO, J., C. Z. HE, AND T. D. MCCOY. In press. Bayesian estimation of age-specific bird nest survival rates with categorical covariates. *Environmental and Ecological Statistics*.
- CAREY, J. R. 1989. The multiple decrement life table: a unifying framework for cause-of-death analysis in ecology. *Oecologia* 78:131-137.
- CASELLA, G., AND R. L. BERGER. 1990. *Statistical inference*. Duxbury Press, Belmont, CA.
- CASELLA, G., AND E. I. GEORGE. 1992. Explaining the Gibbs sampler. *American Statistician* 46:167-174.
- CHIANG, C. L. 1968. *Introduction to stochastic process in biostatistics*. Wiley, New York, NY.
- CLARK, J. S. 2005. Why environmental scientists are becoming Bayesians. *Ecology Letters* 8:2-14.
- CLARK, R. G., AND D. SHUTLER. 1999. Avian habitat selection: pattern from process in nest-site use by ducks. *Ecology* 80:272-287.
- COOCH, E., AND G. C. WHITE. 2005. Program MARK: a gentle introduction. 4th ed. <<http://www.phidot.org/software/mark/docs/book/>> (15 November 2006).
- COOPER, A. B., R. HILBORN, AND J. W. UNSWORTH. 2003. An approach for population assessment in the absence of abundance indices. *Ecological Applications* 13: 814-828.
- COPAS, J. B. 1989. Unweighted sum of squares test for proportions. *Applied Statistics* 38:71-80.
- CORBAT, C. A. 1990. Nesting ecology of selected beach-nesting birds in Georgia. Ph.D. dissertation, University of Georgia, Athens, GA.
- CORBAT, C. A., AND P. W. BERGSTROM. 2000. Wilson's Plover (*Charadrius wilsonia*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 516. The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- COULSON, J. C. 1956. Mortality and egg production of the Meadow Pipit with special reference to altitude. *Bird Study* 3:119-132.
- COX, D. R. 1972. Regression models and life tables (with discussion). *Journal of the Royal Statistical Society, Series B* 34:187-220.
- COX, D. R. 1983. Some remarks on overdispersion. *Biometrika* 70:269-274.
- CRESSWELL, W. 1997. Nest predation: the relative effects of nest characteristics, clutch size and parental behaviour. *Animal Behaviour* 53:93-103.
- CRUMPTON, W. G. 1993. Establishment of an experimental wetland research complex. *Leopold Center Progress Reports* 2:9-12.
- CURTIS, J. T. 1959. *The vegetation of Wisconsin: an ordination of plant communities*. University of Wisconsin Press, Madison, WI.
- DAVIS, S. K. 2003. Nesting ecology of mixed-grass prairie songbirds in southern Saskatchewan. *Wilson Bulletin* 115:119-130.

- DAVIS, S. K. 2005. Nest-site selection patterns and the influence of vegetation on nest-survival of mixed-grass prairie passerines. *Condor* 107:605-616.
- DEMPSTER, A. P., N. M. LAIRD, AND D. B. RUBIN. 1977. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, Series B* 39:1-38.
- DIENI, J. S., AND S. L. JONES. 2003. Grassland songbird nest site selection patterns in north-central Montana. *Wilson Bulletin* 115:388-396.
- DINSMORE, S. J., G. C. WHITE, AND F. L. KNOPF. 2002. Advanced techniques for modeling avian nest survival. *Ecology* 83:3476-3488.
- DION, N., K. A. HOBSON, AND S. LARIVIRE. 2000. Interactive effects of vegetation and predators on the success of natural and simulated nests of grassland songbirds. *Condor* 102:629-634.
- DIXON, P., AND A. M. ELLISON. 1996. Bayesian inference. *Ecological Applications*. 6:1034-1035.
- DO, K. 2002. Biostatistical approaches for modeling longitudinal and event time data. *Clinical Cancer Research* 8:2473-2474.
- DONOVAN, T. M., P. W. JONES, E. M. ANNAND, AND F. R. THOMPSON III. 1997. Variation in local-scale edge effects: mechanisms and landscape context. *Ecology* 78:2064-2075.
- DOW, D. D. 1978. A test of significance for Mayfield's method of calculating nest success. *Wilson Bulletin* 90:291-295.
- DUGUAY, J. P., P. B. WOOD, AND G. W. MILLER. 2000. Effects of timber harvests on invertebrate biomass and avian nest success. *Wildlife Society Bulletin* 28:1123-1131.
- DUPIS, J. A. 1995. Bayesian estimation of movement and survival probabilities from capture-recapture data. *Biometrika* 82:761-772.
- DUPIS, J. A. 2002. Prior distributions for stratified capture-recapture models. *Journal of Applied Statistics* 29:225-237.
- DYER, M. I., J. PINOWSKI, AND B. PINOWSKA. 1977. Population dynamics. Pp. 53-105 in J. Pinowski, and S. C. Kendeigh (editors). *Granivorous birds in ecosystems, their evolution, populations, energetics, adaptations, impact, and control*. Cambridge University Press, Cambridge, UK.
- EFRON, B. 1988. Logistic regression, survival analysis, and the Kaplan-Meier curve. *Journal of the American Statistical Association* 83:414-425.
- EFRON, B. 1995. *Business statistics center interviews*. Irwin/McGraw-Hill Company. <<http://www.mhhe.com/business/opsci/bstat/efron.mhtml>> (11 April 2006).
- EHRlich, P. R., D. S. DOBKIN, AND D. WHEYE. 1988. *The birder's handbook*. Simon and Schuster, New York, NY.
- ELLISON, A. M. 1996. An introduction to Bayesian inference for ecological research and environmental decision-making. *Ecological Applications* 6:1036-1046.
- ENNIS, D. M. 1998. The beta-binomial model: accounting for inter-trial variation in replicated difference and preference tests. *Journal of Sensory Studies* 13:389-412.
- ETHERIDGE, B., R. W. SUMMERS, AND R. E. GREEN. 1997. The effects of illegal killing and destruction of nests by humans on the population dynamics of the hen harrier *Circus cyaneus* in Scotland. *Journal of Applied Ecology* 34:1081-1105.
- ETTERSON, M. A., AND R. S. BENNETT. 2005. Including transition probabilities in nest survival estimation: a Mayfield Markov chain. *Ecology* 86:1414-1421.
- ETTERSON, M., AND R. BENNETT. 2006. The effects of uncertainty about age of transition on bias in the Mayfield family of estimators. *Ecological Modelling* 199:253-260.
- ETTERSON, M. A., L. R. NAGY, AND T. RODDEN-ROBINSON. 2007. Partitioning risk among different causes of nest failure. *Auk* 124:432-443.
- FAABORG, J. 2002. *Saving migrant songbirds: developing strategies for the future*. University of Texas Press, Austin, TX.
- FAN, X., A. FELSEVALYI, S. A. SIVO, AND S. C. KEENAN. 2003. *SAS for Monte Carlo studies: a guide for quantitative researchers*. SAS Institute, Inc., Cary, NC.
- FARNSWORTH, G. L., K. C. WEEKS, AND T. R. SIMONS. 2000. Validating the assumptions of the Mayfield method. *Journal of Field Ornithology* 71:658-664.
- FAUTH, P. T. 2000. Reproductive success of Wood Thrushes in forest fragments in northern Indiana. *Auk* 117:194-204.
- FILLIATER, T. S., R. BREITWISCH, AND P. M. NEALEN. 1994. Predation on Northern Cardinal nests: does choice of nest-site matter? *Condor* 96:761-768.
- FITZMAURICE, G. M. 1997. Model selection with overdispersed data. *Statistician* 46:81-91.
- FLINT, P. L., K. H. POLLOCK, D. THOMAS, AND J. S. SEDINGER. 1995. Estimating prefledging survival: allowing for brood mixing and dependence among brood mates. *Journal of Wildlife Management* 59:448-455.
- FOWLKES, E. B. 1987. Some diagnostics for binary logistic regression via smoothing methods. *Biometrika* 74:503-515.
- GELMAN, A., J. B. CARLIN, H. S. STERN, AND D. B. RUBIN. 1995. *Bayesian data analysis*. Chapman and Hall, London, UK.
- GILMER, D. S., I. J. BALL, L. M. COWARDIN, AND J. H. RIECHMANN. 1974. Effects of radio packages on wild ducks. *Journal of Wildlife Management* 38:243-252.
- GOC, M. 1986. A new method of estimating nest success in birds. *Vår Fågelvärld (Supplement)* 11:33-34.
- GÖRANSSON, G., AND J. LOMAN. 1976. Predation på konstgjorda fasanreden (predation on simulated pheasant's nests). *Anser* 15:195-200.

- GORE, J. A., AND C. A. CHASE III. 1989. Snowy Plover breeding distribution. Final performance report. Nongame Wildlife Section, Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- GÖTMARK, F. 1992. The effects of investigator disturbance on nesting birds. *Current Ornithology* 9:63-104.
- GÖTMARK, F., D. BLOMQUIST, O. C. JOHANSSON, AND J. BERGKVIST. 1995. Nest site selection: a trade-off between concealment and view of the surroundings? *Journal of Avian Biology* 26:305-312.
- GRAND, J. B., T. F. FONDELL, D. A. MILLER, AND R. M. ANTHONY. 2006. Nest survival in Dusky Canada Geese (*Branta canadensis occidentalis*): use of discrete-time models. *Auk* 123:198-210.
- GRANT, T. A., T. L. SHAFFER, E. M. MADDEN, AND P. J. PIETZ. 2005. Time-specific variation in passerine nest survival: new insights into old questions. *Auk* 122:661-672.
- GRAY, R. J. 1992. Flexible methods for analyzing survival data using splines, with applications to breast cancer prognosis. *Journal of the American Statistical Association* 87:942-951.
- GREEN, M. T., P. E. LOWTHER, S. L. JONES, S. K. DAVIS, AND B. C. DALE. 2002. Baird's Sparrow (*Ammodramus bairdii*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 638. Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- GREEN, R. E. 1989. Transformation of crude proportions of nests that are successful for comparison with Mayfield estimates of nest success. *Ibis* 131: 305-306.
- GREEN, R. F. 1977. Do more birds produce fewer young? A comment on Mayfield's measure of nest success. *Wilson Bulletin* 89:173-175.
- GREENBERG, R. 2003. The use of nest departure calls for surveying Swamp Sparrows. *Journal of Field Ornithology* 74:12-16.
- GREENBERG, R., C. ELPHICK, J. C. NORDBY, C. GJERDRUM, H. SPAUTZ, G. SHRIVER, B. SCHMELING, B. OLSEN, P. MARRA, N. NÜR, AND M. WINTER. 2006. Flooding and predation: trade-offs in the nesting ecology of tidal-marsh sparrows. *Studies in Avian Biology* 32:96-109.
- GROSS, A. J., AND V. A. CLARK. 1975. Survival distributions: reliability applications in the biomedical sciences. Wiley, New York, NY.
- GUSTAFSON, E. J., M. G. KNUTSON, G. J. NIEMI, AND M. A. FRIBERG. 2002. Evaluation of spatial models to predict vulnerability of forest birds to brood parasitism by cowbirds. *Ecological Applications* 12:412-426.
- HALUPKA, K. 1998. Vocal begging by nestlings and vulnerability to nest predation in Meadow Pipits *Anthus pratensis*: to what extent do predation costs of begging exist? *Ibis* 140:144-149.
- HAMMOND, M. C., AND W. R. FORWARD. 1956. Experiments on causes of duck nest predation. *Journal of Wildlife Management* 20:243-247.
- HARDLE, W. 1990. Applied nonparametric regression. Cambridge University Press, Cambridge, UK.
- HARTLEY, M. J., AND M. L. HUNTER, JR. 1998. A meta-analysis of forest cover, edge effects, and artificial nest predation rates. *Conservation Biology* 12: 465-469.
- HAZLER, K. R. 2004. Mayfield logistic regression: a practical approach for analysis of nest survival. *Auk* 121:707-716.
- HE, C. Z. 2003. Bayesian modeling of age-specific survival in bird nesting studies under irregular visits. *Biometrics* 59:962-973.
- HE, C. Z., D. SUN, AND Y. TRA. 2001. Bayesian modeling of age-specific survival in nesting studies under Dirichlet priors. *Biometrics* 57:1059-1066.
- HEISEY, D. M. 1991. Applications of survival analysis in animal ecology. Ph.D. dissertation, University of Wisconsin, Madison, WI.
- HEISEY, D. M., AND A. P. FOONG. 1998. Modelling time-dependent interaction in a time-varying covariate and its application to rejection episodes and kidney transplant failure. *Biometrics* 54:712-719.
- HEISEY, D. M., AND T. K. FULLER. 1985. Evaluation of survival and cause-specific mortality-rates using telemetry data. *Journal of Wildlife Management* 49:668-674.
- HEISEY, D. M., AND E. V. NORDHEIM. 1990. Biases in the Pollock and Cornelius method of estimating nest survival. *Biometrics* 46:855-862.
- HEISEY, D. M., AND E. V. NORDHEIM. 1995. Modeling age-specific survival in nesting studies, using a general approach for doubly-censored and truncated data. *Biometrics* 51:51-60.
- HENSLER, G. L. 1985. Estimation and comparison of function of daily nest survival probabilities using the Mayfield method. Pp. 289-301 in B. J. T. Morgan, and P.M. North (editors). *Statistics in ornithology*. Springer-Verlag, Berlin, Germany.
- HENSLER, G. L., AND J. D. NICHOLS. 1981. The Mayfield method of estimating nesting success: a model, estimators and simulation results. *Wilson Bulletin* 93:42-53.
- HILL, D. P., AND L. K. GOULD. 1997. Chestnut-collared Longspur (*Calcarius ornatus*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 288. Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- HILL, L. A. 1985. Breeding ecology of interior Least Terns, Snowy Plovers, and American Avocets at Salt Plains National Wildlife Refuge. M.S. thesis, Oklahoma State University, Stillwater, OK.
- HINDE, J., AND C. G. B. DEMETRIO. 1998. Overdispersion: models and estimation. *Computational Statistics and Data Analysis* 27:151-170.
- HINES, J. E., AND J. R. SAUER. 1989. Program CONTRAST: a general program for the analysis of several survival or recovery rate estimates. USDI Fish and Wildlife Service Technical Report 24. Washington, DC.

- HOBBS, N. T., AND R. HILBORN. 2006. Alternatives to statistical hypothesis testing in ecology: a guide to self teaching. *Ecological Applications* 16:5-19.
- HOBERT, J. P., AND G. CASELLA. 1996. The effect of improper priors on Gibbs sampling in hierarchical linear mixed models. *Journal of the American Statistical Association* 91:1461-1473.
- HOEKMAN, S. T., L. S. MILLS, D. W. HOWERTER, J. H. DEVRIES, AND I. J. BALL. 2002. Sensitivity analyses of the life cycle of midcontinent Mallards. *Journal of Wildlife Management* 66:883-900.
- HOLFORD, T. R. 1976. Life tables with concomitant information. *Biometrics* 32:587-597.
- HOLFORD, T. R. 1980. The analysis of rates and survivorship using log-linear models. *Biometrics* 36: 299-306.
- HOOD, S. L. 2006. Nesting ecology of Snowy and Wilson's plovers in the lower Laguna Madre region of Texas. M.S. thesis, Mississippi State University, Mississippi State, MS.
- HOOVER, J. P. 2006. Water depth influences nest predation for a wetland-dependent bird in fragmented bottomland forests. *Biological Conservation* 127: 37-45.
- HOOVER, J. P., AND M. C. BRITTINGHAM. 1998. Nest-site selection and nesting success of Wood Thrushes. *Wilson Bulletin* 110:375-383.
- HORVITZ, D. G., AND D. J. THOMPSON. 1952. A generalization of sampling without replacement from a finite universe. *Journal of the American Statistical Association* 47:663-685.
- HOSMER, D. W., T. HOSMER, S. LE CESSIE, AND S. LEMESHOW. 1997. A comparison of goodness-of-fit tests for the logistic regression model. *Statistics in Medicine* 16:965-980.
- HOWLETT, J. S., AND B. J. STUTCHBURY. 1996. Nest concealment and predation in Hooded Warblers: experimental removal of nest cover. *Auk* 113: 1-9.
- HUBER-CAROL, C., AND I. VONTA. 2004. Frailty models for arbitrarily censored and truncated data. *Lifetime Data Analysis* 10:369-388.
- HURVICH, C. M., AND C. L. TSAI. 1989. Regression and time series model selection in small samples. *Biometrika* 76:297-307.
- HYDE, J. 1977. Testing survival under right censoring and left truncation. *Biometrika* 64:225-230.
- IBRAHIM, J. G., M. H. CHEN, AND D. SINHA. 2001. *Bayesian survival analysis*. Springer, New York, NY.
- JEFFREYS, H. 1961. *Theory of probability*. 3rd ed. Oxford University Press, Oxford, UK.
- JEHLE, G., A. A. YACKEL ADAMS, J. A. SAVIDGE, AND S. K. SKAGEN. 2004. Nest survival estimation: a review of alternatives to the Mayfield estimator. *Condor* 106:472-484.
- JIANG, H., J. FINE, AND R. J. CHAPPELL. 2005. Semiparametric analysis of survival data with left truncation and dependent right censoring. *Biometrics* 61:567-575.
- JOHNSON, D. H. 1979. Estimating nest success: the Mayfield method and an alternative. *Auk* 96:651-661.
- JOHNSON, D. H. 1990. Statistical comparison of nest success rates. *Proceedings of the North Dakota Academy of Science* 44:67. <<http://www.npwr.usgs.gov/resource/2000/statcomp/statcomp.htm>> (9 June 2006)
- JOHNSON, D. H. 1991. Further comments on estimating nest success. *Ibis* 133:205-207.
- JOHNSON, D. H. 2002. The role of hypothesis testing in wildlife science. *Journal of Wildlife Management* 66:272-276.
- JOHNSON, D. H., AND A. T. KLETT. 1985. Quick estimates of success rates of duck nests. *Wildlife Society Bulletin* 13:51-53.
- JOHNSON, D. H., J. D. NICHOLS, AND M. D. SCHWARTZ. 1992. Population dynamics of breeding waterfowl. Pp. 446-485 in B. D. J. Batt, A. D. Afton, M. G. Anderson, C. D. Ankney, D. H. Johnson, J. A. Kadlec, and G. L. Krapp (editors). *Ecology and management of breeding waterfowl*. University of Minnesota Press, Minneapolis, MN.
- JOHNSON, D. H., A. B. SARGEANT, AND R. J. GREENWOOD. 1989. Importance of individual species of predators on nesting success of ducks in the Canadian prairie pothole region. *Canadian Journal of Zoology* 67:291-297.
- JOHNSON, D. H., AND T. L. SHAFFER. 1990. Estimating nest success: when Mayfield wins. *Auk* 107:595-600.
- JOHNSON, D. S., AND J. A. HOETING. 2003. Autoregressive models for capture-recapture data: a Bayesian approach. *Biometrics* 59:341-350.
- JOHNSON, R. G., AND S. A. TEMPLE. 1990. Nest predation and brood parasitism of tallgrass prairie birds. *Journal of Wildlife Management* 54:106-111.
- KALBFLEISCH, J. D., AND R. L. PRENTICE. 1980. *The statistical analysis of failure time data*. Wiley, New York, NY.
- KAPLAN, E. L., AND P. MEIER. 1958. Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association* 53:457-481.
- KASS, R. E., B. P. CARLIN, A. GELMAN, AND R. M. NEAL. 1998. Markov chain Monte Carlo in practice: a roundtable discussion. *American Statistician* 52: 93-100.
- KASS, R. E., AND A. E. RAFTERY. 1995. Bayes factors. *Journal of the American Statistical Association* 90:773-795.
- KILGO, J. C., R. A. SARGENT, B. R. CHAPMAN, AND K. V. MILLER. 1998. Effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods. *Journal of Wildlife Management* 62:72-83.
- KIM, D. K. 1997. Regression analysis of interval-censored survival data with covariates using log-linear models. *Biometrics* 53:1274-1283.
- KLETT, A. T., H. F. DUEBBERT, C. A. FAANES, AND K. F. HIGGINS. 1986. Techniques for studying nest success of ducks in upland habitats in the prairie

- pothole region. Resource Publication 158. USDI Fish and Wildlife Service, Washington, DC. <<http://www.npwrc.usgs.gov/resource/tools/nest/nest.htm>> (20 March 2006).
- KLETT, A. T., AND D. H. JOHNSON. 1982. Variability in nest survival rates and implications to nesting studies. *Auk* 99:77-87.
- KNETTER, J. M., R. S. LUTZ, J. R. CARY, AND R. K. MURPHY. 2002. A multi-scale investigation of Piping Plover productivity on Great Plains alkali lakes, 1994-2000. *Wildlife Society Bulletin* 30:683-694.
- KNIGHT, R. L., S. KIM, AND S. A. TEMPLE. 1985. Predation of Red-winged Blackbird nests by mink. *Condor* 87:304-305.
- KNUTSON, M. G., J. P. HOOVER, AND E. E. KLAAS. 1996. The importance of floodplain forests in the conservation and management of neotropical migratory birds in the Midwest. Pp. 168-188 in F. R. THOMPSON (editor). Management of midwestern landscapes for the conservation of neotropical migratory birds. USDA Forest Service General Technical Report NC-GTR-187. USDA Forest Service, North Central Research Station, St. Paul, MN.
- KNUTSON, M. G., AND E. E. KLAAS. 1997. Declines in abundance and species richness of birds following a major flood on the upper Mississippi River. *Auk* 114:367-380.
- KNUTSON, M. G., G. J. NIEMI, W. E. NEWTON, AND M. A. FRIBERG. 2004. Avian nest success in midwestern forests fragmented by agriculture. *Condor* 106:116-130.
- KNUTSON, M. G., L. A. POWELL, M. A. FRIBERG, G. J. NIEMI, AND R. K. HINES. 2006. An assessment of bird habitat quality using population growth rates. *Condor* 108:301-314.
- KORSCHGEN, C. E., K. P. KENOW, W. L. GREEN, D. H. JOHNSON, M. D. SAMUEL, AND L. SILEO. 1996. Survival of radiomarked Canvasback ducklings in northwestern Minnesota. *Journal of Wildlife Management* 60:120-132.
- LAIRD, N., AND D. OLIVER. 1980. Covariance analysis of censored survival data using log-linear analysis techniques. *Journal of the American Statistical Association* 86:899-909.
- LAWLESS, J. F. 1982. Statistical models and methods for lifetime data. Wiley, NY.
- LE CESSIE, S., AND J. C. VAN HOUWELINGEN. 1991. A goodness-of-fit test for binary regression models, based on smoothing methods. *Biometrics* 47:1267-1282.
- LEBRETON, J. D., K. P. BURNHAM, J. COLBERT, AND D. R. ANDERSON. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* 62:67-118.
- LEE, Y., AND J. A. NELDER. 2000. Two ways of modeling overdispersion in non-normal data. *Journal of the Royal Statistical Society Series C-Applied Statistics* 49:591-598.
- LELE, S., AND M. L. TAPER. 2002. A composite likelihood approach to estimation of (co)variance components. *Journal of Statistical Planning and Inference* 103:117-135.
- LIEBEZEIT, J. R., AND T. L. GEORGE. 2002. Nest predators, nest-site selection, and nesting success for the Dusky Flycatcher in a managed ponderosa pine forest. *Condor* 104:507-517.
- LINDGREN, B. W. 1976. Statistical theory. 3rd ed. MacMillan Publishing Co., Inc. New York, NY.
- LINDSEY, J. C., AND L. M. RYAN. 1998. Tutorial in biostatistics: methods for interval-censored data. *Statistics in Medicine* 17:219-238.
- LINK, C. L. 1984. Confidence intervals for the survival function using Cox's proportional hazards model with covariates. *Biometrics* 40:601-609.
- LINK, W. A., E. CAM, J. D. NICHOLS, AND E. G. COOCH. 2002. Of BUGS and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research. *Journal of Wildlife Management* 66:277-291.
- LITTELL, R. C., G. A. MILLIKEN, W. W. STROUP, AND R. D. WOLFINGER. 1996. SAS system for mixed models. SAS Institute Inc., Cary, NC.
- LLOYD, J. D., AND T. E. MARTIN. 2005. Reproductive success of Chestnut-collared Longspurs in native and exotic grassland. *Condor* 107:363-374.
- LLOYD, P., T. E. MARTIN, R. L. REDMOND, U. LANGNER, AND M. M. HART. 2005. Linking demographic effects of habitat fragmentation across landscapes to continental source-sink dynamics. *Ecological Applications* 15:1504-1514.
- LOKEMOEN, J. T., AND R. R. KOFORD. 1996. Using candlers to determine the incubation stage of passerine eggs. *Journal of Field Ornithology* 67:660-668.
- LONGFORD, N. T. 1993. Random coefficient models. Clarendon Press, Oxford, UK.
- LUDWIG, D. 1996. Uncertainty and the assessment of extinction probabilities. *Ecological Applications* 6:1067-1076.
- LUNN, D. J., A. THOMAS, N. BEST, AND D. SPIEGELHALTER. 2000. WinBUGS—a Bayesian modeling framework: concepts, structure, and extensibility. *Statistics and Computing* 10:325-337.
- LYNDEN-BELL, D. 1971. A method of allowing for known observational selection in small samples applied to 3CR quasars. *Monthly Notices of the Royal Astronomy Society* 155:95-118.
- MABEE, T. J. 1997. Using eggshell evidence to determine nest fate of shorebirds. *Wilson Bulletin* 109:307-313.
- MANLY, B. F. J., AND J. A. SCHMUTZ. 2001. Estimation of brood and nest survival: comparative methods in the presence of heterogeneity. *Journal of Wildlife Management* 65:258-270.
- MANOLIS, J. C., D. E. ANDERSEN, AND F. J. CUTHBERT. 2000. Uncertain nest fates in songbird studies and variation in Mayfield estimation. *Auk* 117:615-626.

- MARTIN, T. E. 1993. Nest predation among vegetation layers and habitat types: revising the dogmas. *American Naturalist* 141:897-913.
- MARTIN, T. E. 1998. Are microhabitat preferences of coexisting species under selection and adaptive? *Ecology* 79:656-670.
- MARTIN, T. E., AND G. R. GEUPEL. 1993. Nest-monitoring plots: methods for locating nests and monitoring success. *Journal of Field Ornithology* 64:507-519.
- MARTIN, T. E., AND J. J. ROPER. 1988. Nest predation and nest-site selection of a western population of the Hermit Thrush. *Condor* 90:51-57.
- MARTIN, T. E., AND S. J. MENGE. 2000. Nest predation increases with parental activity: separating nest site and parental activity effects. *Proceedings Royal Society London B* 267:2287-2293.
- MATHWORKS. 2004. MATLAB, Version 7.0, R14. The Mathworks, Inc., Natick, MA.
- MAYFIELD, H. 1960. The Kirtland's Warbler. Cranbrook Institute of Science, Bloomfield Hills, MI.
- MAYFIELD, H. 1961. Nesting success calculated from exposure. *Wilson Bulletin* 73:255-261.
- MAYFIELD, H. F. 1975. Suggestions for calculating nest success. *Wilson Bulletin* 87:456-466.
- McCULLAGH, P., AND J. A. NELDER. 1989. *Generalized linear models*, 2nd ed. Chapman and Hall, New York, NY.
- McGARIGAL, K., AND B. J. MARKS. 1995. FRAGSTATS: spatial pattern analysis program for quantifying landscape structure. USDA Forest Service General Technical Report PNW-GTR-351. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- McNAB, W. H., AND P. E. AVERS. 1994. Ecological subregions of the United States. USDA Forest Service WO-WSA-5. USDA Forest Service, Washington, DC. <<http://www.fs.fed.us/land/pubs/ecoregions/index.html>> (15 November 2006).
- McPHERSON, R. J., T. W. ARNOLD, L. M. ARMSTRONG, AND C. J. SCHWARZ. 2003. Estimating the nest-success rate and the number of nests initiated by radiomarked Mallards. *Journal of Wildlife Management* 67:843-851.
- MEIER, P., T. KARRISON, R. CHAPPELL, AND H. XIE. 2004. The price of Kaplan-Meier. *Journal of the American Statistical Association* 99:890-896.
- MILLER, H. W., AND D. H. JOHNSON. 1978. Interpreting the results of nesting studies. *Journal of Wildlife Management* 42:471-476.
- MILLER, R. G. JR. 1981. *Survival analysis*. Wiley, New York, NY.
- MILLER, R. G. JR. 1983. What price Kaplan-Meier? *Biometrics* 39:1077-1081.
- MOORE, R. P., AND W. D. ROBINSON. 2004. Artificial bird nests, external validity, and bias in ecological field studies. *Ecology* 85:1562-1567.
- MORRISON, M. L., W. M. BLOCK, M. D. STRICKLAND, AND W. L. KENDALL. 2001. *Wildlife study design*. Springer-Verlag, New York, NY.
- MORTON, M. L., K. W. SOCKMAN, AND L. E. PETERSON. 1993. Nest predation in the Mountain White-crowned Sparrow. *Condor* 95:72-82.
- MURPHY, M. T. 1983. Nest success and nesting habits of Eastern Kingbirds and other flycatchers. *Condor* 85:208-219.
- MURPHY, M. T., C. L. CUMMINGS, AND M. S. PALMER. 1977. Comparative analysis of habitat selection, nest site and nest success by Cedar Waxwings (*Bombycilla cedrorum*) and Eastern Kingbirds (*Tyrannus tyrannus*). *American Midland Naturalist* 138:344-356.
- NATARAJAN, R., AND C. E. McCULLOCH. 1999. Modeling heterogeneity in nest survival data. *Biometrics* 55: 553-559.
- NATIONAL CLIMATIC DATA CENTER. 2003. Climatological data, Texas: March-July. National Oceanic and Atmospheric Administration. <<http://www.ncdc.noaa.gov/oa/ncdc.html>> (6 November 2006).
- NATIONAL CLIMATIC DATA CENTER. 2004. Climatological data, Texas: March-July. National Oceanic and Atmospheric Administration. <<http://www.ncdc.noaa.gov/oa/ncdc.html>> (6 November 2006).
- NICHOLS, J. D., H. F. PERCIVAL, R. A. COON, M. J. CONROY, G. L. HENSLEY, AND J. E. HINES. 1984. Observer visitation frequency and success of Mourning Dove nests: a field experiment. *Auk* 101:398-402.
- NISBET, I. C. T., K. J. WILSON, AND W. A. BROAD. 1978. Common Terns raise young after death of their mates. *Condor* 80:106-109.
- NUR, N., A. L. HOLMES, AND G. R. GEUPEL. 2004. Use of survival time analysis to analyze nesting success in birds: an example using Loggerhead Shrikes. *Condor* 106:457-471.
- OAKES, D. 1972. Discussion of the paper by D. R. Cox. *Journal of the Royal Statistical Society, Series B* 34:208.
- OWENS, T., AND K. D. HOP. 1995. Long term resource monitoring program standard operating procedures: photointerpretation. LTRMP 95-P008-1. (NTIS # PB95-264610) National Biological Service, Environmental Management Technical Center, Onalaska, WI.
- PAGE, G. W., J. S. WARRINER, J. C. WARRINER, AND P. W. C. PATON. 1995. Snowy Plover (*Charadrius alexandrinus*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 154. The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- PAGE, G. W., L. E. STENZEL, AND C. A. RIBIC. 1985. Nest site selection and clutch predation in the Snowy Plover. *Auk* 102:347-353.
- PAGE, G. W., D. W. WINKLER, AND C. W. SWARTH. 1983. Spacing out at Mono Lake: breeding success, nest density and predation in the Snowy Plover. *Auk* 100:13-24.
- PAN, W., AND R. CHAPPELL. 1999. A note on inconsistency of NPMLE of the distribution function from left truncated and case I interval censored data. *Lifetime Data Analysis* 5:281-291.

- PAN, W., AND R. CHAPPELL. 2002. Estimation in the Cox proportional hazards model with left-truncated and interval-censored data. *Biometrics* 58:64-70.
- PAN, Z., AND D. Y. LIN. 2005. Goodness-of-fit methods for generalized linear mixed models. *Biometrics* 61:1000-1009.
- PANKRATZ, V. S., M. DE ANDRADE, AND T. M. THERNEAU. 2005. Random-effects Cox proportional hazards model: general variance components methods for time-to-event data. *Genetic Epidemiology* 28: 97-109.
- PATON, P. W. C. 1995. Breeding biology of Snowy Plovers at Great Salt Lake, Utah. *Wilson Bulletin* 107:275-288.
- PEAK, R. G., F. R. THOMPSON III, AND T. L. SHAFFER. 2004. Factors affecting songbird nest survival in riparian forests in a midwestern agricultural landscape. *Auk* 121:726-737.
- PEAKALL, D. B. 1960. Nest records of the Yellowhammer. *Bird Study* 7:94-102.
- PESCADOR, M., AND S. PERIS. 2001. Effects of land use on nest predation: an experimental study in Spanish croplands. *Folia Zoologica* 50:127-136.
- PETTIT, L. J., AND D. K. PETTIT. 1996. Factors governing habitat selection by Prothonotary Warblers: field test of the Fretwell-Lucas models. *Ecological Monographs* 66:367-387.
- PIETZ, P. J., AND D. A. GRANFORS. 2000. Identifying predators and fates of grassland passerine nests using miniature video cameras. *Journal of Wildlife Management* 64:71-87.
- PINHEIRO, J. C., AND D. M. BATES. 2000. Mixed-effects models in S and S-plus. Springer-Verlag, New York, NY.
- POLLOCK, K. H., AND W. L. CORNELIUS. 1988. A distribution-free nest survival model. *Biometrics* 44: 397-404.
- POLLOCK, K. H., S. R. WINTERSTEIN, C. M. BUNCK, AND P. D. CURTIS. 1989. Survival analysis in telemetry studies: the staggered entry design. *Journal of Wildlife Management* 53:7-15.
- PRENTICE, R. L., AND L. A. GLOECKLER. 1978. Regression analysis of grouped survival data with application to breast cancer data. *Biometrics* 34:57-67.
- PURDUE, J. R. 1976. Thermal environment of the nest and related parental behavior in Snowy Plovers, *Charadrius alexandrinus*. *Condor* 78:180-185.
- RABE-HESKETH, S., A. SKRONDAL, AND A. PICKLES. 2002. Reliable estimation of generalized linear mixed models using adaptive quadrature. *Stata Journal* 2:1-21.
- RALPH, C. J., G. R. GEUPEL, P. PYLE, T. E. MARTIN, AND D. F. DESANTE. 1993. Handbook of field methods for monitoring landbirds. USDA Forest Service General Technical Report PSW-GTR-144. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.
- RECKHOW, K. H. 1990. Bayesian inference in non-replicated ecological studies. *Ecology* 71:2053-2059.
- REMES, V. 2005. Nest concealment and parental behaviour interact in affecting nest survival in the Blackcap (*Sylvia atricapilla*): an experimental evaluation of the parental compensation hypothesis. *Behavioral Ecology and Sociobiology* 58:326-332.
- RENNER, M., AND L. S. DAVIS. 2001. Survival analysis of Little Penguin *Eudyptula minor* chicks on Motuara Island, New Zealand. *Ibis* 143:369-379.
- RICKLEFS, R. E. 1969. An analysis of nesting mortality in birds. *Smithsonian Contributions in Zoology* No. 9. Washington, DC.
- ROBBINS, M. B. 1998. Display behavior of male Sprague's Pipits. *Wilson Bulletin* 110:435-438.
- ROBEL, R. J., J. N. BRIGGS, A. D. DAYTON, AND L. C. HULBERT. 1970. Relationships between visual obstruction measurements and weights of grassland vegetation. *Journal of Range Management* 23:295-298.
- ROBINSON, D. H., AND H. WAINER. 2002. On the past and future of null hypothesis significance testing. *Journal of Wildlife Management* 66:263-271.
- RODEWALD, A. D. 2002. Nest predation in forested regions: landscape and edge effects. *Journal of Wildlife Management* 66:634-640.
- RODEWALD, P. G., AND K. G. SMITH. 1998. Short-term effects of understory and overstory management on breeding birds in Arkansas oak-hickory forests. *Journal of Wildlife Management* 62: 1411-1417.
- RODRIGUEZ, G., AND N. GOLDMAN. 1995. An assessment of estimation procedures for multilevel models with binary responses. *Journal of the Royal Statistical Society A* 158:73-89.
- ROTELLA, J. J. 2005. Nest survival models. Chapter 14 in E. Cooch, and G. C. White (editors). *Program MARK: a gentle introduction*. 4th ed. <<http://www.warnerncr.colostate.edu/~gwhite/mark/mark.htm>> (15 November 2006).
- ROTELLA, J. J., S. J. DINSMORE, AND T. L. SHAFFER. 2004. Modeling nest-survival data: a comparison of recently developed methods that can be implemented in MARK and SAS. *Animal Biodiversity and Conservation* 27:187-205.
- ROTELLA, J. J., M. L. TAPER, AND A. J. HANSEN. 2000. Correcting nesting-success estimates for observer effects: maximum-likelihood estimates of daily survival rates with reduced bias. *Auk* 117:92-109.
- ROTELLA, J. J., M. L. TAPER, S. E. STEPHENS, AND M. L. LINDBERG. 2006. Code for extending methods for modeling heterogeneity in nest-survival data using generalized mixed models. Montana State University, Bozeman, MT. <<http://www.montana.edu/rotella/nestsurv>> (28 November 2006).
- ROTH, R. R. 1976. Spatial heterogeneity and bird species diversity. *Ecology* 57:773-782.
- ROYAMA, T. 1981. Evaluation of mortality factors in insect life table analysis. *Ecological Monographs* 51:495-505.

- RUPERT, J. R. 1997. The brood-rearing habitat, brood home range, and fecundity of the Snowy Plover (*Charadrius alexandrinus*) in coastal southern Texas. M.S. thesis, University of Texas-Pan American, Edinburg, TX.
- SAS INSTITUTE INC. 2004. SAS onlinedoc 9.1.2. SAS Institute Inc., Cary, NC. <<http://support.sas.com/onlinedoc/912/docMainpage.jsp>> (12 January 2007).
- SAUER, J. R., AND B. K. WILLIAMS. 1989. Generalized procedures for testing hypotheses about survival or recovery rates. *Journal of Wildlife Management* 53:137-142.
- SAWIN, R. S., M. W. LUTMAN, G. M. LINZ, AND W. J. BLEIER. 2003. Predators on Red-winged Blackbird nests in eastern North Dakota. *Journal of Field Ornithology* 74:288-292.
- SCHMIDT, K. A., AND C. J. WHELAN. 1999. Nest placement and mortality: a random event in space and time. *Condor* 101:916-920.
- SCOTT, J. M., F. DAVIS, B. CSUTI, R. NOSS, B. BUTTERFIELD, C. GROVES, H. ANDERSON, S. CAICCO, F. D'ERCHIA, T. C. EDWARDS, JR., J. ULLIMAN, AND R. G. WRIGHT. 1993. Gap analysis: a geographic approach to protection of biological diversity. *Wildlife Monographs* 123:1-41.
- SEARCY, W. A., AND J. YASUKAWA. 1995. Polygyny and sexual selection in Red-winged Blackbirds. Princeton University Press, Princeton, NJ.
- SEBER, G. A. F. 1982. The estimation of animal abundance and related parameters. 2nd ed. Macmillan, New York, NY.
- SEDINGER, J. S. 1990. Effects of visiting Black Brant nests on egg and nest survival. *Journal of Wildlife Management* 54:437-443.
- SERVICE, P. M. 2000. Heterogeneity in individual mortality risk and its importance for evolutionary studies of senescence. *American Naturalist* 156:1-13.
- SHAFFER, T. L. 2004a. A unified approach to analyzing nest success. *Auk* 121:526-540.
- SHAFFER, T. L. 2004b. Logistic-exposure analyses of nest survival. Northern Prairie Wildlife Research Center, Jamestown, ND. <<http://www.npwrc.usgs.gov/resource/birds/nestsurv/index.htm>> (27 November 2006).
- SHOCHAT, E., M. A. PATTEN, D. W. MORRIS, D. L. REINKING, D. H. WOLFE, AND D. K. SHERROD. 2005a. Ecological traps in isodars: effects of tallgrass prairie management on bird nest success. *Oikos* 111:159-169.
- SHOCHAT, E., D. H. WOLFE, M. A. PATTEN, D. L. REINKING, AND S. K. SHERROD. 2005b. Tallgrass prairie management and bird nest success along roadsides. *Biological Conservation* 121:399-407.
- SIEPIELSKI, A. M., A. D. RODEWALD, AND R. H. YAHNER. 2001. Nest site selection and nesting success of the Red-eyed Vireo in central Pennsylvania. *Wilson Bulletin* 113:302-307.
- SILLETT, T. S., R. T. HOLMES, AND T. W. SHERRY. 2000. Impacts of a global climate cycle on population dynamics of a migratory songbird. *Science* 288:2040-2042.
- SIMPSON, E. H. 1951. The interpretation of interaction in contingency tables. *Journal of the Royal Statistical Society, Series B* 13:238-241.
- SNEE, R. D. 1977. Validation of regression models: methods and examples. *Technometrics* 19:415-428.
- SNIJEDERS, T. A. B., AND R. J. BOSKER. 1999. Multilevel analysis: an introduction to basic and advanced multilevel modeling. Sage Publications, London, UK.
- SNOW, D. W. 1955. The breeding of Blackbird, Song Thrush and Mistle Thrush in Great Britain, Part III. nesting success. *Bird Study* 2:169-178.
- SPIEGELHALTER, D. J., A. THOMAS, N. G. BEST, AND W. R. GILKS. 1995. BUGS: Bayesian inference using Gibbs Sampling. MRC Biostatistics Unit and Imperial College of Science, Technology and Medicine, Cambridge, UK.
- STANLEY, T. R. 2000. Modeling and estimation of stage-specific daily survival probabilities of nests. *Ecology* 81:2048-2053.
- STANLEY, T. R. 2004a. Estimating stage-specific daily survival probabilities of nests when nest age is unknown. *Auk* 121:134-147.
- STANLEY, T. R. 2004b. When should Mayfield model data be discarded? *Wilson Bulletin* 116:267-269.
- STEPHENS, S. E. 2003. The influence of landscape characteristics on duck nesting success in the Missouri Coteau Region of North Dakota. Ph.D. dissertation, Montana State University, Bozeman, MT.
- STEPHENS, S. E., D. N. KOONS, J. J. ROTELLA, AND D. W. WILLEY. 2004. Effects of habitat fragmentation on avian nesting success: a review of the evidence at multiple spatial scales. *Biological Conservation* 115:101-110.
- STEPHENS, S. E., J. J. ROTELLA, M. S. LINDBERG, M. L. TAPER, AND J. K. RINGELMAN. 2005. Duck nest survival in the Missouri Coteau of North Dakota: landscape effects at multiple spatial scales. *Ecological Applications* 15:2137-2149.
- STERN, M. A., K. A. KRISTENSEN, AND J. F. MORAWSKI. 1990. Investigations of Snowy Plovers at Albert Lake, Lake Co., Oregon. The Nature Conservancy, Portland, OR.
- STURDIVANT, R. X. 2005. Goodness-of-fit in hierarchical logistic regression models. Ph.D. dissertation, University of Massachusetts, Amherst, MA.
- STURDIVANT, R. X., AND D. W. HOSMER. In press. A smoothed residual based goodness-of-fit statistic for logistic hierarchical regression models. *Computational Statistics and Data Analysis*.
- STURDIVANT, R. X., J. J. ROTELLA, AND R. E. RUSSELL. 2006. Code for a smoothed residual based goodness-of-fit statistic for nest-survival models. Montana State University, Bozeman, MT. <<http://www.montana.edu/rotella/nestsurv/>> (30 November 2006).

- SUTTER, G. C. 1997. Nest-site selection and nest-entrance orientation in Sprague's Pipit. *Wilson Bulletin* 109:462-469.
- TAPER, M. L., AND S. R. LELE. 2004. The nature of scientific evidence: a forward-looking synthesis. Pp. 527-551 in M. L. Taper, and S. R. Lele (editors). *The Nature of Scientific Evidence: Empirical, Statistical, and Philosophical Considerations*. University of Chicago Press, Chicago, IL.
- TEWKSBURY, J. J., L. GARNER, S. GARNER, J. D. LLOYD, V. SAAB, AND T. E. MARTIN. 2006. Tests of landscape influence: nest predation and brood parasitism in fragmented ecosystems. *Ecology* 87:759-768.
- THERNEAU, T. M., AND P. M. GRAMBSCH. 2000. *Modeling survival data: extending the Cox model*. Springer, New York, NY.
- THOMPSON, F. R., III. 1994. Temporal and spatial patterns of breeding Brown-headed Cowbirds in the midwestern United States. *Auk* 111:979-990.
- THOMPSON, F. R., AND D. E. BURHANS. 2004. Differences in predators of artificial and real songbird nests: evidence of bias in artificial nest studies. *Conservation Biology* 18:373-380.
- THOMPSON, F. R., III, S. K. ROBINSON, T. M. DONOVAN, J. R. FAABORG, D. R. WHITEHEAD, AND D. R. LARSEN. 2000. Biogeographic, landscape, and local factors affecting cowbird abundance and host parasitism levels. Pp. 271-279 in J. N. M. SMITH, T. L. COOK, S. I. ROTHSTEIN, S. K. ROBINSON, and S. G. SEALY (editors). *Ecology and management of cowbirds and their hosts*. University of Texas Press, Austin, TX.
- THOMPSON, W. A. 1977. On the treatment of grouped observations in life studies. *Biometrics* 33: 463-470.
- TOMKINS, I. R. 1965. Wilson's Plover: some egg weights. *Oriole* 30:67-68.
- TOWNSEND, G. H. 1966. A study of waterfowl nesting on the Saskatchewan River delta. *Canadian Field-Naturalist* 80:74-88.
- TRENT, T. T., AND O. J. RONGSTAD. 1974. Home range and survival of cottontail rabbits in southwestern Wisconsin. *Journal of Wildlife Management* 38: 459-472.
- TSAI, W. Y., N. P. JEWELL, AND M. C. WANG. 1987. A note on the product-limit estimator under right-censoring and left truncation. *Biometrika* 74: 883-886.
- TURNBULL, B. W. 1976. The empirical distribution function with arbitrarily grouped, censored and truncated data. *Journal of the Royal Statistical Society, Series B* 38:290-295.
- UNITED STATES ARMY CORPS OF ENGINEERS. 1990-1997. Forest inventory field data for Corps fee title lands of the Mississippi River 9-foot channel navigation project. U.S. Army Corps of Engineers, St. Paul District, La Crescent, MN.
- UNITED STATES DEPARTMENT OF THE INTERIOR. 1993. *Endangered and threatened wildlife and plants: determination of threatened status for the Pacific coast population of the western Snowy Plover*. Federal Register 58:12864-12874.
- VICKERY, P. D., M. L. HUNTER, AND J. V. WELLS, JR. 1992. Evidence of incidental nest predation and its effects on nests of threatened grassland birds. *Oikos* 63:281-288.
- VOUNATSOU, P., AND A. F. M. SMITH. 1995. Bayesian analysis of ring-recovery data via Markov chain Monte Carlo simulation. *Biometrics* 51:687-708.
- WADE, P. R. 2000. Bayesian methods in conservation biology. *Conservation Biology* 14:1308-1316.
- WALTERS, C., AND D. LUDWIG. 1994. Calculations of Bayes posterior probability distributions for key population parameters. *Canadian Journal of Fisheries and Aquatic Sciences* 51:713-722.
- WAND, M. P., AND M. C. JONES. 1995. *Kernel smoothing*. Chapman and Hall/CRC, Boca Raton, FL.
- WARRINER, J. S., J. C. WARRINER, G. W. PAGE, AND L. E. STENZEL. 1986. Mating system and reproductive success of a small population of polygamous Snowy Plovers. *Wilson Bulletin* 98:15-37.
- WEHTJE, W., AND T. BARON. 1993. Population size and breeding success of the Western Snowy Plover on San Nicholas Island, 1993. Western Foundation for Vertebrate Zoology, Camarillo, CA.
- WEIDINGER, K. 2002. Interactive effects of concealment, parental behaviour and predators on the survival of open passerine nests. *Journal of Animal Ecology* 71:424-437.
- WELLER, M. W. 1956. A simple field candler for waterfowl eggs. *Journal of Wildlife Management* 20: 111-113.
- WESTERSKOV, K. 1950. Methods for determining the age of game bird eggs. *Journal of Wildlife Management* 14:56-67.
- WESTERKOV, K. 1956. Age determination and dating nesting events in the Willow Ptarmigan. *Journal of Wildlife Management* 20:274-279.
- WHITE, G. C. 2005. Program MARK. Mark and recapture survival rate estimation. (Version 4.2). <<http://www.warnercnr.colostate.edu/~gwhite/mark/mark.htm>> (15 November 2006).
- WHITE, G. C., AND K. P. BURNHAM. 1999. Program MARK: survival estimation from populations of marked animals. *Bird Study* 46 (Supplement):120-138.
- WILLIAMS, B. K., J. D. NICHOLS, AND M. J. CONROY. 2002. *Analysis and management of animal populations: modeling, estimation, and decision making*. Academic Press, San Diego, CA.
- WILLIS, E. O. 1973. Survival rates for visited and unvisited nests of Bicolored Antbirds. *Auk* 90:263-267.
- WILLIS, E. O. 1981. Precautions in calculating nest success. *Ibis* 123:204-207.
- WILSON, R. R., AND R. J. COOPER. 1998. Acadian Flycatcher nest placement: does placement influence reproductive success? *Condor* 100:673-679.
- WILSON-JACOBS, R., AND E. C. MESLOW. 1984. Distribution, abundance, and nesting characteristics of Snowy

- Plovers on the Oregon Coast. *Northwest Scientist* 58:40-48.
- WINTER, M. 1999. Nesting biology of Dickcissels and Henslow's Sparrows in southwestern Missouri prairie fragments. *Wilson Bulletin* 111:515-527.
- WINTER, M., S. E. HAWKS, J. A. SHAFFER, AND D. H. JOHNSON. 2003. Guidelines for finding nests of passerine birds in tallgrass prairie. *Prairie Naturalist* 35:197-211.
- WINTER, M., D. H. JOHNSON, AND J. A. SHAFFER. 2005a. Variability in vegetation effects on density and nesting success of grassland birds. *Journal of Wildlife Management* 69:185-197.
- WINTER, M., D. H. JOHNSON, J. A. SHAFFER, AND W. D. SVEDARSKY. 2004. Nesting biology of three grassland passerines in the northern tallgrass prairie. *Wilson Bulletin* 116:211-223.
- WINTER, M., J. A. SHAFFER, D. H. JOHNSON, T. M. DONOVAN, W. D. SVEDARSKY, P.W. JONES, AND B. R. EULISS. 2005b. Habitat and nesting of LeConte's Sparrows in the northern tallgrass prairie. *Journal of Field Ornithology* 76:61-71.
- WINTON, B. R., D. M. LESLIE, JR., AND J. R. RUPERT. 2000. Breeding ecology and management of Snowy Plovers in north-central Oklahoma. *Journal of Field Ornithology* 71:573-584.
- WOLFINGER, R. D., AND M. O'CONNELL. 1993. Generalized linear mixed models: a pseudo-likelihood approach. *Journal of Statistical Computation and Simulation* 48:233-243.
- WOLFSON, L. J., J. B. KADANE, AND M. J. SMALL. 1996. Bayesian environmental policy decisions: two case studies. *Ecological Applications* 6:1056-1066.
- WOODROOFE, M. 1985. Estimating the distribution function with truncated data. *Annals of Statistics* 13:163-177.
- YASUKAWA, J., AND W. A. SEARCY. 1995. Red-winged Blackbird (*Agelaius phoeniceus*). In A. Poole, and F. Gill, editors. *The birds of North America*, No. 184. The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.