The Reports
Spring Migration
1 March - 31 May
1980
Tom Bartlett

## Common Loon

Early: 3/12 Alum Creek Res. (Delaware Co.) (BP) and 3/28 C.J. Brown Res. (Clark Co.) (VF); Seemed to be a movement into the state on 3/29-30 as many were reported over these dates; Peak: 17 on 4/20 at C.J. Brown Res. (DO); Late: 5/31 an immature bird still at Findlay Res. (Hancock Co.) (TB).

## Red-throated Loon

4/3 Lake Rockwell (Portage Co.) (changing plumage) (EE, LR, CEP).

## Red-necked Grebe

3/11 Lorain (\*JP).

# Horned Grebe

Early: 3/16 C.J. Brown Res. (DO), 3/16 Stages Pond (Pickaway Co.) (BP), and 3/21 Crane Creek S.P. (Ottawa Co.) (TP); Seemed to be a movement statewide from 3/25 - 3/29; Peaks: 35 (BP); Late: 5/31 at Wellington Res. (Lorain Co.) (JP).

## Pied-billed Grebe

Early: 3/12 Lorain (JP), 3/12 Lake Rockwell (EE), and 3/12 Pickerington Pond (Franklin Co.) (JF); Peak: 11 at Clark Lake (Clark Co.) 5/3 (DO).

#### Double-crested Cormorant

Early: 3/26 East Harbor (Ottawa Co.) (JP); There were 9 reports from along Lake Erie between 4/2 - 4/22 and one from C.J. Brown Res. 4/19 (VF); One was reported from the Dayton area but no date given. Peak: 24 4/13 at Hudson (Summit Co.) (LR), 14 4/19 at Mentor Headlands (Lake Co.) (DJH, RH); Late: 5/11 3 at Sandusky Bay (Ottawa Co.) (JP).

## Green Heron

Several reports feel that this bird is declining. Keep an eye on it.

#### Little Blue Heron

4/6 Lexington (Richland Co.) (\*JHr), 4/17 Old Woman Creek (Erie Co.) (JP), 5/9 - 5/18 2 at Ottawa National Wildlife Refuge (Ottawa Co.) (\*m. ob.).

# Cattle Egret

Only reports were from the Ottawa N.W.R. area: Early: 4/27 (MS); Peak: 5/13 34 (TB).

## Snowy Egret

5/8 - 5/26 Ottawa NWR (\*m. ob.)

# Yellow-crowned Night Heron

3/14 Hueston Woods S.P. (Butler Co.) 2 birds (TP), 5/9 John Bryan S.P. (Greene Co.) 3 birds (VF), 5/20 Franklin Co. (JF, JP), 5/18-31 Rocky River (Cuyahoga Co.) (WNK).

## Least Bittern

5/11 Celotex Marsh (Ottawa Co.) (JP), 5/18 Lake Rockwell (LR), 5/17-31 Toussaint Marsh (Ottawa Co.) (m.ob.).

## American Bittern

There were 16 reports: 2 Cleveland area, 2 Akron area, 3 Columbus area, 3 Toledo area, and 6 Dayton-Springfield area. Early: 2/21 on the ice at Crane Creek (MS); Late: 5/30 Clark Lake (DO, SB).

Plegadis spp.

2 were observed during the week of 5/9 at Crane Creek by many observers but no one could get close enough to identify them as Glossy or White-faced Ibis and both have been collected in Ohio. (\*KJ).

Mute Swan

3/2-14 Lorain (m.ob.), 3/16 Fremont (Sandusky Co.) (TB), and 5/3-17 Crystal Lake (Summit Co.) (LR).

Whistling Swan

Early: 2/12 Crane Creek (MS) and 2/20 Seneca Co. (TB); Peak: 200-400 Funk (Wayne Co.) (JHr, VDK, BP), 240 Wooster area (Wayne Co.) (JB), 200+ Pymatuning (Ashtabula Co.) (VF); Late: 4/19 Mentor Marsh (Lake Co.) (DJH, RH).

Greater White-fronted Geese

3/23-27 Funk (34 birds) (\*EE, \*JHr, JB, CEP).

Snow Geese

3/16-21 up to 22 (mostly blue phase) at Funk (m.ob.), 3/15 Hoover Res. (Delaware Co.) (BP), 3/19 61 at Ottawa NWR (JP), 3/26 29 at Crane Creek (KJ) 3/21-30 St. Mary's (Mercer Co.) (TP).

Mallard

3/15 C.J. Brown Res. 1000 (D0), 3/23 Funk 1000 (JB), 4/5 Ottawa Co. 1000 (VF), 3/6 Walden Pond 574 (JF).

Black Duck

3/6 Walden Pond 755 (JF), 3/15 C.J. Brown Res. 500 (DO) and Castalia (Erie Co.) 250 (VF), 4/3 Funk 218 (JB).

Gadwa11

3/22 Walden Pond 30+ (JF), 3/31 Medusa Marsh 100 (BP), 4/4 Funk 30+ (VF), 4/5 Crane Creek 100 (VF), 5/17 Crane Creek 60+ (DJH).

Pintail

3/15 Funk 3000 (JB), 3/15 C.J. Brown Res. 400 (DO) 4/5 Crane Creek 250 (VF).

Green-winged Teal

4/4 Funk 20+ (VF), no large numbers elsewhere.

Blue-winged Teal

4/4 Funk 150 (VF), 4/5 Ottawa NWR 100 (VF), 4/17 Medusa Marsh 150 (JP).

Cinnamon Teal

5/11 Crane Creek (3rd state record) (\*KJ, \*VF, m. ob.).

American Wigeon

3/15 Funk 250 (JB), 3/31 Medusa Marsh 400 (BP), 4/5 Crane Creek 250 (VF).

European Wigeon

4/6 Toussaint Marsh (male) (\*JP).

## Northern Shoveler

Early: 2/28 Ottawa NWR (MS), 3/7 Crane Creek (MS, KJ), 3/12 Pickerington Pond (JF); Peak: 350 Ottawa NWR (VF).

#### Wood Duck

Early: 3/8 Funk (BP) and 3/9 Cleveland Hts. (DJH).

#### Redhead

Peaks: 500+ Lorain 3/2 (VF), 317 Cleveland 3/15 (WNK), 250 Funk 3/16 (JB), 723 Hueston Woods 3/16 (JI); Late: 5/26 Little Cedar Pt. NWR (Lucas Co.) (8) (BP) and 5/29 Medusa Marsh (JP).

## Ring-necked Duck

Peaks: 710 Hueston Woods 3/16 (JI) and 1000-2000 Wooster-Funk area 3/22-23 (JB, BP); Late: 5/15 Stages Pond (BP), 5/17 Tar Hollow S.P. (Ross Co.) (BP) and 5/30 Clark Lake (Clark Co.) (SB).

## Tufted Duck

3/3-14 Lorain, 1st state record, (\*JP, m. ob.).

#### Canvasback

Peaks: 120 Lorain, 3/1 (JP), 800 Lorain 3/2 (VF), 300 Cleveland 3/15 (WNK), 600 Funk 3/22 (BP); Late: 5/3 Clark Co. (SB) and 5/4 Medusa Marsh (JP) and Ottawa N.WR. (BP).

## Greater Scaup

Peaks: 2000 Lorain 3/1-2 (VF), (JP), 100 Cleveland 3/29 (DJH); and inland 3/14 Hueston Woods (JI), 4/17 Walden Pond (JF); Late: 5/1 Lorain (JP).

## Lesser Scaup

Peaks: 30+ Hueston Woods 3/16 (JI), 4800 Lorain 3/31 (JP), 1000 Findlay Res. 4/2 (BP), 900 Beavercreek Res. (Seneca Co.) 4/2 (TB) and 359 Cleveland (Cuyahoga County) 4/5 (WNK).

## Common Goldeneye

Peaks: 1500 Lorain 3/2 (DJH, VF) and 83 Walden Pond 3/10(JF); Late: 4/12 Knox Lake (Knox Co.) (BP), 4/21 Lake Rockwell (LR) and 4/25 Lorain (JP).

# Bufflehead

Peak: 80 Ottawa NWR 4/5 (VF); Late: 5/4 Ottawa NWR (BP), 5/9 Wellington Res. (Lorain Co.) (JP) and 5/10 Baybridge (Erie Co.) (2 females) (TB).

## 01dsquaw

3/2 Lorain (JP), 3/12 Lorain (JP), 3/25 Oberlin Res. (Lorain Co.) (JP), 4/2 Lorain (JP), 4/5-11 Cleveland (DJH, WNK), 4/12 Pleasant Hill Res. (Ashland and Richland Co.) (5) (BP), 4/19 Kiser Lake (Champaign Co.) (male and female) (VF).

# Harlequin Duck

5/2 Lorain (female, \*JP).

## King Eider

4/6 Bay View (Lorain Co.) (\*JP, et al).

## White-winged Scoter

Up to 4 at Lorain from 3/3 to 4/23 (JP, CEP), 4/21 Bay Point (Lorain Co.) (5) (JP), 4/12 Pleasant Hill Res. (8) (BP) and Knox Lake (2) (BP).

Surf Scoter

5/9 Oberlin Res. (2 immatures or female) (JP).

Black Scoter

3/1 - 5/3 Lorain (up to 2) (JP).

Ruddy Duck

Early: 3/2 Lorain (DJH) and 3/22 Hueston Woods (JI); Peaks: 80 Lorain 4/18 (JP), 60 Clark Co. 4/12 (VF), 48 Cleveland 4/11 (WNK); present in several areas to end of season.

Hooded Merganser

Early: 3/2 Lorain (DJH), 3/8 C.J. Brown Res. (DO), 3/9 Walden Pond (JF) and 3/14 Crane Creek (MS); Late: 5/26 Crane Creek (BP) and 5/29 Ottawa NWR (JP).

Common Merganser

Early (inland): 3/9 C.J. Brown Res. (10) (D0), Walden Pond (JF), 3/16 Hueston Woods (JI), 3/10 Walden Pond (20) (JF); Peak: 1300 Lorain 3/1 (JP), 5000 Lorain (VF), 1000 Crane Creek (MS). Late: 5/3 C.J. Brown Reservoir (SB).

Red-breasted Merganser

Early (inland): 3/14 Hueston Woods (JI) and 4/19 C.J. Brown Res. (286) (VF); Peaks: 12000 Lorain 4/4 (JP), 3800 Ottawa NWR 4/5 (VF) and 2600 Cleveland 4/16 (WNK); There were a number of reports of birds in central and southern part of the state between 5/11-17.

Turkey Vulture

Early: 3/1 Richland Co. (SM), 3/12 Seneca Co. (TB), 3/14 Hueston Woods (JI), 3/15 Walden Pond (JF), 3/15 Holmes Co. (VDK), 3/16 Lorain (JP, EE) and 3/16 Rocky River area (WNK); Large movements at Crane Creek the weekend of 4/5-6, 270 reported 4/5 (VF).

Black Vulture

3/9 Clear Fork Valley (Ashland Co.) (BSt), 3/16 Clear Creek (Fairfield Co.) (JC), 3/22 Hamilton Co. (fide VF).

Hawks

There were large movements at Crane Creek/Ottawa NWR 3/10 and 4/5-6. Fair numbers of Redtails, Red-shoulders, Rough-legs, Sharp-skins, and Marsh Hawks. Also a few Bald eagles. Numbers were down for Cooper's and Broad-wings.

Goshawk

3/1-16 Lorain (JP).

Bald Eagle

2/29 West Carrolton (Montgomery Co.) (adult) (fide CM), 3/15 Wooster area (JB), 3/16 Milan (Erie Co.) (immature) (BSt), 3/25 Clear Fork (immature) (SM), 4/11 Funk (immature) (VDK, JB), 4/5 Ottawa Co. (6 adults, 3 probable residents) (TB).

Golden Eagle

4/5 Lorain (\*JP), 4/17 Ottawa NWR (immature)(\*JP), 4/28 Columbus (Franklin Co.) (2 adult, 1?) (\*BP).

Osprey

Over 30 sightings statewide. Dayton-Springfield area had 13 and Columbus 7.

Peregrine Falcon

3/23 Chesterville (female or immature) (Morrow Co.) (VF), 3/27 Lorain (JP),

4/1 Ottawa NWR (2) (MS), 4/2 Crane Creek (JP), 4/26 Highland Co. (fide VF), 5/11 Sheldon's Marsh (Erie Co.) (JF), 5/20 Crane Creek (JP).

Merlin

3/10 Lorain (\*JP), 4/3 Lorain (JP).

Ruffed Grouse

3/28 Aurora (EE). Normal in south and central areas.

Bobwhite

Seems to be doing well in the south. Keep an eye on central and northern populations.

Ring-necked Pheasant

Watch population in all areas, need more reports.

Turkey

3/30 Hocking Co. (KJ), 4/6 Tar Hollow (5) (BP), 4/20 Pike S.F. (Pike Co.) (MNN).

King Rail

5/8 Ottawa NWR (MS), 5/10 Ottawa NWR (VF), 5/11 Little Cedar Pt. NWR (VF), 5/11 Toussaint Marsh (BP), 5/26 Little Cedar Pt. NWR (2) (BP), 5/29 Toussaint Marsh (JP).

Virginia Rail

Early: 3/28 Lake Rockwell (LR), 4/4 Dayton area (BB, CM), 4/15 Mansfield airport (Richland Co.) (SM), 4/16 Crane Creek (MS), and 4/19 Mentor Marsh (7) (DJH).

Sora

Early: 4/1 Lorain (JP), 4/13 Dayton area (SB, JH), 4/16 Crane Creek (MS) and 4/19 Mentor Marsh (7) (DJH).

Yellow Rail

4/20 Spring Valley W.A. (BH), 5/7 Irwin Prairie (Lucas Co.) (several days) (Tom Kemp, et al).

Black Rail

4/4 Lake Rockwell (\*LR), 4/11 Dayton area (\*fide CM).

Purple Gallinule

4/18 Lorain (\*JP). A second bird that was injured was recovered by Lorain police on 4/18.

Common Gallinule

Early: 4/14 Crane Creek (MS), 4/17 Medusa Marsh (JP), 4/19 Mentor Marsh (DJH) and C.J. Brown Res. (VF) and 4/20 Killbuck Marsh (Wayne-Holmes Co.) (SM).

American Coot

Early: 3/4 Wayne Co. (VDK), 3/8 Richland Co. (SM), 3/9 Cleveland (WNK) and C.J. Brown Res. (DO) and 4/14 Spring Valley (Montgomery Co.) (1100+) (VF).

American Avocet

5/4 Fairfield Co. (MT) (17), 5/11 Sandusky Bay (JP).

American Golden Plover

Numbers and sightings are down. Only 8 reports from 4/17 to 5/18. High: 46 Wyandot Co. 5/4 (BP). Late: 5/18 Ottawa NWR (LR).

#### Black-bellied Plover

Normal migration; Reports from 4/25 Crane Creek (MS) to 5/24 Ottawa NWR (TB). High: 35 Little Cedar Pt. NWR (BP).

# Semipalmated Plover

Early: 5/4 Ottawa NWR (JP), 5/8 Pickerington Pond (JC), 5/10 Huron (JF, TB) and 5/11 Cleveland (DJH); High: 175 Ottawa NWR (BP).

#### Killdeer

Early: 2/19 Holmes Co. (VDK), 2/25 Marietta (LB), 3/1 C.J. Brown Res. and Clark Lake (DO), 3/8 Pickerington Pond (JC), 3/9 Lorain (JP) and 3/10 Crane Creek (MS).

## Ruddy Turnstone

Early: 5/10 Huron (Erie Co.) (JF) and Ottawa NWR (BS), and 5/11 Pickerington Pond (JC); Peak: 63 Little Cedar Pt. NWR 5/26 (BP).

## American Woodcock

Early: 3/10 Blendon Woods (Franklin Co.) (JF), 3/15 Crane Creek (VF) and Marietta (Washington Co.) (LB).

## Common Snipe

Early: 3/3 Dayton area (JHn), 3/10 Lorain (JP), and 3/16 Ottawa NWR (KJ, MS).

## Whimbrel

4/19 Grand Lake St. Mary's (LC).

# Upland Sandpiper

Early: 4/10 Pickaway Co. (KJ) and 4/12 Franklin Co. (m. ob.), Over 20 reports statewide. Doing well in Dayton area at Wright Patterson A.F. Base where as many as 8 were observed.

#### Spotted Sandpiper

Early 4/12 Pickerington Pond (JC), 4/19 C.J. Brown Res. (VF), 4/18 Crane Creek (MS), 4/21 Old Woman's Creek (JP), 4/27 Lake Rockwell (LR) and Cleveland Hts. (DJH).

## Solitary Sandpiper

Early: 4/4 Funk (VF), 4/18 Crane Creek (MS) and 4/20 Cleveland Hts. (DJH); Late: 4/19 Westerville (Delaware Co.) (BP).

#### Willet

5/6 Ottawa NWR (JP), 5/10 Ottawa NWR (TP, VF), 5/13 Ottawa NWR (TB), 5/14 Ottawa NWR (JP).

# Greater Yellowlegs

Early: 4/2 Ottawa NWR (JP, MS), 4/7 Pickerington Pond (JF), 4/11 Wayne Co. (VDK), 4/12 Funk (DJH) and 4/21 Cleveland (WNK); Late: 5/29 Medusa Marsh (JP).

#### Lesser Yellowlegs

Early: 3/16 Pickerington Pond (JC), 4/5 Ottawa NWR (VF, TB, MS) and 4/12 Funk (DJH); Peak: 125 Cleveland 4/22 (WNK); Late: 5/29 Medusa Marsh (JP).

## Red Knot

5/13 Ottawa NWR (TB), 5/17 Ottawa NWR (43) (BP, TB, CEP, DT), 5/18 Ottawa NWR (49) (LR), 5/20 Ottawa NWR (JP).

Pectoral Sandpiper

Early: 3/16 Pickerington Pond (JC), 3/23 Wooster area (Wayne Co.) (JB) and 3/27 Crane Creek (MS); Peaks: 250 Wayne Co. 4/11 (VDK) and 350+ Seneca Co. (TB).

White-rumped Sandpiper

5/11 Crawford Co. (5) (BP), 5/11 Ottawa Co. (JC, JF), 5/11 Medusa Marsh (JP), 5/13 Ottawa NWR (4) (TB), 5/17 Crawford Co. (2) (BP, TB, DT, CEP), 5/17 Ottawa NWR (7) (BP, TB, DT, CEP), 5/18 Little Cedar Pt. NWR (DJH).

Baird's Sandpiper

5/24 Ottawa NWR (4) (VF), (1) (JP), (no documentation, ed.).

Least Sandpiper

Early: 4/26 Pickerington Pond (JC), 4/30 Huron (JP) and 5/2 Crane Creek; Late: 5/29 Medusa Marsh (JP).

Dunlin

Early: 4/12 Crane Creek (JP), 4/20 Cleveland (DJH); Peak: 1200-3000 Ottawa NWR (BP, VF, JC); Late: 5/22 Mentor Headlands (DJH), 5/29 Medusa Marsh (JP) and 5/30 Ottawa NWR (JC).

Short-billed Dowitcher

4/7 Crane Creek (MS), 5/10 Crane Creek (20) (VF), 5/11 Ottawa NWR (200+) (BP), 5/12 Pickerington Pond (JF), 5/24 Ottawa NWR (TB, CEP, VF).

Long-billed Dowitcher

5/24 Ottawa NWR (\*TB, CEP).

Semipalmated Sandpiper

Early: 5/2 Crane Creek (MS), 5/9 Pickerington Pond (JC) and 5/10 Ottawa NWR (VF) and Huron (JF); Peaks: 100 Ottawa 5/24 and 5/31 (VF, JC).

Western Sandpiper

5/5 Scioto Co. (HK), 5/17 Crawford Co. (\*BP, TB, DT, CEP).

Marbled Godwit

4/26-27 Pickerington Pond (\*JF, \*JC), 4/28 Wright Road Pond (Franklin Co.) (HK), 5/9-11 Ottawa NWR (2) (m. ob.), 5/16-18 Ottawa NWR (m. ob.), 5/29 Medusa Marsh (JP).

Hudsonian Godwit

5/11 Little Cedar Pt. NWR (BP), 5/18 Ottawa NWR (LR, DJH).

Sanderling

5/11 Crane Creek (MS), 5/18 Crane Creek (LR, DJH), 5/24 Huron (JP).

Wilson's Phalarope

4/27 Clark Co. (VF), 5/7-31 Ottawa-Crane Creek (up to 4) (m. ob.), 5/13 Pickerington Pond (\*JC), 5/24 Cleveland (DJH).

Northern Phalarope

5/17 Crane Creek (5) (BP, TB, DT, CEP), 5/24 Sandusky Bay (2) (JP).

Glaucous Gull

3/1-7 Lorain (JP, DJH), 3/22-25 Lorain (JP).

# Iceland Gull

3/3 Lorain (JP), 3/9 Cleveland (WNK).

## Great Black-backed Gull

3/1 - 5/17 Lorain (max. 30) (JP, m. ob.), 3/2 Avon (Lorain Co.) (30) (VF), 3/9 Cleveland (WNK), 3/15 Cleveland (WNK), 5/10-18 Metzer Marsh (BSt, m. ob.), 5/3 Sheldon's Marsh (2) (TB).

# Lesser Black-backed Gull 3/26 Lorain (\*JP).

# Herring Gull

Early (inland): 3/8 Pickerington Pond (JC), 3/9 Lake Logan (Hocking Co.) (BSt), 3/13 Marietta (LB) and 3/16 Rocky Fork S.P. (Highland Co.) (MI) and C.J. Brown Res. (DO); Peaks: 3/1 Lorain 4500 (JP), 3/2 Lorain 12,000 (VF), Eastlake (Lake Co.) 5000 (VF), Cleveland 10,000 (VF) and 3/9 Cleveland 3000 (WNK).

# Ring-billed Gull

Early (inland): 3/1 C.J. Brown Res. (DO), 3/9 Lake Logan (BSt), 3/12 Wooster area (JB), 3/14 Hueston Woods (JI) and 3/15 Hoover Res. (HK); Peaks: 3/2 Lorain 16000 (JP), 5/17 Lorain 8000 (JP) and 5/31 Cleveland 1000 (DJH).

# Laughing Gull

4/9 Alum Creek Res. (\*BP), 4/14 Lorain (\*JP).

## Franklin's Gull

4/21 Bay Point (Erie Co.) (JP), 5/15 Findlay Res. (\*BSt.).

# Bonaparte's Gull

Early (inland): 3/16 Wooster area (JB), 3/29 Hueston Woods (JI), 3/30 Funk (JC), 4/3 Crane Creek (MS) and 4/9 Clark Lake (VF). Peaks: 22,000 Lorain (JP) and 1675 Cleveland 4/16 (WNK).

# Heermann's Gull

3/3-12 Lorain (Return of 1st State Record) (\*JP, m.ob.).

## Little Gull

5/16-17 Lorain (2) (JP).

# Common Tern

Early: 4/14 Lorain (JP), 4/24 C.J. Brown Res. (DO), 4/25 Pickerington Pond (JC, JF), 4/27 Lake Rockwell (7) (LR), 5/1 Crane Creek (MS) and 5/4 Cleveland (WNK); Peak: 165 Lorain 5/16 (JP); Late: 5/26 Cleveland (WNK).

## Forster's Tern

4/24 Bay Point (3 immatures) (JP), 5/16-17 Lorain (JP),

## Caspian Tern

Early: 4/2 Cleveland (RH), 4/8 Lorain (JP), 4/11 Crane Creek (MS), 4/19 C.J. Brown Res. (VF) and 5/5 Dayton area (RM); Late: 5/24 Cleveland (DJH).

#### Black Tern

Early: 5/3 Sheldon's Marsh (2) (TB), 5/7 Crane Creek (MS); 5/11-25 Dayton area (10) (JHn, m.ob.); Peaks: 46 Pickerington Pond 5/11 (JC), 47 Ottawa NWR 5/14 (JP) and 27 Findlay Res. 5/15 (BSt).

# Ringed Turtle Dove

3/11-5/31 Dayton area (seemed to attempt a nesting with Mourning Dove; still singing at end of period; probable escape) (fide CM).

# Yellow-billed Cuckoo

Early: 4/19 C.J. Brown Res. (VF), 5/4 Columbus (VF, JC), 5/10 Hamilton Co.

(HK) and 5/11 Crane Creek (MS, m.ob.).

Black-billed Cuckoo

Early: 5/6 Pickaway Co. (KJ), 5/7 Walden Pond (JF) and 5/11 Crane Creek, Cleveland, Akron, (Summit Co.) (m.ob.).

Barn Owl

4/10 Crane Creek (MS), 4/11 Wooster area (JB).

Long-eared Owl

3/15 Sandusky Co. (TB), 3/16 Columbus (JC), 3/30 Lorain (JP), 5/10 Stow, (Summit Co.) (LR).

Short-eared Owl

3/1 Killdeer Plains (Marion Co.) (9) (VF), 3/1-12 Seneca Co. (Max. 3) (TB), 3/19-21 Crane Creek (MS, TP), 4/18 Lorain (JP), 5/8 Oberlin (Lorain Co.) (JP).

Saw-whet Owl

3/15 Columbus (JF), 3/17-21 Crane Creek (max. 3) (MS, JP, TP), 3/22-24 Columbus (JC, JF, BP).

Chuck-will's-widow

5/24 Adams Co. (JC), 5/30 Adams Co. (4) (DJH).

Whip-poor-will

Early: 4/10 Pickaway Co. (KJ), 4/17 Marietta (LB), 4/22 Morrow Co. (JF), 5/2 Columbus (JF), 5/3 Sheldon's Marsh (TB), 5/6 Crane Creek (JP) and 5/11 Cleveland (RH, WNK).

Common Nighthawk

Early: 4/5 Marietta (LB), 4/17 Kent (Portage Co.) (LR), 5/4 Oxford (Montgomery Co.) (T), 5/5 Pickerington Pond (JF), 5/9 Lorain (JP) and 5/12 Crane Creek (MS).

Chimney Swift

Early: 4/3 Dayton area (CM), 4/5 Lorain (JP), 4/11 Wooster area (JB), 4/12 Lake Rockwell (LR, EE) and 4/22 Cleveland (WNK); Peak: 235 Cleveland 5/8 (WNK).

Ruby-throated Hummingbird

Early: 4/26 Marietta (LB), 5/3 Clear Creek (JC), 5/4 Ottawa NWR (EE) and Clark Co. (VF), 5/6 Pickaway Co. (KJ), 5/7 Hillsboro (Highland Co.) (MNN) and 5/9 Cleveland (WNK).

Common Flicker

Large movements 4/7-8 and 4/19-20. Early 3/18 Lake Rockwell (LR).

Pileated Woodpecker

5/24 Ottawa Co. (VF); 2 new pair found in Seneca Co. including the nest of one. There are now 5 pair in the county. Others should watch this bird, seems to be expanding in the NW.

Yellow-bellied Sapsucker

Early: 3/28 Lorain (JP), 4/1 Columbus (JC), 4/5 Ottawa NWR (KJ) and 4/7 Cleveland (WNK).

Need more data on the status of all species of woodpeckers.

Eastern Kingbird

Early: 4/6 Dillon Dam (Muskingum Co.) (MI), 4/16 Mohican S.F. (Ashland Co.) (SM) and 4/29 Holmes Co. (VDK).

Great Crested Flycatcher

Early: 4/19 Oxford (TP) and 4/25 Pickerington Pond (JC).

Eastern Phoebe

Early: 3/16 Holmes Co. (VDK) and 3/22 Wooster area (JB).

Yellow-bellied Flycatcher

5/16 Crane Creek (JC), 5/18 Morrow Co. (JF), 5/30 Akron, (Summit Co.) (CT); Peak: 20+ Crane Creek 5/29 (MS).

Acadian Flycatcher

Early: 5/4 Athens Co. (KJ), 5/5 Clear Creek (JC), 5/8 Lorain (JP), 5/10 Crane Creek (VF) and 5/11 Holmes Co. (VDK).

Willow Flycatcher

Early: 4/19 Erie Co. (seen and heard) (TB), 5/9 Crane Creek (MS) and 5/14 Cleveland (WNK).

Alder Flycatcher

5/29 Toussaint Marsh (JP), 5/25 Geauga Co. (\*DJM).

Least Flycatcher

Early: 4/27 Akron (LR, EE), 5/1 Lorain (JP), 5/3 Sheldon's Marsh (TB), 5/4 Hueston Woods (JI) and Columbus (VF), 5/5 Crane Creek (MS) and 5/7 Cleveland (WNK).

Eastern Wood Pewee

Early: 4/9 Dayton area (AD), 4/18 Lorain (JP), 5/4 Pickerington Pond (JC), 5/9 Crane Creek (MS) and 5/11 Cleveland (WNK).

Olive-sided Flycatcher

Early: 5/4 Hueston Woods (JI), 5/10 Dayton area (JHn), 5/11 Kent (LR), 5/14 Cleveland (WNK) and 5/17 Crane Creek (JC)

Tree Swallow

Early: 3/17 Ottawa NWR (KJ), 3/18 Lake Rockwell (LR), 3/26 Sandusky Bay (JP) and 3/28 Pickerington Pond (JC).

Bank Swallow

Early: 4/12 Lake Rockwell (EE), C.J. Brown Res. (DO), Pickerington Pond (JC), 4/16 Lorain (JP) and Crane Creek (MS).

Rough-winged Swallow

Early: 4/4 Pickerington Pond (JC), 4/5 Crane Creek (VF), 4/6 Cleveland (RH), 4/8 Lorain (JP), 4/9 Lake Rockwell (EE) and 4/12 C.J. Brown Res. (DO) and Walden Pond (JF) and Wayne Co. (DJH).

Barn Swallow

Early: 4/2 Sandusky Bay (JP), 4/4 Pickerington Pond (JC), Portage Lakes (Summit Co.) (VF), 4/6 Lake Logan (KJ) and 4/8 Crane Creek (MS).

Cliff Swallow

Early: 3/25 Dayton area (CM, PH) (observed again 3/27 JHn), 4/12 C.J. Brown Res. (DO, VF), 4/20 Lorain (JP), 4/26 Pickerington Pond (JC), 5/6 Holmes Co. (VDK), 5/7 Crane Creek (MS) and 5/11 Cleveland (DJH).

Purple Martin

Early: 3/20 Lorain (JP), 3/25 Dayton area (CM), 3/29 Pickerington Pond (JC), 4/1 Crane Creek (MS) and 4/2 Summit Co. (CT).

Blue Jay
Major movement at Crane Creek 5/10 (CT) and 2800 Cleveland 5/21 (WNK).

Watch the Paridae and Sittidae populations. Numbers may be declining.

Black-capped Chickadee 3/15 Ottawa Co. (MS), 3/29 Yellow Springs (Greene Co.) (2) (TB).

Red-breasted Nuthatch Late: 5/19 Crane Creek (MS); many reports stated that it was missed.

Brown Creeper Late: 5/26 Dayton area (RM, BM), 5/22 Mentor Marsh (DJH), 5/11 Crane Creek (BP, JP) and 5/4 S. Akron (CT).

House Wren
Early: 4/6 Crane Creek (MS), 4/18 Pickaway Co. (KJ), 4/19 Mentor (DJH) and
Lancaster (Fairfield Co.) (HK).

Winter Wren
Early: 4/2 Crane Creek (MS) and 4/6 Cleveland (RH); Late: 5/8 Dayton area
(CM), 5/9 Rocky River area (WNK) and 5/10 Columbus, (BP).

Carolina Wren
Reports of 24 individuals statewide; 15 south of Columbus and 9 north.

Long-billed Marsh Wren
Early: 2/14 Crane Creek (wintered?) (MS), 3/19 Dayton area (CM, PH), 3/27
Crane Creek (MS), 4/6 Ottawa NWR (TB), Toussaint Marsh (JP) and 4/19 Mentor (DJH).

Short-billed Marsh Wren 4/13 Bruckner Nature Center (Miami Co.) (BB, CB), 5/13-14 Gorman Nature Center (Richland Co.) (SM, JHr), 5/14 Toussaint Marsh (JP) and Dayton area (AD).

Mockingbird
Populations seem to be climbing; over 50 reports but most in the southern part of the state.

Gray Catbird
Early: 3/26 East Harbor (JP), 4/5 Tiffin (TB) and 4/28 Crane Creek (MS).

Brown Thrasher
Early: 3/18 Lorain (JP), 3/28 Columbus (JF) and 4/3 Richland Co. (SM).

American Robin
Early: 2/22 Clyde (Seneca Co.) (TB) and Marietta (LB).

Varied Thrush
Still present at Findley S.P. 3/22 but not seen afterwards; still present at Mansfield, Ohio feeder 3/12 (JHr).

Wood Thrush
Early: 4/21 Ottawa Co. (JP), 4/22 Fayette Co. (MI), 4/24 Crane Creek (MS) and 4/26 Oxford (TP).

Hermit Thrush
Early: 3/9 Lorain (JP), 4/8 Columbus (JF), 4/9 S. Akron (CT), 4/10 Crane
Creek (MS) and 4/12 Cleveland (DJH); Late: 5/10 Crane Creek (KJ) and Holmes Co.
(VDK).

Veery

Early: 4/6 Oxford (TP) and 5/3 Columbus (BSt).

Eastern Bluebird

Need more data on this species.

Blue-gray Gnatcatcher

Early: 4/8 Crane Creek (MS), 4/9 Lorain (JP) and 4/12 Cleveland (RH).

Golden-crowned Kinglet

Early: 3/8 Clark Co. (DO), 3/15 Crane Creek (VF), 3/22 Columbus (JC), 3/27 Akron (CT) and 4/2 Cleveland (DJH); Late: 5/1 Crane Creek (JP).

Ruby-crowned Kinglet

Early: 4/3 Richland Co. (SM), 4/6 Crane Creek (MS), 4/7 Dayton area (CM), Holmes Co. (VDK) and Cleveland (WNK); Late: 5/29 Crane Creek (JP, MS), 5/26 Dayton (CM) and 5/20 Cleveland (WNK).

Water Pipit

Early: 3/10 Holmes Co. (VDK), 3/24 Fairfield Co. (JC), 3/25 Lorain (JP) and 4/4 Portage Co. (100+) (EE, LR); Late: 5/23 Pickerington Pond (BP), 5/20 Holmes Co. (VDK).

Loggerhead Shrike

3/1-5 Lorain (JP), 5/24 Sandusky (Erie Co.) (VF).

White-eyed Vireo

Early: 4/12 Shawnee S.F. (HK), 4/20 Oxford (TP) and 4/28 Rocky River area (WNK).

Yellow-throated Vireo

Early: 4/25 Rocky River area (WNK), 4/30 Clear Creek (JC) and 5/1 S. Akron (CT).

Solitary Vireo

Early: 4/28 Ashland Co. (SM), 4/20 Tiffin (TB), 4/20 Shawnee S.F. (KJ) and 4/24 S. Akron (CT).

Red-eved Vireo

Early: 4/23 Oxford (TP), 5/3 Athens Co. (KJ), 5/3 Clark Co. (DO) and 5/5 Crane Creek (MS).

Philadelphia Vireo

Early: 5/3 Hueston Woods (TP), 5/4 Crane Creek (MS), 5/5 Lorain (JP) and 5/10 Shaker (Cuyahoga Co.) (DJH). Missed by many observers.

Warbling Vireo

Early: 3/24 Rocky Fork (VF), 4/20 Oxford (TP), 4/27 Akron (EE) and 5/4 Crane Creek (MS).

Black-and-white Warbler

Early: 4/6 Fairfield Co. (KJ) and 4/14 Washington Co. (LB); Peak: 5/11 Crane Creek and Cleveland (JF, BP, RH); Late: 5/29 Crane Creek (JP).

Prothonatary Warbler

Only reports came from Crane Creek (up to 3), Blackhand Gorge, and Rocky River area. Declining?

Worm-eating Warbler

4

Early: 4/30 Clear Creek (JC), 5/5 Dayton area (RM, BB, BM) and 5/11 Crane Creek (m.ob.).

Golden-winged Warbler

Early: 5/5 Crane Creek (MS) and 5/7 Rocky River area (WNK). Numbers seem to be up.

Blue-winged Warbler

Early: 4/20 Oxford (TP), 4/26 Lorain (JP), 4/27 Ford Hill (Highland Co.) (VF) and 4/30 Pickerington Pond (JC).

"Brewster's Warbler"

5/9 Franklin Co. (\*JC), 5/9 Richland Co. (\*SM), 5/10 Chapin Woods S.P. (\*JC, RH) and 5/15 Rocky River area (\*WNK).

"Lawrence's Warbler"

5/5 Clear Creek (\*JC), 5/7 Rocky River area (\*WNK) and 5/17 Lorain Co. (\*JP).

Tennessee Warbler

Early: 4/27 Rocky Fork and Fort Hill (VF) and 5/4 Crane Creek (MS); Late: 5/29 Rocky River and Crane Creek (WNK, JP).

Orange-crowned Warbler

Early: 4/20 Crane Creek (MS) and 4/26 Shaker Lakes (LR, EE).

Nashville Warbler

Early: 4/18 Lorain (JP), 5/2 S. Akron (CT), 5/4 Crane Creek (EE) and 5/3 Cleveland Hts. (DJH).

Northern Parula

Early: 4/26 Oxford (TP), 5/5 Akron and Lorain (CT, JP), and 5/8 Rocky River area (WNK).

Yellow Warbler

Early: 4/21 Pike S.F. (MNN), 4/26 Lake Rockwell (EE), and 4/27 Crane Creek (MS).

Magnolia Warbler

Early: 5/4 Ottawa NWR (JP) and 4/4 Crane Creek (MS); Late: 5/26 Rocky River area (WNKO and 5.29 Crane Creek (JP).

Cape May Warbler

Early: 5/4 Crane Creek (MS) and 5/8 Washington Co. (LB); Peak: 5/11 at Crane Creek (35) (BP); Late: 5/29 Rocky River area (WNK).

Black-throated Blue Warbler

Early: 4/18 Lorain (JP), 5/5 Crane Creek (MS) and 5/6 Marietta (LB); Late: 5/24 Cleveland (WNK).

Yellow-rumped Warbler

Early: 4/4 Crane Creek (MS) and 4/18 Lorain (JP); Late: 5/24 Cleveland (WNK); Arrived much later than usual.

Black-throated Gray Warbler

4/20 Lorain (\*JP) Collected in Columbus 11/15/50 (Troutman: Annotated List of the Birds of Ohio, 1968) and seen at least ten times in Cleveland region 1920 through 1967 in May except for last date: 4/26-27/67 (Williams and Newman, Birds of Cleveland Region 1950, 1969).

## Black-throated Green Warbler

Early: 4/6 Clark Co. (VF), 4/22 Mohican S.F. (SM) 4/23 Shaker (DJH); Late: 5/31 S. Akron (CT).

## Cernlean Warbler

Early: 4/27 Fort Hill (VF), 5/3 Oxford (JI), Clear Creek (JC), Vinton Co. (KJ), and 5/8 Oberlin (JP).

# Black burnian Warbler

Early: 5/4 Crane Creek (MS, EE); Arrived later than usual state wide. Late: 5/31 Crane Creek (JC).

## Yellow-throated Warbler

Early: 4/12 Clear Creek (JC), 4/13 Spring Valley (VF), Vinton Co. (KJ), 4/16 Mohican S.F. (SM), 4/17 Milan (JP, CEP), and 4/18 Dayton area (CM).

#### Chestnut-sided Warbler

Early: 5/7 Rocky River area (WNK) and 5/9 Crane Creek (MS); Late: 5/26 Buck Creek S.P. (Clark Co.) (DO).

## Bay-breasted Warbler

Early: 5/7 S. Akron (CT), 5/8 Washington Co. (LB) and 5/11 Crane Creek (MS). Bruce Stehling reported 13 in one tree at Crane Creek 5/18.

# Blackpoll Warbler

Early: 5/7 Buck Creek S.P. (DO) and 5/9 Oberlin (JP).

## Pine Warbler

Early: 3/24 Clear Creek (JC), 3/30 Hocking Co. (KJ) and Lorain (JP), 4/11 Dayton area (AD) and 4/20 Crane Creek (MS).

# Kirtland's Warbler

5/21 Crane Creek (female, banded) (MS). Williams, Birds of Cleveland, 1950 lists 14 sightings ending in 1946 including the original find on the grounds of Dr. Kirtland in 1851. Newman, Birds of Cleveland Region, 1969 reports one sighting 5/19/57. Campbell; Birds of Toledo area, 1968 lists 7 records ending 1966. Troutman, Birds of Buckeye Lake notes that 6 records exist in Central Ohio by members of the Wheaton Club between 1922-1933. Tom Bartlett has a sight record for Seneca County for 1977.

## Prairie Warbler

Early: 4/20 Adams Co. (KJ), 4/21 Pike S.F. (MNN), 4/23 Ashland Co. (SM) and Jackson Co. (JF), 4/30 Clark Co. (SB), 5/3 Brecksville (Cuyahoga Co.) (EE) and Lorain (JP), and 5/4 Ottawa NWR (JP) and Peninsula (Summit Co.) (LR).

## Palm Warbler

Early: 4/23 Shaker (DJH), 4/25 Pickerington Pond (JC), 4/26 Oxford (TP), 4/27 Clark Co. (SB), 4/30 C.J. Brown Res. (VF, DO) and 5/4 Ottawa NWR. (JP).

## Ovenbird

Early: 4/20 Shawnee S.F. (Scioto Co.) (KJ), 4/27 Fort Hill (VF), 5/1 Lorain Co. (JP) and 5/5 Crane Creek (MS).

## Northern Waterthrush

Early: 4/21 Dayton area (AD), 4/30 Erie Co. (JP), 5/4 Crane Creek (EE) and 5/3 Oxford (JI) and Buckcreek S.P. (DO); Late: 5/28 Rocky River area (WNK).

## Louisiana Waterthrush

Early: 4/2 Marietta (LB), 4/7 Mohican S.F. (SM), 4/9 Lorain Co. (JP) and

Union (Montgomery Co.) (BB, CB, Dale Chase), 4/13 Vinton Co. (KJ) and 4/20 Crane Creek (MS, TB).

Kentucky Warbler

Early: 4/20 Shawnee S.F. (KJ), 5/5 Clear Creek (JC), 5/6 Rocky River area (WNK), Holmes Co. (VDK), and Marietta (LB), 5/11 Crane Creek (MS) and S. Akron (2 banded) (CT); Moving northward?

Connecticut Warbler

Early: 4/30 Oxford (fide TP), 5/15 Lorain (JP) 5/16 Columbus (BP), 5/18 Euclid (RH) and Yellow Springs (JHn), 5/18 Dayton area (AD), 5/19 S. Akron (CT) and 5/22 S. Akron (CT).

Mourning Warbler

Early: 5/10 Lorain (JP), 5/11 Crane Creek (MS), 5/15 Rocky River area (WNK), 5/18 Morrow Co. (JF), 5/21 Dayton area (CM, PH) and 5/29 Crane Creek (14+) (MS).

Yellow throat

Early: 4/20 Hueston Woods (TP), 4/27 Fort Hill (VF) and 4/30 Crane Creek (MS).

Yellow-breasted Chat

Early: 5/3 Athens Co. (KJ) 5/5 Shawnee S.F. (HK), 5/6 Marietta (LB) and Pickerington Pond (JF), 5/10 Crane Creek (CT, BS) and 5/11 Shaker (DJH).

Hooded Warbler

Early: 4/18 Lorain (JP), 5/3 Clear Creek (JC), 5/5 Mohican S.F. (SM), 5/7 Washington Co. (LB) and 5/11 Crane Creek (MS, VF).

Wilson's Warbler

Early: 5/4 Cleveland and Rocky River area (WNK) and 5/5 Lancaster (HK).

Canada Warbler

Early: 5/9 Lorain (JP), 5/11 Crane Creek (VF) and 5/14 Rocky River area (WNK); Late: 5/24 Clark Lake (DO) and 5/31 Rocky River area (WNK).

American Redstart

Early: 4/20 Shawnee S.F. (KJ), 4/30 Clear Creek (JC), 5/2 Richland Co. (SM), 5/3 Hueston Woods (TP) and 5/5 Crane Creek (MS) and Akron (CT).

Bobolink

Early: 4/29 Lorain Co. (JP), Holmes Co. (VDK), 5/3 Crane Creek (MS) and 5/5 Cleveland (WNK).

Eastern Meadowlark

Early: 1/30 Crane Creek, 2/20 Seneca Co. (6+) (TB), Oxford (JI) and 3/1 Pickerington Pond (JC) and Clark Co. (DO).

Western Meadowlark

3/26-4/2 Seneca Co. (TB), 3/26 Erie Co. (JP), 5/14-31 Ottawa Co. (JP).

Yellow-headed Blackbird

5/14 Crane Creek (pr.) (JP).

Orchard Oriole

Early: 4/28 Crane Creek (MS), 5/3 Butler Co. (JI), 5/4 Cleveland (RH), 5/6 Holmes Co. (VDK) and 5/10 Lorain (JP).

Northern Oriole

Early: 5/3 Crane Creek (MS), Oxford (JI), Clark Co. (DO), Fayette Co. (MI)

and 5/6 Cleveland (WNK).

Rusty Blackbird

Early: 2/4 Crane Creek (MS) and 2/23 Seneca Co. (10) (TB); Peak: 4/13 Seneca Co. 500+ (TB); Late: 5/17 Lorain Co. (JP), 5/13 Crane Creek (TB), 5/10 Tinkers Creek (LR), 5/5 Dayton area (CM).

Scarlet Tanager

Early: 5/2 Crane Creek (MS), 5/3 Clear Creek (JC), Athens Co. (KJ) and Sheldon's Marsh (Erie Co.) (TB).

Summer Tanager

Early: 5/3 Columbus (BP), Vinton Co. (KJ), 5/4 Greenlawn Cemetary (Franklin Co.) SB, 5/4 Clear Creek (JC), 5/7 Dayton (AD), 5/13 Holmes Co. (VDK), 5/19 Cleveland (WNK) and 5/20 Goll Woods (Williams Co.) (MS).

Rose-breasted Grosbeak

Early: 4/30 Akron (CT), 5/3 Sheldon's Marsh (TB), 5/4 Rocky River (WNK) and 5/5 Crane Creek (MS) and Lorain (JP).

Blue Grosbeak

5/11 Crane Creek (male) (\*BP), 5/21 Oak Openings (male) (BB, CB), 5/25 Adams Co. (male) (\*JC).

Indigo Bunting

Early: 3/21 Lancaster (at feeder, male) HK, 4/26 Hillsboro (MNN), 5/4 Fayette Co. (MI), 5/6 Marietta (LB), 5/9 Crane Creek (MS) and 5/10 Rocky River area (WNK).

Dickcissel

3/1-6 Findley SP (2) (m.ob.), 3/17-5/2 Franklin Co. (\*JF), 5/3 Butler Co. (JI) 5/14 Brown Co. (BP), 5/21 Dayton area (m.ob), 5/20 Hueston Woods (JI).

Evening Grosbeak

3/2 Mohican S.F. (30) (JHr), 3/19 Ottawa NWR (KJ), 3/27 Clear Creek (JC), 4/6 Tar Hollow (BP), 4/13 Akron (10) (CT), 4/22 Richland Co. (JHr), 5/4 Clear Creek (JC), 5/12 Akron (a male) (CT).

Purple Finch

Late: 5/31 Lorain (15) (JP), 5/10 Cleveland (JC) and 5/9 Clear Creek (JC).

House Finch

Breeding and resident birds can now be found regularly in Cleveland, Akron, Lorain and Marietta. Young were off the nest by the end of the period in Cleveland and Lorain. 3/15 Lancaster (JC), 4/7-12 Richland Co. (JHr), 4/5 Holmes Co. (VDK), 4/23-5/9 Lancaster (male and female) (HK).

Common Redpoll

3/17-18 Lorain (JP).

Pine Siskin

5/6 Lorain (JP), 5/10 Crane Creek (MS), 5/13 Pickerington Pond (JC); these are the only reports!

Rufous-sided Towhee

Early: 3/8 Clark Co. (DO), 3/14 Hueston Woods (JI), 3/23 Fayette Co. (MI), Pickerington Pond (JC), 3/26 Lorain (JP), 3/27 Lancaster (HK), 4/1 Marietta (LB), 4/2 Cleveland and 4/4 Crane Creek (MS).

Red Crossbill

3/6 Findley S.P. (JP), 5/3 Summit Co. (LR).

Savannah Sparrow

Early: 3/16 C.J. Brown Res. (DO), 3/26 Fayette Co. (MI), 3/29 Crane Creek (MS), 4/1 Holmes Co. (VDK) and 4/6 Cleveland (WNK).

Grasshopper Sparrow

Early: 4/13 Lorain (JP), 4/24 Holmes Co. (VDK) and 4/27 Pickaway Co. (KJ).

LeConte's Sparrow

5/11 Ottawa NWR (\*JC)

Henslow's Sparrow

Over 25 reports were received from all areas. Early 4/13 Lorain (remained all period) (JP), 4/23 Cleveland (RH), 4/27 Pickaway Co. (KJ); 10-14 could still be located in Lorain Co. at the end of the period (JP).

Vesper Sparrow

Early: 3/16 Lorain (JP), 3/28 Pickaway Co. (JC) and 3/29 Funk (RH).

Lark Sparrow

5/17 Oak Openings (Lucas Co.) (JC), 5/25 Adams Co. (\*JC).

Dark-eyed Junco

Late: 5/20 Tiffin (TB), 5/17 Lorain (JP), 5/10 Summit Co. (LR), 5/4 Cleveland (WNK) and 5/3 Columbus (BP).

Tree Sparrow

Late: 5/13 Akron (LR).

Chipping Sparrow

Early: 3/29 Crane Creek, 4/2 Cleveland (JC) and 4/10 Holmes Co. (VDK).

Field Sparrow

Early: 3/16 Ottawa NWR. (KJ, EE), 3/24 Clear Creek (JC), 3/27 S. Akron (CT) and 3/29 Hueston Woods (JI).

White-crowned Sparrow

Peak: 250+ Crane Creek 5/11 (BP).

White-throated Sparrow

Late: 5/28 Cleveland (WNK) and 5/26 Fayette Co. (MI); Peak: 1250+ Crane Creek 5/11 (BP).

Fox Sparrow

Arrived later than normal but left on schedule.

Lincoln's Sparrow

Late: 5/24 Cleveland (DJH) and 5/22 Oxford (banded) (JI); Peaks: 25+ Crane Creek 5/11 (BP, JP) and 17 Cleveland 5/11 (WNK).

Snow Bunting

3/20 Lorain (JP), 3/10 Ottawa Co. (KJ) 3/1 Clark Co. (DO).

Lapland Longspur

3/1 Clark Co. (DO) and Pickerington Pond (JC) and Lorain (JP).