

The Reports

Summer Nesting
1 June - 31 July 1985
Tom Bartlett

This report continues the new form of reporting for the Summer Nesting Season first used in Volume 4, No. 2. The late Spring and early Fall migrants have been reported separately from the summering and nesting species. Also, though the 177 species nesting and the 21 species summering in Ohio in 1985 have been listed only certain noteworthy species among them have been separately discussed.

Again in this issue every submitted documentation will be reviewed by the Ohio Cardinal Records Committee. Those reports noted with an asterisk have a written documentation or photo on file which has been submitted to the committee. Those reports which were not accepted by a majority (three) of the Committee will be published in a later issue. The symbol (D) after the species name designates those birds the Ohio Cardinal Records Committee suggests be documented.

In the Special Reports section of this report, the number of each species sighted is included unless only one bird was seen and then no number is designated. The location of the sighting is given with as much preciseness as possible to enable the reader to know where certain birds can be found. The county containing the location is identified for each location only at the first instance the location is mentioned. However, a cross-reference chart showing each location mentioned and its county or counties appears at the end of the report. If the total area of the location occupies more than one county, an effort is made to specify only the county in which the observation occurred.

This report follows the current AOU taxonomy, common names and arrangement of taxa.

Breeding or Summering Birds

1985

The following list is of 198 species and one hybrid of nesting or summering birds in Ohio during 1985. Those species marked with an asterisk (*) were not thought to have nested. Those that are underlined are of note and are discussed in the following Special Reports section.

Common Loon *
Pied-billed Grebe
Horned Grebe *

Double-crested Cormorant *
American Bittern
Least Bittern

Great Blue Heron
Great Egret
Snowy Egret
Little Blue Heron
Tricolored Heron *
Cattle Egret
Green-backed Heron
Black-crowned Night-Heron
Yellow-crowned Night-Heron
Mute Swan *
Snow Goose *
Canada Goose
Wood Duck
Green-winged Teal
American Black Duck
Mallard
Northern Pintail
Blue-winged Teal
Northern Shoveler
Gadwall
American Wigeon *
Canvasback *
Redhead
Ring-necked Duck *
Lesser Scaup
Hooded Merganser
Common Merganser *
Red-breasted Merganser *
Ruddy Duck
Black Vulture
Turkey vulture
Osprey *
Bald Eagle
Northern Harrier
Sharp-shinned Hawk
Cooper's Hawk
Red-shouldered Hawk
Broad-winged Hawk
Red-tailed Hawk
American Kestrel
Ring-necked Pheasant
Ruffed Grouse
Wild Turkey
Northern Bobwhite
King Rail
Virginia Rail
Sora
Common Moorhen
American Coot

Killdeer
Spotted Sandpiper
Upland Sandpiper
Whimbrel *
Red Knot *
Common Snipe
American Woodcock
Laughing Gull *
Little Gull *
Bonaparte's Gull *
Ring-billed Gull
Herring Gull
Common Tern
Black Tern
Rock Dove
Mourning Dove
Black-billed Cuckoo
Yellow-billed Cuckoo
Common Barn-Owl
Eastern Screech-Owl
Great Horned Owl
Barred Owl
Long-eared Owl
Short-eared Owl
Common Nighthawk
Chuck-will's-widow
Whip-poor-will
Chimney Swift
Ruby-throated Hummingbird
Belted Kingfisher
Red-headed Woodpecker
Red-bellied Woodpecker
Downy Woodpecker
Hairy Woodpecker
Northern Flicker
Pileated Woodpecker
Eastern Wood-Pewee
Acadian Flycatcher
Alder Flycatcher
Willow Flycatcher
Least Flycatcher
Eastern Phoebe
Great Crested Flycatcher
Eastern Kingbird
Horned Lark
Purple Martin
Tree Swallow
Northern Rough-winged Swallow
Bank Swallow

Cliff Swallow
Barn Swallow
Blue Jay
American Crow
Black-capped Chickadee
Carolina Chickadee
Tufted Titmouse
Red-breasted Nuthatch
White-breasted Nuthatch
Brown Creeper
Carolina Wren
Bewick's Wren
House Wren
Winter Wren
Sedge Wren
Marsh Wren
Blue-gray Gnatcatcher
Eastern Bluebird
Veery
Swainson's Thrush *
Hermit Thrush
Wood Thrush
American Robin
Gray Catbird
Northern Mockingbird
Brown Thrasher
Cedar Waxwing
Loggerhead Shrike
European Starling
White-eyed Vireo
Bell's Vireo
Solitary Vireo
Yellow-throated Vireo
Warbling Vireo
Red-eyed Vireo
Blue-winged Warbler
Golden Winged Warbler
Brewster's Warbler
Northern Parula
Yellow Warbler
Chestnut-sided Warbler
Magnolia Warbler
Black-throated Green Warbler
Blackburnian Warbler
Yellow-throated Warbler
Pine Warbler
Prairie Warbler
Blackpoll Warbler *
Cerulean Warbler

Black-and-white Warbler
American Redstart
Prothonotary Warbler
Worm-eating Warbler
Ovenbird
Northern Waterthrush
Louisiana Waterthrush
Kentucky Warbler
Mourning Warbler
Common Yellow-throat
Hooded Warbler
Canada Warbler *
Yellow-breasted Chat
Summer Tanager
Scarlet Tanager
Northern Cardinal
Rose-breasted Grosbeak
Blue Grosbeak
Indigo Bunting
Dickcissel
Rufous-sided Towhee
Bachman's Sparrow
Chipping Sparrow
Field Sparrow
Vesper Sparrow
Lark Sparrow
Savannah Sparrow
Grasshopper Sparrow
Henslow's Sparrow
Song Sparrow
Swamp Sparrow
Dark-eyed Junco
White-throated Sparrow *
Bobolink
Red-winged Blackbird
Eastern Meadowlark
Western Meadowlark
Common Grackle
Brown-headed Cowbird
Orchard Oriole
Northern Oriole
Purple Finch
House Finch
American Goldfinch
House Sparrow

Special Reports

The following are notes and observations of those birds underlined above.

Common Loon

6/1 Killdeer Plains WA (Wyandot Co) (2) (KA); 6/11 and 7/16 Bayview (Erie Co) (PJ).

Pied-billed Grebe

Many reports commented that numbers were down, but Magee Marsh WA (Ottawa Co) had a great year, for example on 6/13 over 30 young were observed (TB).

Horned Grebe

Summered at Cleveland (Cuyahoga Co) (m. obs.).

Double-crested Cormorant

Numerous reports for western Lake Erie area with number from 1 to 12 individuals; One bird summered at Cleveland (TL).

American Bittern

A pair nested in the Cuyahoga Valley NRA (Summit Co) (fide TB) and 7/30 Wooster (Wayne Co) (JB).

Least Bittern

Numbers of this species are improving; Reports were statewide but most were western and northern areas.

Snowy Egret (D: inland only)

At least one pair nested on W. Sister Island (Lucas Co) and up to 13 individuals were observed in the Maumee Bay SP (Lucas Co) area during the summer.

Little Blue Heron

Up to 3 individuals were regular at Cedar Pt. division of Ottawa NWR (Lucas Co) and at least one pair nested on W. Sister Island.

Tricolored Heron (D)

Up to 2 individuals were observed at Cedar Pt. division off and on during the period. (m. obs.).

Cattle Egret

Normal numbers were observed in the western Lake Erie marshes and several nested on West Sister Island.

Yellow-crowned Night-Heron

At least one pair nested in Dayton (Montgomery Co) and Columbus (Franklin Co) during the period; 6/1 Big Island WA (Marion Co) (KA); 7/18 Waterville (Lucas Co) (1 ad, 1 imm) (TB); 7/27 Magee Marsh (MS).

Mute Swan

One bird summered at Cleveland and possibly 2 birds summered at Magee Marsh (m. obs.).

Swow Goose

7/1 Killdeer Plains WA (KA).

Green-winged Teal

Becoming more common in the western Lake Erie marshes; A couple of birds summered at Cleveland (WNK, DC) and a pair nested at Barberton (Summit Co) (fide TB).

Northern Shoveler

6/2 and 7/21 Navarre Marsh (Ottawa Co) (MS); 6/8 Maumee Bay SP (KA); 7/6 Big Island WA (KA); 7/9 Columbus (KA).

Gadwall

Becoming more common in the western Lake Erie marshes; A pair summered and may have nested at Cleveland (DC, WNK).

American Wigeon

6/1 Big Island WA (KA); 6/6 Medusa Marsh (Erie Co) (AT); 6/9 Cedar Pt. division (2 to 4 individuals) (JKo, KA); 7/20 Magee Marsh (KA); 1 summered at Lake Rockwell (Portage Co) (fide TB); 1 to 4 individuals summered at Cleveland (WNK, DC).

Canvasback

One individual summered at Winous Pt. (Ottawa Co) (JP).

Redhead

Pairs were regular at Bayshore Power Plant (Lucas Co) (JP), Medusa Marsh (JP), and Magee Marsh (MS).

Ring-necked Duck

An individual summered at Cleveland (WNK, KA) and Castalia (Erie Co) (TB, JP).

Lesser Scaup

Birds summered at Bayshore Power Plant (MS, TB), Cleveland (WNK, DC), Barberton (fide TB), and Lorain (Lorain Co) (JP).

Hooded Merganser

Normal numbers from western Lake Erie marshes; Only inland record was 7/6 Big Island WA (KA).

Common Merganser

One summered at Sheldon's Marsh (Erie Co) (JP).

Red-breasted Merganser

1 to 3 summered at Cleveland (m. obs.) and up to 11 at Lorain (m. obs.).

Ruddy Duck

2 birds summered at Cleveland (m. obs.) and one at Barberton (fide TB). No records from western marshes!

Black Vultures (D: central and northern)

Normal reports from Clearcreek Valley (Fairfield Co) and Adams Co.

Osprey

6/16 Sandusky Bay (Erie Co) (TB); 6/20 Magee Marsh (JP).

Bald Eagle

5 young fledged from Ohio nests including one from Mosquito Creek nest (Trumbull Co) (MS). An immature (4 or 5 year old) summered near Waterville on the Maumee River (TB).

Northern Harrier

Birds were observed in Henry, Putnam, Summit, Wood, and Wyandot Cos. An individual was also observed in northeast Ohio near Southington (Trumbull Co) (fide TB) and a pair nested successfully near Bowling Green (Wood Co) (TB).

Sharp-shinned Hawk

A pair nested in Oak Openings Metro Park (Lucas Co) (MA) and were observed regularly at Findlay SP (Lorain Co) (JP); Also one was observed in Lorain 7/3 (AT).

Cooper's Hawk

Numerous reports statewide. It appears to be making a comeback.

Red-shouldered Hawk

Most reports from eastern and southern regions.

King Rail

Good numbers reported from western Lake Erie marshes. The only inland report was from Big Island WA 7/6 (KA).

Upland Sandpiper

This species appears to be on the comeback trail; Small colonies (12) were reported in Ashland, Clark, Henry, Holmes, Lorain, Montgomery, Ottawa, Wood, and Wyandot Cos.

Whimbrel

6/16 - 7/5 ONWR (Ottawa Co) (JP); possibly a late migrant.

Red Knot

6/20 - 7/1 Maumee Bay SP (JP); possibly a late migrant.

Common Snipe

8 reports all from northern Ohio but no nests reported. Unusual was one doing a courtship flight at Stillfork Swamp on 6/28 and 6/29 (TB) in Carroll Co.

Laughing Gull (D)

The bird at Bayshore Power Plant was back again this summer and appeared to be paired with a ring-billed Gull. This bird is thought by some to be a possible hybrid as it has some unusual plumage characteristics.

Little Gull

An immature bird was observed at Winous Pt. 7/5 (JP).

Bonaparte's Gull

Several summered at Lorain (TL).

Common Tern

No known nestings; However, one bird was observed defending territory at the Bayshore power plant during June (TB, MS) and up to 3 birds appeared to be on territory in the Maumee River near Waterville from 6/18 to 7/18 (TB).

Black Tern

Normal in western in Lake Erie marshes.

Common Barn-Owl

Birds nested successfully in Guernsey, Holmes, Ottawa, and Wayne Cos (MS, DK).

Long-eared Owl

A pair nested at Killdeer Plains WA (fide TB).

Short-eared Owl

A pair was regularly observed at Maumee Bay SP (JP).

Chuck-will's-widow (D: central and northern)

75 singing males were recorded for Adams Co 6/1 during an intense breeding bird survey by the Ohio Breeding Bird Atlas (TB). (See article in Vol. 8, No. 1).

Alder Flycatcher

Over forty individuals were reported, most from NE Ohio. One nested near Deshler in Henry Co. (TB).

Least Flycatcher

Numerous reports, all for northern Ohio and mostly northeastern Ohio.

Cliff Swallow

Colonies found in various areas of the state, mostly in the north and northeastern Ohio.

Black-capped Chickadee

On 5/19, a bird was found feeding 3 young at Stillfork Swamp by Dr. Eugene Good, Tom Bartlett, and Eric Liebold. This is most unusual for this area. On 6/4, Holmes Co. had their first county record (DK).

Red-breasted Nuthatch

May be more common in Ohio than thought, especially in the north-east. A pair nested successfully in the Oak Openings MP (TB).

Brown Creeper

A pair nested at the Germantown Reserve (Montgomery Co) (Judy Whitaker*). Other reports were 6/21 Burton (Geauga Co) (fide TB), 6/15-17 N. Chagrin (Cuyahoga Co) (TL), 7/4 Killbuck WA (Wayne Co) (JB), 7/6 Champion (Trumbull Co) (fide TB) and one that summered at Findlay SP (JP).

Bewick's Wren (D: central and northern)

An individual was found by Bob and Terry Thobaben in Adams Co on 6/1 and by KA on 6/14.

Sedge Wren

The only report: 6/25-26 Killbuck WA (JB).

Marsh Wren

Numerous reports but numbers appear to be declining.

Swainson's Thrush

One summered on the bird trail (Lucas Co) at Magee Marsh (JP).

Hermit Thrush

Only reports were from northeast Ohio and Mohican SF (Ashland Co).

Loggerhead Shrike

A pair nested successfully in Wood Co. (4 young) (TB) and one observed 6/9 in Ottawa Co (KA).

Bell's Vireo (D)

This species is very rare in Ohio and declining nationwide so documentation is essential. Only 3 of the following reports were documented. One reported summering at Blendon Woods (Franklin Co) (JF); one reported nesting on Wilson Road in Columbus (KA); 2 singing at Darby Creek MP (Franklin Co) 6/26 (KA); one at Buck Creek SP (Clark Co) on 7/20-21 (DO*, CM*); and one 7/23 in Stark Co (fide TB*).

Solitary Vireo

Summering birds at Findlay SP (JP), Lorain Co (JP), Oak Openings (TK, MA), Thompson (Geauga Co) (fide TB), Peninsula (Summit Co) (fide TB), Richfield (Summit Co) (fide TB), and 6/26 Maumee SF (Henry, Fulton, Lucas Co) (TK).

Golden-winged Warbler

6/1 Adams Co (TB); 6/8 Schwanberger Rd. (Lucas Co) (KA).

"Brewster's Warbler"

6/20 Chesterland (Geauga Co) (fide TB) and 6/13-7/31 in Maumee SF (TB).

Northern Parula

Numerous reports but most from the southern part of the state.

Chestnut-sided Warbler

Over 35 reports for northern Ohio and nestings in Geauga, Carroll, and Lucas Cos.

Magnolia Warbler

Nested in Lorain Co (JP) and 3 reports from northeast Ohio with one confirmed nesting (fide TB).

Black-throated Green Warbler

Numerous reports statewide; Probably more common than previously thought, especially in northern and northeast Ohio.

Blackburnian Warbler

6/1 to 6/21 Lake Rockwell (fide TB).

Blackpoll Warbler

One summered on the bird trail at Magee Marsh (JP).

Northern Waterthrush

6/7 Burton and 2 nested at Lake Rockwell (fide TB).

Mourning Warbler

6/10 to 6/26 Maumee SF (Henry Co) (TB); 6/16 Maumee SF (Lucas Co) (TK); 6/17 Perry (Lake Co) (fide TB).

Canada Warbler

6/13 Alyworth Creek (2) (fide TB).

Blue Grosbeak (D: central and northern)

At least 5 pairs were found in Adams Co and individuals in Coshocton Co; Unusual was a territorial male in Erie Co 6/16 to at least 7/7 (TB*, m. obs.*).

Dickcissel

Small colonies were found in Adams, Fairfield, Franklin, Henry, Lucas, Pike, Putnam, Seneca, and Wyandot Cos. This species should not be considered rare in western Ohio.

Bachman's Sparrow (D)

6/20 to 6/24 Darby Creek Metro Park (KA*).

Lark Sparrow

Birds nested in Fulton and Lucas Cos (TB) and individuals were reported for 7/11 Findlay SP (JP*) and 6/1 Adams Co (fide TB).

Henslow's Sparrow

Numerous in Adams Co (m. obs.) and 6 to 8 pairs in Holmes Co (DK); One was regular at Maumee Bay SP (JP).

Dark-eyed Junco

4 territorial birds near N. Chagrin (DC, TL) and 5 in Lake Co (fide TB).

White-throated Sparrow

6/14 Avon Lake (Lorain Co) (JP).

Western Meadowlark

Summering birds: 3 at Maumee Bay SP (m. obs.); 2 in Henry Co (TB); 1 near Vickery (Sandusky Co) (TB), and one at Killdeer Plains WA (KA). No reported nestings.

American Goldfinch

A late nesting at Springville Marsh SNP (Seneca Co) fledged 3 young on September 15. (TB).

Late Spring Migrants

1985

The following list is a record of those species that were observed during the breeding season but are thought to be late spring migrants. Unusual or significant records are noted at the end of the list and are underlined.

Common Loon

Black-bellied Plover

Semipalmated Plover

Killdeer

Greater Yellowlegs

Lesser Yellowlegs

Solitary Sandpiper

Marbled Godwit

Ruddy Turnstone

Sanderling

Semipalmated Sandpiper

Western Sandpiper

Least Sandpiper

White-rumped Sandpiper

Baird's Sandpiper

Pectoral Sandpiper

Dunlin

Stilt Sandpiper

Franklin's Gull

Little Gull

Bonaparte's Gull

Caspian Tern

Olive-sided Flycatcher

Yellow-bellied Flycatcher

Swainson's Thrush

Magnolia Warbler

Blackpoll Warbler

Northern Waterthrush

Mourning Warbler

Wilson's Warbler

Canada Warbler

Summer Tanager

Lincoln's Sparrow

White-throated Sparrow

Common Loon

6/9 Lake Pipin (Portage Co) (fide TB).

Marbled Godwit

6/12 ONWR (JP).

Western Sandpiper (D: spring only)

6/2 Barberton (3) (fide TB).

Baird's Sandpiper (D: spring only)

6/9 ONWR (10) (KA). Editor's Note: This species is very rare anywhere east of the Mississippi River in Spring migration and this number of individuals would be noteworthy at any time of the year. A specimen or photograph and documentation should accompany a report of this type.

Stilt Sandpiper

6/8 Spencer SWA (Medina Co) (fide TB).

Franklin Gull

6/6 Lorain (JP).

Little Gull (D: away from Lake Erie)

6/5 Lorain (second year bird) (DC).

Bonaparte's Gull

6/6 Cleveland (DC).

Northern Waterthrush

6/7 Sims Park (DC).

Summer Tanager

6/5 Magee Marsh (JP).

Early Fall Migrants

1985

The following list is a record of those species that were observed during the breeding season but are believed to be early southbound birds. Many are not unusual during this period. Unusual or significant records are underlined and further details are presented at the end of the list.

Greater Scaup

Lesser Scaup

Black-bellied Plover

Lesser Golden-Plover

Semipalmated Plover


Killdeer

Black-necked Stilt

American Avocet

Greater Yellowlegs

Lesser Yellowlegs



Solitary Sandpiper
Willet
Upland Sandpiper
Whimbrel
Marbled Godwit
Ruddy Turnstone
Red Knot
Sanderling
Semipalmated Sandpiper
Western Sandpiper
Least Sandpiper
White-rumped Sandpiper
Baird's Sandpiper
Pectoral Sandpiper
Dunlin
Stilt Sandpiper
Short-billed Dowitcher
Wilson's Phalarope

Red-necked Phalarope
Franklin's Gull
Bonaparte's Gull
Great Black-backed Gull
Caspian Tern
Common Tern
Forster's Tern
Olive-sided Flycatcher
Yellow-bellied Flycatcher
Least Flycatcher
Bank Swallow
Cliff Swallow
Red-breasted Nuthatch
Tennessee Warbler
Yellow-rumped Warbler
Northern Waterthrush
Canada Warbler

Greater Scaup

7/20 Lorain (female) (KA). Editor's Note: This is a very unusual record and should be documented. As this species is fairly common here in winter, it is highly possible that some summer here also.

Lesser Golden-Plover

7/19 Cleveland (WNK).

Black-necked Stilt (D)

7/6 Fostoria (Seneca Co) (AC*) Editor's Note: A documentation was received with this report and if accepted by the Ohio Cardinal Record Committee, it would be one of the few records this century.

American Avocet

7/9-15 Cleveland (1 to 3 individuals) (WNK, TL); 7/15 Lorain (AT); mid-July Maumee River (fide TB).

Willet

7/14-29 Cleveland (1 to 6 individuals) (WNK, KA); 7/19-26 Lorain (AT, TL).

Upland Sandpiper

Numerous reports for July were received but a report of 96 individuals near ONWR on 7/25 by JP is noteworthy. Making a comeback?

Whimbrel

7/6 Cleveland (2) (WNK); 7/17 Cleveland (3) (WNK); 7/27 Cleveland (WNK, TL).

Marbled Godwit

7/14 Magee Marsh (2) (JP).

Baird's Sandpiper (D: spring only)

7/12, 7/24 Columbus (1-3) (KA); 7/21 Fostoria (AC); 7/22 Spencer Lake (AT).

Wilson's Phalarope

7/2-30 Cleveland (TL, WNK); 7/6-29 Columbus (KA); 7/26 Barberton (fide TB); 7/31 Spencer Lake (AT).

Red-necked Phalarope

7/28-29 Columbus (KA).

Franklin's Gull

7/29 Lorain (TL), 7/30 Magee Marsh (JP).

Great Black-backed Gull (D: away from Lake Erie)

7/19 Cleveland (WNK); 7/22 Vermilion (Erie Co) (3 immatures) (AT).

Olive-sided Flycatcher

7/25 Magee Marsh (JP).

Yellow-bellied Flycatcher

7/25 Magee Marsh (JP); 7/31 Spencer Lake (AT).

Least Flycatcher

7/21 Navarre Marsh (MS); 7/25 Magee Marsh (JP).

Red-breasted Nuthatch

There were several statewide reports in the second half of July; Were these early migrants or summering (breeding?) birds?

Tennessee Warbler

7/31 Sims Park (DC).

Yellow-rumped Warbler

7/17 Perry (fide TB); This report was of a first year bird. Was it an early migrant or young of a local nest?

Northern Waterthrush

7/25 Magee Marsh (JP).

Canada Warbler

7/17 Magee Marsh (JP).

Bird Report Contributors Cross-Reference

Thanks to the reporters who so unselfishly share with all of us their observations and thereby make this magazine possible. The names of those reporters with multiple observations appear at the end of this report while those with individual contributions appear in the body of the report.

J. Kirk Alexander (KA)	Joe Komorowski (JKo)
Matt Anderson (MA)	Tom Lepage (TL)
Tom Bartlett (TB)	Charlotte Mathena (CM)
James Bruce (JB)	Doug Overacker (DO)
A. H. Claugus (AC)	John Pogacnik (JP)
Dave Corbin (DC)	Mark Shieldcastle (MS)
Paula Jack (PJ)	Arden & Erdine Thompson (AT)
Tom Kemp (TK)	
Dennis Kline (DK)	

Location Cross-Reference

<u>LOCATION</u>	<u>COUNTY</u>	<u>LOCATION</u>	<u>COUNTY</u>
Avon Lake	Lorain	Maumee SF	Henry-
Barberton (PPG settling pond)	Summit		Fulton-
Bayshore (power plant)	Lucas	Medusa Marsh	Lucas
Bayview	Erie	Mohican SF	Erie
Big Island State WA	Marion	Mosquito Creek Reservoir	Ashland
Blendon Woods MP	Franklin	Navarre Marsh	Trumbull
Bowling Green	Wood	North Chagrin Reservation	Ottawa
Buck Creek SP	Clark	Oak Openings MP	Cuyahoga
Burton	Geauga	Ottawa National Wildlife Refuge (OWNR)	Lucas
Castalia Pond	Erie	Pennisula	Ottawa-
Cedar Point division ONWR	Lucas	Perry	Lucas
Champion	Trumbull	Richfield	Summit
Chesterland	Geauga	Sandusky Bay	Lake
Clearcreek	Fairfield	Schwamberger Road	Summit
Cleveland	Cuyahoga	Sheldon's Marsh	Ottawa-
Darby Creek MP	Franklin	Southington	Erie
Dayton	Montgomery	Spencer State WA	Lucas
Findlay SP	Lorain	Springville Marsh SNP	Erie
Fostoria	Seneca	Stillfork Swamp	Trumbull
Germantown Reserve	Montgomery	Thompson	Medina
Killbuck State WA	Wayne	Vermilion	Seneca
Killdeer Plains State WA	Wyandot	Vickery	Carroll
Lake Pipin	Portage	Waterville	Geauga
Lake Rockwell	Portage	West Sister Island	Erie
Lorain	Lorain	Winous Point	Sandusky
Magee Marsh State WA	Ottawa	Wooster	Lucas
Maumee Bay SP	Lucas		Ottawa
			Wayne