

I also found a nest of *Merula migratoria*, taken possession of by *Coccyzus americanus* before it was finished, which was filled nearly full of rootlets; and in this condition the Robin laid one egg and the Cuckoo laid two and commenced incubation, when a Mourning Dove (*Zenaidura macroura*) also occupied it and laid two eggs and commenced incubation with the Cuckoo. I found both birds on the nest at the same time, when I secured nest and eggs. The eggs of the Robin and Cuckoo were slightly incubated; those of the Mourning Dove were fresh. The above was published in the 'Forest and Stream,' Aug. 24, 1882, p. 65.

I also have a nest of *Sayornis phæbe* in which a Robin's egg is nearly embedded, and another of this same species with a Cowbird's egg quite covered. The latter is often found in the nests of small birds, but I have found them covered up, except in this instance, only by the Goldfinch and Summer Warbler.—J. L. DAVISON, *Lockport, N. Y.*

**New Species of Winter Birds in New Brunswick.**—On January 4 of the present year a Flicker (*Colaptes auratus*) was taken near St. John, N. B., and the following day a Night Heron (*Nycticorax nycticorax nevius*) was captured. Five days later a Sharp-shinned Hawk (*Accipiter velox*) was shot while lurking around a barnyard.—MONTAGUE CHAMBERLAIN, *St. John, N. B.*

**Additions to Mr. Drew's List of the Birds of Colorado.**—Mr. Frank M. Drew in 'The Auk' for January, 1885, gives a list he believes complete of Colorado birds. I have observed here five years and can add to his list the following: viz.

*Merganser serrator.* Rather rare.

*Chen hyperborea.* Common.

*Branta bernicla.* Rare.

*Grus canadensis.* Not common.

*Micropalma himantopus.* Common.

*Numenius hudsonicus.* About fifty seen April 30, 1885. No others observed.

*Asio accipitrinus.* Common.

*Colaptes auratus.* But one seen.

*Contopus pertinax.* But one specimen.

*Scolecophagus carolinus.* Common. Not identified until this year. Found in flocks with *S. cyanocephalus*.

*Spizella socialis.* Abundant in spring. The bulk make a short stay. Not found breeding, though I suspect a few do breed. I am confident that this is not *S. s. arizonæ*.

*Melospiza georgiana.* About eighty seen in May, 1885. More in other years.

*Pipilo maculatus arcticus.* Common. Some years all seen are *T. m. megalonyx*.

*Vireo olivaceus.* Tolerably common.

*Vireo bellii.* Tolerably common.