

INDEX TO VOLUME VII.

- A**CANTHIS hornemannii, 322.
linaria, 114, 239.
Accipiter atricapillus, 231, 322.
 atricapillus striatulus, 53.
 cooperi, 36, 53, 81, 101, 112.
 velox, 53, 82, 112, 231, 309,
 388.
Actitis macularia, 52, 83, 308, 321,
 328, 332, 375.
Aegialitis meloda, 328.
 meloda circumcincta, 309.
 montana, 80.
 semipalmata, 309, 321, 374.
 vocifera, 52, 295, 333, 374,
 375, 390.
 wilsonia, 374, 375.
Agelaius phœniceus, 114, 200, 288,
 297, 341, 368.
Aix sponsa, 390.
Alauda arvensis, 388.
 rufa, 150.
Alca torda, 203.
Allen, J. A., To what extent is it
 Profitable to Recognize Geo-
 graphical Forms among North
 American Birds?, 1; Description
 of a New Species of *Icterus* from
 Andros Island, Bahamas, 343;
 notice of his 'Notes on a collec-
 tion of Birds from Quito, Ecu-
 ador,' 380; notice of his 'List of
 Birds collected in Bolivia by Dr.
 H. H. Rusby,' etc., 381; notice
 of his 'On *Cyclorrhynchus viridis*
(Vieill.) and its Allies' etc., 382;
 notice of his 'Descriptions of
 New Species of South American
 Birds,' etc., 384; notice of his
 'Remarks on Individual and Sea-
 sonal Variation in a Large Series
 of *Elainea*,' etc., 385; notice of
 his 'On the Maximilian Types of
 South American Birds in the
 American Museum of Natural
 History,' 386.
- A**mazilia fuscicaudata, 333.
Amblycercus solitarius, 269.
American Ornithologists' Union,
 Seventh Congress of the, 66.
American Ornithologists' Union
 Check-List of North American
 Birds, Second Supplement to
 the, 60.
Ammiodramus caudacutus, 212, 290.
 caudacutus nelsoni, 56, 212,
 241.
 caudacutus subvirgatus, 56,
 212, 387.
 henslowii, 213, 240, 241.
 lecontei, 76, 241.
 maritimus, 212, 289.
 maritimus peninsulae, 66, 212.
 passerinus, 191.
 passerinus perpallidus, 191.
 peninsulæ, 66.
 princeps, 211.
 rostratus guttatus, 215.
 samuelis, 215.
 sandwichensis, 191.
 sandwichensis alaudinus, 191.
 sandwichensis savanna, 240,
 311, 342.
 savannarum passerinus, 191,
 240, 241, 311, 242.
 savannarum perpallidus, 191.
Ampelis cedrorum, 83, 86, 110,
 112, 125, 217, 278, 279, 290,
 297, 369.
 garrulus, 82.
Amphispiza belli nevadensis, 296,
 297.
 bilineata, 27.
Anabazenops immaculatus, 382.
Anas aberti, 275.
 americana, 48, 50, 283, 320.
 boschas, 48, 50, 320, 389.
 carolinensis, 297, 320.
 crecca, 294.
 cyanoptera, 51.
 discors, 48, 51, 332, 393.

- Anas fulvigula, 88, 204.
fulvigula maculosa, 61.
maculosa, 61, 88.
obscura, 394.
penelope, 88, 204, 283, 397.
strepera, 48, 50, 387.
wyvilliana, 275.
- Anous stolidus, 303, 306.
- Anthony, A. W., notice of his 'New Birds from Lower California, Mexico,' 281.
- Anthocephetes phænicotis, 354.
- Anthreptes flavigaster, 355.
phænicotis, 354.
- Anthus pensylvanicus, 114.
rufus, 266.
- Antrostomus carolinensis, 38, 80,
 310.
- vociferus, 38, 83, 114, 199,
 231, 279.
- Aphelocoma californica, 192.
californica hypoleuca, 192.
californica obscura, 63, 281.
couchi, 192.
cyanotis, 192.
sieberii, 192.
sieberii arizonæ, 29, 48, 192.
sumichrasti, 192.
ultramarina, 192.
woodhousei, 192.
- Aquila chrysaëtos, 37, 48, 53, 54.
- Ara hyacinthina, 131.
- Arachnorhaphis flavigastra, 355.
- Arachnothera chrysogenys, 355.
flavigastra, 355.
flaviventris, 355.
- Arbelornis cœrulea, 266.
- Archibuteo ferrugineus, 83.
lagopus sancti-johannis, 322,
 389, 395.
- Ardea candidissima, 221, 278, 395.
cœrulea, 308, 327, 332, 374,
 387, 392.
egretta, 221, 230, 332.
herodias, 35, 277, 332, 337,
 388, 397, 408.
occidentalis, 222.
virescens, 35, 48, 308, 327,
 332, 374, 375.
wardi, 308.
- Arenaria interpres, 309, 321, 395.
- Arundinicola leucocephala, 133,
 269.
- Asio accipitrinus, 322, 400.
wilsonianus, 86.
- Atthis heloisæ, 215.
- Atticora cyanoleuca montana, 382.
- Auk, Great, 201, 203.
 Razor-billed, 203.
- Auriparus flaviceps, 296, 297.
- Averill, C. K., Jr., 'The Evening Grosbeak in Connecticut,' 211.
- Aythya affinis, 373.
americana, 83.
- BAGG, E., see Ralph, W. L.
- Baldpate, 50, 283.
- Bartramia longicauda, 332.
- Batchelder, C. F., 'Recording the Number of Birds Observed,' 216;
 'The Snow Goose (*Chen hyperborea nivalis*) on the Coast of Maine,' 284; 'Notes on Several Birds in the Catskill Mountains,' 295; '*Helminthophila chrysoptera* in Manitoba,' 404.
- Beccard, Xantus's, 62.
- Bee-bird, 28.
- Bell, J. G., death of, 98.
- Bellona exilis, 374, 375.
- Bendire, C. E., 'Notes on *Pipilo fuscus mesoleucus* and *Pipilo aberci*, their Habits, Nests and Eggs,' 22; '*Megascops asio maxwelliae*, 91; 'A Second Nest and Eggs of *Picicorvus columbianus* taken in Colorado,' 92.
- Bent, A. C., '*Coccothraustes vespertina* in Taunton, Massachusetts,' 289.
- Bergtold, W. H., '*Coccothraustes vespertina* in Erie County, N. Y., 209.
- Berlepsch, H. v., notice of his 'Notes on some Neotropical Birds belonging to the United States National Museum,' 275.
- Bird, Butcher, 290.
 Cocoanut, 344.
 Egg, 306.
 Lettuce, 82.
- Bittern, American, 51.
- Blackbird, Brewer's, 257.
 Crow, 114, 209.
 Red-winged, 114, 288, 341,
 368.
 Yellow-headed, 257.
- Blackcock, 390.
- Blanchard, R., notice of his 'De la Nomenclature des êtres organisés,' 73.
- Bluebird, 113, 120, 130, 200.
 Mountain, 264.
 Western, 264.
- Bobolink, 39, 120, 311.
- Bob-white, 35, 396.
- Bolles, F., 'Barred Owls in Cap-

- tivity, 101; Snake Skins in the Nests of *Myiarchus crinitus*, 288; Young Cedarbirds and Great-crested Flycatchers in Captivity, 290.
- Bonasa umbellus*, 36, 389, 390-398.
umbellus togata, 393.
- Booby*, 307, 327.
- Botaurus lentiginosus*, 51, 320.
- Brachyurus atricapillus*, 357.
baudi, 356.
cocruleus, 356.
mülleri, 357.
sordidus, 357.
venustus, 356.
- Brant*, 391, 392.
- Branta bernicla*, 391, 392.
canadensis, 284, 391, 392, 395, 396.
- Brewster, W., the Little Brown Crane (*Grus canadensis*) in Rhode Island, 89; Capture of a Canada Jay (*Perisoreus canadensis*) near Cambridge, Massachusetts, 91; Bullock's Oriole in Maine, 92; Recent Occurrence of the Turkey Vulture in Eastern Massachusetts, 204; Capture of a Third Specimen of the Barn Owl in Massachusetts, 205; Food of Young Hummingbirds, 206; The Purple Grackle at Charleston, South Carolina, 208; The Acadian Sharp-tailed Sparrow and Scott's Seaside Sparrow on the Coast of South Carolina, 212; Summer Robin Roosts, 360; A New Subspecies of the Solitary Sandpiper, 377; Breeding of the Pileated Woodpecker in Worcester County, Massachusetts, 400.
- Brinley, C. S., The Nesting of the Yellow-throated Warbler at Raleigh, N. C., 323.
- Broadbill, 327.
- Brotogeris virescens* 133.
- Bryant, W. E., notice of his ' Catalogue of the Birds of Lower California,' 281.
- Buarremon gutturalis*, 334.
- Bubo virginianus*, 81, 83, 84, 286, 322, 391, 395.
virginianus subarcticus, 48, 54.
- Buceros galeatus*, 347.
- Bull-bat, 38.
- Bunting, Cow, 114, 368.
Indigo, 125, 243.
Painted, 81.
- Busarellus nigricollis*, 133.
- Buteo borealis*, 36, 82, 84, 85, 205, 395.
borealis calurus, 53, 225, 297.
borealis harlani, 205, 285.
brachyurus, 56, 64, 90.
fuliginosus, 57, 64, 90.
latissimus, 101, 333, 395.
lineatus, 84, 392.
lineatus alleeni, 309, 339.
swainsoni, 333, 390.
- Buzzard, 36.
 Turkey, 36, 81, 83, 390, 392.
- CACOPITTA atrigularis*, 350.
- Cactornis brevirostris*, 273.
- Cahoon, J. C., Seaside Sparrows at Monomoy Island, Cape Cod, 289.
- Calamospiza bicolor*, 215.
melanocorys, 27, 80, 215.
- Calcarius lapponicus*, 239, 322, 395.
pictus, 240.
- Calidchelidon cyanoviridis*, 265, 312.
- Calidris arenaria*, 294, 308, 321, 374.
- Callipepla californica*, 85.
gambeli, 48, 52, 297, 393.
squamata, 89, 216.
- Calliste boliviiana*, 267.
cayana, 267.
mexicana, 267.
- Calloclalia luciphaga*, 358.
linchii, 358.
- Callothrhus robustus*, 334.
- Calopteryx ornatus*, 270.
- Camarhynchus pauper*, 273.
townsendi, 273.
- Camptolaimus labradorius*, 199.
- Campylorhynchus affinis*, 215.
brunneicapillus, 297.
hypostictus, 137.
- Cantwell, G. C., Shrikes of Minnesota, 213.
- Cardellina rubrifrons*, 50, 261.
- Cardinal, 125, 243.
- Cardinalis cardinalis*, 82, 125, 200, 243, 305.
cardinalis coccineus, 191.
cardinalis igneus, 191, 215.
igneus, 215.
virginianus, 191.
- Carpodacus cassini*, 49, 252, 258.
mexicanus frontalis, 48, 296, 297.
purpureus, 110, 239, 394.
- Cassicus persicus*, 132, 269.
- Cassidix oryzivora*, 269.
- Catbird, 110, 115, 129, 314.
- Cathartista atrata*, 36, 333.
- Cathartes aura*, 36, 53, 81, 83, 84, 204, 223, 333, 390, 392.

- Catherpes mexicanus punctulatus, 48, 296.
Ceblepyris culminata, 352.
Cedarbird, 86, 110, 112, 290, 369.
Centurus aurifrons, 215.
Ceophila pileatus, 37, 81, 109, 339, 389, 400.
Cephus grrylle, 283.
Cercomacra hypoleuca, 380.
Certhia familiaris americana, 83, 232.
 familiaris montana, 49, 262.
 jugularis, 354.
 trigonostigma, 354.
Certhidea cinerascens, 273.
Certhiola finschi, 274.
Ceryle alcyon, 37, 111, 223, 310, 322, 328, 388.
 cabanisi, 333.
Chadbourne, A. P., Song of the Female Butcher Bird, 290.
Chætura pelagica, 38, 84, 111, 279, 391, 392.
Chalcoparia singalensis, 354.
Chapman, F. M., on the Eastern Forms of *Geothlypis trichas*, 9; on the Winter Distribution of the Bobolink (*Dolichonyx oryzivorus*) with Remarks on its Routes of Migration, 39; Note on *Cyanocitta stelleri litoralis* Maynard, 91; On the Changes of Plumage in the Bobolink (*Dolichonyx oryzivorus*), 120; notice of his paper on the genus *Xiphorhynchus*, 274; The Song of *Helminthophilus leucobronchialis*, 291; see also Riker, C. B.
Chaptia maylayensis, 351.
Charadrius dominicus, 321, 332, 389, 397.
 squatarola, 230, 321.
Charitonetta alboeola, 320.
Chat, Yellow-breasted, 22, 129.
Chelidon erythrogaster, 110, 266, 279, 312, 335.
Chen hyperborea, 284.
 hyperborea nivalis, 284.
Cherrie, G. K., Notes on the Nesting Habits of Several Birds at San José, Costa Rica, 233; Notes on Habits and Nesting of *Vireo flavoviridis* (Cass.), 329; North American Birds found at San José, Costa Rica, with Notes on their Migration, 331.
Chewink, 81, 83.
Chickadee, 107, 108, 113, 114.
 Black-capped, 408.
Chickadee, Carolina, 119, 130.
 Hudsonian, 291, 407.
 Mountain, 263.
Chiroxiphia pareola boliviensis, 382.
Chlorophanes spiza cæruleescens, 381.
 spiza guatemalensis, 381.
Chloropsis gampsorhynchus, 349.
 zosterops, 349.
Chondestes grammacus, 76, 191, 241.
 grammacus strigatus, 191, 259, 296.
Chordeiles texensis, 333.
 virginianus, 38, 322.
 virginianus chapmani, 305, 310.
 virginianus henryi, 48, 254.
Chuck-will's-widow, 38, 80, 310.
Cinclodes rivularis, 382.
Cinnyris jugularis, 354.
Circus hudsonius, 82, 86, 296, 297, 322, 333, 395.
Cistothorus marianæ, 117.
 palustris, 83, 117, 291, 408.
 palustris paludicola, 297, 409.
 stellaris, 56, 117, 291.
Cittocincla stricklandi, 348.
Clangula hyemalis, 320.
Clark, H. L., *Coccothraustes vespertina* at Amherst, Massachusetts, 210.
Clarke, W. E., On a Collection of Birds from Fort Churchill, Hudson's Bay, 319.
Clivicola riparia, 96.
Coccothraustes vespertina, 49, 80, 93, 209, 210, 211, 230, 238, 247-249, 289, 395-97.
 vespertina montana, 246, 257, 258.
Coccyczus americanus, 37, 310.
 erythrophthalmus, 333.
 minor, 375.
Coereba cærulea, 381, 382.
 cærulea microrhyncha, 382.
 chloropyga, 266.
 dominicensis, 374.
 martinicana, 274.
 portoricensis, 374, 375.
Colaptes auratus, 38, 81, 82, 107, 109, 223, 322, 391.
 cafer, 48, 80, 254, 297.
Colinus virginianus, 35, 85, 390, 392, 394-396, 398.
 virginianus floridanus, 339.
Columba fasciata, 52.
 leucocephala, 375.
 montana, 62.

- Columbigallina passerina, 81, 84, 333, 374, 375.
Colymbus auritus, 320.
holbælli, 213.
nigricollis californicus, 48, 50.
 Comeau, N. A., Additional Notes on the Probable Breeding of *Saxicola axanthe* near Godbout, Province of Quebec, Canada, 294.
Compsothlypis americana, 18, 101, 127, 217, 313, 374, 375.
Conopophaga rusbyi, 382.
Contopus borealis, 48, 255, 334.
pertinax, 215, 256.
richardsonii, 49, 256, 334.
virens, 39, 328, 334.
Conurus carolinensis, 388.
 Cooke, W. W., Evening Grosbeaks in Vermont, 210.
 Cooper, J. G., Note on Pacific Coast Birds, 214.
 Coot, American, 52.
Copsychus adamsi, 346, 348.
seychellarum, 348.
stricklandi, 348.
Coracias sumatranus, 358.
 Cormorant, Double-crested, 55.
Florida, 222, 223, 307.
Pallas's 276.
Corvus americanus, 49, 82, 83, 84, 112, 124, 255, 256, 328, 329, 391, 292, 397.
americanus floridanus, 311, 341.
corax principalis, 124.
corax sinuatus, 256, 296, 297.
cryptoleucus, 256.
javanensis, 355.
ossifragus, 81, 223, 329.
 Cory, C. B., Eggs of the Florida Dusky Duck, 204; On a Collection of Birds made during the winter of 1889-90, by Cyrus S. Winch, in the Islands of St. Thomas, Tortola, Anegada, and Virgin Gorda, West Indies, 373.
Corydon sumatranus, 358.
 Coues, W. P., *Passer domesticus* in Cape Breton, 212.
 Cowbird, 81, 329, 390.
Dwarf, 257.
 Crane, 35.
Little Brown, 89.
Sandhill, 51, 89, 199.
Whooping, 89.
Creagrus furcatus, 273.
 Creeper, Black-and-white, 111, 335.
Brown, 83.
 Creeper, Rocky Mountain, 262.
Criniger phœocephalus, 349.
 Crossbill, American, 239.
Mexican, 258.
Red, 80.
White-winged, 112, 239.
Crotophaga ani, 374, 375.
sulcirostris, 333.
 Crow, 82, 83, 84, 112, 255, 391, 392, 397.
American, 124, 256, 328.
Carrion, 36.
Fish, 81, 329.
Florida, 311, 341.
Crymophilus fulicarius, 204, 230, 321.
 Cuckoo, Black-billed, 111.
Yellow-billed, 37, 310.
Cyanocephalus cyanocephalus, 49, 257.
Cyanocitta cristata, 82, 112, 114, 124, 200.
cristata florincola, 305.
stelleri, 91.
stelleri frontalis, 91.
stelleri litoralis, 65, 91.
stelleri macrolopha, 49, 215, 244, 256.
Cyanospiza versicolor, 215.
Cyanura macrolopha, 215.
Cyclorhis albiventris, 383, 384.
atrirostris, 383.
atrirostris, 383.
cearensis, 383, 384.
flavipectus, 383, 384.
flavipectus subflavescens, 383.
flavipectus trinitatis, 383.
flaviventris, 383, 384.
flaviventris yucatanensis, 383.
guianensis, 266, 383, 384.
insularis, 383.
ochrocephala, 383.
viridis, 383, 384.
wiedii, 383.
Cymbirhynchus nasutus, 357.
Cymborhynchus macrorhynchus, 357.
Cyphorhinus griseolateralis, 137.
Cypseloides niger, 333.
Cypselus comatus, 358.
Cyrtonyx montezumæ, 48, 52.

DACNIS cayana, 266.
egregia æquatorialis, 381.
plumbea, 266.
Dafila acuta, 48, 51.
bahamensis, 373.
Dendragapus canadensis, 321, 397.
obscurus, 48, 52.

- Dendragapus obscurus fuliginosus, 392.
 Dendrochelidon comata, 358.
 longipennis, 359.
 Dendrocopetes chunchotambo, 176.
 eytoni, 165, 182.
 guttatus, 164, 170, 185.
 obsoletus, 164, 189.
 ocellatus, 164, 170.
 susurrans, 164, 171.
 tenuirostris, 164, 177.
 Dendrocopus pardalotus, 164, 173.
 Dendroica aestiva, 18, 81, 82, 127,
 217, 322, 335.
 aestiva sonorana, 48.
 auduboni, 49, 261, 297.
 blackburniae, 20, 127, 223,
 231, 336.
 cærulea, 19, 291, 313.
 cærulescens, 18, 217, 231,
 313, 406, 410.
 chrysopareia, 215.
 coronata, 19, 96, 223, 229,
 313, 322, 336, 342.
 discolor, 21, 107, 128, 217,
 314, 325, 375.
 dominica, 20, 97, 305, 313,
 333.
 dominica albilora, 20, 127,
 305, 313.
 gracilæ, 50, 261.
 maculosa, 19, 111, 217.
 nigrescens, 48.
 olivacea, 49, 261.
 palmarum, 20, 223, 229, 232,
 305, 314, 322.
 palmarum hypochrysea, 20,
 223, 229, 305, 314.
 pensylvanica, 111, 127, 217,
 336, 404-407.
 ruficapilla, 374, 375.
 striata, 19, 112, 217, 313, 322.
 tigrina, 18, 313.
 vigorsii, 20, 128, 217, 232,
 323.
 virens, 20, 33, 34, 111, 128,
 217, 223, 314.
 Dendrophorus corallipes, 351.
 Dendroornis, 165.
 albirostris, 161, 179.
 albiscama, 161, 172.
 chunchotambo, 161, 164, 167,
 169-171, 175, 177.
 d'orbignyanus, 164, 167, 168,
 182-184.
 eburneirostris, 179.
 elegans, 163, 165, 167, 177,
 207, 208.
 erythropygia, 165, 166, 187-
 189.
 Dendroornis erythropygia æquato-
 rialis, 165, 168, 187.
 eytoni, 165, 167, 168, 182.
 flavigaster, 161, 164-167, 178-
 181.
 fraterculus, 161, 165, 171, 172.
 guttata, 166, 167, 168, 183-
 186.
 guttataoides, 161, 164, 166, 168,
 186, 208.
 kieneri, 163, 165, 167, 169.
 lacrymosa, 161, 165-167, 181.
 lawrencei, 161, 165, 174, 175.
 lawrencei costaricensis, 161,
 165, 174, 175.
 mentalis, 161, 165, 179.
 multiguttata, 161, 164, 166,
 167, 175, 176.
 nana, 161, 163, 165-167, 174.
 obsoletus, 163, 167, 168, 189.
 ocellata, 163, 164, 167, 169-
 171, 175, 176, 177, 207, 208.
 palliata, 163, 165-167, 169,
 176, 178.
 pardalotus, 163, 164, 166, 167,
 173, 174, 184, 185.
 peruana, 161.
 peruviana, 176.
 polysticta, 163, 165-167, 182.
 punctigula, 161, 165, 166, 168,
 188, 189.
 rostriplallens, 161, 165, 166,
 168, 183-186.
 spixi, 163, 167, 177, 207, 208.
 susurrans, 163-167, 171-174.
 tenuirostris, 164.
 triangularis, 161, 164, 167,
 168, 187, 188.
 weddelli, 161, 165, 167-169,
 176, 177, 208.
Dicæum trigonostigma, 354.
Dickcissel, 243.
Diglossa sittoides, 381.
 Dionne, C. E., notice of his 'Catalogue des Oiseaux de la Province de Québec,' etc., 387.
Dissemurus brachyphorus, 351.
 paradiseus, 351.
 Diver, Red-throated, 88.
 Doan, W. D., notice of his 'Birds of West Virginia', 197.
Dolichonyx oryzivorus, 39-45, 120,
 199, 311, 341.
 oryzivorus albinucha, 41.
Donacobius atricapillus, 137.
 Dove, 36.
 Ground, 81, 84.
 Mourning, 36, 53, 82.
 Dowitcher, 400.
Drymocataphus capistratoides, 350.

- Drymocataphus nigricapitata, 350.
 Dryobates pubescens, 37, 109.
 pubescens fumidus, 65.
 pubescens oreocucus, 48, 62,
 252.
 scalaris bairdi, 48, 251, 297.
 vilosus, 37, 109, 395.
 villosus audubonii, 37.
 villosus hyloscopus, 48, 251.
 villosus leucomelas, 322.
 Dryocopus eburneirostris, 164, 178.
 flavigaster, 179.
 Duck, Florida, 88.
 Florida Dusky, 204.
 Golden-eyed, 396.
 King, 397.
 King Eider, 88.
 Mottled, 61, 88.
 Ruddy, 51.
 Sea, 318.
 Shoal, 318.
 Velvet, 318.
 Wood, 390.
 Dunlin, 321.
 Dwight, J., Jr., The Horned Larks
 of North America, 138.
 EAGLE, 112.
 Bald, 37, 53, 85.
 Golden, 37, 53, 54.
 Sparrow, 37.
 Eames, E. H., Food and Habits of
 the Ruby - throated Humming-
 bird, 286.
 Ectopistes migratorius, 199, 216,
 284, 322, 389, 393-395.
 Edolius brachyphorus, 351.
 Egret, White, 221.
 Eider, American, 315.
 King, 284.
 Pacific, 316.
 Elæna cinerascens, 386.
 martinica, 374, 375.
 pagana, 235, 370, 385, 386.
 pagana albiceps, 385, 386.
 pagana martinica, 386.
 pagana subpagana, 386.
 Elanoides forficatus, 36.
 Elliot, D. G., A Study of the Genus
 Dendrocygnis and its Species, 160;
 Remarks on Certain Species of
 Dendrocygnis, 207; A List of Birds
 from Northeast Borneo, with
 Field Notes by Mr. C. F. Adams,
 346.
 Elliott, H. W., *Quiscalus quiscula*
 aneurus Killing and Catching Gold-
 fish, 208.
 Embernagra chlorura, 193.
 platensis, 193.
 Empidonax acadicus, 37, 81, 84, 334.
 boliviensis, 382.
 difficilis, 49, 256.
 flaviventris, 334.
 griseus, 62.
 lawrencei, 384.
 obscurus, 65.
 pusillus, 256.
 pusillus traillii, 81, 84.
 wrightii, 65.
 Empidonax varius, 270.
 Enicornis strata, 382.
 Ereunetes occidentalis, 227.
 pusillus, 321, 374.
 Eriocnemis aurea, 315.
 cupreiventris, 315.
 Erismatura rubida, 48, 51.
 Eutheia bicolor, 374, 375.
 Eugenes fulgens, 402.
 Eulampis holosericeus, 374, 375.
 Euphonia chlorotica, 267.
 crassirostris, 382.
 elegantissima, 334.
 lanifirostris, 382.
 violacea, 266.
 Eurylaimus javanicus, 357.
 ochromelas, 357.
 Euscarthmus ochropterus, 384.
 pelzelni, 384.
 striaticollis, 270.
 FALCO caribbæarum, 374.
 columbarius, 231, 310, 322,
 375.
 dominicensis, 374, 375.
 femoralis, 216.
 mexicanus, 53.
 peregrinus anatum, 38, 54,
 309, 322, 375.
 rusticolus gyrfalco, 322.
 sparverius, 37, 54, 223, 297,
 310, 333, 339.
 Falcon, Prairie, 53.
 Faxon, W., The Hudsonian Chick-
 adee (*Parus hudsonicus*) in Ver-
 mont and Massachusetts, 407;
 The Long-billed Marsh Wren,
 Maryland Yellowthroat, Nash-
 ville Warbler, and Great Blue
 Heron in Eastern Massachusetts
 in Winter, 408.
 Finch, Bachman's, 82.
 Cassin's Purple, 252, 258.
 Grass, 111.
 Purple, 110, 239.
 Fisher, A. K., Capture of a Speci-
 men of the Orange-crowned
 Warbler (*Helminthophila celata*)
 in the Vicinity of Washington,
 D.C., 96; The Appearance of the

- Razor-billed Auk (*Alca torda*) on the Coast of North Carolina, 203; A Correction, 400.
- Flamingo, 221.
- Flicker, 38, 109, 391.
Red-shafted, 80, 254.
Yellow-shafted, 81.
- Fluvicola albiventris, 269.
- Flycatcher, Acadian, 39, 81, 84.
Couch's, 256.
Crested, 39.
Gray, 62.
Great Crested, 111, 113, 288, 290.
Little, 256.
Olive-sided, 255.
Scissor-tailed, 80.
Traill's, 81, 84.
Western, 256.
- Fly-up-the-creek, 327.
- Forbush, E. H., Evening Grosbeaks in Hampden County, Massachusetts, 210.
- Formicarius analis, 382.
cayennensis, 380.
- Formicivora griseigula, 385.
- Foster, L. S., The Widgeon (*Anas penelope*) near Baltimore, Md., 283.
- Francolinus vulgaris, 397.
- Fregata aquila, 281, 307.
- Fringilla chlorura, 193.
- Fulica americana, 52.
- GADWALL, 50.
- Galbalcyrhyynchus leucotis, 382.
- Galbulia albirostris chalcocephala, 381.
- Galeoscoptes carolinensis, 85, 110, 115, 129, 223, 295, 314, 393.
- Gallinago delicata, 321, 332, 388, 389, 390, 396, 398.
- Gallinula galeata, 308.
- Gallinule, Florida, 308.
- Gelochelidon nilotica, 327.
- Geocichla interpres, 348.
- Geococcyx californianus, 48, 80.
- Geositta longipennis, 274.
- Geospiza conirostris, 273.
media, 273.
- Geothlypis agilis, 21.
formosa, 21, 34, 81, 129, 314, 336.
macgillivrayi, 48, 336.
philadelphica, 295, 336.
trichas, 9-14, 21, 66, 76, 96, 129, 314, 336, 408.
trichas ignota, 11-13, 21, 63, 66, 223, 305.
trichas occidentalis, 10, 48, 76.
- Goethlypis, trichas roscoe, 9-14, 66.
- Geotrygon martinica, 90.
montana, 62.
- Glaucidium gnoma, 48, 54.
phalænoides, 333.
- Glaucionetta clangula americana, 396.
- Glaucomys thalassinooides, 353.
thalassoides, 353.
- Glaucoptis aterrimus, 356.
- Gnatcatcher, 324.
Blue-gray, 81, 119, 130, 314.
Western, 64.
- Godman, F. D., see Salvin, O.
- Goldana capistratoides, 350.
- Goldfinch, American, 80, 111, 124, 239.
- Arkansas, 258.
- Goose, Snow, 284.
Wild, 284, 391, 395.
- Goshawk, Western, 53.
- Goss, N. S., The Mottled Duck in Kansas, 88; *Phalacrotophilus nuttalli nitidus* Breeding in Kansas. Is it a valid Race or a Color Phase of *P. nuttalli?*, 286.
- Grackle, Boat-tailed, 341.
Bronzed, 368.
Florida, 341.
Purple, 208.
- Gracula javanensis, 355.
- Grallaria nigro-lineata, 380.
- Grebe, American Eared, 50.
Holboell's, 213.
Thick-billed, 86.
- Grosbeak, Black-headed, 244, 260.
Blue, 80, 82, 125.
Cardinal, 82, 84.
Evening, 80, 93, 209, 210, 211, 238, 246, 289, 395-397.
Pine, 211.
Rose-breasted, 111, 243, 410.
Western Evening, 258.
- Grouse, Canada, 397.
Dusky, 52.
Ruffed, 36, 390-394, 398.
- Grus americana, 89.
canadensis, 86, 394.
mexicana, 51, 89, 199.
- Guara alba, 222.
- Guillemot, Black, 283.
- Guiraca cærulea, 80, 82, 125.
cyanæa, 268.
- Gull, Black-headed, 327.
Herring, 306.
Laughing, 306, 326, 328.
Little Sea, 410.
Summer, 327.
- Gurney, J. H., death of, 299.
- Gymnomystax melanicterus, 269.

- Gymnostinops yuracarium*, 269.
HABIA ludoviciana, 111, 243, 334, 381, 410.
 melanocephala, 49, 244, 260.
Habrura minima, 384.
 pectoralis, 384.
 superciliaris, 384.
Hadrostomus albiventris, 62.
Hæmatopus galapagensis, 273.
Haliæetus leucocephalus, 37, 48, 53, 85, 112, 223.
Harpactes diardi, 359.
 duvauceli, 359.
 kasumba, 359.
Harporrynchus cinereus, 215.
 crissalis, 297.
 lecontei, 296, 297.
 rufus, 107, 110, 115, 130, 200, 295, 369, 393.
Hasbrouck, E. M. Picoides arcticus in Central New York, 206;
Dendroica cærulae again in the District of Columbia, 291; *Cistothorus stellaris* at Washington, D. C., 291.
Hawk, American Sparrow, 37, 54, 310.
 Blue-tailed, 36.
 Broad-winged, 101.
 Chicken, 36.
 Cooper's, 36, 53, 81, 101, 112.
 Duck, 37, 54, 399.
 Ferruginous Rough-legged, 83.
 Fish, 81, 326.
 Florida Red-shouldered, 309, 339.
 Harlan's, 205, 285.
 Little Black, 64.
 Marsh, 82, 86.
 Pigeon, 310.
 Red-tailed, 36, 53, 82, 85, 205.
 Sharp-shinned, 53, 82, 399.
 Sparrow, 339.
 Western Red-tailed, 255.
Helinaia swainsonii, 16, 84, 90, 313, 403.
Helminthophaga virginiae, 215.
Helminthophila bachmani, 16, 313.
 celata, 18, 96, 290.
 chrysoptera, 17, 127, 217, 335, 404.
 leucobronchialis, 291.
 lucia, 48.
 peregrina, 18, 335.
 pinus, 17, 214, 313.
 ruficapilla, 107, 217, 408.
 virginiae, 215.
Helmitherus vermivorus, 16, 34, 127, 313, 335.
Hemipus obscurus, 352.
Iien, Mud, 328.
 Wood, 37.
Heron, Black-crowned Night, 51, 308, 327.
 Blue, 388.
 Great Blue, 35, 337, 408.
 Green, 35, 308, 327.
 Little Blue, 308, 327.
 Snowy, 221, 395.
 Ward's, 308.
 Yellow-crowned Night, 308.
Himantopus mexicanus, 81, 338.
Hirundo fuciphaga, 358.
 javanica, 354.
 longipennis, 359.
Hitchcock, F. H., The Philadelphia Vireo in Vermont, 403; Capture of a Second Specimen of the Hooded Warbler in Massachusetts, 407.
Hummingbird, 114.
 Black-chinned, 255.
 Broad-tailed, 54, 255.
 Rivoli, 403.
 Ruby-throated, 38, 84, 206, 286, 310.
Hylactes castaneus, 382.
Hyloterpe grisola, 351.
Hypothymis azurea, 353.
 occipitalis, 353.
IBIS, White, 222.
 White-faced Glossy, 51.
Icteria virens, 22, 129, 191, 199, 337.
 virens longicauda, 48, 191.
Icterus bullocki, 92.
 croconotus, 267.
 cucullatus, 191.
 cucullatus igneus, 191.
 cucullatus nelsoni, 191.
 galbula, 80, 85, 114, 199, 200, 201, 334, 368.
 northropi, 344.
 spurius, 80, 81, 84, 230, 311, 334.
Ictinia mississippiensis, 84, 85.
Indigo-bird, 113.
Ionornis martinica, 394.
Irena crinigera, 349.
 turcosa, 349.
Ixos phœcephalus, 349.
JACKSNIFE, 390.
Jay, Arizona, 29.
 Belding's 63.
 Blue, 82, 112, 114, 124, 200.
 Canada, 91, 397.
 Gray, 389.
 Long-crested, 244, 256.
Piñon, 257.

- Jay, Rocky Mountain, 256.
 Joe-ree, 125.
 Junco alticola, 193.
 cinereus dorsalis, 48, 252, 259.
 hyemalis, 82, 96, 110, 111,
 112, 242, 322, 397.
 hyemalis oregonus, 297.
 hyemalis shufeldti, 289.
 oregonus shufeldti, 244.
 ridgwayi, 243.
 townsendi, 63, 281.
 vulcani, 193.
 Junco, 96, 110, 111, 112.
 Red-backed, 48, 252, 259.
 Slate-colored, 242.
 Townsend's, 63.
- KILLDEER, 52, 295.
- Kimball, R. E., Capture of the Hudsonian Chickadee in Worcester County, Mass., 291.
- Kingbird, 38, 111, 311, 328, 340, 368.
 Arkansas, 255.
 Cassin's, 255.
 Gray, 311.
- Kingfisher, 111, 388.
 Belted, 37, 310, 328.
- Kinglet, 113.
 Ruby-crowned, 97, 119, 263,
 292.
- Kite, Mississippi, 85.
 Swallow-tailed, 36.
- Kittacincla stricklandi, 348.
- LAGOPUS lagopus, 321.
 lagopus atlени, 390.
 rupestris, 321.
- Lalage culminata, 352.
- Lampornis elliotti, 374.
- Lamprospiza melanoleuca, 267.
- Lanius atricapillus, 267.
- Lanius borealis, 82, 290, 322, 390.
 coronatus, 352.
 ludovicianus, 14, 213, 342.
 ludovicianus excubitorides,
 48, 213, 390.
 ludovicianus gambeli, 297.
- Lantz, D. E., Habits of the Barred Owl, 286.
- Lark, Desert Horned, 146.
 Dusky Horned, 153.
 Horned, 141.
 Mexican Horned, 149.
 Pallid Horned, 142.
 Prairie Horned, 86, 144.
 Ruddy Horned, 150.
 Scorched Horned, 148, 256.
 Shore, 85.
 Streaked Horned, 151.
 Texan Horned, 145.
- Larus argentatus smithsonianus,
 306.
 atricilla, 80, 306, 326, 327, 328.
 brachyrhynchus, 387.
 philadelphia, 82, 320.
- Lathria cinerea, 382.
 plumbea, 382.
- Lawrence, R. B., The Red Phalarope on Lake Erie, 204.
- Legatus albicollis, 270.
- Leistes guianensis, 269.
- Leptasthenura fuliginiceps bolivi-
 ana, 382.
 fuscescens, 382.
- Leptoptila erythrothorax, 133.
- Lettuce-bird, 124.
- Leucocerca perlati, 353.
- Leucosticte australis, 49, 258.
- Lewis, S., The Red-bellied Wood-pecker in Northwestern New Jersey, 206.
- Limosa fedoa, 393.
 haemastica, 321.
- Linnæan Society of New York, notice of its 'Proceedings,' 387.
- Liosceles erithacus, 380.
- Logcock, 109.
- Longspur, Lapland, 239.
 Painted, 240.
 Smith's 240.
- Loomis, L. M., Observations on some of the Summer Birds of the Mountain Portions of Pickens County, South Carolina, 30, 124.
- Loon, 85, 389, 393, 397.
- Lophocitta coronata, 352.
- Loxia curvirostra americana, 80.
 curvirostra minor, 228, 239.
 curvirostra stricklandi, 49,
 258.
 leucoptera, 112, 239, 322.
- Lucas, F. A., The Great Auk in the National Museum, 203; notice of his 'Notes on the Osteology of the Thrushes, Miminæ, and Wrens,' 277; see also Stejneger, L.
- MABBETT, G., A Query in regard to the Least Tern, 410.
- Macaw, Great Blue, 131.
- Mackay, G. H., Notes on Several Species of Water Birds at Muskeget Island, Massachusetts, 294; *Somateria dresseri*, the American Eider, 315.
- Macrorhamphus griseus, 321, 393,
 400.
 scolopaceus, 374.
- Magpie, Black-billed, 80.
- Mallard, 50, 389.

- Man-o'-war-bird, 307.
Margarops fuscatus, 374, 375.
 Martin, Bank, 125.
 Black, 125.
 Creek, 125.
 Purple, 125, 260.
 Western, 63.
 Maynard, C. J., notice of his 'Eggs of North American Birds,' 280.
 Meadowlark, 82, 84.
 Western, 199, 257.
 Mearns, E. A., Observations on the Avifauna of Portions of Arizona, 45; Addendum to 'A List of the Birds of the Hudson Highlands, with Annotations,' 55; Capture of the Widgeon (*Anas penelope*) on the James River, Virginia, 88; New York City Owls, 90; Another Capture of the Widgeon (*Anas penelope*) on the Atlantic Coast, 204; Descriptions of a New Species and Three New Subspecies of Birds from Arizona, 243; Observations on the Avifauna of Portions of Arizona, 251.
Mecocerculus uropygialis, 384.
Megalestris skua, 387.
Magarhynchus pitangua, 270, 333.
Megascops asio, 83.
 asio bendirei, 81.
 asio maxwelliae, 80, 91.
Melanerpes aurifrons, 215, 401.
 carolinus, 38, 206, 223, 339, 402.
 erythrocephalus, 38, 83, 84, 85, 231, 394.
 formicivorus, 250, 251.
 formicivorus aculeatus, 249-251, 253.
 formicivorus angustifrons, 215, 250, 251.
 formicivorus bairdi, 48, 249-251, 395.
 torquatus, 48, 254.
Meleagris gallopavo, 36, 376, 390, 391, 393, 394, 396, 397.
 gallopavo mexicana, 49, 52, 216, 376, 377.
 gallopavo osceola, 376.
 mexicana, 216.
Melopelia leucoptera, 216.
Melospiza fasciata, 199, 242, 329, 389, 409.
 fasciata fallax, 27.
 fasciata heermanni, 191.
 fasciata mexicana, 191.
 fasciata montana, 191.
 fasciata samuelis, 215.
Melospiza georgiana, 96, 242, 409.
 lincolni, 242.
 lincolni striata, 63.
 Menzbier, M. A., notice of his 'Ornithologie du Turkestan et des Pays adjacents,' 77.
Merganser americanus, 48, 50.
 serrator, 320.
Merganser, American, 50.
 Merriam, F. A., Was he a Philanthropist?, 404; Interesting Nesting Site of a Winter Wren (*Troglodytes hiemalis*), 407.
Merula fumigata, 135.
 migratoria, 82, 83, 86, 107, 110, 113, 120, 199, 322, 360, 391, 394, 396, 397.
 migratoria propinqua, 49, 264, 297.
 Meyer, A. B., A Supposed New Species of Hummingbird in the Royal Zoölogical Museum of Dresden, 315.
Micropalama himantopus, 321, 393.
Micropus melanoleucus, 54, 255, 279, 297.
 Miller, G. S., Jr., Cape Cod Bird Notes, 226.
 Miller, J. H., The Great Gray Owl in Lewis County, New York, 206.
Milvulus forficatus, 80.
 tyrannus, 271, 333.
Mimus arenaceus, 135.
 gilvus, 192.
 modulator, 136.
 polyglottos, 30, 48, 115, 129, 192, 199, 200, 297, 343, 393.
 saturninus, 135.
 Minor ornithological publications, 79, 198.
Mionectes oleagineus, 270.
Miyothera corcula, 356.
Mniotilla varia, 16, 111, 127, 217, 313, 335.
Mockingbird, 115, 129, 199, 200, 343, 393.
Molothrus aeneus, 192.
 ater, 80, 81, 114, 257, 329, 368, 390.
 ater obscurus, 257.
 bonariensis, 269.
 robustus, 192.
 Morris, R. O., The Evening Grosbeak (*Coccothraustes vespertina*) near Springfield, Mass., 289.
 Mortimer, D., Notes on Habits of a Few Birds of Orange County, Florida, 337.

- Munia fuscans, 355.
Muscicapa obscura, 352.
 obsoleta, 384.
 occipitalis, 353.
 pyrrhopterum, 353.
Muscipeta incanescens, 384.
 paradisea, 353.
Muscivora regia, 270.
Myadestes obscurus, 200.
 townsendii, 98, 297, 408.
Myiarchus crinitus, 39, 85, 111, 113,
 288, 290, 334.
 ferox, 270.
 lawrencei olivascens, 49.
 nigriceps, 270.
 tyrannulus, 270.
Myiodynastes solitarius, 270.
Myiothera capistratoides, 350.
Myiozetetes cayennensis, 270.
 sulphureus, 270.
 texensis, 235, 333.
Myrmeciza pelzelni, 380.
Myrmochanes hypoleucus, 382.
Myrmotherula inornata, 380.
- NASICA albisquama*, 164, 171.
 beauperthysii, 164, 171, 173.
 chunchotambo, 176.
 d'orbignyanus, 164, 182.
 flavigaster, 179.
 guttatoides, 164.
 multiguttata, 164, 175.
 obsoletus, 189.
 susurrans, 171.
 triangularis, 164, 187.
Nectarinia phœnicotis, 354.
Nehrling, H., notice of his 'North American Birds,' 78.
Nesomimus macdonaldi, 273.
 melanotis, 273.
 personatus, 273.
Nighthawk, 38.
 Florida, 310.
 Western, 254.
Noddy, 303, 306.
Nonpareil, 81.
Nucifraga caryocatactes, 276.
 caryocatactes macrorhynchos, 276.
Numenius hudsonicus, 321, 374.
Nutcracker, Clarke's, 92, 256.
Nuthatch, Brown-headed, 80, 85,
 119, 130.
 Florida White-bellied, 118.
Pygmy, 55, 83, 263.
Red-bellied, 113, 114.
Red-breasted, 263.
Slender-billed, 252, 262.
White-breasted, 80, 113, 130.
 White-naped, 64.
Nyctala acadica, 48, 54, 90, 231, 395.
Nyctea nyctea, 215, 394, 395.
Nycticorax nycticorax nævius, 51,
 308, 327.
 obscurus, 274.
 violaceus, 277, 308, 332, 376.
- OCEANODROMA leucomela*, 390.
Octhœca flavigena, 384.
Oidemia americana, 318, 320.
 deglandi, 318, 394.
Olor columbianus 230, 391.
Oreomyza wilsoni, 275.
Oreortyx pictus confinis, 61, 281.
Oriole, 114.
 Bullock's, 92.
 Orchard, 81, 311.
Oriolus xanthornotus, 351.
Ornithion cinerascens, 384.
 napæum, 270.
 obsoletum, 384.
Oroscoptes montanus, 297.
Orthotomus borneonensis, 350.
 cinerascens, 350.
 sepium, 350.
Osprey, 341.
 American, 310, 328.
Osternops decumanus, 132, 269.
Otocoris alpestris, 139, 141-144,
 157, 158, 322.
 alpestris adusta, 139, 146,
 148-150, 157, 158, 256.
 alpestris arenicola, 139, 141,
 144-147, 149, 150, 154, 157,
 158, 256.
 alpestris chrysolaema, 139,
 147-150, 157, 158, 297.
 alpestris giraudi, 141, 145,
 146, 151, 157, 158.
 alpestris insularis, 152.
 alpestris leucomela, 139,
 141-144, 152, 154, 156, 157,
 158.
 alpestris merrilli, 139, 143,
 146, 151-154, 157, 158.
 alpestris pallida, 139, 151,
 154, 155, 157, 158.
 alpestris praticola, 85, 86,
 139, 141, 144-147, 152, 157,
 158, 387.
 alpestris rubea, 141, 144, 148,
 150, 151, 157, 158.
 alpestris strigata, 139, 141,
 151-154, 157, 158.
 peregrina, 150.
Ovenbird, 21, 107, 108, 111, 128,
 314, 336.
Owl, Acadian, 113.
 American Barn, 90, 400.
 American Hawk, 91.
 American Long-eared, 86.
 Barn, 82, 205, 400.

- Owl, Barred, 101, 286, 328.
 Burrowing, 85, 213.
 California Mottled, 81.
 Great Gray, 206, 395.
 Great Horned, 81, 83, 84,
 286, 391.
 Hawk, 400.
 Pygmy, 54.
 Rocky Mountain Screech, 80.
 Saw-whet, 54, 90.
 Short-eared, 400.
 Snowy, 394, 395.
 Western Horned, 54.
- PACHYCEPHALA** *grisola*, 351.
Pachyrhamphus *latirostris*, 62.
 niger, 382.
Pandion *haliaetus carolinensis*, 48,
 81, 310, 326, 328, 341, 394.
Parabuteo unicinctus harrisi, 333.
 Park, A. F., The American Barn
 Owl near Troy, New York, 400.
 Parker, W. K., death of, 411.
Paroaria capitata, 382.
 gularis cervicalis, 382.
Paroquet, *Carolina*, 388.
 Partridge, 35.
 Black, 397.
 Gambel's, 52.
 Massena 48, 52.
 San Pedro, 61.
 Scaled, 89.
Parula, 101.
Parus atricapillus, 107, 108, 113,
 114, 130, 394, 408.
 bicolor, 34, 35, 81, 85, 119,
 130.
 carolinensis, 34, 35, 119, 130.
 colletti, 275.
 cristatus, 275.
 gambeli, 49, 263.
 hudsonicus, 232, 291, 322, 407.
 inornatus griseus, 48, 55.
 mitratus, 275.
 wollweberi, 48.
Passer domesticus, 83, 200, 212,
 342, 388, 392, 413.
Passerulus guttatus, 215.
Passerella iliaca, 242, 398.
Passerina ciris, 81.
 cyanea, 113, 125, 243, 334.
 versicolor, 215.
Pelecanus californicus, 281.
 fuscus, 222, 223, 307.
Pelican, Brown, 222, 223, 307.
 Pennock, C. J., Note on the Nesting
 of *Buteo brachyurus* at St. Marks,
 Florida, 56.
Pericocotus igneus, 352.
- Perisoreus canadensis**, 91, 322, 389,
 397.
 canadensis capitalis, 49, 256.
Peristera mondetoura, 385.
Petrel, Leach's, 390.
Petrochelidon fulva, 264, 265, 311.
 lunifrons, 48, 396.
 pyrrhonota, 194.
Peucaea aestivalis bachmanii, 82, 242.
 arizonæ, 27.
 carpalis, 27.
 cassini, 215.
 ruficeps boucardi, 48.
Pewee, Western Wood, 256.
 Wood, 39, 328.
Phainopepla nitens, 296, 297.
Phalacrocorax brasilianus, 274.
 dilophus, 55.
 dilophus albociliatus, 281.
 dilophus floridanus, 222, 223,
 307.
 perspicillatus, 276.
 vigua, 274.
 vigua mexicanus, 274.
Phalaenoptilus nuttalli, 254, 279,
 286.
 nuttalli nitidus, 286.
Phalarope, Northern, 86.
 Red, 204.
Phalaropus lobatus, 86, 230, 321.
Pheasant, 36.
Philentoma pyrrhopterus, 353.
Philohela minor, 390-398.
Phlogopsis notata, 382.
Phoebe, 39.
Phœnicopterus ruber, 221.
Phœnicothraupis rhodinolæma,
 267.
Phyllomyias berlepschi, 384.
 incanescens, 384.
Phyllornis javensis, 349.
 sonneratii, 349.
 viridis, 349.
Pica pica hudsonica, 80, 387.
Picicorvus columbianus, 49, 92, 256.
Picooides americanus, 322.
 americanus dorsalis, 48, 252.
 arcticus 206.
Picolaptes notatus, 164, 175, 176.
 obsolete, 189.
 obtectus, 382.
 ocellatus, 170.
 spixii, 164, 177.
Picus gairdnerii, 65.
Pigeon, Band-tailed, 52.
 Wild, 284, 393-395.
Pinicola enucleator, 211, 322, 394,
 395.
Pintail, 51.

- Pipilo aberti, 22, 24, 26-29, 297.
albigula, 215.
chlorosoma, 194.
chlorurus, 49, 193, 259.
complexus, 194.
erythrophthalmus, 30, 81, 83,
 114, 125, 199, 231, 242, 295,
 387.
erythrophthalmus allenii, 80,
 305.
fuscus albigula, 23.
fuscus crissalis, 23.
fuscus mesoleucus, 22-27, 214,
 215.
macronyx, 194.
maculatus megalonyx, 48, 82.
mesoleucus, 23, 215.
rutilus, 194.
 Pipit, American, 114.
 Pipra auricapilla, 381.
 Piranga aestiva, 191.
cooperi, 191.
erythromelas, 112, 125, 199,
 311.
hepatica, 49, 215, 260.
ludoviciana, 49, 55, 260.
rubra, 55, 82, 125, 191, 311,
 335, 387.
rubra cooperi, 191.
 Pitangus derbianus, 333.
lector, 270.
sulphuratus, 270.
 Pithys albifrons, 381.
peruviana, 381.
 Pitta baudi, 356.
coerulea, 356.
mülleri, 357.
sordida, 357.
venusta, 356.
 Pitylus grossus, 267.
 Platylophus coronatus, 352.
 Platyparis albiventris, 62.
 Platyrhynchus bifasciatus, 384.
insularis, 384.
 Platysmurus atterimus, 356.
 Plautus impennis, 199, 201, 203.
 Plectrophanes nivalis, 215.
 Plectrophenax nivalis, 215, 322, 395.
 Plegadis guarauna, 51.
 Plover, Belted Piping, 309.
 Golden, 389, 397.
 Killdeer, 390.
 Piping, 328.
 Semipalmated, 309.
 Podilymbus podiceps, 86, 375.
 Pœcilonetta galapagensis, 273.
 Poling, O. C., Notes on the Fringillidae of Western Illinois; 238;
 Notes on *Eugenes fulgens*, 402.
 Polioptila cærulea, 48, 81, 119, 130,
 229, 314, 324.
cærulea obscura, 64.
plumbea, 296, 297.
 Polyborus cheriway, 333.
 Poocætes gramineus, 111, 240.
gramineus confinis, 49, 259.
 Poor-will, 254.
 Dusky, 286.
 Frosted, 286.
 Porphyospiza cærulescens, 384.
cyanella, 384.
 Porzana carolina, 48, 51, 81, 321,
 332, 388.
jamaicensis, 400.
noveboracensis, 389.
 Procnias tera, 381.
viridis, 381.
viridis occidentalis, 381.
 Progne cryptoleuca, 66.
subis, 49, 83, 125, 192, 260,
 279.
subis cryptoleuca, 66.
subis hesperia, 63.
 Protonotaria citrea, 16, 313, 335.
 Psaltriparus minimus californicus,
 82.
plumbeus, 48.
 Pteroptochos albifrons, 382.
magellanicus, 382.
 Publications received, 86, 201, 282,
 398.
 Puffinus cinereus, 387.
cuneatus, 275.
knudseni, 275.
 Pyrotrogon diardi, 359.
duvauceli, 359.
kasumba, 359.
 Pyrrhuloxia sinuata, 215.
 QUAIL, 339, 395, 396, 398.
 Quail-dove, Key West, 90.
 Ruddy, 62.
 Quiscalus major, 341.
quiscula, 208.
quiscula aeneus, 77, 83, 114,
 208, 322, 368.
quiscula aglaeus, 341.
 RAGSDALE, G. H., *Melanerpes aurifrons* in Young Co., Texas,
 in 1878, 401.
 Rail, Clapper, 327.
 Little Black, 400.
 Sora, 81.
 Yellow, 389.
 Rallus crepitans, 64.
crepitans saturatus, 65.
longirostris crepitans, 64, 327.

- Rallus longirostris saturatus, 65.
longirostris scottii, 65.
scottii, 65.
- Ralph, W. L., and Bagg, E., Additional Notes on the Birds of Oneida County, New York, 229.
- Raven, 124.
 American, 256.
 White-necked, 256.
- Razorbill, 327.
- Redbird, 125.
 Piny Woods, 125.
 Summer, 82.
- Redhead, 83.
- Redpoll, 114, 239.
- Red-shanks, 306.
- Redstart, 22, 111, 200, 404-406.
 American, 314.
 Painted, 261.
- Regulus calendula, 49, 97, 119, 263,
 292, 322.
satrapa, 113, 232.
- Rhamphocelus jacapa, 267.
- Rhipidura perlata, 353.
- Rhodinicichla rosea, 194.
rosea schistacea, 194.
- Rhynchoscyrus ruficauda, 270.
- Rice-bird, 341.
- Ridgway, R., notice of his 'Ornithology of Illinois,' 74; *Buteo brachyrurus* and *B. fuliginosus*, 90; Intergradation between *Zonotrichia leucophrys* and *Z. intermedia*, and between the latter and *Z. gambeli*, 96; Salvin and Godman's 'Biologia Centrali-Americana'—Aves, 189; Harlan's Hawk a Race of the Redtail, and not a Distinct Species, 205; notice of his 'Review of the Genus *Xiphocolaptes* of Lesson,' 271; notice of his 'Review of the Genus *Sclerurus* of Swainson,' 272; notice of his papers on birds from the Galapagos Islands, the Abrolhos, the Island of Santa Lucia, and from the Straits of Magellan, 273, *Funco hyemalis shufeldti* in Maryland, 289; A Yellow-crowned *Regulus calendula*, 292.
- Riker, C. B., A List of Birds observed at Santarem, Brazil, with Annotations by F. M. Chapman, 131, 265.
- Road-runner, 80.
- Roberts, T. S., Notes on some Minnesota Birds, 213.
- Robin, 82, 83, 86, 107, 110, 113, 120, 360, 391, 394, 396, 397.
 Western, 264.
- Rudolf, Crown Prince of Austria, notice of his 'Notes on Sport and Ornithology,' 196.
- Rynchops nigra, 306, 327.
- SAGE, J. H., Black Guillemot in Connecticut, 283.
- Salpinetes obsoletus, 49, 54, 262.
- Saltator magnus, 267.
- Salvin, O., and Godman, F. D., notice of their 'Biologia Centrali-Americana,' 189.
- Sanderling, 294, 308.
- Sandpeter, 306.
- Sandpiper, Baird's, 89.
 Cinnamon Solitary, 377.
 Least, 308.
 Red-breasted, 294.
 Solitary, 377.
 Spotted, 52, 83, 308, 328.
- Sapsucker, Williamson's, 252.
 Yellow-bellied, 310.
- Saunders, H., notice of his 'Illustrated Manual of British Birds,' 195.
- Saxicola oenanthe, 294.
- Sayornis phœbe, 39.
saya, 48, 228, 296, 297.
- Slater, P. L., notice of his Catalogue of the Tracheophonæ, 379.
- Scolecopagus carolinus, 322.
cyancephalus, 49, 257.
- Scolopax rusticola, 393.
- Scoter, 318.
- Scotiaptex cinerea, 206.
- Scott, W. E. D., A Summary of Observations on the Birds of the Gulf Coast of Florida, 14, 114; The Key West Quail-dove (*Geotrygon martinica*) at Key West, 90; An Account of Flamingoes (*Phoenicopterus ruber*) observed in the Vicinity of Cape Sable, Florida, 221; Two Species of Swallow New to North America, 264; On Birds observed at the Dry Tortugas, Florida, during parts of March and April, 1890, 301; Description of a New Subspecies of Wild Turkey, 376; The Little Black Rail (*Porzana jamaicensis*) at Key West, Florida, 400.
- Scytalopus boliviensis, 382.
- Seiurus aurocapillus, 21, 34, 107, 108, 111, 128, 223, 314, 336.
- motacilla*, 21, 34, 128, 230, 336.
- noveboracensis*, 21, 223, 314, 336.

- Seiurus noveboracensis notabilis, 314.
- Sennett, G. B., A New Wren from the Lower Rio Grande, Texas, with Notes on Berlandier's Wren of Northeastern Mexico, 57; The King Eider (*Somateria spectabilis*) at Erie, Pennsylvania, 88; notice of his 'Bird Legislation,' 282.
- Setopaga picta, 50, 257, 261.
 _{ruticilla}, 22, 111, 200, 314,
 337, 375, 404-406.
- Shearwater, 327.
- Shick, C. S., Birds found Breeding on Seven Mile Beach, New Jersey, 326.
- Shoveller, 51.
- Shrike, Loggerhead, 342.
- Shufeldt, R. W., The American Hawk Owl near Washington, D. C., 91; Note upon *Cocothraustes vespertina* as a Cage-bird, 93; notice of his 'Osteological Studies of the Subfamily Ardeinæ,' 277; notice of his 'On the Position of *Chamæa* in the System,' 278; notice of his 'Studies of the Macrochires,' 278; of his paper on the osteology of the North American Passerines, 279.
- Sialia arctica, 49, 264.
 mexicana, 264, 296, 297.
 mexicana anabellæ, 66, 281.
 sialis, 84, 85, 113, 120, 130,
 199, 200, 396.
 sialis azurea, 191.
 sialis guatimalæ, 191.
- Siphia beccariana, 353.
- Siskin, Pine, 239, 258.
- Sitta canadensis, 49, 113, 114, 229,
 232, 263.
 carolinensis, 80, 113, 118,
 130, 322.
 carolinensis aculeata, 49, 252,
 262.
 carolinensis atkinsi, 118.
 pusilla, 34, 80, 85, 119, 130.
 pygmæa, 49, 55, 83, 263.
 pygmæa leuconotchia, 64, 281.
- Skimmer, Black, 306, 327.
- Snipe, 398.
 English, 389.
- Snowbird, Black, 82.
- Somateria dresseri, 204, 315.
 mollissima, 316.
 spectabilis, 88, 284, 397.
 v-nigra, 316.
- Sora, 51.
- Sparrow, Acadian Sharp-tailed, 212.
 Bachman's, 242.
 Chipping, 124, 241, 329.
 Clay-colored, 242.
 English, 388.
 European, 388.
 European House, 413.
 Field, 96, 111, 124, 214, 242.
 Forbush's, 63.
 Fox, 242, 398.
 Grasshopper, 240, 311, 342.
 Harris's, 241.
 Henslow's, 213, 240, 241.
 House, 83, 212, 342.
 Intermediate, 259.
 Ipswich, 211.
 Lark, 241.
 Leconte's, 241.
 Lincoln's, 242.
 Nelson's, 56, 241.
 Savanna, 240, 311, 342.
 Scott's Seaside, 212.
 Seaside, 289.
 Sharp-tailed, 290.
 Song, 242, 329, 389, 409.
 Swamp, 96, 242, 409.
 Tree, 241, 409.
 Vesper, 240.
 Western Chipping, 259.
 Western Lark, 259.
 Western Vesper, 259.
 White-crowned, 96, 111, 241,
 259.
 White-throated, 96, 110, 111,
 112, 241, 295, 409.
 Yellow-winged, 241.
- Spatula clypeata, 48, 51.
- Spelman, H. M., Wintering of the Red-winged Blackbird near Cambridge, Mass., 288.
- Speotyto cunicularia hypogæa, 85,
 87, 280, 297.
- Spermestes fuscans, 355.
- Sphyrapicus varius, 101, 109, 305,
 310, 322, 394.
 varius nuchalis, 310.
 thyroideus, 48, 252.
- Spinus pinus, 49, 231, 239, 257, 258.
 psaltria, 49, 258, 297.
 psaltria arizonæ, 258.
 tristis, 80, 82, 111, 124, 199,
 229, 231, 239, 246.
 tristis pallidus, 244.
- Spiza americana, 229, 243, 334.
- Spizella atrigularis, 48.
 monticola, 241, 322, 409.
 pallida, 76, 242.
 pusilla, 96, 111, 124, 199, 214,
 242.
 pusilla arenacea, 214.

- Spizella socialis, 124, 191, 241, 329.
 socialis arizonae, 49, 191, 259.
- Sporophila castaneiventris, 268.
 lineata, 268.
 minuta, 268.
- Squawk, 327.
- Stachyris nigricollis, 350.
- Stejneger, L., notice of his papers on the European Titmice, 275; notice of his papers on Hawaiian birds, 275; notice of his 'Review of Japanese Birds,' 276.
- Stejneger, L., and Lucas, F. A., notice of their 'Contributions to the History of Pallas's Cormorant,' 276.
- Stelgidopteryx serripennis, 48, 81, 125, 335.
- Stephens, F., A New Vireo from California, 159; Notes on Birds Observed in the Colorado Desert in Winter, 296.
- Stercorarius parasiticus, 320.
 pomarinus, 320.
- Sterna antillarum, 306, 327, 410.
 dougalli, 327.
 forsteri, 327.
 fuliginosa, 306.
 hirundo, 327.
 maxima, 306, 374.
 paradisea, 94, 320.
- Stilt, Black, 81.
 Black-necked, 338.
- Stone, W., The Delaware Valley Ornithological Club, 298.
- Stoparola thalassinoides, 353.
- Strix pratincola, 82, 90, 205, 400.
- Sturnella hippocrepis, 192.
 magna, 80, 82, 192, 199.
 magna mexicana, 192, 334.
 magna neglecta, 49, 76, 77, 84, 192, 199, 257.
- Sublegatus virescens, 384.
- Sula gossi, 273.
 sula, 307.
- Surnia ulula, 215.
 ulula caparoch, 91, 322, 400.
- Swallow, Bahaman, 265, 312.
 Bank, 96.
 Barn, 110, 312.
 Chimney, 38, 392.
 Cliff, 396.
 Cuban Cliff, 264, 265, 311.
 Rough-winged, 81, 125.
 Sea, 327.
 Tree, 312.
 Violet-green, 54, 260.
- Swan, Whistling, 391.
- Sweep, Chimney, 38.
- Swift, 111.
 Chimney, 38, 84, 391.
 White-throated, 54, 255.
- Swinburne, J., The Nest and Eggs of *Regulus calendula*, 97.
- Sy calis arvensis, 268.
 columbiana, 268.
 minor, 268.
- Sylvania canadensis, 111, 337.
 mitrata, 22, 129, 314, 407.
 pusilla pileolata, 48, 337.
- Sylvia roscoe, 11, 66.
- Symphearia semipalmata, 328, 374, 388.
- Synallaxis griseiventris, 382.
- Syrnium nebulosum, 101, 231, 286, 328.
- Syrrhaptes paradoxus, 87.
- TACHYCYNETA albiventris, 266.
 bicolor, 312, 322.
 thalassina, 49, 54, 260, 279.
- Tachyphonus cristatus, 267.
 luctuosus, 267.
 melaleucus, 267.
- Tackzanowski, L., death of, 218.
- Taenioptera nenegeta, 269.
- Talbot, D. H., Harlan's Hawk, 285.
- Tanager, Hepatic, 260.
 Louisiana, 55, 260.
 Scarlet, 112, 125, 311.
 Summer, 55, 125, 311.
- Tanagra episopus, 132, 267.
 episopus leucoptera, 267.
 palmarum, 132, 267.
 palmarum melanoptera, 267.
- Tchitrea affinis, 353.
- Teal, Blue-winged, 51, 332.
 Cinnamon, 51
 European, 294.
- Tephrodornis grisola, 351.
 hirundinaceus, 352.
- Terpsiphone affinis, 353, 354.
- Tern, Arctic, 84.
 Common, 327.
 Forster's, 327.
 Gull-billed, 327.
 Least, 306, 327, 410.
 Roseate, 327.
 Royal, 306.
 Sooty, 306.
- Tetrao tetrix, 390, 397.
 urogallus, 397.
- Thamnophilus affinis, 384.
 doliatus mexicanus, 384.
 puncticeps, 380.
- Thompson, E. E., Evening and Pine Grosbeaks in Ontario, 211.
- Thrasher, 110, 130.

- Thrasher, Brown, 115, 130, 369.
 Thrush, Audubon's, 292.
 Audubon's Hermit, 263.
 Brown, 107.
 Dwarf Hermit, 263.
 Gray-cheeked, 119.
 Hermit, 108, 110, 113, 120,
 295.
 Olive-backed, 119, 292.
 Swainson's, 110, 113.
 Willow, 292.
 Wilson's, 119.
 Wood, 119, 130.
- Thryophilus albipectus, 266.
 galbraithi, 266.
 leucotis, 265, 266.
 superciliaris, 265.
 tænioptera, 266.
- Thryothorus bewickii, 130, 291.
 bewickii bairdi, 48.
 coraya, 385.
 genibarbis, 384.
 herberti, 266.
 longipes, 384.
 ludovicianus, 34, 59, 60, 116,
 130, 291, 312.
 ludovicianus berlandieri, 57-
 60, 116.
 ludovicianus lomitensis, 58-
 60, 63.
 ludovicianus miamicensis, 59,
 115, 223, 305, 312.
 macrurus, 384.
 mysticalis, 384.
- Thurber, E. C., *Callipepla squamata* in Northeastern New Mexico, 89.
- Timalia nigricollis, 350.
- Tit, Least, 82.
- Titmouse, Plain, 55.
 Tufted, 81, 85, 119, 130.
- Tityra nigriceps, 381.
 personata, 381.
- Todirostrum cinereum, 233, 269.
 maculatum, 269.
- Todus macrorhynchus, 357.
- Toppan, G. L., *Myadestes townsendii* in Nebraska, 408.
- Totanus flavipes, 321, 374.
 melanoleucus, 321.
 solitarius, 133, 377-379.
 solitarius cinnamomeus, 377-
 379.
- Towhee, 114, 125, 242, 295.
 Abert's, 27-29.
 Cañon, 22-27.
 Green-tailed, 259.
 St. Lucas, 23.
 Spurred, 82.
 White-eyed, 80.
- Treat, W. E., Mortality among
 Bank Swallows, 96.
- Trichophorus caniceps, 349.
- Tringa alpina pacifica, 321.
 bairdii, 89, 230.
 canutus, 294.
 maculata, 332.
 minutilla, 230, 308.
- Trochilus alexandri, 255.
 calliope, 279.
 colubris, 38, 84, 85, 114, 206,
 286, 310, 333, 391, 393.
 heloisa, 215.
 platycercus, 48, 54, 255, 279.
 rufus, 48.
- Troglodytes aëdon, 83, 84, 117, 232,
 291.
 aëdon aztecus, 49, 262, 297.
 fumigatus, 276.
 fumigatus kurilensis, 276.
 hemalis, 82, 113, 232, 291,
 407.
- Trogon collaris, 382.
 diardi, 359.
 duvauceli, 359.
 kasumba, 359.
 mexicanus, 278, 279.
 puella, 278.
- Tryngites subruficollis, 332.
- Turdinus atrigularis, 350.
- Turdus aliciae, 119, 322.
 aonalaschkae, 263.
 aonalaschkae auduboni, 49,
 191, 263, 292.
 aonalaschkae pallasi, 108.
 110, 113, 120, 191, 199, 295.
 ferrugineus, 135.
 fuscescens, 110, 119, 199, 337.
 fuscescens saliciculus, 292.
 interpres, 348.
 mustelinus, 30, 77, 119, 130,
 199, 392.
 saturninus, 135.
 sequoiensis, 66.
 sordidus, 357.
 ustulatus, 191.
 ustulatus swainsoni, 110, 113,
 119, 191, 292, 337.
- Turkey, Florida Wild, 376.
 Mexican, 52.
 Wild, 36, 390, 391, 393, 394,
 396, 397.
- Turnstone, 309.
- Tyrannulus elatus, 270.
 reguloides, 270.
- Tyrannus albogularis, 271.
 dominicensis, 311, 373, 375.
 melancholicus, 270.
 niveigularis, 271.

Tyrannus tyrannus, 38, 111, 311, 328,
340, 368.
verticalis, 255, 279.
vociferans, 255.

ULULA cinerea, 206, 395.

Upucerthia propinqua, 274.

Uranomitra ellioti, 275.
quadricolor, 275.

Urinator arcticus, 320.
imber, 85, 199, 320, 389, 393,
397.
lumme, 88, 230, 320.

Urubitanga anthracina, 48.

VEERY, 110.

Vireo altiloquus barbatulus, 14, 312.
atricapillus, 215.
bellii, 80, 85, 215.
bellii pusillus, 215.
chivi agilis, 266.
flavifrons, 15, 126, 217, 312,
335.
flavoviridis, 329, 335.
gilvus, 15, 217.
gilvus swainsoni, 49, 260.
noveboracensis, 15, 17, 127,
217, 312.
noveboracensis maynardi, 15,
17, 305, 312.
olivaceus, 15, 107, 108, 110,
125, 217, 312, 329, 335.
philadelphicus, 335, 403.
solitarius, 15, 110, 111, 200,
231.
solitarius alticola, 126.
solitarius cassini, 191.
solitarius plumbeus, 49, 191,
260.
vicinior, 215.
vicinior californicus, 159.

Vireo, Bell's, 80, 85.
Black-whiskered, 14, 312.
Blue-headed, 15, 110.
California Gray, 159.
Key West, 15.
Mountain Solitary, 126.
Philadelphia, 403.
Plumbeous, 260.
Red-eyed, 15, 107, 108, 110,
125, 312, 329.
Solitary, 111.
Warbling, 15.
Western Warbling, 260.
White-eyed, 15, 17, 127, 312.
Yellow-green, 329.

Yellow-throated, 15, 126, 312.

Volucivora schierbrandii, 352.

Vulture, Black, 36.

Turkey, 36, 53, 204.

WALKER, M. L., notice of her paper, 'On the Form of the Quadrato-Bone in Birds,' 198.

Wamp, 318.

Warbler, Audubon's, 261.
Bachman's, 16, 313.
Black-and-white, 16, 127, 313.
Black-and-yellow, 111.
Blackburnian, 20, 127, 336.
Blackpoll, 19, 112, 313.
Black-throated Blue, 18, 313,
406.
Black-throated Green, 20,
111, 128, 314.
Blue-winged, 17, 313.
Blue-winged Yellow, 214.
Canadian, 111.
Cape May, 18, 313.
Cerulean, 19, 291, 313.
Chestnut-sided, 111, 127, 404,
407.
Connecticut, 21.
Golden-winged, 17, 127, 404.
Grace's, 261.
Hooded, 22, 129, 314, 407.
Kentucky, 21, 81, 129, 314.
Macgillivray's, 336.
Magnolia, 19.
Mourning, 295.
Myrtle, 19, 313.
Nashville, 408.
Olive, 261.
Orange-crowned, 18, 96, 290.
Palm, 20, 314.
Parula, 18, 127, 313.
Pine, 20, 128, 323, 324.
Prairie, 21, 128, 314, 325.
Prothonotary, 16, 313.
Red-faced, 261.
Swainson's, 16, 84, 90, 313,
403.
Sycamore, 20, 127, 313.
Tennessee, 18.
Worm-eating, 16, 127, 313.
Yellow, 18, 127.
Yellow Palm, 20, 314.
Yellow-rumped, 96, 342.
Yellow-throated, 20, 97, 305,
313, 323.

Waterhouse, F. H., notice of his 'Index Generum Avium,' 71.

Water-thrush, 21, 314.
Grinnell's, 314.
Louisiana, 21, 128.

Waxwing, Cedar, 86, 125.

Wayne, A. T., An Early Date of a Rare Bird in South Carolina, 88; A Curious Specimen of the Yellow-throated Warbler (*Dendroica dominica*), 97; Spotted Eggs of

- Swainson's Warbler, 403; Two Notes from South Carolina, 410.
 Wheatear, 294.
 Whippoorwill, 38, 83, 114.
 Dutch, 38.
 White, G. R., Capture of a Specimen of *Somateria dresseri* in the Vicinity of Ottawa, Canada, 204;
 The Dowitcher at Ottawa, 400.
 Whitfield, R. P., Former Abundance of the Wild Pigeon in Central and Eastern New York, 284.
 Widgeon, 88, 204, 283.
 European, 397.
 Willet, 328, 388.
 Williams, R. S., *Myadestes townsendii* Wintering in Montana, 98;
 The Breeding Ranges and Songs of Three Thrushes in Montana, 292.
 Wintle, E. D., The Evening Grosbeak at Montreal, 209; *Helminthophila celata* at Montreal, 290.
 Woodcock, 390-398.
 Woodpecker, Alpine Three-toed,
 252.
 Arctic Three-toed, 206.
 Baird's, 251.
 Batchelder's 62, 252.
 Cabanis's, 252.
 Californian, 48.
 Downy, 37, 109.
 Golden-winged, 391.
 Hairy, 109, 395.
 Lewis's, 254.
 Pigeon, 107.
 Pileated, 37, 81, 109, 339,
 389, 400.
 Red-bellied, 38, 206, 339,
 402.
 Red-headed, 38, 83, 84, 85.
 Southern Hairy, 37.
 Yellow-bellied, 101, 109.
 Yellow-faced, 401.
 Woodruff, L. B., Baird's Sandpiper at New Haven, Connecticut, 89.
 Worthington, W. W., The Ipswich Sparrow in Georgia, 211; The King Eider (*Somateria spectabilis*) at Brunswick, Ga., 284.
 Wren, Berlandier's, 57.
- Wren, Bewick's, 130, 291.
 Carolina, 130, 312.
 Florida, 115.
 House, 84, 117.
 Lomita, 58, 64.
 Long-billed Marsh, 117, 408.
 Marian's Marsh, 117.
 Rock, 54, 262.
 Short-billed Marsh, 56, 117,
 291.
 Western House, 262.
 Winter, 82, 113, 407.
- XANTHOCEPHALUS xanthocephalus,**
 49, 257.
Xanthosomus icterocephalus, 269.
Xanthoura luxuosa, 192.
 luxuosa guatemalensis, 192.
Xema sabini, 227.
Xiphocolaptes cinnamomeus, 272.
 emigrans costaricensis, 272.
 ignotus, 272.
 major castaneus, 272.
 sclateri, 272.
 virgatus, 272.
Xiphorhynchus dorsoimmaculatus,
 274.
 falcularius 274.
 flavigaster, 164, 178.
 procurvus, 274.
 rufodorsalis, 274.
 venezuelis, 274.
- YELLOWBIRD**, Summer, 81, 82.
Yellowhammer, 38.
Yellowthroat, Florida, 11, 63.
 Maryland, 9, 21, 96, 129, 314,
 408.
- ZENAIDA zenaida**, 375.
Zenaidura macroura, 36, 53, 77, 82,
 83, 230, 297, 333.
Zonotrichia albicollis, 96, 110, 111,
 112, 241, 295, 322, 409.
 gambeli, 65, 96.
 intermedia, 65, 96.
 leucophrys, 27, 49, 96, 111,
 241, 259, 322.
 leucophrys gambeli, 65, 96.
 leucophrys intermedia, 27,
 65, 96, 259, 296, 297.
 querula, 82, 241.
 vulcani, 193.

ERRATA.

- Page 211, foot-note, at end of last line, add—ED.
 “ 214, lines 7 and 8 from bottom, for “THOS. L. ROBERTS,” read
 THOS. S. ROBERTS.
 “ 233, line 3, for “CHERIE,” read CHERRIE.
 “ 290, line 7 from bottom, dele “as.”