they can at Krider's. Mr. Kerr and I were shooting Snipe, and while crossing a bottom with weeds all over it and water about fifteen inches deep, I started this Duck from a small pond. It was alone. When I got to where it fell I was struck by its beauty and decided to have it mounted. The bird is mounted in dead game style." According to Mr. Hebard's calculation the bird was killed on February 18, 1893.

Mr. W. E. D. Scott records in 'The Auk' (Vol. VI, p. 160) specimens of Cinnamon Teal taken at Key West, and Dr. J. A. Allen mentions (Bull. Mus. Comp. Zoöl., Vol. II, p. 363) on the authority of Mr. Maynard that examples of the same species have been taken on the Indian River.—Samuel N. Rhoads, *Philadelphia*, *Pa*.

An Additional Specimen of the Labrador Duck.—The Academy of Natural Sciences of Philadelphia was recently presented with the natural history collections of the late George W. Carpenter of that city. The collections, which included a great number of mounted birds, were arranged in a separate museum building on the grounds of the Carpenter estate at Mt. Airy near Philadelphia, which forty or fifty years ago was one of the most famous private museums in the State and was visited by Mr. Audubon and other naturalists of note.

Upon examining the birds contained in the collection in May of the present year, preparatory to having them removed to the Academy, I was delighted to discover an adult male of the Labrador Duck (Camptolaimus labradorius) in a very good state of preservation. The bird was unfortunately without any label except a number referring to a catalogue which had been lost some years ago, and I was unable to obtain any information whatever concerning its capture.

This specimen (No. 30,245, coll. A. N. S. Phila.) is evidently additional to those enumerated in Mr. Dutcher's recent paper (Auk, VIII, p. 201), and together with the specimen recorded in 'The Auk' for October, 1892, (IX, 389) brings the whole number of known specimens up to forty.

The Philadelphia Academy has now a very fair representation of this species, as it previously possessed a female and two young males.—WITMER STONE, *Philadelphia*, *Pa*.

Capture of Another Ardetta neoxena at Toronto, Ontario.—On May 20, 1893, a female Ardetta neoxena was shot at Toronto Marsh by a fisherman, named J. Ramsden, and was brought to Mr. Oliver Spanner, taxidermist, who bought the bird. Mr. Spanner has it mounted, and has furnished me with the following measurements: length, 13½ inches; wing 4½ inches; and informs me that it is a female.

This is the second specimen taken at Toronto, and makes the eighth specimen known in collections, the other six having been collected in Florida, where its range appears to be very much restricted. The first specimen taken at Toronto was shot on May 18, 1891, and is recorded by Mr. William Cross in the third issue of the 'Proceedings of the Ornithological Subsection of the Canadian Institute,' for 1890-91, page 41. This