

INDEX TO VOLUME X.

- ACANTHIS** *hornemannii* exilipes, 124.
 linaria, 205, 327, 333.
 linaria holbællii, 124, 327, 333.
 linaria rostrata, 124, 290, 327, 333.
Acanthopneuste *coronatus*, 346.
 ijmæ, 346.
Accipiter *atricapillus*, 126, 201, 223, 274, 371.
 atricapillus striatulus, 126.
 cooperi, 44, 200, 223, 337.
 velox, 39, 44, 200, 223.
Actitis *macularia*, 8, 38, 53, 223, 243, 293.
Adams, C. F., death of, 385.
Æchmophorus *occidentalis*, 344.
Ægialitis *hiaticula*, 124.
 meloda, 8, 133, 293, 370.
 meloda circumcincta, 134.
 montana, 134.
 nivosa, 134.
 semipalmata, 92, 124, 293.
 vocifera, 53, 223, 293, 294, 337.
Aëronautæ, 68.
Aëronautæ melanoleucus, 62, 134.
Æstrelata *hasitata*, 362.
Agelaius *gubernator*, 17, 134.
 phœniceus, 17, 39, 50, 133, 237, 291, 367.
 phœniceus sonoriensis, 134, 237.
 tricolor, 134.
Aix sponsa, 17, 54, 222, 291, 295, 344.
Ajaja ajaja, 132.
Alca torda, 125.
Alle alle, 204.
Allen, C. S., the nesting of the Black Duck on Plum Island, 53.
Allen, J. A., a neglected branch of ornithology, 94; the geographical origin and distribution of North American birds, considered in relation to faunal areas of North America, 97; the faunal position of Lower California, 306; Keeler's 'Evolution of colors of North American land birds, 377; *Careba* versus *Certhiola*, 309.
Alopochen, 184.
Amazilia *cerviniventris*, 141.
 erythronota, 220.
 fuscicaudata, 141.
Amazona *amazonica*, 220.
 canifrons, 355.
 ochroptera, 355.
 rothschildi, 355.
American Ornithologists' Union, tenth congress of the, 63.
American Ornithologists' Union check-list of North American birds, fifth supplement to the, 59.
Ammodramus *caudacutus*, 11, 85, 290.
 caudacutus nelsoni, 50, 85, 290.
 caudacutus subvirgatus, 11, 85.
 henslowii, 92, 243, 290.
 henslowii occidentalis, 134.
 maritimus, 85.
 nigrescens, 141.
 princeps, 126, 302, 365.
 sandwichensis, 126.
 sandwichensis alaudinus, 126.
 sandwichensis savanna, 6, 11, 12, 126.
 savannarum, 133, 179, 356.
 savannarum passerinus, 37, 40.
 savannarum perpallidus, 134.
Ampelis *cedrorum*, 6, 12, 15, 45, 227, 320, 339, 347.
 garrulus, 126.
Amphispiza *belli*, 135.
 bilineata, 135, 320.
Anas americana, 294, 344.
 boschas, 222, 294, 344.

- Anas carolinensis, 125, 344.
cyanoptera, 134, 289, 344, 362.
discors, 17, 125, 344.
obscura, 8, 53, 294.
strepera, 270, 294.
- Anhinga anhinga, 78.
- Anser albifrons gambeli, 17, 123,
 271, 291, 344.
condoni, 344.
nigricans, 271.
- Anthocinclæ phayrei, 52.
- Anthony, A. W., *Salpinctes obsoletus* in Washington and Oregon, 87.
- Anthus pensylvanicus, 124.
spraguei, 50.
- Antrostomus, 63, 68.
carolinensis, 133.
macromystax, 68.
vociferus, 37, 39, 43, 44, 133,
 152, 205, 337.
vociferus arizonæ, 68, 134.
- Aphelocoma californica, 134.
floridana, 133.
sieberi arizonæ, 134.
woodhousei, 134, 320.
- Aquila chrysaëtos, 8, 207, 274, 297.
pliogryps, 344.
sodalis, 344.
- Aramus giganteus, 141, 337.
- Arbelorhina cyanea, 220.
- Archibuteo ferrugineus, 49, 134,
 200.
lagopus sancti-johannis, 126,
 200, 242.
sancti-johannis, 126.
- Arctonetta fischeri, 123.
- Ardea cœrulea, 132, 243, 271.
egretta, 49.
herodias, 8, 74, 223.
occidentalis, 141.
paloccidentalis, 344.
rufescens, 132.
tricolor ruficollis, 132.
virescens, 220, 317.
- Ardetta, 61.
- Ardetta exilis, 61.
neoxena, 61, 363.
- Arenaria interpres, 17, 28, 29, 124,
 247, 293, 294.
melenocephalus, 124.
- Asio accipitrinus, 301, 370.
wilsonianus, 17, 207, 243, 291,
 382.
- Asturias cinerea, 185, 186.
- Atrichia, 184.
- Atrichornis, 184.
- Auklet, Cassin's, 298.
- Auklet, Least, 17.
- Auriparus flaviceps, 135.
- Averill, C. K., Jr., notice of his list
 of the birds of Bridgeport, 352.
- Avocet, American, 272.
- Aythya affinis, 125.
americana, 17, 125, 291, 381,
 384.
collaris, 125, 270.
marila nearctica, 125, 344.
vallisneria, 125.
- BANANA-BIRD, 178, 180.
- Barrows, W. B., notice of his report
 on economic ornithology for 1892,
 347.
- Bartramia longicauda, 53, 92, 243,
 293, 294, 296, 297.
- Basileuterus culicivorus, 141.
rufifrons dugesi, 346.
rufifrons jouyi, 346.
vermicivorus olivascens, 343.
- Basilinna xantusi, 142, 315.
- Batchelder, C. F., Rhoads's 'Birds
 of British Columbia and Wash-
 ington,' 383.
- Beal, F. E. L., notice of his report
 on the food of the Cedarbird, 347.
- Beddard, F. E., notice of his 'Ani-
 mal coloration,' 195.
- Bendire, C. E., an attractive addi-
 tion to the avifauna of the United
 States — *Icterus gularis yucatan-*
ensis, 366.
- Berlepsch, H. v., notice of his
 paper on the birds of Curaçao,
 355.
- Bernicla nigricans, 202.
- Bird, Kennedy, 12.
 Man-o'-war, 362.
- Bittern, American, 8, 77.
 Cory's, 364.
- Blacicus barbirostris, 177.
- Blackbird, Barbadoes, 179.
 Red-winged, 367.
 Rusty, 10.
 Sonoran Red-winged, 237.
- Bluebird, 12, 50, 231.
- Bobolink, 178, 303, 309, 320, 367.
- Bob-white, 358.
- Bolles, F., notice of his 'At the
 north of Bearcamp Water,' 201.
- Bonasa umbellus, 38, 44, 230, 292,
 295-297.
umbellus sabini, 126.
umbellus togata, 8, 83, 126,
 295.
umbellus umbelloides, 126.

- Booby, 270.
Botaurus lentiginosus, 8, 77, 223, 337.
Brachyramphus marmoratus, 17, 291.
Brant, 77, 246, 293, 294-296.
 Black, 266, 271.
Branta bernicla, 77, 125, 246, 293, 294-296, 370.
canadensis, 77, 125, 344.
canadensis hutchinsi, 17, 292.
canadensis minima, 17.
canadensis occidentalis, 17, 125.
hypisbatus, 344.
nigricans, 202, 266, 271, 289.
propinqua, 344.
 Brewster, W., some additional eastern records of Swainson's Hawk (*Buteo swainsoni*), 82; description of a new Hummingbird from northern Mexico, 214; description of a new Marsh Wren, with critical notes on *Cistothorus marianae* Scott, 215; a brood of young Flickers (*Colaptes auratus*) and how they were fed, 231; on the occurrence of certain birds in British Columbia, 236; the Ipswich Sparrow (*Ammodyramus princeps*) on the coast of Georgia, 302; capture of another *Ardetta neoxena* at Toronto, Ontario, 364; two corrections, 365.
 Brimley, C. S., some additions to the avifauna of North Carolina, with notes on some other species, 241.
 Brown, E. J., *Alle alle* in Virginia, 204.
 Brown, H. H., capture of another *Ardetta neoxena* at Toronto, Ontario, 363.
Bubo virginianus, 16, 18, 197, 201, 230, 344.
virginianus arcticus, 16, 18, 126, 382.
virginianus saturatus, 18, 126.
virginianus subarcticus, 18, 291, 382.
 Bullfinch, Black, 180.
 Mountain, 180.
 Butcher-bird, 372.
Buteo albicaudatus, 141.
albicaudatus colonus, 355.
borealis, 39, 57, 151, 224.
borealis calurus, 134, 151.
Buteo borealis harlani, 134.
brachyurus, 141.
latissimus, 133, 220, 224.
lineatus, 133, 224.
lineatus elegans, 134.
swainsoni, 50, 82, 83.
 Butler, A. W., Further notes on the Evening Grosbeak, 155.
 Butterbird, 178.
 Buzzard, Turkey, 82.
CALAMOSPIZA melanocorys, 135.
Calcarius lapponicus, 124, 242.
ornatus, 134.
pictus, 124, 152.
Calidris arenaria, 123, 293.
Callipepla californica, 134.
californica vallicola, 16, 17.
gambeli, 134, 204, 294, 296, 320.
squamata, 134.
 Calothorax, 62.
lucifer, 62.
Calypte, 62.
anna, 62, 134, 312.
costae, 62, 286, 314.
Campephilus principalis, 338.
Camptolaimus labradorius, 125, 270, 294, 296, 363.
Campylopterus ensipennis, 220.
Campylorhynchus, 86.
affinis, 142.
brunneicapillus, 135, 320.
 Canadian Institute, notice of the Proceedings of the Ornithological Subsection of the, 74.
Caprimulgus macromystax, 68.
salvini, 68.
vociferus macromystax, 68.
Caracara, Audubon's, 364.
Cardinalis cardinalis, 38, 40, 133, 135.
Carduelis caniceps, 282.
carduelis, 282.
Carpodacus cassini, 126.
mexicanus frontalis, 134.
purpureus, 6, 10, 126, 225.
purpureus californicus, 126.
 Cashew-bird, 180.
 Catbird, 37, 303.
Cathartes aura, 17, 82, 291, 301.
Catherpes mexicanus, 135.
 Cedarbird, 6, 12, 15, 320, 339, 347.
Ceophleagus pileatus, 9, 152, 224, 275, 371.
Cephus columba, 17.
grylle, 6, 125.

- Cephus mandtii, 123.
 Certhia familiaris, 375.
 familiaris americana, 127,
 229, 337.
 familiaris montana, 16, 127.
 familiaris occidentalis, 127.
 flaveola, 369.
 Certhiola flaveola, 369.
 Ceryle alcyon, 9, 39, 53, 152, 224.
 americana, 220.
 americana septentrionalis, 61,
 69.
 cabanisi, 61, 69.
 superciliosa, 69.
 superciliosa æquatorialis, 69.
 superciliosa stictoptera, 69.
 Chætura cinereiventris guianensis,
 346.
 cinereiventris lawrencei, 346.
 pelagica, 9, 39, 44, 71, 224,
 303.
 vauxii, 134, 291, 382, 384.
 Chamæa fasciata, 135.
 Chapman, F. M., the Carolina
 Wren in the lower Hudson
 Valley, 87; on the changes of
 plumage in the Bobolink (*Doli-*
chonyx oryzivorus), 309; ornith-
 ology at the World's Fair, 315;
 preliminary descriptions of one
 new species and two new sub-
 species of birds from the island
 of Trinidad, 342.
 Charadrius dominicus, 16, 28, 79,
 123, 247, 249, 293, 296.
 dominicus fulvus, 124.
 squamatorala, 27–29, 79, 123,
 247, 293–296, 370.
 Charitonetta alboalba, 125, 222.
 Chat, Yellow-breasted, 37.
 Chelidon erythrogaster, 6, 12, 40,
 45, 181, 226.
 Chen cærulescens, 270, 289.
 hyperborea, 123, 289, 344.
 rossii, 123.
 Chenalopex, 184.
 Cherrie, G. K., notes on two Costa
 Rican birds, 278.
 Chickadee, Alaskan, 331.
 Black-capped, 5, 14.
 Columbian, 23, 331.
 Hudsonian, 5, 14, 321, 322,
 327.
 Kowak, 330.
 Labrador, 328.
 Chionarchus minor, 159, 165.
 Chionis alba, 158, 159, 165.
 minor, 158–160, 164, 165.
 Chiroxiphia pareola, 220.
 Chloronérpes rubiginosus, 220.
 Chlorospingus leotaudi, 342.
 Chondestes grammacus, 133, 243.
 grammacus strigatus, 16, 134,
 320.
 Chordeiles acutipennis, 68.
 acutipennis texensis, 134, 286.
 texensis, 68.
 virginianus, 9, 44, 53, 224.
 virginianus chapmani, 337.
 virginianus henryi, 134, 290.
 Chrysolampis moschitus, 220.
 Cinclus mexicanus, 127, 321.
 Circus hudsonius, 8, 17, 223, 291,
 370, 382.
 Cistothorus marianæ, 215.
 palustris, 133, 216–219.
 palustris griseus, 216–219.
 palustris marianæ, 215–219.
 palustris paludicola, 135.
 stellaris, 133.
 Clangula hyemalis, 248, 344.
 Clark, H. L., a neglected branch
 of ornithology, 93.
 Claudia, 68.
 Clivicola riparia, 6, 12, 16, 53, 181,
 226, 243.
 Coccothraustes vespertinus, 126,
 155, 207.
 vespertinus montanus, 126.
 Coccyzus americanus, 39, 224, 337,
 368.
 erythrophthalmus, 9, 224.
 minor maynardi, 141.
 Cœreba bahamensis, 141.
 bartolemica, 70.
 cyanea, 339, 369.
 flaveola, 339, 369, 370.
 luteola, 220.
 uropygialis, 355.
 Coffee-bird, 180.
 Colaptes auratus, 6, 9, 18, 44, 117,
 223, 224, 231, 365.
 cafer, 18, 134.
 chrysoides, 134.
 Colinus virginianus, 37, 38, 133,
 223, 297, 358.
 virginianus floridanus, 337.
 virginianus texensis, 134.
 Columba fasciata, 134.
 leucocephalus, 141.
 rufina, 220.
 Columbigallina passerina, 62, 133.
 passerina pallescens, 134.
 passerina perpallida, 355.
 purpurea, 62.
 rufipennis, 220.

- Colymbus auritus*, 125, 344.
holboellii, 16, 125, 242, 291,
 344, 381, 384.
nigricollis californicus, 289.
Compsophylis americana, 5, 13,
 36, 40, 42, 43, 45, 227, 338,
 340.
nigrilora, 141.
Contopus borealis, 5, 9, 126, 225,
 276.
pallidus, 178.
pertinax, 134.
richardsoni, 134.
virens, 5, 9, 39, 44, 133, 225,
 337.
Conuropsis, 63.
Conurus, 63.
arubensis, 355.
carolinensis, 133, 319.
pertinax, 355.
 Cook, A. J., notice of his 'Birds of
 Michigan,' 351.
Coracoeichla, 184.
Coracopitta, 183.
Corvus americanus, 6, 10, 18-21,
 39, 44, 53, 223, 225, 247,
 320.
americanus caurinus, 21.
americanus hesperis, 20.
annectens, 344.
caurinus, 18-21, 134, 292.
corax principalis, 10, 126,
 230.
corax sinuatus, 276.
cornix, 282.
corone, 282.
cryptoleucus, 194.
jamaicensis, 178.
ossifragus, 89, 133, 289.
 Cory, C. B., notice of his 'Cata-
 logue of West Indian birds,' 69;
 a list of the birds collected on the
 Island of Tobago, West Indies,
 by W. W. Brown, Jr., during
 April and May, 1892, 220.
Cowbird, 50, 90.
Crane, Little Brown, 49.
 Sandhill, 300.
Creeper, Brown, 337, 375.
Crossbill, 6.
 American, 10.
 Red, 317.
 White-winged, 11, 276.
Crotophaga ani, 141, 220.
sulcirostris, 141, 142.
Crow, 6, 53, 223, 320.
 American, 10, 18, 247.
 Barking, 20.
- Crow*, Carrion, 282.
 Fish, 89.
 Gabbling, 178.
 Hooded, 282.
 Jabbering, 178.
 Northwest, 18.
Crymophilus fulicarius, 123, 293.
Cuckoo, Black-billed, 9.
 Yellow-billed, 368.
Curlew, Eskimo, 28, 79, 247.
 European, 61.
 Hudsonian, 248.
Jack, 370.
 Long-billed, 272.
Cyanocephalus cyanocephalus, 126.
Cyanocitta cristata, 10, 39, 44, 133,
 225.
stelleri, 126.
stelleri annectens, 126.
stelleri frontalis, 126, 320.
stelleri macrolopha, 126.
Cyanocorax pileatus, 178.
Cyanolesbia nehrkorni, 67.
Cyanomyia cyanecollis, 214, 215.
cyanocephala, 215.
elliotti, 215.
quadricolor, 215.
salvini, 214.
violiceps, 215.
Cyclorrhynchus psittacula, 125.
Cypseloides brunneitorques, 346.
cherriei, 346.
niger, 17, 134, 291, 365, 381,
 384.
Cypselus melanoleucus, 62.
squamata, 68.
- DAFILA acuta*, 125, 294, 344.
Dendragapus canadensis, 8, 125.
franklinii, 17, 126.
obscurus, 125.
obscurus fuliginosus, 125.
obscurus richardsoni, 125.
Dendrobates kirki, 220.
Dendrocygna autumnalis, 134.
fulva, 134.
Dendroica aestiva, 13, 40, 45, 227.
auduboni, 127, 305.
blackburniae, 36, 37, 41, 42,
 43, 45, 127, 228.
bryanti, 142.
cærulea, 37, 38, 41, 133, 244,
 277, 371, 372.
cærulescens, 5, 13, 36, 37, 40,
 41, 42, 43, 45, 127, 153, 154,
 227; 338, 340.
castanea, 90, 127, 155, 228.
chrysopareia, 135.

- Dendroica coronata, 5, 13, 17, 91, 127, 227, 305, 340.
discolor, 133, 228, 341.
dominica, 133, 277, 340.
dominica albiflora, 242, 340.
ea, 340.
gracilis, 135.
kirtlandi, 86, 133.
maculosa, 5, 13, 14, 16, 36, 37, 40-43, 45, 127, 228.
nigrescens, 135.
occidentalis, 135.
palmarum, 127, 228, 341.
palmarum hypochrysea, 13, 127, 244, 341.
pensylvanica, 37, 41-43, 45, 133, 228, 338.
petechia, 340.
pharetra, 340.
striata, 127, 228, 338, 340.
tigrina, 127, 227, 303, 338, 340.
townsendi, 127.
vigorsii, 133, 228.
virens, 5, 13, 37, 41-43, 45, 127, 228, 341.
Dendroica sussurrans, 220.
Dickcissel, 276.
Diver, Black-throated, 265.
Dixon, C., notice of his 'The migration of birds,' 70.
Dolichonyx oryzivorus, 133, 178, 303, 309, 320, 338, 367.
oryzivorus albinucha, 311.
Doricha evelynae, 315.
Dotterel, 73.
Dove, 50.
Common, 49.
Mourning, 49, 194.
Dovekie, 204.
Dryobates arizonae, 134.
borealis, 133.
nuttalli, 134.
pubescens, 9, 39, 44, 224, 231.
pubescens gairdnerii, 17, 126, 291, 382, 384.
pubescens oreocucus, 126.
scalaris, 134.
scalaris bairdi, 286.
scalaris lucasanus, 142.
villosus, 9, 44, 133, 134, 224.
villus hyloscopus, 126.
villus leucomelas, 126.
Duck, American Eider, 77.
Black, 8, 53, 293.
Harlequin, 270.
Labrador, 270, 294, 363.
Ring-necked, 270.
Duck, Ruddy, 371.
Wood, 54.
Dunlin, European, 78.
Dutcher, W., Black Vulture in Maine, 82; Swainson's Hawk in the East, 83; bird notes from Long Island, 265; notes on some rare birds in the collection of the Long Island Historical Society, 267.
Dwight, J., Jr., summer birds of Prince Edward Island, 1.
Dysithaumus semicinereus, 220.
EAGLE, Golden, 8, 274.
Eames, E. H., notes from Connecticut, 89.
Ectopistes migratorius, 49, 50, 194, 223, 274, 293-295, 319, 376.
Egret, American, 49.
Eider, American, 248, 370.
Elainea cotta, 178.
fallax, 178.
pagana, 220.
Elanoides forficatus, 133, 200.
Elanus leucurus, 200.
Elliot, D. G., on the genus *Pitta*
Vieillot, 51; *Vieillot's 'Analyse'* and *Buffon's 'Brève'*, 184.
Embernagra rufivirgata, 141.
Empidonax acadicus, 38, 39, 133, 225, 338.
cinerarius, 142.
difficilis, 126.
flaviventris, 5, 10, 90, 126, 225, 242.
fulvifrons, 134.
griseus, 142.
hammondi, 126.
minimus, 10, 37, 39, 43, 44, 126, 225.
pusillus, 126.
pusillus traillii, 6, 10, 92, 225, 371.
wrightii, 134.
Engyptila albifrons, 141.
verrauxi, 220.
Enictonetta stelleri, 123.
Ercunetes occidentalis, 123.
pusillus, 123, 223, 293.
Erimatura rubida, 223, 371.
Eucichla ellioti, 51.
guaiana, 51, 52.
gurneyi, 51.
Eudromias morinellus, 73.
Euethia bicolor, 141, 179, 220, 356.
marchi, 356.
olivacea, 179.

- Euetheia ommisa, 356.
sharpei, 355, 356.
- Eulampis chlorolaemus, 314.
- Euphonia elegantissima, 141.
jamaica, 180.
- FALCO caribbaeum, 70.
columbarius, 9, 126, 243.
columbarius suckleyi, 17, 291,
 381, 384.
dominicensis, 70.
islandus, 124, 274.
mexicanus, 134.
peregrinus, 201.
peregrinus pealei, 17.
richardsoni, 126.
rusticulus gyrfalco, 124.
rusticulus obsoletus, 49, 124.
sparverioides, 70.
sparverius, 70, 207, 224, 337.
sparverius brevipennis, 355.
sparverius deserticulus, 60,
 236.
sparverius peninsularis, 60.
- Falcon, Jer., 274.
- Finch, Acadian Sharp-tailed, 11, 85.
 Gray-crowned, 50, 287.
 Nelson's Sharp-tailed, 85.
 Purple, 6, 10.
 Sharp-tailed, 85.
 Yellow-backed, 180.
- Fisher, A. K., notice of his 'The Hawks and Owls of the United States in their relation to agriculture,' 199; notice of his report on the ornithology of the Death Valley Expedition, 285.
- Flamingo, 319.
- Flat-bill, 177.
 Buff-winged, 178.
- Flicker, 6, 9, 223, 231, 365.
 Hybrid, 18.
- Flint, H. W., capture of the Louisiana Tanager at New Haven, Connecticut, 86.
- Florisuga mellivora, 220, 314.
- Flycatcher, Crested, 50.
 Least, 10.
 Nutting's, 60.
 Olive-sided, 5, 9, 276.
 Traill's, 6, 10.
 Tyrant, 50.
 Vermilion, 286.
 Yellow-bellied, 5, 10, 90.
- Formicivora intermedia, 220.
- Foster, L. S., notice of his bibliography of the writings of G. N. Lawrence, 202.
- Fratercula arctica, 125.
arctica glacialis, 123.
- Fregata aquila, 141, 337, 362.
- Fringilla noctis, 70.
- Fulica americana, 17, 207, 223, 291,
 344.
minor, 344.
- Fulmarus glacialis, 123.
glacialis glupischa, 123.
- GADOW, H., notice of Newton's [and his] 'Dictionary of birds,' 357.
- Gadwall, 270.
- Galbulula ruficauda, 220.
- Galeoscoptes carolinensis, 37, 41,
 43, 46, 133, 244, 303.
- Gallinago delicata, 8, 125, 223, 292.
- Gallinula galeata, 92, 337.
- Gallinule, Florida, 92.
 Purple, 272, 300, 364.
- Gavia alba, 123.
- Geococcyx californianus, 63.
californianus, 63, 134, 320,
 364.
mexicanus, 63.
- Geothlypis agilis, 127, 229, 338.
beldingi, 142.
formosa, 86, 92, 133, 155, 209,
 244, 277, 338.
macgillivrayi, 127.
philadelphica, 13, 127, 229,
 371, 372.
poliocephala palpebralis, 141.
trichas, 6, 13, 41, 46, 133,
 229, 341.
trichas occidentalis, 135.
- Geotrygon linearis, 220.
- Glass-eye, 342.
- Glaucidium gnoma, 16, 18, 134, 291,
 382, 383.
gnoma californicum, 18, 382,
 383.
hoskinsi, 142.
- Glaucionetta clangula americana,
 125.
islandica, 125, 241, 270, 344.
- Glossiptila ruficollis, 339.
- Gnatcatcher, Blue-gray, 89, 277.
- Goldeneye, Barrow's, 270.
- Goldfinch, 6.
 American, 11.
 Common, 282.
 Oriental, 282.
- Goose, American White-fronted,
 271.
 Blue, 270.
 Canada, 77.

- Goose, Hutchins's, 292.
 Goshawk, 201.
 American, 274, 371.
 Goss, B. F., death of, 385.
 Grackle, Bronzed, 10.
 Purple, 320.
 Tinkling, 179.
 Grant, W. R. O., notice of his catalogue of the *Bucerotes* and *Trogon* in the British Museum, 66.
 Grassquit, Yellow-faced, 179.
 Grosbeak, Blue, 276.
 Evening, 155, 207.
 Pine, 74, 207.
 Rose-breasted, 40, 179, 207.
 Grouse, Canadian Ruffed, 8.
 Pinnated, 50.
 Ruffed, 83, 292, 295, 297.
 Sharp-tailed, 50.
 Grus canadensis, 49.
 mexicana, 17, 300.
 Guara alba, 132.
 Guilford, H. M., *Dendroica kirtlandi* in Minnesota, 86.
 Guillemot, Black, 6.
 Guiraca carulea, 133, 152, 276.
 cærulea eurhyncha, 135.
 Gull, American Herring, 7.
 Herring, 76.
 Laughing, 333.
 Mackerel, 7.
 Gyrfalcon, Black, 49.
HABIA ludoviciana, 40, 45, 133, 179, 207, 226.
 melanocephala, 135.
 Hadrostomus niger, 177.
 Hæmatopus bachmani, 17.
 palliatus, 242, 272, 293.
 Haliaeetus leucocephalus, 224, 297.
 Harporhynchus bendirei, 135.
 cinereus, 142.
 crissalis, 135.
 curvirostris, 135.
 lecontei, 135, 287, 320.
 longirostris, 135.
 longirostris sennetti, 141.
 rufus, 37, 41, 43, 46, 133, 229, 244.
 Hartert, E., notice of his catalogue of the *Cypselidæ*, *Caprimulgidæ*, *Podargidæ*, and *Steatornithidæ* in the British Museum, 66; notice of his paper on the birds of Aruba, Curaçao, and Bonaire, 355.
 Hasbrouck, E. M., rare birds near Washington, D. C., 91; the geo- graphical distribution of the genus *Megascops* in North America, 250; notice of his 'Evolution and dichromatism in the genus *Megascops*', 347.
 Hatch, P. L., notice of his 'Notes on the birds of Minnesota,' 288.
 Hawk, Cooper's, 200.
 Desert Sparrow, 60, 236.
 Duck, 201.
 Fish, 53, 54, 57, 200, 201.
 Marsh, 8, 370.
 Meat, 225.
 Pigeon, 9.
 Red-tailed, 57.
 Rough-legged, 200.
 St. Lucas Sparrow, 60.
 Sharp-shinned, 200.
 Squirrel, 200.
 Sparrow, 207.
 Swainson's, 50, 82, 83.
 Heleodetes, 86.
 Helinaia swainsonii, 133, 338, 340.
 Helminthophila bachmani, 133, 338.
 celata, 90, 127, 154, 209, 277.
 celata lutescens, 127.
 chrysoptera, 37, 40, 133, 154, 208, 209, 227, 244.
 lawrencei, 89, 208, 209, 305.
 leucobronchialis, 89, 208, 209, 305.
 luciae, 135.
 peregrina, 127, 227, 244.
 pinus, 89, 133, 208, 209, 227, 305.
 ruficapilla, 5, 13, 90, 127, 227, 277.
 ruficapilla gutturalis, 16, 127.
 virginiae, 135.
 Helmitherus vermivorus, 90, 133, 276, 338, 340.
 Hemiprocne zonaris, 181.
 Hen, Heath, 272.
 Prairie, 317, 319.
 Heron, Great Blue, 8, 74.
 Green, 317.
 Little Blue, 271.
 Night, 53.
 Yellow-crowned Night, 266.
 Hesperocichla nævia, 127.
 Heteractitis incanus, 123.
 Hierosfalco islandicus, 274.
 Higgins, H. C., *Cathartes aura* in Chenango County, New York, 301; *Strix pratincola* in New York, 301.
 Himantopus mexicanus, 272, 293.
 Hirundo apus, 68.

- Histrionicus histrionicus, 17, 125, 270.
Honey-creeper, Black-and-yellow, 339.
Honey-sucker, 339.
Hopping-dick, 342.
Howell, A. H., on the occurrence of three rare birds on Long Island, New York, 90; correction, 209.
Hov, P. R., death of, 95.
Hummingbird, Anna's, 312.
Costa's, 286.
Ruby-throated, 9, 312, 313.
Salvin's, 214.
Hydrochelidon nigra surinamensis, 206, 222, 242, 344.
Hylophilus insularis, 220.

IACHE latirostris, 315.
Ibis, Glossy, 271.
Wood, 266.
Icteria virens, 37, 38, 41, 133.
virens longicauda, 16, 135.
Icterus bullocki, 134.
cucullatus, 134.
cucullatus nelsoni, 192, 373.
galbula, 37, 39, 43, 44.
gularis yucatanensis, 366.
icterus, 178.
leucopteryx, 178.
parisorum, 134, 286.
spurius, 338, 374.
xanthornus curasaoensis, 355.
Ictinia mississippiensis, 133, 200, 337.
Ionornis martinica, 132, 220, 272, 296, 300, 337, 364.

JACOB, J. W., notice of his 'Summer birds of Greene Co., Pa.', 353.
James, H. B., and Sclater, P. L., notice of their 'New list of Chilian birds,' 354.
Jay, Black-headed, 178.
Blue, 10.
Judy, 177.
Junco aikenii, 126, 206.
annectens, 126, 206, 289.
caniceps, 206.
cinereus dorsalis, 126.
cinereus palliatus, 126.
hyemalis, 5, 6, 12, 42-44, 126, 213, 214, 226, 289.
hyemalis carolinensis, 45, 126.
hyemalis oregonus, 126, 289.
hyemalis shufeldti, 126.

Junco hyemalis thurberi, 48, 126, 287.
pinosus, 47.
ridgwayi, 205.
shufeldti, 206.
Junco, 6, 12.
Point Pinos, 47.
Slate-colored, 5, 12, 213.
Thurber's, 287.

KEELER, C. A., notices of his 'Evolution of the colors of North American land birds,' 189, 373.
Kellogg, V. L., the Road-runner in Kansas, 364.
Killdeer, 53.
Kingbird, 9, 320.
Arkansas, 49.
Gray, 177.
Kingfisher, 53.
Belted, 9.
Kinglet, Golden-crowned, 5, 14.
Ruby-crowned, 206.
Kite, Everglade, 200.
Mississippi, 200.
Swallow-tailed, 200.
White-tailed, 200.
Knot, 25, 247.
Kounil, P. M., behavior of a Sumner Tanager, 367.

LAGOPUS lagopus, 124, 297.
lagopus allenii, 126.
leucurus, 17, 124.
rupestris, 124, 327, 333.
rupestris atkhensis, 126, 333.
rupestris nelsoni, 126, 333.
rupestris reinhardti, 124, 333.
welchi, 126.
Laletes osburni, 339.
Lampornis dominicus, 314.
elliotti, 70.
virginalis, 70.
Lanius borealis, 126, 346, 372.
excubitor, 346.
ludovicianus, 133, 135, 237.
ludovicianus excubitorides, 237.
ludovicianus gambeli, 237.
sibiricus, 346.
Lantz, D. E., *Ionornis martinica* in Kansas, 300.
Lark, Horned, 205, 327, 347.
Prairie Horned, 242.
Shore, 50.
Larus argentatus smithsonianus, 7, 17, 76, 125, 222, 344.
atricilla, 289, 333.

- Larus barrovianus, 123.
 brachyrhynchus, 17, 125, 291,
 381, 384.
 californicus, 17, 291, 344.
 delawarensis, 17, 125, 222.
 franklini, 125, 290.
 glaucescens, 123.
 glaucus, 123.
 kumlieni, 123.
 leucopterus, 123.
 marinus, 123, 222.
 nelsoni, 123.
 oregonus, 344.
 philadelphia, 125, 222, 242,
 344.
 robustus, 344.
 schistisagus, 123.
 vegæ, 125.
- Lawrence, R. H., *Pseudogryphus californianus*, 300; *Fregata aquila* in California, 362.
- Leucosticte atrata, 124.
 australis, 124.
 griseonucha, 126.
 tephrocotis, 50, 124, 287, 290,
 321.
- Limosa fedoa, 125, 293.
 haemastica, 123, 293, 295.
 lapponica baueri, 123.
- Longspur, McCown's, 50, 237.
- Loomis, L. M., description of a new Junco from California, 47; notes on the plumage of some birds from upper South Carolina, 151.
- Loon, Black-throated, 265.
- Lophodytes cucullatus, 17, 291, 293,
 344.
- Loxia curvirostra minor, 6, 10, 225,
 317.
 leucoptera, 6, 11, 126, 226, 276.
- Loxigilla anoxantha, 180.
 noctis, 70.
 violacea, 180.
- Lucas, F. A., a neglected branch of ornithology, 210; the food of Hummingbirds, 311; notice of his paper on Swifts and Hummingbirds, 345; the number of ribs in *Cypseloides*, 365.
- MACKAY, G. H., observations on the Knot (*Tringa canutus*), 25; *Larus argentatus smithsonianus*, 76; *Branca canadensis*, 77; *Branca bernicla* at Nantucket, Massachusetts, 77; the migration of *Numenius borealis* in Massachu-
- setts in 1892, 79; the migration of *Charadrius dominicus* in Massachusetts in 1892, 79; fly lines, 245; behavior of a Sandhill Crane, 300; observations on the breeding habits of *Larus atricilla* in Massachusetts, 333; stray notes from the vicinity of Muskeget Island, Massachusetts, 370.
- Macrorhamphus griseus, 125, 293,
 296.
- scolopaceus, 125.
- Magpie, 20.
- Margarops fuscatus, 356.
- Martin, Purple, 50.
- McCormick, L. M., a hybrid Tanager, 302.
- McGregor, R. C., *Junco ridgwayi* in Colorado, 205.
- Meadowlark, 50, 53.
- Megascops asio, 133, 134, 250-253,
 347-351.
 asio aikeni, 63, 250, 251, 258.
 asio bendirei, 251, 255.
 asio floridanus, 251, 253, 337,
 348, 349.
 asio kennicottii, 17, 251, 256,
 259, 260.
 asio macfarlanei, 63, 250, 251,
 259.
 asio maxwelliae, 251, 256.
 asio mecallii, 251, 253-255,
 258, 348.
 asio saturatus, 63, 250, 251,
 256, 259.
 asio trichopsis, 251, 255, 257,
 258.
 aspersus, 251, 261, 264.
 barbarus, 251, 262.
 brasilianus, 263.
 brasilianus guatemalæ, 251,
 263.
 cassini, 251, 262.
 cooperi, 251, 263.
 flamineolus, 134, 251, 260, 364.
 flammeolus idahoensis, 251,
 261.
 hastatus, 251, 263.
 nudipes, 251, 262.
 vermiculatus, 251, 264.
 vinaceus, 251, 261, 264.
- Melanerpes carolinus, 133, 275.
 erythrocephalus, 39, 44, 133,
 224.
- formicivorus bairdi, 134, 320.
- terricolor, 220.
- torquatus, 134.

- Melanerpes uropygialis, 134.
 Melanipitta, 184.
 Meleagris gallopavo, 39, 133, 295,
 317, 319.
 gallopavo ellioti, 60, 134.
 gallopavo mexicanus, 134.
 Melopitta, 184.
 Melospiza cinerea, 126.
 fasciata, 6, 12, 40, 45, 133,
 135, 226.
 georgiana, 12, 230.
 lincolni, 21, 126, 206, 207.
 lincolnii striata, 21, 292, 384.
 Merganser americanus, 125, 222,
 293.
 serrator, 17, 125, 222, 293.
 Merriam, C. H., notice of the report of the Death Valley Expedition, 285; the faunal position of Lower California, 305; notice of the 'Report of the Ornithologist and Mammalogist for 1892,' 347.
 Merula aurantia, 342.
 confinis, 142.
 gymnophthalma, 220.
 jamaicensis, 342.
 migratoria, 6, 12, 15, 41, 46,
 74, 89, 230, 319.
 migratoria propinquua, 289.
 xanthocephala, 220.
 Micropalama himantopus, 49, 125,
 293.
 Micropallas whitneyi, 134.
 Micropus melanoleucus, 62, 68.
 Mimus gilvus, 220.
 hillii, 341.
 orpheus, 341.
 polyglottos, 295.
 Minor ornithological publications, 292.
 Mniotilla varia, 13, 37, 40, 45, 227,
 338, 340.
 Mockingbird, Jamaica, 341.
 Molothrus ater, 39, 50, 90, 133, 208,
 225.
 ater obscurus, 134.
 atronitens, 220.
 Momotus swainsoni, 220.
 Mountain-dick, 177.
 Musophaga cristata, 186.
 Myadestes solitarius, 341.
 townsendii, 135.
 Myiarchus brevipennis, 355.
 cinerascens, 134.
 cinerascens nuttingi, 60, 61.
 crinitus, 39, 44, 50, 133.
 mexicanus, 134.
 nuttingi, 61.
- Myiarchus stolidus, 177.
 tyrannulus, 220.
 validus, 177.
 Myiozetetes texensis, 141.
 Myrmeciza longipes albiventris, 343.
 NEOLESBIA, 67.
 Nesopsar nigerrimus, 178.
 Newberry, J. S., death of, 95.
 Newton, A., notice of his 'Dictionary of birds,' 357.
 Nighthawk, 9, 53.
 Texas, 286.
 Norton, A. H., *Xanthocephalus xanthocephalus* and *Spiza americana* in Maine, 302.
 Numenius arquatus, 61.
 borealis, 28, 79, 123, 247, 293.
 hudsonicus, 123, 248, 293, 370.
 longirostris, 272, 293, 296.
 Nuthatch, Red-bellied, 14.
 Red-breasted, 88, 207.
 White-breasted, 37.
 Nutting, C. C., notice of his 'Zoological explorations on the Lower Saskatchewan River,' 353.
 Nyctala acadica, 224, 242.
 tengmalmi richardsoni, 126.
 Nyctea nyctea, 126.
 Nycticorax nycticorax nævius, 53.
 violaceus, 132, 243, 266, 289.
 Nyctidromus albicollis merrilli, 141.
 OCEANODROMA furcata, 125.
 leucorrhoa, 125.
 Odontophorus consobrinus, 346.
 guttatus, 346.
 Oidemia americana, 123, 166, 174.
 bimaculata, 171.
 deglandi, 125, 167-176, 242.
 fusca, 172, 175.
 perspicillata, 125, 174, 175,
 242.
 stejnegeri, 175, 176.
 Oldsquaw, 248.
 Olor buccinator, 17, 125.
 columbianus, 123.
 paloregonus, 344.
 Orange-bird, 180.
 Oreortyx pictus, 17, 134, 291.
 pictus plumiferus, 286.
 Oriole, Arizona Hooded, 192, 373.
 Scott's, 286.
 Oroscoptes montanus, 135, 320.
 Ortalis ruficauda, 220.
 vetula macallii, 141.
 Ortygodes variegata, 186.
 Ortyx virginianus, 358.

- Osprey, American, 9.
Ostinops decumanus, 220.
 montezumæ, 84.
Otocoris alpestris, 124, 134, 205,
 225, 243, 327, 333, 347.
 alpestris leucolæma, 126, 333.
 alpestris merrilli, 333.
 alpestris praticola, 50, 133,
 242, 243.
Otophanes macleodi, 68.
Ovenbird, 5, 13, 341.
Owl, Aiken's Screech, 258.
 American Barn, 275.
 American Hawk, 275.
 Arctic Horned, 18.
 Barn, 207, 301, 372.
 California Pygmy, 18.
 California Screech, 255.
 Chihuahua Screech, 264.
 Common Screech, 252.
 Dusky Horned, 18.
 Dwarf Screech, 261.
 Flammulated Screech, 260.
 Florida Screech, 253.
 Great Gray, 208.
 Great Horned, 18, 197, 201.
 Kennicott's Screech, 256, 259.
 Long-eared, 207.
 Macfarlane's Screech, 259.
 Mexican Screech, 257.
 Puget Sound Screech, 259.
 Pygmy, 18.
 Red, 250.
 Rocky Mountain Screech,
 256, 257.
 Screech, 250.
 Short-eared, 301, 370.
 Spotted, 17.
 Spotted Screech, 264.
 Texan Screech, 254.
 Western Horned, 18.
Oystercatcher, American, 272.
- PACHYRHAMPHUS** *albo-griseus*, 220.
 niger, 220.
Palæotrix gilli, 344.
 Pale-belly, 28.
 Palmer, T. S., *Heleodetes* vs. *Cam-*
pylorhynchus, 86.
Pandion haliaetus carolinensis, 9,
 53, 54, 57, 200, 201, 224.
Panyptila cayenensis, 84.
 Park, A. F., death of, 384.
 Park, F. T., *Acanthis linaria* in
 Alabama, 205.
 Paroquet, Carolina, 319.
 Partridge, Gambel's, 204, 296.
 Plumed, 286.
- Parus atricapillus**, 5, 14, 37, 41, 43,
 46, 127, 229.
atricapillus occidentalis, 17,
 127, 291, 382.
atricapillus septentrionalis,
 127.
atricristatus, 135.
bicolor, 38, 41, 133, 277.
bicolor texensis, 135.
carolinensis, 133.
carolinensis agilis, 135.
cinctus obtectus, 127.
gambeli, 127.
hudsonicus, 5, 14, 24, 127,
 321-333.
hudsonicus columbianus, 16,
 23, 325, 326, 329, 331-333.
hudsonicus evura, 325, 326,
 328-333.
hudsonicus littoralis, 323-326,
 328.
hudsonicus stoneyi, 24, 127,
 326, 328-333.
hudsonicus ungava, 324-326,
 328-330, 332, 333.
inornatus, 135.
rufescens, 127.
stoneyi, 325.
wollweberi, 135.
Passer domesticus, 207, 230, 231,
 320.
Paserella iliaca, 126, 296.
 iliaca megarhyncha, 126.
 iliaca schistacea, 16, 126.
 iliaca unalascensis, 126.
Passerina amœna, 135.
 ciris, 133.
 cyanea, 40, 45, 133, 153, 226,
 338.
 versicolor, 135.
Pavoncella pugnax, 293.
Pediocætes lucasi, 344.
 nanus, 344.
phasianellus, 126.
phasianellus campestris, 50,
 134, 281-285.
phasianellus columbianus,
 134, 344.
Pelecanus erythrorhynchos, 242,
 270, 337, 344.
fuscus, 289.
 Pelican, American White, 270.
Perisoreus canadensis, 10, 126, 225.
 canadensis capitalis, 16, 126.
 canadensis fumifrons, 126.
 canadensis nigricapillus, 126.
 obscurus, 126.
 Petchary, Common, 177.

- Peters, E., notice of his paper on the birds of Curaçao, 355.
 Petrel, Black-capped, 361.
Petrochelidon fulva, 181.
lunifrons, 12, 40, 226, 243.
Peucaea aestivalis, 133.
carpalis, 135.
cassini, 135.
ruficeps, 135.
 Pewee, Wood, 5, 9.
Phainopepla nitens, 135.
Phalacrocorax carbo, 7, 125.
dilophus, 7, 125.
dilophus cincinatus, 17, 125.
macrourus, 344.
pelagicus, 123.
pelagicus robustus, 125.
urile, 123.
Phalænoptilus nuttalli, 68, 134.
nuttalli californicus, 68.
nuttalli nitidus, 68.
 Phalarope, Northern, 371.
Phalaropus lobatus, 123, 293, 344, 371.
 tricolor, 293.
Phasianus mexicanus, 63.
Philacte canagica, 123.
Philocephala minor, 8, 133, 204, 223, 292-297.
Phœnicopterus coepi, 344.
parvus, 186.
ruber, 141, 319.
Pica pica hudsonia, 17, 20, 126, 289, 291, 382.
rufiventris, 186.
Picicorvus columbianus, 126, 320.
Picoides americanus, 126, 289, 327, 333.
americanus alasensis, 126, 236, 327, 333.
americanus dorsalis, 126, 327, 333.
arcticus, 126.
 Pigeon, Passenger, 49, 50, 194, 274, 294, 376.
 Sea, 6.
 Wild, 294, 295, 319.
Pinicola enucleator, 74, 126, 207.
 Pink, 178.
 Grass, 179.
 October, 178.
Pipilo aberti, 135.
chlorurus, 135.
erythrophthalmus, 37, 40, 43, 45, 133, 226.
fuscus, 135.
maculatus, 135.
 Pipiri, 177.
- Piranga erythromelas, 37, 40, 43, 45, 133, 154, 180, 226, 302.
ludoviciana, 86, 135.
rubra, 133, 153, 154, 302, 303, 367.
rubra cooperi, 135, 154.
Pitangus caudifasciatus, 177.
derbianus, 141.
Pitta brachyura, 51, 52, 182.
coronata, 51, 188.
cyanoptera, 183.
cyanura, 182.
guaiana, 51, 52, 187.
irena, 183.
moluccensis, 51, 183, 188.
sordida, 51, 52, 188.
Plautus impennis, 125.
 Pleasants, J. H., Jr., rare birds near Baltimore, Maryland, 371.
Plectrophenax hyperboreus, 124.
nivalis, 124.
Plegadis autumnalis, 271.
guarauna, 134.
Plotus anhinga, 78.
 Plover, American Golden, 28, 247, 249.
 Black-bellied, 27-29, 79, 247, 370.
 Golden, 79, 247.
Piping, 8, 370.
 Sea, 79.
 Turnstone, 294.
 Upland, 92, 294, 296, 297.
Podiceps dominicus, 141.
Podilymbus podiceps, 222, 344.
Polioptila cærulea, 89, 133, 229, 277.
cærulea obscura, 135.
californica, 135.
plumbea, 135.
Polyborus cheriway, 141, 364.
Pooecetes gramineus, 6, 11, 40, 44, 226, 338.
gramineus confinis, 50, 134.
Porzana carolina, 17, 125, 223.
coturniculus, 61.
jamaicensis, 289.
jamaicensis coturniculus, 61.
noveboracensis, 125, 243, 272.
Progne dominicensis, 181, 220.
 subis, 17, 50, 226, 291.
Protonotaria citrea, 133, 244, 276.
Psaltriparus lloydii, 135.
minimus, 135.
plumbeus, 135.
santaritæ, 135.
Pseudogryphus californianus, 134, 287, 300.
Ptarmigan, Rock, 327.

- Pteroglossus torquatus, 84.
 Ptychoramphus aleuticus, 17, 298.
 Publications received, 75, 203, 297,
 358.
 Puffinus auduboni, 362.
 tenuirostris, 125.
 Pyrocephalus rubineus mexicanus,
 286.
 Pyrrhulagra noctis grenadensis, 70.
 noctis ridgwayi, 70.
 Pyrrhuloxia sinuata, 135.
- QUAIL, Valley, 294.
 Virginia, 358.
 Quiscalus crassirostris, 179.
 major, 133.
 quiscula, 54, 133, 290, 297,
 320.
 quiscula æneus, 10, 39, 50,
 225, 242, 290.
- Quit, Banana, 339.
 Blue, 180, 339.
 Orange, 339.
- RAIL, Clapper, 271.
 Yellow, 272.
- Rallus crepitans, 271.
 elegans, 132, 207.
 virginianus, 223.
- Ramphastos carinatus, 84.
 Ramphocælus costaricensis, 278.
 passerini, 278.
- Raven, 10.
 American, 276.
- Recurvirostra americana, 272, 293.
- Redbreast, 25.
- Redpoll, 205.
- Redstart, 5.
 American, 14, 341.
- Reed-bird, 320.
- Regulus calendula, 127, 206, 229.
 satrapa, 5, 14, 127, 229.
 satrapa olivaceus, 127.
- Rhoads, S. N., notes on certain
 Washington and British Columbia
 birds, 16; the *Vireo huttoni*
 group, with description of a new
 race from Vancouver Island, 238;
 notices of his 'Birds observed in
 British Columbia and Washington,'
 290, 380; the Hudsonian
 Chickadee and its allies, with re-
 marks on the geographic distri-
 bution of bird races in boreal
 America, 321; the Cinnamon
 Teal (*Anas cyanoptera*) in Flor-
 ida, 362.
- Rhodostethia rosea, 123.
 Rhyncophanes mccownii, 50, 134,
 237, 290.
- Richardson, J., death of, 307.
- Richmond, C. W., the nest of *Pan-*
 yptila cayenensis (Gm.), 84.
- Ridgway, R., notice of his discus-
 sion of Hummingbirds and Swifts,
 345; notice of his descriptions of
 new birds, 346.
- Rissa brevirostris, 123.
 tridactyla, 222.
 tridactyla pollicaris, 123.
- Road-runner, 364.
- Robin, 6, 12, 74, 89, 319.
 American, 15.
 Beach, 31.
- Rossignol, 12.
- Rostrhamus sociabilis, 141, 200.
- Roughleg, Red, 49.
- SAGE, J. H., notes on some
 Connecticut birds, 206; notes
 on *Helminthophila chrysoptera*,
 pinus, *leucobronchialis*, and *law-
 rencei* in Connecticut, 208; the
 Summer Tanager in Connecticut,
 303; notes on some Connecticut
 birds, 371.
- Salpinctes obsoletus, 87, 135.
- Salvin, O., notice of his catalogue
 of the Upupa and Trochili in the
 British Museum, 66.
- Sandpiper, Purple, 26.
 Red-backed, 28.
 Solitary, 243.
 Spotted, 8, 243.
 Stilt, 49.
- Sapsucker, 312.
 Yellow-bellied, 9.
- Sargent, H. B., breeding of the
 Rough-winged Swallow at Shel-
 ter Island, New York, 369.
- Savanna-bird, 179.
- Saxicola cananthe, 124, 277.
- Sayornis nigricans, 134.
 phœbe, 39, 44, 133, 225, 243.
 saya, 134.
- Sclater, P. L., see James, H. B.
- Scolecopagus affinis, 344.
 carolinus, 10, 126, 225.
 cyanocephalus, 50, 134.
- Scolopax arquata, 61.
- Scops macallii, 250.
 trichopsis, 250.
- Scoter, Asiatic White-winged, 175.
 European White-winged, 175.
- Scotiaptex cinerea, 126, 208.

- Scott, W. E. D., observations on the birds of Jamaica, West Indies. II. A list of the birds recorded from the island, with annotations, 177, 339.
- Seiurus aurocapillus*, 5, 13, 37, 41, 45, 133, 228, 338, 341.
motacilla, 38, 41, 133, 290, 341.
noveboracensis, 6, 13, 43, 45, 127, 290, 338, 341.
noveboracensis notabilis, 127, 290.
- Selasphorus*, 62.
allenii, 62, 134.
floresii, 62.
platycercus, 62, 134, 315.
rufus, 62, 134, 315.
- Setophaga ruticilla*, 5, 14, 229, 341.
- Sewy-sewy*, 339.
- Sharpe, R. B., notice of his catalogue of the Leptosomatidae, Coraciidae, Meropidae, Alcedinidae, Motitidae, Todidae, and Coliidae in the British Museum, 66.
- Sheldrake, 293.
- Shine-eye, 342.
- Shining-eyes, 179.
- Shrike, Black, 177.
 California, 237.
- Shufeldt, R. W., notes on the American Bittern, 77; *Sitta canadensis* appearing in numbers in the District of Columbia, 88; the Chionididae, 158; notes on the trunk skeleton of a hybrid Grouse, 281; nesting habits of *Galeoscoptes carolinensis*, 303; notice of his paper on fossil birds from Oregon, 343; notice of his papers on *Ichthyornis* and the Longipennes, 345; notice of papers on Hummingbirds and Swifts, 345.
- Sialia arctica*, 127, 320.
mexicana, 135, 290.
sialis, 12, 41, 46, 50, 133, 230, 231.
- Sicalis flaveola jamaicae*, 179.
- Simorhynchus cristatellus*, 125.
pusillus, 16, 17, 125.
pygmaeus, 125.
- Siskin, Pine, 11.
- Sitta canadensis*, 14, 17, 88, 127, 207, 229, 244, 291.
carolinensis, 37, 41, 46, 133, 229.
carolinensis aculeata, 17, 135.
pusilla, 133.
pygmaea, 127, 135.
- Skylark, Missouri, 50.
- Smith, H. G., another *Megascops flammeolus* for Colorado, 364.
- Smyth, E. A., Jr., capture of the Black-capped Petrel inland in Virginia, 361.
- Snipe, 292.
 Robin, 25.
 Wilson's, 8.
- Snowbird, 42, 43.
 Pink, 50.
- Solitaire, 341.
- Somateria borealis*, 123.
dresseri, 77, 248, 370.
spectabilis, 123, 289.
v-nigra, 123.
- Sparrow, Chipping, 12.
 Cotton-tree, 180.
 English, 207.
 Field, 205.
 Forbush's, 21.
 House, 231, 320.
 Ipswich, 302, 365.
 Lincoln's, 21, 206.
 Savanna, 6, 11, 12.
 Sharp-tailed, 50.
 Song, 6, 12.
 Swamp, 6, 12.
 Vesper, 6, 11, 50.
 White-crowned, 90.
 White-throated, 5, 11, 86, 91, 213.
- Spatula clypeata*, 17, 291, 344.
- Speotyto cunicularia bahamensis*, 70.
cunicularia floridana, 70, 141.
cunicularia hypogaea, 134, 290.
- Spermophilus adoxa*, 179.
lineata, 220.
- Sphyrapicus ruber*, 17, 312.
thyroideus, 126.
varius, 9, 126, 224, 312.
varius nuchalis, 126.
- Spindalis nigriceps*, 180.
- Spinus pinus*, 11, 126, 226, 243.
psaltria, 134.
tristis, 6, 11, 40, 44, 226.
- Spiza americana*, 276, 302.
- Spizaëtos mauduyti*, 220.
- Spizella atrigularis*, 135.
breweri, 135, 320.
monticola, 126.
monticola ochracea, 126.
pallida, 134.
pusilla, 40, 133, 205, 226, 337.
pusilla arenacea, 134.
socialis, 12, 16, 40, 44, 226, 337.

- Sporophila moreletti sharpei, 141.
 Stejneger, L., supplementary remarks on the genus *Pitta*, 181; notice of his papers on Japanese birds, 346.
 Stelgidopteryx serripennis, 50, 227, 243, 369.
 Stellula calliope, 62, 314.
 Stephens, F., notes on Cassin's Auklet, 298.
 Stercorarius longicaudus, 123.
 parasiticus, 123.
 pomarinus, 123.
 Sterna aleutica, 123.
 dougalli, 336.
 elegans, 220, 344.
 forsteri, 344.
 hirundo, 7, 222, 334, 336.
 maxima, 222.
 paradisea, 125, 336.
 tschegrava, 222.
 Stilt, Black-necked, 272.
 Stone, W., Sharp-tailed Finches of the New Jersey coast, 85; a hybrid Sparrow, *Zonotrichia albicollis* + *Funco hyemalis*, 213; an additional specimen of the Labrador Duck, 363.
 Strix asio, 250.
 pratincola, 90, 207, 243, 275, 301, 372.
 Sturnella magna, 37, 39, 43, 44, 53, 133, 225.
 magna neglecta, 50, 134.
 Sula bassana, 125.
 sula, 141, 270.
 Surnia ulula caparoch, 126, 275.
 Swallow, Bank, 6, 12, 181.
 Barn, 6, 12, 181.
 Cave, 181.
 Cliff, 12.
 Cuban Cliff, 181.
 Golden, 181.
 Great Blue, 181.
 Rough-winged, 369.
 Saw-winged, 50.
 White-bellied, 6, 12, 370.
 Swift, Chimney, 9, 303.
 Cloud, 365.
 Sylvania canadensis, 5, 14, 37, 42, 43, 46, 127, 229.
 mitrata, 90, 133, 209, 244, 277, 341.
 pusilla, 5, 14, 127, 229.
 pusilla pileolata, 23, 127, 292, 384.
 Symphemia semipalmata, 133, 293.
 semipalmata inornata, 134.
- Synthliboramphus antiquus, 16, 125.
 Syrnium nebulosum, 133, 224.
 occidentale, 17, 134.
- TACHYCINETA bicolor, 6, 12, 126, 226, 370.
 euchrysea, 181.
 thalassina, 126.
 Tachyphonus melaleucus, 220.
 Tanager, Louisiana, 86.
 Scarlet, 180.
 Summer, 303, 367.
 Tanagra sclateri, 220.
 Tantalus loculator, 91, 243, 266, 337.
 Teal, Cinnamon, 362.
 Tern, Arctic, 336.
 Common, 7.
 Roseate, 336.
 Wilson's, 334, 336.
 Thamnophilus bridgesi, 279.
 doliatus, 220.
 punctatus, 279.
 Thompson, E. E., additions to the list of Manitoban birds, 49.
 Thrasher, Brown, 37.
 Leconte's, 287.
 Thrush, Bicknell's, 91, 209.
 Golden-crowned, 37.
 Hermit, 5, 12, 14, 15, 24, 42, 371.
 Olive-backed, 5, 14, 15, 230.
 Wood, 37, 43, 342.
 Thryothorus bewickii, 133, 135, 244.
 ludovicianus, 87, 89, 133, 135.
 rutilus, 220.
 Tichicro, 179.
 Titmouse, Tufted, 277.
 Todd, W. E. C., Summer birds of Indiana and Clearfield Counties, Pennsylvania, 35; wintering of *Regulus calendula* at Washington, D. C., 206; the occurrence in summer of certain Warblers at Beaver, Pennsylvania, 209; correction, 305.
 Tom-fool, 177.
 Little, 177.
 Torrey, B., notice of his 'The Foot-Path Way,' 74; the Field Sparrow wintering in Massachusetts, 205.
 Totanus flavipes, 17, 125, 248, 291, 293, 294, 337, 381, 384.
 melanoleucus, 125, 243, 248, 293, 294.
 solitarius, 125, 223, 243, 293.
 solitarius cinnamomeus, 125.
 Treat, W. E., unusual habits of Lincoln's Sparrow, 206.

- Tringa acuminata, 123.
alpina, 78.
alpina pacifica, 28, 78, 123,
290, 293.
bairdii, 123, 293.
canutus, 17, 25, 123, 247, 293.
couesi, 123.
crassirostris, 25.
ferruginea, 293, 296.
fuscicollis, 123, 290, 293.
maculata, 123, 243, 293, 294.
maritima, 26, 123, 293.
minutilla, 125, 223, 293.
ptilocnemis, 123.
temminckii, 346.
- Trochilus alexandri, 134, 314.
allenii, 62.
anna, 62.
calliope, 62.
colubris, 9, 39, 44, 74, 224,
312-314.
floresii, 62.
helioisa, 62.
lucifer, 62.
platycercus, 62.
rubromitratus, 62.
rufus, 62.
- Troglodytes aëdon, 46, 133, 135,
229.
alascensis, 127.
hiemalis, 5, 14, 42, 43, 46,
127, 229.
hiemalis pacificus, 127.
tobagensis, 220.
- Trogon ambiguus, 141.
- Trogon atricollis, 69.
atricollis tenellus, 69.
collaris, 220.
- Troupial, 178.
- Trumbull, G., our Scoters, 165.
- Tryngites subruficollis, 123, 293,
296.
- Turdus alicæ, 91, 127, 229, 244.
alicæ bicknelli, 91, 127, 209.
aonalaschkæ, 24, 127.
aonalaschkæ auduboni, 24,
127.
aonalaschkæ pallasi, 5, 12,
14-16, 24, 42, 43, 46, 127,
230, 371.
coronatus, 183.
fuscescens, 37, 133, 135, 229.
mustelinus, 37, 41, 43, 46,
133, 229, 338, 342.
ustulatus, 127.
ustulatus swainsonii, 5, 14-16,
127, 229.
- Turkey, Rio Grande, 60.
- Turkey, Wild, 39, 295, 317, 319.
Turnstone, 28, 29, 247, 294.
Two-penny-chick, 342.
- Tympanuchus americanus, 50, 133,
281-285, 317, 319.
cupido, 133, 272.
pallidicinctus, 134, 344.
- Tyrannus cinereus, 186.
dominicensis, 133, 177.
melancholicus, 220.
tyrannus, 9, 39, 44, 133, 225,
320.
verticalis, 49, 134, 290.
vociferans, 134.
- URIA troile californica, 17.
- Urinator adamsi, 123.
arcticus, 16, 123, 265, 289.
imber, 125, 222, 242.
lumme, 125.
pacificus, 123.
- VERRILLI, A. H., winter birds in
Connecticut, 207; Connecticut
notes, 305, 371.
- Vireo altiloquus, 339.
altiloquus barbatulus, 141.
atricapillus, 135.
belli, 135.
calidris, 70.
chivi, 220.
crassirostris, 70.
flavifrons, 133, 227, 338.
flavoviridis, 141.
gilvus, 21-23, 40, 227.
gilvus swainsonii, 21-23.
huttoni, 135, 238-241.
huttoni insularis, 239-241.
huttoni obscurus, 16, 23, 238,
239.
huttoni stephensi, 239, 241.
modestus, 339.
noveboracensis, 133, 289.
olivaceus, 5, 12, 37, 40, 45,
227.
philadelphicus, 127, 227.
solitarius, 13, 133, 135, 227,
371.
solitarius alticola, 338.
solitarius cassini, 17.
swainsonii, 21.
vicinior, 135.
vicinior californicus, 62.
- Vireo, Anthony's, 23.
Hutton's, 240.
Red-eyed, 5, 12, 37.
Solitary, 13.
Western Warbling, 21.

- Volatinia splendens, 220.
 Voorhees, C. G., occurrence and breeding of the Kentucky Warbler in Connecticut, 86.
 Vulture, Black, 82.
 California, 287, 300.
 Turkey, 301.
- WAHQUOIT, 27.
- Wall, E., Gambel's Partridge at San Bernardino, California, 204.
- Warbler, Arrowheaded, 340.
 Audubon's, 305.
 Aurora, 340.
 Bay-breasted, 90.
 Black-and-white, 13, 37, 340.
 Black-and-yellow, 36, 42.
 Blackburnian, 36, 42, 43.
 Blackpoll, 340.
 Black-throated Blue, 5, 13, 36, 42, 43, 340.
 Black-throated Green, 5, 13, 37, 42, 43, 341.
 Blue-winged, 89, 305.
 Blue Yellow-backed, 36, 42, 43.
 Brewster's, 89, 305.
 Canadian, 5, 14, 42.
 Cape May, 303, 340.
 Cerulean, 37, 41, 277, 372.
 Chestnut-sided, 37, 42.
 Hooded, 90, 277, 341.
 Kentucky, 86, 92, 277.
 Kirtland's, 86.
 Lawrence's, 89, 305.
 Magnolia, 5, 13.
 Mourning, 13, 372.
 Myrtle, 5, 13, 91, 228, 340.
 Nashville, 5, 13, 90, 277.
 Orange-crowned, 277.
 Palm, 341.
 Parula, 5, 13, 340.
 Pileolated, 23.
 Prairie, 341.
 Prothonotary, 276.
 Swainson's, 340.
 Sycamore, 340.
 Wilson's, 5, 14, 23.
 Worm-eating, 90, 276, 340.
 Yellow, 13.
 Yellow Palm, 13, 341.
 Yellow-rumped, 305.
 Yellow-throated, 277, 340.
- Water-thrush, 6, 13, 43, 341.
 Louisiana, 341.
- Wayne, A. T., the American Woodcock (*Philohela minor*) in great numbers at Mount Pleasant, South Carolina, 204; *Antrostomus vociferus* in South Carolina in winter, 205; the Horned Lark (*Otocoris alpestris*) near Charleston, South Carolina, 205; additional notes on the birds of the Suwanee River, 336.
- Wheatear, 277.
- Whippoorwill, 205.
- Whip-tail-kelly, 339.
- White, S. E., birds observed on Mackinac Island, Michigan, during the summers of 1889, 1890, and 1891, 221.
- Whiting, 31.
- Woodcock, 292-297.
 American, 8, 204.
- Woodpecker, Alaskan Three-toed, 236.
 Baird's, 286.
 Downy, 9, 231.
 Hairy, 9.
 Pileated, 9, 275.
 Red-bellied, 275.
- Worthington, W. W., Short-eared Owl nesting on Plum Island, New York, 301; Cape May Warbler at Shelter Island, New York, 303.
- Wren, Carolina, 87, 89.
 Cactus, 87.
 Rock, 87.
 Winter, 5, 14, 42.
 Worthington's Marsh, 216.
- XANTHOCEPHALUS xanthocephalus, 50, 92, 134, 302.
- Xanthoura luxuosa, 141.
- Xema sabini, 123, 344.
- Xenopus albolarvatus, 134.
- YELLOWLEGS, 248.
 Greater, 248.
- Yellow-tail, 84.
- Yellowthroat, 225.
 Maryland, 6, 13, 341.
- Young, C. C., *Tringa alpina* on Long Island, New York, 78.
- ZENAIDA castanea, 70.
 martinicensis, 70.
 richardsoni, 70.
 zenaida, 70, 141.
- Zenaidura macroura, 39, 44, 49, 50, 194, 223.
- Zonotrichia albicollis, 5, 11, 86, 91, 126, 213, 214, 226, 337.

Zonotrichia coronata, 126.		Zonotrichia leucophrys intermedia,
leucophrys, 90, 126, 207, 226,		126, 290.
243.		querula, 16, 126,
leucophrys gambeli, 126.		

ERRATA.

- Page 17, line 8, for 'hudsonicus' read 'hudsonius.'
" 125, " 37, " 'cincinnatus' " 'cincinatus.'
" 126, " 39, " 'hudsonius' " 'hudsonica.'
" 135, " 32, " 'Myiadestes' " 'Myadestes.'
" 220, " 19, " 'manduyti' " 'mauduyti.'
" 242, " 12, " 'ostralegus' " 'palliatus.'
" 243, " 24, " 'fuscus' " 'phœbe.'
" 274, " 44, " 'Jer. Falcon' " 'Jer Falcon.'
" 287, last word " 'raising' " 'raisin.'