As the species is a great wanderer I can see no reason why one or more should not occasionally cross the Atlantic. The condition in which this specimen was received certainly proved it to have been a long time without food, and being a fresh water feeder, the only way it could have reached Maryland without finding a suitable feeding place would have to be across the Atlantic. If stronger evidence cannot be brought forward against it, I see no reason why this beautiful species should not be added to the North American Fauna. — F. C. Kirkwood, Baltimore, Md.

The Occurrence of Steller's Eider (Eniconetta stelleri) in the Gulf of St. Lawrence. — We are indebted to Mr. Napoleon A. Comean, who has done so much to increase our knowledge of the distribution of birds in the Point des Monts region of Quebec, for two records of the occurrence of Steller's Eider in the Gulf of St. Lawrence. The first specimen which he secured was a female taken on February 17, 1898, at Godbout, where it was associated with a flock of Old-squaws. The second example was a fine male, which was killed by Joseph Morin, a seal hunter, about a month later near Point des Monts. It was found among a flock of Goldeneyes. Previous to the capture of these two specimens Mr. Comeau had seen occasional individuals among flocks of well known species, which he did not recognize and had wondered if they might not be Labrador Ducks. After examining the male Steller's Eider, however, he appreciated that the birds formally observed undoubtedly belonged to the latter species.

These records are especially interesting as coming from the eastern side of the continent where the bird appears to be of accidental occurrence, and where, as far as known, it has been observed only at Disco Bay, Greenland, and Cumberland Sound.—A. K. FISHER, Washington, D. C.

Pipile vs. Pipilo.—If mere difference in inflexional termination of words otherwise identical in form be held insufficient for their discrimination, then *Pipile* Bp., Comptes Rendus, XLII, 1856, p. 877, is voided by *Pipilo* Vieill., Anal., 1816, p. 32, and the three current species of the former genus may be called *Cumana* (gen. nov.) cumanensis (Jacq., 1784), or C. pipile (Jacq., 1784), C. jacutinga (Spix, 1825), and C. cujnbi (v. Pelz., 1858). But it may be a question whether *Pipile* and *Pipilo* are not radically distinct words. Vieillot's name is good Latin, being first person, singular, present indicative of a verb meaning 'to chirp'; while Bonaparte's may be a barbarous word of South American origin. If the latter shall so prove, how shall we dispose of the case?—Elliott Coues, Washington, D. C.

Strix vs. Aluco.—This is a case on which the last word does not appear to have been said, and I, for one, should be glad to have it settled. It involves not only two generic, but also two family names. If I am at