- 45. Dendroica discolor (*Vieill.*). PRAIRIE WARBLER. Five specimens, from Nassau, Sandy Key and Current Island, Eleuthera, February 25, March 24 and April 20.
- 46. Cœreba bahamensis (Reich.). BAHAMA HONEY CREEPER. Twelve specimens, seven adults from Nassau, an adult ♂ and two nestlings from Current Island, Eleuthera the adult taken April 22, and the young April 20 and April 27 and two adult males from Highbourne Key, April 8.
- 47. Spindalis zena (Linn.). BAHAMA FRUIT FINCH. Nineteen specimens, all from Nassau, taken from February 12 to June 24.
- 48. Euetheia bicolor (Linn.). Grassquit. Ten specimens, all from Nassau; adults taken from February 6 to June 7, and one nestling taken June 16.
- 49. Pyrrhulagra violacea (*Linn.*). Purple Grosbeak.—Sixteen specimens from Nassau, Current Island, Eleuthera, and Highbourne Key, taken from February 12 to July 1.
- 50. Passerculus sandwichensis savanna (Wils.). SAVANNA SPARROW.—Three specimens from Nassau, taken March 3 and April 1, 1897,
- 51. Agelaius bryanti (Ridgw.). BAHAMA RED-WING.— One adult &. taken at Fresh Creek, Andros, May, 1897.

GENERAL NOTES.

The Red-necked Grebe in Michigan in Winter.—On the 12th of this month (March, 1900) a fine female specimen of the Red-necked Grebe (Colymbus holbællii) was picked up in a frozen condition on a lake two and one half miles west of this city. In skinning it I found that one of the radii had been fractured by a shot. The wound had healed externally and the bone had fused, showing that it had been injured before the winter set in and had been unable to take its departure, as it otherwise would have done, and this accounts for its presence at such an unusual period. This bird is of very rare occurrence in Michigan. It is now in my collection.—Percy S. Selous, Greenville, Mich.

The Dovekie (Alle alle) on the Coast of Virginia.—Two Dovekies (Alle alle) were shot from a blind Dec. 13, 1899, about one mile west of Killick Shoal Light, in Chincoteaque Bay, Virginia, by Wm. H. Cookman of Germantown, Philadelphia. The birds were positively identified and it was stated by R. T. Taylor, a resident gunner during the past twenty years, that he had never seen any birds like them before in that locality. There were four birds in the flock.—Wm. L. Baily, Ardmore, Pa.