Tennessee Warbler was almost common in the village of Litchfield during the nine days from May 19 to 27 inclusive this last spring. Litchfield is situated on a high ridge, along the crest of which runs the main street, bordered with tall elms. To these trees and to those in the grounds about the houses close to the street the birds seemed to be restricted; for though I was in the field every day throughout the migration. I did not see or hear one outside of the village. I secured five on different days within that time out of one tree in our own grounds, and heard or saw several others in the neighboring yards.—Edward Seymour Wood-Ruff, Litchfield, Conn.

Two Records for Colorado.—FLICKER. Colaptes auratus.—Oct. 24, 1904, I obtained in Hall Valley, Park Co., Colorado, a specimen of the eastern Flicker showing not a trace of hybridization with the Red-shafted Flicker. This is the first record for this bird in our State at such an altitude, this specimen being taken at an altitude of 10,000 feet.

CANVAS-BACK. Aythya vallisneria.—July 4, 1900, I found near Barr Lake, Adams Co., Colorado, a set of eleven eggs of the Canvas-back. The eggs were fresh. This is the first record I believe for this bird's breeding in our State.—A. H. Felger, Denver, Colo.

Colorado Notes.— The Wood Thrush (Hylocichla mustelina) may now be added to the Colorado avifauna. It is reported by Miss Jennie M. Patten at Yuma, Colo., one specimen being seen on May 27, 1905, under such circumstances that indentification was easy and certain. She also reported a Cardinal (Cardinalis cardinalis), but afterwards discovered that it was an escaped cagebird. The same observer reports two Red-eyed Vireos (Vireo olivaceus) at the same station on May 27, 1905, and afterwards. Colorado records for this species are meager. Also Baltimore Orioles (Icterus galbula) in 1903 and May 22 and 23, 1905.

I watched a Blue-gray Gnatcatcher (*Polioptila cærulea*) for some time at short range near Boulder on May 12, 1905. This is the first record north of Denver in Colorado, so far as I am aware. Bobolinks appeared again this year in some numbers east of Boulder, from which the inference is warranted that they are regular visitants, unnoted until last year.

A male House Finch (Carpodacus mexicanus frontalis), assisting his mate in raising a family of five nestlings under the roof of our front porch, confirms a long cherished suspicion that lack of red plumage does not always indicate immaturity. His plumage appears to be almost exactly like that of the female. He sings a great deal, with the full song of the male, though at first the song seemed a little weak—perhaps a mere fancy engendered by the apparently immature plumage. He had several fights with a highly colored male when nest building first began, and his mate then fought more valiantly than he did.

Songs of Female Birds.—Ornithological literature seems to say very little about the nesting songs of female birds, or I have been unfortunate