

Sandpiper (*Actodromas bairdii*) collected by F. G. Blake. It was in company with *Gallinago delicata*, *Actodromas maculata*, *A. minutilla*, *Totanus melanoleucus*, *T. flavipes*, *Helodromas solitarius*, *Actitis macularia*, and *Egialitis semipalmata*. The bird is now in the mounted collection of Camp Pasquaney, Bridgewater, N. H. According to Mr. G. M. Allen's 'Birds of New Hampshire,' this is the fourth locality in which Baird's Sandpiper has been taken in the State.—FRANCIS G. AND MAURICE C. BLAKE, *Hanover, N. H.*

Another Limpkin (*Aramus giganteus*) in South Carolina.—A Limpkin was shot by Mr. W. L. Harris (who is the postmaster of Charleston) in his yard on Water Street, Charleston, in July, 1904. This specimen was first seen by Mr. Harris at breakfast time, on a morning of July, 1904; the bird was still there at noon, and he then said, "If that bird is there to-night, I'm going to shoot it," which he did. The specimen was mounted by a taxidermist in Charleston, and remained in the possession of Mr. Harris until last spring, when it was acquired by the Charleston Museum; unfortunately the sex was not determined.

The fact that this bird was taken in the city of Charleston, and near "East Battery," proves conclusively that there must be a regular migration northward after the breeding season in Florida, as I reported¹ the capture of two birds of this species that were taken in Aiken County, South Carolina, in October, 1890.

This Charleston specimen of the Limpkin has been recorded by Prof. Paul M. Rea, Director of the Charleston Museum, in 'Bulletin' of the College of Charleston Museum, Vol. II, No. 6, October, 1906.—ARTHUR T. WAYNE, *Honorary Curator Div. Birds, College of Charleston Museum.*

Note on the Clapper Rail in Maine.—Many years ago Mr. Samuel Hanson, of Portland, spoke to me about three examples of a large Rail from Falmouth, one of which he had shot and all of which he had examined. I did not see the birds, for this was long after they had been bagged, and none of them was, I believe, preserved; but they were identified by Mr. Hanson as Clapper Rails (*Rallus crepitans*). This identification I accepted.² Mr. Hanson was a man of education and standing, as well as a sportsman of wide experience in this country and abroad. Throughout his life, which ended a few months ago, he felt much interest in birds, especially in game birds. I think to-day, as I have always thought, that his identification of the rails could hardly have been questioned at the time when the record of them was made. But I now believe that he was mistaken and that the birds were King Rails (*Rallus elegans*). When they were recorded, no King Rails were known to have occurred in Maine.

¹ Auk, XXIII, 1906, 231.

² Bull. Nutt. Orn. Club, Vol. IV, p. 108.

When I cited¹ the record in my list of the birds of Portland and vicinity, but one such Rail had been noted,² and that was shot in Scarborough. Now, however, there are two records³ of King Rails from the very marsh on which Mr. Hanson found his birds. On the other hand, no Clapper Rails have been detected there or elsewhere in the vicinity of Portland since his identification was made. While the possibility that he was right remains, the probability that he was mistaken is so strong that I have felt obliged to call attention to it.

There is also to be considered a rail shot "about September, 1864" by Mr. Luther Redlon, and referred to in the original notice of Mr. Hanson's birds as "a probable" Clapper Rail, but not mentioned in my Portland list. If we adopt the hypothesis that the latter were King Rails, it can scarcely be doubted that the former was of the same species, and we are left without evidence that *Rallus crepitans* has occurred near Portland.—NATHAN CLIFFORD BROWN, *Portland, Me.*

A Wounded Sora's Long Swim.—While superintending the unloading of brick schooners at the Mt. Loretto dock, Pleasant Plains, Staten Island, N. Y., on September 20, 1906, I saw what I presumed to be a terrapin swimming along with the current of the ebbing tide. I sculled out in a small boat in order to investigate, and was surprised to find that the supposed turtle was a Sora Rail (*Porzana carolina*). As the boat drew near it beat the water frantically with its wings and made every effort to escape, but when finally captured, manifested a disposition to defend itself, and repeatedly struck my hands and fingers with its bill.

I confined the bird in a crate on one of the schooners, where a number of Sicilian laborers gathered around it, and signified their desire to make a meal of it. One of the laborers thrust a finger between the slats of the crate, and to my astonishment the rail rushed toward it with opened bill. In fact it showed little fear of human beings, pugnaciously resisting every intrusion, but when a small dog belonging on the vessel, approached and barked at it, the bird retreated in apparent terror to the opposite side of the crate.

A decided drooping of the Sora's right wing explained its disablement. It died within a few hours, and when I skinned it I found the muscles on the right side of the sternum badly bruised, and clothed with blood, as if the bird had flown forcibly against some hard object.

Judging from the direction from which the Sora had come, it must have swam all the way across Raritan Bay from the salt marshes near Jacksonville, New Jersey, a distance of at least nine miles.—ROBERT C. MURPHY, *Mt. Sinai, Long Island, N. Y.*

¹ Proc. Port. Soc. Nat. Hist., Vol. II, 1882, p. 30.

² Bull. Nutt. Orn. Club, Vol. VII, p. 60.

³ Brock, Auk, XIII, p. 79; *ibid.*, XIX, p. 285.