

INDEX TO VOLUME XXV.

[New generic, specific, and subspecific names are printed in **heavy-faced type**.]

- ACANTHIS, 399.
 flammea, 395.
 linaria, 72, 280, 395, 439.
- Acanthopneuste borealis, 398.
 borealis kennicottii, 398.
- Accipiter atricapillus, 82, 277, 323.
 atricapillus striatulus, 433.
 cooperi, 213, 417, 433, 441, 452,
 458, 464.
 velox, 199, 433, 441.
 velox rufilatus, 398.
- Actitis, 391.
 macularia, 59, 70, 179, 198,
 417, 432, 458, 463.
- Actocheilidon, 399.
- Actodromas, 366.
 acuminata, 366.
 bairdii, 70, 178, 234.
 fuscicollis, 178, 198, 327, 328.
 maculata, 157, 178, 284, 431.
 minutilla, 178, 431.
- Adams, Charles C., the ecological
 succession of birds, 109-153.
- Æchmophorus clarkii, 352.
 occidentalis, 156, 428.
- Ægialeus, 391.
- Ægialitis meloda, 180.
 meloda circumcincta, 180, 352.
 nivosa, 180, 484.
 semipalmata, 70, 157, 180, 438.
 vocifera, 464.
- Ægiothus, 399.
- Æronautes melanoleucus, 459.
- Æthia, 357.
 cristatella, 357.
 pusilla, 357.
 pygmæa, 357.
- Agelaius phœniceus, 60, 202, 280,
 419, 466.
 phœniceus arctolegus, 29, **72**,
 398.
 phœniceus caurinus, 435.
 phœniceus fortis, 28, 466.
 phœniceus sonoriensis, 460.
- Aix sponsa, 417, 430, 450.
- Ajaia ajaia, 173.
- Alauda arvensis, 287.
 rubescens, 384.
- Albatross, Short-tailed, 429.
- Alca, 399.
 cristatella, 357.
 psittacula, 356.
 pygmæa, 357.
- Alcedo, 399.
 guttata, 373.
 maxima, 373.
- Alcella, 357.
- Alle alle, 215.
- Allen, Francis H., summer birds of
 the Green Mountain Region of
 Southern Vermont, 56-64; *Larus*
 kumlieni and other northern
 gulls in the neighborhood of
 Boston, 296-300.
- Allen, Glover M., rare New England
 birds, 233.
- Allen, J. A., the generic names
 Mycteria and *Tantalus* of Lin-
 næus, 1758, 37, 38; the case of
 Hortulanus Vieillot, 223; the
 case of *Strix* vs. *Aluco*, 288-291;
 Columbina vs. *Chamepelia*, 301-
 306.
- Allison, Andrew, see **Beyer, Geo. E.**

- Aluco, 288-290.
 alba pratincola, 291.
 pratincola, 370.
 Alucinidæ, 370.
 Amazona boqueti, 310, 311.
 imperialis, 310, 311.
 martinicana, 311.
 violaceus, 311.
 American Ornithologists' Union,
 report of Twenty-fifth Stated
 Meeting, 74-80; adoption by,
 of Article 30 of the International
 Code of Zoölogical Nomenclature,
 105; notice of work of Committee
 on Nomenclature, 341; Revised
 Code of Nomenclature, announced
 as in press, 341; Fourteenth
 Supplement to A. O. U. Check-
 List, 343-399, announcement of
 Twenty-sixth Stated Meeting,
 498.
 Ammodramus, 399.
 australis, 378.
 henslowi, 204.
 maritimus fisheri, 395.
 maritimus macgillivrayi, 395.
 maritimus peninsulae, 395.
 nelsoni, 84, 318, 453, 475.
 nelsoni subvirgatus, 319.
 Ampelidæ, 381.
 Ampelinæ, 354.
 Ampelis, 381.
 cedrorum, 32, 48, 61, 207,
 214, 381, 421, 436.
 garrulus, 45-48, 381, 436.
 Amphispiza belli canescens, 349.
 belli cinerea, 379.
 belli nevadensis, 379.
 bilineata deserticola, 460, 483.
 nevadensis, 379.
 nevadensis canescens, 349.
 nevadensis cinerea, 379.
 Anas bicolor, 362.
 boschas, 213, 313, 360, 430, 462.
 boschas spilogaster, 398.
 circia, 361.
 Anas clangula, 362.
 ferruginea, 361.
 fulva, 262.
 labradoria, 362.
 marila, 361.
 obscura, 361, 450, 462.
 obscura rubripes, 283, 352, 361.
 platyrhynchos, 360, 457.
 querquedula, 361.
 rubripes, 361.
 vallisneria, 346.
 Ani, 443.
 Groove-billed, 444.
 Anodorhynchus pupurascens, 239.
 Anser albifrons gambeli, 70, 80, 431.
 brachyrhynchus, 346, 390.
 fabalis, 390.
 segetum, 390.
 Anthus pensylvanicus, 51, 73, 397,
 423, 437.
 rubescens, 384, 397.
 spinoletta pensylvanicus, 397.
 spraguei, 33.
 Antrostomus, 374.
 carolinensis, 418, 479.
 vociferus, 418.
 Aphelocoma californica, 94.
 woodhousei, 460.
 Aquila chrysaetos, 71, 251-268,
 323, 433, 442, 464.
 fulvus, 267.
 heliaca, 267.
 niger, 267.
 Ara **atwoodi**, 310.
 erythrura, 239, 240.
 tricolor, 239.
 Aramus giganteus, 364.
 vociferus, 364.
 Archibuteo ferrugineus, 452.
 lagopus, 353.
 lagopus sancti-johannis, 71, 277,
 284, 442.
 Ardea duboisi, 240.
 egretta, 451, 473.
 herodias, 431.
 herodias fannini, 438.

- Ardea herodias treganzai*, 291-296, 457.
 minuta, 364.
 nycticorax, 364.
 virescens, 451.
 wuerdemanni, 352.
 (*Dichromanassa*) *pealei*, 352.
Ardetta, 364.
 exilis, 174, 451, 463.
Arenaria interpres, 180.
 interpres morinella, 368.
 melanocephala, 157, 432.
 morinella, 157, 368.
Aristonetta, 346.
Arnou, Isaac F., American Woodcock breeding at Saint Marys, Ga., 220; Masked Duck in Chatham County, Ga., 472; American Avocet in Camden Co., Ga., 473; Lark Sparrow in Camden Co., Ga., 476; Bachman's Warbler in Camden Co. and breeding in Chatham Co., Ga., 479; Cape May Warbler in Camden Co., Ga., 417.
Arquatella maritima couesi, 366
 maritima ptiloenemis, 366.
Asio, 290, 392.
 accipitrinus, 25, 278, 370, 433, 443.
 asio, 290.
 flammeus, 370.
 magellanicus algistus, 347.
 magellanicus heterocnemis, 347.
 magellanicus icelus, 392.
 magellanicus lagophonus, 392.
 magellanicus occidentalis, 393.
 magellanicus virginianus, 392.
 magellanicus wapaecuthu, 393.
 wilsonianus, 25, 56, 278, 442.
Astragalinus psaltria hesperophila, 460.
 tristis, 30, 61, 203, 419.
 tristis pallidus, 30.
 tristis salicamans, 435.
Astur, 369.
 atricapillus, 369.
 Astur atricapillus striatulus, 369.
 Asyndesmus lewisi, 374.
 torquatus, 374, 434, 453.
Atthis, 347.
Audubon, John James, an unpublished letter of, to his family, 166-169; unpublished letters of introduction carried by him on his Missouri River Expedition, 170-173; copper-plates of his 'Birds of America'; 401-413; the King Cameos of, 448-450.
Anderson, Rudolph M., an addition to the Birds of Iowa, 215.
Auk, The, index to Vol I-XVII, notice of, 99.
Auklet, Cassin's, 155, 160, 161, 164, 165.
 Paroquet, 485.
 Rhinoceros, 159, 429.
 Tufted, 155.
Auriparus flaviceps, 461.
Avocet, American, 473.
Aythya, 361.
 affinis, 438, 463.
 americana, 430.
 collaris, 234, 438, 463.
 marila, 430.
 vallisneria, 80, 430, 463.
BÆOLOPHUS *atricristatus sennetti*, 350.
 bicolor, 212, 322, 424.
 bicolor texensis, 355.
 inornatus griseus, 461.
 inornatus restrictus, 355.
 wollweberi annexus, 397.
Bailey, H. H., Swainson's Warbler and Chuck-will's-widow breeding north of James River, Virginia, 478.
Bangs, Outram, a new name for the Texan Barred Owl, 316; notice of his paper 'On certain Cost Rican Birds,' 334.
Barbour, Robt., a large migration of Hawks, 82.

- Bartramia longicauda, 59, 179, 213,
 328, 463, 473, 484.
 Basileuterus, 354.
 bellii, 354.
 culicivorus brasherii, 354.
 Beal, F. E. L., notice of his 'Birds
 as Conservators of the Forest,'
 95; notice of his 'Birds of Cali-
 fornia in Relation to Fruit
 Industry,' Part I, 96.
 Beard, Dan, notice of 'Dan Beard's
 Animal Book and Camp-fire
 Stories,' 100.
 Beebe, C. William, notice of his
 'Geographic Variation in Birds
 with especial reference to the
 effects of Humidity,' 90-93; no-
 tice of his paper on 'Seasonal
 Changes of Color in Birds,' 335.
 Bent, A. C., summer birds of South-
 western Saskatchewan, 25-35.
 Bergut, 267.
 Berkute, 267.
 Beyer, Geo. E., Andrew Allison,
 and H. H. Kopman, list of the
 birds of Louisiana, 173-180, 439-
 448.
 Biological Survey, notice of the
 work of, 246.
 Bittern, American, 9, 14, 70, 135,
 174, 197, 431, 463.
 Least, 15, 174, 451, 463.
 Blackbird, Brewer's, 29, 435, 460.
 Red-winged, 1, 2, 7, 14, 60,
 72, 114, 202, 280, 419, 466,
 482.
 Rusty, 14, 72, 202, 231, 280.
 Thick-billed, 28.
 Yellow-headed, 28, 466.
 Blasipus, 389.
 Blasius, Rudolph, death of, 104;
 obituary of, 248.
 Bluebill, 430.
 Bluebird, 1, 7, 10, 14, 64, 88, 94,
 191, 213, 424, 467.
 Arctic, 454.
 Bluebird, Azure, 388.
 Mountain, 55.
 Western, 94, 438.
 Bluethroat, Red-spotted, 226.
 Bobolink, 3, 9, 15, 28, 60, 186, 202,
 222, 280, 335, 419, 493.
 Bob-white, 59, 198, 417, 432, 439,
 464.
 Bocage, J. V. Barboza du, obituary
 of, 496.
 Bombycilla, 381.
 Bombycillidæ, 381.
 Bonasa, 391, 392.
 umbellus, 59, 198, 286, 464.
 umbellus sabini, 432.
 umbellus togata, 71, 432.
 Bonhote, J. Lewis, notice of his
 'Birds of Britain,' 243.
 Botaurus, 363.
 lentiginosus, 70, 174, 197, 431,
 463.
 Bowles, J. H., capture of the White-
 winged Dove in the State of
 Washington, 82; lead poisoning
 in ducks, 312; early nesting
 records from Washington State,
 323.
 Brachyramphus, 345.
 brevirostris, 357.
 hypoleucus, 345.
 kittlitzii, 357.
 marmoratus, 156, 429.
 Braislin, William C., Nelson's Spar-
 row (*Ammodramus nelsoni*) on
 Long Island, N. Y., 84; notice of
 his 'A List of the Birds of Long
 Island, New York,' 93.
 Brant, Black, 431, 473.
 Silver, 451.
 Branta bernicla, 352, 463.
 canadensis, 70, 431, 463.
 canadensis hutchinsi, 70, 431.
 canadensis occidentalis, 438.
 nigricans, 431, 473.
 Bridge, Lidian E., *Protonotaria citrea*
 at Concord, Mass., 319; Mocking-

- bird in West Medford, Mass., 320; *Chondestes grammacus* at Ipswich, Mass., 476.
- British Birds (magazine), notice of, 243.
- Brooks, Earle A., notes from West Virginia, 235-238.
- Bubo arcticus*, 372.
- subarcticus*, 372.
- virginianus*, 214, 392, 417, 443, 465.
- virginianus algistus*, 347.
- virginianus arcticus*, 347, 372, 453, 487.
- virginianus heterocnemis*, 347, 487.
- virginianus occidentalis*, 393.
- virginianus pallescens*, 433.
- virginianus saturatus*, 433.
- virginianus subarcticus*, 372.
- Bubonidæ, 290, 370.
- Bucephala albeola*, 463.
- Budytes flavus alascensis*, 397.
- flavus leucostriatus*, 397.
- flavus similima*, 397.
- Bunting, Black-throated, 454.
- Indigo, 15, 61, 188, 206, 420, 453.
- Lark, 32, 43, 467.
- Lazuli, 43, 436.
- Burr, Freeman F., and others, notice of their 'A List of the Birds of the New Haven Region,' 490.
- Burnett, W. L., another Cañon Wren record for Colorado, 87.
- Bush-tit, Lead-colored, 461.
- Puget Sound, 437.
- Buteo*, 347.
- antillarum*, 269, 271.
- buteo*, 353.
- borealis*, 59, 199, 417, 441, 464.
- borealis calurus*, 433, 458.
- borealis harlani*, 214, 441.
- borealis krideri*, 199, 441, 452, 474.
- Buteo insignatus*, 470.
- latissimus*, 270, 271, 272, 273
- lineatus*, 214, 442, 464.
- lineatus alleni*, 442.
- pennsylvanicus*, 270, 271, 272, 273.
- platypterus*, 59, 199, 232, 269-271, 273, 417, 442, 452.
- platypterus antillarum*, 271.
- platypterus insolicola*, 273.
- platypterus rivierei*, 273.
- swainsoni*, 214, 433, 468-471.
- Butorides spodiogaster*, 336.
- virescens*, 59, 175, 417.
- Butter-ball, 463.
- Buturlin, S., Red-spotted Blue-throat of Alaska, 35-37.
- Buzzard, Turkey, 315, 328, 458, 475.
- CALAMOSPIZA *melanocorys*, 32, 43, 467.
- Calcarius lapponicus*, 72, 281.
- lapponicus alascensis*, 483.
- ornatus*, 30, 72, 84.
- Calidris*, 367.
- arenaria*, 367.
- leucophæa*, 367.
- Callothrur, 377.
- Calocitta formosa*, 341.
- Catharus melpomene costaricensis*, 334.
- Calypte costæ*, 459.
- Cameron, E. S., the birds of Custer and Dawson Counties, Montana, 39-56; observations on the Golden Eagle in Montana, 251-268.
- Campephilus principalis*, 445.
- Camptolaimus*, 362.
- Camptorhynchus*, 362.
- labradoria*, 362.
- Camptostoma*, 376.
- imberbe*, 376.
- Canachites franklini*, 438.
- Caprimulgus carolinensis*, 201, 214, 374.
- griseatus*, 336.

- Caprimulgus vociferus, 201.
 Caracara, Audubon's, 442.
 Carbo auritus, 359.
 Cardinal, 206, 318, 420.
 Cardinalis cardinalis, 206, 420.
 cardinalis magnirostris, 396.
 Carpodacus mexicanus frontalis,
 96, 460.
 purpureus, 61, 202, 236, 419.
 purpureus californicus, 435.
 Carriker, M. A., Jr., notice of his
 'Descriptions of new birds from
 Costa Rica,' etc., 493.
 Carter, Mrs. Isabel Paddock, obitu-
 ary of, 104.
 Casarca casarca, 361.
 ferruginea, 361.
 Cassinia, see Delaware Valley Orni-
 thological Club.
 Casuarius lydekkeri, 240.
 novæ-hollandiæ, 240.
 Catbird, 9, 15, 34, 52, 62, 211, 423.
 Catharacta, 389.
 Catharista, 399.
 urubu, 199, 417, 440.
 Cathartes, 392.
 aura, 232, 315, 328, 369, 417,
 432, 440, 475.
 aura septentrionalis, 199, 369,
 458.
 burroviannus, 353.
 septentrionalis, 369.
 Catherpes mexicanus conspersus,
 87, 226, 461.
 mexicanus poliopterus, 397.
 Catoptrophorus, 367.
 semipalmatus, 368.
 semipalmatus inornatus, 368.
 Cedar-bird, 1, 2.
 Centurus carolinus, 201, 418, 447,
 465.
 uropygialis, 458.
 Ceophloeus, 373.
 pileatus, 418, 447.
 pileatus abieticola, 60, 434, 475.
 Cephus carbo, 352.
 Cephus columba, 155, 429.
 Cerchneis sparverius, 199.
 sparverius paulus, 347.
 Cerorhinca monocerata, 155, 156,
 429.
 Certhia familiaris americana, 63,
 212, 424.
 familiaris occidentalis, 437.
 Ceryle, 399.
 alcyon, 26, 59, 199, 418, 433,
 445, 458.
 Chæmepelia, 301-306, 399.
 Chætura chapmani, 334.
 cinereicauda, 334.
 cinereiventris phæopygos, 335.
 gaumeri, 334.
 pelagica, 60, 201, 317, 418.
 spinicauda fumosa, 335.
 vauxi, 335, 434.
 Chamaea fasciata rufula, 351.
 Chapman, Frank M., notice of his
 expedition to southern Florida
 for bird group material, 249, 342.
 Charadrius dominicus, 180, 327, 438.
 Charitonetta albeola, 430.
 Chat, Long-tailed, 50, 461.
 Yellow-breasted, 14, 19, 211,
 231, 423.
 Chaulelasmus streperus, 234, 325,
 430.
 Chelidonaria, 350.
 urbica, 350.
 Chen cærulescens, 451.
 hyperborea, 70, 431, 463.
 rossi, 451.
 Cherrie, George K., notice of paper
 on birds from the Island of
 Trinidad, 334.
 Chewink, 281.
 Chickadee, 21, 63, 136, 139, 467.
 Acadian, 351.
 Bailey's Mountain, 351.
 Carolina, 212, 424.
 Chestnut-backed, 437.
 Florida, 351.
 Hudsonian, 63, 73.

- Chickadee, Long-tailed, 34, 54, 73, 467.
Oregon, 437.
- Childs, John Lewis, Krider's Hawk and the English Sparrow nesting together, 474; Membership conditions in the A. O. U., 494.
- Chlorospingus zeledoni, 334.
- Chondestes grammacus, 204, 236, 476.
grammacus strigatus, 39.
- Chordeiles acutipennis texensis, 459
virginianus, 26, 60, 201, 418.
virginianus henryi, 434, 465.
virginianus hesperis, 347.
virginianus sennetti, 26.
- Chroicocephalus, 389.
- Chuck-will's-widow, 201, 214, 418, 478.
- Ciconia americana, 363.
- Cinclus, 385.
cinclus, 385.
hydrophilus, 385.
mexicanus, 51, 385, 437.
mexicanus unicolor, 385.
- Cinerosa, 396.
- Circus hudsonius, 213, 432, 441, 468.
melanoleucus, 336.
- Cistothorus stellaris, 211, 229, 320-322, 423.
- Clangula, 362.
clangula americana, 69, 217, 430.
islandica, 217, 430.
- Clark, Austin Hobart, the Macaw of Dominica, 309-311.
- Coccythraustes vespertinus montanus, 187.
- Coccyzus americanus, 199, 418, 444.
americanus occidentalis, 433.
erythrophthalmus, 26, 59, 199, 214, 445.
- Cœlogena, 374.
- Colaptes auratus, 418, 447.
auratus luteus, 26, 60, 71, 201, 418, 448, 465, 484.
- Colaptes cafer collaris, 26, 453.
cafer saturator, 434.
chrysoides, 448.
- Colinus virginianus, 59, 198, 417, 432, 439, 464.
virginianus insularis, 391.
- Columbigallina passerina terrestris, 440.
- Columbina, 301-306, 399.
campestris, 301.
cabocolo, 301, 305.
griseola, 301-306.
strepitans, 301, 305.
- Columba asiatica, 368.
carolinensis, 368.
cinnamomina, 302.
fasciata, 432.
maeroura, 368.
minuta, 301-304.
passerina, 301-306.
picui, 301, 305.
squamosa, 302.
talpacoti, 301, 302.
- Columbula, 301.
- Colymbi, 355.
- Colymbidæ, 355.
- Colymbus, 389.
auritus, 428.
holbœllii, 156, 428.
lumme, 356.
minor, 356.
ruficollis, 356.
stellatus, 356.
- Compsothlypis americana, 421.
americana ramalinæ, 190, 209, 396.
americana usnæ, 62.
- Contopus, 375.
richardsonii, 434, 466.
richardsonii saturatus, 394.
virens, 60, 419, 465.
- Conuropsis, 373.
carolinensis, 373.
- Conurus, 373.
carolinensis, 373, 443.
- Cooke, Wells W., the Horned Lark

- in Georgia, 318; the Nelson Sparrow in Georgia and Florida, 318; Acadian Sharp-tailed Sparrow in Georgia and Florida, 319; the Kentucky Warbler in Vermont, 320; averaging migration dates, 485.
- Coot, American, 14, 177, 213, 218, 431, 463.
- Cormorant, Baird's, 155, 156, 157, 160, 161, 162, 163, 164, 165, 166, 430.
- Brandt's, 155, 156, 163, 164, 429.
- Double-crested, 69, 294, 325.
- Violet-green, 438.
- White-crested, 155, 158, 159, 160, 162, 164, 165, 429.
- Corvus brachyrhynchos, 60, 202, 419, 434, 466.
- brachyrhynchos caurinus, 394.
- brachyrhynchos hesperis, 28, 348, 394.
- caurinus, 160, 394, 435.
- corax clarionensis, 394.
- corax principalis, 160, 434.
- corax sinuatus, 71.
- cornix, 348.
- frugilegus, 348.
- ossifragus, 279.
- Coturnicops, 364, 391.
- noveboracensis, 364.
- Coturniculus, 399.
- bairdi, 31, 39.
- henslowi, 230.
- savannarum australis, 378.
- savannarum passerinus, 203, 378, 466.
- savannarum perpallidus, 39.
- Court, Edward J., Treganza Blue Heron, 291-296.
- Cowbird, 7, 14, 28, 71, 202, 229, 435, 466.
- Dwarf, 460.
- Cractes, 394.
- Crane, Little Brown, 70, 431, 451, 463.
- Crane, Sandhill, 176, 431, 463.
- Whooping, 176, 463, 484.
- Creciscus, 365.
- jamaicensis, 365.
- Creeper, Brown, 4, 8, 63, 212, 424.
- Tawney, 437.
- Crolius, Anne A., a Prothonotary Warbler in Central Park, New York City, 320.
- Crossbill, American, 61, 72, 164, 202, 435.
- Bendire's, 394.
- Red, 72, 318.
- White-winged, 10, 134, 139, 196, 203, 280, 324.
- Crotophaga ani, 443.
- sulcirostris, 444.
- Crow, American, 1, 7, 60, 114, 202, 419, 434, 466.
- California, 28.
- Clarke's, 222, 318.
- Fish, 279.
- Hooded, 348.
- Northwest, 160, 166, 435.
- Western, 348.
- Crymophilus fulicarius, 365.
- Cryptoglaux, 371.
- tengmalmi richardsoni, 235, 371, 433.
- Cuckoo, Black-billed, 15, 26, 59, 199, 214, 445.
- California, 433.
- Yellow-billed, 15, 199, 418, 444.
- Curlew, Eskimo, 179, 364.
- Hudsonian, 157, 160, 179, 432.
- Long-billed, 234, 364.
- Cyanecula, 388.
- suecica, 388.
- suecica robusta, 388.
- Cyanocitta cristata, 60, 94, 186, 202, 466.
- cristata florincola, 419.
- stelleri, 434.
- stelleri borealis, 394.
- stelleri carbonacea, 348.
- Cyanolæmus, 374.
- clemenciæ, 374.

- Cyanomyia salvini*, 348.
Cyanospiza, 380.
 amœna, 43, 436.
 cyanea, 61, 188, 420, 453.
Cyanosylvia, 388.
 suecica, 35, 36.
 suecica robusta, 35, 36, 388.
 dicessa, 36.
 suecica pallidogularis, 36
Cyclorhynchus, 356.
 psittaculus, 356.
Cymochorea, 345.
Cymodroma, 338.
Cynanthus, 374.
 latirostris, 375.
Cypseloides niger borealis, 166, 434.
- DAFILA *acuta*, 213, 430, 463.
Daggett, Frank S., capture of the American Goshawk and Harris's Sparrow near Chicago, Ill., 82.
Dawson, William Leon, the bird colonies of the Olympiades, 153-166, new and unpublished records from Washington, 482-485.
Deane, Ruthven, an unpublished letter of John James Audubon to his family, 166-169; unpublished letters of introduction carried by John James Audubon on his Missouri River Expedition, 170-173; the Passenger Pigeon (*Ectopistes migratorius*) in confinement, 181-183; curious fatality among Chimney Swifts, 317; the copper-plates of the folio edition of Audubon's 'Birds of America,' with a brief sketch of the engravers, 401-413; Turkey Buzzard (*Cathartes aura*) in northern Illinois, 475; destruction of English Sparrows, 477.
Dearborn, Ned, notice of his 'Catalogue of a Collection of Birds from Guatemala,' 240.
Delaware Valley Ornithological Club
 eighteenth annual meeting of, 250; review of 'Proceedings' of, 335.
Dendragopus obscurus fuliginosus, 432.
Dendrocygna, 362.
 bicolor, 362, 485.
 fulva, 362.
Dendroica æstiva, 33, 50, 73, 159, 209, 422, 436, 467.
 æstiva brewsteri, 350.
 auduboni, 436, 461.
 blackburniæ, 6, 62, 210, 422.
 cærulescens, 5, 62, 190, 422.
 cærulescens cairnsi, 237.
 castanea, 209, 214.
 cerulea, 209, 238, 422.
 coronata, 50, 62, 73, 190, 422, 436.
 discolor, 87, 210, 280, 422.
 dominica, 422.
 dominica albilora, 210.
 kirtlandi, 422, 480.
 maculosa, 6, 33, 62, 190, 209, 237, 283, 383.
 magnolia, 383.
 nigrescens, 437.
 palmarum, 214, 422.
 palmarum hypochrysea, 422.
 pennsylvanica, 17, 62, 209, 238, 422.
 striata, 4, 50, 62, 73, 209, 225, 422.
 tigrina, 209, 479.
 townsendi, 50, 437.
 vigorsii, 210, 422.
 virens, 62, 210, 422.
Deroptylus accipitrinus, 311.
Dichromanassa rufescens, 175.
Dickeissel, 188, 206, 454.
Diglossa montana, 240.
Dilophalieu, 390.
Dinornis ingens, 238.
Diomedea, 345, 389.
 albatrus, 345, 429.
 brachyura, 345.

- Diomedea exulans*, 345.
 palpebrata, 358.
 Dipper, American, 51.
Dolichonyx oryzivorus, 28, 60, 186,
 201, 222, 280, 419, 493.
 Dove, Ground, 440.
 Inca, 91.
 Mourning, 199, 234, 417, 432.
 440, 458, 464.
 White-winged, 82, 440.
 Dovekie, 215.
 Dowitcher, 177.
 Long-billed, 177.
Dromaius peroni, 240.
Dryobates borealis, 200, 418, 446.
 lucasanus, 393.
 pubescens, 418, 446, 465.
 pubescens gairdneri, 434.
 pubescens medianus, 59, 199.
 scalaris bairdi, 458.
 scalaris lucasanus, 393.
 villosus, 185, 199, 465.
 villosus auduboni, 418, 446.
 villosus harrisi, 433.
 villosus hyloscopus, 483.
 Duck, Black, 14, 450, 462.
 Buffle-head, 15, 247, 340.
 Canvasback, 80, 340.
 Dusky, 450.
 Greater Scaup, 15.
 Harlequin, 156, 166, 340, 472.
 Lesser Scaup, 14, 197, 438, 463.
 Long-tailed, 69.
 Masked, 472.
 Nigger Black, 284.
 Pintail, 15, 213, 340.
 Red-head, 14, 340.
 Red-legged Black, 283.
 Red-paddle Black, 284.
 Ring-necked, 213, 234, 438, 463.
 Ruddy, 14.
 Wood, 15, 417, 340, 450.
Dumetella, 385.
 carolinensis, 211, 385.
 Dutcher, William, notice of his
 Annual Report of the National
 Association of Audubon Societies
 for 1907, 101.
 Dwight, Jonathan, Jr., notice of
 his 'Index to the Bulletin of the
 Nuttall Ornithological Club, Vols.
 I-VIII, and The Auk, Vols. I-
 XVII,' 99.
 Dyke, Arthur C., the Canvasback
 at Bridgewater, Mass., 80.
Dysporus, 352.
 Dytes, 389.
EAGLE, Bald, 160, 214, 230, 259, 265,
 433, 442, 464.
 Golden, 71, 251-268, 323, 433,
 442, 464, 469.
 Northern Bald, 71.
 Pallas's Sea, 265.
 White-tailed, 265.
Ectopistes macroura, 392.
 migratorius, 181, 183, 285, 392,
 440, 451.
 Edson, J. M., birds of the Belling-
 ham Bay region, 425-439
Egatheus, 390.
Egret, American, 174, 234, 277, 286,
 451, 473.
 Reddish, 175.
Egretta candidissima, 174, 313.
 Eifrig, G., a long-drawn-out migra-
 tion: its causes and consequences,
 1-9.
Elanoides forficatus, 441, 452.
Elanus leucurus, 441.
Emberiza nivalis, 377.
Emberizoides sphenura lucaris, 334.
 Embury, G. C., the accidental
 occurrence of the Green-tailed
 Towhee (*Oreospiza chlorura*) in
 Virginia, 224.
Emeus boothi, 240.
 haasti, 240.
 parkeri, 240.
Empidonax canescens, 376.
 eineritius, 376.
 difficilis, 434.

- Empidonax difficilis cineritius*, 376.
 flaviventris, 60, 197, 201.
 fulvifrons, 353.
 griseus, 376, 459.
 hammondi, 438.
 insulicola, 353.
 minimus, 27, 60, 202, 235, 279
 traillii, 434.
 traillii alnorum, 27, 60, 197, 201.
 virescens, 20, 201, 233, 419.
 wrightii, 27.
- Endomychura*, 345.
- Ereunetes*, 367.
 mauri, 367.
 occidentalis, 157, 367, 432.
 pusillus, 70, 178.
- Ergaticus*, 354.
 ruber, 354.
- Euetheia*, 399.
- Euphagus carolinus*, 72, 202, 280.
 cyanocephalus, 435, 460.
- Euphonia*, 353.
 elegantissima, 353.
- Euxenura maguari*, 38.
- Exanthemops*, 390.
- FALCO *æsalon*, 370.
 cinerascens, 269.
 columbarius, 71, 278, 433, 442,
 464.
 columbarius richardsoni, 370.
 columbarius suckleyi, 160, 433.
 fuscus, 269.
 latissimus, 270.
 mexicanus, 464.
 palumbarius, 369.
 pennsylvanicus, 269.
 peregrinus, 347.
 peregrinus anatum, 59, 71, 433,
 442.
 peregrinus peali, 160.
 regulus, 370.
 richardsoni, 452.
 rusticolus, 452, 464.
 rusticolus obsoletus, 234.
 sparverius, 417, 442, 464.
- Falco sparverius paulus*, 347.
 sparverius phalœna, 160, 433,
 458.
 urubitinga, 369.
 wilsoni, 270.
- Falcon, Peale's, 160, 164.
 Peregrine, 347.
 Prairie, 464.
- Fay, S. Prescott, Barrow's Golden-eye (*Clangula islandica*) in Massachusetts, 217.
- Field, George W., quoted, on the Heath Hen, 108.
- Finch, California Purple, 435.
 Gray-crowned, 453.
 House, 96, 460.
 Nelson's, 475.
 Purple, 1, 2, 8, 61, 138, 202,
 236, 419.
- Finley, William Lovell, notice of his 'American Birds studied and photographed from Life,' 93.
- Flamingo, American, 313.
- Fleming, James H., the destruction of Whistling Swans (*Olor columbianus*) at Niagara Falls, 306-309; Ontario bird notes, 486.
- Flicker, 7, 137, 138, 418, 447.
 Gilded, 448.
 Northern, 26, 60, 71, 201, 418,
 448, 465.
 Northwestern, 434.
 Red-shafted, 26, 453.
 Yellow-shafted, 484.
- Florida *cœrulea*, 175.
- Flycatcher, Acadian, 318.
 Alder, 9, 15, 27, 60, 196, 197,
 201.
 Ash-throated, 185, 459.
 Crested, 9, 15, 60, 201, 418, 453.
 Gray, 459.
 Green-crested, 20, 201, 233,
 419.
 Hammond's, 438.
 Least, 3, 8, 13, 27, 60, 202, 235,
 279.

- Flycatcher, Olive-sided, 15, 27, 60,
214, 418, 434.
Santa Barbara, 353.
Traill's, 434.
Vermillion, 459.
Western, 434.
Wright's, 27.
Yellow-bellied, 15, 60, 136, 197,
201.
- Forbes, S. A., notice of his 'The
Mid-Summer Bird Life of Illinois.
A Statistical Study,' 491.
- Formicarius castaneiceps, 493.
- Foudia flavicans, 240.
newtoni, 240.
- Fregata, 338, 360.
- Fregetta, 338, 360.
- Fringilla albicollis, 224.
erythrophthalmus, 224.
maculata, 229.
passerina, 378.
- Fulica americana, 177, 213, 219, 431,
463.
noveboracensis, 364.
- Fuligula, 362.
- Fulmarus, 399.
- GADWALL, 234, 325, 430.
- Galeoscoptes, 385.
carolinensis, 34, 52, 62, 385,
423.
- Gallinago, 366.
delicata, 70, 177, 213, 431.
major, 366.
media, 366.
- Gallinula galeata, 81, 176.
- Gallinule, Florida, 15, 81, 176.
Purple, 176, 234.
- Gannet, 486.
- Gavia, 389.
adamsi, 68.
arctica, 428.
imber, 68, 156, 356, 428, 462,
471.
immer, 356.
lumme, 69, 356, 429.
- Gavia pacifica, 68, 156, 428.
stellata, 356.
- Gelochelidon nilotica, 234.
- Geococcyx californianus, 458.
- Geothlypis, 384.
agilis, 281, 284.
beldingi, 384.
formosa, 423.
philadelphia, 62, 230, 282.
poliocephala, 384.
tolmiei, 33, 437.
trichas, 384, 396, 423.
trichas arizela, 33, 437.
trichas brachidactyla, 33, 62,
211, 354.
trichas ignota, 396.
trichas occidentalis, 50, 461.
- Gibson, Langdon, the Turkey Buz-
zard near Schenectady, N. Y.,
315.
- Giglioli, Eurico Hillyer, notice of
his 'Avifauna Italica,' 242.
- Glaucidium, 221, 393.
gnoma californicum, 433.
phalænoides, 398.
phalænoides ridgwayi, 398.
- Glaux, 371.
acadicus, 372.
acadicus scotæus, 372 484,
funerea richardsoni, 371, 484.
- Gnatcatcher, Blue-gray, 15, 212,
318, 424, 481, 482.
Plumbeous, 462.
Western, 190, 462.
- Godman, F. Du Cane, his 'Mono-
graph of the Petrels,' announce-
ment of, 105; notices of, Part I,
244, Part II, 338.
- Godwit, Hudsonian, 178, 284.
Marbled, 178, 234, 473.
- Golden-eye, American, 7, 217, 430.
Barrow's, 217, 430.
- Goldfinch, American, 8, 30, 61, 203,
419.
Green-backed, 460.
Pale, 30.

- Goldfinch, Willow, 435.
Goose, American White-fronted, 80.
 Blue, 451.
 Canada, 70, 431, 463.
 Hutchins's, 70, 431, 463.
 Lesser Snow, 70, 431, 463.
 Pink-footed, 346.
 Ross's, 451.
 White-fronted, 431.
 White-cheeked, 437.
Goshawk, American, 82, 277, 323.
 Western, 433.
Grackle, Bronzed, 1, 2, 7, 14, 29,
 114, 202, 466.
 Rusty, 4, 9.
Grebe, Holboell's, 156, 428.
 Horned, 15, 428.
 Pied-billed, 15, 132, 213, 428.
 Western, 156, 428.
Grinnell, J., the name of the Cali-
 fornia Least Vireo, 85.
Grosbeak, Alaskan Pine, 482
 Black-headed, 32, 43, 228, 245,
 436.
 Blue, 214, 245, 286, 420.
 Cardinal, 245.
 Evening, 10.
 Gray, 245.
 Pine, 10, 72, 280, 324.
 Rose-breasted, 8, 14, 15, 61,
 206, 233, 245, 420.
 Spotted, 228.
 Western Blue, 188, 461.
 Western Evening, 187, 435.
Gross, Alfred O., Swainson's War-
 bler (*Helinaia swainsonii*), 225.
Grouse, Canadian Ruffed, 432.
 Franklin's, 438.
 Oregon Ruffed, 432.
 Prairie Sharp-tailed, 464.
 Ruffed, 59, 71, 198, 286, 464.
 Sage, 260.
 Sharp-tailed, 138, 253, 260.
 Sooty, 432.
Grus americana, 176, 463, 484.
 canadensis, 70, 431, 451, 463.
Grus mexicana, 176, 431, 463.
Guara alba, 173.
 rubra, 174.
Guillemot, Pigeon, 155, 158, 159,
 164, 165, 429.
Guiraca cærulea, 214, 286, 420.
 cærulea lazula, 188, 461.
Gull, Bonaparte's, 15, 429.
 California, 69, 293, 294, 295,
 429.
 Glaucous, 298-300, 357.
 Glaucous-winged, 159, 160, 161,
 162, 163, 164, 165, 429.
 Great Black-backed, 398.
 Heermann's, 159, 160, 429.
 Herring, 8, 69, 132, 213, 298,
 429.
 Iceland, 298-300.
 Kumlien's, 296-300.
 Laughing, 283.
 Ring-billed, 14, 324, 429, 457,
 462.
 Sabine's, 484.
 Short-billed, 69, 429.
 Vega, 438, 484.
 Western, 155, 158, 159, 160,
 161, 163, 164, 166, 429.
Gypagus, 369.
Gyrfalcon, Black, 234.
 Gray, 452, 464.
HÆMATOPUS bachmani, 155, 432.
 palliatuS, 180, 284.
Haliaeetus albicilla, 265.
 leucocephalus, 160, 214, 259,
 265, 433, 442, 464.
 leucocephalus alascanus, 71.
 leucoryphus, 265.
Haliplana fuliginosa var. crissalis,
 345.
Hardy, John H., Jr., the Ruff at
 Seabrook, N. H., 82.
Harelda hyemalis, 69, 184, 217, 430.
Harlow, Richard C., Virginia Rail
 and Kentucky Warbler in New
 Jersey, 218; Bobolinks summer-

- ing in Southern Pennsylvania, 222; recent notes on birds of eastern Pennsylvania, 276-282; breeding of the Loon in Pennsylvania, 471.
- Harper, Francis, the Hermit Thrush as a summer resident of Long Island, N. Y., 481.
- Havell, Robert, biographical notice of, 406-410.
- Hawk, American Rough-legged, 71, 277, 284, 442.
- American Sparrow, 199, 442, 464.
- Broad-winged, 14, 59, 83, 199, 232, 268-276, 316, 417, 442, 452.
- Cooper's, 14, 213, 316, 417, 433, 441, 452, 458, 464.
- Desert Sparrow, 160, 433, 458.
- Duck, 59, 71, 433, 442.
- Florida Red-shouldered, 442.
- Harlan's, 214, 441.
- Harris's, 441.
- Krider's 199, 441, 452, 474.
- Little Sparrow, 347.
- Marsh, 7, 14, 83, 135, 213, 252, 432, 441, 468.
- Pigeon, 71, 278, 433, 442, 464.
- Red-shouldered, 14, 83, 214, 316, 442, 464.
- Red-tailed, 14, 59, 199, 316, 417, 441, 464.
- Rough-legged, 353.
- Sharp-shinned, 15, 199, 316, 433, 441.
- Sparrow, 8, 417.
- Swainson's, 214, 433, 468-471.
- Western Red-tailed, 433, 458.
- Hazard, R. G., breeding of the Carolina Wren in Rhode Island, 480.
- Helinaia, 399.
- swainsoni, 225.
- Helminthophila, 399.
- bachmani, 207, 421, 479.
- Helminthophila celata, 33, 50, 483.
- celata lutescens, 159, 421, 436.
- chrysoptera, 65, 86, 214, 284, 421.
- cincinnatiensis, 354.
- lawrencei, 65, 86, 354.
- leucobronchialis, 65-68, 86, 208, 354.
- peregrina, 33, 73, 190, 209, 421.
- pinus, 16, 65, 86, 208, 233, 328, 421.
- rubricapilla, 33, 62, 208, 421.
- Helmitheros vermivorus, 207, 319, 421, 478.
- Helodromas solitarius, 180, 391, 463.
- Hen, Heath, 108.
- Prairie, 439, 464.
- Henshaw, H. W., a parasitic fly injurious to our native birds, 87.
- Herodias, 399.
- egretta, 174, 234, 277, 286.
- Heron, Black-crowned, 175, 185, 198, 313, 314, 326, 457.
- Fannin's, 160.
- Great Blue, 7, 14, 174, 198, 285, 291-296, 431.
- Green, 15, 59, 175, 198, 313, 417.
- Little Blue, 175, 313.
- Little Green, 451.
- Louisiana, 175, 313.
- Northwest Coast, 438.
- Snowy, 174, 313.
- Treganza Blue, 291-296, 457.
- Würdemann's, 352.
- Yellow-crowned, 175.
- Herrick, Newbold L., Black Brant and Marbled Godwit on Long Island, N. Y., 473.
- Hesperiphona vespertina montana, 435.
- Heteractitis incanus, 157.
- Hierofalco, 392.
- Himantopus mexicanus, 177, 457.
- Hirundo chalybea, 349.

- Hirundo erythrogaster*, 33, 44, 61,
73, 159, 207, 420, 436, 466.
rustica, 349.
urbica, 350.
- Histrionicus histrionicus*, 156, 166,
430.
- Hollister, N., breeding of the
Acadian Owl in Newton County,
Indiana, 221; birds of the region
about Needles, California, 455-
462.
- Hopkins, May Agnes, notice of her
'On the relative dimensions of
the Osseus Semicircular Canals
in Birds,' 98.
- Horsfall, Bruce, migration of Hawks,
474.
- Hortulanus, 223, 399.
albicollis, 224.
erythroptalmus, 224.
nigricollis, 224.
- Howard, H. Eliot, notice of his
'The British Warblers,' pts. 1
and 2, 339.
- Howe, Reginald Heber, Jr., new
Massachusetts records for the
Hawk and Great Gray Owls, 84;
Massachusetts records, 323; *Ardea
egretta* in New Jersey, 473.
- Howell, Arthur, notice of his 'The
Relation of Birds to the Cotton
Boll Weevil,' 97; notice of his
'Notes on the Winter Birds of
Northern Louisiana,' 493.
- Hummingbird, Allen's, 434.
Calliope, 434.
Costa, 459.
Floresi's, 353.
Ruby-throated, 3, 9, 15, 60,
201, 418, 465.
Rufous, 159, 163, 164, 434.
Salvin's, 348.
Violet-throated, 353.
- Hunt, Chreswell J., *Rallus vir-
ginianus* a Delaware Valley
breeder, 81; the Tree Swallow
nesting in the Delaware Valley,
85; the Kentucky Warbler in
southern New Jersey, 87.
- Hutchins, John, Pileated Wood-
pecker near Litchfield, Conn., 475.
- Hydranassa tricolor ruficollis*, 175.
- Hydrochelidon nigra surinamensis*,
215, 429, 462.
- Hydrocolœus*, 389.
- Hydroprogne*, 389, 399.
- Hylobrontes*, 391.
- Hyllocichla aliciae*, 34, 54, 73, 212,
424.
aliciae bicknelli, 34, 63.
aonalaschkæ swainsonii, 74.
fuscescens, 63, 214, 282, 424.
fuscescens salicicola, 34.
guttata, 483.
guttata nana, 438.
guttata pallasi, 64, 213, 424,
467, 481.
guttata sequoiensis, 351, 483.
guttata slevini, 351.
mustelina, 63, 91, 212, 424, 467.
ustulata, 159, 437.
ustulata almæ, 34, 355.
ustulata swainsonii, 54, 64, 74,
213, 424, 483.
- Hypophilus*, 354.
decurtatus, 354.
- Hypotriorchis*, 392.
- IACHE, 374.
latirostris, 375.
- Ibis, Glossy, 174.
Scarlet, 174.
White, 173.
White-faced Glossy, 174, 457.
Wood, 37, 174, 363.
- Icteria virens*, 19, 211, 423.
virens longicauda, 50, 461.
- Icterus bullocki*, 29, 460.
galbula, 29, 61, 187, 202, 419,
466.
icterus, 377.
spurius, 186, 202, 419, 466.

- Ictinia mississippiensis*, 213 441.
 Ihering, Hermann and Rodolpho von, notice of their 'As Aves do Brazil,' 94.
 Index, a twenty-five Year, to 'The Auk' and Nuttall Bulletin,' notice of, 99.
Ionornis, 391.
 martinica, 176, 234.
Iridoprogne bicolor, 32, 45, 73, 85, 207, 436.
Ispida, 399.
Ixobrychus, 364.
 exilis, 364.
 neoxenus, 364.
Ixoreus naevius, 438.
 naevius meruloides, 398.
 JABIRU, 38, 363.
 Jabiru-guacu, 37.
Jabiru brasiliensis, 38.
 mycteria, 38, 362.
 Jaeger, Arctic, 215.
 Long-tailed, 215, 450.
 Parasitic, 69, 429.
 Pomarine, 438, 484.
 Jay, Blue, 60, 94, 186, 202, 419, 466.
 California, 94.
 Canada, 71, 136, 139.
 Coast, 348.
 Florida Blue, 419.
 Oregon, 434.
 Steller's, 434.
 Woodhouse's, 460.
 Johnson, M. Susan, notes on Missouri birds, 324.
 Jones, Lynds, notice of his 'The Development of Nestling Feathers,' 90.
Junco aikeni, 466.
 annectens, 378.
 caniceps, 378.
 dorsalis, 395.
 hyemalis, 42, 61, 72, 205, 378, 419, 467.
 hyemalis annectens, 378.
 Junco hyemalis carolinensis, 236.
 hyemalis connectens, 205.
 hyemalis mearnsi, 378.
 hyemalis montanus, 378.
 hyemalis oregonus, 378, 438.
 hyemalis shufeldti, 435, 467.
 hyemalis thurberi, 460.
 hyemalis townsendi, 378.
 mearnsi, 31.
 montanus, 31.
 phaeonotus caniceps, 378.
 phaeonotus dorsalis, 395.
 Junco, Carolina, 236.
 Montana, 188, 205.
 Oregon, 187, 438.
 Pink-sided, 31.
 Shufeldt's, 205, 467.
 Slate-colored, 1, 7, 42, 61, 137, 205, 236, 419, 467.
 Thurber's, 460.
 White-winged, 466.
 KALMBACH, Edwin R., notes on three Michigan birds, 230.
Kamptorhynchus, 362.
 Kennard, Fred. H., capture of the King Rail in Massachusetts, 218.
Killdeer, 7, 14, 114, 180, 213, 234, 324, 432, 458, 464.
Kingbird, 8, 15, 27, 60, 201, 418, 434.
 Arkansas, 27, 434, 459.
Kingfisher, Belted, 2, 8, 26, 59, 132, 199, 418, 433, 445, 458.
Kinglet, Golden-crowned, 7, 14, 63, 136, 139, 212, 424.
 Ruby-crowned, 4, 8, 212, 424, 437, 462.
 Sitkan, 437.
 Western Golden-crowned, 437.
Kirkwood, F. C., Chestnut-collared Longspur (*Calcarius ornatus*) in Maryland, 84.
Kite, Mississippi, 213, 441.
 Swallow-tailed, 452.
 White-tailed, 441.

- Kittiwake, Pacific, 429.
Knot, 157, 178.
- LADOW, Stanley V., the Hooded
Warbler a summer resident in
Green Co., N. Y., 480.
- Lagopus lagopus, 71.
leucurus, 432.
leucurus altipetens, 352.
leucurus peninsularis, 346.
ruepestris chamberlaini, 399.
- Lanius borealis, 49, 73, 280, 436,
467.
ludovicianus, 421.
ludovicianus excubitorides, 49,
461, 467.
ludovicianus migrans, 207, 280,
286.
- Lanivireo, 382.
flavifrons, 207, 382.
solitarius, 382.
solitarius alticola, 382.
solitarius cassini, 189, 382.
solitarius lucasanus, 382.
solitarius plumbeus, 382.
- Lark, Desert Horned, 27.
Dusky Horned, 434.
Horned, 318.
Hoyt's Horned, 71.
Prairie Horned, 1, 14, 202, 233,
235, 318, 323.
Sonoran Horned, 460.
- Larus argentatus, 69, 213, 357, 399,
429.
atricilla, 283.
barrovianus, 352.
brachyrhynchus, 69, 429.
californicus, 69, 293, 294, 295,
429.
causus, 358.
delawarensis, 324, 429, 457,
462.
glaucescens, 151, 429.
glaucus, 298-300.
heermanni, 429.
hyperboreus, 357.
- Larus kumlieni, 296-300.
leucopterus, 298-300.
occidentalis, 155, 429.
philadelphia, 429.
vegæ, 399, 438, 484.
- Lee, Leslie Alexander, obituary of,
340.
- Leibelsperger, W. H., some rare
summer residents of Berks
County, Pennsylvania, 232.
- Lengerke, Justus von, migration of
hawks, 315.
- Leptopogon superciliaris, 334.
- Leucophoyx, 399.
- Leucosticte griseonucha, 394.
tephrocotis, 453.
tephrocotis griseonucha, 394.
tephrocotis littoralis, 435.
- Leucosticte, Hepburn's, 435.
- Limosa fedoa, 178, 234, 473.
hæmastica, 178, 284.
- Lizars, William Home, biographical
notice of, 410-413.
- Lobipes, 365.
lobatus, 365.
- Longspur, Alaskan, 483.
Chestnut-collared, 30, 72, 84.
Lapland, 72, 281.
McCown's, 30.
Painted, 72.
- Löon, 14, 68, 132, 156, 428, 462,
471.
Black-throated, 428.
Pacific, 68, 428.
Red-throated, 69, 429.
Yellow-billed, 68.
- Lophodytes cucullatus, 287, 430.
- Lophornis delatitrii, 334.
- Lophortyx californicus, 432.
catalinensis, 391.
gambeli, 458.
- Loxia curvirostra bendirei, 394.
curvirostra minor, 30, 61, 72,
202, 318, 435.
leucoptera, 203, 280, 324.
maculata, 228.

- Lunda cirrhata, 155, 429.
- MACAW, of Dominica, 309-311.
- Macronectes, 358.
giganteus, 358.
- Macrorhamphus, 366.
griseus, 177.
scolopaceus, 177
- Magpie, American, 28, 186, 434, 466.
- Maguari, 38.
- Maine Ornithological Society,
Twelfth Annual Meeting of, 106.
- Mallard, 213, 312, 430, 457, 462.
Black, 450.
- Manchot, 337.
- Mareca americana, 430.
- Marila, 361.
affinis, 197, 362.
americana, 362.
collaris, 213, 362.
marila, 362.
vallisneria, 362.
- Marshall, Margaret E., notice of her
'Studies in Avian Anatomy, II,
Geococcyx Bubo, and *Aëron-
nautes*,' 245.
- Martin, 350.
Gray-breasted, 349.
Purple, 8, 14, 44, 207, 420.
Western, 436.
- Matthews, Gregory M., notice of his
'Handlist of the Birds of Australia', 244.
- Maxson, O. P., [curious fatality
among Chimney Swifts], 317.
- McAtee, W. L., notice of his 'Food
Habits of the Grosbeaks,' 245;
lead poisoning in Ducks, 472;
records from Bloomington, Ind.,
482.
- McGlone, Bartgis, a note on the
Audubon Shearwater, 472.
- McGregor, Richard C., notice of
papers on Philippine ornithology
by, 336.
- Meadowlark, 7, 10, 14, 202, 466, 492.
Florida, 419.
Western, 29, 435, 466.
- Mearns, E. A., notice of papers on
Philippine ornithology by, 336.
- Megaceryle, 373.
- Megalapteryx hamiltoni, 240.
huttoni, 238.
- Megalestris, 389.
- Megarhynchus pitangua supercil-
iaris, 334.
- Megascops, 372.
asio, 417, 464.
asio floridanus, 443.
asio kennicotti, 433.
asio maxwelliæ, 56.
- Melanerpes erythrocephalus, 200,
279, 283, 418, 447, 465, 476.
formicivorus aculeatus, 393.
- Melanitta, 390.
- Melanonyx, 390.
- Meleagris gallopavo silvestris, 285,
417, 439.
- Melopelia asiatica, 368.
leucoptera, 82, 368, 440.
- Melospiza cinerea juddi, 31, 395.
cinerea melodia, 61, 206, 420.
cinerea morphna, 159, 435.
cinerea phæa, 399.
cinerea rufina, 435.
coronatorum, 395.
fasciata, 42.
georgiana, 61, 73, 206, 281, 420.
lincolni, 42, 73, 206, 483.
lincolni gracilis, 395.
lincolni striata, 395.
melodia, 379.
melodia caurina, 379.
melodia clementæ, 379, 395.
melodia cleonensis, 349, 379.
melodia cooperi, 379.
melodia fallax, 379, 460.
melodia graminea, 379.
melodia heermanni, 379.
melodia insignis, 379.
melodia juddi, 379, 395.

- Melospiza melodia kenaiensis*, 379.
melodia merrilli, 379.
melodia montana, 379.
melodia morphna, 379.
melodia pusillula, 379.
melodia rivularis, 379.
melodia rufina, 379.
melodia samuelis, 379.
melodia sanaka, 379.
- Menegaux, A., notice of his report on the birds of the French Antarctic Expedition, 337.
- Merganser, 360, 390.
americanus, 283, 430.
serrator, 69, 430.
- Merganser, American, 132, 283, 430.
Hooded, 8, 15, 132, 287, 430.
Red-breasted, 15, 69, 217, 430, 457.
- Mergellus, 360.
albellus, 360.
- Mergus, 360.
albellus, 360.
americanus, 360.
merganser, 360.
serrator, 360, 457.
- Merlin, Black, 160, 433.
Richardson's, 452.
- Merriam, C. Hart, the King cameos of Audubon, 448-450.
- Merula, 387.
migratoria, 64, 74, 424, 438, 467.
migratoria propinqua, 34, 55, 159, 438, 467.
- Micropalama himantopus, 81, 178.
- Miller, Mrs. Olive Thorne, notice of her 'The Bird Our Brother,' 493.
- Miller, Richard F., the Black Tern at Camden, N. J., and Philadelphia, Pa., 215; nesting of the King Rail in Philadelphia County, Pa., 218; nesting of the Virginia Rail in Philadelphia County, Pa., 219; nesting of the Coot in Philadelphia County, Pa., 219; the Lesser Yellow-leg in Philadelphia County, Pa., 220; nesting of the Short-billed Marsh Wren in Philadelphia, Pa., 320-322.
- Mimus polyglottos*, 211, 320, 423.
polyglottos leucopterus, 461.
- Mniotilta varia*, 6, 33, 61, 190, 207, 421.
- Mockingbird, 211, 320, 423, 482.
Western, 461.
- Molothrus ater*, 28, 71, 202, 229, 435, 466.
ater obscurus, 460.
- Morphnus, 399.
- Motacilla alba*, 396.
currucoides, 388.
maculosa, 383.
ocularis, 396.
suecica, 388.
trogodytes, 386.
- Munroe, Kirk, a large migration of Hawks, 83.
- Murre, Brünnich's, 486.
California, 155, 158, 159, 163, 164, 429.
- Murrelet, Ancient, 438.
Marbled, 156, 429.
- Muscicapa carolinensis*, 385.
citrina, 384.
saya, 375.
- Mycteria*, 37, 38, 363.
americana, 37, 38, 363.
- Myiadestes townsendii*, 54, 437.
- Myiarchus cinerascens*, 185, 459.
crinitus, 60, 201, 418, 453.
lawrencei, 353.
magister, 376.
magister nelsoni, 376.
mexicanus, 376.
- Myiobius aurantiacus acceptus*, 334.
xanthopygus aureatus, 334.
- Myiochanes*, 375.
cinereus, 375.
pertinax pallidiventris, 376.
richardsonii, 376.

- Myiochanes richardsonii* peninsulae, 376.
virens, 201, 376.
- Myiozetetes similis superciliosus*, 353.
- NANNUS, 386.
alascensis, 386.
hiemalis, 210, 386.
hiemalis helleri, 386.
hiemalis pacificus, 386.
melligerus, 386.
- National Association of Audubon Societies. Annual Report of for 1907, 101; Annual Meeting, 1907, 107; Annual Meeting, 1908, 498.
- Necropsittacus borbonicus*, 240.
- Neodendroica*, 396.
- Nesoenas duboisi*, 240.
- Nettion carolinensis*, 69, 213, 430, 463.
- Nichols, John Treadwell, Lawrence's and Brewster's Warblers and Mendelian inheritance, 86.
- Nighthawk, 4, 8, 15, 26, 60, 201, 418.
Pacific, 347.
Sennett's, 27.
Texas, 459.
Western, 434, 465.
- Noctua*, 221, 393.
minor, 221.
- Nomonyx dominicus*, 472.
- Norton, Arthur H., the Florida Gallinule, Stilt and Buff-breasted Sandpipers near Portland, Me., in 1907, 81.
- Notornis alba*, 239.
stanleyi, 239.
- Nucifraga columbiana*, 222, 318, 435.
- Numenius americanus*, 368.
borealis, 179, 464.
hudsonicus, 157, 179, 432.
longirostris, 179, 234, 368, 464.
vociferus, 364.
- Nutcracker, Clarke's, 318, 435.
- Nuthatch, Brown-headed, 212, 424.
Red-breasted, 34, 63, 136, 139, 212, 233, 282, 437
Slender-billed, 54.
White-breasted, 9, 63, 212, 424.
- Nuttall Ornithological Club Bulletin, notice of index to, 99.
- Nuttallornis borealis*, 27, 60, 214, 418, 434.
- Nyctala acadica*, 55, 221, 278, 286, 443.
- Nyctalops*, 392.
- Nyctanassa violacea*, 175.
- Nyctea nyctea*, 71, 278, 433, 443.
- Nycticorax*, 364.
infaustus, 364.
nycticorax griseus, 391.
nycticorax naevius, 175, 185, 314, 326, 457.
- OCEANODROMA, 345.
beali, 244, 389.
beldingi, 244, 390.
castro, 359.
cryptoleucura, 359.
furcata, 345, 485.
kaedingi, 155, 156, 429.
monorhis, 244, 399.
monorhis chapmani, 244, 390.
socorrensis, 244, 399.
- Oechthodromus wilsonius*, 180.
- Oidemia americana*, 156, 431.
deglandi, 69, 156, 184, 217, 431.
perspicillata, 69, 156, 184, 431.
- Olbiorehilus*, 386.
hiemalis, 63, 423.
hiemalis pacificus, 159, 437.
- Old-squaw, 184, 217, 430.
- Oldys, Henry, capture of a tagged Canvasback Duck, 80.
- Olor buccinator*, 284, 326.
columbianus, 70, 217, 284, 306-309, 326, 431.
- Oporornis*, 384
agilis, 384.
formosa, 87, 210, 218, 320, 384.
philadelphia, 210, 384.

- Oporornis tolmiei*, 384.
Oreortyx pictus, 432.
Oreospiza chlorura, 224.
Oriole, Baltimore, 8, 14, 15, 29, 61,
186, 419, 466.
Bullock's, 29, 186, 202, 460.
Orchard, 15, 186, 202, 419, 466.
Oroscoptes montanus, 51, 461.
Ornismya cœlogena, 374.
heloisa, 347.
Ornithion, 376.
imberbe ridgwayi, 353.
Ortalis vetula plumbeiceps, 341.
Ortygops, 391.
Osprey, American, 15, 71, 132, 199,
433, 442, 458.
Ossifraga, 358.
Otocoris alpestris alpestris, 318.
alpestris aphaesta, 394.
alpestris enertera, 399.
alpestris enthymia, 28.
alpestris hoyti, 71.
alpestris leucolama, 27.
alpestris merrilli, 434.
alpestris pallida, 460.
alpestris praticola, 1, 202, 233,
235, 318.
Otus, 372.
asio, 214, 372.
asio aikeni, 372.
asio bendirei, 372.
asio cineraceus, 372.
asio floridanus, 372.
asio kennicottii, 372.
asio macfarlanei, 372.
asio maxwelliæ, 185, 372.
asio mcallii, 372.
bakkamœna, 372.
flammeola, 372.
flammeola idahoensis, 372.
trichopsis, 372.
Ouzel, Water, 437.
Oven-bird, 8, 14, 15, 19, 50, 62, 137,
210.
Owl, Acadian, 221, 286.
American Barn, 21-25, 185,
232, 234, 286, 316, 442.
Owl, American Hawk, 71, 84, 235,
433.
American Long-eared, 25, 56,
230, 278, 442.
American Short-eared, 25, 221,
278, 371.
Arctic Horned, 25, 71, 487.
Barn, 288-291, 370.
Barred, 59, 199, 417, 443, 452,
464.
Burrowing, 26, 433, 443, 453,
465.
California Pigmy, 433.
Dusky Horned, 433.
Flammulated Screech,
Florida Barred, 443.
Florida Screech, 443.
Great Gray, 71, 84, 234, 433.
Great Horned, 214, 417, 443,
465.
Kennicott Screech, 433.
Labrador Horned, 347, 487.
Northwest Saw-whet, 484.
Richardson's, 235, 433, 484.
Rocky Mountain Screech, 54,
185.
Saw-whet, 55, 278, 443.
Screech, 214, 417, 464.
Short-eared, 433, 443.
Snowy, 71, 278, 433, 443.
St. Michael Horned, 347
Tawny, 289.
Texan Barred, 316.
Western Horned, 433.
White, 71.
White Horned, 453.
Wood, 289, 370.
Oxyechus vociferus, 180, 213, 234,
432, 458.
Oystercatcher, American, 180, 284.
Black, 155, 158, 159, 160, 161,
162, 163, 164, 165, 166, 432,
PACHYRHAMPHUS versicolor costari-
censis, 334.
Palæocasuarius elegans, 340.
haasti, 340.

- Palæocasuarius velox*, 340.
 Palmer, T. S., notice of his observations on the Birds of the Yellowstone National Park, 493.
Pandion haliaëtus carolinensis, 71, 442, 458.
 Papou, 337.
Parabuteo unicinctus harrisi, 441.
 Parasitic fly injurious to birds, 87.
 Paroquet, Carolina, 443.
 Partridge, California, 432.
 Gambel, 458.
 Mountain, 432.
Parus, 386.
 atricapillus, 21, 63, 467.
 atricapillus carolinensis, 398.
 atricapillus occidentalis, 437.
 atricapillus septentrionalis, 34, 54, 73, 467.
 atricristatus kleinschmidti, 243.
 carolinensis, 398, 424.
 cinctus alascensis, 398.
 cinctus obtectus, 398.
 hudsonicus, 63, 73.
 hudsonicus columbianus, 355.
 hudsonicus stoneyi, 355.
 palustris sclateri, 398.
 rufescens, 437.
 sclateri, 398.
 (Lophophanes) *bicolor floridanus*, 397.
Passerculus princeps, 288.
 sandwichensis, 438.
 sandwichensis alaudinus, 31, 39, 72, 203, 435, 466.
 sandwichensis savanna, 61, 203, 223.
Passer domesticus, 203, 287, 419, 435, 453, 467.
Passerella iliaca, 73, 206, 420.
 iliaca annectens, 395.
 iliaca fuliginosa, 349, 436.
 iliaca insularis, 349.
 iliaca meruloides, 395.
 iliaca stephensi, 395.
 iliaca townsendi, 349.
Passerella iliaca unalascensis, 439.
 stephensi, 395.
Passerherbulus, 399.
Passerina, 377, 380.
 amœna, 381.
 ciris, 381.
 cyanea, 206, 380.
 nivalis, 72, 280, 435.
 versicolor, 381.
 versicolor pulchra, 381.
Pavoncella pugnax, 82.
 Pearson, Leonard S., the Blue-gray Gnatcatcher in southeastern Pennsylvania, 481.
 Pearson, T. Gilbert, Cabot's Tern (*Sterna sandvicensis acutiflvida*) breeding in North Carolina, 312; the breeding season of *Strix pratincola* in South Carolina, 316.
Pedicecetes phasianellus campestris, 464.
Pelecanus californicus, 390.
 erythrorhynchos, 69, 213, 293, 295, 328, 430, 457, 462.
 fuscus, 390.
 leucogaster, 359.
 piscator, 359.
 Pelican, American White, 69, 213, 293, 295, 328, 430, 457, 462.
Pelidna alpina sakhalina, 178, 431.
 Penard, Frederik Paul, and Arthur Philip, notice of their 'De Vogels van Guyana,' 491.
 Penguin, 337.
 Pennock, C. J., *Rallus virginianus* breeding in the Delaware Valley, 219; birds of Delaware — additional notes, 282-288; Red Crossbills, and some other birds in Lower Delaware, 318; White-crowned Sparrows unusually abundant in eastern Pennsylvania, 319.
Penthestes, 386.
 atricapillus, 386.
 atricapillus occidentalis, 386.

- Penthestes atricapillus septentri-*
nalis, 386.
atricapillus turneri, 386.
carolinensis, 386.
carolinensis agilis, 386.
carolinensis impiger, 351, 386
cinctus alascensis, 387.
gambeli, 386.
gambeli baileyæ, 351, 387.
hudsonicus, 387.
hudsonicus littoralis, 351, 387
rufescens, 387.
rufescens barlowi, 387.
rufescens neglectus, 387.
sclateri, 386.
- Perisoreus*, 394.
canadensis, 71.
obscurus, 434.
- Perissoglossa*, 396.
- Peters, James L., Brewster's War-
bler, 320.
- Petrel, Fork-tailed, 485.
Kaeding's, 155, 158, 160, 161,
163, 164, 166, 429.
- Petrochelidon lunifrons*, 32, 44, 61,
73, 214, 436, 467.
- Peuceea æstivalis bachmani*, 205,
419.
- Peucedramus*, 383.
olivaceus, 383.
- Pewee, 14.
Western Wood, 27, 434, 466.
Wood, 9, 15, 60, 201, 375, 419,
465.
- Phalacrocorax auritus*, 359.
auritus albociliatus, 359.
auritus cincinatus, 359.
auritus floridanus, 359.
dilophus, 69, 294, 325.
dilophus cincinatus, 155, 429.
mexicanus, 359.
pelagicus resplendens, 155, 430.
pelagicus robustus, 438.
penicillatus, 155, 429.
perspicillatus, 352.
vigua, 359.
- Phalacrocorax vigua mexicana*, 359.
Phalænoptila nuttalli, 214, 459.
- Phalarope, Northern, 70, 157, 431
Wilson's, 80, 177, 234, 326, 328.
- Phalaropus*, 365.
fulcarius, 365.
lobatus, 70, 156, 157, 431.
- Phalerinæ*, 356.
- Phaleris*, 356, 357.
psittacula, 356, 485.
- Phasianus colchicus*, 286.
torquatus, 241, 432.
- Pheasant, China, 241.
Denny, 241.
English, 286.
Ring-necked, 432.
- Philippine Ornithology, contribu-
tions to, noticed, 336.
- Philohela minor*, 59, 177, 220, 232,
417.
- Phlœotomus*, 373.
pileatus, 374.
pileatus abieticola, 200, 374.
- Phlogothraupis sanguinolenta apri-*
ca, 334.
- Phœbastria*, 345.
- Phœbe*, 7, 60, 71, 201, 279, 465.
Say's, 27.
- Phœbetria fuliginosa*, 358.
palpebrata, 358.
- Phœnicopterus ruber*, 313.
- Phœconetta*, 390.
- Pica pica hudsonica*, 28, 186, 434,
466.
- Picoides americanus*, 60.
arcticus, 59, 434.
arcticus tenuirostris, 393.
- Picus lineatus*, 373.
pileatus, 373.
torquatus, 374.
- Pigeon, Band-tailed, 432.
Passenger, 181-183, 285, 440,
451.
- Pingouin, 337.
- Pinicola enucleator*, 72, 324.
enucleator alascensis, 482.

- Pinicola enucleator leucura*, 280.
Pintail, 430, 463.
Pipilo aberti, 460.
 albigula, 395.
 crissalis, 380.
 crissalis senicula, 380.
 erythrophthalmus, 20, 206, 281, 420.
 fuscus albigula, 395.
 fuscus crissalis, 380.
 fuscus mesoleucus, 188.
 maculatus arcticus, 31, 42.
 maculatus atratus, 380.
 maculatus megalonyx, 380.
 maculatus montanus, 380.
 maculatus oregonus, 436.
Pipit, American, 51, 73, 423, 437
 Sprague's, 33.
Piranga erythromelas, 61, 189, 206, 396, 420, 454, 467.
 ludoviciana, 97, 436.
 mexicana, 396.
 rubra, 206, 235, 286, 420, 467.
 rubra cooperi, 561.
Pisobia, 3, 366.
 aurita, 366, 484.
 bairdii, 367.
 damascensis, 367.
 fuscicollis, 367.
 maculata, 367.
 minutilla, 367.
Pitangus derbyanus, 375.
 sulphuratus derbyanus, 375.
Pitcairn, Wm. G., Lark Sparrow (*Chondestes grammacus*) in southwestern Pennsylvania, 476.
Pithecophaga jefferi, 336.
Planesticus, 387.
 confinis, 387.
 migratorius, 213, 387.
 migratorius achrusterus, 387.
 migratorius propinquus, 387.
 tristis, 241.
Platyparis aglaia, 375.
 aglaia albiventris, 375.
Plautus, 399.
Plectrophanes townsendi, 349.
Plectrophenax, 377.
 hyperboreus, 377.
 nivalis, 377.
 nivalis townsendi, 377.
Plegadis, 390.
 guarauna, 457.
Plover, Belted Piping, 180, 432.
 Black-bellied, 114, 180.
 Golden, 114, 180, 327, 438.
 Piping, 114, 180.
 Semipalmated, 70, 114, 157, 160, 180, 438.
 Snowy, 180, 484.
 Wilson's, 180.
Podiceps, 356, 389.
Podicipedes, 355.
Podicipidæ, 355.
Podilymbus podiceps, 213, 428.
Polioptila cærulea, 212, 424, 481.
 cærulea obscura, 190, 562.
 plumbea, 462.
Polyborus cheriway, 442.
Poœetes gramineus, 61, 203, 281, 419.
 gramineus confinis, 31, 39, 460.
Poor-will, 214, 459.
Porphyriola, 391.
Porter, Louis H., nesting habits of birds at Stamford, Connecticut, as affected by the cold spring of 1907, 16-21.
Porzana carolina, 70, 176, 213, 327, 431, 463.
 jamaicensis, 365.
 noveboracensis, 70, 176.
Procellaria, 358.
 leucorhoa, 345.
 pelagica, 358.
Proctopus, 389.
Progne chalybea, 349.
 subis, 44, 207, 420.
 subis hesperis, 436.
Protection of wild birds, Guide to, 498.
Protocalliphora chrysorrhœa, 88.

- Protonotaria citrea, 214, 230, 319, 320.
Psaltriparus grindæ, 398.
 minimus grindæ, 398.
 minimus saturatus, 398, 437.
 plumbeus, 461.
Pseuduria, 389.
Psiloscopus, 392.
Psittacus carolinensis, 373.
Platyrhynchus cinereus, 375.
Ptarmigan, Kenai White-tailed, 346.
 White-tailed, 432.
 Willow, 71.
Ptychoramphus aleuticus, 155, 156.
Puffin, Tufted, 155, 158, 159, 160, 161, 162, 163, 164, 165, 429.
Puffinus anglorum, 339.
 auduboni, 339.
 borealis, 338.
 bailloni, 39.
 fuliginosus, 352.
 godmani, 339.
 griseus, 156.
 lherminieri, 339, 472.
 kuhli, 338.
 kuhli flavirostris, 338.
 obscurus bailloni, 339.
 opisthomelas, 485.
 puffinus, 339.
 tenuirostris, 485.
Pygoscelis papua, 337.
Pyrocephalus rubineus mexicanus, 459.
Pyrrhula sinuata, 245.
- QUAIL, Gambel, 458.
Querquedula, 361.
 cyanoptera, 216, 463.
 discors, 197, 216, 430, 463.
Quiscalus quiscula æneus, 29, 202, 466.
Rail, Black,
 Carolina, 431.
 Light-footed, 346.
 Louisiana Clapper, 176.
 King, 176, 218, 234, 463.
Rail, Sora, 9, 15, 176, 213, 463.
 Virginia, 15, 81, 176, 218, 219, 323, 431, 451, 463.
 Yellow, 70, 176, 327.
Rallus crepitans saturatus, 176.
 elegans, 176, 218, 234, 463.
 jamaicensis, 365.
 levipes, 346.
 virginianus, 81, 176, 218, 431, 451, 463.
Raven, Northern, 71, 160, 231, 434.
Reagan, Albert B., the birds of the Rosebud Indian Reservation, South Dakota, 462-467.
Recurvirostra americana, 177, 473.
Redhead, 430.
Redpoll, 10, 72, 280, 439.
 Lesser, 72.
Redstart, American, 8, 15, 20, 33, 51, 62, 211, 233, 423, 467.
Red-wing, Northern, 466.
 Northwestern, 435.
 Sonoran, 460.
Regulus calendula, 212, 424, 437 461.
 calendula cinerascens, 398.
 calendula grinnelli, 437.
 satrapa, 63, 212, 424.
 satrapa clarus, 240.
Reichenow, Ant., notice of his 'Vögel des Weltmeeres,' 337.
Remington, Charles H., and others, notice of their 'A Check-List of Rhode Island Nesting Birds,' 490.
Reservations for Birds, 498.
Rhalidornis inornata, 336.
Rhantistes, 399.
Rhinogryphus, 392.
Rhyacophilus, 346.
 glareola, 346.
 solitarius, 391.
Rynchofalco, 392.
Rynchophanes meadowii, 30.
Riddle, Oscar, notice of his 'A Study of Fundamental Bars in Feathers,' 98.

- Ridgway, Robert, type locality of *Vireo pusillus*, 224; Red-spotted Bluethroat in Alaska, 226; notices of his second visit to Costa Rica, 248, 342.
- Riley, J. H., notes on the Broad-winged Hawks of the West Indies, with description of a new form, 268-276.
- Riparia riparia, 32, 45, 61, 73, 214, 229, 281, 439, 467.
- Rissa tridactyla pollicaris, 429.
- Road-runner, 458.
- Robin, American, 1, 2, 7, 10, 14, 64, 74, 159, 213, 226, 424, 438, 467.
Western, 34, 55, 438, 467.
- Rook, 348.
- Rothschild, Walter, notice of his 'Extinct Birds,' 238-240.
- Roughleg, Red, 452.
- Ruff, 82.
- Ryman, C. P., capture of the Flamingo at Lake Worth, Fla., 313.
- SAGE, John H., Twenty-fifth Stated Meeting of the American Ornithologists' Union, 74-80.
- Salpinctes guadeloupensis, 397.
obsoletus, 53, 461, 467.
obsoletus guadeloupensis, 397.
obsoletus pulverius, 350.
- Samuels, Edward Augustus, obituary of, 341.
- Sanderling, 178.
- Sandpiper, Baird's, 70, 178, 234.
Bartramian, 15, 59, 179, 213, 328, 463, 473, 484.
Buff-breasted, 81, 179, 234.
Least, 178, 431.
Pectoral, 157, 158, 178, 284, 431, 463.
Red-backed, 178, 431.
Semipalmated, 70, 178.
Sharp-tailed, 431, 484.
Solitary, 9, 134, 179, 198, 463.
Spotted, 3, 5, 9, 15, 59, 70, 134, 179, 198, 417, 432, 458, 463.
Stilt, 81.
Western, 157, 159, 160, 432.
White-rumped, 178, 198, 327, 328.
Wood, 346.
- Sapsucker, Northern Red-breasted, 434.
Red-naped, 434.
Yellow-bellied, 8, 14, 60, 200, 235, 278, 418, 447, 465.
- Sarcops calvus, 245.
- Sarcorhamphus, 369.
papa, 369.
- Sass, Herbert Ravenel, an interesting Audubon specimen, 228; the Snowy Heron in South Carolina, 313.
- Saucerottea cyanura guatemalæ, 240.
- Saunders, Aretas A., some birds of Central Alabama, 413-424.
- Saunders, Howard, obituary of, 103.
- Saunders, W. E., the Worm-eating Warbler in Ontario, 319.
- Sayornis, 375.
phœbe, 60, 71, 201, 279, 465.
saya, 27, 459.
- Scardafella inca, 92.
- Scolecophagus cyanocephalus, 29.
- Scolopax gallinago, 366.
grisea, 366.
semipalmatus, 367.
- Scoter, American, 156, 431.
Surf, 69, 156, 184, 431.
White-winged, 69, 156, 184, 431.
- Scotiaptex nebulosa, 71, 84, 234, 433.
- Seiurus aurocapillus, 19, 50, 62, 210.
motacilla, 19, 210, 423, 467.
noveboracensis notabilis, 33, 50, 73, 210, 422, 487.

- Selasphorus alleni*, 434.
 floresii, 353.
 rufus, 159, 434.
Serrator, 390.
Seton, Ernest Thompson, bird records from Great Slave Lake Region, 68-74; recent bird records from Manitoba, 450-454. ✓
Setophaga miniata, 354.
 ruticilla, 20, 35, 51, 62, 68, 211, 233, 423, 467.
Shaw, William T., notice of his 'The China or Denny Pheasant in Oregon,' 241.
Shearwater, Audubon's, 472.
 Black-vented, 485.
 Dark-bodied, 156.
 Pink-footed, 339.
 Slender-billed, 485.
Shoveller, 325, 430, 463.
Shrike, Loggerhead, 286.
 Migrant, 7, 207, 281.
 Northern, 49, 73, 281, 436, 467.
 White-rumped, 49, 461, 467.
Shufeldt, R. W., notice of his paper on the osteology of *Sarcops*, 245.
Sialia arctica, 55, 388, 454.
 azurea, 388.
 currucoides, 388.
 mexicana, 438.
 mexicana occidentalis, 94.
 sialis, 64, 191, 213, 424, 467.
 sialis azurea, 388.
 sialis fulva, 388.
 sialis grata, 398.
Sieberocitta, 394.
Simorhynchus, 357.
Siskin, Pine, 5, 10, 11, 15, 30, 61, 203, 328, 435, 473.
Sitta canadensis, 34, 63, 212, 233, 281, 437.
 carolinensis, 63, 212, 424.
 carolinensis aculeata, 54.
 pusilla, 212, 424.
Skua, Long-tailed, 450.
Syklark, European, 287.
Smith, Horace G., random notes on the distribution of some Colorado birds, with additions to the State avifauna, 184-191.
Smyth, Ellison A., Jr., Nelson's Finch in the mountains of Virginia, 475.
✓ Snipe, Wilson's, 8, 15, 70, 177, 213, 431.
Snow, Francis H., obituary of, 497.
Snowbird, 72.
Snowflake, 280, 435.
Solitaire, Townsend's, 54, 437.
Somateria dresseri, 390.
 mollissima dresseri, 390.
Sora, 9, 15, 176, 213, 463.
Sparrow, Acadian Sharp-tailed, 319.
 Aleutian Song, 380.
 Bachman's, 205, 419.
 Baird's, 31, 39.
 Black-chinned, 460.
 Brewer's, 42, 460.
 California Sage, 349.
 Chipping, 8, 14, 31, 41, 61, 137, 138, 204, 419, 466, 482.
 Clay-colored, 31, 42.
 Dakota, 31.
 Desert, 460, 483.
 Desert Song, 460.
 English, 203, 419, 435, 353, 467, 474, 477.
 Field, 14, 61, 204, 419, 477.
 Fox, 14, 73, 206, 420.
 Gambel's, 72.
 Golden-crowned, 435.
 Grasshopper, 203, 466.
 Harris's, 40, 72, 82, 187.
 Henslow's, 204, 230.
 Hooded, 72.
 House, 287.
 Intermediate, 40, 460.
 Ipswich, 288.
 Kadiak Fox, 349.
 Lark, 15, 204, 236, 476.
 Lincoln's, 42, 73, 206, 483.
 Mendocino Song, 349.

- Sparrow, Nelson's, 84, 318, 353, 477.
 Nuttall's, 435.
 Rusty Song, 159, 160, 163, 164,
 166, 435.
 Sandwich, 438.
 Savanna, 3, 8, 61, 114, 203, 223.
 Song, 1, 2, 7, 42, 61, 137, 138,
 206, 379, 420.
 Sooty Fox, 159, 164, 165, 349,
 436.
 Sooty Song, 435.
 Swamp, 9, 14, 61, 73, 135, 206,
 281, 420.
 Townsend's, 349, 439.
 Tree, 4, 5, 7, 72, 214.
 Vesper, 8, 14, 61, 203, 281, 419.
 Western Chipping, 435.
 Western Field, 196, 204, 466.
 Western Grasshopper, 39.
 Western Lark, 39.
 Western Savanna, 31, 39, 72,
 196, 203, 435, 466.
 Western Tree, 40.
 Western Vesper, 31, 39, 460.
 White-crowned, 5, 8, 40, 204,
 319.
 White-throated, 3, 8, 11, 15, 61,
 72, 91, 137, 204, 419.
- Spatula clypeata, 325, 430, 463.
 Speotyto cunicularia beeki, 399.
 cunicularia hypogæa, 26, 433,
 443, 453, 465.
- Sphyrapicus ruber, 393.
 ruber daggetti, 393.
 ruber notkensis, 434.
 varius, 61, 200, 418, 447, 465.
 varius nuchalis, 434.
- Spinus pinus, 30, 203, 328, 435, 474
 xanthogaster bryanti, 334.
- Spiza americana, 188, 206, 454.
 Spizella atrogularis, 460.
 breweri, 42, 460.
 monticola, 72, 214.
 monticola ochracea, 40.
 pallida, 31, 42.
 passerina, 378.
- Spizella passerina arizonæ, 378.
 pusilla, 61, 419, 477.
 pusilla arenacea, 204, 466.
 socialis, 31, 41, 61, 204, 378,
 419, 466.
 socialis arizonæ, 435.
- Spoonbill, Roseate, 173.
 Sporophila crissalis, 493.
 morelleti, 381.
 morelleti sharpei, 381.
- Squatarola squatarola, 180, 432.
 Starling, European, 221, 279, 287.
 Steganopus tricolor, 81, 177, 234,
 326, 328.
- Stelgidopteryx serripennis, 165, 207,
 229, 420, 436, 454, 461.
- Stellerocitta, 394.
 Stellula caliope, 434.
- Stercorarius longicaudus, 215, 450.
 parasiticus, 69, 215, 429.
 pomarinus, 438, 484.
- Sterna anæsthesia, 336.
 caspia, 325, 327.
 forsteri, 283, 325, 484.
 fuliginosa, 358.
 fuscata, 358.
 fuscata crissalis, 346.
 hirundo, 69, 429.
 paradisæa, 69.
 sandvicensis acufflava, 312.
- Stilt, Black-necked, 177, 457.
- Stone, Witmer, *Glaucidium*? vs.
Noctua, a correction, 221; Euro-
 pean Starling (*Sturnus vulgaris*)
 in Pennsylvania, New Jersey,
 and Delaware, 221; notice of his
 'Methods of Recording and Utilizing
 Bird Migration Data,' 488-
 490.
- Streptoceryle, 373.
 Strigiceps leucopogon, 340.
 Strigida, 290, 370.
 Strix, 288-291, 370.
 accipitrina, 290.
 alba, 291, 370.
 aluco, 289, 290, 370.

- Strix flammea**, 288–290, 370.
 funerea, 371.
 helvola, 316, 371.
 magellanicus, 392.
 newtoni, 340.
 occidentalis, 371.
 occidentalis caurina, 371.
 pratincola, 21–25, 185, 232,
 234, 286, 316, 442.
 stridula, 290, 370.
 tengmalmi, 372.
 varia, 371.
 varia albigilva, 316, 371.
 varia alleni, 371.
 wapacuthu, 393.
- Sturnella magna**, 202, 466.
 magna argutula, 419.
 magna neglecta, 29, 377, 435,
 466.
 neglecta, 377.
- Sturnus vulgaris**, 221, 279, 376.
- Sula**, 352, 359.
 bassana, 486.
 leucogastra, 359.
 sula, 336, 359.
- Surnia funerea**, 393.
 ulula, 393.
 ulula caparoch, 17, 84, 235, 433.
 ulula doliata, 393.
 ulula pallasi, 393.
- Swallow**, 349.
 Bank, 8, 15, 32, 45, 61, 73, 214,
 229, 281, 436, 439, 467.
 Barn, 4, 8, 15, 32, 44, 61, 73,
 159, 164, 165, 207, 420, 467.
 Cliff, 9, 15, 32, 44, 61, 73, 214,
 436, 467.
 Northern Violet-green, 45, 436,
 461.
 Rough-winged, 14, 15, 165, 207,
 420, 436, 461.
 Saw-winged, 454.
 Tree, 2, 7, 14, 32, 45, 73, 85,
 207, 482.
 White-bellied, 436.
 White-breasted, 73.
- Swan, Trumpeter**, 284, 326.
 Whistling, 70, 217, 285, 306–
 309, 326, 431, 463.
- Sweiger, Mrs. Jacob L.**, obituary
 of, 105.
- Swift, Black**, 434.
 Black Cloud, 166.
 Chimney, 3, 8, 15, 60, 201, 317,
 418.
 Vaux, 434.
 White-throated, 459.
- Sylvia agilis**, 384.
 magnolia, 383.
 olivacea, 383.
- Symphemia**, 367.
 semipalmata, 234.
 semipalmata inornata, 179.
- Synthliboramphus antiquus**, 438.
- Syrnium**, 290.
 nebulosum, 443.
 nebulosum alleni, 443.
 nebulosum helveolum, 316, 371.
 ululans, 290.
 varium, 59, 417, 452, 464.
- TACHYBAPTUS**, 356.
- Tachycineta thalassina lepida**, 45,
 436, 461, 480.
- Tachytriorchis**, 392.
- Talpacotia**, 301, 305.
- Tanagra**, 381.
 cyanea, 380.
- Tanager, Cooper's**, 461.
 Louisiana, 436.
 Scarlet, 4, 8, 15, 61, 189, 206,
 335, 420, 454, 467.
 Summer, 206, 235, 420, 467.
 Western, 97.
- Tanagridæ**, 381.
- Tangara**, 381.
- Tangaridæ**, 381.
- Tangavius**, 377.
 æneus involucratus, 377.
 involucratus, 377.
- Tantalus**, 37, 363.
 loculator, 38, 363.

- Tatler, Wandering, 157, 160.
- Taverner, P. A., four rare birds in southeastern Michigan, 327; Wilson's Phalarope and White-rumped Sandpipers in Wayne Co., Mich., 328; two Ontario records, 328.
- Teal, Blue-winged, 197, 430, 463.
Cinnamon, 69, 216, 463.
Green-winged, 69, 213, 430, 463.
- Telmatodytes palustris, 321.
palustris iliacus, 212.
palustris paludicola, 437.
palustris thryophilus, 399.
- Terenotriccus erythrurus fulvigula, 240.
- Tern, American Black, 429.
Arctic, 69.
Black, 15, 215, 462.
Cabot's, 312.
Caspian, 325, 327.
Common, 15, 429.
Crissal Sooty, 345.
Forster's, 283, 325, 484.
Gull-billed, 234.
Noddy, 332.
Royal, 312.
Sooty, 332.
- Test, Charles D., Cañon Wren in Colorado, 226.
- Thalasseus, 389, 399.
- Thalassidroma, 358.
castro, 358.
pelagica, 358.
- Thalassogeron, 389.
- Thayer, Abbott H., the Buff-head Duck, 247.
- Thrasher, Brown, 15, 34, 52, 62, 211, 423, 467.
Leconte's, 461.
Sage, 51, 461.
- Thrush, Alaska Hermit, 483.
Alice's, 15.
Alma's, 34, 355.
Audubon's Hermit.
Bicknell's, 34, 63.
- Thrush, Dwarf Hermit, 438.
Gray-cheeked, 9, 34, 54, 73, 212, 231, 424.
Hermit, 3, 8, 14, 64, 74, 213, 424, 467, 481.
Monterey Hermit, 351.
Olive-backed, 5, 9, 15, 54, 64, 74, 137, 213, 424, 483.
Russet-backed, 159, 437.
Sierra Hermit, 351, 483.
Varied, 438.
Willow, 34.
Wilson's, 8, 15, 63, 137, 214, 282, 424.
Wood, 15, 63, 91, 212, 424, 467.
- Totanus flavipes, 70, 157, 179, 220, 432, 463.
melanoleucus, 179, 213, 432, 463.
melanoleucus frazari, 399.
- Towhee, 14, 20, 206, 281.
Abert's, 460.
Arctic, 31, 42.
Cañon, 188.
Green-tailed, 224.
Oregon, 436.
- Townsend, Charles W., on the status of Brewster's Warbler (*Helminthophila leucobronchialis*), 65-68; an American White-fronted Goose and Wilson's Phalarope in Essex County, Massachusetts, 80.
- Toxostoma lecontei, 461.
redivivum helva, 397.
redivivum pasadense, 354.
rufum, 34, 52, 62, 211, 423.
- Thryomanes bewickii, 87, 211, 423.
bewickii bairdi, 385.
bewickii calophonus, 437.
bewickii cerroensis, 397.
bewickii drymœceus, 397.
bewickii eremophilus, 397.
bewickii leucogaster, 190, 385, 397.
bewickii leucophrys, 397.

- Thryomanes bewickii nesophilus*, 397.
 leucophrys, 397.
Thyorchilus ridgwayi, 334.
Thryothorus bairdi, 385.
 bewickii leucogaster, 385.
 ludovicianus, 53, 211, 324, 423.
Tiaris, 399.
Tinker, A. D., the Black-crowned Night Heron in Washtenaw County, Mich., 314; breeding of the Tufted Titmouse in Washtenaw County, Mich., 322.
Titmouse, Sennett's, 350.
 Tufted, 14, 212, 322, 424.
Tree-duck, Fulvous, 485.
Treganza, A. O. [notes on *Ardea herodias treganzai*], 292-296.
Tringa acuminata, 431.
 alba, 367.
 canutus, 157, 178.
 fulvicaria, 365.
 glareola, 346.
 leucophæa, 367.
 lobata, 365.
 maculata, 463.
 minuta, 367.
 semipalmata, 367.
Tringoides, 391.
Trochilus, 399.
 colubris, 60, 201, 418, 465.
 violajugulum, 353.
Troglodytes ædon, 62, 423.
 ædon aztecus, 34, 53, 211, 355, 467.
 ædon parkmani, 355, 437.
 leucogaster, 384.
 ochracea ligea, 334.
Trogon, 373.
 strigilatus, 373.
 underwoodi, 334.
 viridis, 373.
Tryngites subruficollis, 81, 179.
Turdus felivox, 385.
 iliaeus, 387.
 jamaicensis, 387.
 lereboulleti, 387.
Turdus musicus, 387.
 sequoiensis, 351.
Turkey, Wild, 198, 285, 417, 439.
Turnstone, 180.
 Black, 157, 159, 160, 162, 164, 432.
 Ruddy, 157, 160, 368.
Tympanuchus, 392.
 americanus, 439, 464.
 americanus attwateri, 439.
Tyrannus tyrannus, 27, 60, 201, 418, 434, 465.
 verticalis, 27, 434, 459.
URANOMITRA, 348.
 salvini, 348.
Uria brevirostris, 357.
 lomvia, 486.
 troile californica, 429.
Uropelia, 301, 305.
Urubitinga, 369, 399.
VERDIN, 461.
Vermivora, 399.
 celata orestera, 396.
Viguacarbo, 390.
Vireo, 382.
 bellii, 189, 214.
 bellii arizonæ, 396, 461.
 bellii medius, 350.
 bellii pusillus, 383.
 flavifrons, 421.
 gilvus, 49, 61, 421.
 gilvus swainsoni, 436.
 griseus, 383.
 griseus bermudianus, 383.
 griseus maynardi, 383.
 griseus micrus, 383.
 huttoni, 396, 436.
 huttoni cognatus, 350.
 huttoni oberholseri, 399.
 huttoni obscurus, 396.
 mailliardorum, 396.
 noveboracensis, 20, 207, 383, 421.
 olivaceus, 20, 32, 49, 61, 73, 189, 421.

- Vireo philadelphicus*, 32, 487.
pusillus, 85, 224, 383.
pusillus albatrus, 85.
solitarius, 61.
solitarius alticola, 327, 421.
solitarius cassini, 436.
vicinior, 189.
- Vireo*, Arizona, 461.
 Bell's, 189, 214.
 Blue-headed, 9, 61, 207.
 California Least, 85.
 Cassin's, 189, 436.
 Frazer's, 350.
 Gray, 189.
 Hutton's, 436.
 Mountain Solitary, 237, 421.
 Philadelphia, 15, 32, 207, 487.
 Red-eyed, 9, 14, 15, 20, 32,
 49, 61, 73, 137, 189, 207, 421.
 Solitary, 15.
 Texas, 350.
 Warbling, 4, 9, 49, 61, 214, 421.
 Western Warbling, 436.
 White-eyed, 20, 207, 421.
 Yellow-throated, 15, 207, 421.
- Vireosylva*, 382.
calidris barbatula, 382.
flavoviridis, 382.
gilva, 214, 382.
gilva swainsoni, 382.
olivacea, 382.
philadelphica, 382.
- Vultur papa*, 369.
- Vulture*, Black, 199, 417, 440.
 Turkey, 15, 199, 232, 315, 328,
 417, 432, 440.
- WALTER, Hubert Eugene, notice of
 his 'Theories of Bird Migration,'
 329-333.
- Warbler, Audubon's, 33, 164, 436,
 461.
 Bachman's, 196, 207, 421, 479.
 Bay-breasted, 4, 9, 11, 12, 14,
 209, 214.
 Bell's, 354.
 Black and White, 3, 8, 12,
 13, 33, 61, 190, 207, 231,
 421.
 Blackburnian, 8, 12, 13, 62,
 210, 422.
 Black-poll, 1, 4, 9, 10, 12, 14,
 50, 62, 73, 209, 225, 422.
 Black-throated Blue, 8, 11, 12,
 62, 190, 422.
 Black-throated Gray, 437.
 Black-throated Green, 3, 9, 11,
 12, 13, 62, 137, 210, 422.
 Blue-winged, 16, 65, 208, 233,
 328, 421.
 Brewster's, 65-68, 86, 196, 208,
 320, 354.
 California Yellow, 350.
 Cairns's, 237.
 Canadian, 5, 8, 12, 13, 62, 211,
 214, 423.
 Cape May, 4, 9, 11, 12, 209, 479.
 Cerulean, 12, 209, 238, 422.
 Chestnut-sided, 9, 11, 12, 13,
 16, 62, 209, 238, 422.
 Cincinnati, 354.
 Connecticut, 12, 281, 284.
 Golden Pileolated, 437.
 Golden-winged, 12, 65, 214,
 284, 421.
 Hooded, 12, 18, 211, 233, 423,
 480.
 Kentucky, 87, 210, 218, 320,
 423.
 Kirtland's, 12, 422, 480.
 Lawrence's, 86, 354.
 Lutescent, 159, 436.
 Macgillivray's, 33, 437.
 Magnolia, 8, 11, 12, 13, 62, 190,
 209, 237, 283.
 Mourning, 9, 12, 62, 210, 230,
 282.
 Myrtle, 4, 8, 11, 12, 14, 50, 62,
 73, 137, 190, 209, 422, 436.
 Nashville, 8, 12, 13, 33, 62, 137,
 207, 421.
 Northern Parula, 62.

- Warbler, Orange-crowned, 33, 50, 421, 483.
Palm, 11, 12, 14, 214, 422.
Parula, 3, 8, 12, 421.
Pileolated, 437.
Pine, 11, 12, 197, 210, 422, 480.
Prairie, 12, 87, 210, 281, 422.
Prothonotary, 12, 14, 214, 230, 319, 320.
Swainson's, 225, 478.
Sycamore, 210.
Tennessee, 5, 9, 11, 12, 13, 14, 33, 73, 190, 209, 421.
Townsend's, 50, 437.
Western Parula, 190, 209.
Wilson's, 8, 12, 51, 73, 211, 423.
Worm-eating, 207, 319, 421.
Yellow, 3, 8, 11, 12, 14, 33, 50, 73, 159, 209, 422, 436, 467.
Yellow Palm, 422.
Yellow-throated, 422.
- Ward, Henry L., occurrence of a Dovekie at Port Washington, Wis., 215; a black Robin and its albinistic tendencies, 226; Clarke's Nutcracker from Wisconsin, 318.
- Warren, Edward R., notice of his 'Northwestern Colorado Bird Notes,' 492.
- Water-thrush, 8.
Grinnell's, 33, 50, 73, 210, 422, 487.
Louisiana, 15, 19, 210, 423, 467.
Western, 73.
- Wavey, Gray, 70.
- Waxwing, Bohemian, 45-48, 436.
Cedar, 32, 48, 207, 421, 436.
- Wayne, Arthur T., the breeding season of the American Barn Owl (*Strix pratincola*) in South Carolina, 21-25; Bewick's Wren (*Thryomanes bewickii*) on the coast of South Carolina, 87; the Cinnamon Teal (*Querquedula cyanoptera*) on the coast of South Carolina, 216; the Whistling Swan (*Olor columbianus*) in South Carolina, 217; three erroneous Georgia records, 229.
- Whip-poor-will, 3, 15.
- Whistler, 69.
- Widmann, Otto, notice of his 'A Preliminary Catalog of the Birds of Missouri,' 89; another Clarke's Crow taken in Missouri, 222.
- Willet, Eastern, 234.
Western, 179.
- Williams, R. W., Jr., late occurrence of the Black-poll Warbler (*Dendroica striata*) in the District of Columbia, 225.
- Wilsonia canadensis, 5, 6, 62, 211, 214, 423.
citrina, 384.
mitrata, 18, 211, 384, 423, 480.
pusilla, 51, 211, 423.
pusilla chryseola, 437.
pusilla pileolata, 437.
- Wiskajon, 71.
- Wood, J. Claire, the Savanna Sparrow breeding in Detroit and Hamtramck Village, Mich., 223; corrections to 'A List of the Land birds of Southeastern Michigan,' 230; bird notes from southeastern Michigan, 324-327; Bartramian Sandpiper in Wayne Co., Mich., 473; the Kirtland and Pine Warblers in Wayne Co., Mich., 480.
- Wood, Norman A., notes on the spring migration (1907) at Ann Arbor, Michigan, 10-15.
- Woodcock, American, 59, 177, 220.
- Woodpecker, American Three-toed, 60.
Arctic Three-toed, 59, 139, 434.
Cabanis's, 483.
Downy, 8, 59, 139, 199, 446, 465.
Gairdner's, 434.
Gila, 458.

- Woodpecker, Hairy, 59, 139, 185, 199, 465.
 Harris's, 433.
 Ivory-billed, 445.
 Lewis's, 434, 353.
 Northern Pileated, 60, 200, 231, 434.
 Pileated, 139, 418, 447, 475.
 Red-bellied, 14, 201, 418, 447, 465.
 Red-cockaded, 196, 200, 418, 446.
 Red-headed, 9, 10, 26, 200, 279, 283, 418, 447, 465, 476.
 Southern Downy, 418.
 Southern Hairy, 418, 446.
 Texas, 458.
- Woodruff, E. Seymour, a preliminary list of the birds of Shannon and Carter Counties, Missouri, 191-214; another capture of a tagged duck, 216; a tame Field Sparrow, 477.
- Worcester, Dean C., notice of his papers on Philippine ornithology by, 336.
- Wren, Baird's, 190.
 Bewick's, 87, 211, 423.
 Cañon, 87, 226, 461.
 Carolina, 53, 211, 324, 423, 480.
 House, 3, 8, 14, 62, 423.
 Long-billed Marsh, 15, 321.
 Northwest Bewick's, 437.
 Pacific House, 437.
 Prairie Marsh, 212.
 Rock, 53, 461, 467.
 San Nicolas Rock, 350.
 Short-billed Marsh, 229, 320, 423.
- Wren, Tulé, 323, 437.
 Western House, 53, 211, 467.
 Western Winter, 164, 437.
 Winter, 7, 14, 63, 211, 423.
- Wren-tit, 351.
- Wyman, L. E., the Prairie Warbler near Chicago, 87.
- XANTHOCEPHALUS xanthocephalus, 28, 466.
- Xema sabinii, 484.
- YELLOW-LEGS, Greater, 14, 179, 213, 432, 463.
 Lesser, 70, 135, 157, 179, 220, 432, 463.
- Yellowthroat, Maryland, 423.
 Northern, 9, 15, 19, 62, 211.
 Pacific Coast, 33, 437.
 Western, 50, 461.
- ZAMELODIA ludoviciana, 61, 206, 233, 420.
 melanocephala, 32, 43, 228, 436.
- Zenaidura carolinensis, 458.
 macroura, 368, 417, 432, 440, 464.
 macroura carolinensis, 368.
- Zonotrichia, 224, 399.
 albicollis, 40, 61, 72, 91, 204, 419.
 coronata, 435.
 gambeli, 72.
 leucophrys, 31, 40, 204, 419.
 leucophrys gambeli, 460.
 leucophrys intermedia, 40.
 leucophrys nuttalli, 435.
 querula, 72, 82, 187.