

INDEX TO VOLUME XXVI.

[New generic, specific, and subspecific names are in **heavy-face** type.]

- AAPTUS, 103.
- Abbott, Clinton G., the Black-throated Green Warbler as a nesting species on Long Island, N. Y., 80.
- Acanthis, 301.
 hornemanni exilipes, 150, 308.
 linaria, 57, 69, 150, 316, 358, 396.
- Acanthopneuste borealis, 302.
 borealis kennicotti, 302.
- Accentor, 103.
- Accipiter cooperi, 6, 394.
 velox, 6, 147, 366, 394.
 velox rufilatus, 302.
- Accipitrinæ, 297.
- Actitis hypoleucis, 34.
 macularia 5, 23, 68, 146, 290, 366, 393.
- Actocheilidon, 300.
- Actodromas fuscicollis, 427.
- Æchmophorus occidentalis, 86, 276, 391.
- Ægialitis meloda, 407, 410.
 semipalmata, 68, 290, 410.
- Ægiothus, 301.
- Æronautes melanoleucus, 62, 148, 181, 413.
- Æstrelata fisheri, 323.
 heraldica, 323.
 sandwichensis, 100.
- Agelaius phœniceus, 149, 368.
 phœniceus aretolegus, 301, 404, 415.
 phœniceus fortis, 192, 396, 415.
 phœniceus neutralis, 401, 405, 407, 415.
- Agreocantor, 301.
- Aimophila ruficeps scotti, 407, 417.
- Aix sponsa, 26, 281.
- Alauda vulgaris, 256.
- Alca, 300.
- Alcedo, 300.
- Aldrich, Charles, notice of death of, 218.
- Alle alle, 436.
- Allen, Francis H., breeding of the Mockingbird near Boston, 433.
- Allen, J. A., the Habitat Groups of North American Birds in the American Museum of Natural History, 165-179.
- Aluco pratincola, 305, 313, 412.
- Amadava, 103.
- American Museum of Natural History, habitat groups of birds in, 165-174.
- American Ornithologists' Union, Twenty-sixth Stated Meeting of, 71-75; Fifteenth Supplement to its Check-List of North American Birds, 294-303; its work for bird protection, 335; new (third) edition of its Check-List of North American Birds, 453; Twenty-seventh Stated Meeting of, 456.
- Ammodramus, 298, 299.
 bairdi, 298.
 lecontei, 80.
 nelsoni, 397.
 nelsoni subvirgatus, 84.
 savannarum australis, 299, 432.
 savannarum bimaculatus, 299.
 savannarum floridanus, 299.

- Ammospiza, 103.
 Ampelis cedrorum, 358.
 Amphispiza bilineata deserticola,
 417.
 nevadensis, 87, 417.
 Anas aberti, 426.
 boschas spilogaster, 302.
 diazii, 426.
 ferina, 251.
 fulvigula, 179, 425.
 fulvigula maculosa, 280, 426.
 obscura, 175.
 obscura rubripes, 175, 423.
 platyrhynchos, 67, 145, 201,
 280, 391.
 rubripes, 176, 439.
 rubripes rubripes, 423.
 rubripes *tristis*, 176, 295, 423.
 Anderson, Rudolph M., nesting of
 the Bohemian Waxwing (*Bomby-
 cilla garrula*), 10-12; northward
 range of *Ammodramus lecontei*,
 80; breeding of *Dendroica striata*
 at Great Slave Lake, 80; his
 zoölogical explorations in Arctic
 America, 107.
 Anhinga, 168, 240, 302.
 Anoplops rufigula, 446.
 Anous stolidus, 209, 214.
 Anser albifrons gambeli, 283.
 canadensis, 261.
 Anseria, 52, 256.
 Anthus pensilvanicus, 152, 399.
 rubescens, 70.
 spraguei, 152.
 Antiganus, 52.
 Antrostomus carolinensis, 306, 355.
 vociferus, 133, 355, 367, 403,
 407, 413.
 Aphelocoma woodhousei, 182, 415.
 Aphobus, 103.
 Apodium, 256.
 Aquila chrysaetos, 6, 68, 147, 394.
 dicoronyx, 260.
 Aramidæ, 313.
 Archibuteo ferrugineus, 147.
 Archibuteo lagopus sanctijohannis,
 147, 394.
 Archilochus, 298.
 alexandri, 298.
 colubris, 298, 367, 395.
 Ardea cærulea, 76, 83, 189.
 herodias, 27, 146, 285, 366, 392.
 herodias treganzai, 302.
 lucida, 253.
 phaioma, 260.
 xanthodactyla, 252.
 Ardetta exilis, 426.
 Arenaria interpres, 291.
 interpres morinella, 410.
 Arquatella ptilocnemis, 23.
 Arnow, Isaac F., the Masked Duck
 — a correction, 189.
 Asio accipitrinus, 394.
 flammeus, 68; 148.
 wilsonianus, 78, 148.
 Astragalinus psaltria, 182, 416.
 psaltria arizonæ, 401.
 psaltria mexicana, 79.
 tristis, 134, 150, 368, 396, 416.
 Astur atricapillus, 147, 394.
 Asyndesmus lewisi, 6, 148.
 Audubon Society of the State of
 New York, Thirteenth Annual
 Meeting of, 219.
 Auk, Great, 94, 238, 244.
 Little, 237.
 Razor-billed, 110, 237.
 Avocet, American, 60, 146, 287.
 Azuria, 301.
 BÆOLOPHUS bicolor, 136.
 inornatus griseus, 184, 421.
 inornatus murinus, 302.
 Bailey, Florence Merriam, notice of
 the third edition of her 'Hand-
 book of Birds of the Western
 United States,' 102.
 Bailey, H. B., northern breeding
 limit of the Chuck-wills-widow,
 306.
 Baldpate, 145, 280.

- Bangs, Outram, notice of his 'Notes on Birds from Western Colombia,' 320; notice of his 'A New Tyrant-Bird from the Santa Marta Region of Colombia,' 320; see also Thayer, John E.
- Bartramia longicauda, 68, 146, 180, 290, 393, 410.
- Bergtold, W. H., the Little White Egret in New Mexico, 76; Mexican Goldfinch in Colorado, 79; albino Robins, 196-198.
- Berlepsch, Hans Graf von, notice of his 'On the Birds of Cayenne,' 207.
- Betts, Norman DeW., Brown Creeper nesting near St. Louis, 434.
- 'Bird-Lore,' notice of, 108.
- Bird, Man-o'-war, 302.
- 'Bird News,' notice of,
- Birds-of-Paradise, protection of in Territory of Papua, 456.
- Bittern, American, 26, 146, 285, 366, 392, 439.
- Least, 24, 285, 379, 426.
- Blackbird, Bicolored, 303.
- Brewer's 7, 150, 396.
- Red-winged, 115, 149, 192, 198, 222, 228, 368, 372, 405, 435.
- Rusty, 223, 368, 396.
- Tricolored, 30.
- Yellow-headed, 149, 371-389, 396.
- Blackcap, 323-326.
- Bluebird, 83, 137, 153, 198, 224, 228, 229, 361, 370, 402, 422.
- Chestnut-backed, 185, 422.
- Mountain, 9, 153, 185, 400, 422.
- Western, 9.
- Boardman, E. D., see Bridge, Lidian E.
- Bobolink, 62, 149, 192, 222, 224, 354, 415.
- Bob-white, 25, 132, 147, 355, 410.
- Bombycilla cedrorum, 151, 369, 398.
- garrula, 8, 10-12, 151, 398, 418.
- garrula pallidiceps, 301.
- Bonasa umbellus, 24, 132, 366.
- umbellus togata, 58, 393.
- umbellus umbelloides, 6, 147, 393.
- Booby, 205.
- Botaurus lentiginosus, 26, 146, 285, 366, 392.
- Bowditch, B. S., ornithological miscellany from Audubon wardens, 116-128.
- Bowles, J. H., three new records for the State of Washington and one for Oregon, 200; see also Dawson, William Leon.
- Braislin, William C., notes concerning certain birds of Long Island, N. Y., 314-316.
- Brant, 302, 439.
- Black, 392.
- White-bellied, 302.
- Branta canadensis, 146, 284, 392.
- canadensis hutchinsi, 146, 284.
- canadensis minima, 284.
- nigricans, 392.
- Brewer, Ernest, the Carolina Wren at Falmouth, Me., 82.
- Brewster, William, Barrow's Goldeneye in Massachusetts, 153-164; a recent instance of the occurrence of the White Pelican (*Pelecanus erythrorhynchos*) in Massachusetts, 185; the European Widgeon in Rhode Island, 186; Snow Geese in Massachusetts, 189; occurrence of the Whimbrel (*Numenius phaeopus*) off the coast of Nova Scotia, 190; Evening Grosbeak again in Massachusetts, 194; Prothonatory Warbler taken on the coast of Maine, 309; breeding of the Louisiana Water-Thrush (*Seiurus motacilla*) in Berkshire County, Mass., 310.

- Bridge, Lidian E., and E. D. Boardman, a correction, 80.
- Brimley, H. H., North Carolina notes, 436.
- Bristol County (Mass.) Academy of Sciences, 455.
- 'British Birds,' proposed scheme of, for marking birds, 332, 333.
- British Ornithologist's Club, notice of its 'Report on the Immigration of Summer Residents in the Spring of 1907' in England and Wales, 96.
- British Ornithologist's Union, Jubilee Meeting of, 317-319; action of in respect to bird protection, 455.
- Brooks, Allan, some notes on the birds of Okanagan, British Columbia, 60-63; three records for British Columbia, 313.
- Brooks, Earle A., notes from West Virginia, 84; notice of his 'A Descriptive Catalogue of the Birds in the Ornithological Exhibit of the West Virginia Board of Agriculture,' 327.
- Brown, Frank A., the Cardinal at Ipswich, Mass., 194.
- Brown, Nathan Clifford, the Spruce Partridge in the White Mountains, 428; note on the Red Crossbill and the Pine Finch in South Carolina, 432.
- Brownson, William H., obituary of, 453.
- Bryan, Wm. Alanson, notice of his 'Some Birds of Molokai,' 99.
- Bubo virginianus, 58, 132, 394.
virginianus arcticus, 412.
virginianus pallescens, 148.
virginianus subsp., 68.
sp. 6.
- Bucephala islandica, 153, 154.
- Buffel-head, 145, 240, 241, 282, 392.
- Bulweria macgillivrayi, 323.
- Bunting, Audubon's, 271.
Black-throated, 134, 222, 359.
Indigo, 134, 151, 369, 402, 418.
Lark, 151, 183, 418.
Lazuli, 151.
Snow, 303, 352, 439.
Townsend's 269-272.
- Bush-Tit, Lead-colored, 184, 421.
- Buteo borealis, 132, 366.
borealis alascensis, 204, 296.
borealis calurus, 6, 147, 394.
borealis krideri, 147.
lineatus, 147.
platypterus, 366, 394.
swainsoni, 83, 147, 394.
- Buteonidæ, 297.
- Butorides virescens, 132, 146, 314, 407, 409.
- Buzzard, Turkey, 231.
- CÆRULEOCANTOR, 301.
- Calamospiza melanocorys, 151, 183, 418.
- Calcarius lapponicus, 150, 397.
lapponicus alascensis, 69.
ornatus, 150, 416.
pictus, 150.
- Calidris, 51.
arenaria, 427.
leucophæa, 289, 410.
- Callipepla squamata, 410.
- Calospiza, 103.
- Calvert, Philip P., notice of his map of temperature distribution in Mexico and Central America, 333.
- Calypte anna, 291, 292, 293, 440, costæ, 293.
- Canachites canadensis, 58, 428.
canadensis osgoodi, 68.
- Capsiempis caudata, 446.
- Caracara, 320.
- Cardinal, 134, 194, 231, 359.
- Cardinalis cardinalis, 134, 194.
- Carpodacus cassini, 7.
mexicanus frontalis, 416.
purpureus, 358, 368, 396.

- Carpophagus, 103.
Carriker, M. A., Jr., notice of his 'Notes on Costa Rican Formicariidae,' 98; notice of his collecting expedition to South America, 454.
Cary, Merritt, new records and important range extensions of Colorado birds, 180-185; a correction, 312.
Cassicus, 104.
'Cassinia,' for 1908, notice of, 208.
Catbird, 136, 152, 228, 229, 370, 399, 420.
Catharista urubu, 315.
Cathartes aura, 315.
 aura septentrionalis, 6, 28, 132, 147
Catherpes mexicanus conspersus, 88, 184, 312, 314, 420.
 mexicanus polioptilus, 312.
Catoptrophorus semipalmatus inornatus, 146, 290.
Cedar-bird, 358.
Centrocercus urophasianus, 147.
Centurus carolinus, 133, 199, 413.
Ceophloeus pileatus, 367.
 pileatus abieticola, 395.
Cercomacra tyrannina, 98.
Certhia familiaris americana, 435.
 familiaris montana, 9, 70, 421.
 pinus, 299.
Ceryle, 300.
 aleyon, 6, 69, 132, 148, 367, 395.
Chamæpelia, 297, 300.
 passerina bermudiana, 297.
 passerina pallescens, 297.
 passerina terrestris, 297.
Chætura pelagica, 133, 148, 198, 357, 367.
 vauxi, 6.
Chamæa, 303.
Chapman, Frank M., notice of his 'Camps and Cruises of an Ornithologist,' 89; notice of his 'A Contribution to the Life-Histories of the Booby (*Sula leucogastra*) and Man-o'-War Bird,' 205.
Charadrius dominicus, 77, 290, 410.
 viridis, 261.
Charitonetta albeola, 145, 282, 392.
Chat, Long-tailed, 63, 152.
 Yellow-breasted, 136, 230, 352, 420, 435.
Chauleasmus streperus, 145, 280.
Chen hyperborea, 67, 188, 283, 392.
 hyperborea nivalis, 145, 283, 304.
 rossi, 283, 407, 409.
Cherrie, George K., a spring record for Bicknell's Thrush on Long Island, 196; notice of his 'New Birds from the Orinoco Region and Trinidad,' 446.
Chewink, 230.
Chickadee, 56, 223, 370, 399, 435.
 Carolina, 136.
 Chestnut-backed, 9.
 Hudsonian, 70, 223, 399.
 Long-tailed, 9, 153.
 Mountain, 9.
 Turner's, 303.
 Yukon, 303.
Chicken, Prairie, 303, 411.
 Lesser Prairie, 411.
Chondestes grammacus, 80.
 grammacus strigatus, 62, 150.
Chordeiles virginianus, 133, 355, 367.
 virginianus henryi, 6, 148, 395.
Chuck-wills-widow, 306, 355.
Cinclus, 51.
 mexicanus unicolor, 70, 152.
Circus hudsonius, 68, 147, 394.
Cistothorus stellaris, 82, 184, 405, 407, 421.
Clangula americana, 57.
 clangula americana, 145, 158, 282, 392, 439.
 glaucon, 156.
 islandica, 153-164, 282.
Coccythraustes vespertinus montanus, 87.

- Coccyges, position of feet in flight, 114.
- Coccyzus americanus, 132, 148, 412.
- erythrophthalmus, 132, 148, 412.
- Colaptes auratus, 133.
- auratus luteus, 148, 201, 367, 395, 413.
- cafer collaris, 148.
- Cole, Leon J., the destruction of birds at Niagara Falls, 63-65; Carolina Wren in Rhode Island, 81; the tagging of Wild Birds as a means of studying their movements, 137-143; notice of his 'The Crow as a Menace to Poultry Raising,' 322.
- Colinus virginianus, 25, 132, 147, 355, 410.
- Columba fasciata, 87.
- passerina, 297.
- Columbæ, position of feet in flight, 112.
- Columbigallina, 297.
- Columbina, 300.
- Colymbus auritus, 145, 276, 366, 391, 408.
- holboelli, 391.
- nigricollis californicus, 145, 277, 391.
- Compothlypis americana, 309, 353.
- americana ramelinæ, 310.
- americana usneæ, 199, 309, 419.
- Condor, California, 169.
- Conoponderas, 103.
- Contopus virens, 354, 404.
- Cooke, W. W., some new birds for Colorado, 314; the Birds of Colorado — third Supplement, 400-422.
- Coot, American, 112, 146, 242, 287, 393, 409.
- Cormorant, Brandt's, 169.
- Double-crested, 279.
- Cormorant, Mexican, 279, 402, 408.
- Cormorants, 239.
- Corvus brachyrhynchos, 35, 133, 149, 368, 396.
- corax principalis, 56, 69, 84, 133, 368, 396.
- corax sinuatus, 87, 149.
- Cory, Charles B., notice of his 'The Birds of Illinois and Wisconsin,' 442.
- Coturnicops noveboracensis, 1-5, 190, 314.
- Coturniculus, 298.
- bairdi, 150.
- henslowi, 29.
- savannarum australis, 134.
- savannarum bimaculatus, 62, 150.
- Cowbird, 7, 149, 357, 368, 396.
- Red-eyed, 307.
- Craig, Wallace, notice of his 'The Voice of Pigeons regarded as a means of Social Control,' 98.
- Crane, Little Brown, 67, 286, 392.
- Sandhill, 168, 286, 403, 409.
- Whooping, 286, 392.
- Creciscus jamaicensis, 190, 287.
- Creepers, Brown, 434.
- Finch, 353.
- Rocky Mountain, 9, 70, 421.
- Crossbill, American, 7, 150, 196, 223, 402, 432.
- Mexican, 402.
- White-winged, 196, 223, 396, 416.
- Crow, American, 35, 56, 133, 149, 322, 368, 396.
- Clark's, 7.
- Cryptoglaux, 298.
- acadica, 394.
- funerea, 298.
- tengmalmi, 298.
- Cuckoo, Black-billed, 132, 148, 223, 412, 435.
- Yellow-billed, 132, 148, 412, 435.

- Cuculi, 313.
Curlew, Eskimo, 77.
 Hudsonian, 68, 290.
 Long-billed, 146, 290.
 Pink, 117.
Cyanocephalus cyanocephalus, 149,
 182, 415.
Cyanocitta cristata, 85, 133, 149,
 368, 395, 401, 407, 414.
 stelleri annectens, 7.
Cypseloides niger borealis, 413.
Cyrtonyx montezumæ mearnsi, 323.
- DAFILA acuta, 145, 201, 281, 392.
Darters, 239.
Darwin Memorial Celebration in
 New York, 219.
Davis, Wm. T., a colony of Hermit
 Thrushes at Yaphank, Long
 Island, N. Y., 435.
Dawson, William Leon, and John
 Hooper Bowles, notice of their
 ‘The Birds of Washington,’ 328.
Deane, Ruthven, some original
 manuscript relating to the history
 of Townsend’s Bunting, 269–
 272; additional record of the
 European Widgeon (*Mareca pene-*
 lope), 304; third record of the
 Purple Gallinule (*Ionornis mar-*
 tinica) in Illinois, 305; the Pas-
 senger Pigeon — only one pair
 left, 429.
Deane, Walter, *Asio wilsonianus*
 in Shelburn, New Hampshire, 78.
Dearborn, Ned, notice of his ‘Cata-
 logue of a Collection of Birds
 from British East Africa,’ 327.
Dendragapus obscurus, 147.
 obscurus sierræ, 25.
 richardsoni, 5.
Dendrocygna fulva, 304.
Dendroica æstiva, 8, 135, 152, 201,
 359, 369, 399.
 æstiva sonorana, 401, 419.
 auduboni, 8, 152.
 blackburniæ, 135, 199, 300.
Dendroica cærulescens, 360, 419.
 cærulescens cairnsi, 135.
 castanea, 360.
 coronata, 70, 399, 419, 432.
 discolor, 195, 356, 432.
 dominica, 360.
 fusca, 300.
 graciæ, 183, 420.
 maculosa, 399.
 magnolia, 420.
 nigrescens, 183, 420.
 palmarum, 316, 356.
 pennsylvanica, 199, 360.
 striata, 70, 80, 152, 369, 399.
 townsendi, 183, 420.
 vigorsii, 136, 195, 356, 360.
 virens, 80, 135, 360, 369.
De Vinne, J. L., capture of an
 American Eider at Chicago, 426.
Dichromanassa rufescens, 286.
Dickcissel, 151, 222, 359, 418.
Dille, Fred. M., notes on occurrence
 and nesting of certain species
 additional to the ‘Birds of Colo-
 rado,’ 86–88.
Dinopium, 53, 250.
 (Picoidea) erythronotus, 256.
Dipper, American, 152.
Dolichonyx oryzivorus, 62, 149,
 193, 415.
Dove, Bermuda Ground, 297.
 Ground, 297.
 Mexican Ground, 297.
 Mourning, 6, 132, 147, 390,
 394, 411.
Dovekie, 237, 436.
Dowitcher, Long-billed, 288, 439.
Drepanorhamphus funereus, 99.
Drymophila læmosticta, 98.
 stictoptera, 98.
Dryobates pubescens, 133, 367, 412
 pubescens nelsoni, 69, 148, 395.
 scalaris bairdi, 413.
 villosus, 148, 367, 401, 405, 407,
 412.
 villosus auduboni, 133.
 villosus leucomelas, 57, 395.

- Dryobates villosus monticola*, 6.
villosus terrænovæ, 296.
- Duck, Black, 175-179, 242, 247, 295, 422-426, 439.
 Buffel-head, 145, 240, 241, 282
 Canvas-back, 145, 240, 281, 392, 408.
 Eider, 124.
 Florida, 425.
 Harlequin, 67.
 Lesser Scaup, 281, 392, 409.
 Masked, 189.
 Mottled, 280.
 Pintail, 145.
 Red-legged Black, 176, 423.
 Ring-necked, 281, 392, 409.
 Ruddy, 145, 240, 242, 283.
 Scaup, 281.
 Steamer, 242.
 Steller's, 302.
 Summer, 26.
 Wood, 281, 439.
- Dumetella carolinensis*, 136, 152, 370, 399, 420.
- Dutcher, William, notice of his Annual Report for 1908 as President of the National Association of Audubon Societies, 100.
- Dwight, J., Jr., the Bluebird (*Sialia sialis*) in Quebec, 83; the singular case of the Black Duck of North America, 422-426.
- EAGLE, Bald, 147, 191, 394.
 Golden, 6, 68, 147, 171, 394.
- Eaton, E. Howard, announcement of his work on 'Birds of New York State,' 453.
- Eckstorm, Fannie Hardy, the Meadowlark in Maine, and other notes, 430-432.
- Egret, American, 169, 409.
 Brewster's Snowy, 295, 321.
 Reddish, 286.
 Snowy, 76, 285, 303.
- Egretta candidissima*, 76, 180, 285, 409.
- Egretta candidissima brewsteri*, 295, 321.
- Eider, American, 124, 241, 283, 426.
 King, 59, 201, 439.
 Northern, 241.
 Steller's 302.
- Eifrig, G., winter birds of New Ontario, and other notes on northern birds, 55-59; the Grasshopper Sparrow at Ottawa, Ontario, 432; the Prairie Warbler (*Dendroica discolor*) in Northern Ontario, 432; additions to the list of Birds of Allegany and Garret Counties, Maryland, 437.
- Elliot, D. G., note concerning, 108.
- Emberiza atrata*, 253.
auduboni, 271
lecontei, 299.
- Empharis, 48, 51.
- Empidonax flaviventris*, 395.
hammondi, 7.
minus, 367, 395.
trailli, 87, 149.
trailli alnorum, 199.
virescens, 133, 149, 430.
wrighti, 7.
- Ereunetes mauri*, 289, 410.
pusillus, 289.
- Erismatura jamaicensis*, 145, 283.
- Euetheia*, 301.
- Euphagus carolinus*, 69, 396, 416.
cycnocephalus, 7, 150, 396.
- Euphonia*, 103.
- Euspiza albigula*, 270.
- FALCO *columbarius*, 61, 68, 147.
columbarius richardsoni, 147, 394.
erythruros, 252.
islandus, 201.
mexicanus, 61, 147, 191.
peregrinus anatum, 147.
peregrinus pealei, 61.
rusticolus, 394, 429.
sparverius, 147, 366, 394.
sparverius phalæna, 6.

- Faleo tinnunculus, 296.
torquatus, 255
- Falcon, Peale's, 61.
Prairie, 61, 147, 191.
- Falconidæ, 297.
- Falconinæ, 298.
- Felger, A. H., Wild Turkeys in Illinois, 78; Colorado notes, 85; Wild Turkeys [formerly in Colorado], 191; annotated list of the Water Birds of Weld, Morgan and Adams Counties, Colorado, south to the first Sectional Line below the Fortieth Parallel, 272-291.
- Field, George W., notice of his 'A Report on the Eastern Pinnated Grouse or Heath Hen (*Tympanuchus cupido*),' 96.
- Finch, Black Rosy, 416.
Brown-capped Rosy, 416.
Cassin's Purple, 7.
Grass, 222.
Gray-crowned Rosy, 416.
House, 303.
Lark, 372.
Painted, 359.
Pine, 432.
Purple, 224, 358, 368, 396.
Rosy, 303, 396.
Seaside, 357.
- Fisher, Walter T., see Taylor, Thorne C.
- Flamingo, American, 170.
- Flicker, 133, 367, 435.
Northern, 148, 201, 395, 413.
Red-shafted, 148, 413.
- Florida cærulea, 199.
- Flycatcher, Acadian, 303, 430.
Alder, 199, 223.
Ash-throated, 87, 414.
Crested, 133, 435.
Great-crested, 358.
Green-crested, 133, 149, 303.
Hammond's, 7.
Least, 367, 395
- Flycatcher, Olive-sided, 7, 223.
Traill's 87, 149.
Wright's, 7.
Yellow-bellied, 395.
- Forbush, Edward Howe, notice of reports and papers by on the Economic Value of Birds, 97.
- Formicivora canofumosus, 446.
- Fringilla olivacea, 253.
- Fruticantor, 301.
- Frutiornis, 301.
- Fulica americana, 146, 287, 393, 409.
- Fulmarus, 300.
- GADOW, Hans, notice of his 'Through Southern Mexico,' 95.
- Gadwall, 145, 280.
- Gallinæ, position of feet in flight, 112.
- Gallinago delicata, 67, 86, 146, 288, 305, 393, 410.
- Gallinula galeata, 287.
- Gallinule, 247.
Florida, 287, 372.
Purple, 305.
- Game case decision by U. S. Supreme Court, 106.
- Gannet, 239.
- Gavia immer, 145, 277, 391.
- Geococcyx californianus, 181, 412.
- Geothlypis tolmiei, 8, 152, 399.
trichas, 369, 399.
trichas occidentalis, 8, 152, 183, 420.
trichas trichas, 136.
- Gibbs, Robert Morris, obituary of, 105.
- Glaucidium phalænoides, 302.
phalænoides ridgwayi, 302.
- Glaux, 298.
funerea richardsoni, 68.
- Gnatcatcher, Blue-gray, 82, 136, 370.
Western, 184, 421.
- Gnorimopsar, 103.
- Godman, F. Du Cane, notices of his

- 'Monograph of the Petrels,' Part III, 95; Part IV, p. 323.
 Godwit, Marbled, 146, 289.
 Golden-eye, American, 57, 145, 153, 164, 241, 282, 392.
 Barrow's, 153, 164, 282.
 Goldfinch, American, 134, 150, 224, 228, 229, 351, 368, 396, 416.
 Arkansas, 182, 416.
 Mexican, 79.
 Goose, American White-fronted, 283.
 Cackling, 284.
 Canada, 127, 146, 261, 284, 392, 439.
 Greater Snow, 145, 283.
 Hutchins's, 146, 284.
 Lesser Snow, 67, 188, 283, 302.
 Ross's, 302, 409.
 Ross's Snow, 283, 404.
 Snow, 302, 392.
 Goshawk, 147, 394.
 Grackle, Bronzed, 115, 150, 368, 396, 435.
 Rusty, 69, 198, 415.
 Grebe, Eared, 145, 277, 391.
 Holboell's, 236, 391.
 Horned, 145, 236, 276, 366, 391, 408.
 Least, 236.
 Mexican, 302.
 Pied-billed, 145, 277, 391.
 St. Domingo, 302.
 Western, 86, 276, 391.
 Grinnell, Joseph, notice of his 'The Biota of the San Bernardino Mountains,' 202; notice of his Birds and Mammals of the 1907 Alexander Expedition to south-eastern Alaska, 203; notice of his 'Birds of a Voyage on Salton Sea,' 204; notice of his paper on 'Three new Song Sparrows from California,' 321; notice of his 'A Bibliography of California Ornithology,' 326.
 Grosbeak, Alaska Pine, 69.
 Black-headed, 8, 151.
 Blue, 359.
 Evening, 150, 194, 361, 396.
 Pine, 223, 396.
 Rose-breasted, 134, 228, 359, 369, 372, 398, 403, 418.
 Western Blue, 87, 151, 403, 418.
 Western Evening, 87, 403, 416.
 Grouse, Alaska Spruce, 68.
 Blue-tailed, 25.
 Canada, 303.
 Canadian Ruffed, 393.
 Columbian Sharp-tailed, 181, 411.
 Dusky, 147.
 Gray Ruffed, 393.
 Prairie Sharp-tailed, 147, 411.
 Richardson's, 5.
 Ruffed, 26, 97, 132, 366.
 Sage, 147, 171, 303.
 Sharp-tailed, 393.
 Grus americana, 286, 392.
 canadensis, 67, 286, 392.
 mexicana, 286, 409.
 Guara alba, 284.
 Guillemot, Black, 110, 237.
 Guiraca cærulea, 359.
 cærulea eurhynca, 87.
 cærulea lazula, 151, 418.
 Gull, Bonaparte's, 278, 391.
 California, 277, 408.
 Franklin's 278, 408.
 Glaucous, 110.
 Great Black-backed, 110.
 Herring, 67, 110, 120-123, 277, 391, 437, 438.
 Laughing, 124, 127, 278.
 Ring-billed, 145, 278.
 Sabine's, 278, 408.
 Short-billed, 67.
 Western, 277.
 Gyrfalcon, Black, 429.
 Gray, 394.
 White, 201.

- HALLÆTUS leucocephalus*, 147, 191, 394.
Hallohippus, 103.
Hardy, John H., Jr., capture of the European Widgeon in New Hampshire, 304; see also Townsend, C. W.
Harelda hyemalis, 282, 392, 409.
Harlow, R. C., the Little Blue Heron in New Jersey, 189; the Yellow Rail at Salem, New Jersey, 190; Breeding of the Louisiana Water-Thrush in Philadelphia, 195; Wilson's Snipe wintering in Pennsylvania, 305; the Lesser Yellow-legs in Center County, Pennsylvania, 305.
Hartert, Ernst, notice of Part V of his 'Die Vögel der Paläarktischen Fauna,' 207.
Hawk, American Rough-legged, 147.
 American Sparrow, 349, 366.
 Black Pigeon, 303.
 Broad-winged, 366, 394.
 Cooper's, 6, 394.
 Desert Sparrow, 6.
 Duck, 147, 168.
 Ferrugineous, 147.
 Krider's, 147.
 Marsh, 68, 147, 394.
 Pigeon, 61, 68, 147.
 Red-shouldered, 114, 147.
 Red-tailed, 132, 366.
 Richardson's Pigeon, 61, 147, 303, 394.
 Rough-legged, 394.
 Sharp-shinned, 6, 146, 366, 394.
 Sparrow, 114, 147, 394.
 Swainson's, 83, 147, 394.
 Western Red-tailed, 147.
Helminthophila, 299.
 chrysoptera, 135, 314, 360.
 pinus, 360.
 rubricapilla gutturalis, 8.
Helmitheros, 259.
 migratorius, 259.
Helmitheros vermivorous, 356.
Helodromas solitarius, 61, 146, 289, 339.
 solitarius cinnamomeus, 61, 146, 180, 410.
Hemipodius pugnax, 250.
Hen, Heath, 96.
 Lesser Prairie, 181.
 Marsh, 128.
 Prairie, 147, 171.
 Sage, 303.
Henninger, W. F., the American Golden Plover (*Charadrius dominicus*) in Ohio in autumn, 77; another Ohio record for *Oidemia deglandi*, 189.
Herodias, 300.
 egretta, 409.
Herodiones, position of feet in flight, 111.
Heron, Black-crowned Night, 58, 60, 127, 286.
 European, 303.
 European Blue, 303.
 Florida Great Blue, 168.
 Great Blue 27, 111, 146, 285, 366, 392.
 Green, 132, 146, 314, 409, 435.
 Little Blue, 76, 83, 127, 189, 199.
 Louisiana, 24.
 Snowy, 180, 303, 409.
 Yellow-crowned Night, 286, 409.
Herrick, Harold, late flight of Woodcock on Long Island, N. Y., 77.
Hersey, L. J., and Robert B. Rockwell, notice of their 'An Annotated List of the Birds of the Barr Lake District, Adams County, Colorado,' 445.
Hesperiphona vespertina, 150, 194, 396.
 vespertina montana, 416.
Hesperornis, 243, 247.
Heteractitis incana, 67, 146.

- Himantellus, 51.
 Himantopus mexicanus, 287.
 Hirundo erythrogastra, 8, 151, 201,
 369, 398.
 longipennis, 250, 251.
 phenicephala, 260.
 Histrionicus histrionicus, 67.
 Hornaday, William T., notice of his
 'Wild-Life Preservation' num-
 ber of the 'Bulletin' of the New
 York Zoölogical Society, 335.
 Horsfall, Bruce, European Starling
 nesting at Princeton, N. J., 430.
 Hortulanus, 301.
 Howard, H. Eliot, notice of his
 'The British Warblers,' Part III,
 323-326.
 Howe, Reginald Heber, Jr., a curi-
 ous influx of southern Herons
 in New Jersey, 76.
 Howell, Arthur H., notes on the
 summer birds of northern Georgia,
 129-137; *Agelaius phæniceus fortis*
 in Louisiana, 192.
 Huhus, 34, 51.
 Hummingbird, Allen's, 292.
 Anna, 291, 292.
 Black-chinned, 280.
 Broad-tailed, 413.
 Calliope, 6, 413.
 Hybrid, 291-293.
 Ruby-throated, 133, 280, 367,
 395.
 Rufous, 7, 413.
 Hydranassa tricolor ruficollis, 24.
 Hydrochelidon nigra surinamensis,
 145, 278, 391.
 Hydroprogne, 300.
 Hyllocichla aliciae, 152, 399.
 aliciae bicknelli, 196, 312.
 fuscescens, 85, 137, 370.
 fuscescens salicicola, 399.
 guttata, 70, 422.
 guttata pallasi, 370, 399, 422,
 436.
 mustelina, 135, 153, 370, 407,
 422.
 Hyllocichia ustulata, 370.
 ustulata swainsoni, 9, 70, 85,
 153, 399.
 IBIS, White, 284.
 White-faced, 284.
 White-faced Glossy, 409.
 Wood, 285, 409.
 Icteria virens, 136, 352, 420.
 virens longicauda, 63, 152.
 Icterus bullocki, 7, 149, 415.
 galbula, 133, 149, 358, 396,
 415.
 spurius, 149, 358, 401, 415.
 Indigo-bird, 359.
 Inezia, 446.
 Ionornis martinica, 305.
 Iridoprocne bicolor, 398.
 Ixobrychus exilis, 24, 285.
 Ixoreus naevius, 9.
 naevius meruloides, 70
 Ixosorus, 51.
 JAEGER, Parasitic, 277.
 Jay, Alaska, 69.
 Black-headed, 7.
 Blue, 133, 149, 368, 395, 403,
 414.
 Canada, 56, 149, 368, 395.
 Piton, 149, 182, 415.
 Rocky Mountain, 7.
 Woodhouse's, 182, 404, 415.
 Jewett, Stanley G., some birds of
 Baker County, Oregon, 5-9.
 Junco aikeni, 151, 182, 417.
 hyemalis, 70, 151, 200, 357,
 369, 397, 417.
 hyemalis carolinensis, 85, 134.
 hyemalis montanus, 62, 182,
 417.
 hyemalis oregonus, 405, 407,
 417.
 hyemalis shufeldti, 8, 62,
 phænotus caniceps, 151, 411.
 Junco, 357.
 Carolina, 134.
 Gray-headed, 151, 417.

- Junco*, Montana, 182, 417.
Oregon, 417.
Shufeldt's, 8, 62.
Slate-colored, 70, 151, 200,
369, 397, 417.
White-winged, 151, 182, 417.
- KAEDING, H. B., notice of his 'The
Condor' Index, 334.
- Kermode, Francis, notice of his
'The Provincial Museum of Natu-
ral History and Ethnology,' 334.
- Kestrel, 296.
- Killdeer, 146, 222, 290, 366, 393.
- Kingbird, 7, 133, 148, 182, 224, 355,
367, 395, 414.
Arkansas, 7, 148, 414.
- Kingfisher, 243.
Belted, 6, 69, 132, 148, 367, 395.
- Kinglet, Golden-crowned, 223, 370,
399.
Ruby-crowned, 9, 70, 228, 370.
- Kittiwake, 277.
- Knight, Ora Willis, notice of his
'The Birds of Maine,' 93.
- LAGOPUS *alexandræ*, 204, 295.
dixonii, 204, 296.
lagopus, 68.
lagopus alexandræ, 295.
leucurus altipetens, 402.
leucurus peninsularis, 68.
rupestris, 68.
rupestris chamberlaini, 295.
rupestris dixonii, 296.
- Laiscopus, 103.
- Lanius *borealis*, 70, 152, 183, 398,
418.
ludovicianus excubitorides, 152.
ludovicianus gambeli, 62.
ludovicianus mearnsi, 296.
- Lanivireo *flavifrons*, 135.
solitarius, 199.
solitarius alticola, 135.
solitarius cassini, 8, 183, 419.
solitarius plumbeus, 152, 419.
- Lark, Desert Horned, 149, 414.
Horned, 357, 439.
Hoyt's Horned, 414.
Meadow, 357.
Pallid Horned, 62.
Prairie Horned, 368, 414.
- Larus argentatus*, 67, 277, 391, 438.
atricilla, 278.
brachyrhynchus, 67.
californicus, 277, 408.
delawarensis, 145, 278.
franklini, 278, 408.
occidentalis, 277.
philadelphia, 277, 391, 438.
vegæ, 302.
- Leucophoryx*, 300.
- Leucosticte atrata*, 416.
australis, 416.
sp., 69.
tephrocotis, 7, 150, 396, 416.
tephrocotis littoralis, 7.
- Leucosticte* = Rosy Finch, 303.
- Leucosticte*, Gray-crowned, 7, 150.
Hepburn's, 7.
- Limicolæ*, position of feet in flight,
112.
- Limosa fedoa*, 146, 289.
- Lineocantor, 301.
- Linnet, California, 303, 416.
- Lobipes lobatus*, 24, 146, 287, 327,
393.
- Loggerhead, 361.
- Longipennes*, position of feet in
flight, 110.
- Longspur, Alaska, 69.
Chestnut-collared, 150, 416.
Lapland, 150, 397.
McCown's, 150, 416.
Smith's, 150.
- Loon, 145, 235, 244, 246, 277, 366,
391.
Red-throated, 235.
Yellow-billed, 277.
- Lophodytes cucullatus*, 145, 279.
- Lophortyx californicus*, 180, 411.
catalinensis, 300.

- Loxia curvirostra minor*, 7, 150, 432.
curvirostra sitkensis, 204, 301.
leucoptera, 396, 416.
 Lyre Birds, protection of, 456.
- MACFARLANE, Roderick, notice of his 'Through the Mackenzie Basin,' 92.
- Machetes, 297.
pugnax, 297.
- Macrochires, position of feet in flight, 115.
- Macropyteryx (Hemiprocne) *longipennis*, 251.
- Macrorhamphus *scolopaceus*, 288.
- Maculocantor, 301.
- Magpie, American, 7, 69, 149.
 Black-billed, 69.
- Mallard, 67, 145, 201, 242, 247, 280, 391.
- Man-o'-war-bird, 170, 205, 302.
- Marble, Richard Merrill, notes from Crawford Notch, N. H., 437; notice of his 'List of Birds' found at the Crawford House, N. H., 446.
- Mareca americana*, 145, 280.
penelope, 186-188, 304.
- Marila affinis*, 145, 281, 392, 401, 409.
americana, 281, 392, 401, 408.
collaris, 281, 392, 409.
marila, 281, 439.
vallisneria, 145, 392, 401, 408
- Martin, 351.
 House, 446.
 Purple, 135, 151, 183, 369, 418.
- McGregor, Richard C., announcement of his 'Manual of Philippine Birds,' 334; notice his paper on 'Birds from Mindanao,' 445; notice of his 'Philippine Ornithological Literature,' II, 445.
- McKetchnie, P. B., *Dendroica discolor* and *D. vigorsii* in eastern Massachusetts in winter, 195; unusual records for Massachusetts, 198-200.
- Meadowlark, 149, 222, 224, 307, 368, 372, 430.
 Western, 7, 149, 396.
- Mearns, Edgar A., mention of in 'Notes and News,' 108, 220; notice of his 'Additions to the List of Philippine Birds,' etc., 326; notice of his 'A List of the Birds collected by Dr. Paul Bartsch in the Philippine Islands,' etc., 327.
- Melanerpes erythrocephalus*, 133, 367, 431.
- Meleagridæ, 297.
- Meleagris gallopavo*, 78, 191.
gallopavo merriami, 411.
gallopavo osceola, 25.
gallopavo silvestris, 25, 132, 411.
- Melospiza cinerea phæa*, 302.
georgiana, 151, 182, 357, 397, 417.
lincolni, 8.
melodia, 151, 369, 397.
melodia fallax, 321.
melodia gouldi, 301, 321.
melodia maxillaris, 296, 321.
melodia merrilli, 8.
melodia rufina, 200.
melodia saltonis, 301, 321.
- Merganser, American, 5, 145, 240, 279, 391.
 Hooded, 145, 279.
 Red-breasted, 180, 240, 246, 279, 366, 391, 408.
- Mergus americanus*, 5, 145, 279, 391.
serrator, 180, 279, 366, 391, 408.
- Merlin, Black, 303.
 Richardson's, 147, 303.
- Merriam, C. Hart, notice of his Report of the Bureau of Biological Survey for 1908, 101.

- Merula migratoria*, 153.
Micropalama himantopus, 146, 882.
'Midland Naturalist,' notice of, 333.
Miller, Charles W., notice of his
'An Experiment in the Coloniza-
tion of the House Martin,' 446.
Miller, Richard F., *Actodromas*
fuscicollis in Philadelphia Co.,
Pa., 427.
Miller, Waldron DeWitt, the races
of the Parula Warbler, 309; the
rank of certain groups of birds,
313.
Milvus leucomelas, 260.
Mimus polyglottos, 136, 350, 354,
432.
 polyglottos leucopterus, 152,
 420.
Mniotilta varia, 93, 135, 369, 398,
419, 432.
Mockingbird, 136, 350, 354, 433,
438.
 Mountain, 420.
 Western, 152, 420.
Molothrus ater, 7, 149, 368, 396.
Moor-hen, English, 243
Morocus, 52.
Morphnus, 300.
Morris, Robert O., rare birds near
Springfield, Mass., 84; the Star-
ling near Springfield, Mass., 306.
Motacilla blackburniae, 300.
 erythrorus, 253.
 fusca, 300.
Murre, 237.
 Brünnich's, 59.
Muscavivores, 103.
Muscivora, 51.
Mycteria americana, 285, 409.
Myiadestes townsendi, 153, 185, 421.
Myiarchus cinerascens, 87, 414.
 erinitus, 133.
Myiochanes richardsoni, 7, 149, 395.
 virens, 133, 367, 407, 414.
Myrmelastes, 321.
 ceterus, 321.
 Myrmelastes corvinus, 321.
 exsul occidentalis, 98.
 lawrencei, 321.
Myrmotherula axillaris, 98.
NANNUS *hiemalis*, 370.
 hiemalis pacificus, 9.
National Association of Audubon
Societies, notice of the Presi-
dent's Report for 1908, 100;
Fourth Annual Meeting of, 106.
Nelson, E. W., notice of his 'A new
Thrush from Mexico,' 321.
Nettion carolinensis, 67, 145, 280,
391.
Nighthawk, 133, 355, 367.
 Western, 6, 148, 395.
Nomonyx dominicus, 189.
Norton, Arthur H., the Lesser
Snow Goose (*Chen hyperborea*
nivalis) in Gorham, Maine, 304;
the present status of the Meadow-
lark (*Sturnella magna*) near Port-
land, Maine, 307; another Hoary
Redpoll (*Acanthis hornemanni*
exilipes) at Westbrook, Maine,
308; Bicknell's Thrush (*Hylo-
cichla alicia bicknelli*) in Cumber-
land County, Maine, 312; the
food of several Maine Water-
Birds, 438-440.
Notiomystis, 103.
Nucifraga columbiana, 7, 62, 149.
Numenius americanus, 290.
 aterrimus, 255.
 borealis, 77.
 hudsonicus, 68, 290.
 longirostris, 146.
 phaeopus, 190.
Nutteracker, Clarke's, 62, 149.
Nuthatch, Pygmy, 9, 184.
 Red-breasted, 9, 152, 198, 199,
 223, 370, 399.
 Rocky Mountain, 9, 421.
 Slender-billed, 152.
 White-breasted, 136.

- Nuttallornis borealis*, 7.
Nyctanassa violacea, 286, 409.
Nyctea nyctea, 68, 148, 316, 394.
Nycticorax nycticorax nævius, 58,
 60, 286.
- OBERHOLSER, Harry C., notice of his
 'A List of the principal Birds to
 be found in Alabama,' 206; notice
 of his 'Revision of the King-
 fisher Genus *Ramphalcyon* (*Pel-
 argopsis*),' 206.
- Oceanitinæ*, 313.
Oceanodroma castro, 296.
 leucorhoa, 84.
 monorhis, 302.
 socorroensis, 302.
- Odontoglossæ*, position of feet in
 flight, 111.
Odontophorinæ, 297.
- Oidemia americana*, 59, 282, 392.
 deglandi, 59, 189, 283, 392, 409.
 perspicillata, 59, 283, 392.
- Old-Squaw, 240, 241, 282, 392, 409.
- Olor buccinator*, 284.
 columbianus, 284.
- Oporornis formosa*, 136.
 philadelphia, 85.
 tolmiei, 420.
- Oreospiza chlorura*, 8, 418.
- Oriole*, Baltimore, 133, 149, 358,
 372, 396, 415.
 Bullock's, 7, 149, 415.
 Orchard, 149, 358, 415.
- Oroscoptes montanus*, 8, 63, 152,
 420.
- Osgood, Wilfred H., note respect-
 ing, 454.
- Osprey, American, 6, 113, 148, 366.
- Otocoris alpestris arcticola*, 62.
 alpestris arenicola, 414.
 alpestris enertera, 300.
 alpestris hoyti, 414.
 alpestris leucolæma, 149, 414.
 alpestris praticola, 368, 407,
 414.
- Otus asio*, 132, 148.
 asio kennicotti, 61.
 asio maxwelliæ, 412.
 flammeola, 87, 181, 412.
 flammeola idahoensis, 61.
- Ouzel, Water, 70, 247, 402.
- Ouzels, 243.
- Ovenbird, 136, 356, 369, 399, 420.
- Owl, American Hawk, 68.
 American Long-eared, 78, 148.
 Arctic Horned, 412.
 Barn, 315, 313, 412, 438.
 Barred, 366, 412.
 Burrowing, 148, 320.
 Dwarf Screech, 61.
 Flammulated Screech, 87, 181,
 403, 412.
 Great Horned, 6, 58, 114, 132.
 Hawk, 394.
 Horned, 68.
 Kennicott's Screech, 61.
 Northwestern Spotted, 313.
 Richardson's, 68, 280.
 Rocky Mountain Screech, 404,
 412.
 Saw-whet, 394.
 Screech, 132, 148.
 Short-eared, 68, 148, 394.
 Spotted, 412.
 Snowy, 68, 148, 316, 394.
 Western Horned, 148, 394, 405.
- Oxyechus vociferus*, 146, 290, 366,
 393.
- PACHYRHAMPHUS *marcidus*, 446.
- Palæornis torquatus*, 114.
- Paludicolæ*, position of feet in flight,
 112.
- Palmer, T. S., the Black Rail (*Cre-
 ciscus jamaicensis*) in the District
 of Columbia, 190; the Black
 Rail in Maryland, 427.
- Palmer, William, instinctive stillness
 in birds, 23-36.
- Pandion haliaëtus carolinensis*, 6,
 148, 366.

- Pandionidæ, 298.
Pandioninæ, 298.
Pangborn, Clifford H., the Carolina Wren at New Haven, Conn., 195; unusual dates for some birds at New Haven, Conn., 198.
Partridge = Quail, 333.
Partridge, California, 180.
 Scaled, 86.
 Spruce, 303, 428.
Parula, 353.
Parulus, 51.
Parus atricapillus, 56.
Passerculus sandwichensis alaudinus, 397.
Passer, 51.
 domesticus, 13-19, 57, 77, 368, 398.
Passerella iliaca, 70, 398.
 iliaca insularis, 200.
 iliaca meruloides, 200.
 iliaca schistacea, 8, 417.
Passeres, position of feet in flight, 115.
Passerherbulus, 299.
 caudacutus, 299.
 henslowi, 299.
 henslowi occidentalis, 299.
 lecontei, 299.
 maritimus, 299.
 maritimus fisheri, 299.
 maritimus macgillivrayi, 299.
 maritimus peninsulæ, 299.
 maritimus sennetti, 299.
 nelsoni, 299.
 nelsoni subvirgatus, 299.
 nigrescens, 299.
Passerina amœna 151, 359.
 ciris, 359.
 cyanea, 134, 151, 359, 369, 418.
Pavianus, 51.
Pavoncella, 297.
 pugnax, 77.
Pearson, Leonard S., breeding of the Least Bittern (*Ardetta exilis*) in Chester Co., Pa., 426.
Pediœetes phasianellus, 58, 393.
 phasianellus campestris, 147, 181, 411.
 phasianellus columbianus, 401, 407, 411.
Pelargopsis, 206.
Pelecanus erythrorhynchos, 145, 185, 204, 279.
Pelican, Brown, 116, 169.
 White, 117, 145, 185, 204, 279.
Pelidna alpina sakhalina, 289.
Penguins, 238, 244, 245.
Pennock, C. J., early nesting of the Barn Owl in Delaware, 305; late records for Siskins in Chester County, Pa., 308.
Penthestes atricapillus, 370, 399.
 atricapillus septentrionalis, 9, 153.
 carolinensis, 136.
 gambeli, 9.
 hudsonicus, 70, 399.
Perdicinæ, 297.
Perisoreus canadensis, 56, 149, 368, 395.
 canadensis capitalis, 7.
 canadensis fumifrons, 69.
Petrel, Diving, 245.
 Hawaiian, 296.
 Leach's, 111, 123.
 Storm, 302.
 Stormy, 302.
 Wilson's, 111.
Petrochelidon lunifrons, 70, 151, 357, 398.
Peucœa œstivalis bachmani, 134.
 cassini, 401, 404, 407, 417.
Pewee, Capped, 238.
 Western Wood, 7, 149, 395.
 Wood, 133, 354, 367, 414.
Phœornis rutha, 100.
Phalacrocorax auritus, 279.
 vigua mexicanus, 279, 407, 408.
Phalœnoptila nuttalli, 6, 148.
 nuttalli nitidus, 401.
Phalarope, Northern, 24, 146, 287, 393.
 Red, 146, 409, 437.

- Phalarope, Wilson's, 146, 287, 393.
 Phalaropus fulicarius, 146, 407, 409.
 Phasianidæ, 297.
 Pheasant, Ring-necked, 447.
 Philohela minor, 26, 77, 132, 287,
 393.
 Phlœotomus pileatus, 133.
 pileatus abieticola, 6.
 Phœbe, 133, 149, 199, 353, 367, 395.
 Say's, 7, 69, 149, 395.
 Piaya, 209.
 cayana, 209.
 cayana boliviana, 209.
 cayana caucæ, 209.
 circe, 209.
 macroura, 209.
 Pica pica hudsonica, 7, 69, 149.
 Piceacantor, 301.
 Pici, position of feet in flight, 114.
 Picoides americanus fumipectus,
 204, 300.
 arcticus, 6, 395.
 americanus fasciatus, 69.
 (Dinopium)erythronotus, 250.
 Pigeon, Band-tailed, 87.
 Passenger, 429.
 Pinacantor, 301.
 vigorsii florida, 302.
 Pinicola enucleator alascensis, 69.
 enucleator leucura, 396.
 Pintail, 145, 201, 281, 392.
 Pipilo consobrinus, 320.
 erythrophthalmus, 134, 151,
 354, 369.
 fuscus mesoleucus, 182, 418.
 maculatus, 151.
 maculatus montanus, 8, 417.
 Pipit, 399.
 American, 70, 152, 171.
 Sprague's, 152.
 Piranga erythromelas, 135, 358,
 369, 418.
 Iudoviciana, 8, 151, 361, 398,
 418.
 rubra, 135, 308.
 Pisobia bairdi, 67, 146, 288.
 Pisobia fuscicollis, 288.
 maculata, 146, 288.
 minutilla, 146, 288.
 Planesticus fumigatus aquilonalis,
 446.
 migratorius, 70, 370, 400.
 migratorius achrustera, 137.
 migratorius caurinus, 204, 302.
 migratorius propinquus, 9, 196-
 198.
 Plectrophenax nivalis, 57, 69, 150,
 352, 397.
 Plegadis guarauna, 284, 409.
 Plover, American Golden, 76, 290.
 Black-bellied, 68, 290.
 Golden, 410.
 Grass, 222.
 Little Ring, 303.
 Little Ringed, 303.
 Mountain, 290, 410.
 Piping, 402, 410.
 Ring, 303.
 Ringed, 303.
 Semipalmated, 68, 290, 410,
 437.
 Upland, 68, 303, 393, 410.
 Podasocys montanus, 290, 410
 Podilymbus podiceps, 145, 277, 391.
 Pogonornis, 103.
 Polyborinæ, 298, 313.
 Polyborus lutosus, 320.
 Polioptila cærulea, 82, 136, 356, 370.
 cærulea obscura, 184, 421.
 Pœcetes gramineus, 368.
 gramineus confinis, 150, 397.
 Poor-will, 6, 148.
 Porzana carolina, 21, 86, 146, 287,
 314, 393, 409.
 jamaicensis, 427.
 noveboracensis, 65.
 Preble, Edward A., notice of his 'A
 Biological Investigation of the
 Athabasca-Mackenzie Region,'
 90-92.
 Prinia familiaris, 251.
 Priofinus gelidus, 95.

- Prion spp., 323.
Progge subis, 135, 151, 183, 369, 418.
Protonotaria citrea, 309, 419.
Psaltriparus plumbeus, 184, 420.
Psittaci, position of feet in flight, 114.
Psoridus, 51.
Ptarmigan, Adak, 295.
 Alaska White-tailed, 68.
 Alexander's, 295.
 Dixon's 296.
 Rock, 68.
 White-tailed, 171.
 Willow, 86.
Publications Received, 104, 214, 330, 448.
Puffinidæ, 313.
Puffininae, 313.
Pygopodes, position of feet in flight, 110.
- QUAIL, 303.
 California, 411.
 Mearns's, 323.
 Scaled, 410.
Quaxotus, 52.
Querquedula cyanoptera, 280.
 discors, 145, 280, 392.
Quiscalis, 52.
Quiscalus quiscula, 353.
 quiscula æneus, 150, 368, 396.
- RAFINESQUE, C. S., reprint of his ornithological writings, 37-55, 248-262; list of the new bird genera proposed in his 'Analyse,' 52-55.
Rail, Black, 190, 287, 427.
 Carolina, 409.
 Clapper, 76, 128.
 King, 35.
 Sora, 21, 86, 112, 146, 201, 287, 314, 393.
 Virginia, 19, 112, 146, 286, 393, 409.
Rail, Yellow, 1-5, 190, 314.
Rallus crepitans, 76.
 elegans, 35.
 noveboracensis, 1.
 virginianus, 19, 146, 286, 393, 409.
Ramphalecyon, 206.
Ramphosteon, 259.
Raptores, position of feet in flight, 113.
Raven, American, 87, 149, 303.
 Northern, 56, 69, 133, 368, 396.
 Western, 303.
Reed, Charles K., notice of his 'Bird Guide,' 446.
Recurvirostra americana, 60, 146, 286.
Redbird, Summer, 358.
Redhead, 240, 281, 392, 408.
Redpoll, 57, 69, 150, 316, 358, 396.
 Hoary, 150, 308.
Redstart, 351, 399, 420, 435.
 American, 152, 183, 370.
Red-tail, Alaska, 296.
 Western, 6, 394.
Red-wing, Bicolored, 303.
 Northern, 415.
 San Diego, 415.
 Thick-billed, 396, 415.
 Tricolored, 303.
Regulus calendula, 9, 70, 370.
 satrapa, 85, 370, 399.
'Revue Française d'Ornithologie,' notice of, 334.
Rhantistes, 300.
Rhynchoocyclus sulphurescens, 320.
 sulphurescens exortivus, 320.
Rhynchophanes mccowni, 150, 416.
Richmond, Charles W., a reprint the ornithological writings of C. S. Rafinesque: Part I, 37-55; Part II, 248-262; notice of his 'Generic Names applied to Birds during the years 1901 to 1905,' etc., 102.
Ridgway, Robert, notice of his

- 'New Genera, Species and Subspecies of Formicariidæ, Furnariidæ, and Dendrocolaptidæ,' 321; hybridism and generic characters in the Trochilidæ, 440-442; announcement of a new edition of his 'Nomenclature of Colors,' 450; [transfer of the Division of Birds to the new U. S. National Museum], 454.
- Rimamphus, 258, 259.
 citrinus, 258.
- Riparia riparia, 70, 151, 369, 398.
- Rissa tridactyla, 277.
- Road-runner, 181, 412.
- Roberts, Thos. S., the Prairie Falcon (*Falco mexicanus*) in western Minnesota, 191; a study of a breeding colony of Yellow-headed Blackbirds; including an account of the destruction of the entire progeny of the colony by some unknown natural agency, 371-389.
- Robin, 70, 115, 153, 196-198, 223, 370, 400.
 American, 348.
 Carolina, 137.
 Western, 9.
- Rockwell, Robert B., notice of his 'An Annotated List of the Birds of Mesa County, Colorado,' 99; see also Hersey, L. J.
- Roosevelt Expedition to East Africa, 220.
- Ruff, 77, 297.
- SAGE, John H., Twenty-sixth Stated Meeting of the American Ornithologists' Union, 71-75; the Black Gyrfalcon in Connecticut, 429.
- Salpinctes obsoletus, 8, 152.
- Sanderling, 289, 410, 427, 437.
- Sandpiper, Baird's, 67, 146, 288.
- Sandpiper, Bartramian, 146, 180, 290, 303.
 Common, 34.
 Least, 146, 288.
 Pectoral, 146, 288.
 Pribylov, 23.
 Red-backed, 289.
 Semipalmated, 289.
 Solitary, 61, 146, 289, 393.
 Spotted, 5, 23, 68, 146, 290, 366, 393.
 Stilt, 146, 288.
 Upland, 68.
 Western, 289, 410.
 Western Solitary, 61, 180, 410.
 White-rumped, 288, 427, 428.
- Sapsucker, Red-naped, 6.
 Williamson's, 6, 61.
 Yellow-bellied, 198, 367, 395.
- Saunders, W. E., the third specimen of the Summer Tanager for Canada, 308; the Acadian Flycatcher in Ontario, 430.
- Sayornis fuscus, 353.
 phœbe, 133, 149, 199, 367, 395.
 saya, 7, 69, 149, 395.
- Scaup, Greater, 240.
 Lesser, 240.
 Ring-necked, 240.
- Scaups, 439.
- Sclater, W. L., notice of his 'The Winter Birds of Colorado,' 206.
- Scolecophagus carolinus, 368.
- Scoter, American, 59, 240, 241, 282, 392.
 Surf, 59, 240, 241, 283, 392.
 White-winged, 59, 189, 240, 241, 283, 392, 409.
- Scotothorus veræpaciæ dumicola, 320.
- Seiurus aurocapillus, 136, 356, 369, 399, 420.
 motacilla, 136, 195, 310, 361.
 noveboracensis, 195, 369.
 noveboracensis notabalis, 399.
- Selasphorus alleni, 291, 292, 293.

- Selasphorus floresii*, 291, 292, 293, 413, 440
 platycercus, 413.
 rufus, 7, 293, 413, 440.
- Setophaga ruticilla*, 152, 183, 370, 399, 420.
- Shags, 239.
- Shearwater, Dark-bodied, 302.
 Sooty, 302.
- Sheldon, Charles, list of birds observed on the Upper Toklat River near Mt. McKinley, Alaska, 1907-1908, 66-70.
- Shoveller, 145, 281, 392.
- Shrike, California, 62.
 Northern, 70, 152, 183, 398, 418.
 San Clemente, 296.
 White-rumped, 152.
- Shufeldt, R. W., where the skeletons of American birds may be studied, 217; notice of his 'Osteology of Birds,' 329; avian osteology and game bird protection, 450-452.
- Sialia currucoides*, 9, 153, 185, 400, 422.
 mexicana bairdi, 185, 422.
 mexicana occidentalis, 9.
 sialis, 83, 137, 153, 370, 422.
- Siskin, 35.
 Pine, 8, 150, 192, 223, 308, 368, 397.
- Sitta canadensis*, 9, 153, 199, 370, 399.
 carolinensis, 136.
 carolinensis aculeata, 152.
 carolinensis nelsoni, 9, 421.
 pygmæa, 9, 184.
- Skimmer, Black, 117, 127.
- Snipe, Wilson's, 67, 86, 146, 288, 305, 393, 410.
 Great, 303.
 Greater, 303.
- Snowbunting, 397.
- Snowflake = Snow Bunting, 303.
- Solitaire, Townsend's, 153, 185, 421.
- Somateria dresseri*, 282, 426.
 spectabilis, 59, 201.
- Sora, see Rail.
- Spatula clypeata*, 145, 281, 392.
- Sparrow, Acadian Sharp-tailed, 299.
 Aleutian Savannah, 303.
 Baird's, 150, 298.
 Belding's, 303.
 Belding's Marsh, 303.
 Brewer's, 417.
 Bryant's, 303.
 Bryant's Marsh, 303.
 Cassin's, 403, 404, 417.
 Chipping, 134, 224, 227, 229, 354, 368, 397, 416.
 Clay-colored, 151, 397, 417.
 Desert, 417.
 Dusky, 299.
 English, 13-19, 57, 78, 115, 322, 368, 398, 437, 447.
 European Tree, 322.
 Field, 134, 227, 228, 229, 357, 368.
 Florida Grasshopper, 299.
 Fox, 70, 198, 359, 398.
 Golden-crowned, 69, 416.
 Grasshopper, 134, 222, 299, 432.
 Harris's, 150, 416.
 Henslow's, 29, 299.
 House, 322, 368.
 Intermediate, 62, 69.
 Kadiak Fox, 200.
 Lark, 80.
 Leconte's, 80, 299.
 Lincoln's, 8.
 Louisiana Seaside, 299.
 Macgillivray's Seaside, 299.
 Merrill's Song, 8.
 Nelson's, 299, 397.
 Sage, 89, 403, 417.
 Sandwich, 303.
 Savanna = Savannah, 303.
 Savannah, 222, 223, 361, 438.

- Sparrow, Scott's, 403, 417.
 Scott's Seaside, 299.
 Seaside, 299.
 Sharp-tailed, 299.
 Slate-colored, 8, 417.
 Song, 151, 223, 354, 369, 397, 435.
 Sooty Song, 200.
 Suisun Song, 296.
 Swamp, 151, 182, 357, 397, 417.
 Texas Seaside, 299.
 Townsend's, 303.
 Townsend's Fox, 303.
 Tree, 352.
 Vesper, 222, 224, 228, 354, 368, 372.
 Western Chipping, 150, 416.
 Western Field, 314, 417.
 Western Grasshopper, 62, 150, 299.
 Western Henslow's, 299.
 Western Lark, 62, 150.
 Western Savannah, 397.
 Western Tree, 69, 150, 397.
 Western Vesper, 150, 397.
 White-crowned, 150, 359, 397, 402.
 White-throated, 150, 198, 223, 359, 368, 397, 416.
 Yellow-winged, 354.
 Speotyto cunicularia becki, 300, 320.
 cunicularia hypogæa, 148.
 Sphyrapicus thyroides, 6, 61.
 varius, 84, 367, 395.
 varius nuchalis, 6.
 Spinus pinus, 8, 150, 192, 308, 368, 397, 432.
 Spiza americana, 134, 151, 359, 418.
 townsendi, 269-272.
 Spizella breweri, 62, 151, 417.
 monticola, 352.
 monticola ochracea, 69, 150, 397.
 pallida, 151, 397, 417.
 Spizella passerina, 134, 368, 397, 401, 416.
 passerina arizonæ, 8, 150, 416.
 pusilla, 134, 369.
 pusilla arenacea, 314, 407, 417.
 Spoonbill, Roseate, 117.
 Sporæginthus, 103.
 Squatarola squatarola, 68, 290.
 Starling, 84, 306, 430.
 Stansell, Sidney S. S., Birds of Central Alberta, 390-400.
 Steganopodes, position of feet in flight, 111.
 Steganopus tricolor, 146, 287, 393.
 Stelgidopteryx serripennis, 151.
 Stellula calliope, 6, 293, 413, 414.
 Stercorarius parasiticus, 277.
 Sterna forsteri, 278, 391, 408.
 fuliginosa, 209-214.
 fuscata, 437.
 hirundo, 34, 314, 391, 407, 408.
 longipennis, 327.
 paradisæa, 67, 278, 391.
 Stilt, Black-necked, 287.
 Stone, Witmer, notice of his 'A Review of the Genus *Piaya* Lesson,' 209.
 Striges, 313.
 Strix funerea, 298.
 occidentalis, 412.
 occidentalis caurinum, 313.
 tengmalmi, 298.
 varia, 366, 412.
 Sturnella magna, 149, 307, 368, 430.
 magna neglecta, 396.
 neglecta, 7, 149.
 Sturnus vulgaris, 84, 306, 430.
 Sula fusca, 205.
 leucogastra, 205.
 piscator, 205.
 Surf-Bird, 303.
 Surf-bird, 303.
 Surnia ulula caparoch, 69, 394.
 Swales, B. H., see Taverner, P. A.
 Swallow, Bank, 70, 151, 357, 369, 398.

- Swallow, Barn, 8, 115, 151, 201, 224, 357, 369, 398.
Cliff, 70, 151, 224, 357, 398.
Eave, 115, 357.
Rough-winged, 151.
Tree, 115, 224, 358, 398.
Violet-green, 8, 151.
- Swan, Trumpeter, 284.
Whistling, 284.
Whooper, 302.
Whooping, 302.
- Swarth, H. S., notice of his 'Distribution and Molt of the Mearns Quail,' 323.
- Swift, Black, 413.
Chimney, 133, 148, 198, 357, 367.
Vaux's, 6.
White-throated, 62, 148, 181, 413.
- Sylvania mitrata*, 360.
- Sylvia atricapilla*, 324.
azuricollis, 255.
capinera, 254.
cuneata, 251, 256.
fulva, 254.
jucindis, 254.
meleuca, 255.
rhodogastra, 254.
solitaria, 299.
turdella, 254.
xanthogastra, 254.
- Sylviocantor, 301.
- Symphemia, 259.
melanura, 259.
- Tachycineta thalassina lepida, 8, 151.
- Tanager, Louisiana, 8, 151, 303.
Scarlet, 135, 358, 369, 418.
Summer, 135, 308.
Western, 8, 151, 303, 398, 418.
- Thalasseus, 300.
- Tanagra, 103.
- Tangara, 103.
- Tangavius æneus involucratus, 307.
- Tanygnathus megalorhynchus, 327.
- Tattler, Wandering, 67, 146.
- Taverner, P. A., two Michigan records, 83.
- Taverner, P. A., and B. H. Swales, notice of their 'The Birds of Point Pelee,' 98.
- Taylor, Thorne C., Hubbard Woods and Walter T. Fisher, capture of a Bald Eagle near Chicago, Ill., 191.
- Taylor, Walter P., an instance of hybridization in Hummingbirds, with remarks on the weight of generic characters in the Trochilidæ, 291-293.
- Teal. Blue-winged, 145, 280, 392.
Cinnamon, 280.
Green-winged, 67, 145, 280, 391.
- Telmatodytes palustris thryophilus*, 302.
- Tern, Arctic, 67, 278, 391, 439.
Black, 145, 278, 391.
Common, 34, 111, 119, 314, 391, 408.
Forster's, 278, 391, 408.
Least, 119.
Noddy, 209-214.
Royal, 118.
Sooty, 209-214, 437.
- Terracantor, 301.
- Tetraonidæ, 297.
- Tetraoninæ, 297.
- Thayer, John H., capture of the Ruff at Seabrook, N. H., 77; Eskimo Curlew taken at Newburyport, Mass., 77.
- Thayer, John E., and Outram Bangs, notice of their 'The present state of the Ornithology of Guadaloupe Island,' 319; notice of their 'Description of a new Subspecies of the Snowy Heron,' 321.
- Thrasher, Brown, 136, 152, 228, 370.
Sage, 8, 63, 404.

- Thraupis, 103.
 Thrush, Alaska Hermit, 422.
 Bicknell's, 196, 312.
 Dwarf Hermit, 70.
 Ferruginous, 350.
 Gray-cheeked, 153, 230, 400.
 Hermit, 198, 223, 357, 370, 400,
 422, 435.
 Olive-backed, 9, 70, 153, 223,
 370, 400.
 Pale Varied, 70.
 Song, 349.
 Varied, 9.
 Willow, 399.
 Wilson's, 137, 303, 370.
 Wood, 136, 153, 230, 357, 370,
 421.
 Thryomanes bewicki, 85, 136, 152.
 bewicki bairdi, 88, 184, 312,
 421.
 bewicki cryptus, 184, 311, 312,
 420.
 bewicki eremophilus, 312.
 brevicauda, 320.
 Thryothorus ludovicianus, 81, 28,
 136, 195, 263-269, 360, 434.
 Tiaris, 301.
 Tiga javanensis, 250.
 Tinker, A. D., the Carolina Wren in
 Washtenaw County, Mich., 434.
 Titlark, 70.
 Titmouse, Black-cap, 361.
 Gray, 184, 421.
 Tufted, 136, 230.
 Totanus flavipes, 146, 289, 305, 393.
 melanoleucus, 289, 393.
 melanoleucus frazari, 302.
 Towhee, 134, 151, 198, 354, 369.
 Arctic, 151.
 Cañon, 182, 418.
 Green-tailed, 8, 418.
 Guadalupe, 320.
 Mountain, 8, 417.
 Townsend, Charles W., some habits
 of the English Sparrow (*Passer
 domesticus*) 13-19; the position
 of birds' feet in flight, 109-116;
 Labrador notes, 201; the use of
 the wings and feet by diving
 birds, 234-248; a Carolina Wren
 invasion of New England, 263-
 269.
 Townsend, Charles W., and John
 H. Hardy, Jr., a note on the
 English Sparrow (*Passer domes-
 ticus*), 78.
 Toxostoma rufum, 136, 152; 350,
 370.
 Tree-Duck, Fulvous, 304.
 Tringa picta, 253.
 semipalmata, 259.
 Trochilus, 298.
 alexandri, 293, 298.
 colubris, 133.
 Troglodytes aëdon, 370, 399.
 aëdon parkmani, 9, 152.
 Tropic-bird, 302.
 Trotter, Spencer, the geographical
 and geological relations of the
 land-bird fauna of northeastern
 America, 221-233; an inquiry
 into the history of the current
 English names of North American
 Birds, 346-362.
 Tubinares, position of feet in flight,
 111.
 Turdus fuscescens, 355.
 iliacus, 301.
 philomelos, 301.
 merula, 349.
 musicus, 349.
 Turkey, Florida, 302.
 Florida Wild, 27, 302.
 Merriam's, 411.
 Water, 168.
 Wild, 25, 31, 78, 132, 168, 191,
 411.
 Turnix javanica, 250, 256.
 pugnax, 250.
 Turnstone, 291.
 Ruddy, 410.
 Tympanuchus americanus, 147, 411.

- Tympanuchus cupido*, 97.
 pallidicinctus, 181, 411.
- Tyrannus*, 51.
 tyrannus, 7, 133, 148, 367, 395,
 414.
 verticalis, 7, 148, 414.
- URIA lomvia*, 59.
Urinator immer, 366.
Urubitinga, 300.
- VAN OORT, E. D., notice of his
paper on the Avifauna of the
Netherlands, 207.
- Veery, 230, 303, 355.
- Vermivora*, 299.
 bachmani, 299.
 celata, 300.
 celata lutescens, 300.
 celata sordida, 300.
 chrysoptera, 299, 407, 419.
 luciae, 299.
 peregrina, 300, 399, 419.
 pinus, 299, 337-345.
 rubricapilla, 300.
 rubricapilla gutturalis, 300.
 virginiae, 300, 419.
- Vireo belli*, 401, 403, 407, 419.
 huttoni oberholseri, 301.
 noveboracensis, 135.
 vicinior, 405, 407, 419.
- Vireo*, Bell's, 403, 419.
 Cassin's, 8, 183, 419.
 Gray, 419.
 Mountain Solitary, 135.
 Philadelphia, 398.
 Plumbeous, 152, 419.
 Red-eyed, 135, 369, 398, 418.
 Solitary, 199, 223.
 Warbling, 372.
 Western Warbling, 8, 152, 398.
 White-eyed, 135, 435.
 Yellow-throated, 135.
- Vireocantor*, 301.
- Vireosylva gilva swainsoni*, 8, 125,
 398.
 olivacea, 135, 369, 398, 418.
- Vireosylva philadelphica*, 398.
- Visher, Stephen Sargent, a list of
the birds of western South
Dakota, 144-153; the capture
of the Red-eyed Cowbird in
Arizona, 307.
- Vulture, Black, 315.
 Turkey, 6, 28, 132, 147, 315,
 352.
- WARBLER, Audubon's, 8, 152.
 Bachman's, 299.
 Bay-breasted, 360.
 Black-and-White, 93, 135, 223,
 369, 398, 419, 433.
 Blackburnian, 135, 199, 300,
 361.
 Black-poll, 70, 80, 152, 360,
 369, 399.
 Black-throated Blue, 360, 419.
 Black-throated Gray, 183, 420.
 Black-throated Green, 80, 135,
 369.
 Blue-winged Yellow, 299, 360.
 Blue Yellow-backed, 353.
 Cerulean, 360.
 Cairns's, 135.
 Calaveras, 300.
 Canadian, 370.
 Chestnut-sided, 199, 223, 360.
 Connecticut, 437.
 Dusky, 300.
 Golden-winged, 135, 299, 314,
 419.
 Grace's, 183, 420.
 Green Black-throated, 360.
 Hooded, 136, 360.
 Kentucky, 136.
 Lucy's, 299.
 Lutescent, 300.
 Macgillivray's, 8, 152, 302, 399,
 420.
 Magnolia, 223, 356, 399, 420.
 Mourning, 354.
 Myrtle, 94, 195, 223, 356, 399,
 419, 433.
 Nashville, 223, 300.

- Warbler, New York, 356.
 Northern Parula, 199, 419.
 Orange-crowned, 300, 360.
 Palm, 316, 356.
 Parula, 309.
 Pileolated, 70.
 Pine, 136.
 Pine-creeping, 356.
 Prairie, 195, 356, 432.
 Prothonotary, 309, 360, 419, 435.
 Sonora Yellow, 419.
 Tennessee, 300, 399, 419.
 Tolmie's, 303.
 Townsend's, 183, 420.
 Virginia's, 300, 419.
 Worm-eating, 356.
 Yellow, 8, 135, 152, 201, 223, 359, 369, 399.
 Yellow Redpoll, 223.
 Yellow-rumped, 70.
 Yellow-throated, 360.
- Warren, Edward R., notice of his 'Notes on the Birds of southwestern Montrose County, Colorado,' 206; concerning *Thryomanes bewicki cryptus* in Colorado, 311.
- Water-Thrush, 361, 369.
 Grinnell's, 399.
 Louisiana, 136, 195, 310.
- Water-Turkey, 302.
- Watson, John B., notice of his 'The Behavior of Noddy and Sooty Terns,' 209-214.
- Waxwing, Bohemian, 8, 10-12, 151, 398, 418.
 Cedar, 151, 369, 398.
- Weber, J. A., the Virginia and Sora Rails nesting in New York City, 19-22; the capture of the Short-billed Marsh Wren on Long Island, N. Y., 82; Blue-gray Gnat-catcher in Washington County, N. Y., 82.
- Wetmore, Alex., notice of his 'Notes on some northern Arizona Birds,' 206.
- Wharton, William P., the Clapper Rail in Essex County, Mass., 76.
- Whimbrel, 190.
- Whip-poor-will, 133, 355, 367, 403, 413.
- Whistler, 240, 241, 439.
- Widgeon, American, 187.
 European, 186, 304.
- Widmann, Otto, a second record for the Fulvous Tree-Duck taken in Missouri, 304; notice of his 'The Summer Birds of Shaw's Garden,' 322.
- Willet, 128.
 Western, 146, 290.
- Wilsonia canadensis, 370.
 citrina, 136.
 pusilla pileolata, 70.
- Witherby, H. F., reprint of his circular relating to his scheme for marking migrant birds, 332, 333.
- Wolcott, Robert H., notice of his 'An Analysis of Nebraska's Bird Fauna,' 447.
- Wood, J. Claire, Pine Siskins and winter Bobolinks, 192; first appearance of the Sanderling in the vicinity of Detroit, 427.
- Wood, Norman A., notes on the occurrence of the Yellow Rail in Michigan, 1-5.
- Woodcock, 26, 77, 132, 287, 390, 393.
- Woodpecker, Alaska Downy, 69.
 Alaska Three-toed, 69.
 Arctic Three-toed, 6, 395.
 Downy, 133, 367, 412.
 Hairy, 57, 148, 367, 412, 435.
 Lewis's, 6, 148.
 Newfoundland, 296.
 Northern Downy, 148, 395.
 Northern Hairy, 395.
 Northern Pileated, 6, 395.

- Woodpecker, Pileated, 133, 367, 432.
 Red-bellied, 133, 199, 413, 435.
 Red-headed, 133, 148, 367, 431, 435.
 Rocky Mountain Hairy, 6.
 Southern Hairy, 133.
 Texas, 413.
 White-headed, 6.
- Woodruff, E. Seymour, notice of his Report on the Causes of the Scarcity of the Ruffed Grouse in 1907, 97; obituary of, 218.
- Woods, Hubbard, see Taylor, Thorne C.
- Worthen, Charles K., obituary of, 332.
- Wren, Baird's 88, 184, 311, 420.
 Bewick's, 136, 152, 303.
 Cañon, 88, 184, 314, 405, 420.
 Carolina, 81, 82, 136, 195, 231, 263-269, 434.
 House, 228, 357, 370, 399.
 Guadalupe, 320.
 Parkman's, 9, 303.
 Rock, 8, 152.
 Short-billed Marsh, 82, 186, 421.
 Texas, 184.
 Western House, 152, 303.
 Western Winter, 9.
- Wren, Winter, 357, 370.
- Wright, Horace W., a nesting of the Blue-winged Warbler in Massachusetts 337-345; notice of his 'Birds of the Boston Public Garden,' 443.
- XANTHOCEPHALUS xanthocephalus, 149, 371-389, 396.
 Xema sabini, 278, 408.
 Xenopicus albolarvatus, 6.
- YELLOW-LEGS, 146, 299, 305, 393.
 Greater, 299, 393.
- Yellow-throat, 435.
 Maryland, 136, 369, 399.
 Western, 8, 152, 183, 420.
- ZAMELODIA ludoviciana, 134, 369, 398, 418.
 melanocephala, 8, 151.
- Zenaidura macroura, 6.
 macroura carolinensis, 6, 132, 147, 394, 411.
- Zonotrichia albicollis, 150, 368, 397, 416.
 coronata, 69, 416.
 leucophrys, 150, 359, 397.
 leucophrys gambeli, 62.
 querula, 150, 416.

ERRATA.

- Page 61, lines 1 and 2, for **Totanus** read **Helodromas**.
 " 88, line 4 from bottom, for **Thryothorus** read **Thryomanes**.
 " 95, line 12, for **Procelaria** read **Procellaria**.
 " 146, " " from bottom, for **Helodramas** read **Helodromas**.
 " 147, " 24, for **kreideri** read **krideri**, and for **KREIDER** read **KRIDER**.
 " 305, lines 2 and 5, for **Wilmington** read **Wilmington**.
 " 370, line 13, for **hyemalis** read **hiemalis**.
 " 396, line 7, for **Zanthocephalus zanthocephalus** read **Xanthocephalus xanthocephalus**.

VOLUME XXV, 1908.

- Page 406, line 6, for **Daniel** read **Robert**.
 " 2, from bottom (in footnote), for **sister** read **daughter**;
 for **Elington** read **Edington**.