

## INDEX TO VOLUME XXVII.

[New generic, specific, and subspecific names are printed in **heavy-face** type.]

- ACANTHIS flammea, 476.  
hornemannii exilipes, 58, 463.  
linalia, 40, 57, 148, 476.  
sp., 15.
- Accentor, 477.
- Accipiter atricapillus, 14, 146.  
cooperi, 22, 38, 146, 171.  
velox, 146, 171, 273.
- Actitis macularia, 13, 21, 146, 171,  
197, 273, 345.
- Æchmophorus occidentalis, 186.
- Ægalitis meloda, 13, 197.  
meloda circumcincta, 472.  
semipalmata, 13, 197, 273, 345.
- Aéronautes melanoleucus, 282.
- Agelaius gubernator californicus,  
357.  
phœniceus, 26, 39, 91, 173,  
275, 297, 319, 383, 470.  
phœniceus californicus, 357.  
phœniceus fortis, 147, 200.  
phœniceus sonoriensis, 284.
- Aimophila carpalis, 285.  
ruficeps scotti, 285.
- Aix sponsa, 31, 131, 314, 382, 403.
- Alca torda, 8.
- Aldrich, Charles, biography of, 119–  
124.
- Allen, Arthur A., the Avocet and  
other Shore-birds at Ithaca during  
the fall of 1909, 344. See  
also Wright, Albert H.
- Allen, Francis H., warbling song  
of the Hudsonian Chickadee,  
86; review of his ‘Thoreau’s  
Notes on New England Birds,’  
355; the Mockingbird near Bos-  
ton, 460.
- Allen, Glover M., notice of his  
‘List of the Birds of New Eng-  
land,’ 97.
- Allen, J. A., Richard Bowdler  
Sharpe, 124–129.
- Aluco pratincola, 23, 207, 281.
- American Museum of Natural His-  
tory, recent accessions to the  
Ornithological Department, 111.
- American Ornithologist’s Union,  
Twenty-seventh Stated Meeting  
of, 69–74; publication of the  
third edition of its ‘Check-List  
of North American Birds’ an-  
nounced, 364; review of same,  
466–472.
- Ammodramus bairdi, 284.  
caudacutus subvirgatus, 479.  
henslowi, 134.  
maritimus, 211.  
nelsoni subvirgatus, 479.  
savannarum australis, 173, 297.  
savannarum bimaculatus, 217,  
339.
- Amphispiza bilineata deserticola,  
285.
- Anas boschas, 314.  
fulvigula maculosa, 451.  
obscura, 451.  
platyrhynchos, 144, 192, 272,  
382, 401.  
rubripes, 10, 75, 205, 272, 323–  
333, 401, 451.  
rubripes tristis, 87, 401, 323–  
333, 472.
- Anhinga anhinga, 382.
- Anthus rubescens, 17, 151, 278.  
spraguei, 203.

- Antrostomus carolinensis, 318.  
*vociferus*, 24, 172, 274, 296, 302.  
*vociferus macromystax*, 282.
- Aphelocoma woodhousei, 147.
- Aquila chrysaëtos, 80, 85, 146, 206, 462.
- Archibuteo lagopus sancti-johannis, 28, 132, 198.
- Archilochus alexandri, 282.  
*colubris*, 24, 172, 274, 296, 302, 318.
- Ardea herodias, 20, 145, 273, 314, 382.  
*herodias treganzai*, 280.
- Arenaria interpres, 345.  
*interpres morinella*, 198, 452.  
*morinella*, 317.
- Arquatella maritima, 13.
- Asio accipitrinus, 39.  
*flammeus*, 131, 146, 198.  
*wilsonianus*, 23, 146, 198, 340.
- Astragalinus tristis, 27, 40, 148, 173, 200, 275, 297, 303.  
*psaltria*, 149.
- Asturina plagiata, 281.
- Auk, Razor-billed, 5, 8.
- Avocet, 145, 196, 344.
- BÆOLOPHUS bicolor, 31, 141, 176, 300, 304, 322.
- Bailey, Florence Merriam, the Palm-leaf Oriole, 33–35; wild life of an Alkaline Lake, 418–427.
- Bailey, H. H., nesting colonies of the Green-crested Flycatcher and Parula Warbler, past and present, 455–457.
- Baldpate, 130, 193, 392, 421.
- Baldwin, Rodger N., a Hybrid Flicker in eastern Missouri, 340.
- Bartramia longicauda, 21, 197.
- Basilinna leucotis, 282.
- Beal, F. E. L., notice of part 2 of his 'Birds of California in Relation to the Fruit Industry,' 480.
- Beebe, C. William, notice of his 'Breeding Canada Geese on Chincoteague Island, Va.', 100; circular respecting the Passenger Pigeon, 112; review of his 'A Contribution to the Ecology of the Adult Hoatzin,' 227; review of his 'An Ornithological Reconnaissance of Northeastern Venezuela,' 227; review of his 'Racket Formation in the Tail-Feathers of the Motmots,' 234; his departure on the Kuser Asiatic Expedition, 241. See also Mary Blair Beebe.
- Blackbird, Brewer's, 90, 148, 200, 215, 425.
- Red-winged, 26, 39, 91, 173, 275, 297, 319, 383, 425.
- Rusty, 15, 173, 275.
- Yellow-headed, 147, 200, 283.
- Beebe, Mary Blair, and C. William Beebe, review of their 'Our Search for a Wilderness,' 353.
- Beebird, 319.
- Bent, A. C., announcement of arrangements for the continuation of the 'Life Histories of North American Birds,' 490. See also Townsend, Charles W.
- Bergtold, W. H., Barn Owl in Colorado, 207.
- Betts, N. deW., notes from Boulder County, Colorado, 218.
- Bird, Butcher, 320.  
 Indigo, 298.
- Bishop, Louis B., two new subspecies of North American Birds, 59–63; *Petrochelidon fulva pallida* in Texas, 459; notes from Connecticut, 462–464.
- Bittern, 100, 145, 171, 195, 205, 273, 382.  
 Least, 67, 308, 314.
- Blue-bill, 204.
- Bluebird, 31, 177, 279, 300, 304, 322.

- Bluebird, Chestnut-backed, 151, 288, 427.  
    Mountain, 151.  
    Western, 288.  
Bobolink, 32, 37, 39, 81, 147, 199, 275.  
Bob-white, 19, 22, 37, 171, 273, 296, 301, 322.  
Bombycilla cedrorum, 32, 85, 175, 202, 276.  
    garrula, 54, 150.  
Bonasa umbellus, 273, 301.  
    umbellus togata, 13.  
    umbellus umbelloides, 198, 204.  
Botaurus lentiginosus, 145, 171, 195, 205, 273, 382.  
Bowdish, B. S., and P. B. Philipp, bird photographing in the Carolinas, with an annotated list of the birds observed, 305-322.  
Brant, 12, 271.  
    Black, 336.  
Branta bernicla glaucogaster, 12.  
    canadensis, 12, 145, 194, 204, 263-271, 382, 405.  
    nigricans, 336.  
Brewster, C. E., see Oldys, Henry.  
Brewster, William, in memoriam: James Cushing Merrill, 113-119; resurrection of the Red-legged Black Duck, 323-333.  
Bridge, Lidian E., Snow Geese in Framingham, Mass., 78.  
Brimley, H. H., Northern Phalarope in Bladen County, North Carolina, 206.  
British Ornithologists' Club, review of the Report of its Committee on the 'Immigration of Summer Residents in England and Wales in the Spring of 1908,' 228.  
Brockway, Arthur W., a Carolina Wren in New London County, Connecticut, 213.  
Brown, Nathan Clifford, another Pigeon Hawk in Maine in winter, 207.  
Bryant, Owen, and William Palmer, notice of their explorations in Java, 491.  
*Bubo virginianus*, 32, 39, 318.  
    *virginianus occidentalis*, 208.  
    *virginianus pallescens*, 146.  
    *virginianus subarcticus*, 199.  
Buffle-head, 194, 404.  
Bunting, Black-throated, 298.  
    Indigo, 19, 28, 169, 174, 276, 320.  
    Lark, 89, 150, 202.  
    Lazuli, 285.  
    Snow, 4, 15, 200, 275.  
    Varied, 285.  
Burtsch, Verdie, nesting of the Black Duck in Yates County, N. Y., 205; Snowy Owl in Yates County, N. Y., 207; Turkey Vulture in northern Stuben County, N. Y., 208; some rare occurrences in Yates County, N. Y., 218.  
Bushtit, Lead-colored, 151.  
*Buteo borealis*, 22, 38, 273.  
    *borealis calurus*, 103, 146, 198.  
    *borealis umbrinus*, 103.  
    *lineatus*, 38, 172, 216, 317, 382.  
    *platypterus*, 32, 172.  
    *swainsoni*, 22, 146, 198.  
    *tropicalis*, 103.  
*Butorides virescens*, 21, 171, 296, 301, 315.  
Buzzard, Turkey, 296, 301, 317.  
*CALAMOSPIZA melanocorys*, 89, 150, 202.  
*Calcarius lapponicus*, 41, 210, 341.  
    *ornatus*, 200, 342.  
    *pictus*, 342.  
*Calidris leucophæa*, 67, 197, 273, 345.  
Callipepla squamata, 281.  
*Calypte costæ*, 282.

- Canachites canadensis, 13.  
     canadensis atratus, 237.
- Canvas-back, 36, 37, 194, 204, 369–  
     381, 392.
- Cardellina rubrifrons, 287.
- Cardinal, 20, 28, 41, 134, 169, 174,  
     298, 303, 320.
- Cardinalis cardinalis, 28, 41, 134,  
     174, 298, 303, 320.
- Carpodacus cassini, 148, 284.  
     mexicanus frontalis, 148.  
     purpureus, 15, 173.
- Caskey, R. C., a wintering Brown  
     Thrasher in northern New Jersey,  
     212.
- Cassinia, A Bird Annual, review of  
     the issue for 1909, 235.
- Cassique, Yellow-backed, 228.
- Catbird, 30, 151, 169, 176, 203, 278,  
     299, 304, 322.
- Catharista urubu, 171, 301, 317.
- Cathartes aura septentrionalis, 22,  
     171, 208, 273, 296, 301, 317.
- Catherpes mexicanus conspersus,  
     288.
- Catoptrophorus semipalmatus, 316.  
     semipalmatus inornatus, 197,  
     280.
- Centurus carolinus, 24, 132, 172,  
     296.
- Cephus grylle, 7.
- Certhia familiaris albescens, 288.  
     familiaris americana, 176, 278.  
     familiaris montana, 151, 217.
- Ceryle alcyon, 14, 23, 146, 172, 274,  
     301, 318.  
     alcyon caurina, 237.
- Chæmepelia passerina pallescens,  
     281.  
     passerina terrestris, 317.
- Chaetura pelagica, 24, 172, 274, 296,  
     302, 318.  
     richmondi, 356.
- Chaney, Ralph W., a migration of  
     Longspurs over Chicago on De-  
     cember 13, 1909, 210; summer  
     and fall birds of the Hamlin  
     Lake Region, Mason County,  
     Mich., 271–279.
- Chansler, E. J., Magpie in Knox  
     County, Indiana, 210.
- Charadrius dominicus, 67, 204, 245,  
     273, 281, 345.
- Charitonetta albeola, 194, 404.
- Chat, Long-tailed, 151, 218, 287.  
     Yellow-breasted, 20, 30, 64,  
     139, 169, 176, 299.
- Chaulelasmus streperus, 77, 144,  
     193.
- Chelidon, 477.
- Chen cærulescens, 337.  
     rossi, 337.
- Chewink, 64, 220, 320, 422.
- Chickadee, 31, 37, 276, 427.  
     Carolina, 176, 300, 304, 322.  
     Hudsonian, 4, 5, 18, 86.  
     Mexican, 288.  
     Mountain, 151.
- Chicken, Prairie, 19, 22, 198.
- Chiff-chaff, Siberian, 225.
- Chondestes grammacus, 27, 211,  
     216.  
     grammacus strigatus, 149.
- Chordeiles acutipennis texensis, 282.  
     virginianus, 32, 172, 274, 302,  
     318.  
     virginianus henryi, 147, 199.
- Chuck-will's-widow, 170, 318.
- Cinclus cinclus, 477.  
     cinclus britannicus, 477.  
     hibernicus, 477.  
     mexicanus unicolor, 151.
- Circus hudsonius, 14, 32, 38, 88,  
     198, 273.
- Cistothorus stellaris, 203, 214, 300.
- Clangula clangula americana, 10,  
     177, 194, 205, 404.  
     islandica, 10, 179.
- Clark, Austin H., a new name for  
     *Psephotus multicolor*, 80; notice  
     of his 'The Birds collected and  
     observed during the Cruise of

- the United States Fisheries Steamer "Albatross" in the North Pacific Ocean, . . . from April to December, 1906, 357; notice of his 'Report on a Collection of Birds made by Pierre Louis Jouy in Korea,' 358.
- Coale, Henry K., a new bird for Illinois, 75; winter migration at night, 211; the Chestnut-collared Longspur in Illinois, 341; providential supply of food for birds in a blizzard, 343.
- Cobb, Anna, E., the Wood Thrush in Newbury, Vt., 461.
- Coccyzus americanus*, 23, 172, 274, 296, 318.  
*americanus occidentalis*, 282.
- Colaptes auratus*, 24, 383.  
*auratus luteus*, 14, 39, 172, 199, 274, 296, 302, 340.  
*cafer collaris*, 147, 199, 341.  
*chrysoides brunneascens*, 472.
- Cole, Leon J., the tagging of wild birds: report of progress in 1909, 153-168.
- Colinus virginianus*, 22, 171, 273, 296, 301, 322.
- Collinge, W. E., notice of his 'The Feeding Habits of the Rook,' 359.
- Columba fasciata*, 281.  
*migratoria*, 434.
- Colymbus auritus*, 187, 272.  
*holboelli*, 7.  
*nigricollis*, 470.  
*nigricollis californicus*, 280.
- Compsothlypis americana*, 321, 455.  
*americana ramalinae*, 298.  
*americana usneae*, 175.
- Condor, California, 229.
- Contopus pertinax pallidiventris*, 283.
- Conurus carolinensis*, 209.
- Cooke, Wells W., the type locality of *Vireo belli*, 342.
- Coot, 145, 196, 247, 273, 382, 405, 424.
- Cormorant, Double-crested, 4, 9, 67, 189, 203.  
Florida, 308, 314.
- Corvus brachyrhynchos*, 15, 26, 147, 173, 194, 275-297, 302, 319, 383.  
*corax principalis*, 15, 85-302.  
*corax sinuatus*, 147.  
*ossifragus*, 173, 319.
- Cory, Charles B., review of his 'The Birds of the Leeward Islands,' 99.
- Coturnicops noveboracensis*, 196, 345.
- Coturniculus savannarum australis*, 27.
- Coward, T. A., review of his 'The Vertebrate Fauna of Cheshire,' 351-353.
- Cowbird, 26, 39, 173, 199, 275.  
Dwarf, 283.  
Northern, 61.  
Red-eyed, 210.  
Western Red-eyed, 283.
- Crane, Sandhill, 89, 195, 280.  
Whooping, 64, 89, 195, 214.
- Creeper, Brown, 176, 278.  
Rocky Mountain, 151, 217.  
Mexican, 288.
- Crossbill, 40, 83.  
Mexican, 148.  
White-winged, 4, 15, 53, 58, 90, 214.
- Crow, 4, 15, 20, 26, 147, 173, 199, 275, 297, 302, 319, 383.
- Carrion, 317.
- Clark's, 147.
- Fish, 173, 307, 319.  
Sea, 317.
- Cryptoglaux acadica scotica*, 340.
- Cuckoo, California, 281.  
Yellow-billed, 20, 23, 172, 274, 296, 318.
- Curlew, Bristle-thighed, 247.  
Canadian, 59.
- Eskimo, 79.
- Jack, 316.

- Curlew, Long-billed, 59, 146, 197, 316, 464.  
*Cyanocephalus cyanocephalus*, 147.  
*Cyanocitta cristata*, 15, 26, 173, 275, 297, 302, 319.  
 stelleri *diademata*, 147.  
*Cyanospiza versicolor*, 285.  
*Cynanthus latirostris*, 282.  
*Cypseloides niger*, 356.
- DAFILA acuta*, 10, 145, 193.  
 Deane, Ruthven, Audubon's Labrador Trip of 1883, 42-52; two additional copper-plates of the folio edition of Audubon's 'Birds of America,' 93.  
 Delaware Valley Ornithological Club, twentieth anniversary of, 242.  
*Dendragapus obscurus richardsoni*, 217.  
*Dendroica aestiva*, 17, 29, 150, 175, 202, 277, 298.  
 auduboni, 150.  
 auduboni *nigrifrons*, 286.  
 blackburniae, 277.  
 cerulescens, 17, 175, 277.  
 cerulescens cairnsi, 298, 303.  
 castanea, 136, 277.  
 cerulea, 84, 135, 212, 299.  
 coronata, 17, 150, 175, 277.  
 discolor, 138, 175, 299, 303, 321, 462.  
 dominica albilora, 85, 136, 321, 383.  
 fusca, 299.  
 graciæ, 287.  
 maculosa, 202.  
 magnolia, 17, 277.  
 nigrescens, 287.  
 occidentalis, 287.  
 palmarum, 277.  
 palmarum *hypochrysea*, 17.  
 pensylvanica, 175, 277, 303.  
 striata, 17, 136, 175, 277.  
 tigrina, 85, 103, 135.
- Dendroica townsendi*, 287.  
 vigorsi, 87, 137, 175, 277, 321.  
 virens, 17, 175, 277, 299, 303.  
 Dice, Lee R., new records for the State of Washington, 217.  
 Dickcissel, 19, 28, 64.  
 Dionne, C. E., Purple Gallinule, Sabine's Gull, and other rare birds in Quebec, 89.  
 Diver, Red-throated, 43.  
*Dolichonyx oryzivorus*, 32, 39, 147, 199, 275.  
 Dove, Ground, 317.  
 Inca, 281.  
 Mexican, 281.  
 Mourning, 20, 22, 39, 146, 171, 198, 273, 281, 287, 296, 301, 317, 422.  
 White-winged, 281.  
*Dryobates arizonae*, 282.  
 pubescens, 318, 470.  
 pubescens *glacialis*, 237.  
 pubescens *medianus*, 24, 172, 199, 274, 296, 301, 383.  
 villosus, 24, 172, 274, 318, 464, 470.  
 villosus *auduboni*, 216, 296, 301, 382.  
 villosus *monticola*, 146.  
 Duck, albino, 78.  
 Bimaculated, 93.  
 Black, 75, 76, 88, 205, 221, 272, 401, 451.  
 Eider, 177.  
 Harlequin, 11.  
 Lesser Scaup, 145, 273, 397.  
 Mottled, 451.  
 Red-legged Black, 10, 323-333.  
 Ring-necked, 131, 392.  
 Ruddy, 194, 404, 424.  
 Shoveller, 130, 247.  
 Wood, 31, 131, 314, 382, 403.  
*Dumetella carolinensis*, 30, 151, 176, 203, 278, 299, 304, 322.  
 Dutcher, Mary, Memorial Fund, 490.

- Dutcher, William, notice of his Fifth Annual Report of the National Association of Audubon Societies, 106; a delegate to the Fifth International Ornithological Congress, 365, 490.
- EAGLE, Bald, 38, 68, 229, 274, 454. Golden, 80, 85, 101, 146, 206, 229, 462.  
Gray Sea, 463.  
Northern Bald, 462.
- Earnshaw, Frank L., see Oldys, Henry.
- Eaton, Elon Howard, review of his 'Birds of New York,' 348-350.
- Ectopistes migratorius, 208, 428-443.
- Egret, 79.  
American, 64, 308, 314.  
Snowy, 315.
- Egretta candidissima, 145, 315.
- Eider, 4, 11, 462.  
King, 53, 59.
- Eifrig, G., a winter of rare birds at Ottawa, Ontario, 53-59; a Parasitic Jaeger near Ottawa, Ontario, 204.
- Elanoides forficatus, 317.
- Embody, G. C., a list of birds observed at Ashland, Virginia, 169-177.
- Empidonax difficilis, 283.  
flaviventris, 15, 275.  
fulvifrons pygmæus, 283.  
hammondi, 147.  
minimus, 173, 199, 275.  
traillii, 147, 283.  
trailli trailli, 25.  
virescens, 25, 133, 173, 297, 302, 319, 455.  
wrighti, 283.
- Ereunetes pusillus 13, 196, 316, 345.
- Erismatura jamaicensis, 194, 404.
- Eugenys fulgens, 282.
- Euphagus carolinus, 15, 173, 275.  
cynocephalus, 148, 200.
- FALCO columbarius, 14, 132, 207, 281.  
dominicensis, 472.  
fusco-ceruleoescens, 281.  
peregrinus anatum, 14.  
sparverioides, 472.  
sparverius, 23, 38, 146, 172, 198, 274, 301, 317.  
tinnunculus, 472.
- Falcon, Aplomado, 281.
- Fay, S. Prescott, European Wid-geon (*Mareca penelope*) in Florida 204; Massachusetts notes, 219; Black Brant (*Branta nigricans*) in Massachusetts, 336; Knot (*Tringa canutus*) wintering in Massachusetts, 339; the Canvas-back in Massachusetts, 369-384; a Massachusetts record for the White-tailed Kite, 453.
- Felger, A. H., Colorado notes, 89; status of the Black Duck (*Anas rubripes*) in Colorado, 451; notice of his 'Birds and Mammals of Northwestern Colorado,' 477.
- Ferry, John F., birds observed in Saskatchewan during the summer of 1909, 185-204; obituary of, 240.
- Festa, E., review of his 'Nel Darien e nell' Ecuador,' 354.
- Finch, Black Rosy, 148.  
Brown-capped Rosy, 148.  
Cassin's, 148.  
Cassin's Purple, 284.  
Gray-crowned Rosy, 148.  
Hepburn's Rosy, 148.
- Finn, Frank, notice of his 'The Waterfowl of India and Asia,' 360.
- Fisher, A. K., notice of his 'The Economic Value of Predaceous Birds and Mammals,' 100.
- Fisher, G. Clyde, Golden Eagle taken in West Florida, 80; two

- records of the Golden-eye at DeFuniak Springs, Florida, 205; a Bittern taken in West Florida, 205; another Golden Eagle taken in West Florida, 206.
- Flicker, 24, 72, 164, 172, 274, 340, 383.
- Northern, 4, 14, 39, 72, 199, 296, 302.
- Red-shafted, 199.
- Florida cærulea, 66, 315.
- Flycatcher, Acadian, 25, 173, 209, 297, 302, 319.
- Ash-throated, 283.
- Buff-breasted, 283.
- Coues's, 283.
- Crested, 20, 25, 172, 275, 296, 319.
- Fork-tailed, 80.
- Green-crested, 133, 455.
- Hammond's, 147.
- Least, 173, 199, 275.
- Olivaceous, 283.
- Olive-sided, 133, 275.
- Paradise, 478.
- Ridgway's, 283.
- Sulphur-bellied, 283.
- Traill's, 20, 25, 147, 283.
- Vermilion, 286.
- Western, 283.
- Wright's, 283.
- Yellow-bellied, 15, 275.
- Fool-bird, 316.
- Forbush, E. H., Wilson's Snipe wintering near Boston, Mass., 206.
- Fratercula arctica, 7.
- Fregata aquila, 75.
- Fringilla pecoris, 63.
- Fulica americana, 145, 196, 273, 382, 405.
- Fulmar, 462.
- Fulmarus glacialis, 462.
- GADWALL, 77, 144, 193, 420.
- Gallinago delicata, 13, 145, 196, 206, 344, 382.
- Gallinula galeata, 181–184, 221, 316.
- Gallinule, 64, 247, 260.
- Florida, 181–184, 308, 316.
- Purple, 89.
- Gannett, 5, 9.
- Gault, Benj. T., the Brown Pelican in Illinois, 75; the tagging of nesting birds, 92.
- Gavia imber, 92.
- immer, 7, 187, 272, 280.
- stellata, 7.
- Gelochelidon nilotica, 312.
- Geococcyx californianus, 89, 282.
- Geothlypis trichas, 17, 30, 277, 299, 304, 321, 384, 465.
- trichas ignota, 465.
- trichas occidentalis, 150.
- Giglioli, Henry Hillyer, death of, 240; biographical notice of, 484–486.
- Glaucidium gnoma, 146.
- phalænoïdes, 281.
- Gnatcatcher, 20.
- Blue-gray, 31, 176, 300, 304.
- Plumbeous, 287.
- Goatsucker, 115.
- Godman, Frederick Du Cane, review of his 'Monograph of the Petrels,' 350.
- Godwit, Hudsonian, 218, 280.
- Marbled, 462.
- Golden-eye, 10, 37, 177, 194, 205, 215.
- Barrow's, 10.
- Goldfinch, 20, 27, 40, 148, 173, 200, 275, 297, 303, 422.
- Arkansas, 149.
- Goosander, 10.
- Goose, Blue, 337.
- Canada, 12, 100, 118, 145, 194, 204, 263–271, 338, 383, 405, 426.
- Hawaiian, 260.
- Snow, 78, 338.
- Goshawk, 14, 146.
- Mexican, 281.

- Grackle, Boat-tailed, 307, 319.  
    Bronzed, 20, 27, 200, 275, 297.  
    Purple, 173, 297, 302, 319.  
    Rusty, 5.  
Grebe, Eared, 280.  
    Holboell's, 7, 216.  
    Horned, 187, 272.  
    Pied-billed, 171, 187, 272, 309,  
        312, 382, 400.  
    Western, 186.  
Grinnell, G. B., notice of his 'The Wild Turkey,' 104.  
Grinnell, Joseph, review of his papers on 'A new Cowbird of the Genus *Molothrus*,' etc., 'Two heretofore unnamed Wrens of the Genus *Thryomanes*,' and on 'The Savannah Sparrow of the Great Basin,' 232-234; review of his paper on the Birds of the Prince William Sound Region, Alaska, 236.  
Grosbeak, Black-headed, 150, 285.  
    Blue, 85, 170.  
    Evening, 36, 55, 90, 214.  
    Pine, 53, 56.  
    Rose-breasted, 28, 174, 202,  
        276, 298.  
    Western Blue, 285.  
    Western Evening, 148, 284.  
Grouse, Franklin's, 73.  
    Gray Ruffed, 198, 204.  
    Pinnated, 72, 79, 131.  
    Prairie Sharp-tailed, 198.  
    Richardson's, 217.  
    Ruffed, 273, 301.  
    Spruce, 4.  
    Willow, 51, 73.  
Grus americana, 195.  
    mexicana, 195, 280.  
Guillemot, Black, 7.  
Guiraca cærulea, 85.  
    cærulea lazuli, 285.  
Gull, Black-headed, 312.  
    Bonaparte's, 272.  
    Franklin's, 188.  
    Gull, Glaucous, 8.  
    Great Black-backed, 4, 8.  
    Herring, 9, 37, 272, 401.  
    Ivory, 8.  
    Laughing, 305, 312.  
    Little, 447.  
    Point Barrow, 358.  
    Ring-billed, 37, 187, 272, 426.  
    Sabine's, 89, 144.  
    Summer, 312.  
    Vega, 358.  
HÆMATOPUS palliatus, 317.  
Haliæetus albicilla, 358, 463.  
    leucocephalus, 38, 68, 274.  
    leucocephalus alascanus, 462.  
Hardy, Campbell, notice of his 'Reminiscences of a Nova Scotia Naturalist: Andrew Downs,' 480.  
Harelda hyemalis, 10.  
Hartert, Ernst, review of Heft VI of his 'Die Vögel der paläarktischen Fauna,' 476.  
Hawk, Broad-winged, 32, 172.  
    Cooper's, 22, 38, 100, 146, 171.  
    Duck, 14.  
    Fish, 317.  
    Marsh, 4, 6, 14, 32, 38, 88,  
        198, 273, 421.  
    Mexican Black, 281.  
    Night, 318.  
    Pigeon, 4, 14, 132, 207, 281.  
    Red-shouldered, 38, 172, 216,  
        317, 382.  
    Red-tailed, 22, 38, 132, 273.  
    Rough-legged, 198.  
    Sharp-shinned, 100, 146, 171,  
        273.  
    Sparrow, 20, 23, 38, 146, 172,  
        198, 274, 301, 317.  
    Swainson's, 22, 146, 198.  
    Western Red-tailed, 198.  
Helinaia swainsoni, 216, 321, 383.  
Helmitheros vermivorus, 298, 303.  
Helodromas solitarius, 13, 197, 273,  
    345.  
    solitarius cinnamomeus, 146.

- Hen, Hawaiian Mud, 260.  
 Henninger, W. F., notes on some Ohio birds, 66-68; Henslow's Sparrow as an Ohio bird, 334-336.  
 Henshaw, H. W., migration of the Pacific Plover to and from the Hawaiian Islands, 245-262.  
 Herodias egretta, 314.  
 Heron, Black-crowned Night, 21, 145, 160, 161, 306.  
   Blue, 145.  
   Great Blue, 20, 100, 229, 273, 305, 314, 382.  
   Green, 21, 296, 301, 305.  
   Little Blue, 66, 305, 315.  
   Little Green, 171, 315.  
   Louisiana, 305, 315.  
   Night, 247, 260.  
   Snowy, 145, 305.  
   Southwestern Blue, 280.  
   Yellow-crowned, 145.  
 Herrick, Harold, ducks at Munroe, Michigan, 76; a small flight of Gadwalls (*Chaulelasmus streperus*) near New York, 77.  
 Hesperiphona vespertina, 55.  
   vespertina montana, 148, 284.  
 Hess, Isaac E., one hundred breeding birds of an Illinois ten-mile radius, 19-32.  
 Hirundo, 477.  
   erythrogaster, 28, 150, 174, 202, 219, 276, 298.  
   rustica, 477.  
 Hoatzin, 227.  
 Hodge, C. F., report of efforts to discover surviving representatives of the Passenger Pigeon, 243.  
 Holoquiscalus niger, 103.  
 Honywill, Jr., Albert W., an albino duck, 78.  
 Howard, H. Eliot, review of Part IV of his 'The British Warblers,' 225.  
 Howe, Reginald Heber, Jr., an Egret in Rhode Island, 79; another King Rail in Massachusetts, 339.  
 Howell, Arthur H., breeding records from southern Illinois, 216; notes on the summer birds of Kentucky and Tennessee, 295-304; notes on the birds of the 'Sunken Lands' of southeastern Missouri, 381-384.  
 Hoxie, W. J., notes on the Bald Eagle in Georgia, 454; supposed nesting of the Pine-woods and Bachman's Sparrows in Chatham County, Ga., 457; the Bank Swallow at Savannah, Ga., 460.  
 Hummingbird, Black-chinned, 282.  
   Broad-billed, 282.  
   Broad-tailed, 147, 282.  
   Calliope, 282.  
   Costa's, 282.  
   Rivoli, 282.  
   Ruby-throated, 20, 24, 89, 172, 274, 296, 302, 318.  
   Rufous, 282.  
   White-eared, 282.  
 Hydranassa tricolor ruficollis, 315.  
 Hydrochelidon nigra surinamensis, 66, 130, 189, 280, 313.  
 Hylocichla fuscescens, 176, 213.  
   fuscescens salicicola, 203.  
   guttata, 151.  
   guttata auduboni, 288.  
   guttata pallasi, 18, 177, 278.  
   mustelina, 31, 176, 278, 300, 304, 322.  
   ustulata swainsoni, 151, 176, 278.  
 IBIS, Glossy, 64.  
   Wood, 79.  
 Ibycter circumcinctus, 152.  
 Icteria virens, 30, 139, 176, 299.  
   virens longicauda, 151, 287.  
 Icterus bullocki, 148, 284.  
   cucullatus nelsoni, 284.

- Icterus galbula, 26, 173, 200, 275, 297.  
nelsoni, 33.  
parisorum, 284.  
spurius, 26, 85, 173, 218, 297, 319.
- Iridoprocne bicolor, 16, 28, 150, 174, 202, 276, 286.
- Ixobrychus exilis, 314.  
minutus, 67.
- JAEGER, Parasitic, 8, 204.
- Jay, Blue, 4, 6, 15, 26, 173, 275, 297, 302, 319.  
California, 480.  
Canada, 53.  
Labrador, 4, 5, 15.  
Long-crested, 147, 422.  
Piñon, 147.  
Steller's, 480.  
Woodhouse's, 147.
- Jewett, McCormick, recent albinos from Illinois and Michigan, 91.
- Jewett, Stanley G., Northwestern Saw-whet and Snowy Owls in Oregon, 340.
- Job, Herbert K., notice of his 'The Sport of Bird-Study,' 102.
- Jouy, Pierre Louis, notice of his 'The Paradise Flycatchers of Japan and Korea,' 478.
- Junco, 16, 169, 427.  
Arizona, 285.  
Carolina, 297.  
Gray-headed, 149.  
Intermediate, 149.  
Mountain, 217.  
Pink-sided, 149.  
Slate-colored, 41, 174, 276.
- Junco hyemalis, 16, 41, 174, 276, 470.  
hyemalis carolinensis, 297.  
hyemalis connectens, 149.  
mearnsi, 149.  
montanus, 217.  
phaeonotus caniceps, 149.
- Junco phaeonotus palliatus, 285.
- KEYES, Charles R., an albinistic White-throated Sparrow, 457.
- Killdeer, 19, 21, 146, 171, 197, 296, 345, 422.
- Kingbird, 6, 14, 20, 25, 147, 172, 199, 274, 296, 302, 319.  
Cassin's, 283.  
Western, 147.
- Kingfisher, Belted, 4, 14, 23, 146, 172, 274, 301, 318.
- Kinglet, Ruby-crowned, 4, 18, 176, 278, 288.  
Golden-crowned, 5, 18, 41, 176, 219, 278.
- Kite, Swallow-tailed, 317.  
White-tailed, 453.
- Knight, Ora Willis, another Swan for Maine, 78; a recent record for the Eskimo Curlew, 79; Fork-tailed Flycatcher in Maine, 80.
- Knot, 316, 339.
- LAGOPUS lagopus, 13.  
lagopus albus, 358.  
lagopus alexandræ, 358.  
lagopus alteni, 358.  
rupestris, 470.  
rupestris kelloggæ, 237.
- Lamb, Chas. R., *Calcarius lapponicus* at Monomoy, Mass., in April, 341.
- Lanius borealis, 41, 150.  
ludovicianus, 29, 320.  
ludovicianus excubitorides, 150, 202, 459.  
ludovicianus migrans, 85, 175, 216, 383.
- Lanivireo flavifrons, 175, 298, 303.  
solitarius, 135.  
solitarius alticola, 85, 298.  
solitarius cassini, 286.  
solitarius plumbeus, 286.

- Lark, Desert Horned, 147, 199.  
 Horned, 4, 15, 115, 422.  
 Northern Horned, 4.  
 Prairie Horned, 19, 25, 297.  
 Scorched Horned, 284.
- Larus argentatus, 9, 272, 401.  
 atricilla, 312.  
 delawarensis, 187, 272.  
 franklini, 188.  
 hyperboreus, 8.  
 marinus, 9.  
 minutus, 447.  
 philadelphicus, 272.  
 sp., 280.
- Leucosticte atrata, 148.  
 australis, 148.  
 tephrocotis, 148.  
 tephrocotis littoralis, 148.
- Limosa fedoa, 462.  
 hæmostica, 218, 280.
- Lobipes lobatus, 13, 79, 206, 344.
- Longspur, 210.  
 Chestnut-collared, 200, 341.  
 Lapland, 41, 211, 341.  
 McCown's, 201, 284.
- Loon, 7, 92, 187, 272, 280.  
 Red-throated, 7.
- Lophodytes cucullatus, 192, 272,  
 462.
- Loxia curvirostra minor, 40.  
 curvirostra stricklandi, 148.  
 leucoptera, 15, 53, 57.
- MACGILLIVRAY, William, review of  
 'Life of William MacGillivray,'  
 474-476.
- Macoun, John and James M.,  
 notice of their 'Catalogue of  
 Canadian Birds,' 107-109.
- Macpherson, H. B., notice of his  
 'The Home-Life of a Golden  
 Eagle,' 101.
- Macrorhamphus scolopaceus, 472.
- MacSwain, John, notice of his  
 'A Catalogue of the Birds of  
 Prince Edward Island,' 479.
- Magpie, 147, 210, 427.
- Mailliard, Joseph, notice of his  
 'The Status of the California  
 Bi-colored Blackbird,' 357.
- Mallard, 144, 192, 204, 272, 314,  
 382, 401, 421.
- Man-o'-war-bird, 75.
- Mareca americana, 130, 193, 392.  
 penelope, 204.
- Marila affinis, 145, 194, 273, 392.  
 americana, 194, 273, 392.  
 collaris, 131, 392.  
 vallisneria, 194, 369, 392.
- Martin, Purple, 28, 64, 174, 202,  
 276, 298, 303, 320.  
 Western, 286.
- McAtee, W. L., *Chen cærulescens,*  
*Chen rossi*, and other Water-fowl  
 in Louisiana, 337-339; notice of  
 his 'Plants useful to attract Birds  
 and protect Fruit,' 481.
- McClintock, Norman, a Hermit  
 Thrush study, 409-418.
- McConnell, Harry B., notes from  
 eastern Ohio, 216.
- McGregor, Richard C., review of  
 his 'A Manual of Philippine  
 Birds,' 237.
- Meadowlark, 19, 26, 36, 39, 59, 89,  
 173, 275, 297, 319, 341, 422.  
 Rio Grande, 284.  
 Southern, 216, 302, 383.  
 Western, 148, 200.
- Megaquiscalus major, 319.
- Melanerpes erythrocephalus, 24,  
 39, 172, 274, 296, 301, 318.
- Meleagris gallopavo merriami, 281.  
 gallopavo silvestris, 171, 301.
- Melopelia leucoptera, 281.
- Melospiza georgiana, 16, 27, 174,  
 202, 276.  
 lincolni, 16, 150.
- melodia, 27, 41, 174, 276, 297,  
 470.
- melodia fallax, 285.
- melodia melodia, 201.
- melodia montana, 149.

- Merganser, 10, 401.  
    Hooded, 192, 272, 462.  
    Red-breasted, 10, 164.
- Mergus americanus, 10, 401.  
    serrator, 10.
- Merriam, C. Hart, notice of his 'Report' as Chief of the Biological Survey, for 1909, 104-106; an endowment for, 364.
- Merrill, James Cushing, biography of, 113-119.
- Merula migratoria, 31.
- Micropalama himantopus, 196.
- Micropallas whitneyi, 281.
- Miller, Loyal Holmes, review of his recent papers on fossil birds from the Rancho La Brea beds in California, 228-230.
- Miller, Richard F., the Black Duck summering near Philadelphia, 75; the Bobolink at Philadelphia, Pa., and vicinity in summer, 81; notes on the Florida Gallinule (*Gallinula galeata*) in Philadelphia County, Pa., 181-184; breeding of the Long-eared Owl in Philadelphia County, Pa., 340; the Redstart in southern New Jersey in summer, 343.
- Miller, W. DeW., the Red-billed Tropic-bird in Arizona, 450.
- Mimus polyglottos, 30, 176, 221, 299, 304, 321, 460.  
    polyglottos leucopterus, 151.
- Mniotilla varia, 16, 175, 277, 298, 303, 320.
- Mockingbird, 20, 30, 170, 176, 299, 321, 460.  
    Western, 151.
- Molothrus ater, 26, 39, 88, 173, 199, 213, 275, 464.  
    ater artemisiae, 232.  
    ater dwighti, 61, 232.  
    ater obscurus, 232, 283.
- Momotus lessoni, 235.
- Moore, Robert Thomas, the Orange-
- crowned Warbler in New Jersey again, 85; finding of three rare nests in New Jersey, 87.
- Morris, Robert O., capture of the Northern Phalarope near Springfield, Mass., 79; bird notes from Springfield, Mass., and vicinity, 221.
- Motmot, 72.
- Murre, 5, 8.  
    Brünnich's, 53, 218.  
    California, 92.
- Muscicapa atricapilla, 476.  
    hypoleuca, 476.
- Museum of Comparative Zoölogy, recent accessions to the Ornithological Department, 111.
- Myadestes townsendi, 151, 288.
- Mycteria americana, 79.
- Myiarchus cinerascens, 283.  
    crinitus, 25, 172, 275, 296, 319.  
    lawrencei olivascens, 283.
- Myiochanes virens, 25, 173, 275, 297, 302, 319.  
    richardsoni, 147.
- Myiodynastes luteiventris, 283.
- NANNUS hiemalis, 18, 176, 278.
- Nesophlox, 356.
- Nettion carolinensis, 144, 193, 403.
- New York plumage bill, or the 'Shea-White Plumage Bill,' noticed, 367.
- Nighthawk, 32, 172, 274, 302.  
    Texan, 282.  
    Western, 147, 199.
- Nonpareil, 320.  
    Western, 118.
- Norton, Arthur H., further notes on the occurrence of the Pigeon Hawk (*Falco columbarius*) in winter near Portland, Maine, 207; the Little Gull (*Larus minutus*) in Maine, with remarks on its distribution, and its occurrence in America, 447-450.

- Nucifraga columbiana, 147, 283.  
 Numenius americanus, 61, 199.  
     americanus **parvus**, 59.  
     hudsonicus, 464.  
     longirostris, 146, 316, 464.  
     occidentalis, 61.  
 Nutcracker, Clarke's, 283.  
 Nuthatch, Brown-headed, 170, 322.  
     Pygmy, 288, 427.  
     Red-breasted, 41, 278.  
     Rocky Mountain, 151.  
     White-breasted, 31, 176, 278,  
     300, 304, 322.  
 Nuttallornis borealis, 133, 275.  
 Nyctala acadica, 146.  
 Nyctea nyctea, 207, 340, 454.  
 Nycticorax nycticorax nævius, 21,  
     145, 315.  
     violaceus, 145.  
  
 OCEANODROMA leucorhoa, 479.  
 Ochthodromus wilsonius, 316.  
 Ogilvie-Grant, notice, of his 'A  
     List of British Birds', 477.  
 Oidemia americana, 11.  
     deglandi, 11, 194.  
     fusca, 204.  
     perspicillata, 11.  
 Old-squaw, 10.  
 Oldys, Henry, and C. E. Brewster  
     and Frank L. Earnshaw, notice  
     of their 'Game Laws for 1910,'  
     481.  
 Olor columbianus, 204.  
 Oporornis agilis, 138, 277.  
     formosa, 30, 176, 299, 303.  
     philadelphia, 139, 277.  
     tolmiei, 150, 287.  
 Oreospiza chlorura, 150, 285.  
 Oriole, Arizona Hooded, 33, 284.  
     Baltimore, 20, 26, 173, 200,  
     275, 297.  
     Bullock's, 148, 284, 287.  
     Orchard, 20, 26, 64, 85, 173,  
     218, 297, 319.  
     Oriole, Palm-leaf, 33.  
     Scott's, 284.  
     Oriolus ater, 63.  
     fuscus, 63.  
     Ornithion ridgwayi, 283.  
 Ornithological Congress, Fifth In-  
     ternational, 111, 490.  
 Ornithological Messenger, notice of,  
     336.  
 Oroscoptes montanus, 151.  
 Osgood, Wilfred H., review of his  
     'Biological Investigations in  
     Alaska and Yukon Territory,'  
     97.  
 Osprey, 14, 80, 146, 308, 317.  
 Otocoris alpestris, 15, 470.  
     alpestris adusta, 283.  
     alpestris leucolema, 147, 199.  
     alpestris praticola, 25, 297.  
 Otus asio, 23, 172, 274, 296, 301,  
     318, 470.  
     asio gilmani, 356.  
     flammeolus, 281.  
 Ousel, Water, 151.  
 Ovenbird, 20, 29, 175, 277, 299,  
     303, 321.  
 Owl, Arctic Horned, 199.  
     Barn, 23, 64, 207, 218, 281.  
     Barred, 23, 172, 216, 317.  
     Burrowing, 281.  
 Elf, 281.  
 Ferruginous Pygmy, 281.  
 Flammulated Screech, 281.  
 Great Gray, 463.  
 Great Horned, 32, 39, 100, 318,  
     427.  
 Hawk, 454.  
 Long-eared, 23, 146, 198, 340.  
 Northwestern Saw-whet, 340.  
 Pygmy, 146.  
 Saw-whet, 146.  
 Screech, 20, 172, 274, 296, 301,  
     318.  
 Short-eared, 39, 131, 146, 198,  
     260.  
 Snowy, 53, 207, 340, 454.

- Owl, Spotted, 281.  
Western Horned, 146.
- Oxyechus vociferus, 21, 146, 171, 197, 273, 296, 345.
- Oystercatcher, 305, 317.
- PAGOPHILA alba, 8.
- Palmer, William, see Bryant, Owen.
- Pandion haliaetus carolinensis, 14, 146, 317.
- Parakeet, 209.
- Partridge, Hudsonian Spruce, 13.
- Passer domesticus, 27, 58, 149, 173, 203, 284, 322.
- Passerculus sandwichensis alaudinus, 149, 234.  
sandwichensis nevadensis, 234.  
sandwichensis savanna, 15, 133, 173.  
savanna alaudinus, 201.
- Passerella iliaca, 16, 91, 174, 276, 470.  
iliaca sinuosa, 237.
- Passerherbulus henslowi, 173.  
henslowi henslowi, 458.  
lecontei, 201.  
nelsoni, 201.
- Passerina amœna, 285.  
ciris, 320.  
eyanea, 28, 174, 276, 298, 320.
- Pavo californicus, 229.
- Pedicecetes phasianellus campestris, 198.
- Pelecanus erythrорhynchos, 144, 190, 280.  
occidentalis, 314.
- Pelican, Brown, 75, 307, 314.  
White, 144, 190, 280.
- Pelidna alpina sakhalina, 345.
- Penthestes atricapillus, 31, 278.  
atricapillus septentrionalis, 218.  
carolinensis, 176, 300, 304, 322.  
gambeli, 151.  
hudsonicus, 18, 86.  
rufescens vivax, 237.  
slateri, 288.
- Perisoreus canadensis nigricapillus, 15.
- Petrel, Leach's, 479.  
Storm, 479.
- Petrochelidon fulva pallida, 459.  
lunifrons, 28, 174, 202, 276, 286.
- Peucæa æstivalis, 457.  
æstivalis bachmani, 27, 457.
- Peucedramus olivaceus, 286.
- Pewee, Western Wood, 147.  
Wood, 20, 25, 173, 275, 297, 302, 319.
- Phalacrocorax auritus, 9, 67, 189, 203.  
auritus floridanus, 314.
- Phalaenoptilus nuttalli nitidus, 282.
- Phalarope, Northern, 13, 79, 206, 344.  
Red, 219.  
Wilson's, 145, 196.
- Phalaropus fulcarius, 219.
- Philadelphia Academy of Natural Sciences, recent accessions to the Ornithological Department, 111.
- Philipp, P. B., see Bowdish, B. S.
- Phillips, J. C., notes on the autumn migration of the Canada Goose in eastern Massachusetts, 263-271.
- Philohela minor, 31.
- Phlœotomus pileatus, 301.  
pileatus abieticola, 318.
- Phœbe, 25, 172, 199, 275, 296, 302.  
Say's, 147, 283, 287.
- Pica pica hudsonia, 147, 210.
- Pigeon, Band-tailed, 281.  
Passenger, 73, 112, 208, 217, 243, 428-443.
- Pinicola enucleator, 56.
- Pintail, 6, 10, 145, 193, 247, 421.
- Pipilo erythrophthalmus, 27, 174, 220, 276, 303, 320, 464.  
fuscus mesoleucus, 285.  
maculatus, 202.  
maculatus montanus, 150.
- Pipit, 4, 17, 151, 278.  
Sprague's, 203.

- Piranga erythromelas, 28, 85, 94, 174, 276, 298, 303.  
 hepatica, 286.  
 ludoviciana, 150, 285.  
 rubra, 28, 85, 174, 194, 298, 303.  
 rubra cooperi, 286.
- Pisobia bairdi, 196.  
 fuscicollis, 196, 344.  
 maculata, 344.  
 minutilla, 13, 145, 273, 316, 345.  
 ruficollis, 472.
- Pitcairn, Wm. G., further notes on the Lark Sparrow in southwestern Pennsylvania, 211; Wilson's Thrush (*Hylocichla fuscescens*) a common Breeder near Allegheny, Pa., 213.
- Planesticus migratorius, 18, 41, 58, 177, 203, 279.  
 migratorius achrusterus, 300, 304.  
 migratorius propinquus, 151, 288.
- Plectrophenax nivalis, 15, 41, 200, 275.
- Plover, Black-bellied, 345.  
 Golden, 67, 204, 245, 255, 273, 281, 345.  
 Killdeer, 273.  
 Mountain, 426.  
 Pacific Golden, 245-262.  
 Piping, 6, 13, 197.  
 Semipalmated, 13, 197, 273, 345.  
 Upland, 19, 21, 197.  
 Wilson's, 307, 316.
- Podilymbus podiceps, 171, 187, 272, 312, 382, 400.
- Polioptila cærulea, 31, 176, 300, 304.
- Pooecetes gramineus, 27, 41, 173, 275, 297.  
 gramineus confinis, 149, 201, 284.
- Poor-will, Frosted, 282.
- Porter, Louis B., the Hermit Thrush breeding in Litchfield County, Conn., 461.
- Porzana carolina, 31, 145, 196.  
 jamaicensis, 31.
- Procellaria pelagica, 479.
- Progne subis, 28, 174, 202, 276, 298, 303, 320.  
 subis hesperia, 286.
- Protonotaria citrea, 29, 321, 383.
- Prunella, 477.
- Psaltriparus plumbeus, 151.
- Psittacus multicolor, 80.
- Ptarmigan, Willow, 13.
- Publications received, 109, 238, 360, 481.
- Puffin, 4, 7, 92.
- Pyrrhuloxia, Arizona, 285.
- Pyrrhuloxia sinuata, 285.
- QUAIL, Gambel's 288.  
 Scaled, 281.
- Querquedula cyanoptera, 144.  
 discors, 144, 193, 219, 272, 452.
- Quiscalus quiscula, 173, 297, 302, 319.  
 quiscula æneus, 27, 200, 275, 297.
- RAIL, Black, 31.  
 Carolina, 424.  
 Clapper, 315, 464.  
 King, 21, 64, 67, 216, 220, 308, 315, 339, 382.  
 Sora, 164, 196.  
 Virginia, 145, 219.  
 Yellow, 196.
- Rallus crepitans, 315, 464.  
 crepitans waynei, 464.  
 elegans, 21, 67, 216, 220, 315, 339, 382.  
 virginianus, 145.
- Ramsden, Charles T., the Blue-winged Teal in Cuba in summer, 452.
- Raven, 5, 15, 85, 229.  
 Northern, 147, 302.
- Reagan, Albert B., destruction of young water birds by a storm, 92.

- Recurvirostra americana, 145, 196, 344.  
Redfield, A. C., the Seaside Sparrow on Cape Cod, Massachusetts, in winter, 211.  
Redhead, 36, 194, 204, 273, 392.  
Redpoll, 4, 15, 36, 40, 57, 148.  
    Hoary, 58, 463.  
Redstart, 4, 6, 17, 20, 30, 85, 151, 176, 217, 278, 299, 343.  
    Painted, 287.  
Redtail, 217.  
    Western, 146.  
Redwing, Sonora, 284.  
    Thick-billed, 147, 200.  
Reed, Hugh D., and Albert W. Wright, review of their 'The Vertebrates of the Cayuga Lake Basin, N. Y.', 226.  
Regulus calendula, 18, 176, 278, 288.  
    satrapa, 18, 41, 176, 278.  
Rhynchophanes mccowni, 201, 284.  
Ridgway, Robert, concerning three alleged "Erroneous Georgia Records," 88; review of his 'Diagnoses of new forms of Micropodidae and Trochilidae,' 356; reference to progress with Part V of his 'Birds of North and Middle America,' and his 'Nomenclature of Colors,' 491.  
Riparia riparia, 16, 28, 175, 202, 276, 320, 460, 464.  
Road-runner, 89, 282.  
Robin, 18, 31, 41, 55, 58, 158, 177, 203, 279, 427.  
    Carolinian, 300, 304.  
    Ground, 320.  
    Western, 151, 288.  
Roosevelt-Smithsonian Expedition to British East Africa, collections secured, 365.  
Rynchops nigra, 313.  
SAGE, John H., Twenty-seventh Stated Meeting of the American Ornithologists' Union, 69-74.  
Salpinctus obsoletus, 151.  
Sanderling, 67, 197, 273, 345.  
Sandpiper, Baird's, 196.  
    Buff-breasted, 219.  
    Least, 13, 145, 273, 316, 345.  
    Pectoral, 344.  
    Purple, 6, 13.  
    Red-backed, 345.  
    Semipalmated, 13, 196, 316, 345.  
    Solitary, 13, 197, 273, 345.  
    Spotted, 13, 21, 119, 146, 171, 197, 273, 345.  
    Stilt, 196.  
    Western Solitary, 146.  
    White-rumped, 196, 344.  
Sapsucker, Red-breasted, 480.  
    Williamson's, 282.  
    Yellow-bellied, 199, 274.  
Saunders, W. E., Pinnated Grouse in southern Ontario, 79; the Grasshopper Sparrow in Ontario, 84; birds of Central Alberta, 89; Acadian Flycatcher in Ontario, 209; another tagged bird heard from, 221.  
Sayornis phoebe, 25, 172, 199, 275, 297, 302.  
    saya, 147, 283.  
Scardafella inca, 281.  
Scaup, Greater, 37.  
    Lesser, 37, 194, 392.  
Slater, P. L., notice of his 'Revised List of the Birds of Jamaica,' 479.  
Scoter, 11.  
    Surf, 11.  
    Velvet, 204.  
    White-winged, 11, 194.  
Scotiaptex nebulosa, 463.  
Scott, William E. D., an apparently new species of Carrion Hawk of the genus *Ibycter*, 152; review of his Ornithology of Patagonia, part 2, 474; biographical notice of, 488-489.

- Sea birds, wholesale destruction of by Japanese poachers at the Laysan Islands, 243.
- Seiurus aurocapillus*, 29, 175, 277, 299, 303, 321.  
*motacilla*, 30, 85, 138, 176, 299, 303.  
*noveboracensis*, 17.  
*noveboracensis notabilis*, 277.
- Selasphorus platycercus*, 147, 282.  
*rufus*, 282.
- Seton, Ernest Thompson, notice of his 'Fauna of Manitoba,' 98.
- Setophaga picta*, 287.  
*ruticilla*, 17, 30, 85, 151, 176, 278, 299.
- Sharpe, R. Bowdler, review of his 'Handlist' of Birds, 93-95; biography of, 124-129.
- Sherman, Julia Wingate, the Brewster's Warbler in Massachusetts, 443-447.
- Shoveller, 193, 421.
- Shrike, Loggerhead, 20, 29, 320.  
     Migrant, 85, 216, 383.  
     Northern, 36, 41, 150.  
     Northern Loggerhead, 175.  
     White-rumped, 150, 202.
- Shufeldt, R. W., notice of his paper on the comparative osteology of *Arachnothera magna*, 101.
- Sialia currucoides*, 151.  
     *mexicana bairdi*, 151, 288.  
     *mexicana occidentalis*, 288.  
     *sialis*, 31, 177, 221, 279, 300, 322.
- Siskin, Pine, 5, 36, 40, 133, 149, 173, 284, 427.
- Sitta canadensis*, 41, 278.  
     *carolinensis*, 31, 176, 278, 300, 304, 322.  
     *carolinensis nelsoni*, 151.  
     *pusilla*, 322.  
     *pygmaea*, 288.
- Skimmer, Black, 307, 313.
- Snakebird, 382.
- Snipe, Robin, 316.  
     Wilson's, 13, 145, 196, 206, 344, 382.
- Snowflake, 36, 41.
- Solitaire, Townsend's, 151, 288, 422.
- Somateria dresseri*, 11, 179, 462.  
     *spectabilis*, 53, 345.
- Sora, 31, 145.
- Sparrow, Bachman's, 20, 27, 457.  
     Baird's, 284.  
     Brewer's, 149, 284.  
     Chipping, 20, 27, 90, 174, 211, 276, 297, 303.  
     Clay-colored, 201.  
     Dakota Song, 202.  
     Desert, 285, 287.  
     Desert Song, 285.  
     English, 58, 173, 203, 284, 322.  
     European House, 27.  
     Field, 19, 27, 169, 174, 276, 297, 303, 320.  
     Fox, 4, 16, 91, 174, 276.  
     Gambel's, 284.  
     Golden-crowned, 149.  
     Grasshopper, 19, 27, 59, 64, 84, 103, 173, 297.  
     Harris's, 149.  
     Henslow's, 134, 173, 334, 458.  
     House, 149.  
     Intermediate, 149.  
     Lark, 20, 27, 211, 216.  
     Leconte's, 201.  
     Lincoln's, 4, 16, 90, 150, 215, 423.  
     Mountain Song, 149.  
     Nelson's, 90, 201, 215.  
     Pine-woods, 457.  
     Rufous-winged, 285.  
     Sage, 426.  
     Savannah, 15, 133, 173.  
     Scott's, 285.  
     Seaside, 211.  
     Song, 19, 27, 36, 41, 115, 169, 174, 201, 276, 297, 424.  
     Swamp, 16, 27, 174, 202, 276.  
     Tree, 4, 16, 169, 174.

- Sparrow, Vesper, 19, 27, 37, 41, 173, 275, 297.  
Western Chipping, 149, 284, 422.  
Western Field, 201.  
Western Grasshopper, 217.  
Western Lark, 149.  
Western Savannah, 149, 201, 426.  
Western Tree, 149.  
Western Vesper, 149, 201, 284.  
White-crowned, 4, 16, 91, 149, 174, 284.  
White-throated, 16, 83, 91, 174, 201, 275, 457.  
*Spatula clypeata*, 130, 145, 193.  
*Speotyto cunicularia hypogaea*, 281.  
*Sphyrapicus thyroideus*, 282.  
    *varius*, 199, 274.  
*Spinus pinus*, 40, 133, 149, 173, 284.  
*Spiza americana*, 28, 298.  
*Spizella breweri*, 149, 284.  
    *monticola*, 16, 174.  
    *monticola ochracea*, 149.  
    *pallida*, 201.  
    *passerina*, 27, 174, 211, 276, 297, 303.  
    *passerina arizonæ*, 149, 284.  
    *pusilla*, 27, 174, 276, 297, 303, 320.  
    *pusilla arenacea*, 201.  
*Spoonbill*, 145.  
*Squatarola squatarola*, 345.  
Stansell, Sidney S. S., birds of Central Alberta, 214.  
Stanwood, Cordelia J., the Black-throated Green Warbler, 289-294; a series of nests of the Magnolia Warbler, 384-389.  
*Steganopus tricolor*, 145, 196.  
*Stelgidopteryx serripennis*, 29, 134, 175, 286, 298.  
*Stellula calliope*, 282.  
*Stercorarius parasiticus*, 8, 204.  
*Sterna antillarum*, 313.  
    *caspia*, 9.  
    *fuscata crissalis*, 472.  
*Sterna hirundo*, 9, 130, 189, 313.  
    *maxima*, 312.  
    *sandvicensis acuflavida*, 313.  
*Stilt*, Hawaiian, 260.  
Stone, Clarence F., breeding of the White-throated Sparrow in Yates County, N. Y., 83.  
Stone, Witmer, review of his 'The Birds of New Jersey,' 95-97.  
*Strix occidentalis*, 281.  
    *occidentalis huachucæ*, 356.  
    *varia*, 23, 172, 216, 317.  
*Sturnella magna*, 26, 39, 59, 173, 275, 297, 319, 341.  
    *magna argutula*, 216, 302, 383.  
    *magna hoopesi*, 284.  
    *neglecta*, 148, 200.  
*Sula bassana*, 9.  
*Surnia ulula caparoch*, 454.  
Swales, B. H., *Bubo virginianus occidentalis* in Michigan, 208; Carolina Parakeet (*Conurus carolinensis*), 209; the Turnstone at Grosse Isle, Mich., 452; Hawk Owl (*Surnia ulula caparoch*) in Michigan, 454; nesting of *Passerherbulus henslowi henslowi* on Grosse Isle, Mich., 458; notes from Grosse Isle, Mich., 462.  
Swallow, Bank, 16, 28, 88, 175, 202, 276, 320, 460, 464.  
Barn, 28, 150, 174, 202, 219, 276, 298.  
Cliff, 28, 91, 174, 202, 276, 286, 460.  
Rough-winged, 29, 64, 134, 175, 286, 298.  
Tree, 16, 28, 150, 174, 202, 276, 286.  
Violet-green, 150, 286.  
Swan, Whistling, 78, 204, 217.  
Whooping, 78.  
Swarth, Harry S., notice of his 'Two new Owls from Arizona,' etc., 356.  
Swift, Chimney, 24, 172, 274, 296, 302, 318.

- Swift, Common, 95.  
     White-throated, 282.
- Sylvia cantillans, 476.  
     subalpina, 476.
- TACHYCYNETA thalassina lepida, 150, 286.
- Tachyptetes aquilus, 349.
- Tanager, Cooper's, 286.  
     Hepatic, 286.  
     Scarlet, 20, 28, 85, 174, 276, 298, 303.  
     Summer, 20, 28, 85, 174, 298, 303.  
     Western, 150, 285.
- Tangavius æneus æneus, 283, 472.  
     æneus involucratus, 210.
- Tatler, Wandering, 247.
- Taylor, Alexander O'Driscoll, obituary of, 362.
- Tchitrea, 478.
- Teal, Blue-winged, 144, 193, 219, 272, 452.  
     Cinnamon, 144.  
     Green-winged, 144, 193, 403.
- Telmatodytes palustris, 203, 278, 322, 465.  
     palustris griseus, 214, 465.  
     palustris iliacus, 384.
- Teratornis merriami, 229.
- Tern, Arctic, 47.  
     Black, 66, 130, 189, 280, 313.  
     Cabot's, 313.  
     Caspian, 9.  
     Common, 4, 9, 164, 189, 305, 313.  
     Gull-billed, 310, 312.  
     Least, 305, 313.  
     Royal, 305, 312.  
     Wilson's, 130, 313.
- Terpsiphone atrocaudata, 478.  
     owstoni, 478.
- Thalassætus pelagicus, 358.
- Thayer, Abbott H., top-white on mammals and birds, 345–347; concealing coloration, 363.
- Thayer, Gerald H., review of his 'Concealing-Coloration in the Animal Kingdom,' 222–225; the possessive form for personal bird names, 483.
- Thrasaëtos harpyia, 472.
- Thrasher, Brown, 20, 30, 169, 176, 203, 212, 278, 299, 304, 322.
- Sage, 151, 426.
- Bendire's, 287.
- Palmer's, 287.
- Thrush, Alaska Hermit, 151.  
     Alice's, 418.
- Audubon's Hermit, 288.
- Hermit, 18, 177, 278, 409, 461.
- Olive-backed, 151, 176, 278.
- Varied, 218.
- Willow, 203.
- Wilson's, 176, 213.
- Wood, 20, 31, 176, 278, 300, 304, 322, 461.
- Thryomanes bewicki, 30, 85, 299, 304.  
     bewicki catalinæ, 234.  
     bewicki leucogaster, 288.  
     bewicki marinensis, 234.
- Thryothorus ludovicianus, 30, 141, 176, 213, 299, 304, 322.
- Ticehurst, Norman F., review of his 'A History of the Birds of Kent,' 230–232.
- Tinker, A. D., see Wood, N. A.
- Titmouse, Tufted, 31, 64, 141, 176, 300, 304, 322.
- Totanus flavipes, 197, 273, 280, 345.  
     melanoleucus, 13, 273, 280, 345.
- Towhee, 20, 27, 174, 276, 309, 320, 464.  
     Arctic, 202.  
     Cañon, 285.  
     Green-tailed, 150, 285.  
     Mountain, 150.
- Townsend, Charles W., the courtship of Golden-eye and Eider Ducks, 177–181.

- Townsend, Charles W., and A. C.  
Bent, additional notes on the  
birds of Labrador, 1-18.
- Toxostoma bendirei*, 287.  
*curvirostre palmeri*, 287.  
*rufum*, 30, 176, 203, 278, 299,  
304, 322.
- Tringa canutus*, 316, 339.
- Trochilus evelynae*, 356.
- Troglodytes aëdon*, 176, 278.
- Troglodytes aëdon parkmani*, 151,  
203, 288.
- Tropic-bird, Red-billed, 450.  
Yellow-billed, 450.
- Tryngites subruficollis*, 219.
- Turkey, Merriam's, 281.  
Wild, 104, 171, 301.
- Turnstone, 247, 317, 345, 452.  
Ruddy, 198.
- Tympanuchus americanus*, 22, 131,  
198.
- Tyrannus tyrannus*, 14, 25, 147,  
172, 199, 274, 296, 302, 319.  
*verticalis*, 147.  
*vociferans*, 283.
- URIA lomvia*, 218.  
troille, 8.
- Urubitinga anthracina*, 281.
- VEERY**, 176.
- Vermivora bachmani*, 214, 383.  
*celata*, 85, 150.  
*celata lutescens*, 286.  
*chrysoptera*, 463.  
*lawrencei*, 463.  
*leucobronchialis*, 463.  
*peregrina*, 202.  
*rubricapilla*, 17.  
*virginæ*, 286.
- Verrill, A. E., and A. Hyatt, notice  
of their 'Notes on the Birds of  
San Domingo,' 103.
- Vireo bellii*, 29, 342.  
*belli pusillus*, 286.  
*griseus*, 29, 175, 298, 303, 320.  
*huttoni stephensi*, 286.
- Vireo, Bell's, 29.  
Blue-headed, 135.  
Cassin's, 286.  
Least, 286.  
Mountain Solitary, 85, 298.  
Philadelphia, 90, 202, 215.  
Plumbeous, 286.  
Prothonotary, 29.  
Red-eyed, 29, 175, 202, 276,  
298, 303, 320.
- Stephens's, 286.
- Warbling, 20, 29, 298, 320.  
Western Warbling, 202.  
White-eyed, 29, 64, 169, 175,  
298, 303, 320.
- Yellow, 29.  
Yellow-throated, 175, 298, 303.
- Vireosylva gilva*, 29, 298, 320.  
*gilva swainsoni*, 202.  
*olivacea*, 29, 175, 202, 276, 298,  
303, 320.  
*philadelphica*, 202.
- Visher, S. S., a correction: a new  
bird for the United States, 210;  
notes on the birds of Pima  
County, Arizona, 279-288.
- Vulture, Black, 170, 171, 301, 307,  
317.
- Turkey, 22, 64, 171, 208, 229,  
273, 317.
- WALKER**, Fred. S., the wintering  
of Meadowlarks at Pine Point,  
Maine, 341.
- Walter, Herbert Eugene, and Alice  
Hall Walter, notice of the fourth  
edition of their 'Wild Birds in  
City Parks,' 359-408.
- Warbler, Audubon's, 150, 427.  
Bachman's, 383.  
Bay-breasted, 136, 277.  
Black-fronted, 286.  
Black and White, 4, 6, 16, 175,  
277, 298, 303, 320.  
Blackburnian, 277, 299.  
Blackpoll, 4, 17, 90, 136, 175,  
277.

- Warbler, Black-throated Blue, 6, 17, 175, 277.  
 Black-throated Gray, 287.  
 Black-throated Green, 17, 46, 175, 277, 289-294, 299, 303.  
 Brewster's, 443, 463.  
 Cairns's, 298, 303.  
 Canadian, 140, 278, 299.  
 Cape May, 85, 103, 135.  
 Cerulean, 64, 84, 135, 212, 298.  
 Chestnut-sided, 175, 277, 303.  
 Connecticut, 138, 277.  
 Golden-winged, 64.  
 Grace's, 287.  
 Greenish Willow, 225.  
 Hermit, 287.  
 Hooded, 20, 30, 64, 176, 299, 304, 321.  
 Kentucky, 20, 30, 176, 299, 303.  
 Lawrence's, 463.  
 Lutescent, 286, 287.  
 Macgillivray's, 150, 287.  
 Magnolia, 17, 90, 202, 277, 384.  
 Mourning, 139, 277.  
 Myrtle, 90, 150, 175, 277.  
 Nashville, 6, 17.  
 Northern Parula, 175.  
 Olive, 286.  
 Orange-crowned, 85, 150.  
 Palm, 277.  
 Parula, 321, 455.  
 Pileolated, 151, 287, 427.  
 Pine, 87, 137, 175, 277, 321.  
 Prairie, 59, 138, 169, 175, 299, 303, 321, 462.  
 Prothonotary, 64, 170, 216, 308, 321, 383.  
 Red-faced, 287.  
 Swainson's, 170, 216, 321, 383.  
 Sycamore, 85, 136, 383.  
 Tennessee, 202.  
 Townsend's, 287.  
 Virginia's, 286.  
 Western Parula, 298.  
 Wilson's, 4, 17, 140, 278.  
 Warbler, Worm-eating, 64, 298, 303.  
 Yellow, 17, 20, 150, 175, 202, 277, 298.  
 Yellow Palm, 17.  
 Yellow-rumped, 17.  
 Yellow-throated, 321.  
 Warren, Edward R., bird notes from Salida, Chaffee County, Colorado, 142-151.  
 Water-Thrush, 17.  
 Grinnell's, 277.  
 Louisiana, 20, 30, 64, 85, 138, 176, 299, 303.  
 Watson, J. R., the impaling instinct in Shrikes, 459.  
 Waxwing, Bohemian, 54, 150.  
 Cedar, 32, 85, 175, 202, 276.  
 Wayne, Arthur T., the Wood Ibis (*Mycteria americana*) in the mountains of North Carolina, 79; the Osprey a breeder on the Catawba River, near Morgantown, North Carolina, 80; the Cerulean Warbler (*Dendroica cerulea*) breeding in Burke County, North Carolina, 84; two additions to the avifauna of South Carolina, 90; concerning three erroneous Georgia records, 213; the Snowy Owl (*Nyctea nyctea*) taken in South Carolina, 454; seven erroneous records from North and South Carolina, 464; review of his 'Birds of South Carolina,' 472-474.  
 Weber, J. A., Cerulean Warbler (*Dendroica cerulea*) in northern New Jersey, 212.  
 Whippoorwill, 20, 24, 172, 274, 296, 302.  
 Stephen's, 282.  
 Whitethroat, 225.  
 Lesser, 225.  
 Whymper, Charles, notice of his 'Egyptian Birds,' 102.  
 Widgeon, 204.

- Widgeon, European, 204.  
Willet, 305, 316.  
    Western, 197, 280.  
*Wilsonia canadensis*, 140, 278,  
    299.  
    *citrina*, 176, 299, 304.  
    *mitrata*, 30, 321.  
    *pusilla*, 17, 140, 278.  
    *pusilla pileolata*, 151, 287.  
Wood, J. Claire, some winter birds  
of the season 1908-9 in Wayne  
County, Michigan, 36-41; the  
last Passenger Pigeon in Wayne  
County, Mich., 208.  
Wood, N. A., notice of his 'Bird  
Migration at Point Pelee, Ontario,  
in the Fall of 1909,' 478.  
Wood, N. A., and A. D. Tinker,  
notes on some of the rarer birds  
of Washtenaw County, Michigan,  
129-141.  
Woodcock, 31.  
Woodpecker, Arizona, 282.  
    *Downy*, 24, 93, 172, 199, 274,  
    296, 301.  
    *Hairy*, 24, 172, 274, 318, 464.  
    *Northern Downy*, 383.  
    *Northern Pileated*, 318.  
    *Pileated*, 217, 301.  
    *Red-bellied*, 24, 64, 132, 172,  
    296.  
    *Red-cockaded*, 170.  
    *Red-headed*, 24, 39, 172, 274,  
    296, 301, 318.  
    *Rocky Mountain Hairy*, 146.  
    *Southern Downy*, 318.  
    *Southern Hairy*, 170, 216, 296,  
    301, 382.  
    *White-headed*, 282.  
Worthen, Charles K., sale of his  
ornithological collection, 112.  
Wren, Baird's, 288.  
    *Berlandier's*, 118.  
    *Bewick's*, 30, 85, 299, 304.  
    *Cactus*, 287.  
    *Cañon*, 218, 288.  
Wren, Carolina, 20, 30, 64, 141, 169,  
    176, 213, 299, 304, 322.  
House, 30, 176, 278.  
Long-billed Marsh, 203, 278,  
    322, 465.  
Prairie Marsh, 384.  
Rock, 151, 422.  
Short-billed Marsh, 88, 203,  
    300.  
Western House, 151, 203, 288.  
Winter, 4, 18, 176, 278.  
Wright, Albert Hazen, some early  
records of the Passenger Pigeon,  
428-443.  
Wright, Albert H., and Arthur A.  
Allen, the increase of austral  
birds at Ithaca, 63-66; regular  
summer Crossbills at Ithaca,  
N. Y., 83. See also Reed,  
Hugh D.  
Wright, Horace W., a Chipping  
Sparrow in late December at  
Boston, Mass., 211; some rare  
wild ducks wintering at Boston,  
Mass., 1909-1910, 390-408.  
  
*XANTHOCEPHALUS xanthocephalus*,  
    147, 200, 283.  
*Xema sabini*, 144.  
*Xenopieus albolarvatus*, 282.  
  
*YELLOW-LEGS*, 197, 273, 280, 345.  
    *Greater*, 13, 273, 280, 345.  
Yellow-throat, Maryland, 17, 20,  
    30, 176, 277, 299, 304, 321,  
    424, 465.  
    *Northern*, 384.  
    *Western*, 150.  
  
*ZAMELODIA ludoviciana*, 28, 174,  
    202, 276, 298.  
    *melanocephala*, 150, 285.

- |  |   |
|--|---|
| Zenaidura macroura, 22, 39.<br>macroura carolinensis, 146, 171,<br>198, 273, 281, 296, 301, 317. | Zonotrichia coronata, 149.<br>leucophrys, 16, 90, 149, 174,<br>284. |
| Zonotrichia albicollis, 16, 83, 174,<br>201, 275, 457.   | leucophrys gambeli, 149, 284.<br>querula, 149.                      |

## ERRATA.

- Page 23, line 10, for **practincola** read **pratincola**.  
 " 51, footnote 6, for Morristown read Moorestown.  
 " 52, line 7, for Parker read Parkman.  
 " 133, " 1, for **Nuttalornis** read **Nuttallornis**.  
 " 148, " 9, for **Hesperiphona vespertinus montanus** read **Hes-**  
**periphona vespertina montana**.  
 " 282, " 1, for **californicus** read **californianus**.  
 " 300, " 21, for **Sialis sialis** read **Sialia sialis**.  
 " 316, " 15, for **semipalmata** read **semipalmatus**.  
 " 358, " 12, for **Thrassaëtus** read **Thalassaëtus**.

Plate XIII, upper figure: the nest is a nest of the Magnolia Warbler,  
 accidentally mislabelled Black-throated Green Warbler.