

INDEX TO VOLUME XXX.

[New generic, specific, and subspecific names are printed in **heavy-face** type.]

- ABRORNIS albicularis formosana, 304.
sakaiorum, 302.
- Acanthis hornemannii exilipes, 152.
linaria linaria, 345, 567.
linaria rostrata, 152.
- Acanthiza pygmaea, 303.
- Acanthopneuste borealis, 152.
kennicotti, 152.
trochiloides harterti, 302.
- Acanthositta chloris granti, 607.
- Accentor fagani, 607.
- Accipiter bicolor schistochlamys,
370.
cooperi, 6, 244, 495, 567.
velox, 244, 272, 420, 536, 567.
- Acrocephalus streperus intermedius,
464.
taiti, 459.
tangorum, 302.
- Actitis hypoleucos, 597.
macularia, 6, 257, 337, 372,
420, 426, 493, 567.
- Actochelidon, 125.
- Actodromas, 597.
- Æchmophorus occidentalis, 37, 280,
563.
- Ægialitis, 287.
meloda, 115, 152, 226, 260,
566.
mongolus, 444.
placida, 444.
sanctæhelena, 444.
semipalmata, 6, 426, 566.
- Ægithalus caudatus taiti, 466.
- Æstrelata hasitata, 507-509.
- Æthiopsar cristatellus, formosanus,
302.
- Afribex, 444.
Africa, 289, 597.
- Afroxyechus, 444.
- Agelaius phœniceus arctolegus, 246.
phœniceus floridanus, 498.
phœniceus fortis, 152, 569.
phœniceus phœniceus, 258,
260, 344, 421.
phœniceus richmondi, 379.
subniger, 453.
- Agriocharis ocellata, 432.
- Aimophila ruficeps ruficeps, 129.
- Aix, 490.
sponsa, 9, 22, 306, 421, 564.
- Ajaia ajaja, 424, 503.
- Alabama, 276.
- Alauda arvensis sierræ, 612.
arvensis taiti, 612.
- Albatross, 509.
- Alca torda, 546.
- Alcedo, 119.
ispida, 600.
ispida pelagica, 600.
- Alcidæ, 506, 507.
- Aleyone, 119.
- Alle alle, 429, 436, 505, 506.
- Allen, Arthur A., Stilt Sandpipers
(*Micropalama himantopus*) at
Ithaca, N. Y., 430; Cory's Least
Bittern at Ithaca, N. Y., 559-561.
- Allen, Francis H., more notes on
the morning awakening, 229-235;
the concealing coloration ques-
tion, 311-317.
- Allen, Glover M., an Essex County
ornithologist, 19-29; see also
Phillips, J. C.
- Aluco pratinalcola, 152, 245, 433.

- Amaurornis phoenicura*, 600.
Amblycercus holosericeus, 378.
 American Museum of Natural History, expedition to South America from the, 160, 621; expedition to Colombia, 319, 474.
 American Ornithologists' Union, thirtieth stated meeting of the, 96–105; report of the 'Auk' Index Committee, 319; thirty-first stated meeting of (announcement), 622.
Amazilis cerviniventris chalconota, 584.
cyancephala, 374.
tzacatl tzacatl, 374, 427, 584.
Ammodramus bairdi, 280, 281.
savannarum australis, 77.
savannarum bimaculatus, 280, 570.
savannarum floridanus, 151, 246.
Ammomanes deserti katharinæ, 142.
Ampelis cedrorum, 348.
Amphispiza bicolor, 605.
nevadensis, 605.
Amytornis merrotsyi, 302.
Anas boschas, 304.
fulvigula fulvigula, 241.
platyrhynchos, 22, 424, 503, 564.
platyrhynchos greenlandica, 151.
rufipes, 118, 547, 564.
rubripes tristis, 5, 118.
Anhinga anhinga, 489.
Ani, 426.
Anous stolidus, 125.
stolidus gilberti, 124.
Anser albifrons gambeli, 22, 565.
erythropus, 607.
indicus, 139.
Antelearinga, 596.
Anthipes, 307.
Anthochæra carunculata, 610.
Anthracothorax prevosti viridicordatus, 449.
Anthus australis montebelli, 461, 610.
richardi albidus, 307.
rubescens, 28, 351, 573.
spraguei, 573.
wollastoni, 608.
Antigone, 303.
Antrostomus, 287.
carolinensis, 245, 497.
rufus otiosus, 452.
vociferus vociferus, 26, 536.
Aphelocoma cyanea, 246.
Aplonis panayensis gusti, 600.
panayensis leptorrhynchus, 600.
Aquila, 465.
antiqua, 598.
chrysaëtos, 39, 436, 567.
ferox, 598.
lydekkeri, 598.
nævia, 611.
Aramus vociferus, 243, 493.
Archibuteo ferrugineus, 438, 567.
lagopus sancti-johannis 6, 567.
Archilochus colubris, 130, 245, 279, 341, 497, 532, 536, 543, 568, 584.
Ardea, 305, 461.
herodias, 39.
herodias adoxa, 287.
herodias cognata, 288.
herodias fannini, 288.
herodias herodias, 115, 281, 287, 336, 424, 549, 565.
herodias hyperonca, 288.
herodias lessonii, 288.
herodias oligista, 288.
herodias sanctilucæ, 288, 452.
herodias treganzai, 287.
herodias wardi, 242, 287, 491.
Ardetta eurythma, 465.
minuta, 142.
Arenaria interpres morinella, 567.
Argentina, birds of, 121.
Aristonetta, 151.
Arizona, birds of, 399–401.
Arkansas, birds of, 579.

- Arremonops chloronotus, 380.
Artamus fuscus, 466.
 leucorhynchus humei, 599.
Asio abessinicus graueri, 467.
 flammeus, 568.
 wilsonianus, 542, 568.
Astragalinus tristis tristis, 346, 421,
 570.
Astur atricapillus atricapillus, 227,
 567.
 atricapillus striatus, 438.
Atalotrochus, 444.
Atlapetes castaneifrons tamæ, 450.
Attila citreopygus salvini, 375.
 rufippectus confinis, 450.
Auk, Razor-billed, 2, 546.
Aulacorhamphus, cæruleigularis cognatus, 121.
 prasinus, 374.
Aureophaenura, 303.
'Austral Avian Record,' review of,
 141, 303, 461, 610.
Australia, birds of, 124, 443, 447, 596.
Austria, birds of, 291.
'Aviculture Magazine,' review of,
 140, 301, 460, 609.
Avocet, 23, 566.
Aytha marila, 436.
- BÆOLOPHUS bicolor, 247, 353, 502.
Bagg, Egbert, a strange sparrow
 roost, 275.
Bailey, Harold H., Starlings and
 Turkey Vultures migrating, 274;
 birds at sea, 281; review of his
 'The Birds of Virginia,' 594.
Balæniceps rex, 613.
Baldpate, 548, 564.
Bangs, Outram, review of his 'Some
 Birds from the Highlands of Si-
 beria,' 451-452; review of his re-
 cent papers on new species and
 subspecies of birds, 452; see also
 Thayer, John E.
Barbour, Robert, an abnormal Rose-
 breasted Grosbeak, 435.
- Barbour, Thomas, a different as-
 pect of the case of Roosevelt vs.
 Thayer, 81-91.
Barrett, Harold L., Catbird and
 Brown Thrasher in winter in
 Massachusetts, 278; Kentucky
 Warbler in Massachusetts, 587.
Barrows, Walter B., concealing
 action of the Bittern (*Botaurus*
 lentiginosus) 187-190.
Bartram, William, bird migration
 records of, 325-358.
Bartramia longicauda, 24, 337, 425,
 566.
Basileuterus culicivorus culicivo-
 rus, 378.
 melanogenys eximus, 122.
 melanogenys ignotus, 122.
Basillina xantusi, 584.
Bavarian Ornithological Society,
 review of 'Proceedings' of, 463.
Baynard, Oscar E. breeding birds
 of Alachua Co., Florida, 240-
 247.
Baza subcristata megala, 600.
 subcristata pallida, 600.
Beal, F. E. L., review of his 'Food
 of our More Important Fly-
 catchers,' 127; 'Our Meadow-
 larks in Relation to Agriculture,'
 601.
Beal, F. E. L. and W. L. McAtee,
 review of their 'Food of Some
 Well-known Birds of Forest,
 Farm and Garden,' 127.
Bent, A. C., progress of his work on
 the 'Life Histories of North
 American Birds,' 161-164; no-
 tice of his 'A New Subspecies of
 Crossbill from Newfoundland,'
 288.
Bergtold, W. H., a study of the
 House Finch, 40-73; White
 Pelican in Colorado, 430; Road-
 runner in Colorado, 434; birds
 of the headwaters of the Gila

- river, New Mexico, further records, 438; migration and periodic accuracy, 619.
- Bickerton, W., review of his 'Home-life of Terns,' 125.
- Bigglestone, Harry C., review of his 'A Study of the Nesting Behavior of the Yellow Warbler,' 603.
- Bird-banding, 248-261.
- 'Bird-Lore,' reviewed, 138, 299, 456, 605.
- 'Bird Notes,' reviewed, 460, 609.
- Bird Protection at Lighthouses, 623.
- Bishop, Louis B., the A. O. U. Check-List, third edition, 149-153.
- Bittern, 115, 187-190, 242, 268, 491, 565.
- Cory's Least, 242, 570.
- Least, 23, 236, 242, 565.
- Blackbird, Brewer's, 566.
- Red-winged, 236, 255, 258, 260, 344, 358, 421.
- Rusty, 18, 554.
- Yellow-headed, 113, 569.
- Bluebird, 29, 247, 255, 259, 355, 502, 519, 521, 530, 533, 573.
- Boanerges internigrans, 451.
- Bobolink, 193, 343, 358, 498, 524, 531, 534, 544, 569.
- Bob-white, 24, 238, 338, 494, 567. Florida, 243.
- Bogardus, Charlotte, Hudsonian Curlew on Long Island in winter, 270.
- Bombycilla cedrorum, 27, 571.
garrula, 571.
garrula pallidiceps, 447.
- Bonasa umbellus togata, 6.
- Botaurus lentiginosus, 39, 115, 187-190, 242, 268, 491, 565.
- Bowles, J. Hooper, two new records for Washington state, 116.
- Boyle, Howarth S., see Thurston, Henry.
- Brabourne, Lord, and Chubb,
- Charles, review of their 'The Birds of South America,' 286.
- Bradypterus elgonensis, 304.
- Brant, 336.
- Branta bernicla, 39.
bernicla glaucogastra, 336.
canadensis canadensis, 5, 237, 335, 565.
canadensis hutchinsi, 39, 565.
canadensis minima, 39, 237.
- Brazil, birds of, 121, 289.
- 'British Birds,' review of 140, 300-301, 459, 608.
- British Columbia, birds of, 447.
- British Ornithologists' Club, review of 'Bulletin,' 139-140, 302, 458-459, 607-608.
- Brooks, W. Sprague, the King Eider (*Somateria spectabilis*) in Massachusetts, 107; an addition to the A. O. U. Check-List, 110.
- Brown, C. Emerson, Fulmar in Massachusetts, 105.
- Brown, Herbert, obituary notice, 472.
- Brown, Nathan Clifford, the Sharp-shinned Hawk again in Maine in winter, 272.
- Bruchigavia novæ-hollandæ forsteri, 124.
- Bryant, H. C., review of his papers on economic ornithology, 132-136; review of his publications on the food of the Meadowlark, 294; review of his papers on Economic Ornithology in California, 453.
- Bubo virginianus heterocnemis, 7.
pallescens, 568.
subarcticus, 227.
virginianus, 244, 420, 504, 532.
- Bubulcus coromandus, 294.
- Bufflehead, 565.
- Bull-birds, 3.
- Bullfinch, 453.
- Bunting, Indigo, 199, 207, 513-519, 534-535, 571.

- Bunting, Lark, 571.
 Lazuli, 571.
 Snow; 18, 275, 346, 570.
- Buphaga africana, 129.
- Buteo albicaudatus, 120.
- Buteo borealis borealis, 6, 244, 495.
 borealis calurus, 567.
 borealis harlani, 152.
 borealis krideri, 277, 567.
 lineatus allenii, 244, 495.
 lineatus lineatus, 25, 564.
 platypterus, 244, 426, 532, 567.
 swainsoni, 167-176, 227, 381-394, 426, 567.
- Butler, A. L., review of his 'Finches and Weaver Birds of the Sudan,' 137.
- Butorides albidulus, 453.
 virescens, 122.
 virescens barbadensis, 122.
 virescens christophorensis, 122.
 virescens cubanus, 122.
 virescens curacensis, 122.
 virescens dominicanus, 122.
 virescens eremonomus, 122.
 virescens grenadensis, 122.
 virescens hypernotius, 122.
 virescens luceanus, 122.
 virescens margaritophilus, 122.
 virescens mesatus, 122.
 virescens tobagensis, 122.
 virescens virescens, 152, 242, 336, 370, 420, 493, 565.
- CACCABIS labatei, 613.
- Cacomantis lineatus, 302.
 merulinus, 307.
- Calamospiza melanocorys, 571.
- Calcarius lapponicus lapponicus, 27, 239, 570.
 ornatus, 239, 438, 570.
 pictus, 228, 239.
- Calidris arenaria, 436.
- California, birds of, 288, 291.
- Calliope calliope camtschatkensis, 152.
- Calliste fastuosa, 609.
- Callocalia francica assimilis, 307.
 francica reichenowi, 307.
 inopina pellos, 451.
 linchi oberholseri, 307.
- Calvifrons, 305.
- Calypte anna, 129, 155, 584.
 costæ, 584.
- Cameron, E. S., notes on Swainson's Hawk (*Buteo swainsoni*) in Montana, 167-176, 381-394.
- Campephilus principalis, 245, 504.
- Campophaga martini, 302.
- Campostoma pusillum tenuirostris, 450.
- Canutus, 287.
 canutus rogersi, 597.
 canutus rufus, 597.
- Canvasback, 548, 565.
- Capito maculicoronatus pirrensis, 288.
- Caprimulgus, 287.
 leanoræ, 614.
 ludovicianus, 608.
- Carbo carbo steadi, 607.
 sulcirostris, 607.
- Carcineutes, 120.
- Cardinal, 27, 78, 348, 421, 499.
 Florida, 246.
- Cardinalis cardinalis cardinalis, 27, 78, 348, 421, 499.
 cardinalis **flammiger**, 380.
 cardinalis floridanus, 246.
- Carduelis caniceps parapanisi, 304.
- Carpodacus erythrinus, 612.
 mexicanus frontalis, 40.
 purpureus purpureus, 345.
- Caryothraustes canadensis similans, 122.
 poliogaster poliogaster, 380.
- Cassidix oryzivora mexicana, 378.
- 'Cassinia', notice of, 298.
- Casuarius australis, 303, 466.
- Catarractes, 444.
- Catbird, 207, 247, 278, 351, 358, 429, 499, 504, 545, 573, 590.
- Cathartes, 287, 444.

- Catharacta lonnbergi clarkei, 444.
lonnbergi intercedens, 444.
maccormicki wilsoni, 444.
- Catharista fctans, 287.
urubu, 112, 244, 420, 426, 494.
- Cathartes aura septentrionalis, 227,
 244, 339, 494, 553, 567.
- Catharus fuscater mirabilis, 122.
- Catoptrophorus semipalmatus *in-*
ornatus, 116, 551, 566.
semipalmatus semipalmatus,
 152.
- Centrocercus urophasianus, 38.
- Centropus bengalensis sarasinorum,
 307.
siensis, 600.
siensis anonymus, 600.
siensis parroti, 600.
- Centurus carolinus, 78, 245, 497.
dubius, 374.
- Ceophleus leucoramphus, 374.
pileatus abieticola, 340.
- Cephus grylle, 545.
- Cerchneis, 287.
- Cercococcyx olivinus, 466.
- Cercomela melanura erlangeri, 462.
scotocerca enigma, 462.
- Cereopsis novae-hollandiae, 460.
- Certhia familiaris americana, 353,
 532, 573.
familiaris montana, 117.
familiaris zelotes, 117.
- Ceryle, 120.
aleyon aleyon 7, 245, 279, 340,
 373, 427, 504, 543, 568.
aleyon caurina, 116.
americana septentrionalis, 373.
septentrionalis isthmicus, 427.
torquata, 152, 373, 427.
torquata stictipennis, 152.
- Ceycopsis, 119.
- Ceyx, 119.
- Chaemepelia, 287.
buckleyi, 449.
minuta minutula, 449.
m. elæodes, 449.
passerina aflatvida, 449.
- Chaemepelia p. *albivitta*, 449.
p. antillarum, 449.
p. bahamensis, 449..
p. exigua, 449.
p. grisola, 449.
p. insularis, 449.
p. jamaicensis, 449.
p. nana, 449.
p. neglecta, 449.
p. pallescens, 449.
p. parvula, 449.
p. passerina, 449.
p. quitensis, 449.
p. socorroënsis, 449.
p. terrestris, 244, 504.
p. trochila, 449.
rufipennis eluta, 449.
r. rufipennis, 373, 449.
- Chætura pelagica, 27, 245, 258, 341,
 497, 568.
- Chalcoparia singalensis, 123.
- Chamaethlypis poliocephala *palpe-*
bralis, 378.
- Chamæza brevicauda boliviiana,
 121.
- Chapman, F. M., the scientific value
 of bird photographs, 147-149;
 notice of his 'Color Key to North
 American Birds,' 442.
- Charadrius, 287.
dominicu *dominicu*, 552, 566,
 581.
falklandicus, 444.
fulvus, 294.
geoffroyi, 444.
melanops, 444.
tricollaris, 444.
veredus, 444.
wilsonia, 444.
- Charitonetta, 151.
albeola, 39, 565.
- Chat, Yellow-breasted, 28, 80, 351,
 358, 437, 557, 572.
- Chaulielasmus streperus, 17, 548,
 564.
- Chelidonaria urbica, 151.
- Chelidoptera tenebrosa pallida, 450.

- Chen hyperboreus hyperboreus, 22, 226, 549, 565, 575.
hyperboreus nivalis, 336, 575, 579.
- Chickadee, 9, 531, 534.
Black-capped, 353.
Carolina, 247, 502.
Hudsonian, 9, 437.
Long-tailed, 573.
- Chicken, Prairie, 238, 563.
- Childs, John Lewis, Robins destroyed by a storm, 590.
- China, birds of, 451.
- Chlamydodera maculata, 141.
- Chloris, 451.
- Chloroceryle, 120.
- Chlororhynchus chrysochlorus aurosus, 121.
yucatanensis yucatanensis, 374.
- Chlorophaenia, 264.
callophrys, 264–266.
- Chlorostilbon puruensis, 448.
- Chondestes grammacus grammacus, 240, 570.
- Chordeiles acutipennis texensis, 427.
virginianus chapmani, 245.
virginianus sennetti, 568.
virginianus virginianus, 26, 130, 420, 427, 497, 532, 539.
- Choucaleyon, 120.
- Chrysomitris forreri, 308.
cucullata, 301.
- Chrysothlypis chrysomelas ocularis, 122.
- Chubbia, 596.
- Chuck-will's-widow, 245, 497.
- Cinnyris brevirostris, 142.
clementiae, 600.
clementiae keiensis, 600.
ornata, 123.
- Circus approximans, 304.
approximans drummondi, 604.
hudsonius, 6, 244, 272, 426, 504, 542, 567.
- Cirrepedesmus, 444.
- Cisticola aberrans minor, 467.
- Cisticola elgonensis, 304.
kmunkei, 304.
monticola, 467.
prinoides, wambugensis, 289.
- Cistothorus stellaris, 558, 573.
- Clangula, 302.
clangula americana, 5, 565.
islandica, 575.
- Claravis pretiosa pretiosa, 373.
- Clark, Hubert Lyman, Notes on the Panama Thrush-Warbler, 11–15.
anatomical notes on some genera of passerine birds, 262–267; anatomical notes on *Todus*, *Oxyrunacus* and *Spindalis*, 402–406.
- Cleaves, Howard H., what the American Bird-banding Association has accomplished during 1912, 248–261.
- Coale, H. K., Hummingbird's eyelashes, 583.
- Cobb, Anna E., Little Blue Heron (*Florida caerulea*) in Vermont, 111.
- Coccothraustes coccothraustes japonicus, 18.
- Coccyzus americanus americanus, 25, 245, 340, 420, 426, 496, 568.
erythrophthalmus, 496, 568.
- Cereba bahamensis, 155.
luteola obscura, 450.
- Colaptes auratus auratus, 245, 497.
auratus luteus, 7, 257, 279, 341, 536, 568.
cafer collaris, 568.
- Colinus virginianus floridanus, 243.
virginianus virginianus, 24, 238, 338, 494, 567.
- Collett, Robert, obituary of, 318.
- Collinge, W. E., review of his papers on economic ornithology, 453–454, 603.
- Colombia, birds of, 121.
- Colorado, birds of, 112, 430.
- Columba albicularis, 301.

- Columba albinucha*, 467.
livia, 615.
nigrirostris nigrirostris, 372.
palumbus, 611, 615.
squamosa, 271.
- Columbina*, 287.
- Colymbus*, 287, 458.
auritus, 506, 563.
holbœlli, 267, 429, 436, 506, 563.
nigricollis californicus, 37, 563.
parvus, 598.
- Compsothlypis americana americana*, 247, 500.
americana usneæ, 279.
- Concealing coloration, 146, 311–317, 471, 618.
- 'Condor,' review of, 138, 299, 456, 605.
- Connecticut, birds of, 152, 577.
- Conurus aztec*, 373.
- Cooke, Wells W., the relation of bird migration to the weather, 205–221; review of his 'Distribution and Migration of N. A. Herons,' 450.
- Coot, 243, 503, 562.
- Coprotheres*, 444.
- Coracina*, 305.
papuensis meekiana, 306.
- Corey, Alice, Bicknell's Thrush in Fronconia Notch, N. H., 589.
- Cormorant, 22.
 Double-crested, 22, 564.
 Florida, 241, 503.
- Corvus brachyrhynchos brachyrhynchos*, 7, 234, 343, 554, 565.
brachyrhynchos pascuus, 246.
corax principalis, 343, 437.
corax sibiricus, 305.
corax sinuatus, 569.
corax ussurianus, 305.
cornix, 151.
corone, 143.
frugilegus, 151.
macrorhynchus mandschuricus, 464.
- Corvus ossifragus*, 246, 498, 543.
sibiricus, 305.
sinensis, 305.
splendens zugmayeri, 612.
- Cory, C. B., review of his 'Descriptions of new Neotropical Birds,' 449–450.
- Corythornis*, 119.
- Coscoroba*, 467.
- Cossypha somereni*, 139.
- Coturnicops noveboracensis*, 550, 580.
- Coturnix australis*, 303.
coturnix, 198, 307.
coturnix corsicana, 305.
ypsilophorus, 303.
- Cowbird, 276, 344, 554, 569.
- Craig, Wallace, method of recording bird music and a correction, 591; notice of his publications on bird behavior, 290; review of his 'The Stimulation and Inhibition of Ovulation in Birds and Mammals,' 599.
- Crane, Little Brown, 591.
 Sandhill, 243, 493, 565, 591.
 Whooping, 430, 565, 591.
- Craspedoptrion brevirostris*, 376.
- Creciscus coturniculus*, 151.
jamaicensis, 243, 269.
- Creeper, Brown, 219, 221, 353, 532, 573, 587, 595.
- Criniger affinis harterti*, 307.
gularis balicus, 600.
- Crossbill, 7, 279, 570.
 Red, 345, 437.
 White-winged, 7, 555.
- Crotophaga ani*, 426.
sulcirostris, 373.
- Crow, 7, 234, 343, 514–529, 534, 554, 569.
 Fish, 246, 498, 543.
 Florida, 246.
- Cryptoglaux acadica acadica*, 339, 543, 554.
funerea funerea, 18.
funerea richardsoni, 18, 25, 227.

- Cryptolopha umbrovirens, 607.
yemenensis, 607.
- Cuba, birds of, 268, 271, 452.
- Cuckoo, Black-billed, 496, 524, 533, 568.
- Yellow-billed, 25, 245, 340, 420, 426, 496, 568.
- Cuckoos, 606.
- Curlew, 591.
- Eskimo, 4, 10, 24, 269, 581.
- Hudsonian, 3, 4, 24, 270, 426, 542.
- Long-billed, 24.
- Curruca igata, 607.
- Cyanecula, 303.
- Cyanerpes cyanea carneipes, 378.
cyaneus ramsdeni, 452.
- Cyanistes cyanus yenisseeensis, 464.
- Cyanocephalus cyanocephalus, 116, 280.
- Cyanocitta cristata cristata, 343, 420, 569.
cristata florincola, 246, 498.
- Cyanoramphus auriceps macleani, 607.
- Cyanospiza ciris, 140.
- Cyanthus latirostris, 584.
- Cygnus cygnus, 305.
davidi, 464.
- Cyornis, 307.
- Cypselus pacificus cooki, 459.
- DAFILA acuta, 9, 17, 564,
- Damsell, Benjamin F., notice and records of, 19-29.
- Darling, S. T., and Bates, L. B., notice of their publication on transmission of anthrax by Buzzards, 295.
- Deane, Ruthven, the concealing coloration question, 146; the Passenger Pigeon at the Cincinnati Zoological Gardens still living, 433.
- Delaware, birds of, 273.
- Delaware Valley Ornithological Club, twenty-third annual meeting, 323; notice of 'Proceedings' for 1912, 298.
- Dendrobiastes, 307.
hyperythra alefurus, 307.
- Dendrocinchia anabatina anabatina, 374.
tyrannura hellmayri, 450.
- Dendrocitta formosæ sinica, 305.
sinensis, 305.
- Dendrocopos, 142.
- Dendrocopus, 142.
- Dendrocycna arborea, 139.
- Dendrocygna vittata, 110.
- Dendroica aestiva aestiva, 8, 129, 235, 350, 378, 428, 572.
cærulescens cærulescens, 557, 572.
castanea, 428, 572.
cerulea, 121, 240.
coronata, 8, 28, 155, 234, 350, 378, 572.
dominica albiflora, 378.
dominica dominica, 501.
fusca, 28, 378.
magnolia, 8, 114, 234, 277, 378, 572.
palmarum palmarum, 572.
pensylvanica, 152, 428, 572.
striata, 8, 121, 501, 572.
tigrina, 155, 278, 378, 437.
vigorsii, 247, 421, 501, 557.
virens, 8, 234, 279, 572.
- Dendrophassa, 123.
- Diatryma ajax, 598.
- Dicæum formosum, 139.
hanieli, 306.
hirundinaceum, 141.
- Dichromana rufescens, 242.
- Dickcissel, 78, 240, 348, 427, 571.
- Digena, 307.
- Diglossa sitoides intermedia, 450.
- Diomedella, 124.
- Diomedia exulans rothschildi, 124.
- Ditelmatias, 596.
- Dives dives, 379.

- Dolichonyx oryzivorus, 343, 498, 544, 569.
 Donacobius brachypterus, 305.
 Doolin, John B., review of his 'Field, Forest and Stream in Oklahoma,' 598.
 Dove, Ground, 244, 504.
 Western Mourning, 567.
 Mourning, 10, 24, 244, 339, 494, 542.
 Dovekie, 2, 429, 436, 505, 506.
 Dowitcher, Long-billed, 551, 566, 596.
 Drymophila caudata klagesi, 121.
 Dryobates, 142.
 Dryobates borealis, 245, 496.
 pubescens, 155.
 pubescens homorus, 280, 281.
 pubescens medianus, 7, 151, 420, 568.
 pubescens nelsoni, 151.
 pubescens pubescens, 245, 340, 496.
 scalaris symplectus, 151.
 scalaris cactophilus, 151.
 villosum auduboni, 151, 245, 496.
 villosum villosum, 25, 568.
 villosum leucomelas, 151.
 Dubois, Alphonse, review of his 'Birds of Belgium,' 501.
 Duck, Bahama, 110.
 Black, 5, 106, 547, 564.
 Eider, 22, 281.
 Florida, 421.
 Golden-eye, 5.
 Harlequin, 106, 115, 268, 548.
 Lesser Scaup, 424, 565.
 Mallard, 22, 128, 424.
 Oldsquaw, 436.
 Pintail, 17.
 Redhead, 22.
 Ring-necked, 22, 225, 565.
 Ruddy, 565.
 Scaup, 17, 436, 565.
 Shoveller, 17, 22, 137.
 Duck, Tufted, 17.
 Wood, 9, 22, 241, 490, 564, 571.
 Dumetella, 13.
 carolinensis, 152, 247, 278, 351, 376, 429, 504, 545, 573, 590.
 Dumeticola, 451.
 Dysithamnus mentalis emilæ, 290.
 mentalis suffusus, 122.
 EAGLE, Bald, 25, 244, 339, 504, 567.
 Golden, 436, 567.
 Economic Ornithology in California, 132-134.
 Economic Ornithology in Recent Entomological Publications, 128-132, 293, 602.
 Ectopistes migratorius, 24, 338, 433, 552.
 Ecuador, birds of, 121.
 Edolisoma utakwensis, 608.
 Egatheus, 92-95.
 Egret, 23, 242, 491.
 Reddish, 242.
 Snowy, 242, 424, 503.
 Egrets, killing of, 609.
 Egretta candidissima candidissima, 242, 424, 503.
 thula, 287.
 Eider, 3, 22, 281.
 King, 17, 22, 107-110, 548.
 Eifrig, G., notes on some of the rarer birds of the prairie part of the Chicago area, 236-240.
 Elænia martinica subpagana, 376.
 Elanoides forficatus, 112, 494.
 Electron platyrhynchus suboles, 121.
 Elemiornis carteri assimilis, 610.
 Elseya, 444.
 Emberiza citrinella erythrogenys, 464.
 citrinella somovi, 308.
 hortulana, 142.
 leucocephalos, 464.
 palustris tchusii, 140.
 yessoënsis continentalis, 459.

- Embody, Geo. C., review of his 'Bird Enemies of Amphipods,' 136.
- Empidochanes zuliensis, 450.
- Empidonax difficilis difficilis, 130.
flaviventris, 7, 274, 427.
mimus, 376, 569.
trailli alnorum, 27, 112, 569.
trailli trailli, 274, 427.
virescens, 498.
- 'Emu,' review of, 141, 302, 460, 609.
- Eopsaltria coomooboolaroo, 303.
- Eos bornea, rothschildi, 307.
semilarvata, 302.
- Eptianura aurifrons, 303.
lovensis, 303.
tricolor, 303.
- Eriocnemis floccens, 121.
- Eremiornis carteri assimilis, 461.
- Ereunetes mauri, 551.
pusillus, 425, 566.
- Erionetta, 151.
- Erismatura, 287.
jamaicensis, 39, 565.
- Erythromyias, 307.
- Erythrosterna, 307.
- Erythrura prasina, 140.
- Estrilda rhodopyga hypochra, 597.
rhodopyga polia, 597.
- Eucometis, 11.
- Eudromias, 447.
australis, 447.
- Eudynamis orientalis harterti, 306.
- Eugallinago, 596.
- Eugenys fulgens, 584.
- Eupagus carolinus, 18, 554.
cyanocephalus, 569.
- Euphonia, 266.
gouldi, 379.
hirundinacea, 379.
minuta, 266-267.
scateri, 448.
- Eupodella, 444.
- Eupsychortyx cristatus continentis, 449.
- Eurocephalus anguitimens böhmi, 462.
- anguitimens deckeni, 462.
- anguitimens erlangeri, 462.
- anguitimens fischeri, 462.
- Eurystomus orientalis, 294.
orientalis connectens, 600.
orientalis gigas, 600.
- Evermann, Barton Warren, eighteen species of birds new to the Pribilof Islands, including four new to North America, 15-18.
- FALCO, 287.
æsalon lymani, 452.
albigularis, 371.
biarmicus, 461.
laniarus, 305.
columbarius columbarius, 6, 567.
melanotus, 302.
mexicanus, 567.
peregrinus anatum, 553, 567.
sparverius paulus, 244.
sparverius, 317, 339, 406-418,
426, 495, 542, 553, 567.
subbuteo, 609.
- Falcon, Prairie, 567.
- Faull, J. H., review of his 'The Natural History of the Toronto Region,' 596.
- Faxon, Walter, review of his 'Brewster's Warbler (*Helminthophila leucobronchialis*) a hybrid between the Golden-winged Warbler (*H. chrysoptera* and the Blue-winged Warbler (*H. pinus*)),' 595.
- Field Museum, habitat groups in the, 160.
- Finch, Hepburn's Rosy, 116.
House, 40-73.
Purple, 345, 517, 524, 534.
- Flammea, 141.
- Fleming, J. H., Ontario bird notes, 225-228.
- Flicker, 245, 497.

- Flicker, Northern, 7, 257, 279, 341, 536, 568.
 Red-shafted, 568.
 Flight of birds, 509–511, 359–366.
 Florida, birds of, 110, 240–247.
Florida cærulea, 111, 242, 420, 424, 430, 492.
 Flycatcher, Acadian, 274, 498.
 Alder, 27, 112, 513–522, 533, 569.
 Crested, 246, 342, 427, 497, 532.
 Least, 533, 569.
 Olive-sided, 7, 527, 533, 554, 569.
 Traill's, 274, 427.
 Yellow-bellied, 7, 274, 427.
 Fogg, Edward H., Evening Gros-beak (*Hesperiphona vespertina vespertina*) at Manchester, N. H., 435.
Fondia omissa, 302.
 Forbes, Alexander, concerning the flight of Gulls, 359–366.
 Forbush, Edward Howe, review of his 'History of the Game Birds, Wild Fowl and Shore Birds of Massachusetts,' 118; notice of his 'Fourth Annual Report of the State Ornithologist,' 293.
 Fordyce, George L., a Baltimore Oriole in winter, 274.
Formicarius moniliger intermedius, 375.
Francolinus granti, 463.
 kirki, 463.
 pondicerianus mecranensis, 462.
 orientalis arabistanicus, 462.
 sephæna jubænsis, 462.
Fregata aquila, 424.
Fringilla canaria, 615.
~~teydea~~ polatzeki, 139.
Fulica americana, 243, 503, 565.
Fuligula cristata, 306.
 Fulmar, 105.
 ~~glacialis~~ *glacialis*, 105.
- Furnarius aguatus venezuelensis*, 450.
GADWALL, 17, 548, 564.
Galbula melanogenia, 373.
 ruficauda brevirostris, 450.
Gallinago brasiliensis, 596.
 delicata, 23, 116, 226, 337, 425, 565.
 hardwickii, 596.
 imperialis, 596.
 macrodactyla, 596.
 megalala, 596.
 nobilis, 596.
 stricklandi, 596.
Gallinula galeata, 23, 77, 243, 425.
Gallinule, Florida, 23, 77, 243, 425.
 Purple, 243, 425, 503.
Gallirallus hectori ruscheki, 610.
Gallus gallus, 294.
 Game Legislation, 321.
 Gannet, 3, 225, 505, 506, 509.
Gavia immer, 4, 563.
 stellata, 4, 506, 509, 545, 577.
Gelochelidon nilotica addenda, 124.
 nilotica aranea, 125.
 nilotica grönvoldi, 124.
Gennæus foekelmanni, 613.
Geocichla piaggiæ keniensis, 597.
Geococcyx californicus, 434.
 Georgia, birds of, 106, 477–505.
Geothlypis trichas brachidactyla, 378.
 trichas ignota, 247, 501.
 trichas occidentalis, 572.
 trichas trichas, 130, 234, 350.
Geotrygon goldmani, 121.
 linearis trinitatis, 302.
Glaucidium gnoma californicum, 222–224.
 gnoma gnoma, 222–224.
 gnoma pinicola, 222–224.
 phalænoides ridgwayi, 373.
 phalænoides swarthi, 224.
 phalænoides vigilante, 224.
Glaucis hirsuta fusca, 449.

- Gnatcatcher, Blue-gray, 81, 247, 354, 421.
Godwit, Hudsonian, 24, 271, 430, 436, 566.
 Marbled, 24, 226, 551, 566.
Goethalsia bella, 122.
Golden-eye, 565.
 Barrow's, 575.
Goldfinch, 346, 421, 519, 524, 530, 534, 570.
Goose, Cackling, 237.
 Canada, 5, 200, 237, 335, 565, 578.
 Greater Snow, 336, 575, 579.
 Hutchins's, 565.
 Lesser Snow, 549.
 Snow, 22, 226, 565, 575.
 White-fronted, 22, 565.
Gordon, H. E., feeding wild ducks on Sodus Bay, N. Y., 579.
Goshawk, 155, 227, 567.
 Western, 438.
Gouldia conversi, 584.
Gackle, Boat-tailed, 246.
 Bronzed, 27, 219, 570.
 Great-tailed, 427.
 Florida, 246, 499.
 Purple, 345, 358.
Gracula, 307.
Grallaria guatemalensis aripoensis, 302.
Grallaricula flavirostris brevis, 122.
Granatina ianthinogastra roosevelti, 597.
Grauculus, 305.
Grebe, Eared, 563.
 Holboell's, 267, 429, 436, 506, 563.
 Horned, 506, 563.
 Pied-billed, 241, 420, 503, 563.
 Western, 280, 563.
Greenfinch, 454.
Grinnell, George Bird, Brazilian Tree-duck (*Dendrocygna viduata*) in New Jersey, 110.
Grinnell, Joseph, two new races of the Pigmy Owl from the Pacific coast, 222-224; notice of his 'Outlook for Conserving the Band-tailed Pigeon,' 291.
Griscom, Ludlow, the Orange-crowned Warbler at Englewood, N. J., 585.
Gronberger, S. M., Æsop as a bird observer, 438.
Grosbeak, Blue, 380.
 Evening, 228, 275, 435, 437, 554, 570.
 Rose-breasted, 129, 199, 207, 211-214, 435, 532, 571, 582.
 Western Blue, 280.
Grouse, Canada Ruffed, 6.
 Prairie Sharp-tailed, 567.
 Ruffed, 582.
Grus americana, 430, 565.
 mexicana, 243, 493, 565.
Guara alba, 241, 268, 490.
Guillemot, Black, 2, 545.
Guinea-fowl, 126.
Guiraca cœrulea cœrulea, 380.
 cœrulea lazula, 280.
Gull, Bonaparte's, 506, 507.
 Franklin's, 563.
 Glaucous, 3.
 Great Black-backed, 3, 5.
 Herring, 3, 5, 237, 257, 333, 506, 507, 563.
 Laughing, 423, 546.
 Ring-billed, 236, 563.
 Ross's, 16.
 Sabine's, 105, 574.
Guttera cristata makondorum, 142.
Gygis alba monte, 124.
 alba royanæ, 124.
Gygisterna, 124.
Gymnasio lawrencei exul, 453.
Gymnostinops montezuma, 378.
Gymnorhina, 610.

HABIA, 14.
Haematopus niger meade-waldoi 302.
 ostralegus, 306.
 quoyi, 444.

- Hahn, Walter L., review of his 'The Future of the North American Fauna,' 598.
- Haleyon smyrnensis, 457.
pileatus, 457.
- Haliæetus leucocephalus 39, 304.
leucocephalus alascanus, 152.
leucocephalus, 25, 244, 339, 504,
567.
- Hall, F. H., double bird tragedy, 438.
- Harelda hyemalis, 140, 436, 577.
- Harlow, Richard C., Bittern breeding in New Jersey, 268; nesting of the Black Rail (*Creciscus jamaicensis*) in New Jersey, 269; the Marsh Hawk nesting in New Jersey, 272.
- Harper, Francis, see Overton, Frank, also Wright, Albert H.
- Harporhynchus, 14.
- Hathaway, Harry S., Notes on the occurrence and nesting of certain birds in Rhode Island, 545-558.
- Hawfinch, Japanese, 18.
- Hawk, Broad-winged, 244, 426, 532,
567, 614.
Cooper's, 6, 155, 244, 495, 567.
Duck, 281, 553, 567.
Fish, 495.
Florida Red-shouldered, 244,
495.
Krider's, 227, 567.
Little Sparrow, 244.
Marsh, 6, 244, 272, 426, 504,
542, 567.
Pigeon, 6, 567.
Red-shouldered, 25, 567, 682.
Red-tailed, 6, 244, 495.
Rough-legged, 6, 567.
Sharp-shinned, 155, 244, 272,
420, 438, 536, 567.
Sparrow, 406-418, 339, 426,
495, 542, 553, 567.
Swainson's, 167-176, 227, 381-
394, 426, 567.
- Hawk, Western Red-tailed, 567.
- Helenægialus, 444.
- Helinaia swainsoni, 378, 500.
- Hellmayr, C. E., notice of his 'Birds from the Mouth of the Amazon,' 289; review of his 'Remarks on a little known neotropical finch (*Zonotrichia strigiceps* Gould)', 121.
- Hellmayr, C. E. and J. Graf von Seilern, review of their 'Birds of the Cumbre de Valencia,' 121.
- Helmintheros vermivorus, 421, 378.
- Helodromas, 287.
solitarius solitarius, 152, 372,
425, 566.
- Hemiprone longipennis harterti,
600.
- Hemipteryx egregia, 467.
major, 467.
- Hemipuffinus, 610.
- Hemithraupis ornatus, 122.
- Henderson, Junius, review of his 'The Practical Value of Birds,' 454.
- Henicorhina prostheleuca prostheleuca, 377.
- Henshaw, H. W., notice of his 'Fifty Common Birds of Farm and Orchard,' 292; notice of his 'Report of Chief of the Biological Survey for 1912,' 292.
- Herodias egretta, 23, 242, 491.
alba maoriana, 606.
- Heron, Black-crowned Night, 237,
243, 336, 424, 503, 565.
Great Blue, 115, 281, 336, 424,
565.
Green, 111, 242, 336, 420, 493,
565.
Little Blue, 111, 242, 420, 424,
430, 492.
Louisiana, 242, 424.
Ward's, 242, 491.
- Yellow-crowned Night, 237,
243, 336, 424, 493.

- Herpetotheres cachinans, 371.
Herpsilochmus rufimarginatus, exiguus, 122.
Hersey, F. Seymour, Sabine's Gull in Massachusetts, 105.
Hesperiphona vespertina montana, 116.
vespertina vespertina, 228, 275, 435, 437, 554, 570.
Hess, Isaac E., nesting of the Barn Owl in Illinois, 433.
Heterphyantes golandi, 302.
Heteromirafrá, 608.
Heteronyx, 608.
Heteropygia, 287.
Heteroxenicus cruralis formaster, 451.
Himantopus mexicanus, 425.
Hirundo erythrogaster, 276, 349, 421, 428, 571, 590.
rustica, 151.
Histrionicus histrionicus, 39, 106, 115, 548.
Holt, Ernest G., notes on the Loggerhead Shrike at Barachias, Ala., 276; some land-birds at sea, 590.
Homoscolopax, 596.
Hornaday, W. T., review of his 'Our Vanishing Wild Life,' 442-443.
Horsburgh, Boyd, notice of his 'Game-Birds and Water Fowl of South Africa,' 126, 289.
Houbara undulata, 462.
Howe, R. Heber, Jr., a few notes on Newfoundland birds, 114; Holboell's Grebe in Concord, Mass., 267.
Hull, Edwin D., the Swallow-tailed Kite in DeWitt Co., Illinois, 112; the Snow Bunting (*Plectrophenax nivalis nivalis*) in Chicago and vicinity during the fall and winter of 1912, 275; the Red-throated Loon on Southern Lake Michigan, 577.
Hummingbird, Rieffer's, 427.
Ruby-throated, 245, 279, 341, 358, 497, 532, 536, 543, 568.
Hummingbirds, eyelashes of, 583.
Hydranassa tricolor ruficollis, 242, 370, 424.
Hydrochelidon leucopareia delalandii, 124.
leucopareia leggei, 124.
leucopareia swinhoei, 124.
leucoptera, 125.
nigra surinamensis, 152, 225, 424, 547, 564.
Hydropogone, 125.
tschegrava imperator, 125.
tschegrava oliveri, 458.
Hylocichla aliciae aliciae, 121, 240, 573.
aliciae bicknelli, 589.
fuscescens fuscescens, 115.
fuscescens fuliginosa, 115.
fuscescens salicicola, 152, 573.
guttata pallasi, 9, 29, 279, 558, 573.
mustelina, 354, 376, 421, 502, 573.
ustulata swainsoni, 9, 573.
Hylospingus inornatus, 122.
Hyphantornis, 137.
tæniopterus, 137.
Hypothymias azurea oberholseri, 599.
azurea symmixta, 599.
Hypsibates leucocephalus timorensis, 444.
Hypsipetes, 451.
IANTHIA goodfellowi, 139.
Ibis, 92-95.
Ibis, Glossy, 242, 268.
White, 241, 268, 490.
Wood, 226, 242, 282, 491.
Ibis æthiopica, 93.
'Ibis,' review of the, 139, 300, 457.
Icteria virens virens, 28, 80, 351, 378, 437, 557, 572.
Icterus bullocki, 569.

- Icterus galbula, 27, 155, 274, 344, 427, 569.
gularis yucatanensis, 379.
hypomelas, 128.
mesomelas mesomelas, 379.
prosthemelas, 379.
spurius, 27, 78, 246, 344, 427, 379, 498, 569.
Ictinia plumbea, 371.
Illinois, birds of, 112, 236–240, 275, 433.
Index Zoologicus, No. II, notice of, 475.
Indiana, birds of, 577.
Indicator exilis erlangeri, 462.
Indigobird, 347, 358.
Inezia caudata intermedia, 450.
Ionornis martinicus, 243, 425, 503.
Iowa, 77–81, 406–418.
Iridoprocne albilineata, 377.
bicolor, 8, 130, 232–234, 571.
Isle of Pines, birds of, 452.
Ispidina, 119.
Ithagenes wilsoni, 451.
Ixobrychus exilis, 23, 242, 565.
neoxenus, 242.
Jacana spinosa, 371.
Jaeger, Parasitic, 3, 546.
Pomerine, 444, 546.
Jay, Blue, 343, 420, 569.
Canada, 27.
Florida, 246.
Florida Blue, 246, 498.
Labrador, 7.
Piñon, 116, 280.
Jenks, Charles W., Holboell's Grebe (*Columbus holboelli*) at Bedford, Mass., 429.
Jewel, L. L., some North American birds in Panama, 422–429.
Jewett, Stanley G., a correction, 117.
'Journal für Ornithologie,' revue of, 142, 304, 462, 611.
Junco, 346.
Junco, Slate-colored, 7, 571.
Junco hyemalis carolinensis, 595.
hyemalis hyemalis, 7, 346, 447, 516, 517, 519, 534, 571.
oreganus shufeldti, 447.
siemsseni, 458.
KENNARD, F. H., the Black Duck controversy again, 106; Arkansas Kingbird in Massachusetts, 112.
Killdeer, 24, 219, 243, 337, 358, 426, 566.
Kingbird, 127, 207, 231, 245, 342, 358, 427, 497, 520, 521, 527, 528, 534, 543, 568, 590.
Arkansas, 112, 273, 568.
Gray, 427.
Kingfisher, Belted, 7, 245, 279, 340, 358, 427, 504, 524, 530, 533, 543, 568.
Isthmian, 427.
Northwestern Belted, 116.
Ringed, 427.
Kinglet, Golden-crowned, 9, 354, 513, 515, 517, 524, 534, 573.
Ruby-crowned, 9, 28, 219, 221, 279, 545, 573.
Kite, Swallow-tailed, 112, 494.
Kittiwake, 3, 505, 506, 508, 509.
Knudsen, Valdemar, death of, 159.
Kuser, John Dryden, wintering of the Blue-headed Vireo (*Laniivireo solitarius solitarius*) at Aiken, South Carolina, 277.
LABRADOR, birds of, 1–10.
Lacedo, 120.
Lagopus leucurus altipetens, 447.
leucurus peninsularis, 447.
Lalage nigra, 123.
Lamb, Charles R., Eskimo Curlew (*Numenius borealis*) in Massachusetts, 581.
Lamprocorax metallicus, 307.
Lamprotornis corrusca, 304.
melanogaster, 304.

- Laniarius helenæ, 607.
quadricolor, 302.
- Laniellus leucogrammicus, 612.
- Lanio aurantius, 379.
- Lanius borealis, 350, 572.
ludovicianus excubitorides, 572.
ludovicianus ludovicianus, 246,
276, 421, 499.
- ludovicianus migrans, 544, 556.
- Lanivireo solitarius solitarius, 129,
277.
- Lano, Albert, Greater Snow Goose
in Arkansas, 579.
- Lark, Desert Horned, 569.
Horned, 343.
Hoyt's Horned, 228.
Prairie Horned, 569.
- Larus affinis, 459.
argentatus, 5, 237, 257, 333,
466, 506, 563.
atricilla, 423, 546.
delawarensis, 236, 563.
fuscus antelius, 459.
fuscus britannicus, 459.
franklini, 563.
hemprichi, 302.
marinus, 5.
philadelphia, 507.
- Laticauda, 583.
rubriginosa, 450.
- Laubmann, A., review of his 'Birds
of eastern Thian-Schan,' 599.
- Legatus albicollis variegatus, 376.
- Leistes superciliaris petilus, 452.
- Leucanous, 124.
- Leucopsar, 140.
rothschildi, 140.
- Leucosticte tephrocotis littoralis,
116.
- Licmetis pastinator, 139.
- Ligurinus, 451.
- Limnocinclus, 597.
- Limnopardalis maculatus inoptatus,
452.
- Limosa fedoa, 24, 226, 551, 566.
haemastica, 24, 271, 430, 436,
566.
- Limpkin, 243, 493.
- Lincoln, F. C., the Alder Fly-
catcher in Colorado, 112; the
Slate-colored Fox Sparrow breed-
ing in Colorado, 113.
- Linnæan Society of New York,
'Abstract of Proceedings,' noticed,
604; annual dinner of the, 165.
- Linnet, California, 454.
- Liothrix lutea, 460.
- Lobipes lobatus, 23, 111, 565.
- Locustella fluviatilis obscura, 305.
- Longspur, Chestnut-collared, 239,
438, 570.
Lapland, 27, 570.
McCown's, 570.
Smith's, 228, 239.
- Loon, 2, 4, 563.
Red-throated, 2, 4, 506, 509,
545, 577.
- Lophodytes cucullatus, 503, 564.
- Loxia curvirostra corsicana, 305.
curvirostra minor, 7, 279, 345,
570.
curvirostra percua, 289.
leucoptera, 7, 555.
- Luscinia megarhynchos megarhyn-
chos, 463.
- Lusciniola pryeri sinensis, 302.
- Lyrurus tetrix britannicus, 301.
- MACHAERIRHYNCHUS flaviventer no-
vus, 306.
- Machetes pugnax, 18, 552, 576.
- Macrodura, 596.
- Macropygia ruficeps nana, 600.
- Macrorhamphus griseus scolopa-
ceus, 551, 566, 576.
- Magdalen Islands, birds of the, 177–
187, 271, 430.
- Magpie, 569.
- Maine, birds of, 270, 272, 574–577,
587–589.
- Mallard, 22, 424, 564.
- Manacus candei, 375.
- Man-o'-war-bird, 424.
- Maorigerygone, 607.

- Mareca americana, 548, 564.
 penelope, 548, 574.
- Margarornis bellulus, 122.
 perlata peruviana, 450.
- Marila, 287.
- Marila affinis, 39, 424, 565.
 americana, 22, 39, 564.
 collaris, 22, 39, 225, 561.
 ferina, 17.
 fuligula, 17.
 marila, 17, 39, 565.
 valisinaria, 39, 548, 565.
- Mallard, 503, 560.
- Martin, Gray-breasted, 428.
 Purple, 219, 221, 228, 246, 349,
 499, 556, 471.
- Marx, Edward J. F., random notes
 from Easton, Pa., 279.
- Massachusetts, birds of, 19–29, 105,
 107, 112, 118, 267, 278, 429, 430,
 435, 580, 581, 585, 587.
- Mathews, Gregory M., on the generic
 names *Ibis* Lacepède and
Egathetus Billberg, 92–95; review
 of his 'Birds of Australia,' 124, 443–445, 596–597.
- Mathewsia, 303.
- Mattingleya inornata, 610.
- McAtee, W. L., an item for bibliographers, 117; destruction of Sapsuckers, 154–157; two ornithological fables from Louisiana, 282; notice of his 'Index to U. S. Department of Agriculture Publications on the Food of Birds,' 290; review of his 'Relation of Birds to Grain Aphides,' 601.
- McLain, R. B., Woodcock at Wheeling, W. Va., 580; Rose-breasted Grosbeak breeding in West Virginia, 585.
- Meadowlark, 27, 344, 569.
 Southern, 246, 498.
 Western, 132, 294, 453.
- Mearns, E. A., notice of his 'New African Grass-Warbler of the Genus Cisticola,' 289; review of his descriptions of new African Thrushes and Weaver Birds, 597.
- Megaceryle, 120.
- Megalopterus minutus americanus,
 124.
 minutus atlanticus, 124.
- Megalestris, 287.
- Megalurus flindersi, 302.
- Megascops asio asio, 340.
- Meiglyptes grammithorax micropodus, 123.
- Melanerpes erythrocephalus, 26,
 245, 341, 420, 497, 568.
 formicivorus bairdi, 155.
- Melanitta, 151.
- Melanosterna, 125.
 anæthetus, 124.
 recognita, 125.
- Meleagridæ, Extinct, 29–36.
- Meleagris altus, 29.
 antiqua, 29.
 celer, 29.
 gallopavo osceola, 243.
 gallopavo silvestris, 30, 494.
 superba, 29.
- Meliphaga, 461, 610.
 chrysotis, 610.
- Mellopitta lugubris rostrata, 608.
- Melopelia asiatica trudeaui, 372.
 asiatica **australis**, 372.
- Melospiza georgiana, 346, 544, 571,
 605.
 lincolni lincolni, 8, 281, 380,
 571, 605.
- Melodia juddi, 281.
- Melodia melodia, 230, 346, 571.
 melodia beata, 452.
- Menegaux, A., review of his 'The Raising of the Ostrich,' 600.
- Merganser, 115, 287, 564.
 Hooded, 503, 564.
 Red-breasted, 3, 5, 17, 564.
- Mergus, 287.
 americanus, 39, 115, 564.
 serrator, 5, 17, 39, 564.

- Meriden Bird Club, notice of its 'Annual Report, 1912,' 455.
Merops persicus, 308.
Merrill, D. E., the Great-tailed Grackle in New Mexico, 584.
Mesocarbo, 607.
Messenger Ornithologique, 464.
Metallura, 583.
Mexico, 367-380.
Meyer, I. Ralph, observations on a pair of Brown Creepers, 587-589.
Michigan, birds of, 111, 273, 581.
Micropalama himantopus, 23, 430, 551, 566.
Microrhopias grisea fumosa, 450.
Microscelis, 451.
Migration, 191-204, 205, 221, 457, 619.
Miller, W. DeW., review of his 'Revision of the Classification of the Kingfishers,' 119; *Metallura* vs. *Laticauda*, 583.
Mimus gilvus gracilis, 376.
polyglottos polyglottos, 28, 247, 352, 501.
Miro traversi, 607.
Missouri, 268, 278, 437.
Mitrephanes eminulus, 122.
Mitrospingus, 11, 14.
Mixornis pileata, 123.
Mniotilla varia, 121, 234, 378, 428, 572.
Mockingbird, 28, 247, 352, 501.
Molothrus ater artemisiæ, 151.
 ater ater, 276, 344, 554, 569.
 ater obscurus, 151.
Momotus conexus reconditus, 121.
 momota cametensis, 141.
 osgoodi, 449.
 swainsoni, 294.
Monasa pallescens minor, 468.
Montana, birds of, 116, 167-176, 381-394.
Moore, Robert Thomas, the Fox Sparrow as a songster, 177-187.
Morris, Harry, notice of his 'Car-
rion feeders as disseminators of Anthrax or Charbon,' 297.
Morris, Robert O., early records of Rail in Massachusetts, 580.
Motacilla alba, 151.
 flava beema, 613.
Munia punctulata blasii, 307.
Murre, 2.
 Brünnich's, 21.
Muscicapula, 307.
Muscivora tyrannus, 375.
Myadestes coloratus, 122.
 townsendi, 280.
Mycteria americana, 226, 242, 282, 438, 491.
Myers, Harriet Williams, notice of her 'The Birds Convention,' 291.
Myiarchus crinitus, 246, 342, 427, 497, 532.
 lawrencei, *lawrenceii*, 376.
 magister nelsoni, 376.
Myiobius xanthopygus sulphurei-pygus, 376.
Myioceyx, 119.
Myiochanes brachytarsus, 376.
 virens, 246, 342, 427, 376, 498, 569.
 richardsoni richardsoni, 280, 427.
Myiodynastes chrysocephalus venezuelensis, 121.
 luteiventris, 375.
Myiomoira macrocephala mari-neri, 607.
Myiozetetes texensis texensis, 376.
Myrmotherula sclateri, 141.
NANNORCHILUS leucogaster bra-chyurus, 377.
Nannus hiemalis hiemalis, 353, 421, 557, 573.
Nealatrus, 124.
Nebraska, birds of, 430, 452.
Nelson, E. W., review of his 'Description of New Genera, Species and Subspecies of Birds from

- Panama, Colombia and Ecuador,' 121; notice of his 'Two New Species of Birds from Mount Pirri, Eastern Panama,' 288.
- Neopsittacus iris* wetterensis, 306.
- Neospilura*, 596.
- Nesierax pottsi*, 607.
- Nesomiro*, 607.
- Nesopisobia*, 596.
- Nettior carolinense*, 22, 564.
- Nettium torquatum*, 140.
- New Guinea, expedition to, 622.
- New Hampshire, birds of, 435, 589.
- New Jersey, birds of, 110, 268, 269, 272, 585.
- New Mexico, birds of, 438, 584.
- New York, birds of, 270, 430, 542–545, 559, 570, 579.
- Newfoundland, birds of, 114, 288.
- Nichols, John Treadwell, notes on offshore birds, 505–511.
- Nighthawk, 26, 207, 420, 427, 497, 532, 536.
- Florida, 245.
 - Texas, 427.
- Sennett's, 568.
- Nomenclature at the Ninth International Zoological Congress, 475.
- North Carolina, birds of, 418–421.
- Norton, A. H., birds new or rare to Maine, 574–577.
- Nothocercus julius venezuelensis*, 449.
- Numenius*, 444.
- americanus*, 24.
 - borealis*, 10, 24, 269, 444, 581.
 - hudsonicus*, 24, 270, 426, 444, 542.
 - tenuirostris*, 444.
 - variegatus*, 294.
- Nuthatch, Brown-headed, 247, 502.
- Florida White-breasted, 247, 502.
 - Red-breasted, 9, 279, 354, 524, 531, 534, 573.
 - White-breasted, 354, 513, 515, 517, 531, 533, 573.
- Nuttallornis borealis*, 7, 554, 569.
- Nyctanassa violacea*, 243, 370, 493.
- Nyctea nyctea*, 25, 228, 568.
- Nycticorax nycticorax nævius*, 237, 243, 336, 424, 503, 565.
- Nyctidromus albicollis yucatanensis*, 373.
- Nyroca*, 287.
- Oberholser, H. C., review of his 'Revision of the Subspecies of the Green Heron (*Butorides virescens* [Linn.]),' 123; review of his 'Descriptions of One Hundred and Four New Species and Subspecies of Birds from the Barussan Islands and Sumatra,' 123; review of his 'A Revision of the Forms of the Great Blue Heron,' 287.
- OCEANITES oceanicus*, 506.
- Oceanodroma leucorhoa*, 21.
- Ochromela*, 307.
- Oethodromus*, 287, 444.
- Odurella*, 596.
- Enanthe leucopyga ægra*, 467.
- yemenensis*, 607.
- Ohio, birds of, 274.
- Old-squaw, 436, 577.
- Oldys, Henry, a remarkable Hermit Thrush song, 538–541.
- Olor*, 151, 598,
- buccinator*, 39.
 - columbianus*, 39, 225, 549, 565.
 - paloregonus*, 37.
- Onychoprion*, 125.
- Ontario, birds of, 114, 225–228, 596.
- 'Oölogist,' review of the, 139, 300, 457, 606.
- Oporornis agilis*, 28, 121, 240.
- formosus*, 421, 429, 587.
 - philadelphia*, 28, 429, 572.
- Oreocincla dauma socia*, 451.
- whiteheadi*, 607.
- Oreosterops javanica elongata*, 600, *pinaiae*, 140.
- Oriole, Baltimore, 569.

- Oriole, Bullock's, 569.
 Orchard, 129, 498, 569.
Oriolus oriolus, 198.
Oregon, 36-39, 117.
Ornithological articles in other journals, 143, 306, 465, 613.
'Ornithologisches Jahrbuch,' review of, 305, 464.
'Ornithologische Monatsberichte,' review of, 141, 304-305, 462, 612.
'Ornithologische Monatsschrift,' review of, 142, 305, 463, 612.
Ortalis vetula *intermedia*, 371.
Osgood, W. H., notice of his expedition to Peru, 159.
Osmotreron, 123.
Osprey, 6, 244, 281, 420, 568.
Ostrich, 600, 611.
Otocoris alpestris alpestris, 343.
 alpestris hoyti, 152, 228.
 alpestris leucokema, 569.
 alpestris praticola, 569.
Otomela lucionensis, 294.
Otus asio asio, 340, 568.
 floridanus, 245, 504.
 maxwelliae, 280.
Ovenbird, 196, 207, 211-214, 351, 358, 428, 513-526, 535, 572.
Overton, Frank, and Harper, Francis, bird photography by the direct color process, 74-76.
Owl, Acadian, 339.
 Arctic Horned, 227.
 Barred, 532, 536.
 Burrowing, 568.
 Florida Barred, 245, 495.
 Florida Screech, 245, 504.
 Great Gray, 25, 227.
 Great Horned, 155, 244, 420, 504, 532.
 Labrador Horned, 7.
 Long-eared, 542, 568.
 Richardson's, 18, 25, 227.
 Rocky-Mountain Screech, 280.
 Saw-whet, 543, 554.
 Screech, 340, 568.
Owl, Short-eared, 568.
 Snowy, 25, 228, 568.
 Western Horned, 568.
Tengmalm's, 18.
Oxpecker, African, 129.
Oxyechus, 287.
 vociferus, 24, 243, 337, 372, 426, 566.
Oxyruncus cristatus, 404.
 cristatus frater, 404.
Oxyura, 287.
PACHYCEPHALA grisola, secedens, 600.
Pachysylvia decurtata, 377.
Pagoa, 444.
Pagolla, 444.
Palaeophasianus meleagroides, 598.
Palaeornis torquata, 457.
Palmer, T. S., the Harlequin Duck in Wyoming, 106; additional notes on the Harlequin Duck in Wyoming, 267; introduction of Ruffed Grouse on Washington Isl., Wisconsin, 582; review of his 'National Reservations for the Protection of Wild Life,' 128.
Panama, 121, 288, 422-429.
Pandion haliaetus carolinensis, 6, 244, 420, 495, 568.
Paradisea duivenbodei, 462.
Paradisea raggiana sororia, 462.
Parascolopax, 596.
Pardigalla intermedia, 608.
Parepthianura, 303.
Parisoma buryi, 607.
Paroxyechus, 444.
Parus ater ptilosus, 139.
 atricapillus borealis, 612.
 cinereus, 464.
 cinereus bokharensis, 464.
 cinereus dzungaricus, 464.
 cinereus ferghaniensis, 464.
 cinereus turcestanicus, 464.
Passer, 137.

- Passer domesticus*, 153, 247.
domesticus chephreni, 614.
montanus volgensis, 464.
yatii, 142.
- Passerculus sandwichensis alaudinus*, 280, 570.
savanna, 7, 570.
- Passerella*, 14.
iliaca, 177-187.
iliaca iliaca, 8, 544.
iliaca insularis, 18.
iliaca schistacea, 113.
- Passerherbulus caudacutus*, 129.
henslowi henslowi, 437, 555.
henslowi occidentalis, 570.
lecontei, 570.
maritimus maritimus, 152, 556.
nelsoni nelsoni, 239, 555.
nelsoni subvirgatus, 555.
- Passerina amoena*, 571.
cyanaea, 347, 380, 571.
- Pedicecetes phasianellus campestris*, 567.
- Pelecanoides urinatrix coppingeri*, 124.
- Pelecanus californicus*, 424.
erythrorhynchos, 106, 225, 430, 564.
occidentalis, 22, 424.
- Pelican*, Brown, 22, 424.
 California Brown, 424.
 White, 106, 225, 430, 564.
- Pelidna alpina sakhalina*, 17, 566.
- Pelionetta*, 151.
- Peltorhynax*, 447.
- Pember*, F. T., Black Vulture in Vermont, 112.
- Penelope perspicax*, 452.
- Pennsylvania*, birds of, 105, 279, 325-358.
- Penthestes*, 464.
atricapillus atricapillus, 9, 353.
atricapillus septentrionalis, 573.
carolinensis carolinensis, 247, 502.
cinctus, 152.
- Penthestes cinctus obtectus*, 152.
hudsonicus columbianus, 447.
hudsonicus hudsonicus, 9, 437.
rufescens rufescens, 230.
- Perdix perdix*, 465.
- Pericrocotus stanfordi*, 606.
- Perisoreus canadensis canadensis*, 27.
canadensis nigricapillus, 7.
infaustus opicus, 452.
- Pernettyva*, 444.
- Peters*, James L., list of birds collected in the territory of Quintana Roo, Mexico, in the winter and spring of 1912, 367-380.
- Petrel*, Black-capped, 507, 508.
 Wilson's, 3, 506.
 Leach's, 21.
- Petrochelidon*, 152.
lunifrons lunifrons, 130, 571.
- Peucaea aestivalis aestivalis*, 246, 499.
- Pewee*, Western Wood, 280, 427.
 Wood, 232, 246, 273, 342, 427, 495, 513-519, 533, 535, 537, 569.
- Phaopus*, 444.
- Phæthornis adolphei fraterculus*, 121.
anthropilus fuscicapillus, 450.
- Phalacrocorax auritus auritus*, 22, 564.
auritus floridanus, 241, 503.
carbo, 22.
macropus 37, 598.
pelagicus robustus, 151.
pelagicus resplendens, 151.
- Phalarope*, Northern, 23, 111, 565.
 Wilson's, 237, 551, 566.
- Phasianus strauchi chonensis*, 302.
- Pheugopedius maculipectus maculipectus*, 377.
- Philemon argenticeps*, 609.
- Phillips*, John C., bird migration from the standpoint of its periodic accuracy, 191-204; a crested Canada Goose, 578.

- Phillips, Dr. J. C., and Glover M. Allen, notice of their Sudan expedition, 160.
- Philohela minor, 23, 115, 243, 336, 504, 580.
- Phleocotomus pileatus abieticola, 26, 420.
pileatus pileatus, 245, 496.
- Phlogothraupis sanguinolenta sanguinolenta, 379.
- Phœbastria, 125.
- Phœbe, 219, 261, 342, 358, 521, 522, 533, 569.
- Phœbetria fusca campbelli, 124.
- Phœbetria palpebrata huttoni, 124.
- Phœnicophaeus curvirostris deningeri, 600.
- Phœnicothraupis rubica nelsoni, 379.
salvini salvini, 379.
- Phyllergates, 307.
cucullatus batjanensis, 139.
- Phylloscopus indicus albogularis, 142.
borealis examinandus, 600.
trivirgatus parvirostris, 307.
- Piaya cayana thermophila, 373.
cayana venezuelensis, 449.
- Pica leucoptera, 464.
pica hudsonia, 569.
- Picoides americanus americanus, 272.
arcticus, 26, 554.
- Picolaptes warszewiezi æquatorialis, 142.
- Picumnus vargeæ, 141.
venezuelensis, 450.
- Picus canus biedermannii, 142.
gorii, 142.
- Pigeon, Band-tailed, 591.
Passenger, 24, 338, 433, 552.
- Pinarochroa rudolphi, 304.
- Pinarolestes megarhynchus superfluis, 306.
- Pinicola enucleator pacata, 452.
- Pintail, 9, 17, 564.
- Pionus senilis, 373.
- Pipilo erythrophthalmus allenii, 246, 499.
- Pipilo e. erythrophthalmus, 276, 347, 571.
maculatus arcticus, 571.
- Pipit, 28, 351, 573.
Sprague's, 573.
- Pipromorpha assimilis assimilis, 376.
- Piranga erythromelas 12, 27, 348, 428, 511.
rubra rubra, 121, 246, 348, 379, 499.
- Pisobia, 287.
acuminata, 597.
aurita, 597.
bairdi, 551, 566.
fuscicollis, 542, 566.
minuta, 597.
minutilla, 5, 425, 560.
maculata, 238, 425, 551, 566.
- Pisorhina angelinæ, 141.
- Pitangus sulphuratus derbianus, 375.
- Pitta mackloti oblita, 306.
- Planesticus grayi grayi, 376.
helleri, 597.
migratorius migratorius, 9, 230, 258, 394–398, 355, 504, 573.
olivaceus polius, 597.
- Platyparis aglaiae sumichrasti, 375.
- Plectrophenax nivalis nivalis, 18, 275, 346, 570.
nivalis townsendi, 18.
- Plegadidae, 95.
- Plegadis, 92–95.
autumnalis, 242, 268.
- Ploceus manyar, 307.
- Plover, Black-bellied, 566, 591.
Golden, 24, 238, 271, 552, 566, 581, 591.
Killdeer, 24, 219, 243, 337, 358, 426.
- Piping, 3, 4, 115, 226, 260, 552, 566.
- Semipalmated, 3, 6, 426, 566.
Upland, 24, 337, 425, 566.
- Pluvialis, 287.
- Poecyga mutica, 451.
- Pochard, European, 17.

- Podica petersi*, 461.
Podiceps, 287, 458.
Pœcile atricapillus borealis, 463.
Pœcilonetta bahamensis, 110.
Podilymbus magnus, 598.
 podiceps, 241, 420, 503, 563.
 podiceps antillarum, 452.
Polioptila cœrulea cœrulea, 81, 129,
 247, 354, 421.
 californica, 129.
 superciliaris superciliaris, 377.
Poliospiza elgonensis, 302.
 menachensis, 607.
Polysticta stelleri, 39.
Poecetes gramineus confinis, 280,
 570.
Porzana atra, 459.
 carolina, 281, 425, 550, 565.
 murrayi, 459.
Prædo audax, 122.
Pratincola caprata, 307.
 caprata albonotata, 307.
Premnoplex brunnescens rostratus,
 121.
Pribilof Islands, birds of, 15–18.
Prinia inornata burmanica, 608.
 formosa, 608.
 inornata exter, 451.
Procellaria glacialis, 611.
Procelsterna cerulea nebulosus, 124.
 cerulea imitatrix, 124.
Progne chalybea, 377, 428.
 subis subis, 228, 246, 349, 499,
 556, 571.
Prohaematopus, 444.
Proictinia gilmorei, 598.
Propasser, 451.
Protective coloration, 81–91.
Protonotaria citrea, 240, 428, 500.
Psaltriparus santaritæ, 399.
 plumbeus, 399.
 melanotus lloydii, 399–401.
Psephotus cucullatus, 301, 460.
 chrysoterygius blaauwi, 460.
 dissimilis, 301, 460.
Pseudacanthis yemenensis 607.
Pseudocolaptes boissonneautii, stri-
 aticeps, 121.
Pseudogerygone jacksoni, 141.
Pseudotantalus, 93–95.
Pseudotriccus pelselni berlepschi,
 288.
Psilorhinus mexicanus cyanogenys,
 377.
 vociferus, 377.
Psittinus cyanurus, 123.
Pteroglossus torquatus erythro-
 zonus, 374.
Ptilotis, 461, 610.
 ornata wesleydalei, 459.
 ornata underbooli, 459.
Publications Received, 143, 308,
 468, 615.
Pucrasia joretiana, 140, 300.
 ruficollis, 614.
Puffin, 2.
Puffinaria garnotii lessoni, 124.
Puffinus borealis, 547.
 brevicaudus, 307.
 carneipes, 610.
 garnoti magellani, 124.
 gravis, 507.
 Iherminieri, 506, 509.
Pycnonotus leucotis, 142.
Pyrocephalus rubinus blatteus, 376,
 452.
Pyromelana, 137.
Pyrrhula arizanica, 139.
 europea, 453.
Pytelia melba, 609.
 afra, 609.
QUAIL, California Valley, 453.
 Valley, 133.
Quelea, 137.
 æthiopica, 137.
Querquedula cyanoptera, 564.
 discors, 22, 143, 424, 564.
Quiscalus major macrourus, 427.
 major major, 246.
 quiscula æneus, 27, 570.
 quiscula aglaeus, 246, 499.

- Quiscalus quiscula quiscula, 345.
- RAIL, Black, 243, 269.
King, 23, 77, 226, 236, 243, 436,
549, 580.
Sora, 281, 425.
Virginia, 550, 565.
Yellow, 550, 580.
- Rallicula klossi, 608.
- Rallus aquaticus, 612.
elegans, 23, 77, 226, 243, 436,
549, 580.
elegans ramsdeni, 448.
virginianus, 550, 565.
- Ramphastos, carinatus, 433.
- Ramsden, Chas. T., Glossy Ibis
(*Plegadis autumnalis*) in eastern
Cuba; a new record, 268; on the
occurrence of *Columba squamosa*
(Bonnaterre) in Cuba, 271.
- Raven, 343.
Northern, 343, 437, 569.
- Recurvirostra americana, 23, 566.
- Redhead, 22, 564.
- Redpoll, 238, 345, 570.
- Redstart, 8, 207, 279, 351, 358, 421,
429, 501, 515, 516, 518, 572.
- Red-wing, Florida, 246, 498.
Thick-billed, 569.
- Reed, Chester A., review of his
'Birds of Eastern North America,'
120; obituary of, 319.
- Reedbriar, 591.
- Regerinus uncinatus, 371.
- Reguloides maculipennis debilis,
451.
pulcher vegetus, 453.
- Regulus calendula calendula, 9,
28, 129, 155, 279, 573.
satrapa satrapa, 9, 354, 545,
573.
- Remiza pendulina bostanjogli, 464.
pendulina menzbieri, 464.
- 'Revista Italiana di Ornitologia,'
review of, 465.
- 'Revue Francaise d'Ornithologie,'
review of, 142, 303-304, 461-2.
- Ridgway, Robert, review of his
'Color Standards and Color No-
menclature,' 439-440.
- Ridgwayia pinicola, 301.
- Riley, J. H., review of his 'Birds of
the Mount Robson Region,' 447-
448; review of his 'King Rail of
Cuba,' 'New Hummingbird from
Brazil' and 'A New Name for
Tanagra sclateri Berl,' 448; re-
view of his 'The Bahama Barn
Owl,' 597.
- Riparia riparia, 130, 349, 428, 591.
riparia fuscocollaris, 305.
- Rissa tridactyla tridactyla, 505, 508,
509.
- Rhamphastos carinatus, 374.
- Rhipidura flabellifera kempbi, 607.
- Rhode Island, birds of, 545-558.
- Rhodinicichla rosea eximia, 11-15.
- Rhodostethia rosea, 16.
- Rhynchoeculus cinereiceps, 376.
- Rhynchosphanes mccowni, 570.
- Rhynchostruthus percivali, yeme-
nensis, 608.
- Road-runner, 434.
- Robin, 9, 211-214, 230, 258, 394-
398, 355, 504, 513, 514, 519, 522-
526, 533, 535-537, 573, 590.
- Rogibyx, 444.
- Roper, Kenyon, Towhee in winter
near Steubenville, Ohio, 276.
- Ross, Lucretius H., birds observed
at Bennington, Vt., 436.
- Rossignol, G. R., Jr., another
Bridled Tern for South Carolina,
105; White Pelican at Savannah,
Georgia, 106.
- Rough-leg, Ferruginous, 438, 567.
- Royal Australasian Ornithologists'
Union, review of its 'Official
Check List of the Birds of Aus-
tralia,' 445-447.
- Ruff, 18, 552, 576.
- Rupornis magnirostris **conspecta**,
370.
magnirostris occidua, 452.

- SAGE, John H., thirtieth stated meeting of the American Ornithologists' Union, 96-105.
- Saltator, 262.
atriiceps, 262-264.
atriceps raptor, 380.
grandis grandis, 379.
magnoides magnoides, 379.
- Sanderling, 3, 436.
- Sandpiper, Baird's 551, 566.
 Buff-breasted, 426, 552.
 Least, 5, 238, 425, 566.
 Pectoral, 238, 425, 551, 566.
 Red-backed, 17, 238, 566.
 Semipalmated, 3, 238, 425, 566.
 Solitary, 238, 425, 566.
 Spotted, 3, 6, 257, 337, 358, 420,
 426, 493, 503, 566.
 Stilt, 23, 430, 551, 566.
 Western, 551.
 White-rumped, 452, 566.
- Sapsucker, Yellow bellied, 26, 115,
 155, 219, 221, 340, 518, 524,
 534, 568.
- Saunders, Aretas A., additional notes to the 'Birds of Gallatin County, Montana,' 116; the Old Squaw in Connecticut in summer, 577.
- Saunders, W. E., Harris's Sparrow in eastern Ontario, 114; Hudsonian Godwit on the Magdalen Islands, 271; Hudsonian Godwit, a correction, 430.
- Sauromarpitis, 120.
- Sauropatius sanctus forsteri, 607.
- Saxicola leucomelæna, 460.
 α enanthe nivea, 612.
 Sayornis phoebe, 130, 261, 342, 376,
 569.
 saya, 306.
- Scapanus guatemalensis guatemalensis, 374.
- Scharff, Robert F., review of his 'Distribution and Origin of Life in America,' 283-286.
- Sclater, Philip Lutley, obituary of, 621.
- Scolopax lapponica, 444.
saturata, 596.
solitaria, 596.
- Scoter, 3.
- Scotiaptex nebulosa nebulosa, 25,
 227.
- Scytalopus magellanicus grandis,
 449.
- Seilern, J. Graf von, see Hellmayr, C. E.
- Seiurus aurocapillus, 351, 428, 572.
motacilla, 80, 429, 585.
noveboracensis notabilis, 152,
 378, 572.
noveboracensis noveboracensis, 13, 428, 532, 557.
- Selasphorus allenii, 584.
rufus, 155, 584.
platycercus, 584.
- Sericornis flindersi, 302.
- Serinus canarius germanicus, 463.
- Setophaga ruticilla, 8, 121, 129, 279,
 351, 378, 429, 421, 501, 572.
- Sharples, Robert P., Caspian Tern in Chester Co., Pennsylvania, 105.
- Shearwater, Audubon's, 506, 507,
 509.
 Cory's, 547.
 Greater, 507.
- Shelley, G. E., review of his 'Birds of Africa,' 126.
- Sherman, Althea R., Carolinian avifauna in northeastern Iowa, 77-81; the nest life of the Sparrow Hawk, 406-418.
- Shoveller, 17, 22, 137, 548, 564.
- Shrike Loggerhead, 246, 276, 421,
 499.
 Migrant, 544, 556.
 Northern, 350, 572.
 White-rumped, 572.
- Shufeldt, Percy W., unusual plumages of the Ocellated Turkey (*Agriocharis ocellata*), 432.

- Shufeldt, R. W., contributions to avian paleontology, 29-39; an unusual malady and probable cause of death in a Toucan (*Ramphastos carinatus*), 433; review of his recent papers on fossil birds, 597.
- Sialia sialis sialis, 29, 247, 259, 355, 502, 573.
- Siberia, birds of, 451.
- Siphia, 307.
- Siskin, Pine, 238, 532, 570.
- Sitta canadensis, 9, 279, 354, 573.
carolinensis atkinsi, 247, 502.
carolinensis carolinensis, 155, 354, 573.
europaea hispaniensis, 459.
pusilla, 247, 502.
pygmæa pygmæa, 129.
- Sittasomus griseus virescens, 121.
sylviooides sylviooides, 375.
- Smithson, A. F., some birds of southwestern Missouri, 437.
- Smithsonian Report for 1911, notice of, 289.
- Snipe, Wilson's, 23, 116, 226, 337, 425, 566, 591.
- Snyder, W. E., a recent capture of the Eskimo Curlew, 269; the Wood Pewee a foster parent, 273; the Evening Grosbeak in Wisconsin, 275.
- Solitaire, Townsend's, 280.
- Somateria dresseri, 22, 281.
spectabilis, 17, 22, 107-110, 548.
- Song, 472-474, 538-541, 591.
- Sora, 281, 425, 550, 566.
- South African Ornithologists' Union, notice of 'Journal,' 461.
- South Carolina, birds of, 105, 114, 271, 273, 276, 277, 278, 429.
- South Dakota, birds of, 280, 281, 561-573.
- Sparrow, Acadian Sharp-tailed, 556.
- Sparrow, Baird's, 280, 281.
- Chipping, 230, 346, 513-526, 533, 535, 570.
- Clay-colored, 570.
- Dakota Song, 281.
- English, 41, 53, 247, 275.
- Field, 219, 221, 258, 279, 544.
- Florida Grasshopper, 437.
- Fox, 8, 177-187, 211-214, 219
221, 544, 570.
- Gambel's, 18.
- Grasshopper, 77.
- Harris's, 114, 570.
- Henslow's, 437, 555, 570.
- House, 454, 524, 529, 533.
- Kadiak Fox, 18.
- Lark, 240, 570.
- LeConte's, 570.
- Lincoln's, 8, 207, 281, 570.
- Nelson's, 239, 555.
- Nuttall's, 584.
- Pine-woods, 246, 499.
- Savannah, 7, 518-523, 533, 570.
- Seaside, 556.
- Slate-colored Fox, 113.
- Song, 219, 230, 346, 513-526,
533, 535, 570.
- Swamp, 346, 544, 570.
- Tree, 544.
- Vesper, 516-525, 533.
- Western Chipping, 280.
- Western Field, 570.
- Western Grasshopper, 280,
570.
- Western Henslow's, 570.
- Western Savannah, 280.
- Western Tree, 280, 570.
- Western Vesper, 280, 570.
- White-crowned, 199, 544, 570.
- White-throated, 7, 116, 346,
516-525, 533, 556, 570.
- Spatula clypeata, 17, 22, 548, 564.
- Speotyto cunicularia hypogæa, 568.
- Sphyrapicus varius varius, 26, 115,
340, 568.
- Spindalis pretrei, 405.

- Spinus notatus, 152.
 Spinus pinus, 532, 570.
 Spiza americana, 78, 240, 348, 380,
 427, 571.
 Spizella monticola monticola, 544.
 monticola ochracea, 280, 570.
 pallida, 570.
 passerina arizonæ, 280.
 passerina passerina, 230, 346,
 570.
 pusilla arenacea, 571.
 pusilla pusilla, 152, 258, 279,
 544.
 Spoonbill, Roseate, 424, 503.
 Sporathraupis cyanocephala bü-
 singi, 464.
 Sporophila moreletti, 380.
 Squatarola squatarola, 566.
 Starling, 274, 275, 454, 543, 554.
 Steganopus tricolor, 237, 551, 566.
 Stegmatops indistincta nupta, 307.
 argentatus patasiwa, 307.
 Stelgidopteryx serripennis, 377.
 Stellula calliope, 584.
 Stercorarius longicaudus, 444.
 parasiticus, 444, 546.
 pomarinus, 444, 546.
 Sterna anglica, 613.
 anæthetha, 105.
 caspia, 105.
 dougallii, 125, 574.
 dougallii bangsi, 124.
 dougallii arideensis, 124.
 forsteri, 564.
 fuscata, 125, 547.
 hirundo, 5, 21, 257, 333, 423,
 436, 458, 546, 564.
 vittata bollonsi, 458.
 Sternula, 125.
 nereis davisiae, 458.
 nereis exsul, 124.
 Stigmatoptes monticola, 140.
 deningeri, 140.
 Stilt, Black-necked, 425.
 Stipiturus malachurus, 303.
 Stizorhina vulpina intermedia, 608.
 Stone, Witmer, the concealing colo-
 ration question, 146; the A. O. U.
 Check-List, 153-154; a peculiar
 Hudsonian Curlew, 270; the
 concealing coloration question,
 317; bird migration records of
 William Bartram, 325-358; re-
 view of his 'Birds obtained by the
 Francis E. Bond Expedition in
 the Orinoco Delta and Paria
 Peninsula, Venezuela,' 603.
 Stoparola, 305.
 panayensis obiensis, 139.
 Stover, A. J., night song of Nuttall's
 Sparrow, 584.
 Stresemann, Erwin, reviews of his
 'Ornithological Miscellany of the
 Indo-Australasian Region,' and
 'Birds of Bali,' 599.
 Strigops habroptilus innominatus,
 607.
 habroptilus parsoni, 607.
 Strix funerea, 607.
 varia allenii, 245, 495.
 varia varia, 532, 536.
 virgata virgata, 373.
 Strong, R. M., review of his 'Some
 Ideas on Teaching a Bird Course,'
 127.
 Stubbs, Arthur P., Little Blue
 Heron (*Florida carulea*) at Lynn,
 Mass., 430.
 Sturnella magna argutula, 246, 498.
 magna magna, 27, 344, 601.
 neglecta, 569, 601.
 Sturnus vulgaris, 151, 153, 543, 554.
 Subspilura, 596.
 Sula bassana, 225, 465, 505, 506,
 509.
 cyanops, 287.
 dactylatra, 287.
 Surniculus lugubris brachyurus, 600.
 Suthora unicolor canaster, 451.
 zappeyi, 451.
 Suya eriniger cooki, 608.
 yunnanensis, 608.

- Swales, B. H., Northern Phalarope (*Lobipes lobatus*) in Michigan, 111; Golden Plover in Michigan, 581.
- Swallow, Bank, 349, 428, 571.
Barn, 129, 276, 349, 358, 421, 428, 523-529, 533, 571, 590.
Cliff, 524, 529, 534, 571.
Rough-winged, 571.
Tree, 8, 232-234, 519, 529, 534, 571.
- Swan, Whistling, 226, 549, 565, 591.
- Swann, H. Kirke, review of his 'A Dictionary of English and Folk-Names of British Birds,' 441-442.
- Swarth, H. S., the status of Lloyd's Bush-Tit as a bird of Arizona, 399-401.
- Swenk, Myron, W., the Whooping Crane (*Grus americana*) in Nebraska, 430.
- Swift, Chimney, 27, 194, 245, 253, 258, 341, 358, 497, 524, 530, 534, 568.
- Sylvia undata corsa, 305.
- Sylviparus modestus occultus, 451.
- Synallaxis candei venezuelensis, 450.
erythrothorax, 375.
fuscifrons, 305.
gularis pichinchæ, 143.
- Tanager Scarlet, 27, 207, 211-214, 348, 358, 428, 513, 515, 517, 524, 533, 571.
Summer, 246, 348, 499.
- Tanagra abbas, 379.
cana diaconus, 379.
slateri, 448.
xanthogastra quitensis, 122.
- Tangara fucosus, 122.
guttata bogotensis, 121.
- Tangavarius involucratus, 379.
- Tantalus ibis, 93.
- Tchitrea melanura, 614.
- Teal, Blue-winged, 22, 424, 564.
Cinnamon, 564.
- Teal, Green-winged, 22, 564.
- Tegetmeier, William B., obituary notice of, 319.
- Telmatodytes palustris iliacus, 573.
palustris palustris, 129.
- Tern, Arctic, 3, 125.
Bridled, 105.
Black, 225, 424, 547, 564.
Caspian, 105.
Common, 3, 5, 21, 125, 254, 257, 333, 423, 436, 546, 564.
Forster's, 564.
Lesser, 125.
Roseate, 125, 574.
Sooty, 547.
- Tesia grallator, 451.
- Thalassarche melanophris belcheri, 124.
melanophris impavida, 124.
melanophris richmondi, 124.
- Thalasseus, 125.
bengalensis arabicus, 124.
bergii bakeri, 124.
bergii edwardsi, 124.
- Thalassogeron chrysostoma culminata, 124.
chrysostoma harterti, 124.
- Thamnistes anabatinus coronatus, 122.
- Thamnophilus doliatus catus, 452.
doliatus dearborni, 450.
doliatus yucatanensis, 375.
- Thaumastura cora montana, 449.
- Thayer, Abbott H., naturalists and 'Concealing Coloration,' 471, 618; review of his 'Concealing Coloration, an Answer to Theodore Roosevelt,' 126.
- Thayer, John E., a winter record of the Brown Thrasher in Lancaster, Mass., 435.
- Thayer, John E., and Bangs, Outram, review of their 'Some Chinese Vertebrates. Aves,' 451, and 'A New Race of the Great Blue Heron,' 452.

- Thrasher, Brown, 211–214, 247, 278, 351, 358, 435, 501, 573.
- Thraupis episcopus nesophilus, 448.
- Threnetes frazeri venezuelensis, 449.
- Threskiornis æthiopica, 93.
- Thripornax javensis, 600.
javensis confusus, 600.
- Thrush, Gray-cheeked, 207, 240, 573.
- Hermit, 9, 29, 129, 279, 438, 516–519, 522, 527, 533–541, 558.
- Olive-backed, 9, 513–519, 527, 533–537, 573.
- Willow, 573.
- Wood, 354, 358, 421, 502, 515, 516, 518, 523, 528, 533, 535–537, 573.
- Thrush-Warbler, Panama, 11–15.
- Thryomanes bewicki bewicki, 129, 437.
- Thryothorus ludovicianus ludovicianus, 80, 352, 435, 501, 557.
ludovicianus miamensis, 247.
- Thurston, Henry and Boyle, Howarth S., some seasonal notes on Long Island birds, 542–545.
- Tiaris bicolor, 152.
- Titlark, Sprague's, 569.
- Titmouse, Tufted, 81, 247, 353, 502.
- Tityra semifasciata personata, 375.
- Todd, W. E. Clyde, notice of his expedition to James Bay, 161; review of his 'Revision of the Genus *Chæmepelia*', 448–449.
- Todirostrum cinereum finitimum, 376.
- Todus multicolor, 402.
- Torrey, Bradford, review of his 'Field-Days in California,' 288; obituary of, 157–159.
- Totanus damacensis, 596.
flavipes, 372, 425, 566.
fuscus, 305.
hypoleucus, 612.
melanoleucus, 566.
- Totanus ochropus, 462, 612.
tenuirostris, 596.
- Towhee, 211–213, 276, 347, 358, 571.
Arctic, 567, 571.
White-eyed, 246, 499.
- Townsend, Charles W., some more Labrador notes, 1–10; review of his 'Sand Dunes and Salt Marshes,' 593.
- Toxostoma rufum, 247, 278, 351, 435, 501, 573.
- Tree-duck, Brazilian, 110.
- Treron curvirostra, 123.
- Tribura, 451.
- Tringa, 287.
maculata, 597.
- Troglodytes aëdeon, aëdon, 353.
aëdon parkmani, 258, 573.
festinus, 122.
musculus hypaëdon, 377.
irrequies, 377.
- Trogon melanocephalus melanocephalus, 374.
- Tropic-bird, 508.
- Trotter, Spencer, Arkansas Kingbird (*Tyrannus verticalis*) in Delaware, 273; review of his 'Faunal Divisions in Relation to Vegetation,' 450–451.
- Tryngites subruficollis, 426, 552.
- Tschusi zu Schmidhoffen, notice of his 'Bibliography of Austrian Ornithological Literature for 1911,' 291.
- Turacus ruspolii, 300.
- Turdus deningeri, 140.
menachensis, 607.
musicus hebridensis, 465.
swynnertonii, 459. .
- Turkey, Ocellated, 432.
Florida, 243.
Wild, 494.
- Turkey-buzzard, 295–298.
- Turtur decipiens elegans, 462.
capicola hilgerti, 462.
risorius, 290.

- Turtur turtur, 198.
Turnstone, Ruddy, 3, 567.
Tyler, Winsor M., a successful pair
of Robins, 394-398; two rare
birds for Massachusetts, 435.
Tympanuchus americanus ameri-
canus, 238, 567.
Tyrannus dominicensis, 427.
 melancholicus satrapa, 375.
 tyrannus, 231, 245, 342, 427,
 497, 543, 568, 590.
 verticalis, 112, 273, 568.
Tyto, 141, 614.
 alba detorta, 302.
 perlatus lucayanus, 597.
U. S. Biological Survey, review of
the 'Proposed Regulations for the
Protection of Migratory Birds,'
591-593.
Upupa waibeli, 304.
Uria lomvia lomvia, 21.
Urinator arcticus, 304.
Urochroma costaricensis, 449.

VANELLUS lateralis, 444.
Veery, 115, 129, 207, 513-518, 533,
 536-537.
Venezuela, 121, 603.
'Verhandlungen der Ornitholog-
ischen Gesellschaft in Bayern,'
review of, 142.
Vermivora celata, celata, 152, 556,
 572, 585.
 celata lutescens, 116.
 chrysoptera, 240, 436, 544, 595.
 leucobronchialis, 436, 595.
 peregrina, 8, 121, 572.
 pinus, 435, 595.
 rubricapilla gutturalis, 155.
 rubricapilla rubricapilla, 234.
Vermont, birds of, 111, 112, 436.
Vetola, 444.
Vini hendersoni, 459.
 stepheni, 459, 600.
Virginia, birds of, 113, 274, 594.

Vireo griseus griseus, 28, 246, 350,
 377, 499.
 huttoni huttoni, 130.
 ochraceus, 377.
Vireo, Blue-headed, 207, 277, 513,
 515, 517, 534.
 Red-eyed, 207, 246, 358, 499,
 515-519, 534, 535, 572.
 Solitary, 207, 277.
 Warbling, 207, 350, 572.
 White-eyed, 28, 246, 350, 499.
 Yellow-throated, 129.
Vireolanius eximius mutabilis,
 122.
Vireosylva gilva gilva, 350, 572.
 flavoviridis, 377.
 olivacea, 246, 350, 499, 572.
Visher, S. S., a few South Dakota
records of some western birds,
280; additions to a list of the
birds of Harding County, north-
western South Dakota, II, 281; an
annotated list of the birds of
of Sanborn County, south east-
central South Dakota, 561-573.
Volatinia jacarini splendens, 380.
Vultur monachus, 305.
Vulture Black, 112, 244, 420, 426,
 494.
 Turkey, 227, 244, 274, 339, 494,
 553, 567.
WALLACE, J. H., notice of his 'Ala-
bama Bird Day Book,' 455.
Warbler, Bay-breasted, 428, 572.
 Black and White, 207, 234, 428,
 516-519, 572.
 Blackburnian, 28, 516-518.
 Black-poll, 8, 501, 572.
 Black-throated Green, 8, 207,
 234, 279, 515, 516, 572.
 Black-throated Blue, 515-516,
 557, 572.
 Blue-winged, 435, 595.
 Brewster's, 436, 595.
 Canada, 196, 429, 516-518.

- Warbler, Cape May, 278, 437.
 Cerulean, 240.
 Chestnut-sided, 207, 428, 514–
 518, 572.
 Connecticut, 28, 240.
 Golden-winged, 240, 544.
 Hooded, 501, 595.
 Kentucky, 421, 429, 587.
 Lutescent, 116.
 Magnolia, 8, 114, 207, 211, 234,
 277, 516, 572.
 Mourning, 28, 429, 511–518,
 572.
 Myrtle, 8, 28, 234, 350, 534,
 572.
 Nashville, 207, 234.
 Northern Parula, 279.
 Orange-crowned, 556, 572.
 Palm, 572.
 Parula, 247, 500, 515–516, 518.
 Pine, 247, 421, 501, 557.
 Prairie, 247, 421.
 Prothonotary, 240, 428, 500.
 Swainson's, 500.
 Tennessee, 7, 207, 572.
 Wilson's, 207, 211, 572.
 Worm-eating, 421.
 Yellow, 8, 196, 207, 235, 350,
 358, 428, 572, 603.
 Yellow-throated, 501.
 Warren, B. H., Yellow-headed
 Blackbird in Virginia, 113.
 Washington, birds of, 116.
 Washington Biologists' Field Club,
 475.
 Water-Thrush, 207, 428, 532, 557.
 Grinnell's, 572.
 Louisiana, 80, 429, 585.
 Water-Turkey, 489.
 Waxwing, Bohemian, 571.
 Cedar, 27, 348, 524, 534, 571.
 Wayne, Arthur T., the Golden
 Plover (*Charadrius dominicus*
 dominicus) again on the coast of
 South Carolina, 271; two fly-
 catchers of the genus *Empidonax*
 new to the fauna of South Caro-
 lina, 273; the Magnolia Warbler
 (*Dendroica magnolia*): an addi-
 tion to the fauna of the coast
 region of South Carolina, 277;
 the Cape May Warbler (*Den-
 droica tigrina*) taken in the spring
 on the coast of South Carolina,
 278; the Dovekie (*Alle alle*): an
 addition to the fauna of South
 Carolina, 429.
 West Virginia, birds of, 276, 580, 585.
 'Western Wild Life Call,' noticed,
 292, 455.
 Weston, Francis M., Jr., swimming
 of young Herons, 111; Magnolia
 Warbler in the coast region of
 South Carolina, 114; Barn Swal-
 low in South Carolina in winter,
 276; additional notes from the
 mountains of western North
 Carolina, 418–421.
 Whip-poor-will, 26, 536.
 Whistler, 3.
 Widgeon, European, 525, 574.
 Wild-fowl refuges, 161.
 Willet, 116.
 Western, 551, 566.
 Williams, H. C., White Ibis (*Guara*
 alba) in Missouri, 268; Brown
 Thrasher wintering near St. Louis,
 Mo., 278.
 Williamson, E. B., actions of nest-
 ing Red-shouldered Hawks, 582.
 Wilson, Alexander, anniversary of
 death of, 622.
 'Wilson Bulletin,' review of, 138,
 456, 606.
 Wilson Ornithological Club, 320.
 Wilsonia canadensis, 429.
 citrina, 578, 501.
 pusilla pusilla, 130, 569, 572.
 Wisconsin, birds of, 269, 275, 582.
 Wood, Norman A., first Michigan
 specimen of the Three-toed Wood-
 pecker, 273.

- Woodcock, 23, 115, 243, 336, 504, 580.
Woodpecker, Arctic Three-toed, 26, 554.
Batchelder's, 280, 281.
California, 155.
Downy, 7, 156, 340, 420, 568.
Hairy, 25, 156, 568.
Ivory-billed, 245, 504.
Northern Pileated, 26.
Pileated, 245, 340, 420, 496, 524, 531.
Red-bellied, 78, 245, 497.
Red-cockaded, 245, 496.
Red-headed, 26, 245, 341, 420, 497, 568.
Southern Downy, 245, 496.
Southern Hairy, 245, 496.
Three-toed, 272.
- Wren, Bewick's, 129, 437.
Carolina, 80, 352, 436, 501, 557.
Florida, 247.
House, 353, 358.
Long-billed Marsh, 128, 326.
Prairie Marsh, 573.
Short-billed Marsh, 236, 558, 573.
Western House, 258, 573.
Winter, 353, 421, 513, 517, 534, 557, 573.
- Wright, Albert H., and Harper, Francis, a biological reconnaissance of Okefenokee swamp: the birds, 477-505.
- Wright, Horace W., morning awakening and even-song, 512-537; Louisiana Water-Thrush in Massachusetts, 585.
- Wyoming, birds of, 106, 267.
- XANTHOCEPHALUS xanthocephalus, 113, 569.
Xanthophilus, 137.
Xanthoura yncas andicola, 121.
Xema sabini, 105, 574.
Xenops gembarris mexicanus, 375.
Xiphidiopterus cucullatus, 444.
Xiphorhynchus flavigaster flavigaster, 374.
flavigaster yucatanensis, 374.
- YELLOW-LEGS, 238, 372, 425.
Greater, 3, 238, 566, 591.
Lesser, 238, 372, 425, 566, 591.
- Yellow-throat, Florida, 247.
Maryland, 207, 234, 350, 358, 514, 517, 518, 524.
Western, 572.
- ZAMELODIA ludoviciana, 380, 435, 532, 571, 585.
Zanthomiza, 610.
Zarapita, 444.
Zenaidura macroura carolinensis, 10, 24, 244, 339, 494, 542.
macroura marginella, 567.
- Zimmer, John T., review of his 'Birds of the Thomas County Forest Reserve,' 453.
- Zonotrichia albicollis, 7, 116, 346, 556, 570.
gambeli, 447.
leucophrys, 447.
leucophrys gambeli, 18.
leucophrys leucophrys, 544, 570.
querula, 114, 570.
strigiceps, 121.
strigiceps dabbenei, 121.
- Zosterops palpebrosa harterti, 307.
palpebrosa foghænsis, 307.