

INDEX TO VOLUME XXXIV.

[New generic, specific, and subspecific names are printed in heavy face type.]

- ACANTHIS *cannabina persica*, 105.
c. *taurica*, 105.
exilipes, 44, 158.
hornemannii, 44.
h. *exilipes*, 487.
linaria, 401.
l. *exilipes*, 44.
l. *linaria*, 44, 93, 217, 218, 219,
 409, 487.
Acanthiza flavolateralis, 500.
Accipiter cooperi, 38, 64.
 velox, 37, 217, 266.
Actites macularia, 37, 58, 265, 441.
 hypoleuca, 200.
Æchmophorus occidentalis, 30.
Ægialitis meloda, 266.
semipalmata, 37, 399, 440
Æstrelata vociferans, 98.
Æthia, 229.
 cristatella, 406.
 pusilla, 406.
Agelaius phoeniceus caurinus, 43.
p. *floridanus*, 204.
p. **grinnelli**, 196–197.
p. *phoeniceus*, 204.
p. *predatorius*, 204.
p. *richmondi*, 197.
p. *sonoriensis*, 197.
Aix sponsa, 33, 207.
Alabama, birds of, 456.
Alæmon alaudipes boavistæ, 500.
Alaska, birds of, 147–159, 163, 191,
 195, 210, 394–402.
Alca cristatella, 230.
Alectoris, 503.
 græca falki, 503.
 g. cypriotis, 503.
 heyi intermedia, 503.
Alle alle, 437.
Allen, Francis H., the Migrant
 Shrike near Boston, 89.
Allen, J. A., bibliography and
 autobiography of, noticed, 221.
Alphapuffinus, 472.
Aluco pratincola, 209.
Amazona vittata gracilipes, 59.
American Ornithologists' Union,
 thirty-fourth stated meeting of,
 76–85; thirty-fifth stated meet-
 ing, 514.
Amizilis salvini,
Ammodramus savannarum borin-
 quensis, 366.
Anas bahamensis, 199.
 obscura, 192.
o. *rubripes*, 192.
 platyrhynchos, 33, 206, 398,
 408, 438.
 rubripes, 193, 265.
r. *tristis*, 192, 194.
 tzitzioha, 200.
Anatidæ, 415.
Ani, 59.
Anomalospiza, 348.
Anser albifrons gambeli, 34, 154.
Anthreptes malaccensis,
Anthus phillipsi, 493.
 rubescens, 47, 402, 444.
 trivialis haringtoni, 362.
Antrostomus vociferus arizonæ, 203.
v. *macromystax*, 203.
v. *vociferus*, 203.
Apalis jacksoni minor, 235.
 ansorgei, 235.
Aphelocoma californica immanis,
 499.

- Aphelocoma cyanotis, 499.
insularis, 499.
texana, 499.
- Aquila chrysaëtos, 38, 65, 477.
- Archibuteo lagopus sancti-johannis, 38, 93, 400, 454.
- Archilochus alexandri, 41.
- 'Ardea,' review of, 105, 364.
- Ardea herodias fannini, 35.
h. herodias, 265.
h. hyperonca, 200.
h. occidentalis, 86.
h. wardi, 86.
occidentalis, 86.
sellardsi, 357.
würdemanni, 86.
- Ardenna, 471.
carneipes, 475.
creatopus, 475.
gravis, 475.
- Arenaria interpres interpres, 200, 441.
i. morinella 37, 58, 463.
i. oahuensis, 200, 409.
melanocephala, 96, 155, 399.
- Argentina, birds of, 294–296, 355.
- Arkansas, birds of, 87.
- Arquatella maritima maritima, 441.
m. ptilocnemis, 409.
- Asio flammeus, 39, 266, 442.
noctipetens, 99.
wilsonianus, 39.
- Astragalinus tristis pallidus, 50.
t. salicamans, 50, 213.
t. tristis, 267.
- Astur atricapillus atricapillus, 38, 64, 442, 487.
a. striatus, 38, 336.
- Asyndesmus lewisi, 41.
- Attila caniceps, 224.
neoxenus, 225.
- Audubon, J. J., 133, 448; description of, 239.
- Auklet, Crested, 406.
 Least, 406.
 Paroquet, 406.
- Auk, Razor-billed, 141, 142.
- 'Avicultural Magazine,' reviewed, 104, 235, 362.
- Bæolophus inornatus murinus, 322.
wollweberi annexus, 323.
- Bailey, B. H., description of a new subspecies of the Broad-winged Hawk, 73–75; the Western Goshawk (*Astur atricapillus striatus*) in Iowa, 336; obituary notice of, 512.
- Bailey, Florence Merriam, notice of her 'Handbook of Birds of the Western United States', 7th edition, 350.
- Bailey, S. W., Killdeer (*Oxyechus vociferus vociferus*) in Massachusetts, 207; Migrant Shrike (*Lanius ludovicianus migrans*) at Newburyport, Mass., 214; Prairie Horned Lark (*Otocoris alpestris praticola*) nesting at Newburyport, Mass., 338.
- Bahamas, birds of, 209.
- Balanospyra, 205.
formicivora aculeata, 203.
f. angustifrons, 203.
f. bairdi, 203.
f. formicivora, 203.
- Baldpate, 33, 303, 305, 398, 418.
- Bancroft, W. F., see Palmer, T. S.
- Bannermania, 465.
- Barrows, Walter B., Northern Phalarope in Michigan, 336.
- Bartram, William, 277.
- Bartramia longicauda, 441, 463.
- Bartsch, Paul, relationship of Florida herons, 86; destruction of Passenger Pigeons in Arkansas, 87.
- Bayliss, Clara Kern, a remarkable case of bird-feeding, 90–91.
- Beal, Foster Ellenborough Lascelles, obituary notice of, 112; life and writings of, 243–364, diary of, 450.

- Belding, L., manuscripts of, 449.
Bendire, C., correspondence of, 450.
Bergtold, W. H., regurgitation in
the Bohemian Waxwing, 341;
an early Colorado record of the
White-tailed Ptarmigan, 334; the
State-colored Junco in Colorado,
480; review of his 'A Study of the
Incubation Periods of Birds,' 488.
Berlandier, J. L., 450.
Betts, Norman DeW., obituary
notice of, 377.
Bibliography of ornithology, 445.
Bicknell, Eugene P., the Acadian
Chickadee on Long Island, 91;
late southward migration of the
Cape May Warbler on Long
Island, 483.
Biography of Ornithologists, 445.
Bird conservation, recent publica-
tions on, 101.
'Bird Notes,' reviewed, 104, 363.
'Bird Notes and News' reviewed,
363.
'Bird-Lore,' reviewed, 102, 233, 359.
Bishop, S. C. and Wright, A. H.,
note on the Passenger Pigeon,
208.
Bittern, 35, 265, 301, 476.
 Least, 299, 358, 462.
Blackbird, Brewer's, 43.
 Rusty, 267, 301.
 Yellow-headed, 43.
 Porto Rican, 62.
Bluebird, 275.
 Mountain, 49.
 Western, 49.
'Blue-Bird,' reviewed, 102, 361.
Blue-throat, Siberian Red-spotted,
159.
Bobolink, 43, 301.
 Bob-white, 418.
Bodine, Donaldson, obituary notice
of, 115.
Bolivia, birds of, 224.
Bombycilla cedrorum, 46, 213, 268,
455.
 garrula, 46, 66, 212, 455.
 g. centralasiae, 332.
 g. garrula, 331.
 g. palidiceps, 333.
Bonaparte, Charles L., 280, 449.
Bonasa umbellus sabini, 37.
 u. togata, 37, 266.
Booby, 56.
Botaurus lentiginosus, 35, 265, 476.
Bourne, Thomas L., the Barn Owl
(*Aluco pratincola*) in western
New York, 209.
Bowdish, B. S., see Philipp, P. B.
Bowles, J. H., coloration of down
in adult ducks, 207; notes on
Kennicott's Screech Owl (*Otus
asio kennicotti*) in the Puget
Sound region, 422-427.
Boyle, Howarth S., field notes on
the Seriema (*Chunga burmeisteri*),
294-296.
Brachyramphus marmoratus, 396.
Brachyspiza antillarum, 99.
 capensis, 99.
Bradypterus grandis, 235.
Brant, 265, 440.
Branta bernicla glaucogastra, 265,
365, 440.
 canadensis canadensis, 34, 334,
 440, 462.
 c. hutchinsi, 34.
 c. minima, 34.
 c. occidentalis, 34, 50.
Brimley, C. S., thirty-two years of
bird migration at Raleigh, N. C.,
296-308.
'British Birds,' reviewed, 104, 235,
362.
British Board of Agriculture, notice
of their reports on the food of
the Rook, Chaffinch and Star-
ling, 101; notice of report.
British Columbia, birds of, 28-50,
69, 195.
British Ornithologists' Club, re-
view of 'Bulletin,' 103, 235, 361.
Brockway, Arthur W., Canada

- Warbler (*Wilsonia canadensis*) nesting in southern Connecticut, 344.
- Brooks, Allan, birds of the Chilliwack district, B. C., 28-50.
- Brooks, Earle A., notice of his Game Birds of West Virginia, 225; notice of his 'The Food of West Virginia Birds,' 493.
- Brooks, W. Sprague, a new record for New England, 86; the possibility of *Puffinus bermudae* Nichols & Mowbray in the North Atlantic, 206; notice of his 'Notes on Some Falkland Island Birds,' 492.
- Brotogeris jugularis exsul, 503.
- Brown, Edward J., the San Lucas Sparrow (*Passerculus rostratus guttatus*) in California, 340.
- Brown, Nathan Clifford, note on the Bronzed Grackle in Maine, 210; *Penthestes hudsonicus* at Portland, Maine, 215; Evening Grosbeak at Lakewood, N. J., 479.
- Browning, Wm. H., Sparrow Hawks nesting in a bird house, 478.
- Brünnich, M. T., 451.
- Bryan, William Alanson, description of *Teleospiza ultima* from Nihoa Island, 70-72.
- Bryant, H. C., notice of his 'Food of the Roadrunner in California,' 100.
- Bubo virginianus algistus, 157.
- v. arcticus, 469.
 - v. elutus, 225.
 - v. lagophonus, 157, 213.
 - v. neochorus, 202.
 - v. occidentalis, 213.
 - v. pallescens, 40.
 - v. saturatus, 40, 157, 213.
 - v. subarcticus, 469.
 - v. wapacuthu, 213, 469.
- Budytes flavus alascensis, 410.
- Buffle-head, 34, 305, 418, 439.
- Bunker, C. D., American Goshawks in Kansas, 87.
- Bunting, Indigo, 299.
- Lazuli, 46.
 - Lark, 455.
 - McKay's Snow, 410.
 - Painted, 346.
 - Snow, 44, 93, 217, 401, 442.
- Burleigh, Thos. D., the Hudsonian Chickadee (*Penthestes hudsonicus* subsp.?) in Lycoming County, Pa., 344.
- Burns, Frank L., Miss Lawson's recollections of ornithologists, 275-282.
- Burtsch, Verdi, nesting of the Florida Gallinule, 319-321.
- Bush-Tit, 48.
- Buteo borealis, 57.
- l. lineatus, 64.
 - l. elegans, 38.
 - platypterus *iowensis*, 73-75.
 - swainsoni, 38.
- Butler, Edward Arthur, obituary notice of, 114.
- Butorides virescens cubanus, 57.
- v. virescens, 440.
- CACATOËS, 353.
- Caccabis, 503.
- Calamanthus campestris hartogi, 104.
- Calamospiza melanocorys, 455.
- Calcarius lapponicus alascensis, 44, 410.
- l. lapponicus, 401, 442.
- Calidris leucophæa, 37, 441.
- California, birds of, 100, 194, 308-318, 340, 427, 489.
- Callæope periophthalmica, 216.
- Callipepla squamata squamata, 453.
- Callocephalon, 353.
- Callocorydon, 354.
- fimbriatus superior, 354.

- Calonectris, 471.
 kuhlii borealis, 475.
- Calyptorhynchus banksii samueli, 354.
- Canutus canutus rufus, 200.
- Canvas-back, 33, 207, 439.
- Caprimulgus minor, 88.
 virginianus, 88.
- Cardinal, 455.
- Cardinalis cardinalis cardinalis, 443, 455.
- Carib, Green, 60.
- Carpodacus purpureus californicus, 43.
 p. purpureus, 66, 267.
‘Cassinia,’ noticed, 358.
- Catbird, 48, 299, 386.
- Catharista urubu, 478.
- Cathartes aura septentrionalis, 37, 442.
- Celeus innotatus, 225.
- Centurus carolinus, 66, 219.
- Cephus columba, 396, 406.
 snowi, 191.
- Certhneis, 201.
 area, 366.
 alopex eremica, 366.
 sparveria paula, 201.
 s. peninsularis, 201.
 s. phalena, 201.
 s. sparveria, 201.
 sparverioides, 201.
- Certhia familiaris americana, 274.
 f. occidentalis, 48.
- Ceryle aleyon aleyon, 266.
 a. caurina, 40.
 americana septentrionalis, 202.
- Chadbourne, A. P., the Labrador Chickadee (*Penthestes hudsonicus nigricans*) at Cohasset, Mass., late in May, 486.
- Chætura pelagica, 267, 337.
 vauxi, 41.
- Chaffinch, 101.
- Chamæpelia passerina bahamensis, 201.
- Chamæpelia p. bermudiana, 201.
 p. trochila, 59.
- Chapin, James P., notice of his ‘The Classification of Weaver-Birds,’ 347.
- Chapman, Frank M., Daniel Giraud Elliot, 1-10; notice of his ‘Descriptions of New Birds from Santo Domingo,’ 355.
- Charadrius dominicus dominicus, 37.
- Charitonetta albeola, 34, 439.
- Chat, Long-tailed, 47.
 Yellow-breasted, 67, 299.
- Chaulelasmus streperus, 33, 439, 476.
- Chen hyperboreus hyperboreus, 34.
 rossi, 50.
- Cherrie, George K., notice of his ‘A Contribution to the Ornithology of the Orinoco Region,’ 95.
- Chickadee, 274.
 Acadian, 91, 93, 160.
 Alaska, 159, 402.
 Hudsonian, 50, 215, 217, 344, 345.
 Chestnut-backed, 48.
 Labrador, 144, 160-170, 218, 486.
 Oregon, 48.
- Chloroceryle, 203.
 americana septentrionalis, 202.
- Chloroenas, 200.
 fasciata fasciata, 201.
 f. viosœæ, 201.
 flavirostris flavirostris, 201.
- Chondestes grammacus strigatus, 45.
- Chordeiles minor minor, 88.
 m. gundlachi, 89.
 virginianus aserriensis, 203.
 v. minor, 88.
 v.. virginianus, 41, 267.
- Chuk-will’s-widow, 299.
- Chunga burmeisteri, 294-296.
- Cinclodes antarcticus, 355.

- Cinclodes maculirostris*, 355.
oustaletei hornensis, 355.
Cinclus mexicanus unicolor, 47, 402.
Circus hudsonius, 37.
Cistothorus stellaris, 465.
Clangula clangula americana, 33.
hyemalis, 370.
islandica, 33.
Cloephaga hybrida malvinarum, 493.
 Coale, Henry K., Alaska Hermit Thrush in northeastern Illinois, 92.
Coccyzus americanus americanus, 299, 419, 442.
 a. *occidentalis*, 40.
erythrophthalmus, 419.
minor nesiotis, 59.
Cœreba portoricensis, 62.
Colaptes cafer saturatior, 41.
auratus luteus, 41, 267.
Colinus virginianus virginianus, 418.
Coliuspasser, 348.
 Colorado, birds of, 210, 224, 334, 341, 453, 480.
Columba fasciata, 37, 201, 454.
leucocephala, 201.
martinica, 201.
Colymbus holboelli, 30, 396, 461.
auritus, 30.
nigricollis californicus, 32, 63.
Compsothlypis americana usneæ, 62, 214, 270, 390.
'Condor, The,' reviewed, 102, 233, 359.
 Connecticut birds of, 13, 215, 344, 356, 461-465.
Conurus, 353.
Conuropsis carolinensis interior, 202.
 c. *ludoviciana*, 202.
 Cook, Albert John, obituary notice of, 114.
 Cooke, Wells W., notice of his 'Second Annual Report of Bird Counts in the United States with Discussion of Results,' 97; in memoriam, 119-132.
- Cooper, J. G., 449.
Coot, 36, 301, 440.
 Caribbean, 57.
Coracina papuensis perpallida, 96.
welchmani kulambangræ, 96.
Cormorant, Common, 141.
 Double-crested, 139, 265, 438.
 Violet-green, 407.
 White-crested, 153, 398.
Corthylio, 204.
calendula calendula, 205.
 c. *grinnelli*, 205.
obscurus, 205.
Corvus brachyrhynchos brachyrhynchos, 267.
 b. *hesperis*, 42.
corax principalis, 42, 401, 409, 458.
 c. *sinuatus*, 454.
caurinus, 42.
frugilegus, 101.
ossifragus, 419.
 Cory, Chas. B., notice of his 'Notes on Little Known South American Birds,' 227.
Corydon sumatranus brunnescens, 104.
Coturnicops noveboracensis, 64.
Coues, Elliott, 450.
Cowbird, 442, 453.
Crane, Little Brown, 35, 154, 409.
Sandhill, 36.
Creeper, Brown, 274, 304.
 California, 48.
 Porto Rican Honey, 62.
 Crosby, Maunsell S., Acadian Chickadee at Rhinebeck, N. Y., 91; his 'Rhinebeck Birds and Seasons' noticed, 357.
Crossbill, 43, 305.
 American, 93.
 Red, 218.
 White-winged, 43, 93, 217, 267, 305, 245.
Crotophaga ani, 59.
Crow, 267, 478.
 Fish, 419.

- Crow, Northwestern, 42.
Western, 42.
- Cryptoglaux acadica acadica*, 65.
a. *scotaea*, 40.
funerea richardsoni, 40, 400.
- Cuckoo, Black-billed, 299, 419.
California, 40.
Yellow-billed, 299, 419, 442.
Jamaican Mangrove, 59.
- Culebra Island, Porto Rico, 51-62.
- Curlew, Hudsonian, 155, 441.
Long-billed, 37.
- Curtis, Maynie R., see Pearl, Raymond.
- Cyanocephalus cyanocephalus*, 455.
- Cyanocitta cristata cristata*, 209,
267.
stelleri *annectens*, 42.
s. *stelleri*, 42.
- Cyclopsitta suavissima*, 229.
- Cygnus equitum*, 106.
- Cymochorea*, 467.
- Cypseloides niger borealis*, 41, 203,
454.
- DABBENE, Roberto, notice of his
'Apparently New Species and
Subspecies of *Geositta* and *Cin-*
clodes', 355.
- Dafila acuta*, 33, 207, 398, 439.
a. *americana*, 200.
a. *tzitzioha*, 200.
- Delaware Valley Ornithological
Club, annual meeting of, 242.
- Dendragapus obscurus fuliginosus*,
37.
- Dendrocygna viduata*, 192.
- Dendroica aestiva*, 385.
a. *aestiva*, 385.
a. *rubiginosa*, 47, 402.
auduboni, 47.
cærulescens, 187-191, 391.
c. cærulescens, 214, 270.
c. cairnsi, 325.
castanea, 214, 270, 464.
cerulea, 67.
- Dendroica coronata*, 47, 62, 270, 389,
464.
discolor, 61, 460.
- dominica albilora*, 343, 373.
- fusca*, 67, 187, 214, 271.
- magnolia*, 270, 444.
- nigrescens*, 47.
- palmarum hypochrysea*, 187,
214, 271, 444.
- p. *palmarum*, 24, 217, 444.
- pensylvanica*, 387.
- petechia albicollis*, 503.
- p. *bartholemica*, 62.
- ruficapilla*, 95.
- striata*, 271.
- tigrina*, 214, 217, 302, 343, 410-
413, 443, 464, 483.
- townsendi*, 47, 455.
- vigorsi*, 47.
- virens*, 187, 464.
- Diaphorillas textilis*, 501.
- Diaptornis semicinctus*, 104.
- Diatropura*, 348.
- Diatryma*, 354.
ajax, 355.
gigantea, 355.
steini, 355.
- Dickey, S. S., first recorded nesting
of Bachman's Sparrow in Penn-
sylvania, 212.
- Diglossopis cærulescens saturata*,
503.
- Dinemillia*, 347.
- Dipper, 47.
- District of Columbia, birds of, 20,
343.
- Dolichonyx oryzivorus*, 43.
- Dove, Mourning, 37, 442.
Porto Rican Ground, 59.
Temminck's Ground, 58.
- Zenaida, 59.
- Dovekie, 437.
- Dowitcher, 305, 440.
Long-billed, 36, 155, 418.
- Down, coloration of, 207, 369.
- Drepanoplectes*, 348.

- Dryobates borealis, 203.
pubescens gairdneri, 41, 50.
p. medianus, 266, 388.
p. nelsoni, 50, 157.
scalaris bairdi, 454.
villosum harrisi, 41.
v. leucomelas, 40, 203, 266.
v. monticola, 41.
v. septentrionalis, 203.
- Duck, Black, 265, 303, 418.
 Florida, 418.
 Harlequin, 34, 398, 440.
 Lesser Scaup, 33, 57, 207, 302.
 Pacific Harlequin, 408.
 Ring-necked, 33, 418.
 Ruddy, 34, 228, 418.
 Scaup, 33, 154, 207, 265, 398, 439.
 Wood, 33, 207, 335, 418.
- Ducorpius, 353.
sanguineus normantoni, 354.
s. westralensis, 354.
- Dumetella carolinensis, 48, 386.
- Dyche, Lewis Lindsay, obituary notice of, 116.
- Dyke, Arthur C., Gadwall in Massachusetts, 476.
- Dwight, Jonathan, the status of "*Larus thayeri* Thayer's Gull," 413-414.
- EAGLE, Bald, 266, 305, 400, 454, 463.
 Golden, 38, 65, 477.
 Harpy, 454.
 Northern Bald, 38.
- Earnshaw, F. L., see Palmer, T. S., Economic ornithology in recent entomological publications, 497.
- Eddy, Newell A., obituary notice of, 376.
- Egret, 305, 440.
- Eider, 142.
 King, 408, 440.
 Pacific, 153, 398, 408.
 Spectacled, 154.
- Elainea, Antillean, 60.
 Elainea martinica martinica, 60.
- Elliot, Daniel Giraud, biography of, 1-10.
- Empidonax difficilis difficilis, 42.
flaviventris, 267.
hammondi, 42.
minimus, 386.
trailli trailli, 42.
virescens, 66, 463.
wrighti, 42.
- 'Emu, The,' reviewed, 364.
- Enders, H. E., and Scott, W., notice of their 'The Food of Nestling Birds,' 494.
- Eolophus roseicapillus howei, 354.
- Ereunetes mauri, 36.
pusillus, 36, 440.
- Erismatura jamaicensis, 34, 228.
- Eucatua, 353.
- Euphagus carolinus, 267.
cyancephalus, 43.
- Euplectes, 348.
- Eupoda wilsonia rufinucha, 58.
- Eupsychortex cristatus littoralis, 225.
decoratus, 225.
- Evans, A. H., notice of his 'Birds of Britain,' 223.
- FALCO columbarius columbarius, 39, 442.
c. richardsoni, 39.
c. suckleyi, 39.
fuscocærulescens septentrionalis, 201.
mexicanus, 39, 454.
peregrinus anatum, 39, 64, 442.
rusticolus gyrfalco, 38.
r. rusticulus, 38.
sparverius loquacula, 57.
s. phalaena, 39.
s. sparverius, 419.
- Falcon, Peregrine, 39.
 Prairie, 39, 454.
- Falkland Islands, birds of, 492.
- Farley, J. A., ornithology at St. Mark's, 171-181.
- Faxon, Walter, unusual late autumn

- and winter records for Eastern Massachusetts, 217; Brewster's Warbler (*Vermivora leucobronchialis*) in Lexington, Mass., 481.
- Felger, A. H., Blue Jay in Jefferson Co., Colorado, 209.
- Ferry, Mary Bissell, obituary notice of, 116.
- Finch, Alaska Rosy, 409.
California Purple, 43.
Gray-crowned Rosy, 44.
Hepburn's Rosy, 44.
Purple, 66, 267, 302.
- Flamingo, 57.
- Flicker, 267.
Northern, 41.
Northwestern, 41.
- Florida, birds of, 86, 194, 356-357.
- Florida cærulea cœrulescens, 57.
- Flycatcher, Acadian, 66, 299, 463.
Alder, 301.
Antillean, 60.
Crested, 299.
Fork-tailed, 337.
Hammond's, 42.
Least, 386.
Olive-sided, 456.
Traill's, 42.
Western, 42.
Wright's, 42.
Yellow-bellied, 267.
- Forbush, E. H., notice of his recent papers on bird conservation, 101, 226.
- Forpus, 353.
- Foster, Francis A., *Muscivora tyrannus* in Massachusetts, 337.
- Francolinus pondicerianus interpositus, 503.
bicalcaratus ayeska, 503.
- Fratercula arctica, 205.
a. arctica, 205.
a. glacialis, 205.
a. naumanni, 205.
corniculata, 406.
- Fregata aquila, 468, 476.
- Fregata magnificens, 56.
m. rothschildi, 468.
minor, 468.
m. rothschildi, 468.
m. palmerstoni, 468.
- Fringilla cœlebs, 101.
- Froggatt, W. W. and J. E., notice of their 'Effect of Poisoning Operations on Birds,' 495.
- Fuertes, Louis A., notice of his paintings of mammals, 242; notice of his portraits of North American Warblers, 349.
- Fulica americana, 36, 440.
caribaea, 57.
- Fuller, Timothy Otis, obituary notice of, 115.
- Fulmar, Rodger's, 397, 407.
- Fulmarus rodgersi, 397, 407.
- GABRIELSON, Ira N., some notes on Connecticut birds, 461-465.
- Gadwall, 33, 418, 439.
- Gallinago delicata, 36, 265, 476.
- Gallinula galeata galeata, 58, 456.
- Gallinule, Florida, 58, 305, 319, 321, 456.
Purple, 305.
- Gannet, 56, 438.
- Gavia arctica, 283.
immer, 32, 265, 437, 461.
pacifica, 32, 151, 283, 396.
stellata, 32, 219, 396, 405, 437.
- Geositta punensis, 355.
rufipennis burmeisteri, 355.
- Geothlypis trichas arizela, 47.
t. brachyactyla, 324.
t. trichas, 273, 444.
- Geotrygon mystacea, 58.
- Gianini, Charles A., some Alaskan Peninsula bird notes, 394-402.
- Glaucidium brasiliandum ridgwayi, 202.
gnoma californicum, 40, 305.
g. vigilante, 205.
phalænoïdes, 202.

- Gnatcatcher, Blue-gray, 220, 299.
 Godwit, Hudsonian, 441, 457.
 Marbled, 441.
 Pacific, 155.
 Goeldi, E. A., obituary notice of, 510.
 Golden-eye, 33, 138, 418.
 Barrow's, 33.
 Goldfinch, 267.
 Willow, 50, 213.
 Golsan, Lewis S. and Holt, Ernest G., further notes on Alabama birds, 456-457.
 Goose, Blue, 418.
 Cackling, 34.
 Canada, 34, 334, 418, 440, 462.
 Emperor, 154.
 Hutchin's, 34.
 Ross's, 40, 418.
 Snow, 34, 154.
 White-fronted, 34, 154.
 Goshawk, 38, 64, 87, 442, 487.
 Western, 38, 336.
 Grackle, Bronzed, 209, 267, 301.
 Purple, 302.
 Granger, Walter, see Matthew, W. D.,
 Grasquit, Carib, 62.
 Bryant's, 62.
 Grayson, A. J., manuscripts of, 449.
 Great Britain, birds of, 221, 223, 227.
 Grebe, Antillean Pied-billed, 95.
 Eared, 32, 63.
 Holbœll's, 30, 396, 461.
 Horned, 30, 151, 305.
 Pied-billed, 32, 301, 436.
 Western, 30.
 Grinnell, Joseph, notice of his 'The Subspecies of *Hesperiphona vespertina*, 225; notice of his 'Field Tests and Theories Concerning Distributional Control,' 232; the niche-relationships of the California Thrasher, 427-433.
 Griscom, Ludlow, see Johnson, J. M.; see Nichols, J. T.
 Grönvold, H., notice of his illustrations of South American birds, 100.
 Grosbeak, Black-headed, 46.
 Blue, 299.
 Chiapis Blue, 480.
 Evening, 66, 93, 210, 217, 218, 340, 463, 478, 487.
 Pine, 217, 218, 267.
 Rocky Mountain Pine, 43.
 Rose-breasted, 302, 443.
 Western Blue, 455.
 Western Evening, 43, 455.
 Grouse, Canadian Ruffed, 37, 266.
 Oregon Ruffed, 37.
 Sooty, 37.
 Grus canadensis, 35, 409.
 mexicana, 36.
 Guadeloupe, birds of, 95.
 Guillemot, Black, 141, 142.
 Pigeon, 396, 406.
 Guiraca cœrulea chiapensis, 480.
 c. lazula, 455.
 c. salicaria, 204.
 Gull, Bonaparte's, 32, 437.
 California, 32.
 Glaucous, 148, 151, 407, 437.
 Glaucous-winged, 32, 152, 397.
 Great Black-backed, 437.
 Herring, 32, 265, 397, 461.
 Laughing, 58, 438, 462.
 Ring-billed, 32, 141, 461.
 Sabine's, 152, 407.
 Short-billed, 32, 151, 397.
 Slaty-backed, 397.
 Thayer's, 413-414.
 Gyldenstolpe, Nils, notice of his report on the birds of Siam, 99.
 HÆMATOPUS palliatus, 58.
 Haiti, birds of, 493.
 Haliaeetus leucocephalus alascanus, 38, 400.
 l. leucocephalus, 266, 454, 463.

- Haloëna murphyi, 493.
Hanna, G. Dallas, the summer birds
of the St. Matthew Island bird
reservation, 403-410.
Harelda hyemalis, 34, 408.
Harper, Francis, exact localities,
506.
Harrington, Ralph M., Yellow-
throated Warbler in Brooklyn,
N. Y., 343.
Hartert, Ernst, coloration of down
in adult ducks, 370; notice of
recent papers by, 95; notice of
his 'On the Name of the "Auk-
lets,"' 229.
Hawk, Black Pigeon, 39.
 Broad-winged, 299.
 Cooper's, 38, 64.
 Desert Sparrow, 39.
 Duck, 64, 442.
 Iowa Broad-winged, 73-75.
 Marsh, 37, 156.
 Pigeon, 39, 139, 301, 442.
 Porto Rican Sparrow, 57.
 Red-bellied, 38.
 Red-shouldered, 64.
 Red-tailed, 57.
 Richardson's Pigeon, 39.
 Rough-legged, 38, 93, 400, 454.
 Sharp-shinned, 37, 217, 266.
 Sparrow, 209, 419, 478.
 Swainson's, 38.
 Western Red-tailed, 38.
Helmitheros vermivorus, 444, 464.
Helodromas solitarius cinnamo-
meus, 37.
 s. solitarius, 37.
Hemipuffinus, 471.
Henninger, W. F., notice of his 'The
Diary of a New England Orni-
thologist,' 356.
Henshaw, Henry W., personal note,
117; notice of his 'Friends of
our Forests,' 349.
Herodias egretta, 440.
Heron, Black-crowned Night, 305.
Heron, Cuban Green, 57.
 Great Blue, 265.
 Great White, 86.
 Green, 299, 446.
 Little Blue, 57, 299.
 Northwestern, 35.
 Yellow-crowned Night, 305.
Hersey, F. Seymour, the present
abundance of birds in the vicinity
of Fort St. Michael, Alaska,
147-159; the status of the Black-
throated Loon (*Gavia arctica*) as
a North American bird, 283-290.
Hesperiphona vespertina brooksi,
225.
 v. californica, 225.
 v. montana, 43, 225, 455.
 v. vespertina, 66, 93, 210, 217,
 218, 463, 478, 487.
 v. warreni, 225.
Hierofalco, 201.
 mexicanus, 201.
 rusticolus candicans, 201.
 r. obsoletus, 201.
Himantopus mexicanus, 418.
Hine, Jane Louisa, obituary notice
of, 117.
Hirundo erythrogastera, 46, 268, 401.
Histrionicus histrionicus, 34, 398,
 440.
 h. pacificus, 408.
Holoquiscalus brachypterus, 62.
 guadeloupensis, 95.
 martinicensis, 95.
Holt, Ernest G., see Golsan,
Lewis S.
Horizonthetta, 366.
Howell, A. Brazier, a new subspecies
of Red-winged Blackbird from
western Central America, 196-
197; notice of his 'Birds of the
Islands off the Coast of Southern
California,' 462.
Huber, Wharton, Sooty Tern in
New Jersey, 206.
Hummingbird, Black-chinned, 41.

- Hummingbird, Broad-tailed, 454.
 Gilt-crested, 59.
 Ruby-throated, 299.
 Rufous, 42.
- Hydrochelidon nigra surinamensis*,
 32, 493.
- Hydroprogne caspia imperator*, 198.
tschegrava imperator, 198.
- Hylocichla fuscescens fuscescens*,
 389, 457.
guttata guttata, 49, 92, 402, 419.
g. nana, 49.
g. pallasi, 275.
g. sequoiensis, 49.
mustelina, 444.
ustulata swainsoni, 275.
u. ustulata, 49.
- Hylophylax naevioides subsimilis*,
 503.
- Hypolophus canadensis intermedius*,
 95.
- 'Ibis, The,' reviewed, 103, 234, 361;
 index to, noticed, 94.
- Ibis, White-faced Glossy, 35.
 Wood, 305.
- Icteria virens longicauda*, 47.
v. virens, 67.
- Icterus bullocki*, 43.
mesomelas carrikeri, 225.
- Idiopspiza*, 503.
- Illinois, birds of, 92.
- Incubation periods, 488.
- Indiana, birds of, 86, 487.
- Iowa, birds of, 73, 336.
- Iridiprocne bicolor*, 46, 268, 456, 464.
- Ixobrychus exilis*, 462.
- Ixoreus naevius naevius*, 49.
- JAEGER*, Long-tailed, 32, 151, 396,
 407.
- Parasitic, 151, 396.
- Pomarine, 151.
- Jay, Alaska, 400.
 Black-headed, 42.
 Blue, 209, 267.
- Jay, Canada, 267.
 Gray, 42.
 Labrador, 144.
 Piñon, 455.
 Steller's, 42.
- Johnson, J. M., Nichols, J. T., and
 Griscom, Ludlow, notes from
 North Carolina, 219.
- Junco, Oregon, 45.
 Shufeldt's, 45.
 Slate-colored, 45, 268, 304, 480.
- Junco hyemalis hyemalis*, 45, 268,
 480.
oreganus connectens, 45.
o. oreganus, 45.
- KAKATOË, 353.
- galereta aruensis*, 354.
g. interjecta, 354.
- Kansas, birds of, 87.
- Killdeer, 37, 207, 463.
- Kingbird, 42, 209, 267, 299, 386.
 Arkansas, 42.
 Gray, 60.
- Kingfisher, Belted, 59, 266.
 Northwestern Belted, 40.
- Kinglet, Golden-crowned, 274, 304.
 Ruby-crowned, 275, 304, 170.
 Sitka, 49.
 Western Golden-crowned, 49.
- Kingsford, E. G., Wood Duck re-
 moving young from the nest, 335.
- Kirk, George L., Nelson's Sparrow
 in Vermont, 341.
- Kittiwake, Pacific, 148, 151, 397,
 407.
- Knot, 36, 156, 440, 462.
- Kuser, John Dryden, notice of
 his 'The Way to Study Birds,'
 492; 'The Way to Study Birds,'
 508.
- LABRADOR, birds of, 99, 133-146,
 163.
- Lagopus lagopus albus*, 200.

- Lagopus, l. *lagopus*, 200, 399.
 leueurus leueurus, 37.
 rupestris kelloggæ, 200.
 r. *rupestris*, 399.
- Lalage *karu*, 235.
 k. *keyensis*, 235.
 k. *obscurior*, 235.
 k. *pallescens*, 235.
- Lanius *borealis*, 46, 217.
 ludovicianus gambeli, 46.
 l. migrans, 89, 214, 464.
- Lanivireo *solitarius cassini*, 47.
 s. solitarius, 269, 443.
- Laphyctes *satrapa*, 204.
- Lark, Dusky Horned, 42.
 Horned, 139, 141, 302, 442, 463.
 Pallid Horned, 42.
 Prairie Horned, 302, 338, 388.
 Streaked Horned, 42.
- Larus *argentatus*, 32, 265, 397, 414,
 461.
 atricilla, 58, 438, 462.
 a. megalopterus, 94.
 brachyrhynchus, 32, 397.
 californicus, 32.
 delawarensis, 32, 461.
 glaucescens, 32, 397.
 hyperboreus, 407, 437.
 kumlieni, 414.
 leucopterus, 414.
 marinus, 265, 437.
 philadelphia, 32, 437.
 schistisagus, 397.
 thayeri, 413-414.
 vero, 357.
- Lawson Malvina, recollections of
ornithologists, 275-282.
- Layardella, 354.
- Lea, Arthur M., notice of his
analysis of the food of some
Australian birds, 101.
- Lepidopyga *lilliae*, 366.
- Leptotila *ochroptera approximans*,
 227.
- Leucosticte *griseonucha*, 409.
 tephrocotis littoralis, 44.
- Leucosticte t. *tephrocotis*, 44.
- Leucotteron *merrilli*, 106, 359.
- Licimetis, 353.
- Limnocinclus, 200.
 acuminatus, 200.
- Limosa *fedoa*, 441.
 haemastica, 441, 457.
- Linaria *inornata*, 503.
- Lincoln, F. C., Bohemian Waxwing
(*Bombycilla garrula*) in Colorado,
 341.
- Link, Gustav Adolph, obituary
notice of, 377.
- Lloyd, Hoyes, Ontario bird notes,
 457.
- Lloyd-Jones, Orren, notice of his
'A Microscopical and Chemical
Study of Feather Pigments,' 232.
- Lobipes *lobatus*, 336, 398, 409.
- Long Island, birds of, 434, 483.
- Longspur, Alaska, 44, 158, 401, 410.
 Lapland, 302, 442.
 McCown's, 44.
- Loon, 32, 301, 461.
 Black-throated, 283.
 Pacific, 32, 151, 396.
 Red-throated, 32, 141, 150,
 219, 396, 405, 437.
- Lophochroa *leadbeateri superflua*,
 354.
- Lophophorus *impejanus*, 500.
 refulgens, 500.
- Lophodytes *cucullatus*, 32.
- Lophortyx *californica californica*,
 194.
 c. *vallicola*, 194.
 catalinensis, 194.
- Lord, William Rogers, obituary no-
tice of, 511.
- Lowe, Willoughby P., remarks on
Colorado birds, 453-455.
- Loxia *curvirostra bendirei*, 328.
 c. *minor*, 43, 93, 218.
 c. *sitkensis*, 204.
 leucoptera, 43, 93, 217, 267.
 megaplagia, 99.

- Lunda cirrhata, 390, 405.
- MCATEE, W. L., life and writings of Professor F. E. L. Beal, 243-264; the shedding of the stomach lining by birds, particularly as exemplified by the Anatidae, 415-421.
- McCONNELL, Thos. L., Crow roost near Boston, Pennsylvania, 478.
- McGREGOR, R. C., notice of his 'New or Noteworthy Philippine Birds,' 359.
- MacREYNOLDS, Geo., a Pennsylvania Starling roost, 833-340.
- MACKENZIE, birds of, 163.
- Maerorhamphus griseus griseus, 440.
scolopaceus, 36, 418.
- Magpie, 42, 400, 419, 454.
- Maine, birds of, 210, 215.
- Mallard, 33, 206, 303, 398, 408, 418, 438.
- Mango, Porto Rican, 60.
- Manitoba, birds of, 74.
- Man-o'-war-bird, 32, 56, 207, 476.
- Mareca americana, 33, 398.
penelope, 408, 439.
- Margarops fuscatus fuscatus, 61.
- Marila affinis, 33, 57, 207.
americana, 33, 207, 439.
collaris, 33.
marila, 33, 207, 265, 398, 439.
valisinera, 33, 207, 439.
- Marsden, Henry, obituary notice of, 378.
- Martin, Purple, 299, 443.
- Massachusetts, birds of, 11-27, 86, 89, 92, 161-163, 164-165, 207, 214, 217, 337, 338, 342, 356, 476.
- Mathews, G. M., notice of his 'Birds of Australia,' 228, 352, 492.
- Matthew, W. D., and Granger, W., notice of their 'The Skeleton of Diatryma, a Gigantic Bird from the Lower Eocene of Wyoming,' 354.
- May, John B., Orange-crowned Warbler (*Vermivora celata celata*) in Cohasset, Mass., 342.
- Meadowlark, 302, 419.
Northwestern, 68-70.
Western, 43, 219.
- Mearns, Edgar A., notice of his 'On the Geographical Forms of the Philippine Elegant Titmouse, *Pardaliparus elegans*, with Descriptions of three New Sub-species,' 96; obituary, notice of, 113-114.
- Megaceryle, 202.
- Melanerpes erythrocephalus, 442, 463.
carolinus, 66.
- Melanitta, 200.
deglandi, 200.
fusca, 200.
perspicillata, 200.
- Melanosterna anætheta recognita, 199.
- Meleagris gallopavo merriami, 453.
- Mellen, Mrs. George H., Wilson's Warbler (*Wilsonia pusilla pusilla*) in Massachusetts in December, 89; winter birds at Newton Highlands, Massachusetts, 92.
- Melopelia asiatica asiatica, 205.
a. mearnsi, 201.
a. trudeaui, 205.
- Melospiza georgiana, 268.
lincolni lincolni, 45, 268, 443, 464.
l. striata, 45.
melodia fisherella, 204.
m. mailliardi, 204.
m. melodia, 268, 459.
m. morphna, 45.
m. rufina, 45.
- Mengel, G. Henry, Evening Gros-beak at Birdsboro, Pa., 340.
- Merganser, American 32, 418, 438.
Hooded, 32, 303.
Red-breasted, 32, 153, 207, 265, 438.

- Merganser americanus, 32.
Mergus americanus, 207, 438.
 serrator, 206, 265, 438.
Merlin, Black, 39.
 Richardson's, 39.
Merriam, H. F., nesting of the
 Cape May Warbler at Lake
 Edward, Quebec, 410-413.
'Messager Ornithologique,' re-
 viewed, 105, 235.
Micreeca flavigaster laetissima, 104.
Microliga montana, 356.
Microlyssa exilis exilis, 59.
Micropalama himantopus, 36.
Micropallas whitneyi idonea, 202.
Microrhopias melanogastris iliaca,
 225.
Microsiphonorhis, 356.
 brewsteri, 356.
Migratory birds treaty enabling
 act, 380.
Miller, W. DeW., breeding of the
 Canada Warbler in northern New
 Jersey, 214; rare winter visitors
 in the vicinity of Plainfield,
 New Jersey, 218; notice of his
 expedition to Nicaragua, 379.
Mimus polyglottos, 91.
 p. orpheus, 61.
 p. polyglottos, 215, 419.
Minnesota, birds of, 74.
Mniotilla varia, 62, 269, 464.
Mockingbird, 91, 215, 419.
 Jamaican, 61.
Molothrus ater artemisiæ, 43, 327.
 a. ater, 43, 442, 455.
 a. dwighti, 327.
Monarcha cinerascens rosselianus,
 96.
Mormon glacialis, 205.
Morrell, Clarence Henry — a correc-
 tion, 93.
Morris, George Spencer, Evening
 Grosbeak (*Coccothraustes vesper-
 tina vespertina*) at Cinnaminson,
 N. J., 93.
Morris, Robert O., Golden Eagle
 (*Aquila chrysaëtos*) at Springfield,
 Mass., 477; Evening Grosbeak
 (*Hesperiphona vespertina vesper-
 tina*) at Springfield, Mass., 478.
Mousley, H., the breeding of the
 Black-throated Blue Warbler at
 Hatley, Stanstead County, Que-
 bec, 1916, 187-191; the Cape
 May and other rare Warblers at
 Hatley, Stanstead County, Quebec,
 214; winter birds at Hatley
 Stanstead County, Quebec, 217;
 a study of subsequent nestings
 after the loss of the first, 381-393;
 Evening Grosbeaks at Hatley,
 Stanstead County, Quebec, 479;
 sap drinking habits of warblers,
 484; rare warblers at Hatley,
 Stanstead County, Quebec, 484;
 Labrador Chickadees at Hatley,
 Stanstead County, Quebec, 486.
Mullins, W. H. and Swan, H.
Kirke, notice of their 'A Bibliog-
 raphy of British Ornithology,'
 227.
Murphy, R. C., see Nichols, J. T.
Murre, 139.
Brünnich's, 139.
California, 396.
Pallas's, 148, 406.
Murrelet, Marbled, 396.
Muscipeta atrocaudata, 216.
Muscivora tyrannus, 337.
Myadestes townsendi, 49, 217.
Myiarchus antillarum, 60.
 crinitus boreus, 194.
 c. residuus, 194.
Myiobius modestus suffusus, 224.
Myiochanes richardsoni richardsoni,
 42.
Myospiza humeralis meridanus,
 503.
Myrmeciza læmosticta palliata,
 503.
Myzomela rubratra saffordi, 366.

- NANNOPSITTACUS, 229.
 Nannus hiemalis hiemalis, 274.
 h. pacificus, 48.
 Nasiterna chloroxantha, 502.
 National Association of Audubon Societies, 231.
 Nelson, E. W., personal note, 117.
 Neonectris, 472.
 Nephocetes, 203.
 niger borealis, 203.
 Nesomalurus leucopterus, 501.
 Nettion carolinense, 33, 207, 398, 408, 439.
 New Brunswick, birds of, 265-275.
 New Hampshire, birds of, 12, 91, 168-169.
 New Jersey, birds of, 22, 93, 163, 170, 192, 206, 210, 214, 218, 358, 479.
 New York, birds of, 20, 23, 88, 91, 163, 169, 208, 209, 319-321, 343, 345, 357, 434, 483.
 Nichols, J. T., Murphy, R. C., and Griscom, L., notes on Long Island birds, 434-444.
 Nichols, J. T., Man-o'-War-bird etc., on the North Carolina Coast, 476; see also Johnson, J. M.
 Nighthawk, 41, 267, 299.
 Noble, G. K., notice of his 'The Resident Birds of Guadeloupe,' 94.
 Nonomyx, 228.
 North, A. J., obituary notice of, 510.
 North Carolina, birds of, 21, 219, 296-308, 476.
 Norton, A. H., type of the Large-billed Puffin, 205.
 Nova Scotia, birds of, 163.
 Nucifraga columbiana, 43.
 Numenius americanus, 37.
 hudsonicus, 441.
 Nutcracker, Clarke's, 43.
 Nuthatch, Red-breasted, 48, 274, 304, 444, 465.
 Slender-billed, 48.
 White-breasted, 181-187.
 Nuttall, Thomas, 282.
 Nuttalornis borealis, 42, 267, 456.
 Nyctea nyctea, 40, 93, 213, 409.
 Nyctibius griseus abbotti, 493.
 Nyctipolus hirundinaceus ceareæ, 227.
 OBERHOLSER, Harry C., critical notes on the eastern subspecies of *Sitta carolinensis* Latham, 181-187; notes on North American birds, I, 191-196; II, 321-329; III, 465-470; second annual list of proposed changes in the A. O. U. Check-List of North American Birds, 198-205; a synopsis of the races of *Bombycilla garrula* (Linn.), 330-333; notes on the genus *Puffinus* Brisson, 471-475; notice of his 'The Birds of Bawean Island,' 227.
 Oceanites oceanicus, 438, 462.
 Oceanodroma hornbyi, 467.
 Oidemia americana, 153, 439, 462.
 deglandi, 34, 439.
 perspicillata, 34, 398, 439.
 Old-squaw, 34, 154, 305, 408.
 Oldys, Henry, Starlings nesting near Washington, D. C., 338; plumage importation in England, 369.
 Olor buccinator, 35.
 columbianus, 35, 408, 440.
 Ontario, birds of, 20, 457-460.
 Onychoprion, 199.
 fuscatus, 199.
 Onychospiza, 89.
Onychostrethus, 89.
 'Oologist, The,' reviewed, 102, 234, 360.
 Oporornis formosus, 67.
 tolmiei, 47.
 Ord, George, 277-282.
 Oregon, birds of, 70, 358.

- Oreopeleia, 201.
 chrysea, 201.
 leucometopius, 356.
 montana, 201.
- Oreoscoptes montanus, 455.
- Oriole, Baltimore, 301.
 Bullock's, 43.
 Orchard, 299.
- Ornithological articles in other journals, 105, 236, 365, 497.
- Osprey, 39, 57, 266, 301, 454, 463.
- Ostินops decumanus melanterus, 225.
 sincipitalis australis, 225.
- Otocoris alpestris alpestris, 442, 463.
 a. arcticola, 42.
 a. merrilli, 42.
 a. praticola, 338, 388.
 a. strigata, 42.
- Ouzel, Water, 402.
- Ovenbird, 61, 272, 299.
- Otus asio asio, 201, 202.
 a. floridanus, 201.
 a. kennicotti, 40, 422.
 a. maxwelliae, 454.
 a. nævius, 201.
- Owl, Barn, 209, 305.
 Burrowing, 40, 454.
 California Pygmy, 40.
 Dusky Horned, 40.
 Great Gray, 39.
 Hawk, 40, 156.
 Kennicott's Screech, 40, 422.
 Long-eared, 39, 302.
 Northern Spotted, 39.
 Northwestern Saw-whet, 40.
 Richardson's, 40, 400.
 Rocky Mountain Screech, 454.
 Saw-whet, 65, 302.
 Short-eared, 39, 153, 156, 266, 302, 442.
 Snowy, 40, 93, 156, 213, 409.
 Western Horned, 40.
- Oxyechus vociferus, 37, 207, 463.
- Oystercatcher, 58.
- PALÆOCHENOÏDES mioceanus, 98.
- Palæornis, 97, 353.
- Palmer, T. S., Clarence Henry Morrell, a correction, 93; in memoriam, Wells Woodbridge Cooke, 119-132; personalia in ornithology — report of the committee on biography and bibliography, 445-452.
- Palmer, T. S., Bancroft, W. F., and Earnshaw, F. L., notice of their 'Game Laws for 1916,' 101.
- Pandion haliaëtus carolinensis, 39, 57, 266, 454, 463.
- Pardaliparus elegans guimarasensis, 96.
 e. panayensis, 96.
 e. suluensis, 96.
- Parmoptila, 347.
- Parrot, Culebra, 59.
- Parvipsitta, 229.
- Passer domesticus, 479.
 d. hostilis, 329.
- Passerulus princeps, 443.
 rostratus guttatus, 340.
 sandwichensis alaudinus, 44, 401, 410.
 s. brooksi, 204.
 s. savanna, 268, 443.
- Passerella iliaca iliaca, 217.
 i. insularis, 45.
 i. schistacea, 46.
 i. townsendi, 45.
 i. unalaschensis, 45, 401.
- Passerherbulus 479.
 henslowi henslowi, 433, 456.
 maritimus maritimus, 443.
 nelsoni nelsoni, 341.
- Passerina amœna, 46.
 ciris, 346.
- Patagicenas, 201.
 leucocephala, 201.
 squamosa, 201.
- Peale, Titian R., diaries of, 449.
- Pearl, Raymond and Curtis, Maynie R., notice of their 'Dwarf Eggs,' 97.

- Pearson, T. Gilbert, notice of his 'The Bird Study Book,' 348.
- Peavot, Henry, and Wells, Thomas, notice of their 'Index to The Ibis, 1895-1912,' 94.
- Pediocetes phasianellus jamesi, 366.
- Pelecanus californicus, 49.
erythrorhynchos, 32, 453.
occidentalis, 56.
- Pelican, Brown, 56.
California Brown, 49.
White, 32, 305, 453.
- Pelidna alpina pacifica, 200.
a. sakhalina, 36, 200, 441.
- Pennsylvania, birds of, 22, 210, 212, 338-340, 344, 358, 478.
- Penthestes atricapillus atricapillus, 274.
a. occidentalis, 48.
cinctus alasensis, 402.
hudsonicus, 215, 217, 344, 345, 371, 374.
h. hudsonicus, 50, 160-161, 371, 374.
h. littoralis, 91, 93, 160-161, 274.
h. nigriceps, 160-170, 204, 218, 486.
rufescens rufescens, 48.
- Perdix, perdix armoricana, 503.
p. italica, 503.
- Perisoreus canadensis canadensis, 267.
c. fumifrons, 400.
obscurus griseus, 42.
- Peters, James L., Philadelphia Vireo (*Vireosylva philadelphica*) in Massachusetts in autumn, 89; notice of his 'A New Swift from Santo Domingo,' 98.
- Petrel, Wilson's, 438, 462.
- Petrochelidon albifrons albifrons, 204.
lunifrons lunifrons, 46, 204, 268.
- Peucaea aestivalis bachmani, 212.
- Pewee, Western Wood, 42.
Wood, 299.
- Phæthon aethereus, 56.
americanus, 56, 199.
catesbyi, 199.
- Phalacrocorax auritus auritus, 265, 438.
a. cincinatus, 398.
carbo carbo, 96.
c. subcormoranus, 96.
pelagicus robustus, 407.
- Phalarope, Northern, 154, 336, 398, 409.
Red, 409.
Wilson's, 36, 440.
- Phalaropus fulicarius, 409.
- Phaleris psittacula, 406.
- Philaitirus, 347.
- Philipp, P. B., and Bowdish, B. S., some summer birds of northern New Brunswick, 265-275.
- Philippines, birds of the, 96.
- Phœcotomus pileatus abieticola, 41, 65, 267.
- Phœbastria, 199.
albatrus, 199.
immutabilis, 199.
nigripes, 199.
- Phœbe, Say's, 42.
- Phœnicopterus ruber, 57.
- Phœnicothraupis rubiginosus, 224.
- Phœochroa cuvierii notia, 224.
- Pholidornis, 348.
- Phrenopicus, 203.
borealis, 203.
- Phrygilus malvinarum, 493.
- Phylloscopus trochiloides fokiensis, 362.
- Piaya cayana venezuelensis, 227.
- Pica pica hudsonia, 42, 400, 419, 454.
- Picoides americanus americanus 266.
a. fasciatus, 41.
arcticus, 88, 266.
- Picus borealis, 203.

- Picus formicivorus, 203.
 leucomelas, 203.
 septentrionalis, 203.
- Pigeon, Band-tailed, 37, 454.
 Passenger, 87, 208, 305.
 Scaled, 59.
- Pinicola enucleator kamtschathensis, 210.
 e. leucura, 217, 218, 267.
 e. montana, 43.
- Pintail, 33, 153, 207, 398, 418, 439.
 Bahama, 57.
- Pipilo maculatus oregonus, 46.
- Pipit, 47, 141, 159, 304, 402, 444.
- Piranga erythromelas, 268, 459.
 ludoviciana, 46.
- Pisobia acuminata, 200.
 aurita, 200.
 bairdi, 36.
 fuscicollis, 59, 463.
 maculata, 36, 453.
 minutilla, 36, 399.
- Planesticus, 387.
 migratorioides caurinus, 195.
 m. migratorioides, 49, 275.
 m. propinquus, 49, 213.
- Platalea, 359.
- Platycercus caledonicus flindersi, 492.
 elegans fleurieuensis, 501.
 eximus colei, 492.
- Plectrophenax hyperboreus, 410.
 nivalis nivalis, 44, 93, 217, 401, 442.
- Plegadis guarauna, 35.
- Plover, Black-bellied, 37, 155, 265, 441.
 Golden, 37, 155.
 Mountain, 86.
 Pacific Golden, 155, 156.
 Piping, 265, 441.
 Rufous-necked, 58.
 Semipalmated, 37, 301, 399, 440.
 Upland, 441, 463.
- Podasocys montanus, 86.
- Podica, 500.
- Podilymbus podiceps, 32, 436.
 p. antillarum, 56, 95.
- Poecilonetta bahamensis, 57, 199.
- Poecilurus atrigularis, 503.
- Polioptila caerulea caerulea, 220.
- Poecetes gramineus affinis, 44.
 g. gramineus, 268, 443.
- Popular bird study, 117.
- Porto Rico, birds of, 51–62.
- Porzana carolina, 36, 462.
 flaviventris hendersoni, 503.
- Probosciger aterrimus oorti, 229.
- Progne subis subis, 443.
- Protonotaria citrea, 66.
- Psaltriparus minimus, minimus, 48.
- Pseudonigrita, 348.
- Psittacula, 353.
- Psittacus ludovicianus, 202.
 pusillus, 229.
- Ptarmigan, Rock, 399.
 White-tailed, 37, 334.
- Willow, 156, 399.
- Publications Received, 106, 236, 367.
- Puffin, 145.
 Horned, 148.
 Tufted, 396, 405.
- Puffinus, 471–475.
 assimilis, 475.
 a. baroli, 475.
 auricularis, 472.
 bermudæ, 206.
 borealis, 199, 438.
 chilensis, 199.
 chlororhynchos, 474.
 couesi, 472.
 cuneatus, 474.
 e. knudsoni, 474.
 gravis, 438.
 griseus, 199, 438.
 g. chilensis, 199, 475.
 g. stricklandi, 199, 475.
 knudsoni, 474.
 kuhlii borealis, 199.
 lherminieri, 475.

- Puffinus megallii, 98.
opisthomelas, 472, 475.
pacificus alleni, 474.
p. laysani, 474.
parvus, 98.
puffinus, 206.
p. bermudæ, 475.
p. puffinus, 475.
tenuirostris tenuirostris, 475.
- Pyromelana, 348.
- Pyrrhulopsis, 354.
- Pyrrhura subandina, 225.
- QUAIL, Scaled, 453.
- Quebec, birds of, 187-191, 214, 215, 217, 410-413 479, 484.
- Quelea, 348.
- Querquedula cyanoptera, 33, 207.
discors, 33.
floridana, 357.
- Quiscalus quiscale æneus, 209, 267.
- RAIL, Black, 305.
 Caribbean Clapper, 58.
 Clapper, 440.
 King, 299.
 Virginia, 36, 301.
 Yellow, 64.
- Rallus adetus, 366.
crepitans crepitans, 440.
longirostris caribæus, 58.
virginianus, 36.
- Ramsay, E. P., obituary notice of, 376.
- Rathbun, S. F., description of a new subspecies of the Western Meadowlark, 68-70; Bohemian Waxwing at Seattle, Wash., 212; Townsend's Solitaire (*M. townsendi*) at Seattle, Wash., 217; acknowledgment, 220.
- Raven, Northern, 42, 157, 401, 409.
 Western, 454.
- Redhead, 33, 207, 439.
- Redpoll, 44, 93, 158, 217, 218, 219, 401, 409, 487.
- Redpoll, Hoary, 44, 158, 487.
- Redstart, 47, 274, 299.
 Painted, 61.
- Red-tail, Western, 38.
- Redwing, Northwestern, 43.
- Regulus calendula calendula, 275.
c. grinnelli, 49.
c. obscurus, 205.
satrapa olivaceus, 49.
s. satrapa, 274.
- 'Revue Française d'Ornithologie', review of, 105, 235, 364, 501.
- Rhode Island, birds of, 12.
- Rhodinicichla rosea vulpina, 96.
- Rhyncophanes mccowni, 44.
- Richmond, Chas. W., the earliest name for the Nighthawk, 88; a new name for *Onychospiza* Prjevalski, 89; "One of the Rarest Birds," 215; the Cape May Warbler at Washington, D. C., in winter, 343; notice of his 'Descriptions of Two New Birds from Haiti,' 493; notice of his, 'Generic Names Applied to Birds During the Years 1906 to 1915 Inclusive,' 491.
- Riley, J. H., an unrecorded bird from the Bahamas, 209; a bird new to the North American fauna, 210; notice of his 'Three Remarkable Birds from Santo Domingo,' 98.
- Riparia riparia, 46, 268, 402, 464.
- Rissa tridactyla pollicaris, 397, 407.
t. tridactyla, 437.
- Roadrunner, 100.
- Robin, 49, 275, 387.
 Western, 49, 213.
- Rogers, Chas. H., Chimney Swift nesting in a well, 337.
- Rook, 101.
- Rothschild, Lord, and Hartert Ernst, notice of recent papers by, 95.
- Ruticilla cairii, 501.

- SAGE, John Hall, thirty-fourth stated meeting of the American Ornithologists' Union, 76-85; a description of Audubon, 239; birthday celebration, 379.
Salpinctes obsoletus obsoletus, 48.
Salvador, birds of, 196.
Sanderling, 37, 441.
Sandpiper, Aleutian, 155.
Baird's, 36.
Bartramian, 301.
Buff-breasted, 37, 441.
Least, 36, 141, 301, 399.
Pectoral, 36, 155, 156, 301, 453.
Pribilof, 409.
Purple, 441.
Red-backed, 36, 155, 156, 441.
Semipalmated, 36, 301, 440.
Solitary, 37, 301.
Spotted, 37, 58, 265, 299, 441.
Stilt, 36.
Western, 36.
Western Solitary, 37, 301.
White-rumped, 58, 301, 463.
Santo Domingo, birds of, 98, 355.
Sapsucker, Northern Red-breasted, 41.
Yellow-bellied, 266, 302, 442.
Saunders, W. E., wild geese at Moose Factory, 334.
Sawyer, Edmund J., Arctic Three-toed Woodpecker (*Picoides arcticus*) in Jefferson Co., N. Y., 88.
Sayornis sayus, 42.
Scardafella squammata cearæ, 227.
Selater, W. L., notice of his 'The Birds of Yemen,' 356; notice of his 'Aves,' in the Zoological Record, 1915, 491.
Scoter, 153, 462.
 American, 439.
 Surf, 34, 398, 418, 439.
 White-winged, 34, 418, 439.
Scotiaptex nebulosa nebulosa, 39.
Scott, W., see Enders, H. E.
Seoville, Samuel, Jr., the Evening Grosbeak (*Hesperiphona vespertina vespertina*) in southern New Jersey and Pennsylvania, 210.
Scudder, B. A., notice of his 'Conservation of our Wild Birds,' 101.
Seiss, C. Few, obituary notice of, 513.
Seiurus aurocapillus, 61, 272.
 motacilla, 272, 444.
noveboracensis notabilis, 61, 460.
n. noveboracensis, 61, 214, 272, 444.
Selasphorus platycercus, 454.
 rufus, 42.
Selous, Edmund, habits of the Great Crested Grebe, 110-112.
Sericornis maculatus hartogi, 104.
 malachurus hartogi, 104.
Sericotes holosericeus holosericeus, 60.
Seriema, 294-296.
Setochalcis, 203.
 vocifera vocifera,
 v. arizonæ,
Setophaea picta, 61.
 ruticilla, 47, 274, 444.
Shearwater, Cory's, 438.
 Greater, 438.
 Sooty, 438.
Shelton, Alfred C., notice of his 'A distributional List of the Land birds of Western Oregon,' 358.
Shores, E. I., diary of, 356.
Shorger, A. W., feeding habit of the Sparrow Hawk, 209; notes from Madison, Wisconsin, 219.
Shoveller, 33, 305, 418, 439.
Shrike, California, 46.
 Migrant, 89, 214, 304, 464.
 Northern, 46, 217.
Shufeldt, P. W., nesting of the Chiapas Blue Grosbeak (*Guiraca caerulea chiapensis*), 480.
Shufeldt, Robert W., notice of his 'Osteology of Palæornis, with

- other Notes on the Genus,' 97; notice of his recent papers on fossil birds, 98; notice of his 'Report on Fossil Birds from Vero, Florida,' 357; notice of his 'Fossil Remains of What Appears to be a Passerine Bird from the Florissant Shales of Colorado,' 490.
- Sialia*, *curruoides*, 49.
mexicana occidentalis, 49.
sialis episcopus, 236.
s. sialis, 275.
- Siam*, birds of, 99.
- Siskin*, 93, 213, 345.
Pine, 44, 217, 268, 302, 456, 458.
- Sitta atkinsi littorea*, 182.
canadensis, 48, 274, 444, 465.
carolinensis, 182.
c. aculeata, 48.
c. atkinsi, 182.
c. carolinensis, 182.
c. cookei, 185.
melanocephala, 182.
- Snipe*, Wilson's, 36, 146, 265, 302.
- Sociedad Ornithologica del Plata*, 379.
- Solitaire*, Townsend's, 49, 217.
- Somateria spectabilis*, 408, 440.
v-nigra, 398, 408.
- Sora*, 36, 301, 462.
- South African Ornithologists' Union*, notice of 'Journal', 104.
- South America*, birds of, 100.
- 'South Australian Ornithologist, The' noticed, 104, 235, 364.
- South Carolina*, 20, 346.
- Sparrow*, Aleutian Savannah, 44.
Bachman's, 212, 299.
Chipping, 268, 299, 443.
English, 479.
Forbush's, 45.
Fox, 158, 217, 304.
Gambel's, 158.
Golden-crowned, 45, 401.
Grasshopper, 299.
- Sparrow*, Harris's, 45, 219.
Henslow's, 301, 443, 456.
Intermediate, 45.
Ipswich, 146, 443.
Kodiak Fox, 43.
Leconte's, 301, 464.
Lincoln's, 45, 146, 268, 443.
Nelson's, 341.
Oregon Vesper, 44.
Rusty Song, 45.
San Lucas, 340.
Savannah, 146, 268, 302, 443.
Seaside, 443.
Shumagin Fox, 45, 401.
Slate-colored Fox, 46.
Song, 146, 268, 304, 459.
Sooty Song, 45.
Swamp, 146, 268, 304.
Townsend's Fox, 45.
Tree, 159.
Vesper, 268, 302, 443.
Western Lark, 45.
Western Savannah, 44, 401, 410.
Western Tree, 158.
White-crowned, 268, 301, 403.
White-throated, 304, 390.
Spatula clypeata, 33, 439.
Speotyto cunicularia, 227.
e. hypogaea, 40, 454.
- Spermophilus*, 348.
- Sphyrapicus ruber notkensis*, 41.
thyroides nataliae, 360.
varius varius, 266, 442.
- Spinus pinus*, 44, 93, 217, 268, 456, 458.
- Spizella monticola ochracea*, 45.
passerina arizonae, 45.
p. passerina, 268, 443.
- Sporathraupis cyanocephala hypophaea*, 503.
- Sporophila lineola restricta*, 503.
- Squatarola squatarola*, 37, 265, 441.
- Starling*, 101, 338.
- Steganopus tricolor*, 36, 440.

- Stelgidopteryx serripennis, 46, 455, 456, 460.
Stercorarius longicaudus, 32, 396, 407.
parasiticus, 396.
Sturna albigena, 96.
anætheta, 199.
antillarum, 438.
a. browni, 199.
caspia, 139.
dougalli, 86, 438.
fuscata, 199, 206.
maxima, 58, 418.
paradisea, 397, 407.
repressa, 96.
Sturnula, 199.
antillarum antillarum, 199.
a. browni, 199.
Stilt, Black-necked, 418.
Stoddard, H. L., notes on a few of the rarer birds of Sauk and Dane counties, Wisconsin, 63-67; the Roseate Tern (*Sterna dougalli*) on Lake Michigan, 86; rare winter visitants in northern Indiana, 487.
Stone, Witmer, subspecific designations, 373.
Streptoceryle, 202.
alcyon alcyon, 202.
a. caurina, 202.
torquata torquata, 202.
Streptoprocne zonaris melanotis, 98.
Strix occidentalis caurina, 39.
o. huachucæ, 205.
o. lucida, 205.
Strong, R. M., an improved observation tent, 290-293.
Sturnella magna, 419.
neglecta,
n. **confuenta**, 68-70.
n. neglecta, 69.
Sturnus vulgaris, 101.
Styer, Mrs. Katharine R., obituary notice of, 241.
Sula bassana, 438.
dactylatra californica, 467.
leucogastra, 56.
Surnia ulula caparoch, 40.
u. pallasi, 202.
u. ulula, 202.
Swallow, Bank, 46, 268, 302, 401, 464.
Barn, 46, 159, 268, 302, 401, 402.
Cliff, 46, 268, 302.
Rough-winged, 46, 299, 455, 456, 460.
Tree, 46, 158, 268, 302, 456, 464.
Violet-green, 46.
Swan, Trumpeter, 35.
Whistling, 35, 408, 440.
Swarth, Harry S., a revision of the Marsh Wrens of California, 308-318; notice of his field work in Arizona, 380.
Swift, Black, 41, 454.
Chimney, 267, 299, 337.
Vaux's, 41.
Sylvia norrisæ, 362.
Synallaxis candaei, 503.
terrestris bolivari, 362.
TACHYGINETA thalassina lepida, 46.
Tachyphonus luctuosus panamensis, 503.
Tanager, Scarlet, 268, 302, 459.
Summer, 299.
Western, 46.
Tatler, Wandering, 155.
Taverner, P. A., subspecific designations, 370.
Taylor, Warner, Kirtland's Warbler, in Wisconsin, 343.
Teal, Blue-winged, 33, 301, 418.
Cinnamon, 33, 207.
Green-winged, 33, 154, 207, 302, 398, 408, 418, 439.
Telespiza cantans, 70.
ultima, 70-72.

- Telmatodytes palustris *aestuari-nus*, 310.
 p. paludicola, 48.
 p. palustris, 444.
 p. plesius, 314.
- Tern, Aleutian, 148.
 Arctic, 152, 397, 407.
 Black, 32, 301, 462.
 Caspian, 139.
 Common, 265, 462.
 Least, 438.
 Roseate, 86, 438.
 Royal, 58, 139, 418.
 Sooty, 206, 305.
- Terpsiphone nigra, 216.
 owstoni, 216.
 princeps, 216.
- Tetrastes bonasia amurensis, 235.
 b. kolymensis, 235.
 b. ussuriensis, 235.
 b. volgensis, 235.
- Textor, 347.
- Textoridæ, 347.
- Thalasseus, 198.
 elegans, 199.
 maximus, 199.
 sandvicensis acuflavidus, 199.
- Thalassornis, 228.
- Thayer, A. H., concealing coloration, 240, 508.
- Thayer, Gerald H., Hudsonian Chickadee on Long Island, 345.
- Thlypopsis fulviceps intensa, 503.
- Thorburn, A., notice of his 'British Birds,' 221.
- Thorne, Samuel, obituary notice of, 378.
- Thrasaëtus harpyia, 454.
- Thrasher, California, 419, 427.
 Pearly-eyed, 61.
 Sage, 91, 455.
- Thrush, Alaska Hermit, 49, 92, 402.
 Bicknell's, 302.
 Dwarf Hermit, 49.
 Gray-cheeked Thrush, 144, 159, 302.
- Thrush, Hermit, 275, 304, 419.
 Olive-backed, 275, 302.
 Russet-backed, 49.
 Sierra Hermit, 49.
 Wilson's, 302.
 Wood, 299, 444.
 Varied, 49.
- Thryomanes bewickii bewickii, 456.
 b. calophonus, 48.
- Thryospiza, 504.
- Thryothorus ludovicianus ludovicianus, 464.
- Thyellodroma cuneata, 475.
 bulleri, 471, 475.
- Tiaris bicolor, 95.
 b. expectata, 95.
 b. omissa, 62.
 olivacea bryanti, 62.
- Todd, W. E. Clyde, notice of his 'New Birds from Colombia and Bolivia,' 224; notice of his expedition to Labrador, 379.
- Totanus ambiguus, 202.
 flavipes, 37.
 melanoleucus, 37, 265.
- Towhee, 304.
 Oregon, 46.
- Townsend, Charles W., in Audubon's Labrador, 133-146; the Labrador Chickadee in a southward migration, 160-163; notice of his 'Bird Conservation in Labrador,' 99.
- Toxostoma rufum, 419, 427.
 r. pasadenense, 427.
 r. sonomæ, 427.
- Tringa aurita, 200.
 canutus, 36, 200, 440, 462.
 oahuensis, 200.
 rufa, 200.
- Troglodytes aëdon parkmani, 48, 457.
- Trogon collaris, 202.
- Trogonurus ambiguus ambiguus, 202.
- Tropic-bird, Red-billed, 56.

- Tropic-bird, Yellow-billed, 56.
Tryngites subruficollis, 37, 441.
Turkey, Merriam's, 453.
Turnbull, W. P., notice of, 358.
Turnstone, Black, 155, 399.
 Pacific, 409.
 Ruddy, 37, 58, 155, 441, 463.
Tyler, W. M., a roosting place of
 fledgling House Wrens, 485.
Tyrannus dominicensis dominicen-
 sis, 60.
 melancholicus satrapa, 204.
 tyrannus, 42, 209, 267, 386.
 verticalis, 42.
- UNIVERSITY of Michigan Summer
 School, announcement, 242.
U. S. Biological Survey, recent pub-
 lications noticed, 232.
Uranomitra, 203.
 salvini, 203.
Uria lomvia arra, 406.
 troile californica, 406.
Urobrachya, 348.
- VARICH, William R., a Mocking-
 bird in New Hampshire, 91.
Veery, 389, 457.
Venezuela, birds of, 95.
Vermivora celata celata, 11-27, 47,
 220, 342.
 c. orestera, 325.
 chrysoptera, 67.
 lawrencei, 465.
 leucobronchialis, 465, 481.
 peregrina, 270, 444, 456, 460,
 464, 484.
 pinus, 24, 67, 444.
 rubricapilla, gutturalis, 50.
 r. rubricapilla, 214, 269.
- Vermont, birds of, 166-167, 341.
Vireo, Anthony's, 47.
 Blue-headed, 269, 299, 443.
 Cassin's, 47.
 Jamaican, 61.
 Philadelphia, 89, 268, 443.
 Vireo, Red-eyed, 46, 299.
 Western Warbling, 47.
 White-eyed, 299.
 Yellow-throated, 299.
Vireo bellii arizonæ, 322.
 crassirostris tortugæ, 493.
 huttoni obscurus, 47.
 josephæ mirandæ, 362.
Vireosylva gilva swainsoni, 47.
 calidris calidris, 61.
 olivacea, 46.
 philadelphica, 89, 268, 443.
Virginia, birds of, 22, 74.
Vulture, Black, 478.
 Turkey, 37, 442.
- WAGTAIL, Alaska Yellow, 159, 410
Walton, W. R., notice of recent
 economic papers by, 230.
Warbler, Alaska, Yellow, 47, 402.
 Audubon's, 47.
 Bachman's, 305.
 Bay-breasted, 214, 270, 302,
 464, 484.
 Black-throated Blue, 214, 270,
 302, 391.
 Black-throated Gray, 47.
 Black-throated Green, 187, 302.
 Black-poll, 138, 271, 302, 484.
 Black and White, 269, 299, 464.
 Blackburnian, 67, 187, 214, 302,
 484.
 Blue-winged, 24, 67, 302, 444.
 Brewster's, 302, 465, 481.
 Cairns's, 187.
 Calaveras, 50.
 Canada, 214, 274, 302, 344, 464.
 Cape May, 70, 191, 214, 217,
 302, 343, 410-413, 443, 464,
 483, 484.
 Cerulean, 67, 302.
 Chestnut-sided, 190, 302, 387.
 Connecticut, 302.
 Golden Pileolated, 47.
 Golden-winged, 67, 302.
 Hooded, 299, 464.

- Warbler, Kennicott's Willow, 159.
 Kentucky, 67, 299.
 Kirtland's, 343.
 Lawrence's, 465.
 Macgillivray's, 47.
 Magnolia, 190, 270, 302, 444.
 Myrtle, 47, 63, 190, 270, 304, 389, 464.
 Nashville, 24, 191, 214, 269, 484.
 Northern Parula, 62, 214, 270, 390, 484.
 Orange-crowned, 11-27, 47, 220, 342.
 Palm, 170, 187, 217, 444.
 Parula, 299.
 Pileolated, 47, 402.
 Pine, 464.
 Porto Rican, Yellow, 62.
 Prairie, 61, 299, 460.
 Prothonotary, 66, 299.
 Tennessee, 270, 302, 444, 456, 460, 464, 484.
 Townsend's, 47, 455.
 Wilson's, 89, 273, 302, 444.
 Worm-eating, 299, 444, 464.
 Yellow, 299, 385, 484.
 Yellow Palm, 444.
 Yellow-throated, 299, 304, 343, 373.
 Warblers, North American, 349, 484.
 Washington, birds of, 68-70, 195, 212, 217, 422.
 Water-Thrush, 61, 214, 272, 302, 444, 484.
 Grinnell's, 61, 460.
 Louisiana, 272, 299, 444.
 Waxwing, Bohemian, 46, 66, 212, 341, 455.
 Cedar, 46, 213, 268, 455.
 Wayne, Arthur T., notice of his 'A List of Avian Species for which the Type Locality is South Carolina,' 346.
 Welles, C. S., obituary notice of, 513.
 Wells, Thomas, see Peavot, Henry.
 West Virginia, birds of, 225.
 Wetmore, Alexander, the birds of Culebra Island, Porto Rico, 51-62; notice of his 'On Certain Secondary Sexual Characters in the Male Ruddy Duck, *Erisatura jamaicensis* (Gmelin),' 228.
 Whip-poor-will, 267, 299.
 Widgeon, European, 408, 439.
 Williams, Belle, notice of her 'Decrease of Birds in South Carolina,' 102.
 Wilmot, N. E., Mockingbird at West Haven, Conn., 215; English Sparrow (*Passer domesticus*) feeding on the larvæ of the Elm tree beetle, 479.
 Wilson, Alexander, 277.
 'Wilson Bulletin, The,' reviewed, 102, 234, 360.
 Wilsonia canadensis, 214, 274, 344, 464.
 citrina, 464.
 pusilla chryseola, 47.
 p. pileolata, 47, 402.
 p. pusilla, 89, 273, 444.
 Windle, Francis, obituary notice of, 512.
 Wisconsin, birds of, 63-67, 219, 343.
 Witherby, H. F., coloration of down in adult ducks, 369.
 Wood, Casey A., review of his 'The Fundus Oculi of Birds,' 350.
 Woodpecker, Alasca Three-toed, 41.
 Arctic Three-toed, 266.
 Downy, 266, 345, 388.
 Gairdner's, 41.
 Harris's 41.
 Lewis's, 41.
 Northern Hairy, 40, 266.
 Northern Pileated, 41, 65, 267.
 Red-bellied, 66, 219.
 Red-cockaded, 305.
 Red-headed, 442, 463.
 Rocky Mountain Hairy, 41.

- Woodpecker, Texan, 454.
Three-toed, 266.
- Wren, Bewick's, 304, 456.
Carolina, 464.
House, 90, 302, 485.
Long-billed Marsh, 302, 444.
Rock, 48.
Seattle, 48.
Short-billed Marsh, 302, 465.
Tule, 312.
Western House, 48, 457.
Western Winter, 48.
- Wright, A. H., see Bishop, S. C.
- Wright, Horace W., the Orange-crowned Warbler as a fall and winter visitant in the region of Boston, Massachusetts, 11-27; Labrador Chickadee (*Penthestes hudsonicus nigriceps*) in Boston and vicinity in the fall of 1916, 164-170; Bittern (*Botaurus lentiginosus*) in a phenomenal position at Boston, Mass., 476.
- Wright, Samuel, obituary notice of, 240.
- XANTHOCEPHALUS xanthocephalus, 43.
- Xema sabini, 407.
Xeocephalus, 216.
Xiphocolaptes obsoletus, 225.
major obscurus, 225.
m. saturatus, 225.
procerus rostratus, 224.
- YELLOW-LEGS, 37, 301.
Greater, 37, 265, 301.
- Yellow-throat, Maryland, 139, 273, 299, 385, 444.
Pacific, 47.
- Yemen, birds of, 356.
- Youngstown, Ohio, bird preserve at, 379.
- ZAMELODIA ludoviciana, 443.
melanocephala, 46.
- Zenaida zenaidea lucida, 59.
- Zenaidura macroura carolinensis, 37, 442.
- Zonotrichia albicollis, 390.
coronata, 45, 401.
leucophrys gambeli, 45.
l. leucophrys, 268, 463.
querula, 45, 219.