

INDEX TO VOLUME XLII.

[New generic, specific and subspecific names are printed in heavy face type.]

- ABALIUS, 149.
Abeillia, 295.
Acanthopneuste, 356.
Accipiter cooperi, 145, 409, 534, 545.
 velox, 65, 409, 534.
Acridotheres tristis, 160.
Actitis macularia, 59, 65, 230, 408,
 531, 580, 581, 582
Aehtiopsar cristatellus, 159.
Aethopyga dabryii bangsi, 291.
Africa, birds of, 296, 454.
Agelaius phoeniceus fortis, 62.
 p. phoeniceus, 67, 412.
 p. richmondi, 550.
Ahrens, T. G., the ornithological
 collection of the Berlin Museum,
 241-245.
Aix sponsa, 41-50, 407, 573.
Ajaja ajaja, 524, 540.
Alabama, birds of, 147.
Alaska, birds of, 270.
Alauda, 357.
Alcedo semitoquata heuglini, 611.
Allen, Arthur A., review of his
 'Birds and Bird Lore,' 287.
Allert, Oscar P., Northern Pileated
 Woodpecker in Clayton Co.,
 Iowa, 269; unusual nesting of a
 Robin, 278.
American Ornithologists' Union,
 forty-second stated meeting of
 the, 105-120, forty-third stated
 meeting, 310, 484, 621; list of de-
 ceased members, 307.
Ammodramus savannarum austra-
 lis, 412.
 s. bimaculatus, 63.
Ammomanes deserti intermedia,
 300.
 d. payni, 299.
Amoromyza, 450.
Amphispiza bilineata bilineata, 551.
Anas fulvigula maculosa, 521, 540.
 maxima, 263.
 platyrhynchos, 56, 407, 521,
 571.
 rubripes, 572.
 r. tristis, 407.
Andrews, E. A., birds' nests at
 home, 217-230.
Anhinga anhinga, 520, 539.
Ani, Groove-billed, 546.
Annam, birds of, 458.
Anser albifrons gambeli, 523, 577.
 brachyrhynchus, 265.
Anthus rubescens, 417.
Antrostomus carolinensis, 411.
 vociferus vociferus 66, 70, 411.
Aptosochromatism, 238.
'Aquila,' reviewed, 611.
Aquila chrysaetos, 443, 536.
 pomarina, 383.
Aramus elucis, 296.
 carau, 296.
 dolosus, 296.
 holostictus, 296.
 pictus, 296.
 scelopaceus, 296.
 vociferus, 296, 527.
Aratinga holochlora holochlora, 132.
Archibuteo ferrugineus, 536.
 lagopus, 382.
 l. sancti-johannis, 280.
Archilochus alexandri, 547.
 colubris, 411, 547 .
 platycercus, 588.
Arctonetta, 49.
'Ardea,' reviewed, 165.
Ardea, 471.
 canadensis, 120.

- Ardea cinerea*, 364.
 herodias herodias, 58, 65, 128, 408, 525.
 h. tregansi, 525.
 h. wardi, 266, 525, 542.
 ibis, 603.
 mexicana, 120.
Arenaria interpres morinella, 532, 543, 582.
 Argentina, birds of, 296.
 Arkansas, birds of, 285.
 Arnold, E. C., review of his 'British Waders,' 289.
Arquatella m. maritima, 82, 267.
Arremonops rufivirgatus, 551.
Asio accipitrinus, 208.
 flammeus, 31, 61, 280, 410.
 wilsonianus, 409, 537.
Astragalinus tristis tristis, 62, 67, 84, 399, 412.
 Astur, 457.
 atricapillus atricapillus, 409.
Asturina plagiata, 534.
Atalotriccus, 156.
Atlapetes, 156.
 Audubon, J. J., copperplates of his 'Birds of America,' 282, 452.
 life of, 457.
Aulacorhynchus, 156.
Auriparus flaviceps flaviceps, 554.
 Australia, birds of, 157, 454.
 Averbach, B. F., Hudsonian Curlew near Youngstown, O., 580.
 Averill, Charles K., the outer primary in relation to migration in the ten-primaried oscines, 353-358.
 'Avicultural Magazine,' reviewed, 163, 299, 470, 609.
 Avocet, 59, 528, 541, 580.

BAELOPHUS *atricristatus sennetti*, 554.
 bicolor, 418.
 inornatus griseus, 593.
 Bagg, Aaron C., a retrograde movement in the Connecticut valley, 451; Double-crested Cormorant in the Connecticut valley, 578.
 Bailey, Alfred M., the White-winged Scoter in Louisiana, 442.
 Baird Ornithological Club, third annual meeting, 482.
 Baker, John H., the Black Skimmer (*Rynchops nigra*) at Ipswich, Mass., 125.
 Baldner, Leonard, life and works of, 332-341.
 Baldpate, 56, 522, 572.
 Balsac, H. Heim de, notice of his 'Birds of the Region north of the Sahara,' 455.
 Bangs, Outram, the history and characters of *Vermivora crissalis* (Salvin and Godman), 251-253.
 Bannerman, D. A., notice of his 'Note on *Tricholaema hirsutum*,' 291.
 Barbour, Thomas, an ornithological enigma, 132.
 Barrows, Walter Bradford, obituary of, 1-14.
Bartramia longicauda, 59, 144, 530.
 Bavarian Ornithological Society, 'Proceedings' reviewed, 167, 611; 'Anzieger' noticed, 611.
 Baynes, Ernest Harold, obituary of, 480.
 Beck, Herbert H., Prothonotary Warbler feeding young of another species, 140.
 Bedell, Edgar, the Barn Owl (*Tyto pratincola*) in Schenectady County, N. Y., 131.
 Henslow's Sparrow in Helderbergs, N. Y., 590.
 Beebe, William, recent publications by, 600.
 Benson, Harry Coupland, obituary, 619.

- Bent, Arthur C., review of his 'Life Histories of N. A. Water Fowl II,' 595.
- Bergtold, W. H., the Great Northern Shrike and its song, 277.
- Berlin Museum, 241.
- Bibliography, 157, 158.
- Bicknell, Eugene P., obituary, 475.
- Bird, R. D., Mallard Duck nesting in a tree, 441.
- Bird Banding, 153, 293, 358-388, 606, 608, 610.
- 'Bird-Lore,' reviewed, 161, 297, 465, 604.
- 'Bird Notes and News,' reviewed, 300, 609.
- Bishop, S. C., notes on the mating habits of the Sparrow Hawk, 268; Egret and Little Blue Heron in Rensselaer, Co., N. Y., 584.
- Bittern, 58, 65, 407, 525, 540. Least, 525, 540.
- Blackbird, Brewer's 62, 240. Red-winged, 67, 412, 451. Rusty, 412, 240, 451. Yellow-headed, 62, 549.
- Blackjack, 574.
- Blake, S. F., Little Blue Heron in Massachusetts, 128.
- Blincoe, Benedict J., birds of Bardstown, Nelson County, Kentucky, 404-420; Harris's Sparrow in southwestern Ohio, 275.
- Bluebill, 574. Big, 574.
- Bluebird, 70, 216, 227, 418.
- Bobolink, 62, 66, 135, 240, 280, 412.
- Bobwhite, 147, 213, 293, 408. Texas, 532, 543.
- Bolivia, birds of, 421.
- Bombycilla cedrorum, 63, 67, 71, 85, 357, 414, 551.
- Bombycillidae, 357.
- Bonasa umbellus umbellus, 65, 408.
- Botaurus lentiginosus, 58, 65, 407, 525, 540.
- Bourne, Thomas L., Prothonotary Warbler in Erie Co., N. Y., 138.
- Bradornis bafirawari, 299.
- Brambling, European, 240.
- Brant, 265. Black, 441. White, 576.
- Branta bernicla bernicla, 302. b. glaucogastra, 265. canadensis canadensis, 58, 407, 524, 577. c. hutchinsi, 524. nigricans, 441.
- Brewster, William, review of his 'Birds of the Lake Umbagog Region of Maine,' 453.
- Brewster Medal award, 484.
- Brewster bequest to the Boston Society, 309.
- 'British Birds,' reviewed, 163, 299, 468, 608.
- British Ornithologists' Club, 'Bulletin,' reviewed, 163, 299, 468, 608.
- British Ornithologists' Union, 482.
- Brooks, Earl, Macgillivray's Warbler in Indiana, 277.
- Brooks, W. Sprague, a Pink-footed Goose taken in Massachusetts, 265.
- Bryens, Oscar M., Michigan Notes, 144; some notes on the Connecticut Warbler (*Oporornis agilis* from Luce Co., Mich., 450.
- Bubo virginianus virginianus, 14-31, 66, 410, 444, 445.
- Buffle-head, 523, 575.
- Bunting, Indigo, 281, 414. Lark, 63, 239. Painted, 551. Snow, 281. Varied, 551.
- Burleigh, Thomas B., notes on the breeding birds of northeastern Georgia, 70-74; notes on the

- breeding habits of some Georgia birds, 396-401.
- Burtch, Verdi, some notes on the birds of the Branchport region, N. Y., in 1923, 554-557.
- Buteo abbreviatus*, 535.
albicaudatus sennetti, 535, 545.
borealis, 446.
b. borealis, 66, 409, 534.
b. calurus, 60, 535.
b. harlani, 145.
b. krideri, 60, 146, 534.
buteo, 383.
lineatus lineatus, 409.
i. texanus, 535.
platypterus, 535.
swainsoni, 60, 535.
- Butler, Arthur Gardiner, obituary, 615.
- Butorides virescens virescens*, 408, 526, 541.
- Butter-ball, 575.
- Buturlin, S., see Tugarinow A.,
- Buzzard, Rough-legged, 382.
 Common, 383.
- CALAMOSPIZA melanocorys*, 63, 239.
- Calcarius lapponicus*, 239.
ornatus, 62, 240.
pictus, 240.
- Calidris canutus*, 582.
- California, birds of, 157, 245, 601.
- Califf, Gladstone, notice of his 'Permanent Bird Homes,' 290.
- Callipepla squamata castanogastri*, 532.
s. squamata, 129.
- Calyptophilus*, 356.
- Campothera, 459.
- Canutus canutus*, 146.
- Canvasback, 57, 523, 555, 573.
- Caracara, Audubon's 537, 545.
- 'Cardinal, The,' reviewed, 298.
- Cardinal, 227, 414, 606.
 Gray-tailed, 551.
- Cardinalis cardinalis canicaudus*, 551.
c. cardinalis, 414.
- Carpodacus purpureus purpureus*, 67, 84, 412.
- Carter, J. D., behaviour of the Barred Owl, 443.
- Cartwright, B. W., and C. G. Harold, an outline of the principles of natural selective absorption of radiant energy, 233-241.
- Casmerodius alba*, 446.
egretta, 129, 525, 541, 583, 584.
- Cassidix oryzivora*, 549.
- Catamenia, 155.
- Catbird, 63, 69, 227, 417, 553.
- Catharus, 155, 156, 355, 600.
- Cathartes aura septentrionalis*, 137, 409, 534, 545.
- Catherpes, 356.
- Catoptrophorus, 299.
semipalmatus inornatus, 59, 530, 543.
s. semipalmatus, 530, 583.
- Celebes, birds of, 155
- Celebesia, 155.
- Centurus aurifrons*, 546.
carolinus, 137, 411.
- Ceophloeus pileatus abieticola*, 586.
- Cerchneis sparveria phalaena*, 536.
sparveria sparveria, 61, 66, 409, 536, 545.
- Certhia*, 600.
familiaris americana, 417.
- Certhiidae, 357.
- Ceryle alcyon alcyon*, 66, 410.
americana septentrionalis, 546.
- Chachalaca, 293, 533, 543.
- Chaemepelia passerina pallescens*, 534.
p. passerina, 148.
- Chaetura pelagica*, 61, 66, 411, 586, 587.
vauxi, 502, 512.
- Chamaeidae, 358.

- Chamaethlypis, poliocephala*, 552.
Chamberlain, E. B., the Brant (*Branta bernicla glaucogastra*) at Charleston, S. C., 265.
Chapin, J. P., review of his 'Size Variation in Pyrenestes,' 154.
 personal mention, 175.
Chapman, Abel, review of his 'The Borders and Beyond,' 151.
Chapman, Frank M., the relationships and distribution of the Warblers of the genus *Compsothlypis*: a contribution to the study of the origin of Andean bird life, 193-208; notice of his papers on new Neotropical birds, 155; notice of his papers on new South American birds, 458, a plea for the evidence, 612.
Charadrius *apricarius oreophilus*, 294.
 melodus, 532.
 m. circumcinctus, 326.
 nivosus, 532.
 semipalmatus, 60, 532, 543.
Charitonetta, 49.
 albeola, 523, 575.
Chat, Long-tailed, 552.
 Yellow-breasted, 416.
Chaulelasmus *streperus*, 56, 572, 521, 540.
Chen *caerulescens*, 264, 265, 452, 523, 576.
 hyperboreus, 576.
 h. hyperboreus, 523.
Chendytes *lawi*, 605.
Chickadee, 69, 281, 464.
 Mountain, 593.
China, birds of, 291, 422, 460, 596.
Chiroxiphia *caudata*, 588.
 linearis, 588.
Chlidonia *nigra surinamensis*, 55, 520, 570.
Chloropipo, 155.
Chlorospingus, 156.
Chondestes grammacus grammacus, 413.
Chordeiles *acutipennis texensis*, 547.
 virginianus henryi, 546.
 v. sennetti, 61.
 v. virginianus, 66, 270.
Christofferson, K., breeding of the Ruby-crowned Kinglet in northern Michigan, 593.
Chrostowski, Tadeusz,, obituary of, 476.
Chrysaena *luteovirens*, 297.
Chrysococcyx *cupreus*, 608.
Chrysophlegma *flavinucha*, 299.
Chrysopicos, 459.
Chuck-will's-widow, 411.
Cichlherminea, 355.
Cichlopsis, 155.
Ciconia *ciconia*, 361.
Cinclidae, 357.
Cinclus *mexicanus*, 142.
Circus, 467.
 approximans, 288.
 hudsonius, 31, 60, 65, 82, 409, 534, 562.
 spilonotus, 288.
Cistothorus, 208, 357.
 stellaris, 420, 593.
Clamosocircus, 457.
Clangula *hyemalis*, 263, 523, 575.
 islandica, 575.
Clark, A. H., notice of his 'Observations on animal Coloration,' 462; notice of his 'Animal Flight,' 462.
Climacocircus, 457.
Coale, Henry K., habits of the Marsh Hawk, 269; *Tyto pratincola* in northeastern Illinois, 269; Barn Owls at Chicago, 444; Violet-green Swallow in Illinois, 137.
Coccothraustes, 257.
Coccyzus *americanus americanus*, 148, 410, 546.

- Coccyzus erythrophthalmus*, 66, 420, 546.
Colaptes auratus luteus, 61, 66, 411.
 Coles, Russell J., sea-birds at Cape Lookout, North Carolina, 123
 Coles, Rutgers R., Yellow-throated Warbler at Quaker Ridge, Marmaronack, N. Y., 591.
Colinus virginianus virginianus, 147, 408.
 v. texanus, 532, 543.
 Colorado, birds of, 135, 142, 442.
Columba flavirostris, 533, 544.
Colymbus auritus, 568.
 dominicus brachypterus, 519, 538.
 nigricollis californicus, 55.
Comatibis eremita, 300.
Compsothlypis, 155, 193, 600.
 americana, 195, 420.
 a. usneae, 195.
 pitiayumi alarum, 204.
 p. inornata, 199.
 p. insularis, 198.
 p. elegans, 201.
 p. melanogenys, 204.
 p. nigrilora, 196.
 p. pitaiyumi, 205.
 p. pacifica, 203.
 p. pulchra, 198.
 p. speciosa, 200.
 graysoni, 199.
Compsocoma sumptuosa, 458.
 'Condor, The,' reviewed, 161, 297, 465, 605.
 Connecticut, birds of, 584.
 'Contributions to Breeding Habits of Birds with Consideration of Oology,' 167, 302, 472, 611.
 Cooke, May Thatcher, notice of her 'Spread of the European Starling in North America,' 463.
 Coot, 58, 408, 527, 541.
 Porto Rico, 561.
Coracornis, 155.
Coragyps urubu, 409, 442, 534, 545.
Cormorant, 80, 279.
 Double-crested, 56, 407, 555, 570, 578.
 European, 383.
 Mexican, 521, 558.
Corvidae, 357.
Corvus, 357.
 brachyrhynchos brachyrhynchos, 61, 66, 411.
 cryptoleucus, 548.
 leucognaphalus, 446.
 tricolor, 283.
 Cory, Charles B., review of his 'Birds of the Americas,' 148.
Coryornis, 585.
 Costa Rica, birds of, 156.
Coturnicops neboracensis, 419.
 Cowbird, 62, 67, 412, 451, 548.
 Dwarf, 548.
 Red-eyed, 548.
 Crabb, E. D., Mountain Song Sparrow in Oklahoma, 447.
 Crane, Little Brown, 452, 526.
 Sandhill, 419, 452, 526.
 Whooping, 419, 452, 526.
 Creeper, Brown, 417.
Crocethia alba, 529, 541, 556, 582.
 Crosby, Maunsell S., notice of his paper on Bird Banding, 292; see also Griscom, Ludlow.
 Crossbill, American, 557.
 Red, 420.
 White-winged, 557.
Crotophaga sulcirostris, 546.
 Crow, 61, 66, 211, 281, 383, 411.
Crypturus, 157.
 variegatus, 601.
 Cuckoo, Black-billed, 66, 281, 420, 546.
 Yellow-billed, 148, 410, 546.
 Curlew, Eskimo, 531.
 Hudsonian, 480, 531, 543.
 Long-billed, 59, 531, 543.
Cyanocitta cristata, subsp., 396.
 cristata, 66.
 c. cristata, 411.

- Cyanocompsa, 257.
 Cyanosylva, 355.
 Cyclarhis, 155, 341, 353, 600.
 Cyclarhis gujanensis, 343, 346.
 g. cearensis, 343, 346.
 g. saturatus, 463.
 ochrocephala, 344.
 viridis, 344, 349.
 wiedi, 344, 349.
 Cygnus buccinator, 303.
 columbianus, 524, 577.
 Cypseloides niger borealis, 497-516.
- DAFILA acuta, 522, 540, 573.
 a. acuta, 365.
 a. tzitzihoa, 57.
 Dakota, North, 452.
 Danforth, Stuart T., new birds
 for Porto Rico, 558-563.
 Davidson, Frances S., Blue-gray
 Gnatcatcher and Carolina Wren
 in Minneapolis, 142.
 Dawson, W. L., prospectus of his
 'Birds of the World,' 175.
 Deane, Ruthven, one additional
 copperplate of the folio edition
 of Audubon's 'Birds of America,'
 282, 452.
 Delacour, Jean and Jabouille,
 Pierre, review of their 'Birds of
 Central Annam,' 458.
 Delaware Valley Ornithological
 Club, thirty-fifth anniversary
 dinner, 482.
 Dendroica, aestiva aestiva, 63, 415,
 552.
 caerulescens, 68, 415,
 c. cairnsi, 73.
 castanea, 415, 552.
 cerulea, 147, 415, 552.
 coronata, 68, 552.
 discolor, 144, 416.
 dominica albilora, 416.
 d. dominica, 591.
 fusca, 416, 552, 593.
 magnolia, 415, 552, 593.
 Dendroica palmarum hypochrysea,
 85.
 p. palmarum, 416, 557.
 pennsylvanica, 68, 415, 552.
 striata, 415, 552.
 tigrina, 415, 450.
 vigorsi, 68, 140, 420.
 virens, 282, 416, 552.
 Dendronessa, 50.
 galericulata, 50.
 Dendrortyx, 600.
 Dichromanassa rufescens, 526, 541.
 Dickcissel, 63, 414.
 Dionne, Charles E., obituary, 308.
 Dolichonyx, 464.
 oryzivorus, 62, 66, 240, 280, 412.
 Dove, Bronze-winged, 395.
 Gray-hooded Quail, 388-396.
 Ground, 148.
 Inca, 534, 544.
 Mexican Ground, 534, 544.
 Mourning, 60, 147, 148, 227,
 313, 409.
 Ruddy Quail, 130.
 Western Mourning, 533, 544.
 White-fronted, 533, 544.
 White-winged, 532, 544.
 Dowitcher, 240, 582.
 Long-billed, 528, 541.
 Dryobates pubescens medianus, 61,
 66.
 p. pubescens, 410.
 scalaris bairdi, 546.
 villosus villosus, 66, 410.
 Duck, Allen's Ruddy, 558.
 Black, 281, 407, 572.
 Black-bellied Tree, 524.
 Fulvous Tree, 524.
 Mandarin, 41-50.
 Masked, 573.
 Mottled, 521, 540.
 Ring-necked, 419, 523, 574.
 Ruddy, 58, 523, 540, 576.
 Wood, 41-50, 407, 573.
 Ducks, 454.
 Dulidae, 358.

- Dumetella carolinensis*, 63, 69, 417, 553.
- Dwight, Jonathan and Griscom, Ludlow, notice of their, 'Descriptions of New Birds from Costa Rica,' 156.
- EAGLE, 383.
Bald, 313, 409, 568.
Golden, 443, 536.
- Eaton, S. H., White Pelican at Lawrenceville, Ill., 263.
- Ectopistes migratorius*, 137, 419.
- Egret, 129, 525, 541.
American, 419, 583, 584.
Buff-backed, 603.
Reddish, 526, 541.
Snowy, 525, 541.
- Egretta candidissima candidissima*, 419, 525, 541.
- Egypt, birds of, 603.
- Eider, American, 279.
King, 264, 575.
- 'El Hornero,' reviewed, 301.
- Elanoides forficatus*, 130, 146, 534.
- Elanus leucurus majusculus*, 534.
- Elrod, Mrs. Walter D., *Tyrannus verticalis* in eastern Oklahoma, 271.
- Emberizoides*, 156.
- Empidonax*, 295.
flaviventris, 411.
minimus, 66, 420.
trailli alnorum, 83.
t. trailli, 61, 548.
virescens, 411.
- 'Emu, The,' reviewed, 164, 470, 609.
- Eophona*, 257.
- Eremomela pusilla prosphera*, 296, 300.
- Ereunetes pusillus*, 529, 582.
mauri, 529, 562.
- Erismatura allenii*, 558.
jamaicensis, 58, 523, 540, 576.
- Erithacus rubecula melophilus*, 384.
- Erolia subruficollis*, 300.
- Essex Co., Ornithological Club, 'Bulletin' reviewed, 606.
- Esten, S. R., nest life of Towhee, etc., 602.
- Euphagus carolinus*, 240, 412.
cyanocephalus, 62, 240.
- Europe, birds of, 152, 358-388.
- Euscarthmus*, 600.
- FALCO *columbarius columbarius*, 145, 452, 536, 545.
c. richardsoni, 145, 536.
fusco-caerulescens, 536, 545.
mexicanus, 452.
peregrinus anatum, 137, 452.
rusticolus rusticolus, 452.
sparverius sparverius, 268.
- Falcon, Aplomado, 536, 545.
Prairie, 452.
- Falcunculus*, 343.
- Fiji, birds of, 294, 401.
- Finch, Purple, 67, 84, 412.
- Fisher, A. K., Walter Bradford Barrows, 1-14.
- Fleming, J. H., notice of his 'A New Form of *Larus dominicanus*,' 295.
- Flicker, 134, 216, 227, 411.
Northern, 61, 66.
- Florida, birds of, 130, 132, 264, 266, 443, 579, 581.
- Florida caerulea*, 128, 129, 526, 541, 583, 584.
- Flycatcher, Acadian, 411.
Crested, 66, 270, 411.
Derby, 547.
Least, 66, 420.
Mexican Crested, 547.
Scissor-tailed, 547.
Traill's, 61, 548.
Yellow-bellied, 411.
- Fregata, 171.
aquila, 521, 540, 578.
ariel wilsoni, 171.
minor mathewsi, 171.

- Frey, Edith K., Winter Wren in Michigan, 278.
- Friedmann, Herbert, notes on the birds observed in the Lower Rio Grande Valley of Texas during May, 1924, 537-555.
- Fringilla montifringilla, 240.
- Fulica, 208.
americana, 58, 408, 527, 541.
caribaea **major**, 561.
- GABRIELSON, I. N., notice of his 'Food Habits of Some Winter Bird Visitants,' 153.
- Gadwall, 56, 521, 540, 572.
- Gaede, A. Henry, see Yoder, Wm., Galeoscoptes, 356.
- Gallicolumba rubescens, 388-396.
jobiensis, 389, 390.
luzonica, 390.
stairi, 390, 395.
xanthoura, 390, 393.
- Gallinago delicata, 408, 528, 556.
- Gallinula chloropus **portoricensis**, 560.
galeata, 527, 541.
- Gallinule, Florida, 527, 541.
Purple, 419, 527, 541.
Porto Rico, 560.
- Gallus gallus, 446
- Game refuge bill and the DuPont Powder Co., 176.
- Gavia immer, 65, 407.
i. elasson, 568.
pacifica, 278.
stellata, 554.
- Geese, 454.
- Gelochelidon nilotica, 519, 538, 558.
- Geococcyx californianus, 546.
- Georgia, birds of, 70-74, 396-401.
- Geositta cucicularia hellmayri, 296.
- Geospiza, 154, 257.
- Geothlypis trichas brachydactyla, 563.
t. trichas, 69, 86, 416, 557.
- Geotrygon, 396.
- Geranospiza, 457.
- Gifford, E. W., the Gray-hooded Quail Dove (*Gallicolumba rubescens*) of the Marquesas Islands, in captivity, 388-396.
- Gillespie, John A., see Potter, J. K., Glaucionetta clangula americana, 58, 575.
- Globicera pacifica, 129.
- Gnatcatcher, Blue-gray, 142, 418, 554.
- Godwit, Marbled, 59, 240, 529.
Hudsonian, 240, 529.
- Golden-eye, 58, 281, 575.
- Goldfinch, 62, 84, 67, 216, 399, 412, 607.
- Goshawk, 131.
American, 409.
Mexican, 535.
- Goosander, 571.
- Goose, Blue, 264, 265, 452, 523, 576.
Canada, 58, 281, 407, 524, 577.
Hutchin's, 524.
Lesser Snow, 147, 576.
Pink-footed, 265.
Snow, 523.
White-fronted, 523, 577.
- Grackle, Boat-tailed, 312.
Bronzed, 62, 67, 84, 412.
Florida, 397.
Great-tailed, 550.
Purple, 213, 227, 464.
- Grallina picata, 464.
- Great Britain, birds of, 598, 599.
- Grebe, Eared, 55.
Horned, 568.
Mexican, 519, 538.
Pied-billed, 55, 419, 568, 519, 538.
- Greene, E. R., American Scoter in Florida, 579.
- Grinnell, Joseph, bird netting as a method in ornithology, 425-251; review of his 'Bibliography of California Ornithology Second Installment,' 157; notice of his

- 'Wild Animal Life as a Product and as a Necessity of National Forests,' 291; notice of his 'Risks on Introduction of Alien Game Birds,' 601; obituary of Richard Hunt, 617.
- Griscom, Ludlow, King Eider in North Carolina, 264; notice of his 'Descriptions of New Birds from Panama and Costa Rica,' 156; notice of his 'Bird Hunting among the Wild Indians of Western Panama,' 156; see also Dwight, Jonathan and Miller, W. D.
- Griscom, Ludlow, and Crosby, Maunsell S., birds of the Brownsville Region, Southern Texas, 432-440, 519-537.
- Grosbeak, Pine, 281.
Rose-breasted, 67, 281, 414, 602.
- Gross, Alfred O., suggested ornithological work for bird banders, 95-105; diseases of the Ruffed Grouse, 423.
- Grote, H., notice of his, 'Beitrag zur Kenntnis der Vogelfauna des Graslandes von Neukamerun, 296.
- Grouse, Canada Ruffed, 281.
Prairie Sharp-tailed, 60, 65.
Ruffed, 65, 213, 408, 423, 453.
- Grus americanus, 419, 452, 526.
canadensis, 452, 526.
mexicanus, 419, 452, 526.
- Guiana, birds of, 600.
- Guiraca, 257.
- 'Gull, The' noticed, 607.
- Gull, Black-headed, 370.
Franklin's, 55, 519, 569.
Herring, 407, 519, 569, 581.
Laughing, 125, 313, 519, 569.
Lesser Black-backed, 374.
Ring-billed, 55, 77, 519.
Western, 605.
- Gummyza, 450.
- Gwillim, Lady, biography of, 607.
- Gymnogenys typicus, 288.
- Gyrfalcon, Gray, 452.
- HACHISUKA, Masa V., review of his 'Comparative List of Birds of Japan and the British Isles,' 598.
- Halcyon chelicuti hylobius, 296.
- Haliaeetus leucocephalus leucocephalus, 409.
- Hamilton, William J., Jr., King Rail nesting on Long Island, N. Y., 127; King Rail wintering on Long Island, 266.
- Hankinson, T. L., Swallow-tailed Kite in southern Michigan, 130.
- Haplocichla, 355.
- Harding, Katharine C., Mockingbird nesting in Cohasset, Mass., 141.
- Harrold, C. G. see Cartwright, B. W.,
- Harrold, E. S., notes from Manitoba, 146.
- Hausman, Leon Augustus, on the utterances of the Kingbird, (*Tyrannus tyrannus* Linn.), with especial reference to a recently recorded song, 320-326.
- Hawaii, birds of, 160.
- Hawk, Broad-winged, 535.
Cooper's, 145, 211, 409, 534, 545, 585.
Duck, 131, 451, 452.
Harlan's, 145.
Harris's, 534, 545.
Krider's, 60, 146, 534.
Marsh, 37, 60, 65, 82, 269, 409, 534, 562.
Pigeon, 145, 452, 536, 545.
Red-shouldered, 409.
Red-tailed, 66, 211, 409, 451, 534.
Richardson's Pigeon, 145, 536.

- Hawk, Rough-legged, 279.
 Sennett's White-tailed, 535, 545.
 Sharp-shinned, 65, 145, 211, 409, 534.
 Sparrow, 61, 66, 213, 268, 409, 536, 545.
 Swainson's, 60, 535.
 Texas Red-shouldered, 535.
 Western Red-tailed, 60, 535.
 Zone-tailed, 535.
- Heath-Hen, threatened extinction of, 482.
- Hedymeles ludovicianus, 414.
- Heinroth, Oskar and Magdalena, review of their 'Birds of Middle Europe,' 152.
- Heleodytes, 295, 357.
 brunneicapillus couesi, 553.
- Heliocera, 155.
- Hellmayr, C. E., notice of his 'Die Vögel der Silla der Caracas,' 156; review of his 'Birds of the Americas,' 148; obituary of Eugene L. Simon, 478.
- Helmitheros vermivorus, 415.
- Henderson, Junius, Bobolink in Colorado, 135.
- Heron, Black-crowned Night, 58, 419, 526, 541.
 Great Blue, 58, 65, 128, 408, 525, 568.
 Great Gray, 364.
 Green, 408, 526, 541.
 Little Blue, 128, 129, 313, 583, 584.
 Louisiana, 313, 526, 541.
 Snowy, 419.
 Treganza's, 525.
 Ward's, 525, 540.
 Yellow-crowned Night, 526.
- Hérons, 157.
- Hesperiphona, 256.
- Himantopus mexicanus, 59, 528, 541.
- Hirundo daurica vernayi, 299.
- Hirundo erythrogastra, 63, 67, 85, 414, 552.
 rustica rustica, 379, 610.
- Hix, George E., abundance of the Laughing Gull (*Larus atricilla*) about New York City, 125; Black Skimmer at Long Beach, N. Y., 125.
- Hobson, William Daily, obituary, 175.
- Hollister, Ned, another record of the Ruddy Quail Dove at Key West, 130; obituary, 478.
- Holt, Ernest G., early shooting and some late breeding records for Alabama, 147; type locality of *Ardea herodias wardi* Ridgway: a correction, 266; the dance of the Tangará, 588.
- Honker, 577.
- Howitt, Henry, habits of the Flicker, 134; Osprey at Guelph, Ontario, 443; protective coloration of Horned Larks, 446; the Starling at Guelph, Ontario, 446.
- Howland, R. H. and Carter, T. D. nesting of the Prothonotary Warbler in northern N. J., 138.
- Hubbard, Sara A., obituary, 618.
- Hummingbird, Black-chinned, 547.
 Broad-tailed, 588.
 Ruby-throated, 411, 547.
- Hunt, Richard, obituary, 617.
- Hydranassa tricolor ruficollis, 526, 541.
- Hylocichla, 355.
 aliciae, 418.
 fuscescens fuscescens, 69, 420.
 guttata, pallasi, 69, 418.
 mustelina, 418.
 ustulata swainsoni, 418.
- Hyloctistes, 295.
- Hylopezus, 149.
- Hypsibemon, 149.
- IBIDORBYNCHA, 299.

- 'Ibis, The,' reviewed, 162, 298, 467.
607.
- Ibis, Glossy, 442.
White-faced Glossy, 524.
Wood, 525, 540.
- Ice-duck, 575.
- Icterus bullocki, 550.
cucullatus sennetti, 550.
galbula, 62, 67, 412.
melanocephalus auduboni, 550.
spurius, 412, 550.
- Icteria virens virens, 416.
v. longicauda, 552.
- Ictinia mississippiensis, 534.
- Illinois Audubon Society, notice of
its 'Bulletin,' 292.
- Illinois, birds of, 137, 263, 269, 292,
444.
- Indiana, birds of, 277.
- International Committee for the
Protection of Birds, meeting of,
484.,
- International Congress on Bird
Protection, 175
- International Ornithological Con-
gress, 484.
- Ionornis martinicus, 419, 527, 541.
- Iowa, birds of, 86-94, 269, 563-577.
- Iridoprocne bicolor, 68, 145, 552.
- Ithaginis rocki, 291.
- Ixobrychus exilis, 525, 540.
- Ixoreus, 355.
- JABOUILLE, Pierre, see Delacour,
Jean,
- Jacana, Mexican, 532.
- Jacana spinosa, 532.
- Jackson, Ralph W., strange be-
haviour of the Great Horned
Owl, in behalf of young, 445.
- Jaeger, Parasitic, 569.
- Japan, birds of, 291, 597, 598.
- Jay, Blue, 66, 213, 396, 411.
Green, 548.
- Jensen, J. K., late nesting of
the Scaled Quail (*Callipepla* s.
squamata), 129; bathing of the
Broad-tailed Hummingbird, 588;
English Sparrows and Robins,
591; Mountain Chickadee with an
adopted family, 593.
- Johnson, Charles E., Kingfisher
and Hawk, 585.
- Jourdain, F. C. R., the Bean Goose
in North America, 173.
- 'Journal für Ornithologie,' reviewed
166, 301, 610.
- Junco, Carolina, 71.
Oregon, 146.
Slate-colored, 67, 413.
- Junco hyemalis carolinensis, 71.
h. hyemalis, 67, 413.
h. oregonus, 146.
- KALMBACH, E. R. and McAttee, W.
L., notice of their 'Homes for
Birds,' 612.
- Kentucky, birds of, 404-420.
- Kessler, Philip, see Kuerzi, John.,
- Killdeer, 60, 65, 408, 485-496,
531, 543.
- Kingbird, 61, 66, 83, 320, 411, 547.
Arkansas, 61, 271.
Couch's, 547.
- Kingfisher, Belted, 66, 213, 410,
568, 585.
Texas, 546.
- Kinglet, Golden-crowned, 86, 418.
Ruby-crowned, 144, 418, 593.
- Kirkwood, Frank C., Cliff Swallow
(*Petrochelidon*) again nesting in
Baltimore Co., Md., 275; un-
usual nesting site of Great
Horned Owls, 444.
- Kite, 383.
Mississippi, 534.
Swallow-tailed, 130, 146, 534.
White-tailed, 534.
- Kittiwake, 279.
- Kittredge, Joseph Jr., Ruby-
crowned Kinglet in summer in
the Adirondacks, 144.

- Knot, 146, 240, 582.
 Kuerzi, John and Richard, and P. Kessler, Black Skimmer and Golden Plover in Bronx County, N. Y., 125; Wilson's Phalarope (*Steganopus tricolor*) in Bronx County, N. Y., 126; Wilson's Phalarope in Bronx Park, N. Y., 267.
 Kuroda, Nagamichi, review of his 'Avifauna of the Riu Kiu Islands, 597.
- LABRADOR, birds of, 74-86, 272, 278.
Lagopus scoticus x. *L. lagopus*, 302.
Lalage leucomela insulicola, 170.
 Laletes, 353.
Lalocitta lidghi, 597.
Lamprocolius caprius, 608.
 Lang, Herbert, personal mention, 175.
 Laniidae, 357.
Lanius borealis, 277.
 ludovicianus excubitorides, 63.
 l. migrans, 68, 414.
 undulatus, 283
Lanivireo, 341, 354.
 flavifrons, 415.
 solitarius alticola, 72.
 s. solitarius, 415.
 Lark, Horned, 84.
 Pallid Horned, 61, 281, 349-353, 411.
 Texas Horned, 548.
Larus argentatus, 55, 407, 519, 569, 581.
 atricilla, 125, 519.
 delawarensis, 77, 519, 569.
 dominicanus austrinus, 295.
 franklini, 55, 519, 569.
 fuscus affinis, 374.
 occidentalis livens, 606.
 o. wymani, 606.
 ridibundus, 370.
 LaTouche, J. D. D., notice of his 'Handbook of the Birds of East China,' 596.
 Lawrence, Robert B., notes on Texas ducks, 263.
 Lawyer, G. A., notice of his 'Game Laws, 1925-6,' 602.
 'Le Gerfaut,' reviewed, 165, 301.
 'L'Oiseau,' reviewed, 165, 300, 610.
Lecythoplastes fuliginosus, 299.
 Leffingwell, Dana J., Connecticut Warbler in spring migration in central New York, Mocking-bird in central New York, 140.
Lepidocolaptes angustirostris hellmayri, 421.
 a. *bivittatus*, 421.
 a. *certhiolus*, 421.
Leptolophus, 459.
Leptotila fulviventris brachyptera, 533, 544.
Leucolepis, 357.
 thoracicus, 459.
 Lewis, Harrison F., notes on birds of the Labrador peninsula in 1923; the first Labrador record of the Starling, 272; notes on birds of the Labrador Peninsula in 1924, 278; obituary of C. E. Dionne, 308.
 Lewis, Walter E., Cinnamon Teal and Black Brant in Oklahoma, 441.
 Limicolae, 289.
Limnodromus griseus, 240, 582.
 griseus scolopaceus, 528, 541.
Limosa fedoa, 59, 240, 529.
 haemastica, 240, 529.
 Limpkin, 527.
 Lincoln, Frederick C., notes on the bird life of North Dakota with particular reference to the summer waterfowl, 50-64; notice of his 'Returns from Banded Birds, 1920-1923,' 153; some results of bird banding in Europe, 358-388.

- Linnaean Society of New York, notice of 'Proceedings,' 295.
 Little, Leslie T., birds caught by Burdocks, 284.
 Lobipes lobatus, 556.
 Lochites, 149.
 Locustella ochotensis, 291.
 Loddigesia mirabilis, 608.
 Longspur, Chestnut-collared, 62, 240.
 Lapland, 239.
 McCown's, 239.
 Smith's, 240.
 Longstreet, R. J., Blue Goose (*Chen caerulescens*) at Seabreeze, Florida, 264; boreal Limicolae in Florida in summer, 581.
 Lönnberg, Einar, recent papers by, noticed, 294.
 Loon, 65, 407, 568.
 Pacific, 278.
 Red-throated, 554.
 Lophodytes, 49.
 cucullatus, 407, 521, 540, 571.
 Lophotes savilei, 607.
 Lophortyx gambeli, 419.
 Lophotriccus, 600.
 Loring, J. Alden, Northern Raven in Tioga Co., N. Y., 271.
 Louisiana, birds of, 442.
 Loxia curvirostra, minor, 420, 557.
 leucoptera, 557.

 МАСКAY, George H., breeding of the Herring Gull in Massachusetts, 517-518.
 Machaeropterus, 155.
 Magpie, 146.
 Magpie-Lark, Australian, 464.
 Maine, birds of, 128, 261, 265, 453.
 Mallard, 56, 263, 407, 441, 521, 571.
 Manacus, 155.
 Manakin, 588.
 Manitoba, birds of, 146.
 Man-o'-war-bird, 521, 540, 578.

 Marburger, Clifford, out of print, 612.
 Mareca americana, 56, 522, 572.
 penelope, 80, 263.
 Margarornis, 156.
 Marila americana, 57, 522, 573.
 affinis, 58, 574, 581.
 collaris, 419, 523, 574.
 marila, 522, 574.
 valisineria, 57, 523, 555, 573.
 Martin, Martha Evans, obituary, 481.
 Martin, Purple, 63, 67, 414.
 Maryland, birds of, 134, 262, 275.
 Massachusetts, birds of, 125, 126, 128, 130, 134, 141, 265, 451, 586, 594.
 Mathews, Gregory, M., review of his 'The Birds of Australia,' 158, 295, 454, 600.
 McAtee, W. L., reviews by, 159, 464, 603. See also Kalmbach, E. R.
 Meadowlark, 67, 213, 227, 412, 602.
 Rio Grande, 550.
 Western, 62.
 Megaquiscalus major macrourus, 550.
 Megalornis canadensis, 120.
 c. pratensis, 121.
 c. **tabida**, 122.
 mexicana, 120.
 nesiotes, 120.
 Melanerpes erythrocephalus, 66, 410.
 Melanopareia, 149.
 Meleagris gallopavo intermedia, 533.
 g. silvestris, 419.
 Melidectes torquatus cahni, 171.
 Melierax, 457.
 Melopelia asiatica, trudeaui, 533, 544.
 Melospiza georgiana, 413, 247.
 lincolni lincolni, 413, 562.
 melodia clementae, 297.

- Melospiza m. coronatorum, 297.
m. fallax, 447.
m. graminea, 297.
m. melodia, 67, 71, 85, 281, 413.
m. montana, 447.
- Merganser, 65.
Hooded, 407, 521, 540, 571.
Red-breasted, 571.
- Mergus americanus, 65, 571.
serrator, 571.
- Merops apiaster, 607.
- Mexico, birds of, 251.
- Michigan, birds of, 130, 144, 277, 278, 442, 449, 450, 460, 593.
- Micrastur, 457.
- Microeca fascians, 465.
- Micromonacha, 157.
- Micropalama himantopus, 59, 146, 240, 528, 541, 556.
- Migration, 353-358, 451, 454.
- Mikan's 'Flora and Fauna of Brazil', 283.
- Miller, Julia, a double-yolked Robin's egg, 278.
- Miller, Richard F., the Prothonotary Warbler in southern New Jersey, in summer, 139.
- Miller, W. deW., the secondary remiges and coverts in the Mandarin and Wood Ducks, 41-50; a new race of *Sicalis flaveola* from southeastern Brazil, 253-255; review of his 'Further Notes on Ptilosis,' 459.
- Miller, W. deW., and Griscom, Ludlow, notice of their 'Descriptions of New Birds from Nicaragua,' 295; notice of their 'Notes on Central American Birds,' 600.
- Milvus milvus, 383.
- Mimocichla, 355.
- Mimus, 155, 356.
polyglottos leucopterus, 553.
p. polyglottos, 140, 141, 417.
- Miner, Jack, review of his 'Jack Miner and the Birds,' 454.
- Minnesota, birds of, 142.
- Mitrephanes, 295.
- Mniotilta varia, 68, 415, 552.
- Mockingbird, 140, 141, 227, 417.
Western, 553.
- Molothrus ater ater, 62, 67, 412, 548.
a. obscurus, 548.
bonariensis, 549.
brevirostris, 549.
- Molt, 611.
- Momotus momota, 193.
- Morris, Robert O., obituary, 480.
- Mousley, Henry, further notes on the breeding of the Starling (*Sturnus vulgaris*) at Hatley, Quebec, 1924, 273; further notes on the birds of Hatley, Quebec, 1924, 281.
- Munia, 464.
- Murdoch, John, a remarkable flight of Sanderlings, 126.
- Murie, O. J., the Nighthawk in Alaska, 270.
- Murphy, Robert Cushman, notice of his 'The Most Valuable Bird in the World,' 158; review of his 'Bird Islands of Peru,' 284; notice of his 'A Sketch of the Bird Life of Polynesia,' 292; personal mention, 176.
- Muscadivores latrans, 129.
- Muscicapa minima neumanniana, 296.
- Muscivora forficata, 547.
- Myadestes, 355, 600.
- Mycerobas, 257.
- Mycteria americana, 525, 540.
- Myers, Everett C., will the Starling learn to migrate in this country, 134.
- Myiarchus, 295.
cephalotes caribbaeus, 611.
crinitus, 66, 270, 411.

- Myiarchus magister nelsoni, 547.
 Myiobius, 155, 600.
 Myiochanes, 155, 157, 295.
 virens, 66, 411, 548.
 Myiozetetes, 155, 600.
 Mynah, Crested, 159.
 Myrmopagis, 149.
 Myzantha obscura, 454.
 o. perplexa, 454.
- NANNUS, 357.
 hiemalis hiemalis, 73, 278, 417.
 Naumburg, Elsie M. B., a few remarks about *Cyclarhis gujanensis cearensis*, 341-349; a new *Lepidocolaptes*, 421.
 Nebraska, birds of, 485.
 Nelson, E. W., danger in bird traps, 304.
 Neochelidon, 155.
 tibialis, 155.
 Neochloe, 353.
 Neomixis flavoviridis, 299.
 Nesotriccus debooyi, 446.
 Netherlands Ornithological Club, 'Proceedings,' reviewed, 166, 301, 610.
 Nettion carolinense, 57, 82, 419, 522, 572.
 crecca, 367.
 New Brunswick, birds of, 130, 131.
 New Hampshire, birds of, 288.
 New Jersey, birds of, 31-41, 131, 138, 139, 267.
 New Jersey Audubon Society, notice of its 'Bulletin', 33.
 New Mexico, birds of, 129.
 New York, birds of, 125, 127, 131, 138, 140, 144, 266, 267, 271, 441, 554, 584, 590, 591.
 New Zealand, birds of, 294.
 Nicaragua, birds of, 295, 600.
 Nice, Margaret M., changes in the bird-life in Amherst in 21 years, 594.
 Nighthawk, 66, 216, 270, 319, 411.
 Nighthawk, Sennett's, 61.
 Texas, 547.
 Western, 546.
 Nomonyx, 49.
 dominicus, 523.
 Nonpareil, 313.
 'Norsk Ornithologisk Tidsskrift,' reviewed, 302, 610.
 North Carolina, birds of, 123, 264, 447, 450.
 North Dakota, birds of, 50-64, 145.
 Northeastern Bird-banding Association, notice of 'Bulletin,' 467, 606.
 Norton, Arthur H., notes on the Black Skimmer in Maine, 261; Blue Goose (*Chen caerulescens*) in Maine, 265.
 Numenius americanus, 59, 531, 543.
 borealis, 531.
 hudsonicus, 531, 543, 580.
 Nuthatch, Red-breasted, 86, 281, 417.
 White-breasted, 417.
 Nuttall Ornithological Club, notice of its anniversary publication, 159.
 Nutting, C. C., and others, notice of their 'Fiji-New Zealand Expedition,' 294.
 Nyctanassa violacea, 526.
 Nyctea nyctea, 410.
 Nyctibius griseus, 607.
 Nycticorax nycticorax naevius, 58, 419, 526, 541,
 Nyctidromas albicollis merrilli, 546.
 Nyctiphrynus, 295.
- OBERHOLSER, H. C., notice of his 'Notes on the Races of *Rampalcyon capensis*,' 291; notice of his 'Description of a New *Oriolus*,' 291.
 Oceanites oceanicus, 262.
 Oceanodroma leucorhoa, 79.
 Oddi, A. Degli, notice of his 'Life

- and Bibliography of T. Salvadori,' 158.
- Ogburn, Charlton, Jr., see Rosen, Victor,
- Ohio, birds of, 275, 447, 580.
- Oidemia americana, 575, 579.
 deglandi, 442, 576.
 perspicillata, 576.
- Oklahoma, birds of, 271, 441, 447.
- Old-squaw, 263, 523, 575.
- Olds, Henry, obituary, 616.
- Ontario, birds of, 124.
- 'Oölogist, The,' reviewed, 162, 298, 466, 606.
- 'Oölogists' Record,' reviewed, 164, 300, 470, 609.
- Oporornis agilis, 140, 420, 450.
 formosus, 416.
 philadelphia, 69, 282, 416.
- Oreopeleia, 396.
 montana, 130.
- Oreoscoptes, 356.
- Oreothlypis, 600.
- Oriole, Audubon's, 550.
 Baltimore, 62, 67, 412.
 Bullock's, 550.
 Orchard, 412, 550.
 Sennett's, 550.
- Oriolus indicus ochroxanthus, 291.
- Ornithological Articles in other journals reviewed, 168, 303, 473.
- 'Ornithologische Beobachter,' reviewed, 166, 302, 611.
- 'Ornithologische Monatsberichte,' reviewed, 166, 302, 473, 610.
- Oropezus, 149.
- Ortalis vetula mcalli, 533, 543.
- Oryzoborus, 257.
- Osprey, 66, 281, 313, 409, 443, 451, 537.
- Otanes, Faustino Q., notice of his account of the Crested Mynah, 159.
- Otocoris, 357.
 alpestris alpestris, 84.
 a. alticola, 349-353.
- Otocoris a. giraudi, 548.
 a. praticola, 61, 411.
- Otus asio, 410.
 a. mcalli, 546.
- Ouzel, Water, 142.
- Ovenbird, 69, 85, 281, 416.
- Owl, Barn, 131, 177, 409, 444, 537.
 Barred, 410, 443.
 Burrowing, 61.
 Great Horned, 14-31, 66, 410, 444, 445.
 Long-eared, 409, 537.
 Richardson's, 131.
 Screech, 410.
 Short-eared, 31, 61, 280, 410.
 Snowy, 410.
 Texas Screech, 546.
- Oxyechus vociferus, 60, 65, 408, 485-496, 531, 543.
- Oxyrhynchus serratus, 283.
- Oystercatcher, 313.
- PACHYRHAMPHUS, 295.
- Pachysylvia, 155.
- Pagolla wilsonia, 532, 543.
- Palmer, T. S., the forty-second stated meeting of the American Ornithologists' Union, 105-120; report of the secretary, 116-120; obituaries of members, 174, 476, 478, 613.
- Panama, birds of, 156.
- Pandion haliaetus, 446.
 h. carolinensis, 66, 409, 537.
- Pangburn, Clifford H., Short-billed Marsh Wren breeding in West Chester Co., N. Y., 593; Tennessee Warbler in Vermont, 592; Egret in Vermont, 592.
- Parabuteo, 457.
 unicinctus, harrisi, 534, 545.
- Parauque, Merrill's, 546.
- Paridae, 357.
- Parker, Arthur C., Black Skimmer on Lake Ontario, 441.
- Partridge, Hungarian, 601.

- Parus atricapillus*, 300.
 caeruleus, 384.
 carolinensis carolinensis, 418.
Passer, 256, 412.
Passerculus sandwichensis nevadensis, 62.
 s. savanna, 412.
Passerella iliaca, 413.
Passerherbulus henslowi, 420, 590.
Passerina ciris, 551.
 cyanea, 414.
 versicolor versicolor, 551.
Pedioecetes phasianellus campestris, 60, 65.
 Pearson, T. Gilbert, 'Hérons of the United States,' 157; mention of his 'Notes on the winter Bird Life of Southeastern Texas', 296.
Pelecanus erythrorhynchus, 56, 263, 521, 539, 570.
 occidentalis, 124, 521, 540.
 Pelican, Brown, 124, 211, 314, 521, 540.
 White, 56, 263, 455, 521, 539, 570, 605.
Pelidna alpina sakhalina, 529.
Pellorneum smithi, 155.
 Penard, Thomas E., nesting of Great Blue Heron in Boothbay, Maine, 128.
 Pennsylvania, birds of, 140, 583, 586.
 Penrose, Charles B., obituary, 307.
Penthestes atricapillus atricapillus, 69.
 gambeli gambeli, 593.
Perissospiza, 257.
 Perkins, R. C. L. and Swezey, O. H., notice of their paper on the introduction of insects and birds in Hawaii, 160.
 Perrine, Thelma and Keble B., winter habits of the White-throated Sparrow at Chapel Hill, N. C., 447.
 Perrine, Keble, B., the Cape May Warbler at Chapel Hill, N. C., 450.
 Peru, birds of, 158, 284.
 Peters, James L., notes on the taxonomy of *Ardea canadensis* Linne., 120-122; notice of his 'Review of the Limpkins,' 296; notice of his 'New Geositta from Western Argentina,' 296.
 Petrel, Leach's, 79.
 Wilson's, 262.
Petrochelidon, 155.
 lunifrons, 275.
 l. lunifrons, 63, 414.
Peucaea aestivalis bachmani, 413.
Peucedramus, 600.
 olivaceus, 600.
 o. arizonae, 600.
 Pewee, Wood, 66, 411, 548.
Phainoptila, 156.
Phalacrocorax auritus, 407, 555, 570, 578.
 a. auritus, 56.
 bougainvillei, 284.
 carbo, 80, 279, 383.
 vigua mexicana, 521, 558.
Phalarope, Northern, 556.
 Red, 124.
 Wilson's, 58, 126, 267, 527, 541.
Phalaropus fulicarius, 124.
Phaps chalcoptera, 395.
Phasianus torquatus, 418.
 Pheasant, Ring-necked, 418.
Pheugopedius, 155.
Pheuticus, 257.
 Phillips, John C., Leonard Baldner, seventeenth century sportsman and naturalist, 332-341.
Phloeotomus pileatus pileatus, 410.
 Phoebe, 66, 411, 548.
Phoenicothraupis, 157.
Phoenostictus, 149.
Phylloscartes, 600.
Pica pica hudsonia, 146.
Picoides arcticus, 145.
 Pickwell, Gayle, some nesting habits

- of the Belted Piping Plover, 326-332; the nesting of the Killdeer, 485-496.
- Pigeon, Fijian Nutmeg, 129.
 Passenger, 419, 453.
 Red-billed, 533, 544.
- Pintail, 57, 365, 522, 540, 573.
- Pipilo erythrophthalmus erythrophthalmus, 67, 414.
- Pipit, American, 417.
- Pipra, 600.
 iris, 463.
 opalizans, 463.
- Piprites, 155.
- Piranga erythromelas, 67, 414.
 hepatica, 551.
 rubra rubra, 414.
- Pisobia sp., 59.
 bairdi, 528.
 fuscicollis, 528.
 maculata, 528.
 minutilla, 528, 541.
- Pitangus sulphuratus derbianus, 547.
- Planesticus, 156, 354.
 migratorius achrusterus, 74.
 m. propinquus, 64, 70, 418.
- Platalea leucorodia, 384.
- Platytriccus, 295.
- Plegadis autumnalis, 442.
 guarauna, 524.
- Plover, Belted Piping, 326-332.
 Black-bellied, 531, 582.
 Golden, 125, 531, 556.
 Mountain, 60, 532, 543.
 Piping, 531.
 Semipalmated, 60, 532, 543.
 Snowy, 531.
 Upland, 59, 144, 530.
 Wilson's, 319, 532, 543.
- Pluvialis dominica dominica, 531, 556.
- Podasocys montanus, 60, 532, 543.
- Podilymbus podiceps, 55, 419, 519, 538, 568.
- Polioptila, 356.
 Polioptila caerulea caerulea, 418, 356, 554.
 Polyborus cheriway, 537, 545.
 Polynesia, birds of, 292.
 Pooecetes gramineus confinis, 62.
 g. gramineus, 67, 412.
 Poole, Earl L., a graphic method of recording flight, 209-216.
 Porto Rico, birds of, 282, 558-563.
 Porzana carolina, 58, 408, 527, 541.
 Potter, Julian K., and Gillespie John A., observations on the domestic behaviour of the Barn Owl, 177-192.
 Praeger, W. E., the birds of the Des Moines Rapids, 563-577.
 Prairie Chicken, 60.
 Progne elegans, 276.
 furcata, 276.
 subis subis, 63, 67, 414.
 Protonotaria citrea, 138, 139, 140.
 Pselliophorus, 156.
 Pseudocolaptes, 156.
 Pseudotadorna cristata, 302.
 Ptilosis, 459.
 Ptilotis albilineata, 295.
 Puffinus griseus stricklandi, 123.
 lherminieri, 123.
 pacificus whitneyi, 608.
- Purdy, James Britton, obituary of, 620.
- Pygochelidon, 208.
- Pyrenestes, 154.
- Pyriglena berlepschi, 149.
- Pyrotrogon erythrocephalus intermedius, 608.
- QUAIL, 293.
 California, 601.
 Chestnut-bellied Scaled, 532.
 Gambel's, 419.
 Scaled, 129.
- Quebec, birds of, 273, 281.
- Querquedula cyanoptera, 263, 441, 522.
 discors, 57, 419, 522, 540, 572.

- Quiscalus quiscula aeneus*, 62, 67, 84, 412.
q. aglaeus, 397.
- RAIL, King, 266, 527.
 Sora, 408.
 Virginia, 146, 419.
 Yellow, 419.
- Rallus elegans*, 266, 527.
 virginianus, 146, 419.
- Ramphalecyon*, 291.
- Rathbun, Samuel F., the Black Swift and its habits, 497-516.
- Raven, Northern, 271.
 White-necked, 548.
- Raven, Charles E., notice of his 'In Praise of Birds,' 599.
- Recurvirostra americana*, 59, 528, 541, 580.
- Redbreast, 384.
- Redhead, 57, 523, 573.
- Redstart, 69, 417, 553.
- Redtail, Western, 60, 535.
- Redwing, Vera Cruz,
- Reed, Bessie P., growth development and reactions of young Great Horned Owls, 14-31.
- Regulus*, 356.
 calendula calendula, 144, 418, 593.
 satrapa satrapa, 86, 418.
- 'Revue Francaise d'Ornithologie', reviewed, 164, 300, 471, 609.
- Rhinorchilus*, 459.
- Rhipidura tricolor*, 465.
- Rhopias*, 149.
- Rhopochares*, 149.
- Rhynchophanes meadowi*, 239.
- Richmondia*, 257.
- Ridgway, Robert, diagnosis of a new genus of Buteonine hawks, 585.
- Ridgwayia*, 355.
- Riley, J. H., notice of his 'A Collection of Birds from North and North-central Celebes, 154; notice of his 'A New Spotted Babbler from Siam,' 155; notice of his 'Three New Birds from Western China,' 291; a new hazel grouse from the province of Szechwan, China, 422.
- Ringneck,
- Riparia riparia*, 63, 67, 86-94.
- Rishel, J. B., notes on the Water Ouzel (*Cinclus mexicanus*) in the mountains of Colorado, 142.
- Rissa tridactyla*, 279.
- Riu Kiu Islands, birds of, 597.
- Road-runner, 546.
- Robin, 70, 216, 227, 278, 281, 418, 451, 591.
 Southern, 74.
 Western, 64.
- Rosen, V., Northern Pileated Woodpecker in Massachusetts, 586.
- Rosen, Victor, and Ogburn, Charlton, Jr., Black Tern at Brooklyn, N. Y., in spring, 441
- Rough-leg, Ferruginous, 536.
- Rowan, William, danger in bird traps, 171.
- Royal Australasian Ornithologists' Union, meeting of, 175, 482.
- Rubicola minor*, 408.
- Rupornis*, 585.
 ridgwayi, 585.
- Rhynchops nigra*, 125, 261, 441, 520, 539.
- SAGE, John Hall, sketch of R. O. Morris, 480; obituary of, 613.
- Salpinctes*, 357.
- Salvadori, Tommaso, life and bibliography of, 158.
- Sanderling, 126, 529, 542, 556, 582.
- Sandpiper, Baird's, 528.
 Buff-breasted, 146, 530.
 Least, 528.
 Pectoral, 528.
 Purple, 82, 267.
 Red-backed, 529.

- Sandpiper, Semipalmated, 529, 582.
 Solitary, 408, 529.
 Spotted, 59, 65, 230, 408, 531,
 580, 581, 582.
 Stilt, 59, 146, 240, 528, 542,
 556.
 Western, 529, 562.
 Western Solitary, 530.
 White-rumped, 528.
- Sapsucker, Yellow-bellied, 410.
- Sass, H. R., White-crowned Sparrow
 in South Carolina, 590.
- Saucerottea tobaci erythronota, 607.
- Saunders, W. E., obituary of W. D.
 Hobson, 175.
- Savage, James, European Widgeon
 (*Mareca penelope*) at Niagara
 Falls, N. Y., 263.
- Sayornis phoebe, 66, 411, 548.
- Saxicola, 355.
- Scardafella inca, 534, 544.
- Scaup, 523.
 Greater, 574.
 Lesser, 58, 523, 540, 574, 581.
- Schiöler, E. Lehn, notice of his
 proposed 'Birds of Denmark,'
 483.
- Schorger, A. W., some summer birds
 of Lake Owen, Bayfield County,
 Wisconsin, 64-70; Barn Owl
 breeding at Madison, Wis., 131.
- Selater, W. L., notice of his 'Aves'
 in the Zoological Record, 456.
- Selateria, 149.
- Scoter, American, 575, 579.
 Black, 575.
 Surf, 576.
 White-winged, 442, 576.
- Scytalopus, 156.
 latrans, 149.
- Seed-eater, Sharpe's, 551.
- Seiurus aurocapillus, 69, 85, 416.
 motacilla, 416.
 noveboracensis, 416.
 n. notabilis, 552.
- Setophaga ruticilla, 69, 417, 553.
- Shearwater, Audubon's, 123.
 Sooty, 123.
- Sherman, Althea R., review of her
 papers on the House Wren prob-
 lem, 460.
- Shoveller, 57, 522, 540, 572.
- Shrike, Great Northern, 277.
 Migrant, 68, 414.
 White-rumped, 63.
- Sialia sialis sialis, 70, 418.
- Sicalis, 155.
 arvensis, 155.
 flaveola, 254.
 f. holti, 254.
 pelzelni, 254.
- Simon, Eugene L., obituary, 478.
- Sipia, 149.
- Siskin, 412.
 Pine, 67.
- Sitta canadensis, 86, 417.
 carolinensis carolinensis, 417.
- Sittidae, 357.
- Sittiparus varius koreensis, 291.
- Skimmer, Black, 125, 261, 314, 441,
 520, 539.
- Skinner, Milton P., notice of his
 'Birds of Yellowstone National
 Park,' 455.
- Smyth, Ellison A., White-crowned
 Sparrow in Montgomery Co.,
 Virginia in January, 275.
- Snethlagea, 600.
- Snipe, Wilson's, 281, 408, 528, 556.
- Snyder, L. L., the Brown Pelican
 (*Pelecanus occidentalis*) in Onta-
 rio, 124.
- Somateria molliss dresseri, 82, 279.
 spectabilis, 264, 575.
- Song, bird, 320-326.
- Sora, 58, 527, 541.
- 'South Australian Ornithologist,'
 reviewed, 164, 300, 471, 609.
- South Carolina, birds of, 265, 270,
 271, 311-319, 578, 590.
- Sparrow, Bachman's, 413.
 Black-throated, 551.

- Sparrow, Chipping, 67, 84, 136, 227, 280, 413.
 Clay-colored, 63, 67, 144.
 English, 227, 412, 591.
 Field, 216.
 Fox, 413, 451.
 Grasshopper, 412.
 Harris's, 145, 275.
 Henslow's, 420, 590.
 Lark, 413.
 Lincoln's, 413, 562.
 Mountain Song, 447.
 Nevada Savannah, 62.
 Savannah, 412.
 Song, 67, 71, 85, 213, 227, 281, 413, 451.
 Swamp, 247, 413.
 Texas, 551.
 Tree, 413.
 Vesper, 67, 412.
 Western Grasshopper, 63.
 Western Vesper, 62.
 White-crowned, 275, 413, 590.
 White-throated, 67, 413, 447.
- Spatula clypeata*, 57, 522, 540, 572.
 Speckle-belly, 577.
Speotyto cunicularia hypogaea, 61.
Sphyrapicus varius varius, 410.
Spinus pinus, 67.
 p. pinus, 412.
Spiza americana, 63, 414.
Spizella monticola monticola, 413.
 pallida, 63, 67, 144.
 passerina passerina, 67, 84, 136, 280, 413.
 pusilla pusilla, 413.
 Spoonbill, European, 384.
 Roseate, 524, 540.
Sporophila morelleti sharpei, 551.
 Sprigtail, 573.
 Sprunt, Alexander, Jr., an avian city of the South Carolina coast 311-319; curious occurrence of Chimney Swift, 587; Man-o'-war Bird in South Carolina, 578.
Squatarola squatarola, 531, 582.
- Starling, 134, 227, 271, 272, 273, 376, 446, 447, 463, 464.
 Starvoenas, 396.
Steganopus tricolor, 58, 126, 267, 527, 541.
Stelgidopteryx serripennis, 414.
 Stephenson, Mrs. Jesse, Glossy Ibis in Colorado, 442.
Stercorarius parasiticus, 569.
Sterna antillarum, 520, 539, 570.
 cantiaca, 383.
 caspia, 569.
 caspia imperator, 78, 554.
 fluviatilis, 383.
 forsteri, 55, 520, 539, 569.
 hirundo, 383, 520, 555.
 maxima, 520, 539.
 sandvicensis, 383.
 s. acuflavida, 520, 539.
 Stilt, Black-necked, 59, 528, 541.
 Stoddard, H. L., notice of his 'Progress of Cooperative Quail Investigation, 1924,' 293; personal notice, 484.
 Stone, Witmer, diving of Spotted Sandpiper, 581; Kingfisher and Hawk, 586; obituary of Charles B. Penrose, 307.
 Stoner, Dayton, observations and banding notes on the Bank Swallow, 86-94; notice of his reports on Fiji and New Zealand birds, 294; notice of his sketch of the life of Audubon, 457.
 Stork, White, 361.
 Strabala, Lony B., the Starling (*Sturnus vulgaris*) at Leetonia, Ohio, 447.
 Stresemann, Erwin, notice of recent papers by, 462.
Strix aluco nivipetens, 291.
 varia varia, 410.
Sturnella magna magna, 67, 412.
 m. hoopesi, 550.
 neglecta, 62, 465.
Sturnopaster capensis dehrae, 608.

- Sturnus vulgaris*, 134, 271, 272, 273, 376, 447.
- Sumner, F. B., review of his 'The Stability of Subspecific Characters,' 286.
- Sushkin, Peter P., the Evening Grosbeak (*Hesperiphona*) the only American genus of a Palaearctic group, 356-261.
- Suthora, 343.
- Sutton, George Miksch, American Egret and Little Blue Heron in Brooke Co., W. Va., 129; notice of his 'A Year's Program for Bird Protection,' 463; Egret and Little Blue Heron, in central Pennsylvania, 583; swimming and Sandpiper, 580; strange nesting site of Chimney Swift, 586.
- Swallow, 379.
Bank, 63, 67, 86, 94, 420.
Barn, 63, 67, 85, 414, 551.
Cliff, 63, 275, 414.
Rough-winged, 414.
Tree, 68, 145, 551.
Violet-green, 137.
- Swan, Trumpeter, 455, 577.
Whistling, 137, 147, 524, 577.
- Swann, H. Kirke, review of his 'A Monograph of the Birds of Prey,' 149, 288, 457.
- Swift, Black, 497-516.
Chimney, 61, 66, 213, 227, 411, 586, 587.
- Synallaxis azarae infumanta*, 463.
- TACHYCINETA *thalassina lepida*, 137.
- Taeniotriccus, 600.
- Tanager, Hepatic, 551.
Scarlet, 67, 414.
Summer, 414.
- Tanagra *chalybea*, 283.
diademata, 283.
- Tangará, 588.
- Tangavius *aeneus involucratus*, 549.
- Taylor, Walter P., the breeding and wintering of the Pallid Horned Lark in Washington state, 349-353.
- Teal, Blue-winged, 57, 419, 572.
Cinnamon, 263, 441, 522.
European, 367.
Green-winged, 57, 82, 419, 572, 522.
- Tephradornis *gularis latouchei*, 608.
- Tern, Black, 55, 441, 520, 570.
Cabot's, 520, 539.
Common, 520, 555.
Coues' Caspian, 78, 519, 539, 554, 569.
Forster's, 55, 520, 539, 569.
Gull-billed, 519, 538, 558.
Least, 318, 520, 539, 570.
Royal, 314, 520, 539.
- Territornis, 295.
- Tetrao *urogallus karelicus*, 294.
- Tetrastes *sewerzowi secunda*, 423.
- Texas, birds of, 263, 432-440, 519-536, 537-555.
- Thamnophilus, 149.
- Thrasher, Brown, 64, 69, 227, 417.
Curve-billed, 553.
Sennett's, 553.
- Thrush, Gray-cheeked, 418.
Hermit, 69, 281, 418, 451.
Olive-backed, 418.
Wood, 227, 418.
Wilson's, 420.
- Thryomanes *bewicki bewicki*, 73, 417.
b. *cryptus*, 554.
- Thryophilus, 600.
- Thryothorus, 295, 357.
ludovicanus alleghani, 169.
l. *lomitensis*, 553.
l. *ludovicianus*, 417.
- Tinamou, Variegated, 601.
- Titmouse, Blue, 384.
Gray, 593.
Sennett's 554.
- Todirhamphus *gertrudae*, 292.

- Todd, W. E. Clyde, *Progne elegans* vs. *Progne furcata*, 276; two new birds for Porto Rico, 282; notice of his 'Sixteen New Birds from Brazil and Guiana', 600.
'Tori,' reviewed, 302.
- Totanus flavipes*, 59, 529, 541.
melanoleucus, 529.
- Towhee, 67, 414, 602.
- Townsend, Charles W., Black Vulture at Grand Manan, New Brunswick, and Ipswich, Mass., 130; Richardson's Owl at Grand Manan, N. B., 131; notes on the nesting habits of the Northern Pileated Woodpecker, 132; notice of his 'Sand Dunes and Salt Marshes,' 455.
- Toxostoma*, 356.
curvirostre curvirostre, 553.
longirostre sennetti, 553.
rufum, 64, 69, 417.
- Tricholaema hirsutum*, 291.
h. chapini, 291.
- Tringa canutus*, 240.
solitaria solitaria, 408, 529.
s. cinnamomeus, 529.
- Troglodytes*, 156.
aedon aedon, 417.
a. parkmani, 64, 69.
- Trogonurus*, 156.
- Tryngites subruficollis*, 146, 530.
- Tugarinow, A., and Buturlin, S., notice of their 'Ornithology of the Yenisee Government,' 460.
- Turdus*, 600.
- Turkey, Ocellated, 293.
Rio Grande, 533.
Wild, 419.
- Turnstone, Ruddy, 533, 582.
- Turtur chinensis*, 160.
- Tympanuchus americanus*, 60.
- Tyranniscus*, 155.
- Tyrannus melancholicus couchi*, 547.
- Tyrannus tyrannus*, 61, 66, 83, 271, 320, 411, 547.
verticalis, 61, 271.
- Tyto pratincola*, 131, 177, 269, 409, 533.
- U. S. BIOLOGICAL SURVEY, notice of publications of, 153; annual report noticed, 293.
- Urner, Charles A., notes on two ground nesting birds of prey, 31-41.
- Urotriorchis*, 457.
- VAN ROSSEM, A. J., observations on the Spotted Sandpiper, 230-232.
- Van Tyne, Josselyn, Bell's Vireo in Michigan, 277; notice of his 'Notes on the Birds of Charlevoix Co., Mich.', 460.
- Von Lengerke, Justus, Goshawks in northern New Jersey, 131.
- Veery, 69.
- Venezuela, birds of, 156.
- Verdin, 554.
- Vermivora*, 600.
browni, 251.
celata celata, 420.
chrysoptera, 420.
crissalis, 251.
peregrina, 415, 552, 592.
pinus, 415.
rubricapilla rubricapilla, 420, 552.
ruficapilla ruficapilla, 68, 593.
- Vermont, birds of, 592.
- Vireo, 353.
bellii bellii, 277, 449.
griseus griseus, 415.
g. micrus, 552.
huttoni obscurus, 353.
- Vireo, Bell's, 277, 449.
Blue-headed, 415.
Mountain, 72.
philadelphia, 420.

- Vireo, Red-eyed, 68, 227, 414.
 Small White-eyed, 552.
 Warbling, 68, 414.
 White-eyed, 415.
 Yellow-throated, 415.
Vireolanus, 353.
Vireosylva, 341, 354.
 gilva gilva, 68, 414.
 olivacea, 68, 414.
 philadelphica, 420.
Virginia, birds of, 275, 580.
Volatina, 155.
Vulture, Black, 130, 211, 409, 442,
 534, 545.
 Turkey, 211, 409, 442, 534, 545.
- WARBLER, Bay-breasted, 415, 552.
 Black and White, 69, 415, 552.
 Blackburnian, 416, 552, 593.
 Black-poll, 281, 552.
 Black-throated Blue, 68, 415.
 Black-throated Green, 282,
 416, 552.
 Blue-winged, 415.
 Cairn's, 73.
 Canada, 69, 73, 417, 553.
 Cape May, 281, 415, 450.
 Cerulean, 147, 415, 552.
 Chestnut-sided, 69, 415, 552.
 Connecticut, 140, 420, 450.
 Golden-winged, 420.
 Hooded, 416.
 Kentucky, 416.
 Macgillivray's, 277.
 Magnolia, 415, 552, 593.
 Mourning, 69, 281, 282, 416.
 Myrtle, 68, 216, 281, 415, 552.
 Nashville, 68, 420, 552, 593.
 Northern Parula, 281.
 Orange-crowned, 281, 420.
 Palm, 281, 416, 552.
 Parula, 420.
 Pine, 69, 140, 281, 420.
 Prairie, 144, 416.
 Prothonotary, 138, 139, 140.
 Sycamore, 416.
- Warbler, Tennessee, 415, 552, 592.
 Yellow, 63, 281, 415, 552.
 Yellow Palm, 85, 281.
 Yellow-throated, 591.
 Wilson's, 281, 420.
 Worm-eating, 415.
Warren, B. H., Avocet at Wallop's
 Island, Va., 580.
Water-Thrush, 416.
 Grinnell's, 552.
 Louisiana, 416.
 Northern, 281.
Water-Turkey, 520, 539.
Washington, birds of, 349-353,
 497-516.
Waxwing, Cedar, 63, 67, 71, 85,
 414, 551.
Wayne, Arthur T., another South
 Carolina winter record for the
 Crested Flycatcher (*Myiarchus*
 crinitus) 271; the Starling (*Sturnus*
 vulgaris) on the coast of
 South Carolina, 271.
Weisman, T. Walter, personal
 notice, 483.
West Virginia, birds of, 129.
Weston, Francis M., Jr., Golden
 Eagle in Florida, 443.
Wetmore, Alexander, Wilson's Pet-
 rel in Maryland, 262; dates of
 publication of Mikan's Flora and
 Fauna of Brazil, 283; another
 record for the genus *Corvus* in
 St. Croix, 446; the status of
 Amoromyza Richmond, 450; per-
 sonal mention, 621.
Wheeler, H. E., review of his
 'The Birds of Arkansas,' 285.
Whip-poor-will, 66, 70, 411.
White, F. B., notice of his 'Birds
 of Concord, New Hampshire,'
 288.
Whittle, Charles L., domestic af-
 fairs of *Spizella p. passerina*, 136.
Widgeon, European, 80, 263.
Willet, 530, 583.

- Willet, Western 59, 530, 543.
 Williamson, Henry, review of his
 'Sun Brothers,' 602.
 'Wilson Bulletin,' reviewed, 162,
 298, 466, 606.
 Wilson Ornithological Club, meet-
 ing of, 175.
 Wilson, Alexander, historical notes
 on, 606.
 Wilson, Etta S., Black Vulture
 (*Coragyps urubu*) in Michigan,
 442.
Wilsonia canadensis, 69, 73, 417,
 553.
 citrina, 416.
 pusilla pusilla, 420.
 Winge, Adolf Herluf, obituary, 174.
 Wisconsin, birds of, 64-70, 131.
 Wood, Norman A., further notes on
 North Dakota birds, 145. *Vireo*
belli belli, at Detroit, Mich., 449;
 new and rare birds for North
 Dakota, 452.
 Wood, Casey A., a fossil bird's
 egg from the post-tertiary mud-
 rocks of Fiji, 401-404; correction,
 129.
 Woodcock, 213, 408.
 European, 608.
 Woodpecker, Arctic Three-toed,
 145.
 Downy, 61, 66, 410, 464.
 Golden-fronted, 546.
 Hairy, 66, 410.
 Northern Pileated, 132, 269,
 586.
 Pileated, 211, 410, 216.
 Red-bellied, 411.
 Red-headed, 66, 227, 410.
 Texas, 546.
 Wren, Bewick's, 73, 417.
 Cactus, 553.
 Carolina, 142, 417.
 House, 213, 227, 417, 604.
 Lomita, 553.
 Prairie Marsh, 64.
 Short-billed Marsh, 420, 593.
 Texas, 553.
 Western House, 64, 69.
 Winter, 73, 278, 417..
 Worthington's Marsh, 312.
 Wyoming, birds of, 455.
 XANTHOCEPHALUS *xanthocephalus*,
 62, 549.
 Xanthoura, 208.
 luxuosa glaucescens, 548.
 YELLOW-THROAT, Maryland, 69,
 86, 416, 557.
 Northern, 563.
 Rio Grande, 552.
 Yellow-legs, 59, 529, 542.
 Greater, 529.
 Yoder, Wm. and Gaede, A. Henry,
 Purple Sandpiper at Cape May,
 N. J., 267.
 ZAMELODIA, 257.
 ludoviciana, 67.
 Zeledonia, 355.
 Zenaida *zenaida*, 446.
 Zenaidura *macroura carolinensis*,
 60, 148, 409.
 macroura marginella, 533, 544.
 Zimmer, John T., notice of his
 'Two New Birds from Peru,'
 463; notice of his 'An Earlier
 name for *Pipra opalizans*,' 463.
 Zonotrichia *albicollis*, 67, 413, 447.
 leucophrys leucophrys, 413,
 590.
 querula, 145, 275,
 Zoological Record, 483.