rough. The next morning, October 27, we found five warblers on board: a male Black-throated Blue Warbler (Dendroica caerulescens caerulescens), an Oven-bird (Seiurus aurocapillus), a Northern Water-Thrush (Seiurus noveboracensis noveboracensis), a male Northern Yellow-throat (Geothlypis trichas brachidactyla), and a female Redstart (Setophaga ruticilla).

The Oven-bird would not permit anyone to come very near it and kept out of reach in the rigging. The Northern Yellow-throat rested on the railing, and when approached would fly off and return to some other part of the railing. The others were apparently exhausted and were resting on the after deck. They could easily be caught and made no attempt to escape other than to hop wearily under the steamer-chairs occupied by the passengers.

Shortly after lunch, it must have been about 2:00 o'clock, when one of the passengers came near the Yellow-throat, it left the steamship and did not return. Heading in a southerly direction the bird flew at about the height of the ship's railing as long as I could keep it in sight. The Ovenbird also disappeared in the afternoon, but the weary trio remained with us all day. The next morning they were gone.—Thomas E. Penard, Arlington, Mass.

Carolina Wren in Northern Illinois.—In spite of the fact that the Carolina Wren (*Thryothorus l. ludovicianus*) is fairly numerous in central Illinois and common in the southern part of the state, it is a rare bird in the northern portion. March 21, 1926, a male in very soiled plumage was found dead in a garage in Wilmette, Cook Co., Illinois, by Mr. Dorland Davis of that place, and was presented to me in the flesh. Mr. Davis writes me that he first saw it on February 1st.—Pierce Brodkorb, *Evanston, Illinois*.

Additions to the New Hampshire List.—In 'The Auk' for April 1923 (vol. XL, p. 352) were mentioned eight additions to Dr. G. M. Allen's List of the Birds of New Hampshire (1903). It may be convenient to have further additions, ten in number, brought together here. First I give those that have not, I believe, been recorded; then others, with references to place of publication.

Sterna paradisaea, Arctic Tern. Mr. C. F. Goodhue of Webster has in his collection three specimens taken by Mr. E. Nudd at Hampton, September, 1903.

Marila valisineria, Canvasback.—Mr. G. F. Wentworth of Dover has in his collection a specimen taken at Dover Point about 1915. Dr. G. M. Allen tells me that Mr. C. F. Hardy, Jr., got a specimen from Seabrook, where it was shot Nov. 4, 1908. Two or three other less definite reports have also come to me.

Bubo virginianus pallescens, Western Horned Owl.—Mr. Goodhue has in his collection a specimen that was taken at Boscawen, Oct. 15, 1909.

Spectyto cunicularia hypogaea, Burrowing Owl. Mr. Wentworth has