A pair of Least Sandpipers was also noted. The Yellow-legs remained in nearly the same proportions for two days.

May 7 brought a pair of Ring-billed Gulls, and five Bonaparte's; a pair of Black Terns, which may have been those of the third, was also noticed.

A Mute Swan and a Little Blue Heron in pied plumage were the surprises of May 12, while a few of the Ducks and one each of the Horned and Pied-billed Grebes remained. At this time the water commenced to lower, and by the following visit, on May 26, a considerable area of mud flat was exposed, which was tenanted by a pair of Black-bellied Plover, twelve Semipalmated Plover, and several Least and Semipalmated Sandpipers, all of which remained until May 30, when the Black-bellied was last seen, although the other species remained until June 2, and a small flock of Semipalmated Sandpipers was still about on the 6th.— Earl L. Poole, Public Museum, Reading, Pa.

Egret at Wareham, Mass.—On July 30, 1929, I noticed two large birds coming from the southward over Buzzards Bay, as they came nearer I recognized a Great Blue Heron followed by an Egret. The pure white plumage and black legs of the latter together with its slender body, "willowy flight" and my familiarity with the bird in Florida, Georgia, and South Carolina made the identification as certain as possible without taking the bird's life, which was not thinkable.

This is my second record of the Egret in this locality; the first was made some fifteen years ago.

The Blue Heron was leading as they crossed the beach and, was first to alight on the marsh back of it; the Egret lit close to the larger bird, and, evidently regarded it as a companion.—Walter B. Savary, Wareham, Mass.

Egret at Pocono Lake, Pa.—Two American Egrets (Casmerodius egretta) have been present on Pocono Lake, Monroe County, Pa. since August 1 and are still here at present writing, August 11. Their black legs and yellow bills can be distinctly seen as they allow an approach within fifty yards or less. Egrets were reported here in the summer of 1916 by Mr. John D. Carter and photographs taken of them but I am not aware of any having been seen since.—Henry R. Carey, Pocono Lake Preserve, Pa.

Snowy Egret (Egretta candidissima candidissima) in Northern New Jersey.—Daylight on August 5, 1929, found me in a tract of freshwater swamp known as Troy Meadows near Ridgewood, N. J. I had succeeded in crawling to within 15 feet of the edge of a pool in which several species of Herons were feeding. The actions of one small, white Heron in particular attracted my attention. Instead of searching for its prey in the manner of Little Blue Herons, it seemed to deliberately roil the water with raking foot motions and then seize the food that had