

INDEX TO VOL. 54

(New names are in bold-face type)

- ACANTHIS *linaria linaria*, 38.
Actitis *macularia*, 24, 445, 453.
Adamastor *cinereus*, 148.
Aechmophorus *occidentalis*, 98, 376,
 524.
Agelaius *phoeniceus arctolegus*, 396.
 phoeniceus, 326, 544.
 sonoriensis, 160.
Aix *sponsa*, 202, 533 (bis).
Albatross, Black-browed, 148.
 Light-mantled Sooty, 148.
 Sooty, 148.
 Wandering, 148
Alca *torda*, 32, 42, 549.
Aldous, C. M. Eastern Crows nesting
 on or near the ground, 393.
Alexander, Gordon. Least Tern in
 Colorado, 390.
Allard, Harry A. Activity of the Screech
 Owl, 300.
Alle alle, 33, 207, 549.
Allen, Arthur A., and Kellogg, P. Paul.
 Recent observations on the Ivory-
 billed Woodpecker, 164.
Allen, Elsa G. New light on Mark
 Catesby, 349.
Allen, Francis H., 'Mating' and 'coitus,'
 114.
Allen, Francis H., and Tyler, Winsor M.
 Western Grebe in Massachusetts, 376.
Amazona *finschi*, 193, 528.
 finschi woodi, 528.
Ammann, George A. Number of con-
 tour feathers of *Cygnus* and *Xantho-*
 cephalus, 201.
American Ornithologists' Union, Officers
 and committees, 1937, xiii; Patrons,
 Fellows, Members and Associates,
 xiv; fifty-fourth stated meeting, 117;
 announcement of meeting at Charle-
 ton, 575.
Ammodramus *savannarum australis*,
 326.
Ammospiza *caudacuta diversa*, 461.
 caudacuta nelsoni, 460.
Ammospiza *maritima macgillivraii*, 185,
 460, 461, 463.
 maritima maritima, 185.
 mirabilis, 102.
Anas *platyrhynchos platyrhynchos*, 17,
 452.
Ani, Smooth-billed, 391.
Anthus *spinoletta rubescens*, 37, 42, 326.
Antrostomus *carolinensis*, 456.
Aphelocoma *unicolor guerrerensis*, 197.
Aptenodytes *forsteri*, 148 155.
Aquila *chrysaetos canadensis*, 100, 385,
 547.
Ara *militaris mexicana*, 193.
Archilochus *colubris*, 35.
Arenaria *interpres morinella*, 24, 389,
 453, 462.
Arizona, bird studies, 62.
Arquatella *maritima*, 24, 41, 547.
Arthur, S. C., review of his 'Audubon,'
 551.
Astur *atricapillus atricapillus*, 21.
Atthis *heloisa heloisa*, 195.
Attila *spadicea cinnamomea*, 197.
Audubon and the Dauphin, 476.
Auk, Razor-billed, 32, 42, 549.
Aulacorhynchus *prasinus wagleri*, 195.
Automolus *rubiginosus guerrensis*, 195.
 rubiginosus rufipectus, 195.
 rubiginosus veraepacis, 195.
Avocet, 538.
BAEOLOPHUS *bicolor*, 326, 517.
Bailey, Alfred M., and Niedrach,
 Robert J. Notes on Colorado birds,
 524.
Baker, Frank C. An Illinois record for
 the Little Brown Crane, 388.
Baldpate, 17.
Ball, W. H. See Bartsch, Paul, and
 others, 516.
Barbour, Thomas. A Pine Warbler
 killed by arsenical spray, 542.
Bartlett, Guy, review of his 'Birds of
 Eastern New York,' 404.

- Bartramia longicauda, 453.
 Bartsch, Paul, and others. Size of red blood corpuscles and their nucleus in fifty North American birds, 516.
Basileuterus belli clarus, 198.
 Beamer, L. H. Fulmar at Meaford, Georgian Bay, Ontario, 200.
 Bennett, Logan J. Canvas-back breeding in Iowa, 534.
 Bent, A. C. Need of an endowment fund for 'The Auk,' 115; In memoriam: Frederic H. Kennard, 341; review of his 'Life Histories,' 555.
 Bergtold, William Harry, In memoriam, 1.
 Birds vs. poison sprays, 200.
 Bishop, Louis B. Obituary of William Henry Hoyt, 234.
 Black, Charles T. Additional Illinois Golden Eagle records, 385.
 Blackbird, nondescript, from Arizona, 160.
 Red-winged, 160.
 Yellow-headed, 202, 211.
Bombycilla cedrorum, 102, 326, 541.
 garrula pallidiceps, 541.
Bonasa umbellus, 321.
 Bond, James. Lincoln's Sparrow nesting in Maine, 102; New records for Spanish Honduras, 102; Willow Thrush in the Magdalen Islands, 102; The Cape May Warbler in Maine, 306.
 Booby, Blue-footed, 148.
 Masked, 148.
 Boughton, Donald C. Notes on avian coccidiosis, 500.
 Bowdoin-Macmillan Arctic Expedition, 1934, 12-42.
 Brand, Albert R., review of his 'More songs of wild birds,' 107.
 Brandt, Herbert. Some Arizona bird studies, 62.
 Brant, American, 17, 73.
Branta bernicla hrota, 17, 73.
 canadensis canadensis, 17, 452.
 Brassard, J. A., and Bernard, Richard. Willow Ptarmigan at the Quebec Zoological Gardens, 514.
 Brewster, William, review of his 'October Farm,' 217.
 Brodkorb, Pierce. Golden Eagle in Illinois, 100; Giant Red-wing in New York, 396.
 Brooks, Allan. A nondescript blackbird from Arizona, 160.
 Bryant, H. C., Chm. Report of the Committee on Bird Protection, 1936, 426.
 Bryens, Oscar McKinley. Bohemian Waxwing in Luce County, Michigan, 541.
 'Bulletin of New England Bird-life,' notice of, 231.
Bulweria bulwerii, 148.
 Bunting, Eastern Snow, 39, 42.
 Painted, 459.
 Snow, 549.
 Burleigh, Thomas D. Bird life on the North Carolina coast, 452.
 Buteo borealis borealis, 517.
 lagopus sancti-johannis, 21.
 platypterus platypterus, 525.
 swainsoni, 385.
 Butler, Amos W. Common Tern and Wilson's Phalarope nesting in Indiana, 390.
 Butler, Amos William, obituary, 573.
 Butler, Lorine Letcher, review of her 'Birds around the year,' 401.
CALCARIUS lapponicus lapponicus, 326, 546.
Calidris canutus rufus, 389, 454, 462.
Canachites canadensis canadensis, 22.
 Campbell, Louis W. Leconte's Sparrow near Toledo, Ohio, 397; Shufeldt's Junco near Toledo, Ohio, 399; American Magpie taken near Toledo, Ohio, 540.
Campephilus principalis, 164.
Campylopterus hemileucurus, 193.
 Canvas-back, 534.
Cardellina rubrifrons rubrifrons, 198.
 Cardinal, Eastern, 518.
Carduelis carduelis, 544.
Casmerodium albus egretta, 382, 525, 547.
Cassidix mexicanus major, 274, 459, 462.
 Catbird, 457.
 Catesby, Mark, new light on, 349.

- Catharacta skua lönnerbergi, 148.
skua maccormicki, 148, 152.
- Cathartes aura septentrionalis, 383, 384.
- Catharus frantzii omiltemensis, 198.
occidentalis fulvescens, 198.
- Catoptrophorus semipalmatus inornatus,
454, 536.
semipalmatus semipalmatus, 454.
- Centurus carolinus, 326, 517.
- Ceophloeus pileatus abieticola, 539.
- Cephus grylle, 33, 42.
- Chaetura pelagica, 326, 392.
- Chamberlain, E. B. King Eider in
South Carolina, 383.
- Chapman, Frank M. Simoxenops pro-
posed for Anachilus, 208; Swifts at
sea, 392.
- Charadrius melodus, 23, 453.
semipalmatus, 24, 453, 462.
- Chat, Yellow-breasted, 459, 462.
- Cheesman, William H., and Oehser,
Paul H. The spelling of common
names of birds, 333.
- Chen caeruleocephala, 452, 548.
hyperborea atlantica, 440, 532 (bis),
548.
- Chickadee, Acadian, 37.
Carolina, 517.
- Chlidonias nigra surinamensis, 206, 456.
- Chloroceryle americana septentrionalis,
193.
- Chondestes grammacus grammacus, 547.
- Chuck-will's-widow, 456.
- Ciccaba virgata amplonotata, 193.
- Circus hudsonius, 21.
- Cistothorus stellaris, 461.
- Clangula hyemalis, 17, 41.
- Coccidioides, notes on avian, 500.
- Colaptes auratus, 97.
- Colinus virginianus virginianus, 326.
- Columba fasciata fasciata, 62.
- Columbigallina passerina passerina, 456.
- Colymbus nigricollis californicus, 575.
- Committee on Bird Protection, 1936,
Report, 426.
- Companion in the bird's world, 245.
- Compsothlypis americana pusilla, 395.
- Congress, Ninth International Ornitho-
logical, 115.
- Connell, Frank H., and Doremus, H. M.
- Endoparasitism in Ruffed Grouse
near Hanover, New Hampshire, 321.
- Coot, American, 23, 517.
- Coragyps atratus atratus, 384.
- Cormorant, Double-crested, 17, 381,
524, 548.
European, 17.
- Florida, 452.
- Spotted, 148.
- Corrections, 574.
- Correspondence, 114, 572.
- Corthylio calendula calendula, 326, 517.
- Corvus brachyrhynchos, 393.
brachyrhynchos brachyrhynchos,
37, 326.
hesperis, 394.
corax principalis, 37.
ossifragus, 457.
- Cottam, Clarence. American Egret and
Black-bellied Plover in Delaware in
winter, 382.
- Cottam, Clarence, Nelson, A. L., and
Williams, C. S. Uncommon winter
birds in coastal North Carolina, 548.
- Cowbird, Eastern, 459, 544.
- Cowles, Raymond B. Avian habitats in
thorn-bush areas of Natal, 55.
- Cox, (Mrs.) Alta R. Black Rail breed-
ing in Indiana, 100.
- Crane, Little Brown, 388.
- Creciscus jamaicensis stoddardi, 100, 204.
- Croceethia alba, 26, 455, 549.
- Crotaphaga ani, 391.
- Crow, Eastern, 37, 393.
Fish, 457.
Western, 394.
- Cruickshank, Allan D. A Swainson's
Hawk migration, 385.
- Cryptoglaux acadica acadica, 539.
- Curlew, Hudsonian, 453.
- Cyanocitta cristata florincola, 457.
- Cyanolyca mirabilis, 197.
- Cygnus columbianus, 201.
- Cyrtonyx sallei, 193.
- DANFORTH, S. T., review of his 'Pájaros
de Puerto Rico,' 558.
- Daption capense, 148, 151.
- Davis, David E. A cycle in Northern
Shrike emigrations, 43.

- Deaderick, William H. Willet in Arkansas, 204.
- Delacour, J., and others, on 'Aviculture,' review, 557.
- Dendragapus obscurus obseurus, 203.
- Dendroica aestiva aestiva, 38, 396, 458.
 caeruleascens caeruleascens, 326, 518.
 castanea, 429.
 cerulea, 326.
 coronata, 38, 326, 548.
 coronata coronata, 458, 518.
 discolor discolor, 458, 461, 518.
 dominica albifrons, 210.
 dominica dominica, 458, 518.
 fusca, 326, 518.
 magnolia, 326, 518.
 palmarum, 543.
 pinus pinus, 326, 518, 542.
 striata, 38.
 tigrina, 306.
 virens virens, 326, 518.
 virens waynei, 458.
- Dendrocygna macroura striatus, 192.
- Denmead, Talbott. Black Tern in Maryland, 206.
- Dettmann, Warren. Albino Pied-billed Grebe in Wisconsin, 98.
- Devitt, O. E. Franklin's Gull in Ontario, 101.
- Dickcissel in Massachusetts, 211.
- Dingle E. von S. Some post-hurricane records from South Carolina, 200.
- Diomedea exulans exulans, 148.
 melanophris, 148.
- Dolichonyx oryzivorus, 326.
- Doremus, H. M. See Connell, Frank H., and —, 321.
- Dove, Eastern Ground, 456.
 Eastern Mourning, 391.
 Zenaida, 574.
- Dovekie, 33, 207, 549.
- Dowitcher, Eastern, 25, 41.
 Inland, 454.
- Dryobates borealis, 456.
 pubescens medianus, 326, 517.
 villosus villosus, 326, 517, 526.
- Duck, Eastern Harlequin, 18.
 Ring-necked, 382.
 Wood, injury-feigning, 202; 533
 (bis).
- Dumetella carolinensis, 326, 457.
- Dunlin, European, in North America, 70.
- Duval, Allen J. Birds observed on the coast of Virginia and North Carolina, 461.
- EAGLE, Bald, 296.
 Golden, 100, 385, 547.
 Northern Bald, 462.
 Southern Bald, 453.
- Egret, American, 382, 525, 547.
- Egretta thula thula, 201.
- Eider, American, 20.
 King, 203, 383.
 Northern, 18, 41.
- Empidonax difficilis salvini, 197.
 fulvifrons fusciceps, 540.
 minimus, 326.
 trailli brewsteri, 97.
 trailli trailli, 392.
- Endowment fund needed for 'The Auk', 115.
- Ereunetes maurii, 455.
 pusillus, 26, 41, 326, 455, 462.
- Errington, Paul L. A Wood Duck marsh in northwestern Iowa, 533.
- Euphagus carolinus, 326.
- Eupherusa poliocerca, 193.
- Eynon, Alfred E. Migrating Snow Geese in northern New Jersey, 532.
- FALCO cooperii, type, 203.
 peregrinus anatum, 22, 100.
 rusticulus candicans, 21.
 obsoletus, 21, 548.
 sparverius sparverius, 100, 326.
- Fargo, William G. Snowy Egret in southern Michigan, 200.
- Finch, Hepburn's Rosy, 396.
- Fisher, A. K. In memoriam: William Harry Bergtold, 1; Long-tailed Jaeger observed on the Bear River Marshes, Utah, 389.
- Flamingo, 148; in Florida, 99, 531.
- Flicker, 97.
- Florida caerulea caerulea, 201, 382, 452, 461, 530 (bis).
- Flycatcher, Alder, 392.
 Little, 97.

- Flycatcher, Northern Crested, 456, 517.
Scissor-tailed, 208, 526.
- Fox, Adrian C. Prairie Sharp-tailed
Grouse budding on wild plum, 534.
- Fratercula arctica arctica, 35.
- Fregata magnificens, 200.
magnificens magnificens, 148.
magnificens rothschildi, 148.
minor, 148.
- Frigate Bird, 200.
- Fuertes, Louis Agassiz, and Osgood,
Wilfred H., review of their 'Artist and
naturalist in Ethiopia', 105.
- Fulica americana americana, 23, 517.
- Fulmar, 200.
Atlantic, 15, 41.
Giant, 148, 151.
Silver-gray, 148.
- Fulmarus glacialis glacialis, 15, 41, 200.
- GABRIELSON, Ira N. Local bird names
wanted, 114.
- Galbulia melanogenia, 135.
- Gallinule, Purple, 148.
- Gannet, 17, 41, 379, 547.
- Gavia immer immer, 14, 452, 524, 548.
stellata, 15, 41.
- Gelochelidon nilotica aranea, 455.
- Geothlypis trichas brachidactyla, 326.
trichas trichas, 461.
trichas typhicola, 459.
- Gilliard, E. Thomas. The Gannets of
Funk Island, 379.
- Glaucidium jardinii **costaricanum**,
304.
minutissimum palmarum, 193.
- Gnatcatcher, Blue-gray, 517.
- Godwit, Bar-tailed, 537.
Marbled, 455.
- Goldfinch, European, 544.
- Goodpaster, Woodrow, and Maslowski,
Karl H. Leconte's Sparrow in Cler-
mont County, Ohio, 397.
- Goose, Blue, 452, 548.
Canada, 452.
Common Canada, 17.
Greater Snow, 440, 532, 548.
- Goshawk, Eastern, 21.
- Grackle, Boat-tailed, 274, 459, 462, 463.
Bronzed, 38.
- Grackle, Florida, 459, 462.
Purple, 518.
- Grallaria guatimalensis ochraceiven-
tris, 195.
- Grebe, Eared, 575.
Pied-billed, albino, 98.
South American Pied-billed, 379.
Western, 98, 376, 524, 575.
- Griner, Lynn. A colony of Western
Grebes, 98; Behavior of a Blue-winged
Teal, 99.
- Griscom, Ludlow. European Dunlins
in North America, 70; A collection of
birds from Omilteme, Guerrero, 192;
Black Skimmers in New England, 206;
Royal Tern in Massachusetts, 206;
Yellow-headed Blackbird at
Monomoy, Massachusetts, 211; New
name for *Otus flammeolus guatemalae*
preoccupied, 391; Leach's Petrel off
coast of Venezuela, 530; Herring Gull
at Barbados, 539; Palm Warbler in
Bermuda, 543.
- Griscom, Ludlow, see Tousey, Richard
H., and —, 210.
- Gross, Alfred O. Birds of the Bowdoin-
Macmillan Arctic Expedition, 1934,
12-42; Maine records of the Eastern
Glossy Ibis, 382; Hepburn's Rosy
Finch in Maine, 396.
- Grosvenor, G., and Wetmore, A., re-
view of their 'Book of Birds', 554.
- Grouse, Dusky, 203.
Hudsonian Spruce, 22.
Prairie Sharp-tailed, 534.
Ruffed, 321.
- Grus canadensis canadensis, 388.
- Guillemot, Black, 33, 42.
- Gull, Black-headed, 30.
Bonaparte's, 30.
Dusky, 148.
Franklin's, 101.
Glaucous, 27, 41.
Great Black-backed, 29, 41, 455,
549.
Herring, 29, 41, 455, 462, 539.
Iceland, 28, 41.
Kelp, 148.
Kumlien's, 29, 41.
Laughing, 455, 463.

- Gull, Red-billed, 148.
 Ring-billed, 463.
 Sabine's, 101, 526.
 Short-billed, 205.
 Southern Black-backed, 148.
 Western, 204.
- Gygis alba, 148.
- Gyrfalcon, Black, 21, 548.
 White, 21.
- HABITATS**, avian, in Natal, 55.
- Haematopus palliatus palliatus, 453.
- Hagar, Joseph A. Winter shorebird notes from Massachusetts, 388.
- Hagar, Joseph A. See Peters, James L., and —, 537.
- Hailstorms and avian mortality, 97.
- Haliaeetus leucocephalus leucocephalus, 453.
 leucocephalus washingtoniensis, 462.
- Hamilton, William J., Jr. Hailstorms and avian mortality, 97.
- Hand, R. L. Notes from northern Idaho, 97.
- Hawk, American Rough-legged, 21.
 Broad-winged, 525.
 Cooper's, type, 203.
 Duck, 22, 100.
 Eastern Red-tailed, 517.
 Eastern Sparrow, 100.
 Marsh, 21.
 Red-shouldered, 202.
 Swainson's, 385.
- Hellmayr, Charles E., review of his 'Catalogue of birds of the Americas', Part IX, 212.
- Helmintheros vermiculus, 518.
- Helmut, William Tod. Sabine's Gull on Long Island, 101; Arctic Three-toed Woodpecker on Long Island, 102.
- Henicorhina leucophrys festiva, 197.
- Heron, Little Blue, 201, 382, 452, 461, 530 (bis).
 Louisiana, 452.
- Herrick, Francis H. Introductory note (to Lorenz's paper), 245; Audubon and the Dauphin, 476; review of Arthur's 'Audubon', 551.
- Hesperiphona abeillii abeillii, 198.
- Hesse, Allee and Schmidt's 'Ecological Animal Geography', review, 556.
- Hicks, Lawrence E. Western Willet in Ohio, 536; Avocet taken in Ohio, 538; An Ohio invasion of Leconte's Sparrows, 545.
- Hirundo erythrogaster, 36, 65, 326, 456.
- Histrionicus histrionicus histrionicus, 18.
- Honduras, new records for Spanish, 102.
- Howell, A. Brazier. Morphogenesis of the shoulder architecture: Aves, 364.
- Howell, J. C. Flamingo seen in Florida, 99; Early nesting of the Cape Sable Seaside Sparrow, 102; The nesting Bald Eagles of southeastern Florida, 296.
- Hoyt, J. Southgate Y. European Teal at Lexington, Virginia, 533; Saw-whet Owl in Lexington, Virginia, 539.
- Hoyt, William Henry, obituary, 234.
- Hudson, George Elford, review of his 'Studies on the muscles of the pelvic appendage in birds', 403.
- Hummingbird, Ruby-throated, 35.
- Hydranassa tricolor ruficollis, 452.
- Hydropogone caspia imperator, 456.
- Hylocichla fuscescens salicicola, 102.
 guttata auduboni, 198.
 guttata faxoni, 517.
 minima minima, 395.
- IBIS, Eastern Glossy, 382.
 Wood, 525.
- Icteria virens virens, 326, 459, 462.
- Icterus melanocephalus melanocephalus, 198.
- Ictinia mississippiensis, 385.
- Iridoprocne bicolor, 456.
- Ivory-billed Woodpecker, recent observations on, 164.
- Ixoreus varius subsp., 395.
- JACAMAR, Black-chinned, life-history, 135.
- Jaeger, Long-tailed, 27, 389.
 Parasitic, 27.
 Pomarine, 27.

- Jay, Canada, 392.
Labrador, 36.
Southern Blue, 457.
- Johnson, Robert A. Tapeworm in young Red-breasted Merganser, 383.
- Junco, Shufeldt's, 399.
Slate-colored, 38, 42, 518.
- Junco hyemalis hyemalis, 38, 42, 326, 518.
oreganus shufeldti, 399.
- KELLOGG, P. Paul. See Allen, Arthur A., and —, 164.
- Kelso, Estelle H. A new Wood Owl from Siam, 305.
- Kelso, Leon. A Costa Rican race of Jardine's Pygmy Owl, 304.
- Kennard, Frederic Hedge, obituary, 234, 341.
- Killdeer, 453.
- Kingbird, Arkansas, 208.
Gray, 102.
- Kingfisher, Eastern Belted, 35.
- Kinglet, Eastern Golden-crowned, 517.
Eastern Ruby-crowned, 517.
- Kirkman, F. B., review of his 'Bird Behaviour', 400.
- Kite, Mississippi, 384.
- Kittiwake, Atlantic, 30, 41, 526.
- Knot, American, 389, 454, 462.
- Koch, Ludwig. See Nicholson, E. M., and —, 106.
- Kuschke, Arthur W., Jr. Arkansas Kingbird on Matinicus Isle, Maine, 208.
- LAGOPUS lagopus, 514.
rupestris rupestris, 22, 41.
- Lamponnis amethystinus brevirostris, 194.
margaritae, 193, 194.
nobilis, 194.
salvini, 194.
pringlei, 195.
- Lanius borealis borealis, 43.
ludovicianus ludovicianus, 458.
migrans, 326, 458.
- Lark, Northern Horned, 36, 456.
Prairie Horned, 36, 456.
- Larus argentatus, 539.
argentatus smithsonianus, 29, 41, 455.
atricilla, 455, 463.
canus brachyrhynchus, 205.
delawareensis, 463.
dominicanus, 148.
fuliginosus, 148.
hyperboreus, 27, 41.
kumlienii, 29, 41.
leucopterus, 28, 41.
marinus, 29, 41, 455, 549.
novaehollandiae scopulinus, 148.
occidentalis, 204.
philadelphicus, 30.
pixiecan, 101, 193.
ridibundus ridibundus, 30.
- Leucosticte tephrocotis littoralis, 396.
- Lewis, Harrison F. Migrations of American Brant, 73.
- Lewis, H. F. See White, E. F. G., and —, 440.
- Limnodromus griseus griseus, 25, 41.
hendersoni, 454.
- Limosa fedoa, 455.
lapponica lapponica, 537.
- Lincoln, Frederick C. Eastern Mourning Dove in Cuba, 391; Parula Warbler in Washington in December, 395.
- Lindsey, Alton A. See Sibley, Paul A., and —, 147.
- Lobipes lobatus, 27.
- Long, George Baker. Dickcissel at Ipswich, Massachusetts, 211.
- Longspur, Lapland, 546.
- Loon, Common, 14, 452, 524, 548.
Red-throated, 15, 41.
- Lorenz, Konrad Z. The companion in the bird's world, 245.
- MACRONECTES giganteus, 148, 151.
- Magpie, American, 393, 540.
- Mailliard, Joseph. In memoriam: Harry Schelwald Swarth, 127.
- Main, John S. Lapland Longspurs in Wisconsin in summer, 546.
- Mallard, Common, 17, 452.
- Mallophaga of Labrador birds, 40.

- Man-o'-war Bird, 148.
 Caribbean, 148.
 Galapagos, 148.
- Mareca americana, 17.
 penelope, 532, 548.
- Martin, Purple, 457.
- Maslowski, Karl H. Northern Pileated Woodpecker in Hamilton County, Ohio, 539.
- Maslowski, Karl H. See Goodpaster, Woodrow, and —, 397.
- Mathews, Gregory M. The type locality of *Psittacus aterrimus*, 572.
- Mayr, E. Review of Peters's 'Check-list of Birds of the World,' 550.
- Mayaud, Noel, review of his 'Catalogue of the birds of France,' 105.
- McCabe, T. T. Gulls and Sunfish, 204.
- McClanahan, Robert C. Alder Flycatcher at Pensacola, Florida, 392; European Widgeon in Florida, 532.
- McClanahan, R. C. See Weston, F. M., and —, 536.
- McGregor, Richard Crittenden, obituary, 234.
- McIlhenny, E. A. Life history of the Boat-tailed Grackle in Louisiana, 274; A hybrid between Turkey Vulture and Black Vulture, 384.
- Meadowlark, Southern, 459.
- Megacyrle alcyon alcyon, 35.
- Megarhynchus pitangua mexicanus, 197.
- Melanerpes erythrocephalus, 326, 456, 517.
- Melanitta deglandi, 20, 525.
 perspicillata, 21, 525.
- Melospiza georgiana, 326, 518.
 lincolni, 326.
 lincolni lincolni, 102.
 melodia atlantica, 460, 462.
 melodia beata, 189, 326.
 melodia, 39, 518
- Mendall, Howard L., review of his 'Home-life and economic status of the Double-crested Cormorant,' 213.
- Mendall, Howard L. Little Blue Heron in the interior of Northern Maine, 382; Nesting of the Bay-breasted Warbler, 429.
- Merganser, Red-breasted, 21, 383.
- Mergus serrator, 21, 383.
- Micropalama himantopus, 454.
- Micropallas whitneyi whitneyi, 63.
- Mills, Doris Heustis. European Goldfinch at Hanover, New Hampshire, 544.
- Mimus polyglottos polyglottos, 517.
- Mitrephanes phaeocercus pallidus, 540.
- Mniotilla varia, 518.
- Mockingbird, Eastern, 517.
- Molothrus ater ater, 326, 459, 544.
- Moore, Robert T. A new race of Finsch's Parrot, 528.
- Moris bassana, 17, 41, 547.
- Mousley, Henry. Nesting habits of the Spotted Sandpiper, 445; Cowbird's egg in a Red-wing's nest, 544.
- Murre, Atlantic, 32.
- Brünnich's, 32.
- Muscivora forficata, 208, 526.
- Musselman, T. E. Young Yellow Rail banded in Illinois, 204; American Magpie in Missouri and Illinois, 393.
- Mycteria americana, 525.
- Myiarchus crinitus boreus, 456, 517.
- Myioborus miniatus miniatus, 198.
- NANNUS hiemalis hiemalis, 326, 541.
 hiemalis pullus, 541.
- Natal, avian habitats in, 55.
- Nelson, A. L. See Cottam, C., —, and Williams, C. S., 548.
- Nettion crecca, 533.
- Nice, Margaret M. Discussion of a nest-building male Song Sparrow, 191; review of her 'Life history of the Song Sparrow', 553.
- Nichols, Charles K. Early nesting of the Wood Duck, 533.
- Nichols, John T. Notes on Starling spread and migration, 209; North-south versus northeast-southwest migration of the Starling, 542.
- Nicholson, E. M., and Koch, Ludwig, review of their 'Songs of wild birds', 106.
- Niedrach, Robert J. See Bailey, A. M., and —, 524.

- Niethammer, G., review of his 'Handbuch der Deutschen Vogelkunde', 552.
Notes and news, 115, 425.
Nucifraga columbiana, 64.
Nutercker, Clarke's, 64.
Nuthatch, Red-breasted, 37.
 White-breasted, 517.
Nyctea nyctea, 42.
Nyctibius griseus, 148.
Nyroca americana, 534.
 collaris, 382.
- OBITUARIES**, 232, 573.
Oceanites oceanicus, 17.
 oceanicus oceanicus, 148.
Oceanodroma leucorhoa leucorhoa, 16, 530.
Oehlenschlaeger, Elizabeth A. Orthopedic surgery on a White Pelican, 520.
Oehser, Paul H. See Cheesman, William H., and —, 333.
Oidemia americana, 21.
Old-squaw, 17, 41.
Oreopeleia albifacies rubida, 193.
 montana, 193.
Osgood, Wilfred H. See Fuertes, Louis Agassiz, and —, 105.
Osprey, 21, 517.
Otocoris alpestris alpestris, 36, 326, 456.
 alpestris praticola, 36, 456.
Otus asio, 300.
 asio hasbrouckii, 391.
 asio naevius, 326.
 flammeolus, 526.
 flammeolus guatemalae, 391.
 flammeolus rarus, 391.
 trichopsis, 62.
Oven-bird, 461, 518.
Owl, Barn, 517.
 Elf, 63.
 Flammulated Screech, 526.
 Hasbrouck's Screech, 391.
Jardine's Pygmy, new race of, 304.
Saw-whet, 539.
Screech, 300.
Snowy, 42.
Spotted Screech, 62.
Wood, new, 305.
Oxyechus vociferus vociferus, 453.
Oyster-catcher, American, 453.
PAGODROMA nivea, 148.
Pagolla wilsonia wilsonia, 453.
Palmer, T. S. Fifty-fourth stated meeting of the American Ornithologists' Union, 117; obituary of Amos William Butler, 573.
Pandion haliaetus carolinensis, 21, 517.
Pangburn, Clifford H. Correction concerning Zenaida Dove record from Florida, 574.
Parasites of Labrador birds, 40; of Starling, 50.
Parrish, M. L. Varied Thrush at Clementon, New Jersey, 395.
Parrot, new race of Finsch's, 528.
Parus sclateri sclateri, 197.
Passer domesticus, 326.
 domesticus domesticus, 518.
Passerculus princeps, 459.
 sandwichensis labradorius, 38.
 sandwichensis savanna, 38, 326, 459.
Passerella iliaca iliaca, 39, 518.
Passerherbulus caudacutus, 309, 397, 545.
 henslowi henslowi, 326.
 henslowi susurrans, 459, 462.
Passerina ciris, 459.
 cyanaea, 326.
Pearson, T. Gilbert, review of his 'Adventures in bird protection', 401.
Pedioecetes phasianellus campestris, 534.
Pedunker, 148.
Pelagodroma marina, 148.
Pelecanus erythrorhynchos, 520.
Pelican, White, 520.
Pelidna alpina, 70.
 alpina arctica, 70.
 alpina centralis, 70.
 alpina sakhalina, 70, 389, 454, 543.
 alpina schinzi, 70.
Penard, Thomas Edward obituary of, 232.
Penelope purpurascens purpurascens, 192.
Penguin, Adélie, 148, 154.
 Emperor, 148, 155.
Galapagos, 148.

- Penthestes atricapillus atricapillus*, 326.
carolinensis carolinensis, 517.
hudsonicus littoralis, 37.
- Periodical literature, abstracts, 107, 218, 405, 559.
- Perisoreus canadensis canadensis*, 392.
canadensis nigricapillus, 36.
- Peters, James L. Short-billed Gull in Massachusetts, 205; Obituary of Thomas Edward Penard, 232; Review of his 'Check-list of Birds of the World,' 550; Reply to Mathews on the type locality of *Psittacus aterrimus*, 572.
- Peters, James L., and Hagar, Joseph A. A second North American specimen of the Bar-tailed Godwit, 537.
- Petrel, Antarctic, 148, 149.
 Bulwer's, 148.
 Leach's, 16, 530.
 Silver-gray, 151.
 Snow, 148, 149.
 White-faced Storm, 148.
 Wilson's, 17.
 Wilson's Storm, 148.
- Pettingill, Olin Sewall, Jr. Behavior of Black Skimmers at Cardwell Island, Virginia, 237.
- Phaeopus hudsonicus*, 453.
- Phaethon rubricauda*, 148.
- Phaethornis longirostris mexicanus*, 193.
- Phalacrocorax auritus auritus*, 17, 381, 524.
auritus floridanus, 452.
carbo carbo, 17.
punctatus punctatus, 148.
- Phalarope, Northern, 27.
 Red, 26, 41.
 Wilson's, 27.
- Phalaropus fulicarius*, 26, 41.
- Phillips, Paul. Dusky Grouse in the Chuskai Mountains of northeastern Arizona and northwestern New Mexico, 203.
- Philoctela minor*, 526.
- Phoebe*, Eastern, 517, 526.
- Phoebetria fusca*, 148.
palpebrata, 148.
- Phoenicopterus ruber*, 99, 148, 531.
- Pica pica hudsonia*, 393, 540.
- Picoides arcticus*, 102.
tridactylus bacatus, 36.
- Pigeon, Band-tailed, 62.
 Cape, 148, 151.
- Pipilo erythrorththalmus canaster*, 459, 462.
erythrorththalmus erythrorththalmus, 326, 518.
- Pipit, American, 37, 42.
- Piranga bidentata bidentata*, 198.
erythromelas, 518.
- Pisobia fuscicollis*, 25, 41, 389, 454.
melanotos, 454.
minutilla, 25, 41, 454.
- Plectrophenax nivalis nivalis*, 39, 42, 326, 549.
- Plegadis falcinellus falcinellus*, 382.
- Plover, Black-bellied, 382, 388, 453, 462, 549.
 Golden, 536.
 Piping, 23, 453.
 Semipalmated, 24, 453, 462.
 Upland, 453.
 Wilson's, 453.
- Pluvialis dominica dominica*, 536.
- Podilymbus podiceps*, 99.
podiceps antarcticus, 379.
- Polioptila caerulea caerulea*, 517.
- Pooecetes gramineus gramineus*, 326.
- Popenoe, Charles Holcomb, obituary, 573.
- Porphyrrula martinica*, 148.
- Porzana carolina*, 193.
- Potoo*, Panama, 148.
- Priocella antarctica*, 148, 151.
- Priest, Cecil, review of his 'Birds of Southern Rhodesia,' 216.
- Progne subis subis*, 457.
- Protonotaria citrea*, 326, 458.
- Psittacus aterrimus*, 572.
- Ptarmigan, Rock, 22, 41.
 Willow, 514.
- Puffinus gravis*, 15.
griseus, 15, 452.
l'herminieri subularis, 148.
- Pygoscelis adeliae*, 148, 154.
- QUERQUEDULA discors*, 99.
- Quiscalus quiscula aeneus*, 38.
quiscula aglaeus, 459, 462.
quiscula quiscula, 518.

- RALL, Black, 100.
 King, 462.
 Northern Clapper, 453.
 Virginia, 464, 535.
 Yellow, 204.
- Rand, Austin L., review of his 'Distribution and habits of Madagascar birds,' 214.
- Rallus elegans elegans, 462.
 limicola limicola, 464, 535.
 longirostris crepitans, 453.
- Raven, Northern, 37.
- Recent Literature, 105, 212, 400, 550.
- Recurvirostra americana, 538.
- Redpoll, Common, 38.
- Red-wing, Eastern, 544.
 Giant, 396.
- Regulus satrapa satrapa, 517.
- Richmondena cardinalis cardinalis, 326, 518.
- Ridgwayia pinicola, 198.
- Riparia riparia riparia, 36.
- Rissa tridactyla tridactyla, 30, 41, 526.
- Robin, 510.
 Eastern, 37, 517.
 Southern, 457.
- Rogers, Charles H. Chimney Swifts in eastern Panama, 392.
- Rosenzweig, W. See Bartsch, Paul, and others, 516.
- Rusling, William J. Bicknell's Thrush in Virginia, 395.
- Rynchops nigra, 206.
 nigra nigra, 237, 456.
- Salman, S. See Bartsch, Paul, and others, 516.
- Salpinctes obsoletus, 98.
- Saltator atriceps **flavicrissus**, 198.
 atriceps raptor, 199.
- Sanderling, 26, 455, 549.
- Sandpiper, Least, 25, 41, 454.
 Pectoral, 454.
 Purple, 24, 41, 547.
 Red-backed, 389, 454, 549.
 Semipalmated, 26, 41, 455, 462.
 Spotted, 24, 445, 453.
 Stilt, 454, 575.
 Western, 455.
 White-rumped, 25, 41, 389, 454.
- Sapsucker, Southern Red-breasted, 64.
- Saunders, Aretas A. Injury-feigning by a Wood Duck, 202.
- Sayornis phoebe, 326, 517, 526.
- Schantz, William E. A nest-building male Song Sparrow, 189.
- Schauensee, Rodolphe M. de. Status of *Mitrephanes phaeocercus pallidus*, 540.
- Schorger, A. W. Canada Jay breeding in Wisconsin, 392.
- Scoter, American, 21.
 Surf, 21, 525.
 White-winged, 20, 525.
- Second Byrd Antarctic Expedition, ornithology of, 147.
- Seiurus aurocapillus, 461, 518.
 motacilla, 518.
 noveboracensis notabilis, 98.
- Semple, John B. Smooth-billed Ani in Florida, 391; Little Blue Heron trapped by a clam, 530.
- Shearwater, Galapagos, 148.
 Greater, 15.
 Sooty, 15, 452.
- Shelley, Lewis O. Greater Snow Goose in New Hampshire, 532.
- Sheppard, R. W. Forster's Tern on the Niagara River, 205.
- Shoulder architecture, morphogenesis of, in Aves, 364.
- Shrike, Loggerhead, 458.
 Migrant, 458.
 Northern, 43.
- Sialia sialis sialis, 326.
- Simoxenops** proposed for *Anachilus*, 208.
- Siple, Paul A., and Lindsey, Alton A. Ornithology of the Second Byrd Antarctic Expedition, 147.
- Sitta canadensis, 37, 326.
 carolinensis carolinensis, 326, 517.
- Skimmer, Black, 206, 237, 456.
- Skua, Brown, 148.
 South Polar, 148, 152.
- Skutch, Alexander F. Life-history of the Black-chinned Jacamar, 135.
- Smith, Wendell P. Further notes on nesting of the Barn Swallow, 65.
- Snowy Egret, 200.
- Somateria mollissima borealis, 18, 41.

- Somateria mollissima dresseri, 20.
dresseri, 20.
spectabilis, 203, 383.
- Sommer, Joseph B. Parasites of European Starling in Illinois, 50.
- Sparrow, Atlantic Song, 460, 462.
 Cape Sable Seaside, 102.
 Eastern Chipping, 103, 460, 518.
 Eastern Field, 518.
 Eastern Fox, 39, 518.
 Eastern Henslow's, 459.
 Eastern Lark, 547.
 Eastern Savannah, 38, 459,
 Eastern Song, 39, 518, 553.
 Eastern Tree, 518.
 English, 518.
 Ipswich, 459.
 Labrador Savannah, 38.
 Leconte's, 309, 397, 545.
 Lincoln's, 102.
 Macgillivray's Seaside, 185, 460,
 463.
 Nelson's, 460.
 Song, a nest-building male, 189.
 Swamp, 518.
 White-crowned, 38, 42.
 White-throated, 39, 518.
- Spheniscus mendiculus, 148.
- Sphyrapicus varius daggetti, 64.
- Spinus tristis tristis, 326, 328.
- Spiza americana, 211.
- Spizella arborea arborea, 326, 330, 518.
passerina *passerina*, 103, 326, 460,
 518.
pusilla *pusilla*, 326, 518.
- Sprunt, Alexander, Jr. The Flamingo in Florida Keys, 99; Duck Hawk and Sparrow Hawk on the Tortugas, 100; Dovkie in South Florida, 207; Turkey Vultures killed by automobiles, 383; Mississippi Kite in South Carolina in winter, 384; Little Blue Heron on salt water, 530; Nesting of the Flamingo in the United States, 531.
- Squatarola squatarola, 382, 388, 453,
 462, 549.
- Stabler, Robert M. A Robin with two sets of tail feathers, 510.
- Starling, 38; spread and migration, 209.
 Starling, European, 50, 517, 542.
- Steganopus tricolor, 27, 390.
- Stercorarius longicaudus, 27, 390.
parasiticus, 27.
pomarinus, 27.
- Sterna anaethetus melanoptera, 200.
antillarum antillarum, 390, 455.
forsteri, 205, 455.
fuscata, 200.
hirundo, 390.
hirundo hirundo, 31.
paradisaea, 31, 41.
vittata, 148.
- Stewart, Paul A. A preliminary list of bird weights, 324.
- Stone, Witmer, resignation as editor of "The Auk", 115.
- Stone, Witmer. Varied Thrush at Richmond, New York, 394.
- Stoner, Emerson A. Elevation of nests of the Western Crow, 394.
- Storer, Robert W. Summer records from Ocean County, New Jersey, 548.
- Strix inدرانee *rileyi*, 305.
varia sartorii, 193.
- Sturnella magna argutula, 459.
- Sturnus vulgaris, 50, 209.
vulgaris vulgaris, 38, 326, 517, 542.
- Sula dactylatra granti, 148.
nebouxii, 148.
- Swallow, Bank, 36.
 Barn, 36, 65, 456.
 Tree, 456.
- Swan, Whistling, 201.
- Swanson, Gustav. Ring-necked Duck nesting in Maine, 382.
- Swarth, Harry Schelwald, in memoriam, 127.
- Swift, Chimney, 392.
- TANAGER, Scarlet, 518.
- Taverner, P. A. Birds vs. poison sprays, 200.
- Teal, Blue-winged, behavior, 99.
 European, 533.
- Telmatodytes palustris dissaeptus, 209.
palustris iliacus, 208.

- Tern, Antarctic, 148.
Arctic, 31, 41.
Black, 206, 456.
Bridled, 200.
Caspian, 456.
Common, 31, 390, 455.
Forster's, 205, 455.
Gull-billed, 455.
Least, 390, 455.
Royal, 206, 456, 463.
Sooty, 200.
White, 148.
- Thalasseus maximus, 206.
maximus maximus, 456, 563.
- Thalassoica antarctica, 148.
- Thomson, A. Landsborough, review of his 'Bird migration,' 106.
- Thrasher, Brown, 461.
- Thryomanes bewickii bewickii, 326.
- Thryospiza maritima pelonota, 185.
maritima shannoni, 185.
maritima waynei, 185.
- Thryothorus ludovicianus ludovicianus, 457, 517.
- Thrush, Bicknell's, 395.
Eastern Hermit, 517.
Varied, 394, 395.
Willow, 102.
- Tiemeier, Otto W. Hasbrouck's Screech Owl from Kansas, 391.
- Titmouse, Tufted, 517.
- Tomkins, Ivan E. The status of Macgillivray's Seaside Sparrow, 185.
- Totanus flavipes, 454.
melanoleucus, 24, 41, 454.
- Tousey, Richard H., and Griscom, Ludlow. Sycamore Warbler in Massachusetts, 210.
- Towhee, Alabama, 459, 462.
Red-eyed, 518.
- Toxostoma rufum, 326, 461.
- Troglodytes aedon baldwini, 457.
brunneicollis brunneicollis, 197.
domesticus baldwini, 326.
- Trogon, Coppery-tailed, 64.
- Trogon ambiguus ambiguus, 64.
- Tropic-bird, Red-tailed, 148.
- Turdus migratorius achrusterus, 457.
migratorius migratorius, 37, 326, 510, 517.
- Turnstone, Ruddy, 24, 389, 453, 462.
- Tyler, Winsor M. A note used during migration by the Yellow Warbler, 395.
- Tyler, W. M. See Allen, F. H., and —, 376.
- Tyrannus dominicensis, 102.
verticalis, 208.
- Tyto alba pratincola, 517.
- URIA aalge aalge, 32.
lomvia lomvia, 32.
- VAN ROSSEM, A. J. The type of Falco cooperii Bonaparte, 203.
- Van Tyne, Josselyn. South American Pied-billed Grebe in the Canal Zone, 379; Double-crested Cormorant breeding in Michigan, 381.
- Vireo, Blue-headed, 518.
Gray, 526.
Northern White-eyed, 458.
Red-eyed, 518.
- Vireo flavifrons, 518.
griseus noveboracensis, 458.
olivaceus, 518.
solitarius solitarius, 518.
vicinior, 526.
- Vireolanius melitophrys melitophrys, 198.
- Visibility of birds, 96.
- Vulture, Black, 384.
Turkey, 383, 384.
- WADE, J. S. Obituary of Charles H. Popenoe, 573.
- Walkinshaw, Lawrence H. Leconte's Sparrow breeding in Michigan and South Dakota, 309; The Virginia Rail in Michigan, 464.
- Wallace, George J. Notes from Vermont, 547.
- Warbler, Bay-breasted, 429.
Black and White, 518.
Blackburnian, 518.
Black-poll, 38.
Black-throated Blue, 518.
Black-throated Green, 518.
Cape May, 306.
Eastern Yellow, 38.
Hooded, 518.

- Warbler, Magnolia, 518.
 Myrtle, 38, 458, 518, 548.
 Northern Pine, 518, 542.
 Northern Prairie, 458, 461, 518.
 Palm, 543.
 Parula, 395.
 Prothonotary, 458.
 Sycamore, in Massachusetts, 210.
 Wayne's, 458.
 Worm-eating, 518.
 Yellow, 395, 458.
 Yellow-throated, 458, 518.
- Water-thrush, Grinnell's, 98.
 Louisiana, 518.
- Waxwing, Bohemian, 541.
 Cedar, 102.
- Weaver, Richard. Measurement of growth in the Eastern Chipping Sparrow, 103.
- Weiss, Harry B., review of his 'Rafinesque's Kentucky friends,' 107.
- Welter, Wilfred A. The status of *Telmatodytes palustris iliacus*, 208.
- Weston, Francis M., and McClanahan, Robert C. Golden Plover in Florida during winter, 536.
- Wetmore, Alexander, and Murray, J. J. Southern Winter Wren in Virginia, 540.
- Wetmore, A. See Grosvenor, G., and —, 554.
- Wheeler, Leslie. King Eider taken on Illinois River, 203.
- White, E. F. G., and Lewis, H. F. The Greater Snow Goose in Canada, 440.
- Widgeon, European, 532, 548.
- Willet, Eastern, 454.
 Western, 204, 454, 536.
- Williams, C. S. See Cottam, Clarence, Nelson, A. L., and —, 548.
- Wilsonia citrina, 518.
- Wood, Harold B. How far can a bird be seen?, 96; Incubation period of Virginia Rail, 535.
- Woodcock, American, 526.
- Woodpecker, American Three-toed, 36.
 Arctic Three-toed, 102.
 Eastern Hairy, 517, 526.
 Ivory-billed, recent observations on, 164.
 Northern Downy, 517.
 Northern Pileated, 539.
 Red-bellied, 517.
 Red-cockaded, 456.
 Red-headed, 456, 517.
- Wren, Carolina, 457, 517.
 Long-billed Marsh, 208.
 Ohio House, 457.
 Rock, 98.
 Short-billed, 461.
 Southern Winter, 540.
 Wayne's Marsh, 457.
- Wright, Philip L. Records from the Isles of Shoals, 546.
- XANTHOCEPHALUS xanthocephalus, 202, 211.
- Xanthoura luxuosa vivida, 197.
- Xema sabini, 101, 526.
- Xenicopsoides montanus variegaticeps, 195.
- Xiphocolaptes promeropirhynchus omiltemensis, 196.
- Xiphorhynchus erythropygius erythropygius, 196.
 erythropygius punctigula, 196.
 erythropygius **parvus**, 196.
- YELLOW-LEGS, Greater, 24, 41, 454.
 Lesser, 454.
- Yellow-throat, Athens, 459.
 Maryland, 461.
- Yellow-throated Vireo, 518.
- ZENAIDURA macroura carolinensis, 391.
- Zonotrichia albicollis, 39, 326, 329, 518.
 leucophrys leucophrys, 38, 42, 326.