

## INDEX TO VOLUME 62

[New names are printed in bold-faced type]

- Acanthis flammea flammea**, 133, 390  
  *hornemannii exilipes*, 240  
  *linaria linaria*, 240  
  *l. rostrata*, 240
- Accipiter cooperi**, 126  
  *cooperii*, 182, 237, 374  
  *gentilis*, 126  
  *g. atricapillus*, 374  
  *striatus velox*, 182, 374  
  *velox*, 182, 374
- Actitis macularia**, 132, 183, 238, 377
- Addy, C. E.**, Great Black-backed Gull kills Black Duck, 142
- Aechmophorus occidentalis**, 181, 312, 372, 461
- Aegialitis melodus circumcinctus**, 440
- Aéronautes saxatilis sclateri**, 379
- Aérornis senex**, 589
- Aestrelata arminjoniana**, 437
- Agelaius humeralis**, 299, 447  
  *phoeniceus*, 131, 299  
  *p. fortis*, 389  
  *xanthomus monensis*, 299  
  *x. xanthomus*, 299
- Agriocarhis ocellata**, 225
- Aimophila botterii texana**, 448  
  *rufescens rufescens*, 286
- Aix sponsa**, 122
- Alca torda**, 238, 635  
  *t. torda*, 441
- Aldous, Clarence M.** See Mendall, Howard L., and —, 153
- Aldrich, John W.**, Additional breeding and migration records of the Black-backed Robin, 310; Notes on Panamanian birds, 111
- Alectoris graeca**, 225  
  *rufa*, 225
- Aleutian Islands**, 313
- Alexander, Gordon**, Hybrid warblers in the Colorado Museum of Natural History, 623
- Allard, H. A.**, Duck Hawk nesting in the Great Valley of Virginia, 145
- Alle alle**, 635
- Allen, A. A.**, Some changes in the bird life of Churchill, Manitoba, 129
- Allen, Francis H.**, Prating for Passenger Pigeons, 136
- Allin, A. E.**, Fall migration of the Golden Plover at Fort William, Ontario, 303
- Amazilia cyanocephala cyanocephala**, 276  
  *tzacatl tzacatl*, 16
- Ammodramus savannarum**, 420  
  *s. ammolegus*, 445  
  *s. bimaculatus*, 112  
  *s. caucae*, 112  
  *s. obscurus*, 111
- Ammospiza maritima fisheri**, 448  
  *m. howelli*, 448
- Amphispiza belli nevadensis**, 189, 391  
  *bilineata confinis*, 448  
  *b. opuntia*, 449
- A. O. U.**, The Sixty-second Stated Meeting of —, 348; Associate members elected 1943-1944, 352; Deceased members, 356; Report of the Treasurer 358; Officers and committees, IX; Deceased members since 1940, XI; Report of the Committee on Bird Protection for 1944, 613; Membership Committee, 664; Twentieth Supplement to the Check-List, 436; The A. O. U. at a glance, 176
- Anas acuta acuta**, 438  
  *a. tzitzioha*, 121, 373  
  *carolinensis*, 122, 126, 236, 373, 465, 564  
  *cyanoptera*, 126  
  *c. cyanoptera*, 182, 373  
  *discors*, 132, 142, 373, 465  
  *p. platyrhynchos*, 120, 126  
  *p. platyrhynchos*, 182, 373  
  *rubripes*, 236, 438, 620, 635  
  *r. rubripes*, 438  
  *r. tristis*, 438
- Anhinga anhinga**, 126

- Anhinga, 304  
 Ani, 10  
     Groove-billed, 16, 275  
     Smooth-billed, 16, 116  
 Anser albifrons albifrons, 309  
     a. gambelli, 309  
     fabalis, 438  
 Antbird, Dusky Tyrannine, 18  
     Spotted, 18  
 Anting, 302, 641  
 Anthropoides paradisea, 266  
 Anthus gustavi, 447  
     spinoletta alticola, 387  
     s. pacificus, 187  
     s. rubescens, 239, 635  
 Antrostomus vociferus, 304  
 Antvireo, 18  
 Antwren, Northern Long-billed, 21  
 Apaloderma narina narina, 409  
 Aphelocoma californica, 445  
     coerulescens cactophila, 445  
     c. immanis, 445  
     c. sumichrasti, 279  
     c. superciliosa, 445  
     sordida sieberii, 279  
 Aptenodytes forsteri, 144  
 Aquila chrysaetos canadensis, 140, 183,  
     375, 531  
 Araçari, Collared, 17  
 Aramus guarauna pictus, 440  
     pictus pictus, 440  
 Aratinga astec astec, 275  
 Archibuteo pallidus, 439  
 Archiphanes leucoramphus leucoram-  
     phus, 457  
     l. peruvianus, 457  
 Ardea herodias, 126  
     h. treganzai, 181, 372  
 Arenaria interpres, 241  
 Arnold, Elting, and Saunders, Aretas A.,  
     Connecticut records, 312  
 Arquatella maritima tschuktschorum,  
     440  
 Arremonops conirostris richmondi, 2  
 Asio flammeus flammeus, 239, 565  
     otus wilsonianus, 379  
 Aspatha gularis, 15, 489  
 Asyndesmus lewis, 185, 380  
 Atlapetes gutturalis parvirostris, 24  
     torquatus costaricensis, 24  
 Atlapetes, Costa Rican, 24  
     Costa Rican Yellow-throated, 24  
 Auk, Razor-billed, 238, 635  
 Aulacorhynchus caeruleigularis caeru-  
     leigularis, 17  
 Automolus ochrolaemus exsertus, 18  
 Automolus, Chiriquí, 18  
 Avila, Enrique, 'Enfermedades mas cor-  
     rientes entre las aves silvestres,' (rev.),  
     642  
 Avocet, 378  
 Aythya affinis, 438  
     americana, 438  
     collaris, 438  
     ferina, 438  
     fuligula, 438  
     marila, 438  
     m. nearctica, 518  
     valisineria, 438  
 Azure-crown, Red-billed, 276  
 BAILEY, Alfred M., Rivoli's Humming-  
     bird in Colorado, 631  
 Baker, Edward Charles Stuart, obituary,  
     172  
 Balanosphyrus formicivora aculeata, 443  
     f. formicivora, 277, 443  
 Baldpate, 119, 147, 373  
 Ball, Robert E., An unusual note of the  
     White-crowned Sparrow, 452  
 Ball, Stanley C., Canada Jay in Conne-  
     cticut, 457; Observations of Red-  
     breasted Nuthatches, 622; The Euro-  
     pean Starling in Gaspé, 79; White-  
     fronted Goose in Connecticut, 309  
 Bananaquit, Mexican, 25  
     San Miguel, 117  
 Barbatula, 556  
 Barbet, Costa Rican Prong-billed, 17  
 Barnés, Ventura, Jr., American Mergan-  
     ser in Puerto Rico, 460; A new form of  
     Agelaius from Mona Island, Puerto  
     Rico, 299  
 Baryphthengus martii, 490  
 Basileuterus culicivorus brasheri, 146  
     fulvicauda veraguensis, 23  
 Beatty, Harry A., Hooded Merganser in  
     St. Croix, Virgin Islands, U. S. A., 461  
 Becard, Cinnamon, 21  
     Rose-throated, 316

- Becard, Slate-bellied, 21  
Sumichrast's, 21
- Beer, James R., Sex ratios of ducks in southwestern Washington, 117
- Bent, A. C., Bent's 'Life Histories of North American Birds,' 660
- Berlioz, Jacques, 'La Vie des Colibris,' (rev.), 642; 'Les Migrations d'Oiseaux,' (rev.), 643
- Birckhead, Hugh, obituary, 346
- Bird, Lyre, 70  
Mistletoe, 73  
Northern Bush, 18  
of Paradise, Greater, 70
- Bittern, American, 182, 236
- Blackbird, Brewer's, 188, 389  
European, 306  
Rusty, 240, 389, 396  
Sumichrast's, 284  
Tawny-shouldered, 447  
Yellow-headed, 188, 314, 389
- Bluebird, 422, 533, 608  
Chestnut-backed, 386  
Eastern, 386, 632  
Guatemalan, 23, 283  
Mountain, 187, 386, 533  
Nelson's, 283
- Bobolink, 103, 302, 389, 420
- Bob-white, 608  
Eastern, 376
- Bolborhynchus lineola lineola, 274
- Bombycilla cedrorum, 566  
garrula, 314  
g. pallidiceps, 387
- Bonasa umbellus incanus, 439  
u. umbelloides, 375  
u. umbellus, 453
- Bond, James, 'Check-list of Birds of the West Indies' (rev.), 318; Identity of Catesby's Tropic Bird, 660
- Botaurus lentiginosus, 182, 236
- Brachyramphus marmoratus, 518
- Brackbill, Hervey, Red-eyed Vireo's incubation, 148
- Brandt, Herbert, A new wren from Arizona, 574
- Brant, 464  
American, 635
- Branta bernicla, 464  
b. hrota, 635
- Branta canadensis, 132, 373  
c. canadensis, 182, 236, 636, 640  
c. hutchinsi, 126, 461, 464  
c. interior, 438  
c. minima, 126
- British Columbia, 38
- Brockway, Arthur W., A Dovekie in Connecticut, 460
- Brooks, Allan, The under-water actions of diving ducks, 517
- Brooks, Maurice, Great Black-backed Gull in Monongalia County, West Virginia, 634
- Brown, V. H., Aircraft collision with a Goldfinch, 140
- Bryens, Oscar M., The Greenland Wheatear in Luce County, Michigan, 631
- Bubo virginianus, 421  
v. heterocnemis, 239  
v. occidentalis, 379, 531  
v. pacificus, 184  
v. virginianus, 405
- Buccanodon, 556
- Bucco, 544  
armillaris, 73
- Buffle-head, 119, 374, 439, 518
- Bunting, Eastern Snow, 241  
Indigo, 106, 608, 633  
Lark, 313, 391, 633  
Lazuli, 390  
Painted, 103  
Varied, 285
- Burleigh, Thomas D. See Peters, Harold S., and —, 564
- Bush-tit, Black-eared, 23  
Lead-colored, 528
- Butcher-bird, Pied, 71
- Buteo borealis calurus, 182, 274  
jamaicensis calurus, 274, 374, 531  
lagopus pallidus, 439  
l. s.johannis, 237, 375, 454  
lineatus lineatus, 452  
magnirostris alias, 116  
regalis, 140, 182, 375  
swainsoni, 182, 374
- Butorides virescens anthonyi, 182, 274  
v. eremonomus, 274  
v. virescens, 274

- CALAMOSPIZA melanocorys*, 313, 391  
*Caloramphus fuliginosus fuliginosus*, 556  
 f. *hayi*, 556  
 f. *tertius*, 556  
*Calcarius lapponicus*, 133  
 ornatus, 463  
*Calidris canutus canutus*, 440  
*Callipharus nigriventris*, 16  
*Canvas-back*, 119, 261, 373  
*Capella delicata*, 142, 183, 237, 377, 440  
*gallinago delicata*, 340  
*Capito aurovirens*, 548  
 b. *bourcieri aequatorialis*, 549  
 b. *bourcieri*, 549  
 b. *occidentalis*, 549  
 b. *orientalis*, 549  
 b. *salvini*, 549  
 b. *tucinkae*, 549  
*maculicoronatus maculicoronatus*, 548  
 m. *pirrensis*, 548  
 m. *rubrilateralis*, 548  
 m. *squamatus*, 548  
*niger amazonicus*, 549  
 n. *arimae*, 549  
 n. *aurantiicinctus*, 549  
 n. *auratus*, 549  
 n. *bolivianus*, 549  
 n. *brunneipectus*, 549  
 n. *conjunctus*, 549  
 n. *dayi*, 549  
 n. *hypochondriacus*, 549  
 n. *insperatus*, 549  
 n. *intermedius*, 549  
 n. *macintyrei*, 549  
 n. *niger*, 549  
 n. *nitidior*, 549  
 n. *novaolindae*, 549  
 n. *orosae*, 549  
 n. *punctatus*, 549  
*quinticolor hypoleucus*, 548  
 q. *quinticolor*, 548  
*versicolor aurantiicollis*, 549  
 v. *coccineus*, 549  
 v. *glaucomularis*, 549  
 v. *nigriceps*, 549  
 v. *richardsoni*, 549  
 v. *steeri*, 549  
 v. *versicolor*, 549  
*Caracara*, 606  
 Pearl Island, 116  
*Cardinal*, 131, 400, 606  
 Jalapa, 284  
*Carpodacus cassini*, 188, 390  
 frontalis mexicanus, 390  
 mexicanus frontalis, 188, 535  
 mexicanus potosinus, 448  
*Casmerodus albus*, 605  
 albus *egretta*, 181  
*Cassicus cela* *flavirrissus*, 456  
*melanurus*, 456  
*Cassidix mexicanus major*, 145  
 m. *mexicanus*, 26, 283  
*Castle-builder*, Rufous-breasted, 18  
 Sooty, 18  
*Catbird*, 385, 415, 420, 608  
*Catharacta antarctica lönnbergi*, 441  
 skua *antarctica*, 441  
 s. *lönnbergi*, 441  
*Cathartista urubu*, 116  
*Cathartes aura*, 116, 126  
 a. *jota*, 451  
 a. *septentrionalis*, 182  
 a. *teter*, 374  
*Catharus griseiceps griseiceps*, 22  
 occidentalis *altilola*, 22  
 o. *occidentalis*, 283  
*Catherpes mexicanus conspersus*, 186, 385, 533  
*Catoptrrophorus semipalmatus inornatus*, 184  
*Cayouette*, Raymond, Another breeding record of the Ring-necked Duck for the Province of Quebec, 147  
*Central America*, 8, 489  
*Centrocercus urophasianus*, 183, 376  
*Centurus aurifrons aurifrons*, 443  
 a. *grateloupensis*, 277  
 a. *pauper*, 17  
 carolinus, 606  
 c. *perplexus*, 443  
 c. *zebra*, 442  
 rubricapillus *seductus*, 116  
 r. *wagleri*, 17  
 uropygialis *albescens*, 443  
*Ceophloeus pileatus*, 421  
 p. *picinus*, 185, 381  
*Cephus grylle grylle*, 81, 238  
*Cercomacra tyrannina crepera*, 18

- Certhia familiaris montana, 385  
f. zelotes, 186
- Ceryle americana hachisukai, 442
- Chachalaca, Texan, 274
- Chaetura major, 589  
pelagica, 145, 361, 415  
vauxi, 184  
v. vauxi, 442
- Charadrius hiaticula semipalmatus, 237,  
377, 564  
melodus, 564  
m. circumcinctus, 440  
vociferus, 132, 420, 605  
v. vociferus, 183, 237, 377, 463
- Charitonetta albeola, 123, 374, 439
- Chat, Long-tailed, 388  
Yellow-breasted, 103, 194
- Chauelasmus streperus, 121, 182, 373
- Chen caerulescens, 636
- Chickadee, 608  
Acadian, 239  
Black-capped, 49, 239, 421  
Carolina, 55  
Cascade Brown-headed, 445  
Long-tailed, 384  
Mountain, 384  
Newfoundland Black-capped, 445  
Short-tailed, 186  
South Mexican, 282
- Chicken, Prairie, 616
- Chlidonias nigra surinamensis, 184,  
312, 378
- Chloroceryle amazona, 15, 276, 501  
americana hachisukai, 442  
a. leucosticta, 442  
a. septentrionalis, 276  
leucosticta, 442
- Chlorophonia occipitalis callophrys, 25
- Chlorophonia, Costa Rican, 25
- Chlorospingus ophthalmicus ophthalmicus, 284
- Chlorospingus, Brown-headed, 284
- Chondestes grammacus strigatus, 391,  
537
- Chordeiles minor, 417  
m. gundlachii, 442  
m. hesperis, 184  
m. howelli, 379, 537
- Chotorea, 530
- Cinclus mexicanus mexicanus, 445  
m. unicolor, 385
- Circus cyaneus hudsonius, 183, 375
- Clangula hyemalis, 135, 237, 519
- Clark, Hubert Lyman, The pteryloses of  
some Australian birds, 70
- Cleaves, Howard, Whip-poor-will en-  
durance, 304; Glossy Ibis on Staten  
Island, N. Y., 311
- Clingman, George Franklin, obituary,  
173
- Clivicola riparia ijimae, 444
- Cobb, Stanley, Numerical comparison of  
resident birds in Massachusetts today  
and forty years ago, 606
- Coccyzus americanus, 417  
erythrophthalmus, 415, 632  
minor continentalis, 273
- Coereba flaveola cerioclunis, 116  
f. mexicana, 25
- Colaptes auratus, 239, 605  
a. borealis, 380  
a. luteus, 415  
cafer collaris, 184, 380  
c. nanus, 442  
c. sedentarius, 442
- Colibri cyanotus, 16
- Colinus virginianus, 126  
v. virginianus, 376
- Colorado, 371
- Columba affinis, 140  
fasciata fasciata, 378  
f. monilis, 442  
livia, 140  
monilis, 442
- Columbigallina passerina, 606  
talpacoti rufipennis, 14, 116
- Colymbus auritus, 132  
griseogena griseogena, 437  
nigricollis californicus, 372
- Connecticut, 312
- Conover, Boardman, The breeding Gold-  
en Plover of Alaska, 568
- Cook, Faxon W., Two unusual records  
for North Carolina, 465
- Coot, American, 142, 183, 377
- Coragyps atratus, 15, 126, 137  
a. foetens, 116
- Cormorant, Double-crested, 236, 459,  
621  
Farallon, 118
- Correspondence, 170, 345, 660
- Corrigenda, VIII, 171

- Corthylio, 447
- Corvus brachyrhynchos, 126
- b. caurinus, 445
  - b. hesperis, 384
  - caurinus, 445
  - corax, 126
  - c. clarionensis, 445
  - c. principalis, 1, 148, 239
  - c. sinuatus, 186, 384, 531
  - ossifragus, 606
- Cottam, Clarence, American Eider in Delaware, 634; Whistling Swan in Maine, 634
- Coturnicops noveboracensis noveboracensis, 459
- Cowbird, 202, 633
- Eastern, 389
  - Red-eyed, 283
- Cracticus nigrogularis, 71
- Craighill, Francis Hopkinson, obituary, 175, 660
- Crane, 377
- Sandhill, 132, 183
- Creciscus ruber, 15
- Creeper, Flesh-legged Honey, 25
- Rocky Mountain, 385
  - Sierra, 186
- Crocethia alba, 241, 454
- Crossbill, Bendire's, 188, 391
- Common, 448
  - Sitka, 151
  - White-winged, 240, 241
- Crotophaga ani, 16, 116
- sulcirostris sulcirostris, 16, 275
- Crow, 3, 91, 608
- Fish, 606
  - Western, 384
- Cryptoglaux acadica, 622
- a. acadica, 379
- Crypturus soui modestus, 14
- Cuckoo, Black-billed, 103, 415, 632
- Central American Squirrel, 275
  - Mangrove, 275
  - Yellow-billed, 379, 417
- Cummings, S. B., Jr. See Thornton, C. S., and —, 75
- Curlew, Eskimo, 635
- Hudsonian, 103, 132, 564
- Curucujus melanurus macrourus, 409
- Cyanecula suecica robusta, 446
- Cyanerpes cyaneus carneipes, 25, 116
- Cyanocephalus cyanocephalus, 528
- Cyanocitta cristata, 421, 604
- c. cristata, 415, 637
  - c. cyanoptera, 384
  - stelleri atriceps, 281
  - s. azteca, 279
  - s. coronata, 279
  - s. diademata, 384
  - s. frontalis, 186
  - s. percontatrix, 445
  - superciliosa, 445
- Cyanops, 550
- Cyanosylvia suecica robusta, 446
- Cygnus columbianus, 126, 634
- olor, 438
- Cyornis hainana, 633
- Cyornis, Blue-breasted, 633
- Cypseloides cherriei, 586
- cryptus, 588
  - fumigatus fumigatus, 587
  - f. major, 587
  - f. rothschildi, 589
  - major, 460, 589
  - niger borealis, 591
  - n. costaricensis, 591
  - n. niger, 591
  - senex, 587
- DAFILA spinicauda, 267
- Dates of publication of Vol. 62, II
- Davis, L. Irby, Brasher's Warbler in Texas, 146; Yellow-green Vireo nesting in Cameron County, Texas, 146; Rose-throated Becard nesting in Cameron County, Texas, 316
- Davis, Malcolm, A change of breeding season by Australian gulls, 137; Black-crowned Night Heron in Washington, D. C., 458; English Sparrow anting, 641; Longevity record of the Black-checked Weaver, 451; The Bald Eagle nesting in captivity, 634; Blue × Canada Goose hybrid, 636. The molt of the Emperor Penguin, 144
- Davis, William B., Notes on Veracruzan birds, 272
- Deignan, H. G., Blue-breasted Cyornis in the Malay Peninsula, 633
- Delacour, Jean, Reviews by —, 642, 643,

- 645;—and Mayr, E., 'The Family Anatidae,' (rev.), 466
- Dendragapus obscurus obscurus, 376  
o. sierrae, 183
- Dendrocincia anabatina saturata, 19
- Dendroica aestiva, 447  
a. aestiva, 388  
a. amnicola, 240  
a. morcomi, 187  
auduboni, 623  
a. auduboni, 187, 388  
caerulescens, 426  
coronata, 388, 623  
c. coronata, 240, 566  
c. hooveri, 388, 623  
fusca, 427  
gundlachi, 447  
magnolia, 425  
nigrescens, 187, 535, 628  
palmarum, 605  
pensylvanica, 240, 427  
petechia, 447  
p. aequatorialis, 117  
p. gundlachi, 447  
striata, 240  
townsendi, 187, 338  
virens, 426  
v. waynei, 427  
virginiae, 388
- Denton, Fred, Apparent death of a Blue Jay from Toxoplasmosis, 637
- deSchauensee, Rodolphe Meyer, On the type of *Cassicus melanurus* Cassin, 456; reviews by —, 322, 469
- Dicaeum hirundinaceum, 72
- Dickcissel, 103
- Dicrorhynchus, 548  
frantzii, 17
- Diglossa baritula plumbea, 25
- Diomedea nigripes, 126
- Dipper, 385  
Mexican, 445
- Dives dives dives, 284
- Dolichonyx oryzivorus, 389, 420
- Dove, Buff-bellied, 275  
Ground, 606  
Inca, 275  
Mourning, 99, 270, 300, 306, 415, 526  
Red-winged, 116
- Dove, Red-winged Talpacoti, 14  
Ruddy Quail, 15  
Verreaux's White-fronted, 15  
Western Mourning, 185, 378, 536
- Dovekie, 142, 238, 460, 635
- Dowitcher, 132
- Dryobates albolarvatus albolarvatus, 185  
borealis borealis, 443  
b. hylonomus, 443  
pubescens leucurus, 381  
p. medianus, 239, 415  
scalaris scalaris, 277  
villus, 421  
v. extimus, 17  
v. monticola, 381  
v. orius, 185  
v. jardini, 277  
v. terraenovae, 239
- Duck, Black, 142, 236, 253, 610, 620  
Eastern Harlequin, 237, 241, 639  
Greater Scaup, 373, 518  
Harlequin, 519  
Lesser Scaup, 119, 373  
Redhead, 261  
Ring-necked, 147, 373, 465  
Ruddy, 119, 182, 374, 522  
Western Harlequin, 519, 639  
Wood, 119
- Dumetella carolinensis, 385, 415, 420
- Dunlin, Greenland, 440
- Duvall, Allen J., Distribution and taxonomy of the Black-capped Chickadees of North America, 49; Random distributional notes, 626
- Dysithamnus mentalis septentrionalis, 18
- EAGLE, Bald, 458, 634  
Golden, 183, 375, 531  
Northern Bald, 183, 237  
Southern Bald, 375
- Ectopistes migratorius, 452, 622
- Egret, 605  
American, 181  
Snowy, 410
- Eider, 237  
American, 242, 634  
King, 237  
Pacific, 627

- Elaenia chiriquensis chiriquensis*, 19  
*flavogaster subpagana*, 19
- Elaenia*, Lawrence's, 19  
 Northern Yellow-bellied, 19
- Electron platyrhynchos*, 495
- Emery, Dan, Hybrid between Snow and Blue Goose in Washington, D. C., 636
- Empidonax affinis affinis*, 278  
*difficilis difficilis*, 185, 382  
*hammondi*, 185, 382  
*hammondii*, 443  
*minimus*, 382  
*traillii brewsteri*, 185, 382  
*t. traillii*, 130  
*wrighti*, 185, 382  
*wrightii*, 444
- Ereunetes maura*, 378
- Ergaticus ruber versicolor*, 23
- Erismatura dominica*, 439  
*jamaicensis*, 522  
*j. rubida*, 124, 182, 374
- Ernsberger, Millard Clayton, obituary, 661
- Ernst, Stanton Grant, The food of the Red-shouldered Hawk in New York State, 452
- Erolia alpina arctica*, 440  
*a. sakhalina*, 238  
*fuscicollis*, 238, 241  
*minutiilla*, 238  
*ptilocnemis tschuktschorum*, 440
- Erythrobucco*, 557
- Eubucco*, 547
- Eucometis penicillata stictothorax*, 25
- Eugenys fulgens*, 630
- Eumomota superciliosa*, 490  
*s. bipartita*, 15
- Euphagus carolinus*, 240, 389  
*cyanopephalus*, 188, 389
- Euphonia*, Bonaparte's, 25  
 Yellow-crowned, 25
- FALCO calidus**, 439  
*columbarius*, 126  
*c. bendirei*, 183  
*c. columbarius*, 237  
*c. richardsoni*, 375  
*c. subaesalon*, 439  
*mexicanus*, 126, 140, 183, 375  
*peregrinus*, 126
- Falco peregrinus anatum*, 145, 237, 375, 456  
*p. calidus*, 439  
*sparverius*, 126  
*s. guadalupensis*, 439  
*s. phalaena*, 439  
*s. sparverius*, 140, 183, 237, 274, 376, 439, 531  
*s. tropicalis*, 274  
*subaesalon*, 439
- Falcon, Peregrine, 257  
 Prairie, 183, 375  
 Siberian Peregrine, 439
- Fieldfare, 446
- Finch, Black Rosy, 390  
 Brown-capped Rosy, 390  
 Cassin's Purple, 180, 188, 390  
 Common House, 188, 390, 535  
 Gray-crowned Rosy, 390  
 Hepburn's Rosy, 390  
 Pribilof Rosy, 448  
 San Luis House, 448
- Findley, James S., Western Grebe in Michigan, 312
- Fisher, A. K., Obituary of Gustave Kohn, 661
- Fisher, Harvey I., Flying ability and the anterior intermuscular line on the coracoid, 125
- Flat-bill, Gray-headed, 21  
 Short-billed, 20  
 Western Golden-crowned, 20
- Flicker, 131, 239, 605  
 Boreal, 380  
 Dwarf Red-shafted, 442  
 Mexican Red-shafted, 277  
 Northern, 415  
 Red-shafted, 184, 380  
 Santa Cruz Red-shafted, 442
- Florida caerulea, 605
- Flower-piercer, Costa Rican, 25
- Flycatcher, Acadian, 103, 400  
 Alder, 103, 130  
 Ash-throated, 533  
 Black-hooded, 20  
 Bran-colored, 19, 117  
 Chipsacheery, 20  
 Colombian Royal, 20  
 Colombian Vermilion-crowned, 20  
 Crested, 190, 608

- Flycatcher, Fulvous-breasted, 278  
Fulvous-throated, 20  
Giraud's, 20, 278  
Gray-capped, 12, 19  
Greater Striped, 278  
Guerrero, 443  
Hammond's, 185, 382  
Lawrence's Spade-billed, 20  
Least, 103, 382, 608  
Little, 185, 382  
Matagalpa, 19  
Mexican Boat-billed, 19, 278  
Mexican Royal, 20  
Noble, 19  
Olive-sided, 103, 185, 382  
Panama, 117  
Santa Marta Fork-tailed, 443  
Scissor-tailed, 103  
Smooth, 117  
Striped, 19  
Sulphur-bellied, 19, 278  
Western, 185, 382  
Wright's, 185, 382  
Yellow-bellied, 103  
Zimmer's, 117
- Francolinus sephaena, 225  
Fratercula arctica arctica, 238  
Fregetta tropica tropica, 438
- Friedmann, Herbert, *Cypseloides major* in Bolivia, 460
- Fulica americana, 266  
a. americana, 183, 377
- Fulmar, Atlantic, 236, 241
- Fulmarus glacialis glacialis, 236
- GADWALL, 119, 182, 373
- Galbula melanogenia, 17
- Galliformes, 223
- Gallinula chloropus cachinnans, 377
- Gallinule, Florida, 377  
Purple, 15
- Gannet, 236, 311
- Garuma, 450
- Gavia immer, 38, 126  
i. immer, 236, 635  
pacifica, 126  
stellata, 126, 236, 241, 635
- Gelochelidon nilotica aranea, 639
- Gem, Costa Rican Mountain, 16
- General Notes, 135, 299, 450, 620
- Geothlypis trichas, 429  
t. occidentalis, 188, 388  
t. typhicola, 447
- Glaucidium gnoma gnoma, 442
- Glaucionetta albeola 439, 518  
clangula americana, 123, 252, 374, 465, 518  
islandica, 374, 518
- Glenny, Fred H., A study of the main arteries in the neck and thorax of *Oriolus chinensis diffusus*, 611; A systematic study of the main arteries in the region of the heart—Aves VI, Trogoniformes, Part 2, 409; idem, Aves VIX, Gruiformes, Part 1, 266
- Gnatcatcher, Blue-gray, 396, 400  
Lawrence's, 21  
San Francisquito, 447  
Sonora, 446  
Western, 534
- Godfrey, W. Earl, Sitka Crossbills in Massachusetts, 151
- Godwit, Hudsonian, 133  
Marbled, 635
- Golden-eye, 132, 252, 465  
American, 119, 374, 403, 518  
Barrow's, 40, 374, 518
- Goldfinch, 608  
American, 141  
Arkansas, 285, 391  
Eastern, 391  
European, 306  
Northwestern, 448
- Goodall, J. D.; Phillipi B., R. A.; and Johnson, A. W., Nesting habits of the Peruvian Gray Gull, 450
- Goose, Blue, 636
- Canada, 132, 261, 373, 636, 640  
Common Canada, 104, 182, 236  
Lesser Canada, 104  
Snow, 636  
Ungava Canada, 438  
White-fronted, 309
- Goshawk, Eastern, 374
- Grackle, Boat-tailed, 145  
Bronzed, 170, 389, 415  
Great-tailed, 26, 283  
Purple, 170, 455
- Graefe, C. F., and Hollander, W. F., A pale mutant Mourning Dove, 300

- Grallina cyanoleuca, 71  
 Grant, Robert H., Chestnut-collared Longspur on Long Island, 463  
 Grassquit, 24  
 Grebe, Eared, 372  
     Horned, 132  
     Pied-billed, 132, 181, 372  
     Red-necked, 437  
     Western, 181, 312, 372, 461  
 Greeley, Frederick. See Thornton, C. S., and —, 75  
 Greene, Earle R.; Griffin, William W.; Odum, Eugene P.; Stoddard, Herbert L.; and Tomkins, Ivan R., 'Birds of Georgia,' (rev.), 467  
 Griffin, William W. See Greene, Earle R., and —, 467  
 Grinnell, Joseph, and Miller, Alden H., 'The Distribution of the Birds of California,' (rev.), 467  
 Grinnell, L. I., A correction, 317  
 Griscom, Ludlow, Barrow's Golden-eye in Massachusetts, 401; 'Modern Bird Study,' (rev.), 643; review by —, 319  
 Grosbeak, Blue, 103, 314  
     Canadian Pine, 240  
     Lesser Rice, 24  
     Mexican Evening, 285  
     Rocky Mountain, 390  
     Rocky Mountain Pine, 390  
     Rose-breasted, 103  
     Western Evening, 188  
 Groskin, Horace, Chimney Swifts roosting at Ardmore, Pennsylvania, 361  
 Gross, Alfred O., The Black Duck nesting on the outer coastal islands of Maine, 620; The present status of the Great Black-backed Gull on the coast of Maine, 241  
 Grouse, Alaska Sharp-tailed, 440  
     Dusky, 376  
     Gray Ruffed, 376  
     Hoary Ruffed, 439  
     Red, 224  
     Ruffed, 453  
     Sierra, 183  
 Grus antigone, 266  
     canadensis, 132  
     c. canadensis, 377  
     c. tabida, 183, 377  
 Guara alba, 627  
 Guillemot, Black, 81, 238  
 Guinea-fowl, 225  
 Guiraca caerulea caerulea, 314  
 Gull, Australian Silver, 137  
     Bonaparte's, 635  
     California, 184  
     Glaucous, 238  
     Great Black-backed, 142, 238, 241, 634, 635  
     Herring, 131, 238, 241, 610, 620  
     Ivory, 238  
     Kumlien's, 441  
     Laughing, 412  
     Peruvian Gray, 450  
     Point Barrow, 441  
     Ring-billed, 184, 378, 606  
     Sabine's, 372  
     Southern Sabine's, 441  
 Gunter, Gordon, A record of the Gannet from the Texas coast, 311  
 Gymnobucco bonapartei bonapartei, 558  
     b. cinereiceps, 558  
     b. intermedius, 558  
     calvus calvus, 558  
     c. major, 558  
     c. vernayi, 558  
     peli peli, 558  
     p. sladeni, 558  
 Gymnogyps californianus, 216  
 Gymnostinops montezuma, 26  
  
 HABIA gutturalis salvini, 284  
 Haematopus palliatus palliatus, 116  
 Hagar, Mrs. Conger M., Harlequin Duck on the Texas coast, 639  
 Haliaeetus leucocephalus, 634  
     l. leucocephalus, 375  
     l. washingtoniensis, 183, 237  
 Hallstrom, E. J. L. See Mathews, Gregory, M. and —, 153  
 Hann, Harry W., 'An Introduction to Ornithology,' (rev.), 468; 'Ornithology Notebook,' (rev.), 468  
 Hardy, Ross, Breeding birds of the pigmy conifers in the Book Cliff region of eastern Utah, 523  
 Harris, William G. F., Yellow Rail nesting in Massachusetts, 459

- Hawk, American Rough-legged, 237, 375, 454  
Broad-winged, 105  
Cooper's, 182, 237  
Duck, 91, 145, 237, 261, 456  
Eastern Pigeon, 237  
Eastern Sparrow, 183, 237, 274, 531  
Guadalupe Sparrow, 439  
Marsh, 183, 261  
Pearl Island, 116  
Pigeon, 99  
Red-shouldered, 452  
Sharp-shinned, 182, 374  
Siberian Rough-legged, 439  
Sparrow, 100, 181  
Swainson's, 182, 374  
Western Harris's, 439  
Western Pigeon, 183  
Western Red-tailed, 182, 274, 374, 531  
*Hedymeles melanocephalus melanocephalus*, 390  
Heiser, Joseph M., Eskimo Curlew in Texas, 635; Swallow-tailed Kite in Texas, 636  
*Heleodrytes rufinucha rufinucha*, 282  
    *zonatus zonatus*, 22  
*Hemiprocne fumigata*, 587  
Hen, Sage, 183, 376  
*Henicorhina leucophrys collina*, 22  
Herman, William Cephas, obituary, 174  
Hermit, Dusky, 16  
Heron, Anthony's Green, 182  
    Black-crowned Night, 182, 260, 373, 458, 610, 621  
    Common, 257  
    Great Blue, 99, 621  
    Great Gray, 258  
    Green, 274, 610  
    Little Blue, 106, 605  
    Louisiana, 145  
    Treganza's, 181, 372  
*Hesperiphona vespertina brooksi*, 188, 390  
    *v. montana*, 285  
Hicks, Lawrence, E., Blue Grosbeak breeding in Ohio, 314; Hooded Merganser breeding in Ohio, 315; Yellow-headed Blackbird breeding in Ohio, 314; Report of the Secretary, 348  
Hill, Norman P., The 1944 hurricane in New England, 410  
*Hirundo*, 72  
    *erythrogaster*, 185, 415  
    *gutturalis*, 444  
    *rustica erythrogaster*, 130, 241, 383, 565  
    *r. gutturalis*, 444  
*Histrionicus histrionicus*, 519  
    *h. histrionicus*, 237, 241, 639  
    *h. pacificus*, 519  
Hochbaum, H. Albert, 'The Canvasback on a Prairie Marsh,' (rev.), 318  
Hollander, W. F. See Graefe, C. E., and —, 300  
Howard, Hildegarde, Observations on young tarsometatarsi of the fossil turkey, *Parapavo californicus* (Miller), 596  
Howell, A. Brazier, 'Speed in Animals,' (rev.), 152  
Hummingbird, Black-bellied, 16  
    Broad-tailed, 380, 533, 631  
    Calliope, 184  
    Rieffer's, 16  
    Rivoli's, 630  
    Rufous, 184, 380, 631  
    White-eared, 16  
Hybrids, 623, 636  
*Hydranassa tricolor ruficollis*, 145  
*Hydroprogne caspia*, 441, 639  
    *c. imperator*, 312, 314, 441  
*Hylocharis leucotis borealis*, 442  
    *l. leucotis*, 16, 442  
*Hylocichla fuscescens*, 422  
    *f. fuliginosa*, 446, 565  
    *f. salicicola*, 386  
    *guttata*, 422  
    *g. auduboni*, 386  
    *g. faxoni*, 239  
    *g. oromela*, 345  
    *g. sequoiensis*, 187  
    *minima aliciae*, 239  
    *mustelina*, 422, 633  
    *ustulata almae*, 386  
    *u. ustulata*, 386  
*Hylophylax naeviooides naeviooides*, 18  
*Ibis*, Glossy, 311  
    White, 627

- Ibis, White-faced Glossy, 373  
*Icteria virens longicauda*, 388  
*Icterus bullockii*, 188, 389  
 galbula, 117, 415  
 gularis tamaulipensis, 284, 448  
 mesomelas mesomelas, 26  
 pustulatus microstictus, 448  
 spurius, 284  
 Incubation, 8, 148, 194, 499  
*Ionornis martinica*, 15  
*Iridoprocne bicolor*, 133, 185, 383
- JACAMAR**, Black-chinned, 17  
**Jaeger**, Long-tailed, 635  
 Parasitic, 412  
 Pomarine, 465  
**Jay**, Blue, 421, 604, 608, 637  
 Blue-crested, 279  
 Blue-fronted, 186  
 Brown, 279  
 Canada, 455, 457  
 Central American Brown, 26  
 Desert California, 445  
 Green, 186, 279  
 Labrador, 239  
 Long-crested, 384  
 Nevada Crested, 445  
 Northern Blue, 415  
 Pacific Canada, 444  
 Pifion, 384, 527  
 Rocky Mountain, 383  
 Sieber's, 279  
 Sumichrast's, 279  
 Western Blue, 384  
**Johnson, A. W.** See Goodall, A. W., and —, 450  
**Junco caniceps**, 392  
 c. caniceps, 449, 628  
 c. dorsalis, 449  
 cismontanus, 449  
 hyemalis cismontanus, 449, 628  
 h. hyemalis, 240, 391, 628  
 oreganus mearnsi, 392, 628  
 o. montanus, 392, 628  
 o. shufeldti, 392  
 o. thurberi, 189  
 phaeonotus dorsalis, 449  
 p. phaeonotus, 286  
**Junco**, 628  
 Cassiar, 449
- Junco, Gray-headed, 392  
 Mexican, 286  
 Montana, 392  
 Pink-sided, 392  
 Shufeldt's, 392  
 Slate-colored, 240, 391  
 Thurber's, 189
- KELKER**, William Anthony, obituary, 174  
**Kendeigh, S. Charles**, Community selection by birds on the Helderberg Plateau of New York, 418  
**Killdeer**, 132, 183, 237, 377, 420, 463, 605  
**Kimball, Heathcote**, Louisiana Heron in Virginia in December, 145  
**Kingbird**, 608  
 Arkansas, 103, 147, 185, 382, 462  
 Berlepsch's, 21, 116  
 Cassin's, 382  
 Couch's, 278  
 Eastern, 106, 185, 381, 415, 462  
 Gray, 103, 462  
**Kingfisher**, Amazon, 15, 276, 501  
 Belted, 99  
 Eastern Belted, 239, 380  
 Ringed, 15, 116, 276  
 Texas Green, 276  
 Western Belted, 184  
**Kinglet**, Eastern Golden-crowned, 239, 566  
 Eastern Ruby-crowned, 239, 387  
 Ruby-crowned, 180, 396  
 Western Golden-crowned, 187, 387  
 Western Ruby-crowned, 187  
**Kite**, Swallow-tailed, 636  
**Kittiwake**, Atlantic, 238, 635  
**Knot**, 103  
 Old World, 440  
**Kohn, Gustave**, obituary of —, 661  
**Kramer, Evelyn Y. and Quintin**, Long-tailed Jaeger and other birds at Island Beach, New Jersey, 635
- LABRADOR**, 234  
**Lack, David**, 'The Galapagos Finches,' (rev.), 644  
**Lafresnaye, Baron F. de**, biography of —, 227  
**Lagopus lagopus**, 132, 638

- Lagopus lagopus allenii*, 237  
  *leucurus saxatilis*, 440  
  *mutus captus*, 440  
  *m. gabrielsoni*, 440  
  *m. groenlandicus*, 440  
  *m. welchi*, 237  
  *scoticus*, 224
- Lanius excubitor borealis*, 133, 239  
  *e. invictus*, 387  
  *ludovicianus*, 604  
  *l. excubitorides*, 387  
  *l. gambeli*, 187
- Lark, Horned*, 149, 239, 317, 527  
  *Desert Horned*, 382  
  *Mexican Horned*, 278  
  *Prairie Horned*, 463  
  *St. Helens Horned*, 444  
  *Sierra Nevada Horned*, 444  
  *Wood*, 306
- Larus argentatus smithsonianus*, 381, 635  
  *delawarensis*, 606  
  *hyperboreus*, 238  
  *h. barrovianus*, 441  
  *h. hyperboreus*, 441  
  *kumlieni*, 441  
  *leucopterus kumlieni*, 441  
  *l. leucopterus*, 441  
  *marinus*, 238, 634, 635  
  *modestus*, 450  
  *novaehollandiae*, 137  
  *philadelphia*, 635  
  *ridibundus sibiricus*, 313
- Legatus leucophaeus leucophaeus*, 19  
  *l. variegatus*, 278
- Leistes humeralis*, 447
- Lepidocolaptes affinis affinis*, 277  
  *s. neglectus*, 18  
  *souleyetii compressus*, 18
- Leptotila verreauxi fulviventris*, 275  
  *v. verreauxi*, 15
- Lestris antarcticus*, 441
- Leucosticte atrata*, 390  
  *australis*, 390  
  *tephrocotis littoralis*, 390  
  *t. tephrocotis*, 390  
  *t. umbrina*, 448
- Lewis, Frederic T.*, Cotton Mather's manuscript references to the Passenger Pigeon, 306
- Limnodromus griseus*, 132  
*Limnothlypis swainsonii*, 395
- Lobipes lobatus*, 238, 565
- Lochmias nematura nelsoni*, 113  
  *n. obscurata*, 113  
  *n. sororia*, 113
- Longspur, Chestnut-collared*, 463  
  *Lapland*, 133, 317
- Longstreet, R. J.*, Leach's Petrel in Florida, 148
- Loomis, Evarts G.*, Notes on birds of northern Newfoundland and Labrador, 234
- Loon, 38*  
  *Arctic*, 131  
  *Common*, 236, 635  
  *Red-throated*, 236, 635
- Lophodytes cucullatus*, 315, 460, 461, 465
- Lorikeet, Fijian Mountain*, 139
- Loxia c. curvirostra*, 448  
  *c. bendirei*, 188, 391  
  *c. sitkensis*, 151  
  *leucoptera leucoptera*, 240, 241, 391
- Lumsden, H. G.*, Records from Churchill, Manitoba, 314
- Lybius bidentatus aequatorialis*, 561  
  *b. aethiops*, 561  
  *b. bidentatus*, 561  
  *diadematum diadematum*, 560  
  *d. frontatum*, 560  
  *d. massaicum*, 560  
  *d. mustum*, 560  
  *dubius*, 561  
  *guifsobalito guifsobalito*, 561  
  *g. ugandae*, 561  
  *hirsutum angolense*, 560  
  *h. ansorgii*, 560  
  *h. chapini*, 560  
  *h. flavipunctatum*, 560  
  *h. hirsutum*, 560  
  *h. hybridum*, 560  
  *lacrymosum lacrymosum*, 560  
  *l. radcliffei*, 560  
  *l. ruahae*, 560  
  *leucocephalus adamanae*, 561  
  *l. albicaudus*, 591  
  *l. leucocephalus*, 561  
  *l. leucogaster*, 561  
  *l. lynesi*, 561

- Lybius leucocephalus senex**, 561  
*leucomelas centralis*, 560  
 l. *namaqua*, 560  
 l. *nkatiensis*, 560  
 l. *intercedens*, 560  
 l. *levaillantii*, 560  
 l. *macclounii*, 560  
*melanocephalus blandi*, 560  
*m. flavibuccale*, 560  
*m. melanocephalus*, 560  
*m. stigmatothorax*, 560  
*melanopterus*, 561  
*rolleti*, 561  
*torquatus congicus*, 561  
*t. irroratus*, 561  
*t. torquatus*, 561  
*undatus gardullensis*, 560  
*u. leucogenys*, 560  
*u. salvadorii*, 560  
*u. thiogaster*, 560  
*u. undatus*, 560  
*vieilloti rubescens*, 561  
*v. vieilloti*, 561
- MAGPIE**, American, 384, 534  
 Bell, 70
- Magpie-Lark**, Australian, 71
- Mallard**, 104, 119, 261, 610  
 Common, 182
- Manacus aurantiacus**, 21
- Manakin**, Salvini's, 21  
 Velvety, 21
- Manitoba**, 129
- Mareca americana**, 121, 147, 373  
 penelope, 147
- Marshall**, David B. See McAllister, Thomas H., Jr., and —, 177
- Martin**, Sinaloa, 308
- Massachusetts**, 606
- Mathews**, Gregory M., and Hallstrom, E. J. L., 'Notes on the Order Procellariiformes,' (rev.), 153
- May**, Franklin H., Ptilology—a proposed names for the general study of the plumage of birds, 308
- Mayr**, Ernst, Obituary of Hugh Birckhead, 346; The correct name of the Fijian Mountain Lorikeet, 139; review by —, 322; 'Birds of the Southwest Pacific' (rev.), 319; 'The Birds of Timor and Sumba,' (rev.), 469; See Delacour, Jean, and —, 466
- McAllister**, Thomas H., and Marshall, David B., Summer birds of the Fremont National Forest, Oregon, 177
- McAtee**, W. L., *Branta c. hutchinsi* on the Atlantic Coast, 461; Catesby's Tropic-bird, 137; Interior records of Brant, 464; Obituary of Dayton Stoner, 172; The nomenclature of William Bartram, 345; Wherein lies the economic value of birds, 149; — and Stoddard, Herbert L., Wettable water birds, 303
- McClure**, H. Elliott, Effects of a tornado on bird life, 414; Reaction of the Mourning Dove to colored eggs, 270
- McIlhenny**, E. A., An unusual feeding habit of the Black Vulture, 136
- Meade**, Gordon M., and Seagears, Clayton B., White Pelican in New York State, 637
- Meadowlark**, 413, 420  
 Eastern, 463, 633  
 Western, 133, 188, 389, 633
- Meanley**, Brooke, Notes on Swainson's Warbler in central Georgia, 395
- Megacyrle alcyon alcyon**, 239, 380  
 a. *caurina*, 184  
*torquata*, 15  
 t. *torquata*, 116, 276
- Megalaima armillaris armillaris**, 555  
 a. *baliensis*, 555  
 a. *brachyrhyncha*, 555  
 a. *henrici*, 555  
 a. *pulcherrima*, 555  
*asiatica asiatica*, 554  
 a. *chersonesus*, 554  
 a. *davisoni*, 554  
 a. *rubescens*, 554  
*australis australis*, 555  
 a. *cyanea*, 555  
 a. *cyanotis*, 555  
 a. *duvacelii*, 555  
 a. *eximia*, 555  
 a. *gigantorhina*, 555  
 a. *hebereri*, 555  
 a. *invisa*, 555  
 a. *orientalis*, 555  
 a. *stuarti*, 555

- Megalaima australis tanamassae**, 555  
  *chrysopogon chrysopogon*, 553  
  *c. chrysopsis*, 553  
  *corvina*, 553  
  *faiosticta faiosticta*, 553  
  *f. praetermissa*, 553  
  *franklini auricularis*, 553  
  *f. franklinii*, 553  
  *f. minor*, 553  
  *f. ramsayi*, 553  
  *f. trangensis*, 553  
  *flavifrons*, 555  
  *haemacephala confusa*, 555  
  *h. delicata*, 555  
  *h. haemacephala*, 555  
  *h. indica*, 555  
  *h. intermedia*, 555  
  *h. rosea*, 555  
  *incognita euroa*, 554  
  *i. incognita*, 554  
  *javensis*, 554  
  *lagrandieri lagrandieri*, 552  
  *l. rothschildi*, 552  
  *monticola*, 554  
  *mystacophanes ampala*, 554  
  *m. mystacophanes*, 554  
  *oorti anamensis*, 554  
  *o. faber*, 554  
  *o. nuchalis*, 554  
  *o. oorti*, 554  
  *o. sini*, 554  
  *rafflesii malayensis*, 554  
  *r. rafflesii*, 554  
  *robustirostris*, 555  
  *rubricapilla malabarica*, 555  
  *r. rubricapilla*, 555  
  *virens clamator*, 552  
  *v. magnifica*, 552  
  *v. marshallorum*, 552  
  *v. virens*, 552  
  *viridis*, 553  
  *zeylanica caniceps*, 552  
  *z. hodgsoni*, 552  
  *z. inornata*, 552  
  *z. kangrae*, 552  
  *z. lineata*, 552  
  *z. zeylanica*, 552
- Megapodius nicobariensis**, 224  
  *reinwardt*, 224
- Megarhynchus pitangua mexicanus**, 19,  
  278
- Melanerpes erythrocephalus**, 415, 605  
  *e. caurinus*, 380
- Melanitta fusca deglandi**, 132, 237, 241,  
  520  
  *perspicillata*, 241, 521
- Melanotis caerulescens caerulescens**, 282  
  *c. hypoleucus*, 22
- Meleagris gallopavo**, 225, 599  
  *g. osceola*, 225
- Melospiza georgiana**, 241  
  *g. ericrypta*, 567  
  *lincolni*, 393  
  *l. lincolni*, 189, 340  
  *melodia*, 131, 302, 420  
  *m. fallax*, 393, 449  
  *m. fisherella*, 189  
  *m. melodia*, 463, 567  
  *m. montana*, 449  
  *m. virginis*, 449
- Mendall, Howard L.**, Canada Goose  
nesting in Maine, 640; Redhead breed-  
ing in New Brunswick, 465; — and  
Aldous, Clarence M., 'The Ecology  
and Management of the American  
Woodcock,' (rev.), 153
- Menura**, 70
- Merganser**, 520,  
  *American*, 119, 237, 374  
  *Hooded*, 315, 374, 460, 461  
  *Red-breasted*, 119, 132, 237, 241,  
  374, 522
- Mergus merganser americanus**, 123, 237,  
  374, 460  
  *serrator*, 124, 237, 374, 460
- Merlin**, Iceland, 439
- Méjico**, 272
- Mezobucco**, 551
- Michigan**, 312
- Mieropalamia himantopus**, 133
- Micropogonius**, 557
- Miller, Alden H.** See Grinnell, Joseph,  
and —, 467
- Milvago chimachima cordatus**, 116
- Mimus polyglottos**, 301, 604  
  *p. leucopterus*, 385
- Mniotilla varia**, 424
- Mockingbird**, 301, 604  
  *Blue*, 282  
  *Western*, 385  
  *White-breasted Blue*, 22

- Molothrus ater, 314  
     a. ater, 389, 633
- Momotus caeruleiceps, 276  
     castaneiceps, 490  
     lessonii, 493
- Mona Island, 299
- Moore, Robert T., Sinaloa Martin nesting in western Mexico, 308
- Moris bassana, 236, 311
- Morris, Lewis Rutherford, obituary of —, 174
- Motacilla, 72
- Motmot, Blue-crowned, 276  
     Blue-throated Green, 15, 489  
     Broad-billed, 495  
     Chestnut-headed, 490  
     Great Rufous, 490  
     Green-breasted Turquoise-browed, 15  
     Lesson's, 493  
     Turquoise-browed, 490
- Munro, J. A., Observations of the Loon in the Cariboo Parklands, British Columbia, 38
- Murie, O. J., *Larus ridibundus sibiricus* from the Aleutian Islands, 313
- Murphy, Robert Cushman, Middle 19th-Century introduction of British Birds to Long Island, N. Y., 306; Notes on Pearl Islands ornithology, 114; reviews by —, 153, 642
- Murray, J. J., A Raven's nest near Lexington, Virginia, 148; Food of the Raven in Virginia, 306
- Murre, 518  
     Atlantic, 238  
     Brünnich's, 238  
     North Pacific, 441
- Murrelet, Marbled, 518
- Muscivora tyrannus sanctaemartae, 443
- Musselman, T. E., Bald Eagles and Woodcocks in central-western Illinois, 458
- Myadestes obscurus, 495  
     o. obscurus, 283  
     ralloides melanops, 22  
     townsendi, 187, 386
- Myiarchus cinerascens cinerascens, 533  
     ferox panamensis, 116  
     inquietus, 443
- Myiarchus nuttingi inquietus, 443  
     tuberculifer connectens, 19
- Myiobius atricaudus atricaudus, 19
- Myiobius, Black-tailed, 19  
     Southern Sulphur-rumped, 19
- Myioborus miniatus aurantiacus, 23  
     m. connectens, 23  
     torquatus, 23
- Myioborus Collared, 23  
     Intermediate, 23  
     Orange-bellied, 23
- Myiochanes cinereus brachytarsus, 19  
     richardsonii richardsonii, 185, 382  
     r. sordidulus, 278
- Myiodynastes luteiventris, 19  
     l. luteiventris, 278  
     maculatus difficilis, 116  
     m. nobilis, 19
- Myiophobus fasciatus furfurosus, 19, 116
- Myiozetetes granadensis granadensis, 19  
     similis columbianus, 20  
     s. texensis, 20, 278
- Myrmotherula axillaris albigula, 18
- NANNUS troglodytes stevensoni, 446
- Nelson, Arnold L. See Nestler, Ralph B. and —, 217
- Nephocaetes, 589
- Nephocetes niger costaricensis, 587
- Nestler, Ralph B., and Nelson, Arnold L., Inbreeding among pen-reared quail, 217
- Nestlings, 8, 189, 502
- Newfoundland, 234
- Nice, Margaret M., How many times does a Song Sparrow sing one song, 302; Cowbirds anting, 302
- Nicol, J. A. C., The homing ability of the carrier pigeon; its value in warfare, 286
- Nighthawk, 105, 417  
     Cuban, 442  
     Howell's, 379, 537  
     Pacific, 184
- Nightingale-Thrush, Gray-headed, 9, 22  
     Guatemalan, 22
- Nomonyx dominicus, 439
- Norris-Elye, L. T. S., Heat insulation in the tarsi and toes of birds, 455
- Notes and News, 171, 347, 488, 659

- Notiochelidon pileata, 492  
Nucifraga columbiana, 186, 384  
Numenius phaeopus hudsonicus, 132,  
    237, 564  
    p. variegatus, 440  
Numida meleagris, 225  
Nutcracker, Clark's, 186, 384  
Nuthatch, Black-eared, 186, 384  
    Mexican White-breasted, 445  
    Red-breasted, 186, 239, 384, 622  
    Rocky Mountain, 186, 384  
    White-breasted, 421  
    Yellow-naped Pygmy, 282  
Nuttallornis borealis, 444  
    mesoleucus, 185, 382, 444  
Nyctea scandiaca, 239  
Nycticorax nycticorax hoactli, 182, 373  
    n. naevius, 458  
    violaceus, 267  
Nyctidromus albicollis albicollis, 15  
Nyroca, 438  
    affinis, 123, 373  
    americana, 122, 182, 373, 465  
    collaris, 147, 373, 465  
    marila nearctica, 373  
    valisineria, 122, 373  
OBERHOLSERIA chlorura, 189, 391  
Obituaries: Edward Charles Stuart  
    Baker, 172; Hugh Birckhead, 346;  
    George Franklin Clingman, 173; Fran-  
    cis Hopkinson Craighill [Smith], 175,  
    663; Millard Clayton Ernsberger, 661;  
    William Cephas Herman, 174; Gus-  
    tave Kohn, 661; Lewis Rutherford  
    Morris, 174; Ronald Ward Smith, 346;  
    Dayton Stoner, 172; George Whitney  
    White, 175; Robert Statham Williams,  
    662  
Oceanodroma furcata furcata, 438  
    f. plumbea, 438  
    leucorhoa leucorhoa, 148, 236  
Odontophorus gujanensis, 225  
    g. castigatus, 14  
Odum, Eugene P. See Greene, Earle R.,  
    and —, 467  
Oenanthe oenanthe leucorhoa, 631  
Ohio, 313, 314, 315  
Oidemia americana, 522  
Old-squaw, 132, 135, 237, 519  
Olivier, Georges, 'Monographie des Pies  
    Grièches du Genre *Lanius*', (rev.), 645  
Onychorhynchus mexicanus fraterculus,  
    20  
    m. mexicanus, 20  
Opisthomidae, 226  
Oporornis tolmiei, 187, 388, 628  
Oregon, 177  
Oreopeleia montana montana, 15, 442  
Oreopyra castaneoventris calolaema, 16  
Oreortyx picta 126  
Oreoscoptes montanus, 187, 386  
Oriole, Alta Mira, 284, 448  
    Baltimore, 103, 117, 415, 608  
    Bullock's, 188, 389  
    Orchard, 131, 284  
    Western Scarlet-headed, 448  
    Yellow-tailed, 26  
Oriolus chinensis diffusus, 611  
    galbula, 74  
Oropendola, Montezuma, 26  
    Pale-naped, 26  
Ortalida McCalli, 439  
Ortalis vetula, 224  
    v. mccalli, 274, 439  
    v. vetula, 439  
Oryzoborus funereus, 24  
Osprey, 237, 375, 605, 621  
Otocoris alpestris, 239  
    a. alpina, 444  
    a. chrysolaema, 278  
    a. leucolaema, 382  
    a. praticola, 463  
    a. sierrae, 444  
Otus asio maxwelliae, 379  
    a. naevius, 415  
    flammeolus flammeolus, 379  
Oven-bird, 194, 428, 609  
    Gray, 447  
    Newfoundland, 447  
Owl, Central American Barn, 275  
    Eastern Screech, 415  
    Flammulated Screech, 379  
    Great Gray, 627, 629  
    Great Horned, 405, 421  
    Labrador Horned, 239  
    Long-eared, 379  
    Mexican Pygmy, 442  
    Montana Great Horned, 379, 531  
    Pacific Horned, 184

- Owl, Richardson's, 629  
*Rocky Mountain Pigmy*, 379  
*Rocky Mountain Screech*, 379  
 Saw-whet, 379, 622  
 Short-eared, 239, 565  
 Snowy, 239, 592  
 Oyster-catcher, American, 116, 307
- PACHYRAMPHUS cinnamomeus cinnamomeus**, 21  
*polychoptera similis*, 21  
**Pachysylvia ochraceiceps ochraceiceps**, 23  
**Pachysylvia**, Tawny-crowned, 23  
 Packard, Fred Mallery, On *Hylocichla guttata oromela*, 345; Possible intergrades between the Myrtle and Audubon Warblers, 623; Sight record of the Western Grebe on Long Island, 461; The birds of Rocky Mountain National Park, Colorado, 371  
 Pagophila eburnea, 238  
 Palmer, T. S., Deceased members of the A. O. U. since 1940, XI; Obituary of Edward Charles Stuart Baker, 172; —, George Franklin Clingman, 173; —, Millard Clayton Ernsberger, 661; William Cephas Herman, 174; —, William Anthony Kelker, 174; —, Lewis Rutherford Morris, 174; —, Francis Hopkinson Craighill, 175, 663; George Whitney White, 175; Occurrence of the Golden Plover in Nicaragua, 171; The Deane Collection, 171  
 Panamá, 111  
**Pandion haliaetus**, 605  
 h. carolinensis, 237, 375  
 Pangburn, Clifford, Extraordinary fatality to a Blue-winged Teal, 142; The Phainopepla near San Antonio, Texas, 146; The Woodcock at San Antonio, Texas, 142  
 Parabuteo unicinctus superior, 439  
 Paradisaea apoda, 70  
 Parapavo californicus, 596  
 Paroquet, Aztec, 275  
 Barred, 275  
 Partridge, Chiriquí, 14  
 Chukar, 225  
 Hungarian, 225
- Parus albescens, 59  
*atricapillus*, 421  
 a. anamesus, 56  
 a. atricapillus, 52, 239  
 a. bartletti, 445  
 a. fortuitus, 61  
 a. frigoris, 57  
 a. nevadensis, 61  
 a. occidentalis, 64  
 a. practicus, 54  
 a. septentrionalis, 59, 384  
 a. turneri, 65  
*canadensis atricapillus*, 52  
*carolinensis*, 55  
*frigoris*, 57  
*gambeli abbreviatus*, 186  
 g. *gambeli*, 384  
*hudsonicus*, 54  
 h. *cascadensis*, 445  
 h. *littoralis*, 239  
*inornatus ridgwayi*, 528  
*littoralis*, 54  
*lugubris*, 51  
*major*, 51  
*melanocephalus*, 52  
*occidentalis*, 64  
*palustris*, 51  
*sclateri sclateri*, 282  
 Passer domesticus, 415, 455  
 d. *domesticus*, 188, 389, 641  
 Passerculus princeps, 628  
*sandwichensis*, 240  
 s. *nevadensis*, 189, 391  
 s. *rufofuscus*, 448  
 s. *savanna*, 463  
 Passerella iliaca fulva, 189  
 i. *hyperborea*, 449  
 i. *iliaca*, 240, 393  
 i. *insularis*, 449  
 i. *mariposae*, 449  
 i. *monoensis*, 449  
 i. *schistacea*, 393  
 Passerina amoena, 390  
 cyanæa, 633  
*versicolor versicolor*, 274, 285  
 Pauraque, 10, 15  
 Pearl Islands, 114  
 Pearse, Theed, Records of the European Widgeon on the east coast of Vancouver Island, British Columbia, 147

- Pedioecetes phasianellus caurus, 440  
Pelecanus erythrorhynchos, 181  
    erythrorhynchus, 372, 465, 637  
    occidentalis, 126  
    o. californicus, 581  
    o. carolinensis, 579  
    o. murphyi, 583  
    o. occidentalis, 578  
    o. relictus, 580  
    o. thagus, 585  
    o. urinator, 582  
    onocrotalus, 577  
Pelican, Brown, 577  
    White, 107, 181, 372, 465, 637  
Penard, Thomas E., Lafresnaye, 227  
Penguin, Emperor, 144  
Penthestes, 50  
    atricapillus aldrichi, 52  
    a. anamesus, 56  
    a. bartletti, 57, 445  
    a. fortuitus, 61  
    a. nevadensis, 61  
    a. praticus, 52  
Perdix perdix, 225  
Perisoreus canadensis, 458  
    c. albescens, 627  
    c. capitalis, 383  
    c. nigricapillus, 239  
    c. pacificus, 444  
Peters, Harold S., and Burleigh, Thomas D., Some new records from Newfoundland, 564  
Petrel, Black-bellied, 438  
    Cook's, 438  
    Leach's, 33, 148, 412  
    South Trinidad, 437  
    Southern Fork-tailed, 438  
    White-bellied, 438  
Petrides, George A., First-winter plumages in the Galliformes, 223  
Petrochelidon lunifrons, 444  
    pyrrhonota albifrons, 207, 383  
    p. hypopolia, 444  
    p. melanogaster, 444  
    p. minima, 444  
    p. pyrrhonota, 185  
Pewee, Short-legged, 19  
    Western Wood, 185, 382  
    Wood, 190, 400  
Phaenicophaeinae, 442  
Phaethon aethereus, 137  
    americanus, 139  
    catesbyi, 138  
    flavirostris, 139  
    indicus, 138  
    lepturus americanus, 139  
    l. catesbyi, 137  
    rubricauda rothschildi, 137  
Phaethornis adolphi saturatus, 16  
Phainopepla nitens, 146  
Phainopepla, 146  
Phalacrocorax auritus, 126, 459  
    a. albociliatus, 181  
    a. auritus, 236  
Phalaenoptilus nuttallii adustus, 442  
Phalarope, Northern, 133, 238, 565  
    Red, 238, 412  
    Wilson's, 184, 378  
Phalaropus fulicarius, 238  
Pharomachrus mocinno costaricensis, 16, 409  
Phasianus colchicus, 225  
    c. torquatus, 376, 454  
Pheasant, 527  
    Reeves's, 225  
    Ring-necked, 225, 376, 454, 607  
Philippi B., R. A. See Goodall, J. D., and —, 450  
Philocteta minor, 142  
Phoebe, 99, 259, 608  
    Black, 277  
    Say's, 185, 277, 382, 533  
    Yukon, 443  
Piaya cayana thermophila, 275  
Pica pica hudsonia, 186, 384, 534  
Picoides arcticus, 185  
    tridactylus dorsalis, 381  
Piculet, Veragua, 17  
Piculus rubiginosus uropygialis, 17  
Picumnus olivaceus flavotinctus, 17  
Picus zebra, 442  
Pigeon, Carrier, 286  
    Domestic, 140  
    Passenger, 136, 306, 307, 452, 622  
    Western Band-tailed, 442  
Pinicola enucleator leucura, 240  
    e. montana, 390  
Pintail, 119  
    American, 121  
    Old World, 438

- Pinto, Oliverio Mário de Oliveira, 'Catálogo des Aves do Brasil, 2. a. Parte,' (rev.), 470
- Pipilo erythrorththalmus, 420  
 fuscus potosinus, 285  
 maculatus montanus, 391  
 ocai ocai, 285
- Pipit, American, 239, 635  
 Petchora, 447  
 Rocky Mountain, 387  
 Western, 187
- Pipra coronata velutina, 21
- Pipromorpha oleaginea assimilis, 20  
 o. dyscola, 20
- Pipromorpha, Costa Rican, 20  
 Mexican, 20
- Piranga bidentata sanguinolenta, 284  
 flava dextra, 284  
 ludoviciana, 188, 389
- Plagiospiza superciliosa superciliosa, 285
- Plath, Karl, Color change in *Ramphocelus flammigerus*, 304
- Platyparis aglaiae, 316  
 a. albiventris, 317  
 a. richmondi, 317  
 a. sumichrasti, 21
- Platyrinchus coronatus superciliaris, 20
- Plautus alle, 238  
 a. alle, 441
- Plectrophenax nivalis nivalis, 241
- Plegadis falcinellus falcinellus, 311  
 guarauna, 373, 438  
 mexicana, 438
- Ploceus intermedius, 451
- Plover, Black-bellied, 237, 635  
 Golden, 103, 131, 171, 303, 313, 568  
 Piping, 564  
 Semipalmated, 133, 237, 377, 564  
 Upland, 103  
 Wilson's, 410
- Pluvialis dominica dominica, 303, 568  
 d. fulva, 568
- Podilymbus podiceps, 132  
 p. podiceps, 181, 372
- Poecile, 50
- Poephila gouldiae, 74
- Pogoniulus anchietae anchietae, 558  
 a. katangae, 558  
 a. rex, 558  
 a. sowerbyi, 558
- Pogoniulus anchietae stresemanni, 558  
 a. whytii, 558  
 bilineatus alias, 559  
 b. bilineatus, 559  
 b. conciliator, 559  
 b. fischeri, 559  
 b. jacksoni, 559  
 b. leucolaima, 559  
 b. nyansae, 559  
 b. poensis, 559  
 b. togoensis, 559  
 chrysoconus centralis, 559  
 c. chrysoconus, 559  
 c. extoni, 559  
 c. rhodesiae, 559  
 c. schubotzi, 559  
 c. xanthostictus, 559  
 c. zedlitzi, 559  
 coryphaeus angolensis, 559  
 c. coryphaeus, 559  
 c. hildamariae, 559  
 duchaillui duchaillui, 558  
 d. gabriellae, 558  
 erythronotus, 559  
 leucotis bocagei, 558  
 l. leucogrammicum, 558  
 l. leucotis, 558  
 l. kilimensis, 558  
 olivaceum olivaceum, 558  
 o. woodwardi, 558  
 pusillus affinis, 558  
 p. pusillus, 558  
 p. uropygialis, 559  
 scolopaceus aloysii, 560  
 s. flavior, 560  
 s. flavisquamatus, 559  
 s. scolopaceus, 559  
 s. stellatus, 559  
 simplex leucomystax, 559  
 s. simplex, 559  
 subsulphureus chrysopygus, 559  
 s. flavimentum, 559  
 s. subsulphureus, 559
- Pogonornynchus, 557
- Polioptila caerulea amoenissima, 534  
 melanura lucida, 446  
 m. pontilis, 447  
 plumbea superciliaris, 21
- Polyborus cheriway, 606
- Pooecetes gramineus, 420

- Pooecetes gramineus confinis, 391  
g. gramineus, 151
- Poor-will, Nuttall's, 184  
Sonora, 442
- Porzana carolina, 377
- Potter, Julian K., Annual Report of the Treasurer, 358
- Preble, Norman A., Notes on the Duck Hawk in Ashland County, Ohio, 456
- Progne dominicensis dominicensis, 309  
d. sinaloae, 309
- Protonotaria citrea, 117
- Psaltriparus minimus melanotis, 23  
m. plumbeus, 528
- Pseliosiphorus tibialis, 24
- Pseudocolaptes lawrencii lawrencii, 18
- Pseudocolaptes, Lawrence's, 18
- Psilopogon pyrolophus, 552
- Psilorhinus mexicanus cyanogenys, 26  
morio morio, 279
- Ptarmigan, Allen's, 237  
Amchitka Rock, 440  
East Greenland Rock, 440  
Southern White-tailed, 376  
Vancouver White-tailed, 440  
Welch's, 237  
Willow, 132
- Pterodroma arminjoniana, 437  
cooki orientalis, 438
- Pteroglossus torquatus torquatus, 17
- Pterylosis, 70
- Ptilology, 308
- Ptilinopus purpuratus, 553
- Puerto Rico, 299
- Puffin, Atlantic, 238
- Puffinus carneipes, 626  
gravis, 236  
griseus, 236
- Pygochelidon cyanoleuca cyanoleuca, 21
- QUAIL, 217
- Querquedula discors, 307
- Quetzal, 506  
Costa Rican, 16
- Quiscalus, 170  
quiscula stonei, 455  
versicolor, 389, 415
- RAIL, Red, 15  
Virginia, 237, 377
- Rail, Yellow, 459
- Rallinae, 440
- Rallus limicola limicola, 237, 377
- Ramphastos piscivorus brevirostris,  
17
- Ramphocaenus rufiventris rufiventris, 21
- Ramphocelus dimidiatus isthmicus, 25  
d. limatus, 117  
flammigerus, 304  
passerinii costaricensis, 25  
p. passerinii, 25
- Rand, A. L., Obituary of Ronald Ward Smith, 346
- Rapp, Janet L. C. and William F., Food habits of Sanderlings, 454
- Raven, 306  
American, 186, 384, 531  
Northern, 148  
Southwestern, 445
- Recent Literature, 152, 318, 466, 642
- Redhead, 119, 465
- Redpoll, Common, 133, 240, 390  
Hoary, 240
- Redstart, 99, 103, 189, 431, 608  
American, 609  
Intermediate, 23  
Kaup's, 506  
Orange-bellied, 23
- Red-wing, 131, 413  
Nevada, 188  
Thick-billed, 369
- Regulus, 447  
calendula calendula, 239, 387  
c. cinereus, 187  
regulus regulus, 432  
satrapa olivaceus, 187, 287  
s. satrapa, 239, 566
- Rhynchoscyrus brevirostris brevirostris,  
20
- Richmondena cardinalis, 606  
c. coccinea, 284
- Riparia riparia ijimae, 444  
r. riparia, 565
- Ripley, S. Dillon, The barbets, 542;  
'The Bird Fauna of the West Sumatra Islands,' (rev.), 322; review by —, 466
- Rissa tridactyla tridactyla, 238, 635
- Roberts, T. S., Obituary of Robert Statham Williams, 662
- Robin, 99, 422, 607, 632

- Robin, American, 133  
 Black-backed, 239, 310  
 Eastern, 141, 386, 415, 627  
 English, 306  
 Jalapa, 283  
 Vera Cruz, 282  
 Western, 187, 386
- Rogers, Gerald S., Arkansas Kingbird in Alabama, 147; Black-billed Cuckoo nesting in Oklahoma, 632; Costa Rican Sparrow near the Canal Zone, 641; Forster's Tern in North Carolina, 457
- Ross, Dr. and Mrs. Lucretius H., Connecticut Warbler in Vermont, 460
- Rough-leg, Ferruginous, 182, 375
- Rynchops nigra nigra*, 312
- SALPINCTES obsoletus obsoletus*, 186, 385, 539  
 o. *tenuirostris*, 446
- Saltator albicollis furax*, 24  
 a. *speratus*, 117  
*atriceps atriceps*, 284  
*coerulescens grandis*, 24, 284  
*maximus intermedius*, 24
- Saltator, Costa Rican Streaked*, 24  
 Lichtenstein's, 24, 284  
 Panama Buff-throated, 24  
 Pearl Island, 117  
 Streaked, 9
- Sanderling, 241, 454
- Sandpiper, Baird's, 103  
 Buff-breasted, 103, 635  
 Least, 133, 238  
 Northern Aleutian, 440  
 Pectoral, 103  
 Red-backed, 133, 238  
 Semipalmated, 133  
 Spotted, 132, 183, 238, 377  
 Stilt, 103, 133  
 Western, 378  
 Western Solitary, 377  
 White-rumped, 103, 238, 241
- Sapsucker, Natalie's, 381  
 Red-naped, 185, 381  
 Williamson's, 185  
 Yellow-bellied, 239, 396
- Sarcoramphus papa*, 439
- Saunders, Aretas A. See Arnold, Elting, and —, 312
- Sayornis, 73  
 nigricans *brunnescens*, 443  
 n. *nigricans*, 277, 443  
 n. *salictaria*, 443  
 n. *semiatra*, 443  
*saya* *saya*, 185, 277, 382, 533  
 s. *yukonensis*, 443
- Scardafella inca*, 275
- Schorger, A. W., John Bartram on the Passenger Pigeon in Florida, 452
- Schwartz, Charles W., 'The Ecology of the Prairie Chicken in Missouri,' (rev.), 470
- Scolopax rusticola rusticola*, 440
- Scoter, American, 522  
 Surf, 241, 521  
 White-winged, 132, 237, 241, 374, 520
- Scotiaptex nebulosa nebulosa*, 627
- Seagears, Clayton B. See Meade, Gordon M., and —, 637
- Seed-eater, Black, 24  
 Hick's, 24  
 Morellet's, 24
- Seiurus aurocapillus*, 428  
 a. *aurocapillus*, 447  
 a. *cinereus*, 447  
 a. *furvior*, 447  
*motacilla*, 429  
*noveboracensis notabilis*, 388  
 n. *noveboracensis*, 240
- Selasphorus platycercus platycercus*, 380, 533, 631  
 rufus, 184, 380, 631
- Semnornis frantzii*, 549  
 rhamphastinus, 549
- Serpophaga cinerea grisea*, 20
- Serpophaga*, Lawrence's, 20
- Setophaga ruticilla*, 189, 389, 431
- Sex ratios, 117
- Shearwater, Greater, 236  
 Pale-footed, 626  
 Sooty, 236
- Shelford, Victor E., Relation of Snowy Owl migration to the collared lemmings, 592
- Sheppard, R. W., Blue egg in a Pheasant's nest, 454
- Shoveller, 119, 373
- Shrike, 604  
 Bridge's Ant, 17

- Shrike, California, 187  
  Northern, 133, 239  
  Northwestern, 387  
  Pacific Ant, 18  
  Red-eyed Ant, 18  
  Slaty Ant, 18  
  White-rumped, 387
- Sialia currucoides, 187, 386, 533  
  mexicana australis, 283  
  m. bairdi, 386  
  sialis, 422  
  s. guatemalae, 23  
  s. sialis, 386, 632
- Siskin, Black-headed, 285  
  Northern Pine, 188, 390
- Sitta canadensis, 186, 289, 384, 622  
  carolinensis, 421  
  c. mexicana, 445  
  c. nelsoni, 186, 384  
  pygmaea flavinucha, 282  
  p. melanotis, 186, 384
- Skaggs, Merit B., First Ohio record of the Lark Bunting, 313
- Skimmer, Black, 312, 410
- Skua, Brown, 441  
  Falkland, 441
- Skutch, Alexander F., Incubation and nestling periods of Central American birds, 8; Life history of the Blue-throated Green Motmot, 489
- Skylark, 11, 306
- Smiliorhis, 556
- Smith, Ronald Ward, obituary of —, 346
- Snipe, Wilson's, 133, 142, 183, 287, 377
- Snyder, Dorothy, Three records from western Massachusetts, 633
- Solitaire, Black-faced, 22  
  Brown-backed, 283, 495  
  Townsend's, 180, 187, 386
- Somateria mollissima, 237  
  m. dresseri, 634  
  m. v-nigra, 627  
  spectabilis, 237
- Song, 304
- Sora, 377
- Sparrow, Arizona Grasshopper, 448  
  Bachman's, 396  
  Brewer's, 189, 392, 536  
  Chihuahua Black-throated, 448  
  Chihuahua Savannah, 448
- Sparrow, Chipping, 608  
  Clay-colored, 392  
  Costa Rican, 25, 641  
  Desert, 527  
  Eastern Botteri's, 448  
  Eastern Chipping, 240, 567  
  Eastern Fox, 240  
  Eastern Savannah, 463  
  Eastern Song, 463, 566  
  Eastern Tree, 240  
  English, 75, 188, 263, 415, 455, 609, 641  
  Field, 141, 420  
  Fox, 393  
  Gambel's, 393  
  Grasshopper, 111, 420  
  Guatemalan, 25  
  Harris's, 133  
  Henslow's, 100  
  House, 607  
  Ipswich, 628  
  Lincoln's, 189, 240, 393, 396  
  Modoc Song, 189  
  Mountain Song, 393, 449  
  Nevada Savannah, 189, 391  
  Northern Sage, 189, 391  
  Oregon White-crowned, 189  
  Rusty, 286  
  Savannah, 240  
  Song, 11, 34, 131, 302, 420, 608  
  Striped, 285  
  Swamp, 241, 566  
  Tree, 133  
  Vesper, 151, 420  
  Virgin River Song, 449  
  Warner Mountains Fox, 180, 189  
  Western Chipping, 189, 392, 536  
  Western Lark, 396, 537  
  Western Tree, 392  
  Western Vesper, 391  
  White-crowned, 240, 392, 452  
  White-throated, 240, 396
- Spatula clypeata, 122
- Speirs, J. Murray, Flight speed of the Old-squaw, 135
- Spine-tail, Rufous-breasted, 18  
  Sooty, 18
- Sphyrapicus thyroideus nataliae, 381  
  t. thyroideus, 185  
  varius nuchalis, 185, 381

- Spinus notatus notatus*, 285  
*pinus macropterus*, 285  
*p. pinus*, 188, 390  
*psaltria psaltria*, 285  
*tristis jewetti*, 448  
*t. tristis*, 390
- Spizella arborea*, 133  
*a. arborea*, 240  
*a. ochracea*, 392  
*breweri breweri*, 189, 392, 536  
*passerina arizonae*, 189, 392, 536  
*p. passerina*, 240, 567  
*pusilla*, 420  
*p. pusilla*, 141
- Sporophila aurita aurita*, 24  
*a. caurina*, 24  
*torqueola moreletti*, 24
- Sprunt, Alexander, Jr., First nesting of Forster's Tern in South Carolina, 639
- Squatarola squatarola*, 237
- Stactolaema*, 556
- Starling, 566, 607  
 European, 79
- Steganopus tricolor*, 184, 378
- Stelgidopteryx*, 73  
*ruficollis fulvipennis*, 21, 279  
*r. psammochrous*, 444  
*r. seripennis*, 383  
*seripennis*, 444
- Stellula calliope*, 184
- Stercorarius longicaudus*, 635  
*pomarinus*, 465
- Sterna albifrons athalassos*, 441  
*antillarum*, 639  
*caspia*, 441  
*forsteri*, 184, 457, 639  
*hirundo*, 606  
*h. hirundo*, 565  
*paradisaea*, 627
- Sthenelides*, *olor*, 438
- Stoddard, Herbert, L. See McAtee W. L., and —, 303; See Greene, Earle R., and —, 467
- Stoner, Dayton, Additional unrecorded Passenger Pigeons from New York State, 622; Further New York State records for the Great Gray and Richardson's Owls, 629; Temperature and growth studies of the Northern Cliff Swallow, 207; — and Stoner, Lillian, An example of bumblefoot in the Great Horned Owl, 405; obituary of —, 172
- Stork, 259
- Strepera graculina*, 70
- Streptoprocne zonaris mexicana*, 275
- Strix nebulosa barbata*, 442  
*n. nebulosa*, 442
- Sturm, Louis, A study of the nesting activities of the American Redstart, 189
- Sturnella magna*, 420  
*m. magna*, 463  
*neglecta*, 51, 133
- Sturnus vulgaris*, 79, 415  
*v. vulgaris*, 131, 566
- Sutton, George Miksch, Arkansas Kingbird in southeastern Florida, 462; Autumnal duelling among Mockingbirds, 301; Behavior of birds during a Florida hurricane, 603; The Bronzed Grackle as a species, 170
- Swallow, Amur Barn, 444  
 Bank, 103, 565  
 Barn, 104, 130, 185, 212, 383, 415, 565  
 Blue-and-white, 21  
 Cliff, 99, 103  
 Cobán, 492  
 Great Basin Cliff, 444  
 Kamchatka Bank, 444  
 Mexican Violet-green, 279  
 Northern Cliff, 185, 207, 383  
 Rough-winged, 103, 383  
 Salvin's Rough-winged, 21, 279  
 Sonora Rough-winged, 444  
 Tree, 99, 133, 185, 307, 383  
 Violet-green, 185, 383
- Swan, Whistling, 634
- Swift, 258, 586,  
 Black, 380  
 Chimney, 105, 145, 361, 415, 608  
 Mexican Collared, 275  
 Northeastern White-throated, 379  
 Vaux's, 184
- Synallaxis brachyura nigrofumosa*, 18  
*erythrothorax*, 18
- Syrmaticus reevesi*, 225
- TACHYINETA thalassina lepida*, 185, 383  
*t. thalassina*, 274, 278

- Taeniopygia castanotis, 72  
Tanager, Abbot, 284  
    Bangs's Green, 25  
    Cherrie's, 25  
    Eastern Hepatic, 284  
    Fanny's, 26  
    Francisca's, 26  
    Lafresnaye's, 284  
    Northern Blue, 117  
    Northern Gray, 26  
    Orange-rumped, 304  
    Panamá Crimson-backed, 25  
    Passerini's, 25  
    Pearl Island, 117  
    Salvin's Ant, 284  
    Scarlet-rumped, 304  
    Scarlet-rumped Black, 25  
    Silver-throated, 26  
    Song, 25  
    Streak-chested, 25  
    Western, 180, 188, 387  
Tanagra lauta lauta, 25  
    luteicapilla, 25  
Tangara gyrola bangsi, 25  
    icterocephala, 26  
    nigro-cincta fanny, 26  
    n. franciscae, 26  
Tangavirius aeneus aeneus, 283  
Tantalus variegatus, 440  
Teal, Blue-winged, 104, 132, 142, 307, 373, 465, 620  
    Cinnamon, 182, 373  
    Green-winged, 119, 236, 307, 373, 465, 564  
Telespiza ultima, 139  
Telmatodytes palustris dissaeptus, 446  
    p. iliacus, 446  
    p. plesius, 186  
Temperature, 207  
Terenotriccus erythrurus fulviginosus, 20  
Tern, Arctic, 131, 627  
    Black, 103, 184, 312, 378, 412  
    Cabot's, 639  
    Caspian, 312, 314, 412, 639  
    Common, 238, 565, 606  
    Forster's, 184, 412, 457, 639  
    Gull-billed, 410  
    Interior Least, 441  
    Least, 412, 639  
    Noddy, 261  
Tern, Royal, 106, 410, 639  
    Sooty, 261, 410  
Tetraogallus, 224  
Tetraophasis, 224  
Texas, 316  
Thalasseus maximus maximus, 639  
    sandvicensis acuflavidus, 639  
Thalassidroma plumbea, 438  
Thamnophilus bridgesi, 17  
    doliatus pacificus, 18  
    punctatus atrinucha, 18  
Thereiceryx, 550  
Thornton, C. S.; Cummings, S. B., Jr.; Greeley, Frederick, The effect of auditory stimulation of the spermato-genetic cycle of the male English Sparrow, 75  
Thrasher, Brown, 415  
    Curve-billed, 282  
    Sage, 187  
    Western Brown, 385  
Thraupis abbas abbas, 284  
    episcopus diacona, 26, 117  
Thrush, 306  
    Audubon's Hermit, 386  
    Gray-cheeked, 103  
    Gray's, 23  
    Hermit, 345, 396, 422  
    Olive-backed, 103  
    Rufous-collared, 493  
    Russet-backed, 386  
    Russet Nightingale, 283  
    Sierra Hermit, 180, 187  
    Tamaulipas, 283  
    Western Olive-backed, 386  
    Willow, 386  
    Wood, 103, 422, 608, 633  
Thryomanes bewickii altus, 446  
    b. brevicauda, 446  
    b. eremophilus, 576  
    brevicauda, 446  
Thryophilus modestus modestus, 22  
Thryothorus ludovicianus burleighi, 446  
    nigricapillus semibadius, 22  
    rutilus hyperythrus, 22  
    r. petersi, 22  
Tiaris olivacea pusilla, 24  
Tinamou, Cabanis's Pileated, 14  
Titmouse, Gray, 528  
Tufted, 131, 633

- Tityra inquisitor fraseri, 21  
*semifasciata costaricensis*, 21  
 s. deses, 277  
 s. griseiceps, 277  
 s. personata, 277
- Tityra, 277  
 Costa Rican, 21  
 Fraser's, 21
- Todirostrum cinereum finitimum, 20  
*sylvia schistaceiceps*, 20
- Tody-tyrant, Northern, 20  
 Slaty-headed, 20
- Tolmomyias sulphurescens cinereiceps, 21
- Tomkins, Ivan R. See Greene, Earle R., and —, 467
- Totanus flavipes, 378  
*melanoleucus*, 145, 238, 378
- Toucan, Short-keeled, 17
- Toucanet, Blue-throated, 17
- Towhee, 99, 420, 608  
 Green-tailed, 189, 391  
 Red-eyed, 609  
 Spurred, 391
- Toxostoma curvirostre celsum, 446  
 c. curvirostre, 282  
 rufum, 415  
 r. longicauda, 385
- Trachylaemus, 557
- Trachyphonus darnaudii bohmi, 562  
 d. darnaudii, 562  
 d. emini, 562  
 d. usambiro, 562  
*erythrocephalus erythrocephalus*, 562  
 e. gallarum, 562  
 e. jacksoni, 562  
 e. shelleyi, 562  
 e. versicolor, 562  
*margaritatus margaritatus*, 562  
 m. somalicus, 562  
*purpuratus elgonensis*, 562  
 p. goffinii, 562  
 p. purpuratus, 562  
 p. togoensis, 562  
*vaillantii suahelicus*, 562  
 v. vaillantii, 562
- Trichoglossus amabilis, 139
- Tricholaema, 557  
 leucomelan, 35
- Tringa solitaria cinnamomea, 377  
*canutus*, 440
- Tripsurus chrysachen, 17
- Troglodytes aedon, 415  
 aedon, 131  
 a. parkmani, 186, 385  
*brunneicollis brunneicollis*, 282  
 b. cahooni, 576  
 b. culaquita, 282  
 b. vorhiesi, 576  
*hiemalis pacificus*, 385  
*musculus inquietus*, 22  
 m. intermedius, 22  
*troglodytes hiemalis*, 239  
 t. stevensoni, 446
- Trogon bairdii, 16  
*curucui tenellus*, 16, 409  
*melanocephalus melanocephalus*, 16, 276  
*mexicanus*, 16, 497  
 m. mexicanus, 276  
*suracula*, 409
- Trogon, Baird's, 16  
 Black-headed, 16, 276  
 Graceful, 16  
 Mexican, 16, 276, 497
- Tropic-bird, Catesby's, 660  
 Red-billed, 137  
 Red-tailed, 137  
 Yellow-billed, 137
- Turdus assimilis assimilis, 283  
 grayi, 23  
 g. tamaulipensis, 283  
*migratorius*, 133, 422, 632  
 m. migratorius, 141, 386, 415, 627  
 m. phillippii, 282  
 m. propinquus  
*pilaris*, 446  
*rufitorques*, 493
- Turkey, 225, 596  
 Ocellated, 225
- Turnstone, 99  
 Ruddy, 241
- Tyranniscus vilissimus parvus, 21
- Tyranniscus, Lesser, 21
- Tyrannulet, Lesser Paltry, 21
- Tyrannus borealis, 444  
 dominicensis, 462  
*melancholicus chloronotus*, 21, 116  
 m. couchii, 278, 443

- Tyrannus tyrannus, 185, 381, 415, 462  
    verticalis, 147, 185, 382, 462  
    vociferans vociferans, 382
- Tyrrell, W. Bryant, A study of the Northern Raven, 1
- Tyto alba guatimalae, 274
- URIA aalge aalge, 236  
    a. inornata, 441  
    lomvia lomvia, 236  
    troille californica, 518
- Utah, 523
- VEERY, 103, 422  
    Newfoundland, 446, 565
- Veracruz, 272
- Vermivora peregrina, 387, 566  
    ruficapilla, 424
- Vini aureicinctus, 139
- Violet-ear, Lesser, 16
- Vireo flavoviridis, 146  
    gilvus swainsonii, 387  
    griseus noveboracensis, 447  
    huttoni insularis, 447  
    h. mexicanus, 283  
    olivaceus, 148, 240, 387, 423  
    philadelphicus, 131, 566  
    solitarius, 423  
    s. plumbeus, 387  
    virescens insularis, 23
- Vireo, Blue-headed, 423  
    Mexican, 283  
    Northern White-eyed, 447  
    Philadelphia, 103, 131, 566  
    Plumbeous, 387  
    Red-eyed, 148, 190, 240, 300, 387,  
        400, 423, 608  
    Southern Yellow-green, 23  
    Vancouver, 447  
    Warbling, 103  
    Western Warbling, 387  
    White-eyed, 146, 396, 400  
    Yellow-green, 146
- Viridibucco, 556
- Vogel, Howard, Cowbird parasitizes nests of Wood Thrush and Indigo Bunting, 633; Food of Ruffed Grouse in southern Michigan, 453; American Rough-legged Hawk found dead at Crawfordsville, Indiana, 454
- Vultur, 129  
    papa, 439
- Vulture, Black, 15, 116, 136  
    King, 439  
    Turkey, 116, 182, 451  
    Western Turkey, 374
- WALKINSHAW, Lawrence H., Aortic rupture in Field Sparrow due to fright, 141; Vesper Sparrows mated two successive summers, 151
- Wallace, George J., Red-eyed Vireo with vocal defect, 300
- Warbler, Audubon's, 388, 623  
    Bachman's, 103  
    Bay-breasted, 103  
    Black and White, 100, 396, 424, 608  
    Blackburnian, 103, 427  
    Black-poll, 103  
    Black-throated Blue, 99, 103, 307,  
        426  
    Black-throated Gray, 535, 628  
    Black-throated Green, 103, 193, 194,  
        426, 608  
    Blue-winged, 103  
    Brasher's, 146  
    Canada, 103, 420  
    Cape May, 103, 398  
    Cerulean, 103  
    Chestnut-sided, 103, 240, 420, 427,  
        608  
    Connecticut, 460  
    Cuban Golden, 447  
    Eastern Yellow, 388  
    Golden-winged, 103  
    Hooded, 397, 400  
    Kentucky, 103, 397, 400  
    Macgillivray's, 388, 628  
    Magnolia, 103, 425  
    Myrtle, 99, 240, 388, 566, 623  
    Nashville, 103, 424  
    Newfoundland Yellow, 240  
    Northern Pileolated, 188, 348  
    Palm, 396, 605  
    Panama Golden, 117  
    Parula, 99, 400  
    Pink-headed, 23, 506  
    Prothonotary, 100, 117, 193, 194,  
        400

- Warbler, Rocky Mountain Orange-crowned, 388  
 Swainson's, 103, 395  
 Tennessee, 103, 387, 566  
 Veraguian Buff-rumped, 23  
 Virginia's, 388  
 Wilson's, 103, 420  
 Worm-eating, 103  
 Yellow, 10, 194, 608  
 Yellow-throated, 396
- Water-thrush, Louisiana, 103, 396, 400, 429  
 Water-Turkey, 107  
 Waxwing, Bohemian, 314  
 Cedar, 566
- Weaver, Black-cheeked, 451  
 Wetmore, Alexander, A further record for the Double-crested Cormorant from the Pleistocene, 459; The Golden Plover in Nicaragua, 313; Review of the forms of the Brown Pelican, 577; The sleeping habit of the Willow Ptarmigan, 638
- Wheatear, Greenland, 631  
 Whimbrel, Siberian, 440  
 Whip-poor-will, 304, 493  
 Whistler, Hugh, 'The Avifaunal Survey of Ceylon,' (rev.), 321  
 White, George Whitney, obituary of —, 175  
 Widgeon, European, 147  
 Willet, Eastern, 635  
 Western, 184, 635  
 Willett, George, The type of *Telespiza ultima* Bryan, 139; notice of death of —, 659  
 Williams, George G., Do birds cross the Gulf of Mexico in spring, 98  
 Williams, Ralph B., Unusual 'pigeonries' of the domestic pigeon, 140  
 Williams, Robert Statham, obituary of —, 662  
 Wilsonia canadensis, 430  
 pusilla chryseola, 188  
 p. pileolata, 388  
 Wing, Leonard, Ornithological corrections, 307  
 Wood, Harold B., The history of bird banding, 256; The Robin does not change its tail spots, 141; The sequence of molt in Purple Grackles, 455
- Wood, Robert S., 'The Naturalist's Lexicon,' (rev.), 154  
 Woodcock, 142, 458  
 Wood-hewer, Allied, 277  
 Southern Allied, 18  
 Thin-billed, 18
- Woodpecker, Alpine Three-toed, 381  
 Ant-eating, 277  
 Arctic Three-toed, 185  
 Batchelder's, 381  
 Boquete Hairy, 17  
 Colorado River Gila, 443  
 Costa Rican, 17  
 Downy, 190  
 Florida Red-bellied, 443  
 Golden-naped, 17  
 Hairy, 421  
 Ivory-billed, 618  
 Jardine's Hairy, 277  
 Lesson's, 277  
 Lewis's, 185, 380  
 Modoc, 185  
 Newfoundland, 239  
 Northern Downy, 239, 415  
 Northern White-headed, 185  
 Orizaba, 277  
 Pileated, 421  
 Red-bellied, 606  
 Red-headed, 415, 605  
 Rocky-Mountain Hairy, 381  
 San Miguel, 116  
 Southern Red-cockaded, 443  
 Trujillo, 17  
 Wagler's, 17  
 Western Pileated, 185, 381  
 Western Red-bellied, 442  
 Western Red-headed, 380
- Wren, Apache, 576  
 Appalachian Bewick's, 446  
 Brown-throated, 282  
 Burleigh's Carolina, 446  
 Cabanis's, 22  
 Cafion, 533  
 Carolina, 131, 190  
 Chinchirigüi, 22  
 Chiriquí Wood, 22  
 Common Rock, 539  
 Costa Rican House, 22  
 Honduras Spotted-breasted, 22  
 House, 131, 415, 608  
 Panamá House, 22

- Wren, River, 22  
Rock, 181  
Rufous-naped Cactus, 282  
Salvin's, 22  
San Benito Rock, 446  
Stevenson's Winter, 446  
Tawny-bellied, 22
- XANTHOCEPHALUS xanthocephalus, 188,  
314, 389
- Xantholaema, 551
- Xema sabini sabini, 441  
s. woznesenskii, 441
- Xenops minutus ridgwayi, 18
- Xenops, Ridgway's, 18
- Xylobucco, 557
- YELLOWLEGS, Greater, 145, 238, 378  
Lesser, 104, 233, 378
- Yellowthroat, 429
- Yellowthroat, Athens, 447  
Maryland, 99  
Northern, 609  
Western, 188
- ZARYNCUS wagleri ridgwayi, 26
- Zenaida aurita, 300
- Zenaidura macroura, 270, 415  
m. marginella, 184, 378, 536
- Zimmer, John T., A Chimney Swift from  
Colombia, 145; A new swift from  
Central and South America, 586; re-  
views by —, 152-155, 318, 467, 470,  
634, 644
- Zonotrichia albicollis, 240  
capensis costaricensis, 641  
fallax, 449  
leucophrys gambelii, 393  
l. leucophrys, 240, 392, 452  
l. oriantha, 189  
querula, 133