

INDEX TO VOLUME 74

Compiled by L. R. WOLFE

- Abeillia abeillei, 252, 254
Accipiter striatus, 150, 300
 virgatus, 365
Acrocephalus arundinaceus, 227
Actitis hypoleucus, 222
 macularia, 429
Aëronautes, 375
Agelaius phoenicus, 262, 306
 phoeniceus fortis, 340
Agrioccharis ocellata, 247
Aimophila, 499
Alcedo atthis, 225
Allenia montana, 260
Amadon, Dean, review by, 110
Amazilia beryllina, 252, 255
 candida, 252, 254
 cynocephala, 252, 255
 rutila graysoni, 423, 429
 tzacatl, 252, 254
 verticalis, 246
Amazona ochrocephala oratrix, 422
 ochrocephala tresmariae, 422, 429,
 431
Amblycercus holosericeus, 335
Ammodramus savannarum pratensis, 457
Anas acuta, 189, 509
 cyanoptera, 187
 platyrhynchos, 189, 256, 466
 rubripes, 466
 strepera, 189
Anatomy, 103, 104, 156–160, 262, 340,
 479–493
Anser albifrons, 204
 anser, 394
Ansingh, F. H., and H. J. Koelers,
 Common Tern (*Sterna h. hirundo*)
 breeding in the Netherlands Antilles,
 266
A.O.U., awards, 79
 awards, student membership, 286
 committees 1956–57, 285
 officers and trustees, 89
 report of committees, 81
 report of committee on bird pro-
 tection, 90–93
 report of officers, 80
A.O.U., resolutions, 87
 seventy-fourth stated meeting, 79–
 88
Treasurer's report for the period
 October 1, 1955–September 30,
 1956, 287–289
Aphelocoma coerulescens, 146
Apodi, 386
Apodiformes, 385
Apodinae, 385
Apus aequatorialis, 385
 affinis, 385
 apus, 385, 386
 barbatus, 385
 caffer, 385
 horus, 385
 melba, 385
 myoptilus, 385
 pacificus, 385
 pacificus cooki, 385
 pacificus pacificus, 225
 pallidus 385
Aratinga, 431
Archaeopteryx, 99–101
Archaeornis, 101
Archilochus colubris, 300
Ardea herodias, 419, 428, 469–478
 occidentalis, 469–478
 würdemanni, 470
Arkansas, 433–440
Asyndesmus lewis, 103
Atlapetes, 499–502
 brunnei-nucha, 499–502
 brunnei-nucha allenii, 502
 brunnei-nucha allinornatus, 501
 brunnei-nucha apertus, 499, 501,
 502
 brunnei-nucha inornatus, 501
Australia, 49, 52, 56, 57, 62, 66, 67, 69,
 71, 72
Avocet, 189, 199
Aythya affinis, 459–468
 americana, 189, 391
 marila, 459–468
Balanosphyra formicivora, 146

- Bambusicola thoracica thoracica, 222
 Barbet, 103
 Baumel, Julian J., individual variation in the Fish Crow, *Corvus ossifragus*, 73-78
 Bevard, Rose-throated, 424
 Beeton, A. M., and LaRue Wells, a Bronzed Grackle (*Quiscalus quiscula*) feeding on live minnows, 263
 Behavior, 2-8, 12, 129-166, 203-214, 226, 297-299, 333-339, 371-375, 390-394, 433-440, 469, 509
 Binford, Laurence C., Eastern Phoebes fishing, 264
 Bittern, Japanese, 219
 Blackbird, Brewer's, 14, 306, 313 European, 313
 Red-winged, 262, 340-358
 Yellow-headed, 306, 312
 Blake, S. F., the function of the concealed throat-patch in the White-necked Raven, 95
 Bluebird, 308, 312, 313 Mexican, 152
 Bluetail, Siberian, 365
 Bobolink, 105, 451
 Body temperature, 6
Bombycilla cedrorum, 300, 306 *japonica*, 228
 Bond, James, notes on the White-breasted Thrasher, 260
 Bond, Richard R., differential mortality among Red Crossbills (*Loxia curvirostra*), 106
 Booby, Blue-footed, 419, pl. 21 Brown, 218, 419
Boreortalis, 176, 179 *laesslei*, 179
 Boynton, Mary Fuertes, Louis Agassiz Fuertes (rev.) 272-274
 Brackbill, Hervey, see Lawrence, Ralph E., and —
 Brambling, 364, 365, 367, 370
 Brant, Black, 204
Branta canadensis, 189, 316, 510 nigricans, 204
 Brazil, 510
 Brown, Clarence Duvall, obituary of, 290
 Brown, Leslie, eagles (rev.), 515
 Buarremón, 499
Bucephala clangula, 466
 Bulbul, Brown-eared, 101, 222, 225, 365
 Bullfinch, 365
 Bunting, Black-faced, 228 Corn, 306, 312, 314
 Grey, 364, 365, 367
 Indigo, 451, 453, 454
 Japanese, 364-366, 370
 Meadow, 228, 364, 365, 367
 Painted, 428, 451
 Rustic, 364, 365, 367, 370
 Snow, 106
 Burleigh, Thomas D., occurrence of Bachman's Warbler (*Vermivora bachmani*) in northern Mississippi in June, 94
Butastur indicus, 220-222
Buteo buteo burmanicus, 220 *jamaicensis*, 150
jamaicensis fumosus, 420, 428
platypterus, 220, 221
solitarius, 265
Butorides striatus amurensis, 219
 Buzzard, Eurasian, 220
 Byers, George W., *Falco peregrinus* at sea, 265
 Cacique, Prevost's, 335
Calcarius lapponicus, 214
 California, 1, 230
Callipepla, 247 *squamata*, 247
Calocitta, 431
Calothorax lucifer, 252, 253, 254
 Campbell, Bruce, a comparison of bird populations upon "industrial" and "rural" farmland in South Wales (rev.), 395
Campstostoma imberbe, 424 *imberbe imberbe*, 429
Campylopterus hemileucurus, 252, 254, 255
 Canada, 2 Alberta, 8
 Arctic, 203-214
 Nova Scotia, 8
 Ontario, 260, 263
 Saskatchewan, 8

- Cant, Gilbert, obituary by, 291
Caracara, Tres Marias, 420
Caracara cheriway pallidus, 420, 429
Cardinal, Tres Marias, 427
Carduelis spinus, 365
Carpodacus cassini, 430
 mexicanus, 153, 243, 311
 purpureus, 301
Casmerodius albus, 509
 albus egretta, 428
Cassidix mexicanus graysoni, 430
Catbird, 95, 450, 452, 453
Cathartes aura, 104, 158, 508
 aura teter, 419, 428
 burrovianus burrovianus, 508
 burrovianus urubutinga, 508
 urubutinga, 508
Catoptrophorus semipalmatus inornatus, 417, 420, 429, 431
Ceryle alcyon caurina, 429
Chachalaca, 179, 181
Chaetura, 383-385
 andrei, 247, 385
 boehmi, 385
 brachyura, 385
 cassini, 385
 caudacuta, 385
 chapmani, 383-385
 cinereiventris, 385
 cochinchinensis, 385
 gigantea, 385
 grandidieri, 385
 leucopygia, 385
 martinica, 385
 melanopygia, 385
 novaeguineae, 385
 pelagica, 247, 383-385
 picina, 385
 sabini, 385
 spinicauda, 385
 sylvatica, 386
 ussheri, 385
 vaurxi, 247, 383-385
 vaurxi aphanes, 384
 vaurxi ochropygia, 384
 vaurxi richmondi, 383
 vaurxi vaurxi, 384
Chaeturinae, 385
Charadrius hiaticula semipalmatus, 429
 mongolus stegmanni, 222
Charadrius semipalmatus, 207
 vociferus vociferus, 429
Chat, Red-breasted, 426
 Yellow-breasted, 451
Chen caerulescens, 509
 hyperborea, 204, 509
Chickadee, Black-capped, 308
 Hudsonian, 300
Chiffchaff, 310, 312
Chiroxiphia linearis, 333-339
Chloris sinica, 228, 365
Chlorophanes pururascens, 507
 spiza, 507
Chlorostilbon canivetii, 252, 254
Chlorura chlorura, 164, 499, 501
Chondrohierax uncinatus uncinatus, 419, 428, 431
Chordeiles acutipennis texensis, 429
 minor chapmani, 505, 506
 minor gundlachi, 505, 506
 minor vicinus, 505-507
Cinclocerthia, 260
Circus cyaneus hudsonius, 265
Cissolophia 431
 beecheii, 428
Clangula hyemalis, 204, 466
Cobb, Stanley, Great Black-backed Gull
 (*Larus marinus*), 498
Coccyzus minor palloris, 429
Coereba, 497
Colaptes auratus, 102, 300
Colibri thalassinus, 252, 255
Colinus, 497
Collias, Elsie C., and Nicholas E. Collias,
 the response of chicks of the Franklin's Gull to parental bill-color, 371-375
Collias, Nicholas E., see Collias, Elsie C., and —
Collocalia, 385
Columba flavirostris madrensis, 421, 429
 janthina janthina, 224
 livia, 479-486
Columbigallina passerina pallescens, 421, 429
Colymbus caspicus, 187
Condor, 92
Connecticut, 459-468
Contopus richardsonii, 429
Coot, American, 187, 189, 194, 199

- Coragyps atratus*, 419, 428
Corapipo leucorrhoea, 338
Cormorant, Temminck's, 218
Corvus brachyrhynchos, 73
 corone, 225
 cryptoleucus, 73, 78, 95
 levillantii japonensis, 225
 ossifragus, 73-78, 428
Coryphotriccus parvus, 240-242, pl. 13
Costa Rica, 333-339
Cowbird, 42-48
 Arment's, 497, 498
 Colombian Red-eyed, 497, 498
 Dwarf, 427
 Glossy, 106
 Red-eyed, 498
 Shiny, 497
Cracidae, 174-184
Cracinae, 181, 182
Cracoidea, 181, 182
Crane, Little Brown, 207
 Whooping, 92
Crax, 176, 181
 alberti, 177, 178, 183
 fasciolata, 177, 178, 183
 rubra, 177, 178, 183, 248
Creeper, Brown, 450, 451
Crocethia alba, 212, 421, 429, 431
Cronan, John M., Jr., food and feeding habits of the scaups in Connecticut waters, 459-468
Crossbill, Red, 106
Crow, Carrion, 225
 Fish, 73-78, 96
 Thick-billed, 225
Cruickshank, Allan D., review by, 274
Cruttenden, John Rudy, obituary of, 290
Crypturellus cinnamomeus, 335
Cuckoo, 312
 Black-billed, 450
 Little, 224
 Yellow-billed, 450
Cuculus canorus, 312
 poliocephalus poliocephalus, 224
Curlew, Long-billed, 199
Cyanerpes cyaneus, 507
Cynanthus latirostris, 252
 latirostris latirostris, 423
 latirostris lawrencei, 423, 429
Cypseloides biscutatus, 385
Cypseloides fumigatus, 385
 niger, 385
 rutilus, 385
 semicollaris, 385
 senex, 385
 zonaris, 385
Cypsiurus, 385
Dacnis cayana cayana, 507
Daniel, Joseph Carl, Jr., an embryological comparison of the domestic fowl and the Red-winged Blackbird, 340-358
Davis, John, comparative foraging behavior of the Spotted and Brown towhees, 129-166
Dawn, Walter, Cape May Warbler feeds on amphipods, 98
Dawson, E. W., obituary by, 535
Delacour, Jean, see Gabrielson, Ira N., *et al.*; the waterfowl of the world rev. 269-272
DeLury, Ralph Emerson, obituary of, 291
Dementiev, G. D., and N. A. Gladkov, the birds of the Soviet Union (rev.), 401
Demigretta sacra, 219
Dendrocopos kizuki matsudairai, 215, 225
 scalaris graysoni, 423, 429
 villosum, 300
Dendroica auduboni auduboni, 430
 caerulescens caerulescens, 457
 caerulescens cairnsi, 457
 coronata, 301
 fusca, 301
 magnolia, 301
 palmarum hypochrysea, 457
 palmarum palmarum, 457
 petechia, 306
 petechia amnicola, 457
 petechia morcomi, 430
 petechia rubiginosa, 430, 457
 pinus, 97
 tigrina, 98
 townsendi, 430
 virens virens, 457
 virens waynei, 457
Dendrocyx leucophrys, 247

- Dickcissel, 451
Dickerman, Robert W., see Phillips, Allan R., and —
Dilger, William C., the loss of teeth in birds, 103
Distribution, 94, 97, 106, 215–228, 231, 258, 259, 261, 262, 266, 268, 378–382, 383, 385–394, 413–432, 451, 494, 497, 503, 505, 508, 509, 510
Douville, Clayton H., and Charles E. Friley, Jr., records of longevity in Canada Geese, 510
Dove, Common Ground, 421
 Eastern Turtle, 224
 Mourning, 306, 312, 314, 317, 421
 White-tipped, 421
 White-winged, 421
Duck, American Golden-eye, 466
 Baldpate, 498
 Black, 128, 466
 Bufflehead, 466
 Common Mallard, 189, 193
 Gadwall, 128, 189, 193, 195, 197, 198, 200
 Greater Scaup, 459–468
 Lesser Scaup, 459–468
 Mallard, 128, 190, 191, 195, 197, 198, 256, 466
 Old Squaw, 204, 466
 Pintail, 128, 189, 190, 193, 195, 197–199, 509
 Redhead, 189, 190, 192, 194, 195, 197, 198, 391
 Ruddy, 498
 Shoveler, 128, 187, 189, 190, 194, 195, 197, 198
Dumetella carolinensis, 95

East Indies, 49–72
Eaton, Stephen W., variation in *Sciurus noveboracensis*, 229–239
Ecology, 129–166, 258, 299–301, 389
Egg, measurements, 241, 242, 260, 266, 386–388, 496
 pigmentation, 28–41, pls. 2–4
 weight, 4, 242, 296, 496
Egret, American, 508
 Cattle, 93
 Reef, 219
 Snowy, 219, 508

Egretta garzetta garzetta, 219
Eider, American, 204
 King, 205, 467
 Pacific, 204
Elaenia, Greenish, 424
Elaenia viridicata jaliscensis, 424, 429
 viridicata minima, 424, 429
Elanoides forficatus, 262, 312
Emberiza calandra, 306
 cioides, 365
 cioides ciopsis, 228
 rustica, 365, 370
 spodocephala, 365, 366, 370
 spodocephala personata, 228
 variabilis, 365
Embryology, 340–358
Emlen, John T., Jr., review by, 513
Empidonax difficilis difficilis, 424, 429
 flaviventris, 293–304
 minimus, 302
 traillii, 300, 302
 virescens, 302
Eremophila alpestris, 306
Ereunetes pusillus, 212
Erithacus akahige tanensis, 215, 226
 calliope, 365
 cyanurus, 365
 rubecula, 238, 310
Erolia bairdii, 211
 fuscicollis, 211
 melanotos, 429
Eugenys fulgens, 251, 252, 255
Euphagus cyanocephalus, 306
Eophona personata, 365
Evolution, 49–72, 103, 262
Eynon, A. E., obituary by, 290

Falco albicularis, 420, 429
 columbarius, 101
 peregrinus, 222, 265
 peregrinus anatum, 429
 sparverius, 1–19, 150, 429
 tinnunculus, 101
Falcon, Peregrine, 220, 222, 265
 White-throated, 420
Fiji Islands, 59, 60, 62, 65, 68, 72
Filholornis, 183
Finch, 499–502
 Green, 365
 House, 14, 153, 243, 244, 311, 312

- Finch, Long-tailed Rose, 365
 Purple, 297, 301
 Zebra, 249
- Fink, Barbara A., radioiodine: a method for measuring thyroid activity, 487-493
- Fisher, Harvey I., the function of *M. depressor caudae* and *M. caudofemoralis* in pigeons, 479-486
- Fisher, James, and R. M. Lockley, sea birds (rev.), 109
- Flicker, 102, 300, 450
- Flight, speed of, 11
- Florida, 73, 93, 105, 266, 469-478, 503-507
- Florida caerulea, 509
- Flycatcher, Acadian, 302, 303, 450,
 Alder, 298, 300, 302, 450
 Beardless, 424
 Broad-billed, 227
 Brown, 365
 Crested, 450
 Derby, pl. 12
 Least, 302, 303, 450
 Lictor, pl. 12
 Mugimaki, 365
 Olive-sided, 295, 297-300, 389
 Pied, 308, 315
 Spotted, 311
 Tres Marias, 424
 Vermilion, 268
 Western, 424
 Yellow-bellied, 293-304, 450, pl. 14
- Follett, W. I., Bronzed Grackles feeding on emerald shiners, 263
- Food, 10-12, 98, 129-166, 140-147, 197-200, 228, 263, 264, 394, 459-468
- Forpus cyanopygius insularis, 422, 429, 430
- Fregata magnificens rothschildi, 419, 428
- Friedmann, Herbert, review by, 269; the rediscovery of *Tangavius armenti* (Cabanis), 497
- Fringilla montifringilla, 365, 370
- Fringillidae, 451, 453, 454
- Fulica americana, 187
 americana americana, 429
- Gabrielson, Ira N., Jean Delacour, Ludlow Griscom, Hoyes Lloyd, and Roger Tory Peterson, report of the committee on bird protection to the American Ornithologists' Union, 1956, 90-93
- Galbraith, Ian C. J., variation, relationships and evolution in the *Pachycephala pectoralis* superspecies (Aves, Muscicapidae) (rev.) 110
- Galli, 182
- Galliformes, 181-183, 340, 346, 351, 441
- Gallinula chloropus indica, 222
- Gallinuloides, 180-183
 wyomingensis, 177, 178, 180, 183, 184
- Gallinuloididae, 180, 182, 184
- Gallus domesticus, 340-358
- Gampsonyx, 497
- Garrulus glandarius, 365
- Gavia stellata, 203
- Gelochelidon nilotica, 106
- Georgia, 8, 10, 94
- Geothlypis trichas, 42-48
 trichas brachidactyla, 457
- Gladkov, N. A., see Dementiev, G. D. and —
- Gnatcatcher, Blue-gray, 494-496
- Godwit, Hudsonian, 92
- Goldfinch, 14, 306, 314
 Dark-backed, 428
- Goose, Blue, 509
 Canada, 189, 193, 195, 196, 198, 316, 510
 Gray Lag, 394
 Lesser Snow, 204, 509
 Ross's, 93
 White-fronted, 204
- Gordon, Robert B., Swallow-tailed Kite in Ohio: a retraction, 262
- Gorsakius goisagi, 219
- Goshawk, 14
- Grackle, Bronzed, 263, 306, 314, 317
- Granatellus venustus francescae, 426, 430
- Grayce, Robert L., range extensions in Puerto Rico, 106
- Grebe, Eared, 187
 Least, 390
 Pied-billed, 450
- Greenfinch, Oriental, 228
- Griffin, Donald R., reviews by, 107-109
- Griscom, Ludlow, see Gabrielson, Ira N., et al.
- Grosbeak, 365

- Grosbeak, Blue, 451
Evening, 106
Rose-breasted, 451
- Grouse, Black, 205
Red, 206
Sharp-tailed, 93
- Grube, George E., observations on Gnat-catcher range extension, 494-496
- Grus canadensis, 207
- Guan, Purplish, 247
- Guinea fowl, 184
- Gull, Black-tailed, 223
California, 185-202
Franklin's, 371-375
Glaucous, 204, 213
Great Black-backed, 213, 498
- Heermann, 421
- Herring, 211, 213, 371, 466
- Laughing, 28-41
- Sabine, 210
- Haematopus ostralegus frazari, 429
- Haines, T. P., see Johnston, David W., and —
- Hamerstrom, Frances, transplantation of a shrike pair, 502
- Hamilton, Mr. and Mrs. R. E., a hybrid between the White-throated Sparrow and the Slate-colored Junco at Dalton, Georgia, 94
- Haverschmidt, F., the nests of *Pitangus lictor* and *Coryphotriccus parvus*, 240-242; the Yellow-headed Turkey Vulture in Surinam, 508
- Hawk, American Sparrow, 1-19
Cooper's, 14
Duck, 265
Frog, 220-222, 226
Marsh, 105, 265
North American Broad-winged, 220
Red-tailed, 14, 150
Sharp-shinned, 14, 105, 150, 298-300, 365, 389
Sparrow, 105, 150
Tres Marias Red-tail, 420
- Heliomaster constantii, 252, 255
- Hemiprocne comata, 386
longipennis, 386
longipennis coronata, 386
mystacea, 386
- Hemiprocnidae, 386
- Henry, C. J., see Walkinshaw, Lawrence H., and —
- Heron, Black-crowned Night, 219, 509
Great Blue, 419, 469-478
Great White, 469-478
Green, 450
Little Blue, 509
Louisiana, 509
Mangrove, 219
- Hesperiphona vespertina, 106
- Heteroscelus incanus, 222, 420, 429, 431
- Hill, Norman P., land bird migrants over the Florida Straits, 105
- Himantopus himantopus, 106
mexicanus, 187, 429
- Hirundo rustica, 428
rustica gutturalis, 225
- Hoatzin, 182-184
- Hoazinoidea, 182
- Hochbaum, H. Albert, travels and traditions of waterfowl, (rev.), 107-109
- Hoflund, P. B., cowbird parasitism of the northern Yellow-throat, 42-48
- Höhn, E. O., observations on display and other forms of behavior of certain arctic birds, 203-214
- Honeyeater, 49
- Honey-guide, 103
- Horeites diaphone, 365
diphone ijimae, 227
- Howell, Thomas R., review by, 396-401
- Hummingbird, 251-357
Black-billed Azure-crown, 246
Broad-billed, 423
Cinnamomeus, 423
Emerald-chinned, 254
Fork-tailed Emerald, 254
Lucifer, 253, 254
Red-billed Azure-crown, 255
Rieffer's, 254
Rivoli, 251
Ruby-throated, 297, 300, 455
Violet Sabre-wing, 254, 255
White-bellied Emerald, 254
White-eared, 251, 253-256
- Humphrey, Philip S., observations of the diving of the Surf Scoter (*Melanitta perspicillata*), 392-394

- Hunn, John Townsend Sharpless, obituary of, 291
- Hybridization, 63, 94, pl. 5, 128, 507
- Hydranassa tricolor*, 509
- Hylocharis leucotis*, 251, 252, 253, 255, 256
leucotis pygmaea, 256
- Hylocichla fuscescens fuliginosa*, 457
fuscescens fuscescens, 457
fuscescens salicicola, 457
minima bicknelli, 456
minima minima, 456
ustulata crymophila, 456
ustulata incana, 456
ustulata swainsoni, 430, 450
ustulata ustulata, 430
- Hylonympha macrocerca*, 507
- Ibis, Eastern Glossy, 509
- Icterus galbula*, 261
pustulatus graysoni, 427, 430
pustulatus microstictus, 427
spurius, 311
- Illinois, 264
- Incubation period, 4, 46, 207, 296, 303, 342, 355, 389, 496
- Iredale, Tom, birds of New Guinea (rev.), 513
- Iridoprocne bicolor*, 308
- Irwin, Michael P. Stuart, see Smithers, Reay H. N., *et al.*
- Ixos amaurotis*, 101, 365
amaurotis amaurotis, 225
amaurotis matchiae, 215
- Jaeger, Pomarine, 209
- Japan, 101, 215–228, 359–370
- Jay, Canada, 260
Japanese, 365
Scrub, 146, 147, 149, 150
- Johnston, David W., and T. P. Haines, analysis of mass mortality in October, 1954, 447–458
- Johnston, Richard F., review by, 109
- Junco*, Carolina, 94
Oregon, 150, 152, 391
Slate-colored, 94, 391
Yellow-eyed, 243, 244
- Junco hyemalis*, 391
hyemalis carolinensis, 94
- Junco oreganus*, 150, 391
phaeonotus, 243
- Kentucky, 8, 268
- Kestrel, 101
- Kilham, Lawrence, review by, 515
- Kingbird, Eastern, 389
Tropical, 424
- Kingfisher, River, 225
- Kinglet, Golden-crowned, 298, 300, 450
Ruby-crowned, 97, 300, 450
- Kite, Black-eared, 220
Everglade, 92
Hook-billed, 419
Swallow-tailed, 262, 312
- Knoblock, Byron W., obituary by, 290
- Koelers, H. J., see Ansingh, F. H., and —
- Koopman, Karl F., evolution in the genus *Myzomela* (aves: meliphagidae), 49–72
- Labisky, Ronald F., unusual flight behavior of Blue and Snow geese, 509
- Lack, David, the first primary in swifts, 385
- Lagopus lagopus*, 206
mutus, 206
scoticus, 206
- Lamponnis amethystinus*, 252, 255
clemenciae, 252
viridi-pallens, 252, 255
- Lamprolaima rhami*, 252, 255
- Lanius bucephalus*, 365
ludovicianus, 502
ludovicianus excubitorides, 504
ludovicianus ludovicianus, 503–505
ludovicianus miamensis, 503–505
ludovicianus migrans, 503–505
- Lark, Horned, 306, 312
- Larus argentatus*, 213, 466
argentatus smithsonianus, 429
atricilla, 28–41
californicus, 185–202
crassirostris, 225
heermanni, 421, 429
hyperboreus, 213
marinus, 213, 498
pipixcan, 371–375
- Lawrence, Louise de Kiriline, Displace-

- ment singing in a Canada Jay (*Perisoreus canadensis*), 260
- Lawrence, Ralph E., and Hervey Brackbill, winter returns of Baltimore Orioles (*Icterus galbula*) in the Washington-Baltimore area, 261
- Leavitt, B. B., food of the Black Skimmer (*Rynchops nigra*), 394
- Leptotila verreauxi angelica, 421, 422
verreauxi capitalis, 421, 429
- Leucolepis phaeocephala, 336
- Leuconerpes candidus, 103
- Leucophoxys thula thula, 428, 509
- Life History, I-18, 293-304
- Linsley, E. Gorton, see Mayr, Ernst, and Robert L. Usinger
- Lloyd, Hoyes, see Gabrielson, Ira N., et al.; obituary by, 291
- Lockey, R. M., see Fisher, James, and — Locustella ochotensis pleskei, 227
- Loetscher, Frederick W., Jr., first record of Vermilion Flycatcher (*Pyrocephalus rubinus*) in Kentucky, 268
- Longevity, 15, 16, 510
- Longspur, Lapland, 203, 214
McCown's, 306, 312
- Loon, Red-throated, 203
- Lophodytes cucullatus, 266
- Lophortyx, 247
californica, 150
douglasii, 420, 429, 431
- Louisiana, 8, 93
- Lowery, George H., Jr., Louisiana birds (rev.), 512
- Loxia curvirostra, 106
- Lunk, William A., review by, 272-274
- Lyrurus tetrix, 205, 206
- Macdonald, J. R., see Tordoff, Harrison B., and —
- Manakin, Long-tailed, 333-339
White-throated, 338
- Man-O-War Bird, 419
- Marianas Islands, 49, 57, 65, 67, 69, 72
- Martin, Purple, 315
- Martinique, 259
- Maryland, 8, 509
- Massachusetts, 8, 394
- Mathews, G. V. T., bird navigation (rev.), 107-109
- Mayfield, Harold, proceedings of the seventy-fourth stated meeting of the American Ornithologists' Union, 79-88; in memoriam: Josselyn Van Tyne, 322-331
- Mayr, Ernst, E. Gorton Linsley and Robert L. Usinger, methods and principles of systematic zoology (rev.), 110
- McClure, H. Elliott, Merlin attacks Brown-eared Bulbuls, 101
- McClure, H. Elliott, and Masashi Yoshii, the arrival of continental migrants in western Japan, 359-370
- Meanley, Brooke, notes on the courtship behavior of the King Rail, 433-440
- Measurement,
of birds, 74, 94, 233, 237, 379-382, 427, 503, 508, 511
of eggs, 241, 242, 260, 266, 296, 386-388, 496, pls. 16, 17
hind claw, 162
skeletal, 75-77, 176-178
testes, 94, 254
thyroid activity, 487-493
- Megapodiidae, 183
- Megapodius, 183
- Megarhynchus pitangua, 240-242
- Melanesia, 49-72
- Melanitta deglandi, 392, 466
nigra, 393
perspicillata, 392-394
- Melanotis caerulescens longirostris, 425, 430
caerulescens effuticus, 425
- Meleagris gallopavo, 441-446
gallopavo intermedia, 442, 443, pl. 24
gallopavo merriami, 441-443, pl. 24
gallopavo osceola, 441-443, pl. 24
gallopavo silvestris, 442, 443, pl. 24
- Meliphagidae, 49-72
- Melospiza georgiana georgiana, 457
lincolni, 258, 301
melodia, 258, 307, 376-382
melodia adusta, 377-379, 381
melodia goldmani, 377-382
melodia merrilli, 377, 382
melodia mexicana, 377-381
melodia villai, 377, 379-382
melodia yuriria, 377, 379, 381
pectoralis, 378, 381

- Melozone, 164
kieneri, 500
kieneri biarcuatum, 500
- Mengel, Robert M., review by, 512
- Merganser, Hooded, 266
 Red-breasted, 466, 467
- Mergus serrator, 466
- Merlin, 101
- Mexico, 251–257, 376–382
 Tres Marias Islands, 413–432
- Meyerriecks, Andrew J., field observations pertaining to the systematic status of the Great White Heron in the Florida Keys, 469–478
- Michigan, 42, 95, 293–304, 389, 510
- Micrathene whitneyi, 428
- Micronesia, 57, 62
- Migration, 8, 105, 106, 261, 266, 268, 359–370, 447–458
- Miller, Alden H., in memoriam: Adriaan Joseph van Rossem, 20–27
- Milvus migrans, 220
- Mimidae, 260
- Mimus gilvus, 260
 polyglottos leucopterus, 430
- Minnesota, 8, 42, 262
- Miskimen, Mildred, absence of syrinx in the Turkey Vulture (*Cathartes aura*), 104
- Mississippi, 94
- Mitu mitu, 176–178, 183
- Mniotilla varia, 300
- Mockingbird, Blue, 425
- Molothrus armeni, 497
 ater, 42–48, 311
 atro obscurus, 427, 430, 431
 bonariensis, 106, 497
- Molt, 9, 102, 251–257
- Momotus, 431
- Montgomery, G. H., obituary by, 128
- Monticola solitarius magnus, 226
- Moorhen, 222
- Mortality, 13–16, 106, 391
- Motacilla cinerea, 227
- Moyer, Jack T., the birds of Miyake Jima, Japan, 215–228
- Murrelet, Japanese, 223
- Muscicapa hypoleuca, 308
 latirostris 227, 365
 striata, 311
- Muscle functions, 479–486
- Myadestes obscurus insularis, 425, 430
- Myiarchus tuberculifer olivascens, 424
 tuberculifer tresmariae, 424, 429
tyrannulus magister, 429
- Myiozetetes cayanensis, 240–242
- Myology, 156–163, 479–486
- Myzomela, 49–72
 adolphinae, 50, 51, 55–57, 60, 62, 64, 67, 69, 72
albigula, 51, 52, 61
albigula albigula, 71
albigula pallidior, 51, 62, 71
blasii, 51, 52, 61, 64, 71
cardinalis, 51, 53–67, 69, 72
cardinalis cardinalis, 57, 65, 72
cardinalis cheremesina, 55, 57, 62, 65, 67–69, 72
cardinalis dichromata, 57, 65, 72
cardinalis kobayashi, 57, 65, 72
cardinalis kurodai, 50, 57, 65, 72
cardinalis lifuensis, 57, 65, 68, 72
cardinalis major, 57, 65, 72
cardinalis nigriventris, 57, 67, 72
cardinalis pulcherrima, 57, 63, 65, 72
cardinalis rubrata, 50, 57, 65, 72
cardinalis saffordi, 57, 65, 72
cardinalis sanctaecrucis, 57, 65, 72
cardinalis sanfordi, 57, 65, 72
cardinalis tenuis, 57, 65, 72
cardinalis tucopiae, 50, 55, 57, 65, 72
cineracea, 51, 52, 61
cineracea cineracea, 71
cineracea rooki, 62, 71
cruentata, 51, 53, 57, 58, 60, 64, 65, 66, 72
cruentata coccinea, 50, 58, 72
cruentata cruentata, 58, 67, 68, 72
cruentata erythrina, 58, 72
cruentata kleinschmidti, 50, 58, 72
dibapha, 51, 55, 56, 60, 62, 66, 67, 69
dibapha annabellae, 57, 72
dibapha batjanensis, 57, 72
dibapha boiei, 57, 72
dibapha caledonica, 57, 72
dibapha chloroptera, 57, 72
dibapha dibapha, 57, 72
dibapha elisabethae, 55, 57, 58, 72
dibapha eva, 57, 72

- Myzomela dibapha juga, 57, 72
dibapha stephensi, 57, 72
dibapha wakoloensis, 57, 58, 72
eichorni, 51, 58, 59, 66, 68, 69
eichorni atrata, 58, 65–69, 72
eichorni eichorni, 58, 66, 72
eichorni ganongae, 66, 72
eques, 51, 52, 59, 60, 62–64, 68, 71
eques eques, 71
eques nymani, 62, 71
eques primitiva, 62, 71
erythrocephala, 51, 55, 56, 66–69, 71
erythrocephala dammermani, 50, 55, 57, 62, 66, 71
erythrocephala derbyi, 57, 62, 71
erythrocephala erythrocephala, 57, 71
erythrocephala infuscata, 56, 57, 62, 72
erythrocephala kuehni, 55, 57, 62, 71
erythromelas, 51, 57, 60, 64–69, 72
jugularis, 51, 53, 56, 58–69, 72
lafargei, 51, 59, 63, 67–69, 72
malaitae, 51, 59–61, 63–66, 68, 69, 72
melanocephala, 51, 59, 60, 63, 67–69, 72
nigrita, 50–53, 57, 62, 65–67, 71
nigrita ernstmayri, 54, 71
nigrita forbesi, 54, 67, 68, 71
nigrita hades, 54, 71
nigrita louisianensis, 54, 71
nigrita meyeri, 54, 71
nigrita nigrita, 54, 71
nigrita pammelaena, 54, 71
nigrita pluto, 50, 54, 71
nigrita ramsayi, 50, 54, 71
nigrita steini, 53, 54, 61, 65, 66, 71
nigrita tristrami, 54, 63, 71
obscura, 50–53, 58–65
obscura aruensis, 50, 51, 62, 71
obscura fumata, 51, 60, 62, 68, 71
obscura harterti, 51, 62, 71
obscura mortyana, 50, 51, 62, 71
obscura obscura, 51, 71
obscura rubrobrunnea, 50, 51, 62, 71
obscura rubrotincta, 51, 62, 71
obscura simplex, 51, 62, 71
Myzomela pulchella, 50, 51, 58–60, 63, 64, 68–69, 72
rosenbergii, 51, 64, 66–68, 71
rosenbergii longirostris, 52, 71
rosenbergii rosenbergii, 52, 71
slateri, 51, 59, 60, 68, 69, 72
vulnerata, 51, 56, 57, 59, 65–69, 71
Nero, Robert W., vestigial claws on the wings of a Red-winged Blackbird, 262
Nesting, 3, 95, 97, 240–242, 299–301
Nesting success, 305–321
Netherlands Antilles, 266
New Guinea, 52, 54, 56, 58–62, 64–67, 71, 72
New Jersey, 28
New York, 1, 98
Nice, Margaret Morse, nesting success in altricial birds, 305–321
Nicholson, Donald J., the Bahaman Nighthawk (*Chordeiles minor vicinus*) on the Florida Keys, 505–507
Nickell, Walter P., Robins use same nest for three sets of eggs in one season, 95
Nighthawk, Bahaman, 505–507
 Cuban, 505, 506
 Florida, 505
Ninox scutulata, 225
Norris, Robert A., review by, 395
Numenius americanus, 199, 429
 phaeopus hudsonicus, 429
Numida, 181
Numididae, 176, 183
Nutcracker, Clark, 14
Nuthatch, Red-breasted, 300, 450
 White-breasted, 450
Nuttallornis borealis, 295, 389
Nyctanassa violacea bancrofti, 428
Nyctea scandiaca, 213
Nycticorax nycticorax, 219, 509
Nyctidromus albicollis, 335
 albicollis insularis, 422, 429
Obituaries of: Clarence Duvall Brown, 290; John Rudy Cruttenden, 290; Ralph Emerson DeLury, 291; John Townsend Sharpless Hunn, 291; W. R. B. Oliver 535; Geoffrey Gream Ommanney, 128; James Lee Peters, 167–173; Adriaan Joseph van Rossem,

- 20-27; Josselyn Van Tyne, 322-331;
 Robert Walcott, 292
- Odin, Clyde R., California Gull predation on waterfowl, 185-202
- Odontophorinae, 179
- Odontophorus guttatus, 247
- Ohio, 8, 262
- Oliver, W. R. B., obituary of, 535
- Ommanney, Geoffrey Gream, obituary of, 128
- Opisthocomidae, 181
- Opisthocomus, 182-184
 hoazin, 177-179, 183
- Oregon, 1-19
- Oreophasinae, 182
- Oreophasis derbianus, 248
- Oreortyx picta, 153
- Oriole, Baltimore, 261, 451
 Orchard, 311
 Streak-backed, 427
- Oriturus superciliosus, 376, 382
- Ornalis, 176, 180, 182
 canicollis, 177-179, 181, 183
 garrula, 177, 178, 183
 motmot, 177, 178, 183
 phengites, 179
 pollicaris, 179
 tantal, 179
 vetula, 177-179, 183
 wagleri, 177-179, 183
- Osprey, 105, 222
 American, 265
- Osteology, 156
- Otus asio, 215, 365
 asio pryeri, 215
- Oven-bird, 43, 44, 46, 232, 235, 311, 314,
 451, 453, 454, 456, 458
 Gray, 426
- Owl, Brown Hawk, 225
 Screech, 365
 Snowy, 213
- Oxyura jamaicensis, 498
- Palaenossax, 176, 179
 senectus, 179
- Paleontology, 174-184
- Pandion haliaetus, 222
 haliaetus carolinensis, 265, 428
- Panyptila cayennensis, 384, 385
 sancti-hieronymi, 384
- Parasites, 15
- Parasitism, 42-48, 190, 311, 314
- Parkes, Kenneth C., the juvenile plumages of the finch genera Atlapetes and Pipilo, 499-502
- Parrot, Yellow-headed, 422
 Tres Marias Yellow-headed, 422
- Parrotlet, Blue-rumped, 422
 Huet's, 510
- Partridge, Bamboo, 222, 224
- Parula americana, 301
 pitiyumi graysoni 426, pl. 18
 pitiyumi insularis, 426, 430, pl. 18
 pitiyumi pulchra, pl. 18
 pitiyumi pulchra × insularis, 426
- Parulidae, 451, 453, 454
- Parus ater, 308
 atricapillus, 308, 365
 caeruleus, 308
 hudsonicus, 300
 major, 225, 308, 365
 inornatus, 147, 153
 varius, 365
 varius namiyei, 215
 varius owstoni, 215, 225
- Passer domesticus, 309
 montanus, 228, 305
- Passerculus sandwichensis savanna, 457
- Passerella iliaca, 151, 258
- Passeriformes, 340, 346, 351
- Passerina ciris pallidior, 428, 430, 431
- Pauraque, 335
 Tres Marias, 422
- Pelecanus occidentalis californicus, 418
 428
- Pelican, California Brown, 418, pl. 22
- Penelope, 176, 179, 181
 argyrotis, 177, 178, 183
 marail, 177, 178, 183
 obscura, 177-179, 183
 purpurascens, 177, 178, 183, 247, 248
 superciliaris, 177, 178, 183
- Penelopina, 176, 179
 nigra, 177-179, 183, 248
- Penelopinae, 181, 182
- Pennsylvania, 18, 106, 494-496
- Perisoreus canadensis, 260
- Peters, James Lee, obituary of, 167-173,
 pl. 9

- Peterson, Mary L., see Smithers, Reay H. N., *et al.*
- Peterson, Roger Tory, see Gabrielson, Ira N., *et al.*
- Petrel, Bonin Island, 265
- Pettingill, Olin Sewell, Jr., a laboratory and field manual of ornithology (rev.), 110
- Pewee, Wood, 105, 450
- Phaethon aethereus mesonauta, 418, 428
- Phalacrocorax capillatus, 218
pelagicus pelagicus, 218
- Phasianinae, 316
- Phasianidea, 176, 181–183
- Phasianus colchicus, 187
- Pheasant, Ring-necked, 187, 189
- Phillips, Allan R., and Robert W. Dickerman, notes on the Song Sparrows of the Mexican plateau, 376–382
- Phoebe, 450
Black, 265
Eastern, 264
- Phoenicurus auroreus, 365
- Phylloscopus borealis, 365
collybita, 310
ijimae, 215, 227
trochilus, 310
- Piaya, 431
- Pier, Arthur S., obituary by, 292
- Pigeon, Band-tailed, 14
Domestic, 479–486
Japanese Wood, 224
Red-billed, 421
- Pipile, 176, 180, 181, 183
cumanensis, 177, 178, 183
- Pipilo, 431, 499–502
aberti, 162, 164, 499, 500
albicollis, 164, 165, 500
erythrophthalmus, 129, 156, 166, 499, 500, 501
erythrophthalmus erythrophthalmus, 499
erythrophthalmus falcifer, 156
erythrophthalmus megalonyx, 129–166
erythrophthalmus montanus, 129, 156, 161, 162
fuscus, 129, 156, 166, 246, 487–493, 499–501
fuscus albogula, 500
- Pipilo fuscus crissalis, 129–166
fuscus mesoleucus, 500
fuscus petulans, 156
fuscus senicula, 499
maculatus oregonus, 136, 161, 162
ocai, 164, 165, 499, 501
ocai × erythrophthalmus, 499
rutilus, 500
- Pipromorpha oleaginea, 244
- Piranga bidentata bidentata, 427
bidentata flammea, 427, 430
ludoviciana, 430
- Pitangus lictor, 240–242, pl. 12
sulphuratus, 240–242, pl. 12
- Platyparis aglaiae insularis, 424, 429
- Plectrophenax nivalis, 106
- Plegadis falcinellus, 509
falcinellus mexicana, 428
- Plover, American Golden, 207, 420
Asiatic Golden, 207
Black-bellied, 207, 211
Mongolian, 222
Ringed, 208
Ringnecked, 105
Semipalmated, 207
- Pluvialis dominica, 207
dominica dominica, 420, 429, 431
- Podiceps dominicus, 390
- Polioptila caerulea, 494–496
- Polynesia, 49–72
- Porzana carolina, 435, 496
- Prairie Chicken, 93
Atwater, 92
- Predation, 14, 101, 106, 185–202, 311–313, 391, 447–458, 498
- Preston, F. W., pigmentation of eggs: variation in the clutch sequence, 28–41, pls. 2–4; two new devices for measuring the shape of birds' eggs, 386–388
- Procrax brevipes, 175–184, pl. 10
- Progne subis, 315
- Protonotaria citrea, 309
- Ptarmigan, Rock, 206
Willow, 206
- Pterodroma leucoptera hypoleuca, 265
- Puerto Rico, 106
- Puffinus griseus, 218
leucomelas, 218, 224
- Pyrocephalus rubinus mexicanus, 268
- Pyrrhula pyrrhula, 365

- Quail, California, 150
 Douglas, 420
 Mountain, 153
 Scaled, 247
- Quiscalus quiscula*, 263, 306
 quiscula versicolor, 263
- Rail, Clapper, 435, 440, 450, 451
 King, 433–440, 450
 Louisiana Clapper, 439
 Sora, 435, 450, 496
 Virginia, 435, 450, 496
- Rallidae, 180
- Rallus elegans*, 433–440
 limicola, 435, 496
 longirostris saturatus, 439
 longirostris scotti, 435
- Ramphastos brevicarinatus*, 322
 swainsonii, 312
- Ramphocinclus brachyurus brachyurus*, 259
 brachyurus sanctae-luciae, 259
- Rand, A. L., *Lanius ludovicianus miamensis* Bishop, a valid race from southern Florida, 503–505; review by, 513
- Rate, Henry, Redheads killed by a down-draft, 391
- Raven, 298, 299
 White-necked, 73, 95
- Recurvirostra americana*, 189, 199
- Redstart, 105, 301, 451, 453
 Daurian, 365
- Red-wing, 306, 312–314, 317, 340–358
 Thick-billed, 340–358
- Regulus calendula*, 97, 300
 satrapa, 300
- Rhynchophanes mccownii*, 306
- Richmondena cardinalis mariae*, 427, 430
 cardinalis igneus, 427
 cardinalis sinaloensis, 427
- Ripley, S. Dillon, review by, 269–272
- Robin, American, 14, 95, pl. 6, 246, 306, 313, 314
 European, 238, 310, 311, 314
 Japanese, 215, 226
 Tres Marias, 425
- Roest, A. I., notes on the American Sparrow hawk, 1–19
- Ruby Throat, 365
- Rynchops nigra*, 394
 nigra nigra, 394
- Sabine, Winifred S., flight behavior of a flock of Slate-colored Juncos in the late afternoon, 391
- Salt, George W., observations on Fox, Lincoln and Song sparrows at Jackson Hole, Wyoming, 258
- Saltator, 260
- Samoa, 49, 57, 60, 62, 67, 69, 72
- Sanderling, 212, 421
- Sandpiper, Baird's, 211
 Buff-breasted, 212
 Common, 222
 Semipalmated, 221
 White-rumped, 211
- Sapsucker, 103
 Yellow-bellied, 103
- Savile, D. B. O., the primaries of *Archaeopteryx*, 99–101
- Saxicola rubetra*, 306
- Sayornis nigricans*, 265
 phoebe, 264
- Schorger, A. W., the beard of the Wild Turkey, 441–446
- Scolopax rusticola rusticola*, 222
- Scoter, Common (American), 393
 Surf, 392–394
 White-winged, 392, 393, 466
- Sciurus aurocapillus*, 232, 311
 aurocapillus aurocapillus, 426, 457
 aurocapillus cinereus, 426, 430, 457
 motacilla, 235
 noveboracensis, 229–239, 457
 noveboracensis limnaeus, 229, 237
 noveboracensis notabilis, 229, 237, 238, 457
 noveboracensis uliginosus, 229, 238
- Selasphorus platycercus*, 252
- Setophaga ruticilla*, 301
 ruticilla tricolora, 457
- Sex ratio, 16
- Shag, Pelagic, 219
- Shearwater, Sooty, 218
 Streaked, 218
- Sherwood, Mary P., southernmost records for the Hooded Merganser (*Lophodytes cucullatus*) in the United States, 266
- Shrike, Bull-headed, 365
 Migrant, 502
- Sialia mexicana*, 152
 sialis, 308

- Sibley, Charles G., the abbreviated inner primaries of nestling woodpeckers, 102; Treasurer's report for the period October 1, 1955–September 30, 1956, 287–289
- Sick, Helmut, Touit huetii (Temminck) from Brazil, 510
- Siphia mugimaki, 365
- Siskin, 365
Pine, 106
- Sitta canadensis, 300
- Skimmer, Black, 394
- Slud, Paul, the song and dance of the Long-tailed Manakin, 333–339
- Snyder, Dorothy E., a recent Colima Warbler's nest, 97; the Gray Lag-Goose in Massachusetts: correction, 394
- Smithers, Reay H. N., Michael P. Stuart Irwin, and Mary L. Paterson, A check list of the birds of Southern Rhodesia with data on ecology and breeding, (rev.) 513
- Solitaire, Tres Marias, 425
- Solomon Islands, 54, 59, 67, 71, 72
- Somateria mollissima v-nigra, 204
spectabilis, 205, 467
- South Dakota, 174–184
- Sparrow, Chipping, 97, 301, 307, 314, 317, 451
English, 347, 348, 350, 351, 376
European Tree, 315
Field, 305, 307, 314
Fox, 151, 152, 258
Golden-crowned, 150–152
Grasshopper, 451
House, 14, 309, 314, 315, 317
Lincoln, 258, 301, 451
Savannah, 451, 455
Song, 46, 47, 258, 307, 312–314, 376–382, 451
Swamp, 451, 455
Tree, 228, 305
White-crowned, 153, 487–493
White-throated, 94, 298, 451
- Spatula clypeata, 187
- Speotyto cunicularia, 428
- Sphyrapicus, 103
thyroideus, 382
varius, 103
- Spinus pinus, 106
psaltria psaltria, 428, 430
spinus, 365
tristis, 306
- Spizella passerina, 97, 301, 307
pusilla, 307
- Squatarola squatarola, 207–211
- Stager, Kenneth E., the avifauna of the Tres Marias Islands, Mexico, 413–432
- Starling 244, 260, 309, 313–315, 317, 345, 352, 353–387
European, 386
Gray, 101, 315
- Stellula calliope, 252
- Sterna albifrons, 28
hirundo, 28–41
hirundo hirundo, 266
- Stewart, Robert E., Eastern Glossy Ibis nesting in southeastern Maryland, 508
- Stillwell, Jerry E., western bird songs of dooryard, field and forest (rev.) 274
- Stilt Black-necked, 106, 187
- St. Lucia, 259
- Storer, Robert W., reviews by, 110, 401; the hybrid origin of Chlorophanes purpurascens, 507
- Streptopelia orientalis orientalis, 224
- Sturnus cineraceus, 101, 315
vulgaris, 260, 309, 315, 386, 387
- Sula leucogaster, 218
leucogaster nesiotis, 419, 428
nebouxii, 419, 428
- Surinam, 240–242, 508
- Swallow, 14
Barn, 105, 225
Tree, 308, 315
- Swan, Trumpeter, 92
- Swift, 383–385
Chapman's, 383, 384
Chimney, 383, 384
Common, 386
Vaux's, 383, 384
White-rumped, 225
- Synthliboramphus wumisuzume, 215, 223
- Tachornis phoenicobia, 385
squamata, 385
- Taeniopyga castanotus, 249
- Tanager, Flame-colored, 427
Scarlet, 451, 453, 454
Summer, 451, 455

- Tangavius armenti, 497
 Tattler, Wandering, 222, 420
 Taxonomy, 164, 184, 238, 376-385, 425-427, 431, 469-478, 499-502, 503, 505
 Teal, Blue-winged, 128
 Cinnamon, 187-191, 193, 195, 197, 198
 Green-winged, 128
 Laysan, 93
 Telmatodytes palustris, 183
 Tern, Common, 28-41, 266
 Gull-billed, 106
 Least, 28
 Royal, 106
 Tetraonidae, 179, 316
 Texas, 8, 93, 95, 97
 Thalasseus maximus, 106
 maximus maximus, 429
 Thrasher, White-breasted, 259
 Thrush, Blue Rock, 226
 Brown, 363-365
 Dusky, 363-365
 Gray-cheeked, 450, 453
 Grey, 365
 Grey-headed, 363-365, 370
 Ground, 226
 Hermit, 450, 451
 Olive-backed, 297, 298, 450, 453, 454, 456
 Pale, 362, 364, 365, 370
 Seven Islands, 215, 226
 Song, 313
 Veery, 450, 455
 Wood, 450, 453
 Thryomanes bewickii, 308
 Thryothorus felix lawrencii, 424, 425, 429, 431
 felix magdalena, 425, 431
 felix pallidus, 425
 Tilmatura dupontii, 252
 Tinamou, Rufescent, 335
 Tit, Blue, 308
 Coal, 308
 Great, 225, 308, 315, 365
 Varied, 225, 365
 Willow, 365
 Titmouse, Plain, 147, 153
 Todirostrum, 497
 Tordoff, Harrison B., and J. R. Macdonald, a new bird (family Cracidae)
 from the early Oligocene of South Dakota, 174-184
 Toucan, 103
 Short-keeled, 322
 Swainson's, 312
 Touit huertii, 510, 511
 Towhee, 451
 Brown, 129-166, 487-493, 499, 501
 Green-tailed, 164, 499, 501
 Red-eyed, 129, 499
 Spotted, 129-166
 Tringa flavipes, 429
 Troglodytes aëdon, 308
 troglodytes fumigatus, 226
 troglodytes mosukei, 215, 226
 troglodytes utanoi, 226
 Trogan, Elegant, 423
 Graceful, 335
 Rufus, 335
 Trogon elegans ambiguus, 423
 elegans goldmani, 423, 429
 Tropic-bird, Red-billed, 418
 Tryngites subruficollis, 212
 Turdidae, 451, 453, 454
 Turdus cardis, 365
 celaenops celaenops, 215, 226
 celaenops yakushimensis, 215
 chrysolaus, 365
 merula, 313
 migratorius, 95, 246, 306
 naumannii, 365
 obscurus, 365, 370
 pallidus, 362, 365, 370
 philomelus, 313
 rufo-palliatus graysoni, 425, 430
 Turkey, 441-446, pls. 23, 24
 Domestic, 441, 444, 445, pl. 23
 Eastern, 442, 444
 Florida, 441, 442, pl. 23
 Merriam's, 441, 442
 Ocellated, 247
 Rio Grande, 441, 442
 Turnstone, Ruddy, 203
 Tyrannidae, 240, 241, 244, 262
 Tyrannus melancholicus occidentalis, 424, 429
 Tyto alba praticola, 429
 Uragus sibiricus, 365

- Uisinger, Robert L., see Mayr, Ernst, E.
Gorton Linsley, and —
Utah, 135, 185–202
- van Rossem, Adriaan Joseph, obituary
of, 20–27; pl. I
- van Someren, V. G. L., days with birds
(rev.), 269
- Van Tyne, Josselyn, obituary of, 322–
331; pl. 15
- Veery, 450, 455
- Vermivora bachmani, 94
 crissalis, 97
 peregrina, 300
 ruficapilla, 300
- Vireo, Blue-headed, 295, 297, 298, 300,
 450
 Forrer's Red-eyed, 426
 Golden, 425
 Philadelphia, 450
 Red-eyed, 450, 451, 453, 454, 456,
 458
 White-eyed, 450
 Yellow-throated, 450, 453
- Vireo hypochryseus sordidus, 425, 430
 olivaceus forreri, 426, 430
 olivaceus hypoleucus, 426
 solitarius, 295
- Vireonidae, 451, 453, 454
- Voice, 4, 5, 7, 96, 97, 203–205, 207, 212,
 213, 219, 220, 259, 260, 301–303, 335,
 384, 389, 435–439, 505
- Vulture, Black, 419
 King, 15
 Turkey, 104, 158, 419
 Yellow-headed Turkey, 508
- Wagner, H. O., variation in clutch size
at different latitudes, 243–250; the
molting periods of Mexican humming-
birds, 251–257
- Wagtail, Gray, 227
- Walcott, Robert, obituary of, 292
- Walkinshaw, Lawrence H., incubation
period of the Sora Rail, 496
- Walkinshaw, Lawrence H. and C. J.
 Henry, Yellow-bellied Flycatcher nest-
ing in Michigan, 293–304; incubation
and nestling periods of the Olive-sided
Flycatcher, 389
- Warbler, Bachman's, 97
 Bay-breasted, 451, 453
 Black and White, 300, 450, 451
 Blackburnian, 301, 451, 453, 454,
 456
 Black-capped, 451
 Blackpoll, 105, 451
 Black-throated Blue, 105, 451
 Black-throated Green, 451
 Blue-winged, 450, 451
 Bush, 222, 227, 365
 Canada, 301, 451
 Cape May, 98, 105, 451
 Chestnut-sided, 451, 453, 454, 458
 Colima, 97
 Connecticut, 451
 Golden-winged, 450, 451
 Great Reed, 227
 Hooded, 451, 454
 Ijima's Willow, 227
 Island Grasshopper, 227
 Kentucky, 451
 Magnolia, 301, 451, 453, 454, 458
 Mourning, 298, 451
 Myrtle, 297, 299, 301, 451
 Nashville, 297–299, 300, 450
 Palm, 105, 451
 Parula, 105, 300, 450
 Pine, 97, 451
 Prairie, 105, 451
 Prothonotary, 309, 313
 Swainson's, 450
 Tennessee, 300, 450, 453, 454
 Tres Marias Parula, 426
 Tropical Parula, pl. 18
 Western Yellow, 105
 Willow, 310, 312, 365
 Yellow, 105, 306, 451
 Yellow-throated, 451
- Warham, John, the technique of bird
photography, (rev.), 274
- Washington, 261
- Water-thrush, 451, 455, 456
 Northern, 105, 229–239
- Waxwing, Cedar, 300, 306, 314
 Japanese, 228
- Weight,
 of birds, 5, 6, 73, 162, 268, 301, 380,
 381, 453
 of eggs, 4, 242, 296, 496

- Weight,
 of fat, 455
 of yolk, 342
- Wells, LaRue, see Beeton, A. M., and —
- West Indies, 259
- Wetmore, Alexander, in memoriam:
 James Lee Peters, 167–173; species
 limitation in certain groups of the
 swift genus *Chaetura*, 383–385
- Whinchat, 306
- Whip-poor-will, 450, 451
- White-eye, 222, 365
 Japanese, 228
- Willet, Western, 417, 420
- Williams, Laidlaw, review by, 274
- Wilsonia canadensis, 301
 pusilla chryseola, 430
- Wing, Leonard W., natural history of
 birds, (rev.), 396–401
- Woodcock, Eurasian, 222
- Woodpecker, 102, 103
 Acorn, 146, 149, 150
 Hairy, 300
 Ivory-billed, 92
 Ladder-backed, 423
 Lewis, 103
 Pygmy, 215, 225
 White-bellied, 103
- Wood-quail, Long-tailed, 247
 Spotted, 247
- Wren, 226
- Wren, Bewick, 308
 House, 308, 313–315, 317, 450
 Lawrence's, 424
 Long-billed Marsh, 450
 Song, 336
 Winter, 450
- Wryneck, 315
- Wyoming, 4, 258
- Xanthocephalus xanthocephalus, 306
- Yellow-throat, 105
 Common, 451, 453
 Northern, 42–48
- Yoshii, Masashi, see McClure, H. Elliott,
 and —
- Zenaida asiatica mearnsi, 421, 429
- Zenaidura macroura, 306
 macroura carolinensis, 421, 429, 431
 macroura tresmariae, 421, 431
- Zimmerman, Dale A., display of the
 Least Grebe, 390
- Zonotrichia albicollis × *Junco hyemalis*,
 94, pl. 5
 atricapilla, 150
 leucophrys, 153
 leucophrys gambeli, 487–493
 leucophrys pugetensis, 487–493
- Zoothera dauma aurea, 226
- Zosterops japonica, 365
 japonica stejnegeri, 215, 228