

# INDEX TO VOLUME 86

Compiled by Willetta Lueshen

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. Also not indexed are the various species of birds mentioned in the Report of the Committee on Bird Protection (pp. 738-744). For some species, especially ones not in the A.O.U. Check-list area, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Abnormality, *Capella gallinago*, 132  
    *Meleagris gallopavo osceola*, 561-562  
    *Sterna fuscata*, 352
- Abundance of (see also Population changes),  
    *Aptenodytes forsteri*, 706-716  
    *Catharacta*, 706-716  
    *Daption capensis*, 706-716  
    *Macronectes giganteus*, 706-716  
    *Oceanites oceanicus*, 706-716  
    *Pachyptila desolata*, 706-716  
    *Parodroma nivea*, 706-716  
    *Pygoscelis antarctica*, 706-716  
    *Sterna paradisaea*, 706-716  
    *Thalassoica antarctica*, 706-716
- Aburria aburri*, 293-326
- Acanthis flammea*, 19-21  
    *hornemanni*, 19
- Accipiter cooperii*, 36-40  
    *straitus*, 758
- Actitis hypoleucos*, 747-749  
    *macularia*, 756
- Aegolius acadicus*, 458-472  
    *funereus richardsoni*, 568
- Age, see Sex and —
- Agelaius phoeniceus*, 205, 247, 561, 563-564
- Aix sponsa*, 141
- Ajaia ajaja*, 131
- Alabama, 141, 767
- Alaska, 142-143, 271-281, 350-351, 393-432, 565-568
- Alauda arvensis pekinensis*, 747-749
- Albatross, Black-footed, 340  
    Laysan, 339-343
- Alberta, 393-432
- Allen, Robert Porter, 26-34, major works, 34
- Amadon, D., review by, 365-366
- American Ornithologists' Union,  
    Amendments, 111  
    Brewster Memorial Award, 110-111  
    Committees, 121-122  
    Membership, 111-112  
    Officers and officials, 113, 120-121  
    Proceedings of the Eighty-sixth Stated Meeting, 110-124  
    Report of the Committee on Conservation, 1969, 738-744  
    Treasurer's report, 122-124
- Ammospiza caudacuta*, 199-231, 473-489  
    *c. caudacuta*, 473-489  
    *c. nelsoni*, 199-231  
    *c. subvirgata*, 473-489  
    *leconteii*, 199-231  
    *maritima*, 199, 473-489
- Ampelion rubrocristatus*, 293-326  
    *rufaxilla*, 293-326
- Ampelioides tshudii*, 293-326
- Anabacerthia striaticollis*, 293-326  
    *variegaticeps*, 293-326
- Anas acuta*, 752  
    discors, 19, 756  
    *platyrhynchos*, 17, 752-754, 759, 762-763  
    *rubripes*, 17
- Anatomy, arteries, 343-345  
    heart, 343-345  
    skull, 6-8, 570
- Anatomy and embryology, periodical literature on, 158, 372-373, 583, 779-780

- Anderson, Bertin W., and Richard L. Timken, A hybrid Lesser Scaup  $\times$  Ring-necked Duck, 556-557
- Anderson, Richard A., see Easterla, David A., and —
- Andigena nigrirostris*, 293-326
- Andrle, Robert F., "Thayer's" Gull in the Niagara Frontier Region, 106-109
- Anhinga, 136-139
- Anianiau, 183-187
- Annotated lists, see Distribution and —
- Anser albifrons*, 141, 678-679  
*c. caerulescens*, 678-679
- Antarctica, 701-716
- Anthracothorax prevostii*, 575
- Anthus spinoletta*, 345, 748-749
- Antpitta, Elusive, 1-12  
 Ochre-striped, 759
- Aphelocoma coerulescens*, 293-326  
*ultramarina*, 293-326  
*unicolor*, 293-326
- Aptenodytes forsteri*, 706-716
- Archilochus alexandrii*, 17
- Ardea cocoi*, 131  
*herodias wardi*, 141-142  
 "occidentalis," 141-142
- Ardeola ibis*, 131
- Arenaria interpres*, 756
- Argentina, 265-270
- Argentina Patagonia, 144-145
- Arizona, 458, 717-725
- Arremonops conirostris*, 18
- Asio flammeus*, 205, 758  
*f. flammeus*, 567-568
- Aspatha gularis*, 293-326
- Atkeson, Thomas Z., Jr., White-fronted Goose specimen from Alabama, 141
- Atkins, Leonard, see Jovanović, Vojislav, and —
- Attila spadiceus*, 293-326
- Aulacorhynchus haematopygus*, 293-326  
*prasinus*, 293-326
- Auriparus flavicens*, 293-326
- Austin, David H., see Williams, Lovett E., Jr., and —
- Austin, Elizabeth S., Frank M. Chapman in Florida/his journals and letters (rev.), 366-367, Penguins/the birds with flippers (rev.), 371, review by, 581-582
- Austin, George T., and W. Glen Bradley, Additional responses of the Poorwill to low temperatures, 717-725
- Austin, Oliver L., Extra toes on a Sooty Tern chick, 352
- Automolus ochroleamus*, 293-326  
*rubiginosus*, 293-326
- Avocet, American, 562-563
- Aythya affinis*, 443-457, 556-557  
*americana*, 443-457, 556  
*collaris*, 556-557  
*marila*, 556-557  
*valisineria*, 443-457, 556
- Bailey, Alfred M., Birds of Colorado (rev.), 147-149
- Baillie, James L., In memoriam: James Alexander Munro, 624-630
- Balgooyen, Thomas G., Pigmy Owl attacks California Quail, 358
- Bancroft, Griffing, A Great White Heron in Great Blue nesting colony, 141-142
- Banks, Richard C., review by, 768-770
- Barlow, J. C., and J. A. Dick, Ochre-striped Antpitta in Colombia, 759
- Bartonek, James C., and Joseph J. Hickey, Selective feeding by juvenile diving ducks in summer, 443-457
- Baryphthengus ruficapillus*, 293-326
- Behavior, aggressive, 221-222, 558-559  
 anting, 131  
 bill-snapping, 125-127  
 copulation, 129, 146, 435, 662-670  
 courtship, 662-670  
 display, 127-129  
 diving, 355-356  
 drinking, 473-489  
 flight, 668, 671-681  
 fluttering, 125-127, 127-129, 131  
 gular flutter, 460-472, 529-540  
 head down, 664  
 head-tossing, 672-681  
 hiding, 131  
 panting, 462-472, 529-540  
 perching, 766-767  
 periodical literature on, 158-160, 373-375, 583-585, 781-782

- preening invitation, 751-752  
 preflight, 671-681  
 prerosting, 683-690  
 protective, 764-765  
 regurgitate, 131  
 retreat, 125-127  
 roosting, 142-143, 682-690  
 shivering, 719-725  
 singing, 214-215  
 spin-walking, 666-670  
 spinning, 665-670  
 spread-wing posture, 136-139  
 string-pulling, 559  
 sunning, 136-139  
 swimming, 350, 561  
 takeoff, 674  
 torpor, 465-472  
 wing-drying, 136-139
- Behavior of, *Anhinga*, 136-139  
*Anser albifrons*, 678-679  
*A. c. caerulescens*, 678-679  
*Ardea herodias wardi*, 141-142  
*A. "occidentalis,"* 141-142  
*Bonasa umbellus*, 357  
*Branta canadensis*, 671-681, 764-765  
*Buteo lagopus*, 682-690  
*Cathartes aura*, 766-767  
*C. cochlearius*, 131  
*Colinus virginianus*, 348-349  
*Coragyps atratus*, 726-731  
*Dendrocopos villosus*, 134-135  
*Empidonax traillii*, 745-747  
*Haliaeetus leucocephalus*, 561  
*Lophortyx californicus*, 631-659  
*Numenius americanus*, 750-751  
*Nycticorax nycticorax*, 131  
*N. violacea*, 131  
*Oceanodroma leucorhoa*, 433-442  
*Oxyura dominica*, 355-356  
*Parus bicolor*, 559  
*Passer domesticus*, 146, 339, 558-559  
*Pelecanus erythrorhynchos*, 136-139  
*P. occidentalis*, 136-139  
*Phalacrocorax auritus*, 136, 529-540  
*P. pelagicus*, 529-540  
*Phalaenoptilus nuttalli*, 717-725  
*Phylloscopus trochilus*, 350  
*Plectrophenax hyperboreus*, 350-351  
*P. nivalis*, 350-351  
*Ploceus nigerrimus*, 127-129  
*Podiceps dominicus*, 355-356  
*Psomocolax oryzivorus*, 751-752  
*Quiscalus quiscula*, 131  
*Steganopus tricolor*, 660-670  
*Thyomanes bewickii*, 125-127  
*Troglodytes aedon*, 125-127
- Benson, C. W., A contribution to the ornithology of Zambia (rev.), 370, Correspondence, 806
- Bent, Arthur Cleveland, Life histories of North American cardinals, grosbeaks, buntings, towhees, finches, sparrows, and allies (rev.), 768-770
- Berger, Andrew, J. C. Robert Eddinger, and Sheila C. Frings, The nest and eggs of the Anianiau, 183-187
- Berger, Daniel D., see Mueller, Helmut C., and —
- Bergmann's Rule, 13-25
- Bioenergetics, *Streptopelia risoria*, 54-74
- Biology, General, periodical literature on, 168-170, 385, 596-597, 788-794
- Bird of Paradise, Greater, 139-140
- Blackbird, Redwinged, 205, 247, 561, 563-564  
 Yellow-headed, 205
- Blackpoll, 505-521
- Blair, W. Frank, Vertebrates of the United States (rev.), 156
- Blood plasma regulation,  
*Ammospiza caudacuta*, 473-489  
*A. maritima*, 473-489
- Bobwhite Quail, 348-349
- Body composition, *Streptopelia risoria*, 54-74
- Bombycilla, 558
- Bonasa umbellus*, 357
- Borror, Donald J., Common bird songs (rev.), 369-370
- Brachygalba salmoni*, 293-326
- Brackbill, Hervey, Two male House Sparrows copulating on ground with same female, 146
- Bradley, W. Glen, see Austin, George T., and —
- Brander, R. B., see Stott, Robert S., and —
- Branta canadensis*, 19, 671-681, 764-765  
 Brazil, 265-270  
 Breathing rate,

- Phalacrocorax auritus*, 532-533  
*P. pelagicus*, 532-533  
 Breeding (see also Behavior, Clutch size, Eggs, Fledging, Incubation, Nest and nest site, Nesting success, Hatching success),  
*Agelaius phoeniceus*, 563-564  
*Ajaia ajaja*, 131  
*Ardea herodias wordi*, 141-142  
*Ardea "occidentalis,"* 141-142  
*Dendroica pensylvanica*, 552-553  
*Oceanodroma leucorhoa*, 433-442  
*Oxyura dominica*, 691-695  
*Pandion haliaetus carolinensis*, 189-198  
*Podiceps caspicus*, 144  
*Steganopus tricolor*, 660-670  
*Streptopelia risoria*, 54-74  
*Sturnus vulgaris*, in captivity, 763-764  
 Breeding populations, *Chen rossii*, 282-292  
 Brisbin, I. Lehr, Jr., Bioenergetics of the breeding cycle of the Ring Dove, 54-74  
 British Columbia, 393-432, 561  
 Brodkorb, Pierce, and Rodolfo B. Gonzalez, White-tailed Tropic-bird, an addition to the Philippine avifauna, 357  
*Bronchidesmus*, 52  
 Brood survival (see also Hatching success),  
*Fulica americana*, 547-550  
*Bubo virginianus lagophonus*, 565-566  
     *v. pallescens*, 565-566  
*Bubulcus ibis*, 756, 806  
*Bucco noanamae*, 293-326  
 Buckley, P. A., Ross' Goose in North Carolina: first Atlantic seaboard occurrence, 551-552  
 Bulmer, Walter, First record of Smith's Longspur in Connecticut, 345  
 Bunting, Indigo, 141, 569, 757  
     Lark, 751, 767  
     McKay's, 350-351  
     Ortolan, 16  
     Snow, 15, 350-351  
     Yellow, 16  
 Bushtit, Common, 570  
*Buteo jamaicensis*, 36-40  
     *lagopus*, 682-690  
     *platypterus*, 728-758  
     *swainsoni*, 728-729  
     *Butorides virescens*, 756  
*Calamospiza melanocorys*, 751, 767  
*Calcarius pictus*, 345  
     *lapponicus*, 345  
*Calidris canutus*, 748  
 California, 125-127, 358  
*Calocitta formosa*, 293-326  
 Caloric value, *Streptopelia risoria*, 54-74  
*Calypte anna*, 17  
     *costae*, 17  
 Campbell, Lou, Birds of the Toledo area (rev.), 778  
 Campbell, John M., The owls of the central Brooks Range, Alaska, 565-568  
 Campbell, R. Wayne, Bald Eagle swimming in ocean with prey, 561  
*Campephilus imperialis*, 293-326  
 Canada, 282-292, 562-563  
 Canvasback, 443-457, 556  
*Capella gallinago*, 132  
*Capito maculicoronatus*, 293-326  
     *quinticolor*, 293-326  
     *squamatus*, 302  
 Cardinal, 16, 141, 760  
*Carpodacus purpureus*, 754  
*Carpodectes nitidus*, 293-326  
 Cartilage, tibial, 47  
*Casmerodius albus*, 142, 756  
*Cassidix nicaraguensis*, 297  
 Catbird, 141, 756  
*Catharacta*, 706-716  
     *skua*, 239-245  
*Cathartes aura*, 136, 766-767  
*Catharus frantzii*, 605-623  
     **f. chiapensis**, 617-618  
     **f. confusus**, 619-620  
     **f. nelsoni**, 618-619  
     **f. waldroni**, 616-617  
     **f. wetmorei**, 615-616  
     *occidentalis*, 605-623  
     **o. durangensis**, 613-614  
     **o. lambi**, 612-613  
*Catoptrophorus semipalmatus*, 756  
*Cecropis striolata*, 41-53  
*Celeus castaneus*, 293-326  
     *loricatus*, 293-326  
 Central America, 293-326  
*Centurus aurifrons*, 313  
     *chrysauchen*, 293-326

- chrysoygenys, 293-326  
 hypoplus, 293-326  
 pucherani, 293-326  
 pygmaeus, 293-326  
 rubricapillus, 293-326  
 uropygialis, 293-326  
 Cephalopterus glabricollis, 293-326  
 Cepphus columba, 561  
 Certhiaxis cinnamomea, 293-326  
 Chamaea fasciata, 126  
 Chamaepetes goudotii, 293-326  
   unicolor, 293-326  
 Charadrius alexandrinus nivosus, 146  
   melodus, 146  
   mongolus stegmanni, 747  
   semipalmatus, 756  
   vociferus, 756  
 Chasiempis sandwichensis sclateri, 184-185  
 Chat, Yellow-breasted, 505-521  
 Chen hyperborea, 283-292  
   rossii, 282-292, 551-552  
 Chickadee, Black-capped, 354-355, 559  
   Mountain, 135  
 Child, George I., A study of nonfat weights in migrating Swainson's Thrushes (*Hylocichla ustulata*), 327-338  
 Chordeiles minor, 17, 756  
 Chrysotilus punctigula, 293-326  
 Circulation overlap, 100-105  
 Circus cyaneus, 36-40, 205  
 Cissilopha beecheii, 308  
   melanocyanea, 293-326  
   san-blasiana, 293-326  
   yucatanica, 293-326  
 Cistothorus platensis, 205  
 Clark, George A., Jr., Spread-wing posture in Pelecaniformes, Ciconiiformes, and Falconiformes, 136-139  
 Clench, Mary Heimerdinger, review by, 366-367  
 Cline, David R., Donald B. Siniff, and Albert W. Erickson, Summer birds of the pack ice in the Weddell Sea, Antarctica, 701-716  
 Clutch size (see also Breeding),  
   Agelaius phoeniceus, 563-564  
   Catharacta skua, 340  
   Cochlearius cochlearius, 130  
   Fulica americana, 541-550  
   Ictinia misissippiensis, 139  
   Loxops parva, 184-187  
   Oxyura dominica, 692  
   Phalacrocorax aristotelis, 233-245  
   Rissa tridactyla, 235-245  
   Steganopus tricolor, 667-670  
 Coccyzus minor, 757  
 Cochlearius cochlearius, 130-131  
 Cohn, Jean W., review by, 154-155  
 Colaptes auratus, 293-326  
 Colinus virginianus, 348-349  
 Collias, Nicholas E., review by, 151-152  
 Colombia, 293-326, 759  
 Colorado, 134-135, 552-553  
 Columba, 17  
 Connecticut, 345  
 Conopophaga peruviana, 7-8  
 Conservation, see Management and —  
 Contopus virens, 756  
 Coot, American, 541-550, 756  
 Coragyps atratus, 726-731  
 Cormorant, Brandt, 555-556  
   Double-crested, 136, 529-540  
   Pelagic, 529-540, 561  
 Cornwell, George W., see Prince, Harold H., P. B. Siegel, and —  
 Corvus brachyrhynchos, 302, 697  
   caurinus, 561  
   corax, 16, 293-326  
   cryptoleucus, 16, 293-326  
   imparatus, 293-326  
   splendens, 556  
 Costa Rica, 293-326, 490-504, 726-731  
 Cotinga nattererii, 293-326  
 Coulson, J. C., G. R. Potts, and Jean Horobin, Variation in the eggs of the Shag (*Phalacrocorax aristotelis*), 232-245  
 Cowbird, Brown-headed, 205, 222-223, 752  
   Giant, 751-752  
 Cracraft, Joel, Notes on fossil hawks (*Accipitridae*), 353-354  
 Crane, Siberian, 347  
 Cranioleuca erythrops, 293-326  
 Crax alberti, 293-326  
   rubra, 293-326  
 Crocethia alba, 756  
 Crossbill, Red, 16, 135, 352, 749  
   White-winged, 16, 758

- Crow, Common, 697, 556  
 House, 556  
 Northwestern, 561  
 Cuckoo, Mangrove, 757  
 Curlew, Far Eastern, 747  
 Long-billed, 750-751  
 Cyanicterus cyanicterus, 568-569  
 Cyanocitta cristata, 16, 558, 697  
 stelleri, 293-326  
 Cyanocorax affinis, 293-326  
 dickeyi, 293-326  
 yncas, 293-326  
 Cyanolyca argentigula, 293-326  
 cucullata, 293-326  
 mirabilis, 293-326  
 nana, 293-326  
 pulchra, 293-326  
 pumilo, 293-326
- Daption capensis, 706-716  
 Davis, Malcom, Siberian Crane longevity, 347  
 DeLong, Robert L., see Thompson, Max C., and —  
 Dendrocopos scalaris, 293-326  
 stricklandi, 293-326  
 villosus, 134-135, 293-326  
 Dendroica auduboni, 393-432  
 castanea, 756  
 coronata, 393-432, 756  
 magnolia, 756  
 nigrescens, 767  
 palmarum, 756  
 pennsylvanica, 346, 552-553, 756  
 petechia, 749  
 striata, 346-347  
 tigrina, 756  
 Dendrortyx leucophrys, 299  
 de Schauensee, Rodolphe Meyer, The species of birds of South America and their distribution (rev.), 150-151  
 Dick, James A., see Barlow, J. C., and —  
 Dickcissel, 18-21, 757  
 Dickerman, Robert W., Nesting records of the Eared Grebe in Mexico, 144  
 Dickinson, J. C., Jr., A string-pulling Tufted Titmouse, 559  
 Diesselhorst, Gerd, Research on the ecology of the birds of Central and East Nepal (rev.), 557-578
- Dimorphism, sexual,  
 Larus argentatus/hyperboreus, 732-737  
 L. fuscus, 732-737  
 L. glaucoides, 732-737  
 L. hyperforeus, 732-737  
 L. marinus, 732-737  
 Panterpe insignis, 500-504  
 Dinsmore, James J., Dual calling by birds of paradise, 139-140  
 Diomedea immutabilis, 339-343  
 nigripes, 340  
 Diseases and parasites, periodical literature on, 160-161, 375-377, 585-587, 782-784  
 Distribution and annotated lists, periodical literature on, 161-164, 377-379, 587-590, 784-787  
 Distribution of,  
 Aegolius funereus richardsoni, 568  
 Ajaia ajaja, 131  
 Alauda arvensis pekinensis, 747-749  
 Ammospiza caudacuta, 199-231  
 A. lecontei, 190-231  
 Anser albifrons, 141  
 Anthus spinoletta, 748  
 Arctitis hypoleucos, 747-749  
 Bubo virginianus lagophonus, 565-566  
 Calamospiza melanocorys, 767  
 Calcarius pictus, 345  
 Calidris canutus, 748  
 Carpodacus purpureus, 754  
 Catharus frantzii, 605-623  
 C. occidentalis, 605-623  
 Central American birds, 293-326  
 Charadrius alexandrinus nivosus, 146  
 Chen rossii, 282-292, 551-552  
 Coragyps atratus, 726-731  
 Cyanicterus cyanicterus, 568-569  
 Dendroica nigrescens, 767  
 D. pennsylvanica, 346, 552-553  
 D. petechia, 749  
 D. striata, 346-347  
 Erolia temminckii, 747-749  
 Gavia immer, 749  
 Hesperiphona vespertina, 754  
 Himantopus mexicanus, 562-563  
 Ictinia mississippiensis, 139  
 Junco hyemalis, 754  
 Larus argentatus thayeri, 106-109  
 L. glaucoides, 107

- L. hyperboreus*, 107  
*Loxia curvirostra*, 352, 749  
*Loxops parva*, 183-187  
*Megaceryle alcyon caurina*, 748  
*Melanitta perspicillata*, 749  
*Micropalama himantopus*, 748  
*Motacilla alba ocularis*, 748  
*M. flava simillima*, 748  
*Neoxolmis rufiventris*, 144-145  
*Numerius madagascariensis*, 747-749  
*Nyctea scandiaca*, 566  
*Oreoscoptes montanus*, 754-755  
*Oxyura dominica*, 691-695  
*Pandion haliaetus carolinensis*, 188-198  
*Parula americana*, 346  
*Phaëthon lepturus dorotheae*, 357  
*Phylloscopus borealis*, 749  
*Platyrinchus mystaceus partridgei*, 269  
*Podiceps caspicus*, 144  
*Pyrocephalus rubinus*, 750  
*Regulus satrapa*, 754  
*Sitta canadensis*, 754  
*Spinus pinus*, 754  
*Strix nebulosa*, 567  
*Surnia ulula caparoch*, 566-567  
*Thamnocharis dignissima*, 759  
*Troglodytes troglodytes*, 754  
*Tryngites subruficollis*, 748  
*Vermivora peregrina*, 346  
*V. pinus*, 346  
*Zonotrichia leucophrys*, 755  
 Dixon, Keith L., review by, 359-361  
 Donham, Richard S., and Fred E. Wilson,  
     Pinelectomy in Harris' Sparrow,  
     553-555  
 Dove, Mourning, 17  
     Ring, 54-74  
     White-winged, 757  
*Dryocopus lineatus*, 293-326  
 Dubois, Charlotte A., Grackle anting with  
     a mothball, 131  
 Duck, Black, 17  
     Masked, 355-356, 691-695  
     Ring-necked, 556-557, 756  
     Ruddy, 758, 765-766  
     Wood, 141  
*Dumetella carolinensis*, 141, 756  
 Dunham, D. W., review by, 361-362  
 Eagle, Bald, 561, 764-765  
 Eaglesfield, C. F., Nesting behavior of the  
     Chestnut-and-Black Weaver, 127-129  
 Easterla, David A., The Snowy Plover in  
     Missouri, 146  
 Easterla, David A., and Richard A. Ander-  
     son, First Vermillion Flycatcher speci-  
     men from Missouri, 750  
 Eastwood, Eric, Radar ornithology (rev.),  
     578-579  
 Ecology and population, periodical litera-  
     ture on, 164-168, 379-383, 590-594  
 Ecuador, 293-326  
 Eddinger, C. Robert, and Sheila C. Frings,  
     see Berger, Andrew J., —  
 Eggs, description and measurements (see  
     also Egg shapes),  
     Cochlearius cochlearius, 130  
     Loxops parva, 184-187  
     Neoxolmis rufiventris, 144-145  
     Pelecanus erythrorhynchos, 560-561  
     Phalacrocorax aristotelis, 232-245  
     Ploceus nigerimus, 128  
     Rissa tridactyla, 232-245  
 Eggs, hatching sequence, *Anas platy-*  
     *rhyngchos*, 762-763  
 Egg shapes, 232-245, 246-264  
 Egret, Cattle, 131, 756, 805, 806  
     Common, 131, 142, 756  
     Little, 806  
     Snowy, 131, 756  
*Egretta alba*, 131  
     garzetta, 806  
     thula, 131, 806  
*Electron carinatum*, 293-326  
     platyrhynchum, 293-326  
 Elepaio, 184-185  
*Emberiza citrinella*, 16  
     hortulana, 16  
 Embryology, see Anatomy and —  
*Empidonax traillii*, 745-747  
 Energy intake, *Streptopelia risoria*, 61-74  
*Eremophila alpestris*, 345  
*Ereunetes mauri*, 756  
     pusillus, 756  
 Erickson, Albert W., see Cline, David R.,  
     Donald B. Siniff, and —  
*Erolia alpina*, 132-133  
     minutilla, 756  
     temminckii, 747-749

- Estrilda troglodytes*, 16  
*Eubucco bourcierii*, 293-326  
*Eudocimus ruber*, 131  
*Eugenes fulgens*, 17  
*Eumomota superciliosa*, 310  
*Euptilotis neoxenus*, 300  
 Evans, Roger M., Specific gravity of White Pelican eggs, 560-561  
 Evans, William F., Communication in the animal world (rev.), 777-778  
 Evenden, Fred G., see American Ornithologists' Union Report of Committee on Conservation, 1969  
 Evolution and genetics, periodical literature on, 168, 383-385, 594-596, 788  
  
*Falco columbarius*, 756  
   *sparverius*, 36-40, 756  
 Falla, R. A., A field guide to the birds of New Zealand and outlying islands (rev.), 579-580  
 Fat deposits and utilization,  
   *Hylocichla minima*, 333-338  
   *H. ustulata*, 327-338  
   *Streptopelia risoria*, 54-74  
 Finch, Purple, 754  
   Zebra, 16-18  
 Florida, 132, 136-139, 141-142, 352, 561-562, 754-755, 766-767  
 Florida caerulea, 131, 756  
 Flycatcher, Traill's, 745-747  
   Vermilion, 750  
 Fogarty, Michael J., Extra toes on the halluces of a Common Snipe, 132  
 Food and feeding habits, 443-457  
   *Bonasa umbellus*, 142-143  
   *Colinus virginianus*, 348-349  
   *Corvus splendens*, 556  
   *Dendrocopos villosus*, 134-135  
   *Diomedea inmutabilis*, 339-343  
   *Glaucidium gnoma grinnelli*, 358  
   *Haliaeetus leucocephalus*, 561  
   *Ictinia mississippiensis*, 139  
   *Lagopus lagopus*, 271-281  
   *L. mutus*, 271-281  
   *Melanitta perspicillata*, 759  
   *Oceanodroma leucorhoa*, 436-437  
   *Otus asio*, 141  
   *Panterpe insignis*, 492-504  
   *Parus bicolor*, 559  
   *Passer domesticus*, 558-559  
   *Pediocetes phasianellus*, 142-143  
   *Phalacrocorax penicillatus*, 555-556  
   *Podiceps auritus*, 759  
   *P. dominicus*, 759  
   *Steganopus tricolor*, 665-666  
 Foraging, see Food and feeding habits  
 Fossil, Accipitridae, 353-354  
   *Buteo*, 353-354  
 Fowl, Domestic, 17  
 Frederickson, Leigh H., An experimental study of clutch size of the American Coot, 541-550  
*Fregata magnificens*, 756  
 Frigatebird, Magnificent, 756  
 Frings, Sheila C., see Berger, Andrew J., C. Robert Eddinger, and —  
 Frith, Harry, Waterfowl in Australia (rev.), 367-369  
*Fulica americana*, 541-550, 756  
*Furnarius leucopus*, 293-326  
  
 Gadd, Sam, Chestnut-sided Warbler breeds in Colorado, 552-553  
*Galbula ruficauda*, 293-326  
 Gallinule, Common, 756  
   Purple, 756  
*Gallinula chloropus*, 756  
*Gallus domesticus*, 17  
*Gamponyx swainsonii*, 297  
 Gaunt, Abbott S., Myology of the leg in swallows, 41-53  
*Gavia immer*, 749  
 Gehring, Walter, review by, 578-579  
 Genetics, see Evolution and —  
*Geothlypis trichas*, 205, 757  
*Glaucidium gnoma*, 458-472  
   *g. grinnelli*, 358  
 Gobeil, Robert E., Arteries in the heart region of the Greater Shearwater, 343-345  
 Godfrey, W. Earl, The breeding status of the Black-necked Stilt in Canada, 562-563  
 Goldfinch, American, 141, 760-761  
 Gonadal weight, *Zonotrichia querula*, 553-555  
 Gonzalez, Rodolfo B., see Brodkorb, Pierce, and —  
 Goodwin, Derek, Pigeons and doves of the world (rev.), 151-152

- Goose, Blue, 678-679  
 Canada, 19, 671-681, 764-765  
 Lesser Snow, 283-292, 678-679  
 Ross', 282-292, 551-552  
 White-fronted, 141, 678-679
- Gorski, Leon J., Traill's Flycatchers of the "fitz-bew" songform wintering in Panama, 745-747
- Grallaria, 1-12  
 chthonia, 3-12  
 dignissima, 2-3  
**eludens**, 1-12  
 erythroleuca, 4  
 erythrotis, 4-12  
 excelsa, 4-12  
 flavotincta, 3-12  
 fulviventris, 5  
 gigantea, 4-12  
 guatemalensis, 4-12  
 ochroleuca, 4-12  
 (Oropezus) milleri, 5-12  
 perspicillata, 5  
 quitensis, 7-12  
 ruficapilla, 3-12  
 watkinsi, 4-12
- Grallaricula, 11
- Grackle, Common, 131, 558
- Grassquit, Blue-black, 18
- Grebe, Eared, 144  
 Horned, 759  
 Least, 355-356, 759  
 Pied-billed, 756
- Greenwood, Raymond J., Mallard hatchling from an egg cracked by freezing, 752-754
- Grosbeak, Evening, 16-19, 754  
 Rose-breasted, 757
- Grouse, Ruffed, 142-143, 357  
 Sharp-tailed, 142-143
- Grus leucogeranus, 347
- Guatemala, 729
- Guillemot, Pigeon, 561
- Gull, Bonaparte's, 106-109  
 Glaucous, 107, 732-737  
 Glaucous-winged, 561  
 Great Black-backed, 732-737  
 Herring, 106-109, 732-737  
 Iceland, 107-108, 732-737  
 Lesser Black-backed, 732-737  
 Laughing, 250, 756  
 Ring-billed, 106-109, 250, 805  
 "Thayer's," 106-109  
 Western, 250
- Gymnorhinus cyanocephalus, 302
- Gynandris, 760
- Habermann, Helen, M., see Hays, Helen, and —
- Habitat, Ammospiza caudacuta, 202-205  
 A. lecontii, 202-205  
 Chen rossii, 287-292  
 Parulidae, 505-521
- Haematopus bachmani, 561
- Hagemeyer, Dirk, see Johnsgard, Paul A., and —
- Haliaeetus leucocephalus, 561, 764-765
- Hanzak, J., The pictorial encyclopedia of birds (rev.), 370-371
- Hapaloptila castanea, 293-326
- Hardy, John William, editor of reviews, 147-157, 359-371, 571-582, 768-778, review by, 575-577
- Hatching success (see also Nest success, Brood survival, and Breeding), Fulica americana, 543-550
- Haverschmidt, F., Notes on the Boat-billed Heron in Surinam, 130-131, The Roseate Spoonbill breeding in Surinam, 131
- Hawaiian Islands, 183-187, 339-343
- Hawk, Broad-winged, 728, 758  
 Cooper's, 36-40  
 Marsh, 36-40, 205  
 Pigeon, 756  
 Red-tailed, 36-40  
 Rough-legged, 682-690  
 Sharp-shinned, 758  
 Sparrow, 36-40, 756  
 Swainson's, 728-729
- Hays, Helen, Differential survival among nestling Redwinged Blackbirds after a storm, 563-564
- Hays, Helen, and Helen M. Habermann, Note on bill color of the Ruddy Duck, Oxyura jamaicensis rubida, 765-766
- Helmitheros vermivorus, 756
- Henny, Charles J., and Howard M. Wight, An endangered Osprey population:

- estimates of mortality and production, 188-198
- Heron, Black-crowned Night, 131
- Boat-billed, 130-131
- Great White, 141-142
- Green, 756
- Little Blue, 131, 756
- Louisiana, 756
- Tricolored, 131
- Ward's Great Blue, 141-142
- White-necked, 131
- Yellow-crowned Night, 131, 756
- Hesperiphona vespertina, 16-19, 754
- Hewitt, Oliver H., The wild Turkey and its management (rev.), 156
- Hickey, Joseph J., see Bartonek, James C., and —
- Himantopus mexicanus, 562-563
- Hirundo angolensis, 41-53
- rustica, 41-53, 756
- Holcomb, Larry C., Age-specific mortality of American Goldfinch nestlings, 760-761
- Holmes, Richard T., review by, 773-774
- Honduras, 293-326
- Hornocker, Maurice G., Goslings descend from aerial nest, attacked by Bald Eagle, 764-765
- Horobin, Jean, see Coulson, J. C., G. R. Potts, and —
- Howell, Thomas R., Avian distribution in Central America, 293-326
- Hubbard, John P., The relationships and evaluation of the *Dendroica coronata* complex, 393-432
- Hummingbird, Allen's, 17
- Anna's, 17
- Black-chinned, 17
- Blue-throated, 17
- Costa's, 17
- Fiery-throated, 490-504
- Rivoli, 17
- Rufous, 17
- Hussell, D. J. T., Weight loss of birds during nocturnal migration, 75-83
- Hybrids and hybridization, 84-105 (see also Interbreeding),
- Aythya affinis* × *Aythya collaris*, 556-557
- Dendroica auduboni*, 393-432
- D. coronata*, 393-432
- Larus argentatus/hyperboreus*, 732-737
- Plectrophenax hyperboreus*, 350-351
- P. nivalis*, 350-351
- Hydranassa tricolor*, 131, 756
- Hylocichla fuscescens*, 75-83
- minima, 333-338
- ustulata, 327-338
- Hylocistis subulatus*, 293-326
- Hylomanes momotula*, 293-326
- Hylopezus perspicillatus*, 6-7
- Hypsibemon*, 4-12
- Ibis, Glossy, 756
- Scarlet, 131
- Iceland, 732-737
- Illinois, 671-681, 682-690
- Incubation patches,
- Steganopus tricolor*, 662-663
- Incubation period,
- Anas platyrhynchos*, 752-754
- Bonasa umbellus*, 357
- Steganopus tricolor*, 666-670
- Oceanodroma leucorhoa*, 435-442
- India, 339, 556
- Ingolfsson, Agnar, Sexual dimorphism of large gulls (*Larus* Spp.), 732-737
- Interbreeding (see also Hybrids and hybridization), *Dendroica coronata*, 393-432
- Intergradation, *Dendroica coronata*, 393-432
- Introgression zone, 411
- Iowa, 541-550
- Isla San Andrés, 755-758
- Jacamerops aurea*, 293-326
- Jay, Blue, 16, 558, 697
- Gray, 15
- Jarvis, Caroline, International zoo year-book (rev.), 157
- Jehl, Joseph R., Jr., Relationships in Charadrii (shorebirds): a taxonomic study based on color patterns of the downy young (rev.), 773-774
- Jenni, Donald A., Diving time of the Least Grebe and Masked Duck, 355-356
- Johns, J. E., Field studies of Wilson's Phalarope, 660-670

- Johnsgard, Paul A., and Dirk Hagemeyer, The Masked Duck in the United States, 691-695
- Johnson, Oscar W., Red Crossbill breeding in Minnesota, 352
- Johnston, David W., Sage Thrasher and other unusual birds in North-central Florida, 754-755
- Johnston, Richard F., Aggressive foraging behavior in House Sparrows, 558-559
- Jovanović, Vojislav, and Leonard Atkins, A tissue culture technique for the study of avian chromosomes, 696-700
- Junco caniceps, 135
- hyemalis, 697, 754
- Junco, Gray-headed, 135
- Slate-colored, 697, 754
- Kansas, 553-555, 558-559
- Karten, H. J., and W. Hodos, A stereotaxic atlas of the brain of the pigeon (rev.), 152-153
- Kendeigh, S. Charles, Tolerance of cold and Bergmann's Rule, 13-25
- Kenyon, Karl W., and Eugene Kridler, Laysan Albatrosses swallow indigestible matter, 339-343
- Killdeer, 756
- King, Warren B., Preliminary identification manual: seabirds of the tropical Pacific Ocean (rev.), 573-574
- Kingfisher, Belted, 748, 756
- Kinglet, Golden-crowned, 754
- Kite, Mississippi, 139, 806
- Kittiwake, 232-245
- Knot, 748
- Kridler, Eugene, see Kenyon, Karl W., and —
- Lack, David, Ecological adaptations for breeding birds (rev.), 774-776
- Lagopus lagopus, 271-281
- leucurus, 278-281
- mutus, 271-281
- Lampornis clemenciae, 17
- Laniocera rufescens, 293-326
- Lark, Horned, 345
- Larus argentatus, 106-109, 732-737
- a. thayeri, 106-109
- atricilla, 250, 756
- delawarensis, 106-109, 250
- fuscus, 732-737
- glaucescens, 561
- glaucoides, 107-108, 732-737
- hyperboreus, 107, 732-737
- marinus, 732-737
- occidentalis, 250
- philadelphia, 106-109
- Lasiewski, Robert C., and Gregory K. Snyder, Responses to high temperature in nestling Double-crested and Pelagic Cormorants, 529-540
- Lasky, Amelia R., Bilateral gynandrisms in a Cardinal and a Rufous-sided Towhee, 760
- Lawrence, Louise De K., review by, 581
- Leck, Charles F., see Paulson, Dennis R., Gordon H. Orians, and —
- Lekagul, Boonsong, Bird Guide of Thailand (rev.), 771
- Ligamentum transversum, 47-48
- Ligon, J. David, Some aspects of temperature relations in small owls, 458-472
- Ligon, J. Stokley, New Mexico birds and where to find them (rev.), 582
- Lipaugus cryptolophus, 293-326
- fuscocinereus, 293-326
- unirufus, 293-326
- Lochmias nematura, 293-326
- Longspur, Lapland, 345
- Smith's, 345
- Loon, Common, 749
- Lophortyx californicus, 17, 358, 631-659
- Louisiana, 132-133
- Low, Richard J., A Black-capped Chickadee variant, 354-355
- Lowery, George H., Jr., review by, 150-151
- Lowery, George H., Jr., and John P. O'Neill, A new species of Antpitta from Peru and a revision of the subfamily Grallarinae, 1-12
- Loxia curvirostra, 16, 135, 352
- c. sitkensis, 749
- leucoptera, 16, 758
- Loxops parva, 183-187, Nest of, Frontispiece, (facing page) 393
- Lurocalis semitorquatus, 297

- Maclean, Gordon L., The nest and eggs of the Chocolate Tyrant *Neoxolmis rufiventris* (Vieillot), 144-145  
*Macronectes giganteus*, 706-716  
*Malacoptila mystacalis*, 293-326  
     *panamensis*, 293-326  
 Mallard, 17, 752-754, 759, 762-763  
 Management and conservation, periodical literature on, 171, 385-386, 597-598, 795  
 Mango, Green-breasted, 757  
 Manitoba, 443-457  
*Margarornis bellulus*, 309  
     *rubiginosus*, 293-326  
     *squamiger*, 293-326  
     *stellatus*, 293-326  
 Marshall, Joe T., Jr., Parallel variation in North and Middle American Screech-owls (rev.), 359-361, review by, 771-772  
 Martin, Purple, 522-528  
 Maryland, 146  
 Mathews, F. Schuyler, Field book of wild birds and their music (rev.), 582  
 Mayfield, Harold F., Purple Martin population changes over fifteen years, 522-528  
 McBee, Lena G., Mississippi Kites fledge three, 139  
 McGowan, Jerry D., Starvation of Alaskan Ruffed and Sharp-tailed Grouse caused by icing, 142-143  
 McKnight, Barbara Clark, Changes in facial coloration in bushtits, 570  
 Meadowlark, Western, 205  
 Measurements, see Weights and —  
*Megaceryle alcyon*, 756  
     *a. caurina*, 748  
*Melanerpes formicivorus*, 293-326  
*Melanitta perspicillata*, 749, 759  
*Meleagris gallopavo osceola*, 561-562  
*Melospiza melodia*, 141, 205, 473-489, 561  
 Memoriam, Allen, Robert Porter, 26-34  
     Munro, James Alexander, 624-630  
 Metabolism, 13-25  
     *Aegolius acadicus*, 458-472  
     *Glaucidium gnoma*, 458-472  
     *Hyalocichla fuscescens*, 75-83  
     *Micrathene whitneyi*, 458-472  
     *Otus asio*, 458-472  
     *O. trichopsis*, 458-472  
     *Seiurus aurocapillus*, 81-83  
 Mewaldt, L. Richard, see American Ornithologists' Union, Proceedings  
 Mexico, 144, 293-326  
 Michigan, 458  
*Micrathene whitneyi*, 17, 458-472  
*Micromonacha lanceolata*, 293-326  
*Micropalama himantopus*, 748  
 Migration (see also Navigation), 505-521  
 Migration and orientation, periodical literature on, 171-172, 386-387, 598, 795-797  
 Migration of, *Accipiter cooperii*, 35-40  
     *Ammospiza caudacuta nelsoni*, 209-231  
     *A. leconteii*, 209-231  
     *Buteo jamaicensis*, 35-40  
     *Circus cyaneus*, 35-40  
     *Coragyps atratus*, 726-731  
     *Falco sparverius*, 35-40  
     *Hyalocichla fuscescens*, 75-83  
     *Pandion haliaetus carolinensis*, 189-198  
     *Parulidae*, 505-521  
     *Seiurus aurocapillus*, 75-83  
     *Steganopus tricolor*, 668-670  
 Miles, Merriam L., First specimen of the Lark Bunting from Alabama, 767  
 Miller, Robert L., Starlings bred in captivity, 763-764  
*Mimus gilvus*, 757  
 Minnesota, 352  
 Missouri, 146, 750  
*Mniotilta varia*, 756  
 Mockingbird, Tropical, 757  
*Molothrus ater*, 205, 752  
 Molts and plumages,  
     *Bubo virginianus lagophonus*, 565-566  
     *Catharus frantzii*, 605-623  
     *C. occidentalis*, 605-623  
     *Cochlearius cochlearius*, 130-131  
     *Coragyps atratus*, 729  
     *Cyanicterus cyanicterus*, 568-569  
     *Dendroica auduboni*, 393-432  
     *D. coronata*, 393-432  
     *Grallaria eludens*, 2-12  
     *Larus argentatus thayeri*, 106-109  
     *Oxyura dominica*, 693-694  
     *O. jamaicensis rubida*, 765-766  
     *Panterpe insignis*, 490-504

- Platyrinchus mystaceus partridgei*, 269  
*Psaltriparus minimus*, 570  
*Momotus mexicanus*, 293-326  
*momota*, 293-326  
*Monasa morphoeus*, 293-326  
 Montana, 660-670, 764-765  
 Monroe, Burt L., Jr., review by, 574-575  
 Morejohn, G. Victor, Brandt Cormorant  
   killed by fish, 555-556  
 Morphology, chromosome, 696-700  
   tissue culture techniques, 696-700  
 Mortality, *Pandion haliaetus carolinensis*,  
   188-198  
 Morton, M. L., review by, 153, 579  
*Motacilla flava similima*, 748  
 Mote, William R., Turkey Vultures land  
   on vessel in fog, 766-767  
 Mueller, Helmut C., and Daniel D. Berger,  
   Navigation by hawks migrating in  
   spring, 35-40  
 Munro, George C., Birds of Hawaii  
   (rev.), 582  
 Munro, James Alexander, 624-630, Bibli-  
   ography, 628-630  
 Murray, Bertram G., Jr., A comparative  
   study of the Le Conte's and Sharp-  
   tailed Sparrows, 199-231, review by,  
   774-776  
 Muscles, myology, comparative of pas-  
   serines, 51  
   of Hirundinidae, 41-53  
*Myrmornis torquata*, 297  
*Myrmothera campanisona*, 5-12  
   simplex, 5-12  
*Myrmotherula fulviventris*, 299  
  
 Navigation, 35-40  
 Nelson, Bryan, Galapagos: islands of birds  
   (rev.), 365-366  
*Neoxolmis rufiventris*, 144-145  
 Nest and nest site (see also Breeding)  
   *Aegolius funereus richardsoni*, 568  
   *Agelaius phoeniceus*, 563-564  
   *Ajaia ajaja*, 131  
   *Ammospiza caudacuta nelsoni*, 202-231  
   *A. leconteii*, 202-231  
   *Ardea herodias wardi*, 141-142  
   *A. "occidentalis,"* 141-142  
   *Bubo virginianus lagophonus*, 565-566  
   *Coragyps atratus*, 726-731  
   *Dendroica auduboni*, 397-432  
   *D. coronata*, 397-432  
   *Ictinia mississippiensis*, 139  
   *Loxia curvirostra*, 352  
   *Loxops parva*, 183-187  
   *Neoxolmis rufiventris*, 144-145  
   *Oceanodroma leucorhoa*, 433-442  
   *Ploceus nigerrimus*, 127-129  
   *Podiceps caspicus*, 144  
   *Progne subis*, 522-528  
   *Steganopus tricolor*, 667  
   *Thryomanes bewickii*, 125-127  
   *Troglodytes aedon*, 125-127  
 Nesting success (see also Breeding),  
   *Fulica americana*, 542-550  
   *Spinus tristis*, 760-761  
 Netboy, Anthony, The Atlantic salmon/a  
   vanishing species? (rev.), 581-582  
 New Brunswick, 343-345, 433-442  
 New Guinea, 139-140  
 New Hampshire, 354-355  
 New Mexico, 346-347, 570  
 New York, 563-564  
 Niagara River, 106-109  
 Nicaragua, 293-326  
 Nigeria, 127-129, 570  
 Nighthawk, Common, 17, 756  
*Nonnula ruficapilla*, 293-326  
 North Carolina, 141, 505, 521, 551, 559  
 North Dakota, 199-231  
*Notharchus macrorhynchos*, 293-326  
   *pectoralis*, 293-326  
   *tectus*, 293-326  
*Notiochelidon cyanoleuca*, 41-53  
*Nucifraga columbiana*, 293-326  
*Numenius americanus*, 750-751  
   *madagascariensis*, 747-749  
   *phaeopus*, 756  
 Nuthatch, Pigmy, 135  
   Red-breasted, 135, 754  
   White-breasted, 135  
*Nyctanassa violacea*, 131, 756  
*Nyctea scandiaca*, 566  
*Nycticorax nycticorax*, 131  
   *violacea*, 131  
*Nyctiphrynus ocellatus*, 297  
*Nystalus radiatus*, 293-326  
  
*Oceanites oceanicus*, 706-716  
*Oceanodroma leucorhoa*, 433-442

- Ohio, 141, 522-528, 760-761
- Oleodorff, Richard R., An extensive bibliography on falconry, eagles, hawks, falcons, and other birds of prey (rev.), 371
- Olog, Claes Chr., Sportsman's guide to the Argentine game-birds (rev.), 580
- O'Neill, John Patton, Frontispiece, Elusive Antpitta, *Grallaria eludens*, (facing page) 1, see Lowery, George H., Jr., and —
- Ontario, 75-83
- Oporornis tolmei*, 346
- Oreophasis derbianus*, 293-326
- Oreoscoptes montanus*, 754-755
- Orians, Gordon H., and Charles F. Leck, see Paulson, Dennis R., —
- Orientation, see Migration and —
- Oropezus*, 4-12
- Ortalis garrula*, 293-326  
*leucogastra*, 293-326  
*poliocephala*, 293-326  
*vetula*, 293-326
- Oryzoborus nuttingi*, 297
- Osprey, 188-198
- Ostrich, 250
- Otus asio, 141  
*a. cineraceus*, 458-472  
*a. naevius*, 458-472  
*trichopsis*, 458-472
- Ovenbird, 75-83, 505-521, 756
- Owl, Boreal, 568  
 Elf, 17, 458-472  
 Great Gray, 567  
 Great Horned, 565-568  
 Hawk, 566-567  
 Pigmy, 358, 458-472  
 Saw-whet, 458-472  
 Screech, 141, 458-472  
 Short-eared, 205, 567-568, 758  
 Snowy, 566  
 Whiskered, 458-472
- Owre, Oscar T., Adaptations for locomotion and feeding in the Anhinga and the Double-crested Cormorant (rev.), 154-155
- Oxygen consumption,  
*Aegolius acadicus*, 459-472  
*Glaucidium gnoma*, 459-472  
*Michrathene whitneyi*, 459-472
- Otus asio*, 459-472  
*O. trichopsis*, 459-472
- Oxyura dominica*, 355-356, 691-695  
*jamaicensis*, 758  
*j. rubida*, 765-766
- Oystercatcher, Black, 561
- Pachyptila desolata*, 706-716
- Pachyramphus albogriseus*, 311  
*cinnamomeus*, 311  
*major*, 293-326  
*polychopterus*, 293-326  
*rufus*, 293-326  
*versicolor*, 293-326
- Pagodroma nivea*, 706-716
- Paleontology, see Taxonomy and —
- Panama, 293-326, 745-747
- Pandion haliaetus carolinensis*, 188-198
- Panterpe insignis*, 490-504
- Paradisaea apoda*, 139-140
- Parasites, see Diseases and —
- Parasitism, social, 222-223
- Parke, Kenneth C., The Blue-backed Tanager (*Cyanicterus cyanicterus*), a genus new to Venezuela, with notes on its plumages, 568-569, review by, 580
- Parnell, James F., Habitat relations of the Parulidae during spring migration, 505-521
- Parula americana*, 346, 756
- Parus atricapillus*, 354-355, 559  
*atricristatus*, 293-326  
*bicolor*, 559  
*gambeli*, 135  
*sclateri*, 293-326  
*wollweberi*, 293-326
- Passer domesticus*, 16-21, 146, 339, 523-528, 558-559
- Passerculus princeps*, 345  
*sandwichensis*, 205, 345, 473-489
- Passerherbulus caudacuta*, 199-231  
*henslowii*, 199
- Passerina cyanea*, 141, 569, 757
- Pathological change, 132-133
- Paulson, Dennis R., Commensal feeding in grebes, 759
- Paulson, Dennis R., Gordon H. Orians, and Charles F. Leck, Notes on birds of Isla San Andrés, 755-758

- Paulson, Thomas L., Salt and water balance in Seaside and Sharp-tailed Sparrows, 473-489
- Payne, Robert B., Giant Cowbird solicits preening from man, 751-752, Unpneumatized skull condition in adult Scaly-fronted Weavers, *Sporopipes frontalis*, 570
- Pediocetes phasianellas*, 142-143
- Pelican, Brown, 136-139  
White, 136-139, 560-561
- Pelecanus erythrorhynchos*, 136-139, 560-561  
*occidentalis*, 136-139
- Penelope ortonii*, 293-326  
*purpurascens*, 293-326
- Penelopina nigra*, 293-326
- Penguin, Adélie, 706-716  
Chinstrap, 706-716  
Emperor, 706-716
- Perisoreus canadensis*, 15
- Peru, 1-12
- Petrel, Antarctic, 706-716  
Cape, 706-716  
Giant, 706-716  
Leach's, 433-442  
Snow, 706-716  
Wilson's, 706-716
- Petrochelidon pyrrhonota*, 41-53, 756
- Pewee, Eastern Wood, 756
- Phaëthon lepturus dorotheae*, 357
- Phalacrocorax aristotelis*, 232-245  
*auritus*, 136, 529-540  
*pelagicus*, 529-540, 561  
*penicillatus*, 555-556
- Phalaenoptilus nuttalli*, 17, 717-725
- Phalarope, Wilson's, 205, 660-670
- Phasianus colchicus*, 19  
*versicolor*, 19
- Pheasant, Japanese Green, 19  
Reeves, 19  
Ring-necked, 19
- Phedina borbonica*, 41-53
- Pheucticus ludovicianus*, 757
- Philippine Islands, 357
- Phillips, Allan R., An ornithological comedy of errors: *Catharus occidentalis* and *C. frantzii*, 605-623
- Philydor erythrocerus*, 293-326  
*rufus*, 293-326
- Phloeocastes guatemalensis*, 293-326  
*haematogaster*, 293-326  
*melanoleucos*, 293-326  
*pollens*, 293-326
- Phylloscopus borealis*, 749  
*trochilus*, 350
- Physiology, periodical literature on, 173-175, 387-389, 599-600, 797-799
- Picus aeruginosus*, 313  
*auricularis*, 293-326  
*callopterus*, 293-326  
*chrysochloros*, 293-326  
*leucolaemus*, 293-326  
*rivoli*, 293-326  
*rubiginosus*, 293-326  
*simplex*, 293-326
- Picumnus cinnamomeus*, 313  
*olivaceus*, 293-326
- Pigeon, 17
- Pineal body, *Zonotrichia querula*, 553-555
- Pintail, 752
- Pipilo erythrophthalmus*, 760
- Pipit, Water, 345, 748-749
- Pipreola jucunda*, 311  
*riefferii*, 293-326
- Pittasoma michleri*, 3-12
- Platypsaris aglaiae*, 293-326  
*homochrous*, 293-326
- Platyrinchus mystaceus*, 265-270  
*m. mystaceus*, 265-270  
**m. partridgei**, 269-270
- Plectrophenax hyperboreus*, 350-351  
*nivalis*, 15, 350-351
- Plegadis, 756
- Ploceus nigerrimus*, 127-129
- Plover, Black-bellied, 756  
Magnolian, 747  
Piping, 146  
Semipalmated, 756  
Snowy, 146
- Podiceps auritus*, 759  
*caspicus*, 144  
*dominicus*, 355-356, 759
- Podilymbus podiceps*, 756
- Poecilurus candei*, 293-326
- Population, see Ecology and —
- Population changes,  
*Pandion haliaetus carolinensis*, 188-198  
*Progne subis*, 522-528
- Poor-will, 17, 717-725

- Porphyryula martinica*, 756  
*Porzana carolina*, 756  
 Potts, G. R., and Jean Horobin, see Coulson, J. C., —  
 Predation by, *Haliaetus leucocephalus*, 764–765  
 Predation on, *Branta canadensis*, 764–765  
     *Chen rossii*, 287–292  
*Premnoplex brunescens*, 293–326  
 Preston, F. W., Shapes of birds' eggs: extant North American families, 246–264  
 Pribilof Islands, 747–749  
 Prince, Harold H., P. B. Siegel, and George W. Cornwell, Hatchability, clutch position and hatching sequence in Mallards, 762–763  
 Prion, Dove, 706–716  
*Procnias tricarunculata*, 293–326  
 Productivity, *Streptopelia risoria*, 61–74  
*Progne subis*, 41–53, 522–528  
*Protonotaria citrea*, 756  
*Psalidoprocne holomelaena*, 41–53  
     *pristoptera*, 41–53  
*Psaltriparus melanotis*, 293–326  
     *minimus*, 293–326, 570  
*Pseudochelidon eurystomina*, 41–53  
*Pseudocolaptes boissonneautii*, 293–326  
     *lawrencii*, 293–326  
*Psilorhinus morio*, 293–326  
*Psomocolax oryzivorus*, 751–752  
 Ptarmigan, Rock, 271–281  
     White-tailed, 278–281  
     Willow, 271–281  
*Pterglossus sanguineus*, 293–326  
     *torquatus*, 293–326  
*Ptyonoprogne obsoleta*, 41–53  
*Puffinus gravis*, 343–345  
*Pygoscelis adeliae*, 706–716  
     *antarctica*, 706–716  
*Pyrocephalus rubinus*, 750  
*Pyroderus scutatus*, 293–326  
  
 Quail, Bobwhite, 348–349  
     California, 17, 358, 631–659  
*Querula purpurata*, 293–326  
*Quiscalus quiscula*, 131, 558  
  
*Ramphastos ambiguus*, 293–326  
     *citrolaemus*, 293–326  
     *swainsonii*, 293–326  
     *sulturatus*, 293–326  
 Raveling, Dennis G., Preflight and flight behavior of Canada Geese, 671–681  
 Raven, Common, 16  
     White-necked, 16  
*Recurvirostra americana*, 562–563  
 Redhead, 443–457, 556  
 Redpoll, Common, 19–21  
     Hoary, 19  
 Redstart, American, 505–521  
*Regulus satrapa*, 754  
 Respiration rate, *Phalaenoptilus nuttalli*, 721–725  
 Rhopoterpe, 9  
*Rhytipterna holerythra*, 293–326  
*Richmondia cardinalis*, 16, 141, 760  
*Riparia paludicola*, 41–53  
     *riparia*, 41–53, 756  
 Ripley, S. Dillon, review by, 577–578  
*Rissa tridactyla*, 232–245  
 Robbins, Chandler S., review by, 579–580  
 Roché, Jean-Claude, A sound guide to the birds of the north-west Africa (rev.), 575–577  
*Ronasa umbellus*, 142–143  
 Roost, Communal, *Buteo lagopus*, 682–690  
 Root, Richard B., Interspecific territoriality between Bewick's and House Wrens, 125–127  
 Ryder, John P., Nesting colonies of Ross' Goose, 282–292  
 Rylander, Michael Kent, Pathological changes associated with birdshot embedded in sandpiper muscle tissue, 132–133  
  
 Salomonsen, Finn, Fuglene på Grønland (rev.), 581  
 Sanderling, 756  
 Sandpiper, Buff-breasted, 748  
     Common, 748  
     Least, 756  
     Red-backed, 132–133  
     Semipalmated, 756  
     Spotted, 756  
     Stilt, 748  
     Western, 756  
 Sapsucker, Yellow-bellied, 756

- Saskatchewan, 562-563  
 Scaup, Greater, 556-557  
   Lesser, 443-457, 556-557, 756  
 Scherner, Erwin R., Swimming ability of Willow Warbler, 350  
 Schnell, Gary D., Communal roosts of wintering Rough-legged Hawks (*Buteo lagopus*), 682-690  
 Schorger, A. W., Black-throated Gray Warbler (*Dendroica nigrescens*) at Madison, Wisconsin, 767  
 Schroeder, A. H., Collected papers in honor of Lyndon Lane Hargrave (rev.), 778  
 Sclerurus albigularis, 293-326  
 Sclerurus guatemalensis, 293-326  
   mexicanus, 293-326  
 Scoter, Surf, 749, 759  
 Sealy, Spencer G., Apparent hybridization between Snow Bunting and McKay's Bunting, St. Lawrence Island, Alaska 350-351  
 Seedeater, Variable, 18  
   Yellow-bellied, 18  
 Seiurus aurocapillus, 75-83, 756  
   noveboracensis, 756  
 Selasphorus rufus, 17  
   sasin, 17  
 Selenidera spectabilis, 293-326  
 Semispecies, *Dendroica coronata*, 419  
 Semnornis frantzii, 293-326  
   ramphastinus, 293-326  
 Sen Gupta, S. N., The Indian House Crow attacks a five-striped squirrel, 556, Indian House Sparrow attacks grass snake, 339  
 Sex and age groups, *Grus leucogeranus*, 347  
   *Phalacrocorax aristotelis*, 232-245  
   *Rissa tridactyla*, 232-245  
 Shag, 232-245  
 Shearwater, Greater, 343-345  
 Sheldon, William G., The book of the American Woodcock (rev.), 153  
 Sheppard, Jay M., review by, 772-773  
 Short, Lester L., The southern races of the White-throated Spadebill (*Platyrinchus mystaceus*), 265-270, Taxonomic aspects of avian hybridization, 84-105  
 Siegel, P. B., and George W. Cornwell, see Prince, Harold H., —  
 Siniff, Donald B., and Albert W. Erickson, see Cline, Donald R., —  
 Siskin, Pine, 754  
 Sitta canadensis, 135, 754  
   carolinensis, 135  
   pygmaea, 135  
 Skua, Great, 239-245  
   Southern, 706-716  
 Skutch, Alexander F., Life histories of Central American highland birds (rev.), 363-365, Notes on the possible migration and the nesting of the Black Vulture in Central America, 726-731  
 Skylark, 748  
 Snipe, Common, 132  
 Snyder, Gregory K., see Lasiewski, Robert C., and —  
 Sora, 756  
 South Dakota, 556-557  
 Spadebill, White-throated, 265-270  
 Sparks, John, Penguins (rev.), 579  
 Sparrow, Field, 18-21  
   Green-backed, 18  
   Harris', 553-555  
   Henslow's, 199  
   House, 16-21, 146, 339, 523-528, 558-559  
   Ipswich, 345  
   Le Conte's, 199-231  
   Nelson's Sharp-tailed, 199-231  
   Savannah, 205, 345, 473-489  
   Seaside, 199, 473-489  
   Sharp-tailed, 199-231, 473-489  
   Song, 141, 205, 473-489, 561  
   Tree, 19  
   White-crowned, 16, 755  
   White-throated, 16-21  
 Sphyrapicus varius, 756  
 Spinus pinus, 754  
   tristis, 141, 760-761  
 Spiza americana, 18-21, 757  
 Spizella arborea, 19  
   pusilla, 18-21  
 Spoonbill, Roseate, 131  
 Sporopipes frontalis, 570  
 Sporophila aurita, 18  
   nigricollis, 18

- Sprunt, Alexander, IV, In memoriam:  
 Robert Porter Allen, 26-34
- Squatarola squatarola, 756
- Stallcup, Patrick L., Hairy Woodpecker  
 feeding on pine seed, 134-135
- Starling, 523-528, 763-764
- Steganopus tricolor, 205, 660-670
- Stelgidopteryx ruficollis, 41-53
- Sterna, 756  
 fuscata, 352  
 paradisaea, 567, 706-716  
 vittata, 711
- Stettenheim, Peter, review by, 751-753
- Stewart, Paul A., Prey in two Screech  
 Owl nests, 141
- Stilt, Black-necked, 562-563
- Stint, Temminck's, 748
- Stott, Richard S., and R. B. Brander,  
 Survival of Ruffed Grouse eggs after  
 24-hour abandonment, 357
- Streptopelia risoria, 54-74
- Stresemann, Erwin, Die Mauser der Vögel  
 (rev.), 571-573
- Strix nebulosa, 567
- Struthio camelus, 250
- Sturnella neglecta, 205
- Sturnus vulgaris, 523-528, 763-764
- Surinam, 130-131
- Surnia ulula caparoch, 566-567
- Swallow, Bank, 756  
 Barn, 756  
 Cliff, 756
- Synallaxis albescens, 293-326  
 azarae, 293-326  
 brachyura, 293-326  
 erythrothorax, 293-326
- Syndactyla subalaris, 293-326
- Syrinx, 51-52
- Syrmaticus reevesii, 19
- Szizz, Laszlo J., review by, 573-574
- Taeniopygia castanotis, 16-18
- Tachycineta albilinea, 41-53  
 bicolor, 41-53  
 thalassina, 41-53
- Taka-Tsukasa, Nobusuke, The birds of  
 Nippon (rev.), 157
- Tanager, Blue-backed, 568-569
- Taxonomy, hybrids, 84-105
- Taxonomy and Paleontology, periodical  
 literature on, 175-177, 389-391, 600-  
 603, 800-803
- Teal, Blue-winged, 19, 756
- Telmatodytes palustris, 205
- Temperatures, body,  
 Aegolius acadicus, 458-472  
 Glaucidium gnoma, 458-472  
 Micrathene whitneyi, 458-472  
 Otus asio, 458-472  
 O. trichopsis, 458-472  
 Phalacrocorax auritus, 534-540  
 P. pelagicus, 534-540
- Phalaenoptilus nuttalli, 717-725
- Tern, 756  
 Antarctic, 711  
 Arctic, 567, 706-716  
 Royal, 756  
 Sooty, 352
- Territoriality,  
 Ammospiza caudacuta nelsoni, 215-231  
 A. lecontei, 215-231  
 Panterpe insignis, 490-504  
 Ploceus nigerrimus, 127-129  
 Thyomanes bewickii, 125-127  
 Troglodytes aedon, 125-127
- Texas, 139, 691-695
- Thalasseus maximus, 756
- Thalassoica antarctica, 706-716
- Thamnocharis, 1-12  
 dignissima, 759
- Thermoregulation, 137  
 Phalacrocorax auritus, 529-540  
 P. pelagicus, 529-540
- Thompson, Max C., and Robert L. De-  
 Long, Birds new to North America  
 and the Pribilof Islands, Alaska, 747-  
 749
- Thrasher, Brown, 141, 247, 697  
 Sage, 754-755
- Thripadectes holostictus, 309  
 ignobilis, 293-326  
 rufobrunneus, 293-326  
 virgaticeps, 293-326
- Thrush, Gray-cheeked, 333-338  
 Swainson's, 327-338
- Thryomanes bewickii, 125-127
- Timken, Richard L., Notes on the Long-  
 billed Curlew, 750-751, see Anderson,  
 Bertin W., and —
- Tinbergen, Niko, Curious naturalists (rev.),  
 582

- Titmouse, Tufted, 559  
 Tityra inquisitor, 293-326  
   semifasciata, 293-326  
 Totanus flavipes, 756  
 Towhee, Rufous-sided, 760  
 Toxostoma rufum, 141, 247, 697  
 Troglodytes aëdon, 16, 125-127, 250  
   troglodytes, 754  
 Trogon elegans, 300  
 Tropic-bird, White-tailed, 357  
 Tryngites subruficollis, 748  
 Turkey, 561-562  
 Turnstone, Ruddy, 756  
 Tyrant, Chocolate, 144-145
- Urine, Ammospiza caudacuta, 473-489  
   A. maritima, 473-489  
 Utah, 631-659
- Van Tienhoven, A., review by, 152-153  
 Variant, Parus atricapillus, 354-355  
 Veery, 75-83  
 Venezuela, 568-569  
 Veniliornis callonotus, 293-326  
   cassini, 293-326  
   dignus, 293-326  
   fumigatus, 293-326  
 Veniliornis kirkii, 293-326  
 Vermivora peregrina, 346, 756  
   pinus, 346  
   ruficapilla, 141  
 Vocalizations of,  
   Ammospiza caudacuta nelsoni, 212-231  
   A. leconteii, 212-231  
   Branta canadensis, 672-681  
   Coragyps atratus, 729  
   Dendroica auduboni, 398-399  
   D. coronata, 398-399  
   Empidonax traillii, 745-747  
   Lophortyx californicus, 631-659  
   Oceanodroma leucorhoa, 435  
   Oxyura dominica, 693  
   Paradisaea apoda, 139-140  
   Ploceus nigerrimus, 127-129  
   Steganopus tricolor, 664  
   Thryomanes bewickii, 125-127  
   Troglodytes aëdon, 125-127  
 Volatinia jacarina, 18  
 Vulture, Black, 726-731  
   Turkey, 136, 766-767
- Wagstraffe, R., and J. H. Fidler, The  
 preservation of natural history speci-  
 mens. Vol. 2, vertebrates, botany,  
 geology (rev.), 777  
 Wagtail, White, 748  
   Yellow, 748  
 Walker, T. J., see Whiteshell, J. J., and —  
 Warbler, Arctic, 749  
   Audubon's, 393-432  
   Bay-breasted, 756  
   Black-and-white, 505-521, 756  
   Blackpoll, 346-347  
   Black-throated Blue, 505-521  
   Black-throated Gray, 767  
   Blue-winged, 346, 505-521  
   Canada, 505-521  
   Cape May, 505-521, 756  
   Chestnut-sided, 346, 505-521, 552-553,  
     756  
   Hooded, 505-521  
   Kentucky, 505-521  
   McGillivray's, 346  
   Magnolia, 505-521, 756  
   Myrtle, 393-432, 505-521, 756  
   Nashville, 141  
   Palm, 505-521, 756  
   Parula, 346, 505-521, 756  
   Pine, 505-521  
   Prairie, 505-521  
   Prothonotary, 505-521, 756  
   Tennessee, 346, 756  
   Willow, 350  
   Wilson's, 346  
   Worm-eating, 505-521, 756  
   Yellow, 505-521, 749  
   Yellow-throated, 505-521  
 Washington, 529, 660-670, 759  
 Water, drinking, 473-489  
 Waterthrush, Louisiana, 505-521  
   Northern, 505-521, 756  
 Watson, George E., Seabirds of the tropical  
 Atlantic Ocean (rev.), 573-574  
 Waxbill, Black-rumped, 16  
 Weaver, Chestnut-and-Black, 127-129  
   Scaly-fronted, 570  
 Weeden, Robert B., Foods of Rock and  
 Willow Ptarmigan in central Alaska  
 with comments on interspecific com-  
 petition, 271-281  
 Weights and measurements,  
   Aegolius acadicus, 466-472

- Ammospiza caudacuta*, 473-489  
*A. caudacuta nelsoni*, 205-231  
*A. lecontei*, 205-231  
*A. maritima*, 473-489  
*Bonasa umbellus*, 143  
*Capella gallinago*, 132  
*Charadrius alexandrinus nivorsus*, 146  
*Cochlearius cochlearius*, 130  
*Dendroica auduboni*, 394-432  
*D. coronata*, 394-432  
*Glaucidium gnoma*, 466-472  
*G. gnoma grinnelli*, 358  
*Grallaria eludens*, 1-12  
*Hylocichla fuscescens*, 75-83  
*H. minima*, 333-338  
*H. ustulata*, 327-338  
*Larus argentatus/hyperboreus*, 732-737  
*L. argentatus thayeri*, 106-109  
*L. fuscus*, 732-737  
*L. glaucoides*, 732-737  
*L. hyperboreus*, 732-737  
*L. marinus*, 732-737  
*Lophorhynchus californicus*, 358  
*Micrathene whitneyi*, 466-472  
*Otus asio*, 466-472  
*O. trichopsis*, 466-472  
*Panterpe insignis*, 491-504  
*Pedioecetes phasianellus*, 143  
*Phaethon lepturus*, 357  
*Phalacrocorax auritus*, 529  
*Phalacrocorax pelagicus*, 529  
*Phalaenoptilus nuttalli*, 717-725  
*Platyrinchus mystaceus*, 267  
*P. mystaceus partridgei*, 269  
*Podiceps caspicus*, 144  
*Rissa tridactyla*, 238-245  
*Seiurus aurocapillus*, 75-83  
*Streptopelia risoria*, 54-74  
*Surnia ulula caparoch*, 567  
Weller, Milton W., review by, 367-369  
Westerskov, K. E., Know your New Zealand birds (rev.), 155  
Wetmore, Alexander, The birds of the Republic of Panama, Part II (rev.), 574-575  
Whimbrel, 756  
Whiteshell, J. J., and T. J. Walker, A test to determine if Bobwhite Quail hunt crickets by sound, 348-349  
Wildash, Philip, Birds of South Vietnam (rev.), 772-773  
Wight, Howard M., see Henny, Charles J., and —  
Wilbur, Henry M., The breeding biology of Leach's Petrel, *Oceanodroma leucorhoa*, 433-442  
Willet, 756  
Williams, H. Warrington, Vocal behavior of adult California Quail, 631-659  
Williams, Lovett E., Jr., and David H. Austin, Leg spurs on female wild Turkeys, 561-562  
Willis, Edwin O., The behavior of Bicolor Antbirds (rev.), 361-362, review by, 363-365  
Wilson, Fred E., see Donham, Richard S., and —  
*Wilsonia pusilla*, 346  
Wisconsin, 35-40, 767  
Woodpecker, Acorn, 298  
Hairy, 134-135  
Wolf, Larry L., Female territoriality in a tropical hummingbird, 490-504  
Woollfenden, Glen E., editor of periodical literature, 158-177, 372-391, 583-603, 779-803  
Wren, Bewick's, 125-127  
House, 16, 125-127, 250  
Long-billed Marsh, 205  
Short-billed Marsh, 205  
Winter, 754  
Wrentit, 126  
*Xanthocephalus xanthocephalus*, 205  
*Xenerpestes minlosi*, 293-326  
*Xenops minutus*, 309  
rutilans, 293-326  
Yellowlegs, Lesser, 756  
Yellowthroat, 205, 505-521  
Common, 757  
*Zenaida asiatica*, 757  
*Zenaidura macroura*, 17  
Zimmerman, Dale A., New records of wood warblers in New Mexico, 346-347, review by, 147-149  
*Zonotrichia albicollis*, 16-21  
leucophrys, 16, 755  
querula, 553-555