

INDEX TO VOLUME 87

Compiled by Willetta Lueshen

This index is primarily one of new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or re-interpretations are involved. For some species, especially ones not in the A. O. U. Checklist area, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Aberration, color (see also Abnormality),
 Perdix perdix, 375-376
Abnormality (see also Aberration),
 Bonasa umbellus, 172-173
 Sturnella n. neglecta, 173-174
Accipiter
 cooperii, 275
 striatus, 275, 452-457
Actitis macularia, 134-135, 160
Aechmophorus
 major, 568-572
 occidentalis, 129, 568-572
Aechmorhynchus cancellatus, 760-780
Aegolius acadicus, 738-741
Africa, 577
Agelaius phoeniceus, 584, 692-713
Ailuk Atoll, 800-804
Aix sponsa, 586-572
Alabama, 815
Alaska, 815
Ali, Salim, and S. Dillon Ripley, Hand-
 book of the birds of India and Paki-
 stan together with those of Nepal,
 Sikkim, Bhutan and Ceylon (rev.),
 816-818
Allen, Elsa Guerdrum, Obituary, 210-211
Alopochen aegyptiacus, 568-572
Amadon, Dean, review by, 390
Amazillia
 rutila, 467-491
 saucerottei, 467-491
Amazonetta braziliensis, 568-572
Ambrose, Harrison W., III, see Emlen,
 Stephen T., and —
American Ornithologists' Union,
 Amendments, 137
 Awards, 136-137
 Committees, 150-151
 Membership, 137-139
 Officers and officials, 140-149
 Proceedings of the Eighty-seventh
 Stated Meeting, 136-153
 Resolutions, 147-149
 Treasurer's Report, 151-153
Amerson, Jr., A. Binion, see Ely, Charles
 A., and —
Anas
 americana, 353-357
 crecca, 568-572
 gibberifrons, 568-572
 penelope, 353-357
 platyrhynchos, 342-352, 568-572
 rubripes, 568-572
Anatomy,
 egg tooth, 458-466
 gonaduct complex, 729-737
 ovaries, 226-243
 testes, 729-737
Anatomy and Embryology, periodical
 literature on, 186, 392, 605, 831-832
Anderson, Stanley H., Water balance of
 the Oregon Junco, 161-163
Andrews, Edith, Barn Owl nesting on
 Nantucket Island, Massachusetts,
 573-574
Anhinga novae-hollandiae, 568-572
Anous
 stolidus, 800-804
 tenuirostris, 800-804
Anser albifrons, 568-572
Anseranas semipalmata, 568-572
Anseriform, 537-543
Anthus
 pratensis, 436-437
 spinoletta, 425-451
 s. alticola, 425-451

- Aptenodytes*
forsteri, 568-572
patagonica, 366-367
- Ardea herodias*, 164-165, 232-233
- Arenaria interpres*, 134
- Arizona, 168-170, 173-174, 329, 787-793, 809
- Ashmole, Myrtle J., Feeding of Western and Semipalmated Sandpipers in Peruvian winter quarters, 131-135
- Asio
 (*flammeus*) *galapagoensis*, 232
otus, 738-741
- Auriparus*, 363-366
- Austin, Elizabeth S., review by, 184, 391, 603, 604, 830, Birds that stopped flying (rev.), 391
- Austin, George T., Experimental hypothermia in a Lesser Nighthawk, 372-374
- Austin, Oliver L., Jr., Arctic bird studies (rev.), 591-593, review by, 829
- Aythya*
affinis, 568-572
americana, 568-572
marila, 568-572
valisineria, 568-572
- Balda, Russell P., see Carothers, Steven W., and —
- Balda, Russell P., Gary Weisenberger, and Michael Strauss, White-crowned Sparrow (*Zonotrichia leucophrys*) breeding in Arizona, 809
- Baldpate, 353-357
- Banks, Richard C., Records of the Brambling in North America, 165-167
- Bannerman, David A., and W. Mary Bannerman, A history of the birds of the Azores (rev.), 590-591
- Bauer, Kurt M., and Urs N. Glutz von Blotzheim, Handbuch der vögel Mitteleuropas, Anseriformes (rev.), 597-599
- Bauer, Willy, Otto von Helverson, Max Hodge, Jochen Martens and Wolfgang Makatsch, Catalogus faunae Graecae, pars II, Aves (rev.), 818-820
- Behavior,
 advertising, 58-71
 aggressive, 170-171, 229, 263, 370-371, 467-491, 522-536, 586
 agonistic, 22-57
 alert display, 429
 anting, 376-378, 692-713
 attack, 452-457
 bathing, 91-99, 810-811
 beak-wiping, 810-811
 bill-dipping, 126-130
 brooding, 436, 529-536, 724-728
 burrowing, 578-579
 chase, 220-229, 247-254, 263, 470-491, 515, 532-536
 climbing, 72-90
 copulation, 125-130, 265, 322-328, 504-505, 524-536, 580, 582-584
 courtship, 305-321, 322-328, 504-507, 524-536, 580
 dabbling, 87
 defense, 256-278
 digging, 587-588
 display, 101, 257-258, 305-321, 428-429, 470, 582
 dive, 88
 drumming, 257
 dusting, 693-713
 flight display, 429
 flitting, 154-156
 flock, 443-444
 head-rubbing, 127-130
 head-scratching, 163
 head-tossing, 127-130
 helper, 267-278, 530-536
 homing, 797-799
 hunting flight, 246-254
 incubation changeover, 582
 migratory, 101
 mounting, 310-321
 nest relief, 504-507
 overflight, 245-246
 pair formation, 523-536
 panting, 118-124
 pass, 452-457
 periodical literature on, 186-187, 393-395, 605-606, 832-835
 posturing, 154-156
 preening, 96, 810-811
 raised crest, 257

- regurgitation intention movement, 505
 rolling preen, 125-130
 roosting, 578-579
 simultaneous-dive, 127-130
 spread-wing, 371-372
 strike, 452-457
 subordination, 522-536
 sunning, 692-713
 swimming, 87, 577
 threat display, 428-429
 tool use, 711
 wing-flapping, 125-130
 wing-fluttering, 257
 wing-quivering, 528-531
 wounded-bird display, 501
- Behavior of,**
- Accipiter striatus*, 452-457
Amazilia rutila, 467-491
A. saucerotteei, 467-491
Anas platyrhynchos, 346
Anthus spinoletta, 425-451
Bonasa umbellus, 578-579
Branta canadensis, 370-371
Bubo virginianus, 170-171
Buteo jamaicensis, 170-171, 586
B. platypterus, 580, 810-811
Casmerodius albus, 164-165
Cathartes aura, 113-124
Catharus frantzii, 22-57
C. occidentalis, 22-57
Colaptes auratus, 96
Contopus virens, 97
Creagrus furcatus, 217-243
Dendrocopos borealis, 255-278
D. pubescens, 544-556
Dendrocygna autumnalis, 72-90
D. bicolor, 72-90
Dendroica petechia, 296-304
D. pensylvanica, 296-304
D. striata, 101-102
D. virens, 296-304
Elminia longicauda, 154-156
Ereunetes mauri, 131-135
E. pusillus, 131-135
Erolia alpina, 101
Erolia minutilla, 101
Falco sparverius, 810-811
Grus canadensis, 156-157
Gavia arctica, 370-371
G. immer, 125-130
Geothlypis trichas, 94
Grus canadensis pratensis, 501
Hirundo rustica, 577
Hydranassa tricolor, 164-165
Hylocichla mustelina, 97
Ibis ibis, 371-372
Junco hyemalis, 98
Larus argentatus, 245-254
L. atricilla, 245-254
L. bulleri, 503-513
L. marinus, 245-254
Leptoptilos crumeniferus, 371-372
Leucophoyx thulu, 164-165
Limnothlypis swainsonii, 163
Mergus serrator, 164-165
Nesospingus speculiferus, 376-378
Nycticorax nycticorax, 584-586
Oceanodroma leucorhoa, 587-588
Paradisaea apoda apoda, 305-321
Parus atricapillus, 324-328
P. bicolor, 94, 522-536
P. carolinensis, 94-96
P. gambeli, 322-328
Passerina cyanea, 58-71, 95
Phaeochroa cuvierii, 467-491
Phaethornis ruber, 720-728
Phalacrocorax africanus, 371-372
Phasianus colchicus, 279-295
Pterodroma arminjoniana, 515-519
Richmondia cardinalis, 98
Rostrhamus sociabilis, 580-584
Sayornis phoebe, 97
Setophaga ruticilla, 296-304, 359-361
Sitta carolinensis, 95
Spinus tristis, 96
Spizella arborea, 329-341
S. breweri, 329-341
Sterna maxima, 10
Telmatodytes palustris, 557-567
Thryothorus ludovicianus, 98
Turdus migratorius, 95
Tyto alba, 573-574
Vireo olivaceus, 96
- Behle, William H., Obituary: Angus Munn Woodbury, 415-416, Harold Child Bryant, 631-632
- Bell, Joseph, Donald Bruning, and Andrew Winnegar, Black-necked Screamers seen feeding a chick, 805

- Berger, Daniel D., see Mueller, Helmut C., and —
- Binford, Laurence C., review by, 387-389
- Biology, general, periodical literature on, 201-203, 619-627, 850-855
- Bird of Paradise,
Greater, 305-321
Twelve-wired, 664
- Biziura lobata, 568-572
- Blackbird,
Red-breasted, 167
Redwinged, 584, 692-713
- Bluebird, Eastern, 262
- Bock, Walter J., review by, 597-599
- Bolen, Eric G., see Rylander, M. Kent, and —
- Bonasa umbellus, 172-173, 578-579
- Bones, see Osteology
- Booby,
Blue-footed, 219
Masked, 219
Red-footed, 219
- Borneo, 586
- Brackbill, Hervey, Shorebirds leaving the water to defecate, 160, Tufted Titmouse breeding behavior, 522-536
- Brambling, 165-167
- Branta
bernicle, 568-572
canadensis, 370-371, 568-572
c. maxima, 812-814
- Brazil, 720-728
- Breeding (see also Behavior, Clutch size, Eggs, Fledgling, Incubation, Nests, Nesting Success),
Anas platyrhynchos, 342-352
Anthus spinoletta, 425-451
Aptenodytes patagonica, 366-367
Catharus frantzii, 32
C. occidentalis, 32
Creagrus furcatus, 215-243
Dendrocopos borealis, 265-278
D. pubescens, 544-556
Dichromanassa rufescens, 159
Erolia alpina, 101
E. minutilla, 101
Gavia immer, 125-230
Haemantopus palliatus, 159
Larus atricilla, 159
L. bulleri, 503-513
Parus bicolor, 522-536
Pelecanus occidentalis, 159
Phaethornis ruber, 720-728
Pterodroma arminjoniana, 514-521
Rynchops nigra, 159
Setophaga ruticilla, 359-361
Sterna supercilialis, 574-577
Telmatodytes palustris, 557-567
Thalasseus maximus, 159
T. sandvicensis, 159
- Brewer, Richard, review by, 182-183
- British Columbia, 814, 815
- Brooks, William S., and Susan E. Garrett,
The mechanism of pipping in birds, 458-466
- Brown, G. W., Desert biology (rev.), 176-178
- Bruning, Donald, and Andrew Winnegar, see Bell, Joseph, —
- Bryant, Harold Child, Obituary, 631-632
- Bubo virginianus, 170-171
- Bubulcus ibis, 361
- Bucephala albeola, 568-572
- Bucephala
clangula, 568-572
islandica, 568-572
- Buckley, F. G., see Buckley, P. A., and —
- Buckley, P. A., and F. G. Buckley, Color variation in the soft parts and down of Royal Tern chicks, 1-13
- Budd, G. M., Further population growth in the Heard Island King Penguins, 366-367
- Bufflehead, 568-572
- Bulweria bulwerii, 800-804
- Bunting, Indigo, 58-71, 94-95, 692-713
- Burleigh, Thomas D., A recent occurrence of the Blackburnian Warbler (*Dendroica fusca*) at Carmel, Monterey County, California, 378
- Butcher, Devereux, Exploring our national parks and monuments (rev.), 603
- Buteo
jamaicensis, 170-171, 586
platypterus, 319, 580, 810-811
- Butorides striatus, 583
- Cadbury, Joseph M., see Kury, Channing R., and —

- Cairina moschata, 568-572
 Calder, William A., Jr., review by, 176-178
 California, 378, 588-589, 729-737, 742-746
 Callipepla squamata, 692-713
 Callonetta leucophrys, 568-572
 Canada, 158
 Canvasback, 568-572
 Capella gallinago, 174
 Cardinal, 98, 692-713
 Carothers, Steven W., and Russell P. Balda, Abnormal bill of a Western Meadowlark, *Sturnella n. neglecta*, 173-174
 Carpodacus mexicanus, 165
 Casmerodius
 albus, 164-165
 egretta, 232-233
 Catbird, 692-713
 Cathartes aura, 111-124, 479
 Catharus
 frantzii, 20-57
 occidentalis, 20-57
 Catoprophorus semipalmatus, 133-134
 Centropelma micropterygum, 568-572
 Central America, 68
 Centurus carolinus, 256-278, 786
 Cerorhinca monocerata, 568-572
 Chapman, T. E., and L. Z. McFarland, see Ohmart, R. D., and —
 Charadrius
 semipalmatus, 134
 vociferus, 160
 Chauna chavaria, 805
 Chenonetta jubata, 568-572
 Chickadee,
 Black-capped, 322-328, 545
 Carolina, 94-96, 532
 Mountain, 322-328
 Chile, 361
 Chloephaga melanoptera, 568-572
 Chlorostilbon canivetti, 471-487
 Chlorura chlorura, 809
 Chordeiles acutipennis, 372-374
 Cinclus mexicanus, 568-572
 Clangula hyemalis, 568-572
 Clench, Mary Heimerdinger, Variability in body pterylosis, with special reference to the genus *Passer*, 650-691
 Cleptoparasitism, 244-254
 Clutch size,
 Anas platyrhynchos, 342-352
 Anthus spinoletta, 431-451
 Creagrus furcatus, 225-243
 Dendrocopos borealis, 266
 Grus canadensis pratensis, 500-502
 Larus fuliginosus, 225
 Parus bicolor, 525-536
 Coereba, 364-366
 Colaptes auratus, 96, 692-713
 Collins, Charles T., The Black-crowned Night Heron as a predator of tern chicks, 584-586
 Color variation (see also Aberration, color), *Sterna maxima*, 1-13
 Columba livia, 452
 Congo, 371-372
 Connecticut, 651
 Connell, J. P. B., see Stewart, Paul A., and —
 Conservation, see Management and —
Contopus virens, 97
 Cormorant,
 Double-crested, 815
 Long-tailed, 371-372
 Cornwell, George W., see Prince, Howard H., P. B. Seigel, and —
Coscoroba coscoroba, 568-572
 Costa Rica, 468-491
 Cowbird,
 Bronzed, 588
 Brown-headed, 588, 692-713, 742-746
 Crane,
 Florida Sandhill, 492-502
 Sandhill, 156-157, 157
 Whooping, 158-159, 492-502
Creagrus furcatus, 215-243
Crocethia alba, 134-135
 Curlew, Bristle-thighed, 815
 Curry-Lindahl, Kai, Spread-wing postures in Pelecaniformes and Ciconiiformes, 371-372
Cyanerpes cyaneus, 479
Cyanochen cyanopterus, 568-572
Cyanocitta cristata, 692-713
Cyanolyca nana, 21
Cygnus atrata, 568-572
Daption capensis, 568-572

- Davis, W. Marvin, Island records and first specimen of Black-legged Kittiwake from Mississippi, 804
- Deformity, see Abnormality
- Defecation (see also Excreting), 160
- Deignan, Herbert Girton, Memorial, 15-19, principal publications, 18-19
- Dendrocopos
borealis, 255-278, 781-786
pubescens, 275-278, 532, 544-556
villosus, 262, 546-556
- Dendrocoryna
autumnalis, 72-90, 568-572
bicolor, 72-90, 568-572
- Dendroica
fusca, 378
pennsylvanica, 296-304
petechia, 296-304
striata, 100-110
virens, 296-304
- Development,
Anthus pratensis, 437
A. spinoletta, 436-437
Dendrocopos borealis, 269-270
- Dichromanassa rufescens, 159
- Dimorphism, sexual
Accipiter striatus, 452-457
Anas platyrhynchos, 347-352
Dendrocopos borealis, 273-278
- Dinsmore, James J., Courtship of the Greater Bird of Paradise, 305-321
- Diomedea
exulans, 568-572
immutabilis, 568-572, 800-804
nigripes, 568-572, 800-804
- Diseases and parasites,
Parus bicolor, 534
 periodical literature on, 187, 395, 606-608, 835-836
Phaethornis ruber, 720-728
- Dispersal of young, *Parus bicolor*, 531
- Distribution and annotated lists, periodical literature on, 187-190, 608-612, 836-842
- Distribution of,
Branta canadensis maxima, 812-814
Bubulcus ibis, 361
Dendroica fusca, 278
Fringilla montifringilla, 165-167
Halcyon chloris collaris, 586
Hesperiphona v. vespertina, 378
Icterus wagleri, 811-812
Numenius tahitiensis, 815
Oceanodroma tethys kelsalli, 588-589
Oenanthe oenanthe leucorhoa, 171-172
Phalacrocorax a. auritus, 815
Pterodroma arminjoniana, 514-521
Rissa tridactyla, 804
Sterna fuscata, 159-160
S. supercilii, 575-577
Tangavius a. aeneus, 588
Vireo altiloquus, 584
- District of Columbia, 91-99
- Dixon, Keith L., Raymond A. Stefanski, and F. Neil Folks, Acoustic signals in the mating of Mountain and Black-capped Chickadees, 322-328
- Dodo, 369-370
- Dowitcher, Short-billed, 133-135
- Dryocopus pileatus*, 367-369
- Duck,
 Black-bellied Tree, 72-90
 Black-headed, 568-572
 Fulvous Tree, 72-90
 Harlequin, 568-572
 Long-tailed, 568-572
 Musk, 569-572
 Ruddy, 568-572
 Torrent, 568-572
- Dumetella carolinensis*, 692-713
- Dunlin, 100-110
- Eagle,
 Bald, 586, 814
- Eaton, Stephen W., Primary molt in adult male *Meleagris gallopavo silvestris*, 794
- Ecology and population, periodical literature on, 190-198, 395-404, 612-617, 842-848
- Ectoparasites, see Diseases and parasites
- Edwards, Ernest P., Finding birds in Mexico (rev.), 387-389
- Eggs, description and measurements,
Anas platyrhynchos, 347-352
Anthus spinoletta, 431-451
Creagrus furcatus, 221-243
Dendrocopos borealis, 266
Phaethornis ruber, 724-728
Rostrhamus sociabilis, 583

- Egg production,
Anas platyrhynchos, 342-352
Anthus spinoletta, 430-451
- Egg tooth, 458-466
- Egret,
 Cattle, 361
 Common, 164-165
 Reddish, 159
 Snowy, 164-165, 361
- Egretta thula*, 361
- Eisenmann, E., reviews by, 185, 601, 829.
 Obituary: William Henry Partridge,
 861-862
- Elminia longicauda*, 154-156
- Ely, Charles A., and A. Binion Amerson,
 Jr., New light on Snow's Krusen-
 stern Island, 800-804
- Embryology, see Anatomy and —
- Emlen, Stephen T., and Harrison W.
 Ambrose, III, Feeding interactions of
 Snowy Egrets and Red-breasted Mer-
 gansers, 164-165
- Enderson, James H., review by, 599-601
- Engelsen, Gay H., see Verner, Jared,
 and —
- England, 651
- Eremophila alpestris*, 441-443
- Ereunetes
mauri, 131-135
pusillus, 131-135
- Erolia*
alpina, 100-110
minutilla, 100-110, 160, 134-135
- Escalante, Rodolfo, The Yellow-billed
 Tern (*Sterna superciliaris*) in Uru-
 guay, 574-577
- Eudiptula minor*, 568-572
- Evans, Roger M., Parental recognition
 and the "mew call" in Black-billed
 Gulls (*Larus bulleri*), 503-513
- Evolution (see also Inheritance),
Pezophaps solitarius, 369-370
Raphus cucullatus, 369-370
 supraorbital process, 568-572
- Evolution and genetics, periodical litera-
 ture on, 198-201, 405-406, 617-619,
 848-850
- Ewan, Joseph, William Bartram/botanical
 and zoological drawings, 1756-1788
 (rev.), 183-184
- Ewert, David N., and Wesley E. Lanyon,
 The first prebasic molt of the Common
 Yellowthroat (*Parulidae*), 362-363
- Excreting (see also Defecation), *Cathartes*
aura, 111-124
- Falco sparverius*, 584, 738-741, 810-811
- Fat deposit and utilization, see Lipid level
- Feduccia, J. Alan, and Norman L. Ford,
 Some birds of prey from the Upper
 Pliocene of Kansas, 795-797
- Ficken, Millicent S., and Robert W.
 Ficken, Responses of four warbler
 species to playback of their two song
 types, 296-304
- Ficken, Robert W., see Ficken, Millicent
 S., and —
- Finch,
 Black Rosy, 441-443
 House, 165
- Fleay, David, Nightwatchmen of bush
 and plain (rev.), 390
- Fledglings,
Anthus spinoletta, 437-451
Parus bicolor, 530-536
- Flicker, Yellow-shafted, 692-713
- Flightlessness,
Grus canadensis tabida, 157
- Florida, 156-157, 158, 164-165, 255-278,
 353-357, 493-502, 588, 815
- Flycatcher,
 Blue, 154-156
 Shrub, 358
- Folks, F. Neil, see Dixon, Keith L., Ray-
 mond A. Stefanski, and —
- Food and feeding habits,
Accipiter striatus, 452-457
Actitis macularia, 134-135
Amazilia rutila, 467-491
A. saucerottei, 467-491
Anthus spinoletta, 441-451
Arenaria interpres, 134
Bonasa umbellus, 578-579
Casmerodius albus, 164-165
Cathartes aura, 120
Catharus frantzii, 22-57
C. occidentalis, 22-57
Catoptrophorus semipalmatus, 133-134
Charadrius semipalmatus, 134
Chauna chavaria, 805

- Creagrus furcatus*, 217-243
Crocethia alba, 134-135
Dendrocopos borealis, 255-278
D. pubescens, 544-556
Dendroica striata, 102
Elminia longicauda, 154-156
Eremophila alpestris, 441-443
Ereunetes mauri, 131-135
E. pusillus, 131-135
Erolia alpina, 101
E. minutilla, 101, 134
Hirundo rustica, 579
Hydranassa tricolor, 164-165
Larus argentatus, 244-254
L. atricilla, 244-254
L. bulleri, 504-513
L. marinus, 244-254
L. modestus, 134
Leucophoyx thula, 164-165
Leucosticte atrata, 441-443
Limnodromus griseus, 133-135
Mergus serrator, 164-165
Nycticorax nycticorax, 584-586
Parus bicolor, 524-536
Petrochelidon pyrrhonota, 579
Phaethornis ruber, 724-728
Phaeochroa cuvierii, 467-491
Phaethon aethereus, 220
Rostrhamus sociabilis, 580-584
Setophaga ruticilla, 359-361
Sterna superciliiaris, 574
Telematodytes palustris, 564-567
Tyto alba, 573-574
Vireo altiloquus, 584
Zonotrichia leucophrys, 441-443
 Food samples, method for obtaining, 579
 Foraging, see Food and feeding habits
 Ford, Norman L., see Feduccia, J. Alan, and —
 Fossil,
 Accipiter sp., 795-797
 Anseriform, 537-543
 Buteo sp., 795-797
 Falco sp., 795-797
 Heterochen pratensis, 537-543
 Fowl, Domestic, 367-369
 Freemyer, Howard, and Sue Freemyer,
 Proximal nesting of Harris' Hawk
 and Great Horned Owl, 170
 Freemyer, Sue, see Freemyer, Howard,
 and —
 Fregata
 magnificens, 568-572
 minor, 800-804
 Friedman, Herbert, In Memoriam: Her-
 bert Girton Deignan, 15-19, review
 by, 183-184
Fringilla montifringilla, 165-167
Fulica americana, 568-572

 Gaillard, M. Wilson, Moving the earth
 for a song (rev.), 391
 Galápagos, 215-243
Gallus domesticus, 368-369
 Garrett, Susan E., see Brooks, William S.,
 and —
 Gatehouse, S. N., and B. J. Markham,
 Respiratory metabolism of three spe-
 cies of raptors, 738-741
 Gavia
 adamsii, 568-572
 arctica, 370-371, 568-572
 immer, 125-130, 568-572
 stellata, 568-572
 Genetics, see Evolution and —
Geococcyx californianus, 787-793
Geothlypis trichas, 94, 362-363
 Gill, Frank B., Christian Jouanin, and
 Robert W. Storer, Notes on the sea-
 birds of Round Island, Mauritius,
 514-521
 Godfrey, Geoffrey A., Snow roosting be-
 havior of immature Ruffed Grouse,
 578-579
 Goose,
 Canada, 370-371
 Giant Canada, 812-814
 Graber, Richard R., Review by, 384-387,
 and Jean W. Graber, review by, 820-
 822
 Grackle, Common, 692-713
 Grant, Karen A., and Verne Grant, Hum-
 mingbirds and their flowers (rev.),
 179-180
 Grebe, Western, 129
 Greenewalt, Crawford H., Bird song:
 acoustics and physiology (rev.), 175-
 176
 Grosbeak, Evening, 378

- Grouse, Ruffed, 172-173, 578-579
- Growth rate, see Development
- Grubb, Thomas C., Jr., Burrow digging techniques of Leach's Petrel, 587-588
- Grus
americana, 158-159, 492-502
canadensis, 156-157
c. pratensis, 492-502
c. tabida, 157
- Gull,
 Black-billed, 503-513
 Bonaparte's, 804
 Great Black-backed, 226, 244-254, 584
 Grey, 134
 Herring, 226-243, 244-254, 370-371, 584
 Laughing, 159, 244-254
 Lava, 225-232
 Lesser Black-backed, 226-243
 Ring-billed, 804
 Swallow-tailed, 215-243
- Gygis alba*, 800-804
- Gysel, Leslie W., see Heinz, Gary H., and —
- Haartman, Lars von, The nesting habits of Finnish birds. I. Passeriformes (rev.), 825-826, review by, 389-390
- Habitat,
Anthus spinoletta, 425-451
Catharus frantzii, 20-57
C. occidentalis, 20-57
Dendrocopos borealis, 255-278, 781-786
D. pubescens, 544-556
Grus canadensis pratensis, 492-502
Phasianus colchicus, 714-719
Telmatodytes palustris, 557-567
- Haemantopus palliatus*, 159
- Halcyon chloris collaris*, 586
- Haliaeetus leucocephalus*, 586, 814
- Hanson, William R., Pheasant nesting and concealment in hayfields, 714-719
- Hardy, John William, editor of reviews, 175-185, 379-391, 590-604, 816-830, review by, 184, 185, 391, 604, 830, see Raitt, Ralph J., and —
- Harris, Michael P., Breeding ecology of the Swallow-tailed Gull, *Creagrus furcatus*, 215-243
- Hatch, Daniel E., Energy conserving and heat dissipating mechanism of the Turkey Vulture, 111-124
- Hatch, Jeremy J., Predation and piracy by gulls at a ternery in Maine, 244-254
- Hatching success, *Grus canadensis pratensis*, 500-502
- Hatching time, *Anas platyrhynchos*, 347-352
- Haverschmidt, F., Are there two species of Shrub Flycatcher (*Sublegatus*)?, 358, Black-whiskered Vireo in Surinam, 584, The nest of the Red-breasted Blackbird, 167, Notes on the Snail Kite in Surinam, 580-584
- Hawk,
 Broad-winged, 319, 580, 810-811
 Cooper's, 275
 Harris', 170
 Red-tailed, 170-171, 586
 Savanna, 583
 Sharp-shinned, 275, 452-457
 Sparrow, 584, 738-741, 810-811
- Heard Island, 366-367
- Heinz, Gary H., and Leslie W. Gysel, Vocalization behavior of the Ring-necked Pheasant, 279-295
- Heliomaster constantii*, 471-487
- Heliornis fulica*, 568-572
- Hermit, Reddish, 720-728
- Heron,
 Black-crowned Night, 584-586
 Gray, 232-233
 Great Blue, 164-165
 Louisiana, 164-165
 Striated, 583
- Hesperiphona vespertina*, 378
- Heterochen pratensis**, 537-543
- Heteronetta atricapilla*, 568-572
- Heterospizias meridionalis*, 583
- Hickey, Joseph J., editor, Peregrine Falcon populations: their biology and decline (rev.), 820-822
- Histrionicus histrionicus*, 568-572
- Hirundo rustica*, 577, 579
- Hubbard, Claudia L., see Hubbard, John P., and —
- Hubbard, John P., and Claudia L. Hubbard, Foraging behavior in the Blue Flycatcher, 154-156

- Hunger, *Accipiter striatus*, 452-457
- Hybrids and hybridization, *Anas americana* × *A. penelope*, 353-357
- Hydranassa tricolor*, 164-165
- Hylocichla mustelina*, 97, 692-713
- Hymenolaimus malacorhynchus*, 568-572
- Hypothermia, see Temperature, body
- Ibis *ibis*, 371-372
- Icterus
cucullatus, 811
spurius, 811
wagleri, 811-812
- Illinois, 330, 651, 713-718
- Incubation (see also Hatching success),
Erolia minutilla, 101
Parus bicolor, 526-536
- Incubation period (see also Hatching time),
Anthus spinoletta, 434-451
Creagrus furcatus, 227-228
Dendrocopos borealis, 266-278
- Inheritance (see also Evolution), *Anas platyrhynchos*, 342-352
- Ivanor, A. I., Ptitsy Pamiro-Alaya (rev.), 828-829
- Jackson, H. Desmond, Swimming ability of the Barn Swallow, 577
- Jaeger, Parasitic, 370-371
- Jay,
 Blue, 692-713
 Dwarf, 21
- Jehl, Joseph R., Jr., see Zusi, Richard L., and —
- Johnsgard, Paul A., Waterfowl: their biology and natural history (rev.), 180-183
- Johnson, Alfred W., Obituary: Rudolfo Amando Philippi B., 862-863
- Jones, Richard E., Effect of season and gonadotropin on testicular interstitial cells of California Quail, 729-737
- Jones, R. N., and M. Obbard, Canada Goose killed by Arctic Loon and subsequent pairing of its mate, 370-371
- Jouanin, Christian, and Robert W. Storer, see Gill, Frank B., —
- Junco,
 Gray-headed, 809
 Oregon, 161-163
 Slate-colored, 98, 692-713
- Junco
caniceps, 809
hyemalis, 98, 692-713
oreganus, 161-163
- Kansas, 158, 795-797
- Keeton, William T., Comparative orientational and homing performances of single pigeons and small flocks, 797-799
- Kemper, J. Bryan, Osprey nesting survey in British Columbia, Canada, 814
- Kepler, Cameron B., see King, Warren B., and —
- Kilham, Lawrence, Feeding behavior of Downy Woodpeckers I. Preference for paper birches and sexual differences, 544-556
- Killdeer, 160
- King, Warren B., and Cameron B. Kepler, Active anting in the Puerto Rican Tanager, 376-378, review by, 591-593
- Kingfisher, White-collared, 586
- Kite,
 Everglade, 158-159
 Snail, 580-584
- Kittiwake, Black-legged, 804
- Koepcke, Maria, The birds of the Department of Lima, Peru (rev.), 829
- Kury, Channing R., and Joseph M. Cadbury, The winter distribution of Maine's Double-crested Cormorants, 815
- Lack, David, Population studies of birds (rev.), 824-825
- Lamont, Thair, and William Reichel, Organochlorine pesticide residues in Whooping Cranes and Everglade Kites, 158-159
- Lanyon, Wesley E., see Ewart, David N., and —
- Lark, Horned, 441-443
- Larus
arctica, 370-371
argentatus, 226-243, 244-254, 584
atricilla, 159, 244-254

- bulleri, 503-513
 delawarensis, 804
 fuliginosus, 225-232
 fuscus, 226-243
 marinus, 226, 244-254, 584
 modestus, 134
 philadelphia, 804
 Lay, Daniel W., and Dennis N. Russell,
 Notes on the Red-cockaded Wood-
 pecker in Texas, 781-786
 Laycock, George, Wild Refuge (rev.), 391
 Layson, 800-804
 Le Duc, Paul V., Red-tailed Hawk attacks
 Bald Eagle, 586
 Lein, M. Ross, and William J. Maher,
 First nesting of the Wheatear in
 western Hudson Bay, Canada, 171-
 172
 Leistes militaris, 167
 Leptoptilos crumeniferus, 371-372
 Leucophoyx thula, 164-165
 Leucosticte atrata, 441-443
 Ligon, J. David, Behavior and breeding
 biology of the Red-cockaded Wood-
 pecker, 255-278
 Limnodromus griseus, 133-135
 Limnolyphus swainsonii, 163
 Lindblad, Jan, Journey to red birds
 (rev.), 604
 Lindsey, Alton A., Damian V. Schmeltz,
 and Stanley A. Nichols, Natural areas
 in Indiana and their preservation
 (rev.), 602-603
 Lipid level (see also Fat deposit and uti-
 lization),
 Dendroica striata, 100-110
 Erolia alpina, 100-110
 E. minutilla, 100-110
 Lisianski, 800-804
 Littlefield, Carrol D., Flightlessness in
 Sandhill Cranes, 157
 Loon,
 Arctic, 370-371
 Common, 125-130
 Lophortyx californicus, 729-737
 Løppenthin, Bernt, Danske ynglefugle i
 fortid og nudt (rev.), 593-596
 Louisiana, 73-90, 159-160, 815
 Lustick, Sheldon, Energy requirements of
 molt in cowbirds, 742-746
 MacArthur, Robert H., and Joseph H.
 Connell, The biology of populations
 (rev.), 182-183
 Macronectes giganteus, 568-572
 Maher, William J., see Lein, M. Ross,
 and —
 Maine, 130, 244-254, 296-304, 815
 Malacorhynchus membranaceus, 568-572
 Mallard, 342-352
 Management and conservation, periodical
 literature on, 203, 406-409, 627-628
 Manitoba, 100-110
 Marabou, 371-372
 Markham, B. J., see Gatehouse, S. N.,
 and —
 Marmoronetta anguistrostris, 568-572
 Marshall, David B., Endangered plants
 and animals of Oregon. III Birds
 (rev.), 604, review by, 816-818
 Marshall Islands, 800-804
 Martin,
 African Sand, 577
 Gray-breasted, 583
 Maryland, 91-99, 160, 522-536, 747-759
 Massachusetts, 172-173, 573-574
 Matteson, Raymond E., Bronzed cowbird
 taken in Florida, 588
 Mauritius, 514-521
 Mayfield, Harold F., review by, 379-381
 Mayr, Ernst, review by, 596-597
 McCabe, Robert A., A fawn-colored Gray
 Partridge (*Perdix perdix*) from Wis-
 consin, 375-376
 McClung, Robert M., Lost wild America
 (rev.), 185
 McFarland, L. Z., see Ohmart, R. D., T.
 E. Chapman, and —
 Meadowlark,
 Eastern, 174
 Western, 173-174
 Meanley, Brooke, Head-scratching method
 of the Swainson's Warbler, 163
 Measurements, see Weights and —
 Megadyptes antipodes, 568-572
 Megarhynchus, 479
 Melanitta
 fusca, 568-572
 nigra, 568-572
 perspicillata, 568-572
 Melanerpes erythrocephalus, 262, 367-369

- Meleagris
 gallopavo, 168-170
 g. merriami, 168-170
 g. silvestris, 794
 g. tularosa, 168-170
- Melospiza
 lincolni, 809
 melodia, 692-713
- Memorial (see also Obituary),
 Deignan, Herbert Girton, 15-19
 Phelps, William Henry, 419-424
 Todd, Walter Edmond Clyde, 635-649
- Merganetta armata, 568-572
- Merganser,
 Red-breasted, 164-165
- Mergus
 albellus, 568-572
 merganser, 568-572
 serrator, 164-165, 568-572
- Metabolism,
 Aegolius acadicus, 738-741
 Asio otus, 738-741
 Falco sparverius, 738-741
 Molothrus ater obscurus, 742-746
- Mewaldt, L. Richard, see American Ornithologists' Union, Proceedings
- Mexico, 20-57
- Michigan, 58-71, 125-130, 279-295
- Migration of,
 Cathartes aura, 113-124
 Grus canadensis, 156-157
- Migration and orientation, of pigeons,
 797-799, periodical literature on, 203-205, 407-409, 628, 855
- Miller, Morton W., and George G. Berg,
 Chemical fallout: current research on persistent pesticides (rev.), 599-601
- Minnesota, 578-579, 586
- Mississippi, 804, 815
- Missouri, 111-124
- Mitchell, Harold D., Obituary: James Savage, 630-631
- Molothrus
 ater, 588, 692-713
 a. obscurus, 742-746
- Molts and plumages,
 Aechmorrhynchus cancellatus, 760-780
 Anas americana, 353-357
 A. americana \times A. penelope, 353-357
 A. penelope, 353-357
- Anthus spinoletta, 444-451
 Creagrus furcatus, 216-243
 Erolia alpina, 102-103
 E. minutilla, 102
 Geothlypis trichas, 362-363
 Grus canadensis tabida, 157
 Meleagris gallopavo, 794
 Molothrus ater obscurus, 742-746
 Oceanodroma tethys kelsalli, 588-589
 Paradisaea apoda, 312-313
 Passer d. domesticus, 650-691
 Perdix perdix, 375-376
 Phaethornis ruber, 724
 Phegornis mitchellii, 760-780
 Prosobonia leucoptera, 760-780
 Pterodroma arminjoniana, 516-517
 Rostrhamus sociabilis, 580-584
 Sterna maxima, 1-13
- Monroe, Burt L., Jr., A distributional survey of the birds of Honduras (rev.), 381-384
- Moody, David T., A method for obtaining food samples from insectivorous birds, 579
- Moore, N. W., and W. P. Evans, Some safety aspects of pesticides in the countryside (rev.), 185
- Mortality, Dendrocopos borealis, 274-275
- Morton, Martin L., review by, 601-602
- Mueller, Helmut C., Courtship and copulation by a hand-reared Broad-winged Hawk, 580, Stimuli eliciting bathing behavior in hand-reared hawks, 810-811, and Daniel D. Berger, Prey preferences in the Sharp-shinned Hawk: the roles of sex, experience, and motivation, 452-457
- Mumford, Russell E., review by, 602-603
- Murphy, Robert Cushman, In memoriam: William Henry Phelps, 419-424
- Murray, Bertram G., Jr., review by, 824-825
- Murton, R. K., and E. N. Wright, The problems of birds as pests (rev.), 384-387
- Muscles (see also Myology), musculature myology, Musculus complexus, 458-466
- Myiarchus, 479

- Myiodynastes, 479
 Myology of,
 Aechmorhynchus cancellatus, 760-780
 Dendrocycna autumnalis, 73-90
 D. bicolor, 73-90
 Phegornis mitchellii, 760-780
 Prosobonia leucoptera, 760-780

Nannopterum harrisi, 568-572
 Nebraska, 537-542
Neochen jubatus, 568-572
 Nest and nest site,
 Anthus spinoletta, 425-451
 Branta canadensis maxima, 812-814
 Buteo jamaicensis, 170-171
 Bubo virginianus, 170, 170-171
 Catharus frantzii, 22-57
 C. occidentalis, 22-57
 Chauna chavaria, 805
 Creagrus furcatus, 221-243
 Dendrocopos borealis, 265-278
 Dryocopus pileatus, 367-369
 Dendrocycna autumnalis, 78-90
 D. bicolor, 78-90
 Erolia alpina, 101
 E. minutilla, 101
 Grus canadensis, 156-157
 G. canadensis pratensis, 492-502
 Larus argentatus, 245-254
 L. atricilla, 245-254
 L. bulleri, 504-506
 L. marinus, 245-254
 Leistes militaris, 167
 Melanerpes erythrocephalus, 367-369
 Oceanodroma leucorhoa, 587-588
 Oenanthe o. leucorhoa, 171-172
 Pandion haliaetus, 747-759, 814
 Parabuteo unicinctus, 170
 Parus bicolor, 523-536
 Phaethornis ruber, 720-728
 P. superciliosus, 722
 Phasianus colchicus, 714-719
 Pterodroma arminjoniana, 517-518
 Rostrhamus sociabilis, 580-584
 Sterna dougallii, 244-254
 S. fuscata, 159-160
 S. hirundo, 244-254
 S. paradisaea, 244-254
 Sturnus vulgaris, 163
 Telmatodytes palustris, 557-567

 Tyto alba, 573-574
 Zonotrichia leucophrys, 809
 Nesting success (see also Breeding),
 Creagrus furcatus, 223-235
 Dendrocopos borealis, 271-273
 Dryocopus pileatus, 367-369
 Melanerpes erythrocephalus, 367-369
 Pandion haliaetus, 747-759, 814
 Nestling period,
 Anthus spinoletta, 435-451
 Dendrocopos borealis, 267-278
Nesospingus speculiferus, 376-378
Nesta peposaca, 568-572
Nettapus coromandelianus, 568-572
 New Brunswick, 587-588
 New Hampshire, 544-556
 New Mexico, 168-170
 New York, 91-99, 359-361, 584-586, 794
 New Zealand, 504-513, 812-814
 Nighthawk, Lesser, 372-374
 Noakes, Vivien, Edward Lear/the life of
 a wanderer (rev.), 184
 North Carolina, 163, 692-713
 Northwest Territory, 171-172
Numenius tahitiensis, 815
 Nuthatch, White-breasted, 95, 532, 552
Nycticorax nycticorax, 584-586

 Obbard, M., see Jones, R. N., and —
 Obituary (see also Memorial),
 Allen, Elsa Guerdum, 210-211
 Bryant, Harold Child, 631-632
 Partridge, William Henry, 861-862
 Philippi B., Rudolfo Amando, 862-863
 Savage, James, 630-631
 Woodbury, Angus Munn, 415-416
Oceanodroma
 leucorhoa, 587-588
 tethys kelsalli, 588-589
 tristrami, 800-804
Oenanthe oenanthe leucorhoa, 171-172
 Ohmart, Robert D., and E. Linwood
 Smith, Use of sodium chloride solu-
 tions by Brewer's Sparrow and Tree
 Sparrow, 329-341, T. E. Chapman,
 and L. Z. McFarland, Water turnover
 in Roadrunners under different en-
 vironmental conditions, 787-793
 Oliver, H. C., Annotated index to some

- early New Zealand bird literature (rev.), 830
- Olson, Storrs L., The relationships of *Porzana flaviventer*, 805-808
- Oniki, Yoshika, Nesting behavior of Reddish Hermits (*Phaethornis ruber*) and occurrence of wasp cells in nests, 720-728
- Ontario, 91-99
- Oregon, 157, 161, 165-167
- Orientation, see Migration and —
- Oriole,
Black-vented, 811-812
Hooded, 811
Orchard, 811
- Osprey, 747-759, 814
- Osteology of,
Aechmorrhynchus cancellatus, 760-780
Phegornis mitchellii, 760-780
Prosonia leucoptera, 760-780
- Owl,
Barn, 573-574
Great Horned, 170, 170-171
Saw-whet, 738-741
Screech, 738-741
Short-eared, 232
- Oxyura jamaicensis*, 568-572
- Oystercatcher, American, 159
- Pachyptila forsteri*, 568-572
- Pairing success, *Telematodytes palustris*, 557-567
- Paleontology, see Taxonomy and —
- Panama, 20-57
- Pandion haliaetus*, 747-759, 814
- Parabuteo unicinctus*, 170
- Paradisaea apoda apoda*, 305-321
- Parasites, see Diseases and —
- Parkes, Kenneth C., In memoriam: Walter Edmond Clyde Todd, 635-649
- Partridge, Gray, 375-376
- Partridge, William Henry, Obituary, 861-862
- Parus
atricapillus, 322-328, 545
bicolor, 93-94, 522-536
carolinensis, 94-96, 532
gambeli, 322-328
- Passer
domesticus, 452, 692-713
d. domesticus, 650-691
d. indicus, 650-691
d. niloticus × *rufidorsalis*, 650-691
griseus, 650-691
hispaniolensis, 650-691
iagoensis (= *motitensis*), 650-691
luteus, 650-691
melanurus, 650-691
montanus, 650-691
- Passerina cyanea*, 58-71, 94-95, 692-713
- Pearse, Theed, Birds of the early explorers in the northern Pacific (rev.), 390-391
- Pelecanoides garottii*, 568-572
- Pelecanus
conspicillatus, 568-572
occidentalis, 159
- Pelican, Brown, 159
- Penguin, King, 366-367
- Pennsylvania, 651
- Perdix perdix*, 375-376
- Peru, 131-135, 361
- Pesticides, use of, 814
- Pesticide residues in,
Grus americana, 158-159
Rostrhamus sociabilis, 158-159
- Petrak, Margaret L., Diseases of cage and aviary birds (rev.), 601-602
- Petrel,
Galápagos, 588-589
Leach's, 587-588
South Trinidad, 514-521
Wedge-rumped, 588-589
- Petrochelidon pyrrhonota*, 579
- Pewee, Wood, 97
- Pezophaps solitarius*, 369-370
- Phaeochroa cuvierii*, 467-491
- Phaethon
aethereus, 220
lepturus, 514-521
rubricauda, 514-521, 800-804
- Phaethornis
longuemareus, 471-487
ruber, 720-728
superciliosus, 722
- Phalacrocorax
africanus, 371-372
auritus auritus, 815
- Phasianus colchicus*, 279-295, 714-719
- Pheasant, Ring-necked, 279-295, 714-719

- Phegornis mitchellii*, 760-780
 Phelps, William Henry, memorial, 419-424, photograph of, facing p. 419
 Philippi B., Rudolfo Amando, obituary, 862-863
 Phillips, Allan R., review by, 381-384
 Phoebe, Eastern, 97
 Physiology, periodical literature on, 206, 409-413, 857-858
 Physiology of, ducks, 568-572
 Pigeon, 797-799
Pinguinus impennis, 568-572
Pipilo erythrophthalmus, 692-713
 Pipit,
 Meadow, 436-437
 Water, 425-451
 Pipping, 458-466
 Piranga
 olivacea, 692-713
 rubra, 692-713
Pitangus, 479
Plectropterus gambensis, 568-572
Plocepasser rufoscapulatus, 650-691
 Plover, Semipalmated, 134
 Plumages, see Molts and —
 Podiceps
 auritus, 568-572
 caspicus, 568-572
 cristatus, 568-572
Podilymbus podiceps, 568-572
Poliolimnas cinereus, 805-808
Polygyny, *Telmatodytes palustris*, 557-567
Polysticta stelleri, 568-572
 Population, see Ecology and —
 Population changes,
 Aptenodytes patagonica, 366-367
 Pandion haliaetus, 747-759
 Population density, *Anthus spinoletta*, 428-451
 Population dynamics,
 Creagrus furcatus, 235-239
 Grus canadensis pratensis, 492-502
 Porzana
 albicollis, 806
 bicolor, 806
 carolina, 806-808
 flaviventer, 805-808
 fusca, 806
 porzana, 806
 pusilla, 806
 tabuensis, 806
 Post, Peter W., First report of Cattle Egret in Chile and range extensions in Peru, 361
 Potter, Eloise F., Anting in wild birds, its frequency and probable purpose, 692-712
 Predation by,
 Accipiter striatus, 275
 Larus argentatus, 244-254
 L. marinus, 244-254
 Nycticorax nycticorax, 584-586
 Predation on,
 Anthus spinoletta, 439-451
 Dendrocopos borealis, 275
 Pandion haliaetus, 753
 Sterna dougallii, 584-586
 S. hirundo, 244-254, 584-586
 S. paradisaea, 244-254
 Prescott, Kenneth W., A kingfisher new to Borneo, 586, The Scarlet Tanager (rev.), 830
 Prince, Harold H., P. B. Siegel, and George W. Cornwell, Inheritance of egg production and juvenile growth in Mallards, 342-352
Progne chalybea, 583
Prosobonia leucoptera, 760-780
Protonotaria citrea, 692-713
Pseudonigrita cabanisi, 650-691
Pterodroma
 arminjoniana, 514-521
 hypoleuca, 800-804
 leucopterus, 568-572
Pteronetta hartlaubi, 568-572
 Pterylography, 650-691
 Puerto Rico, 376-378
Puffinus
 nativitatus, 800-804
 pacificus, 514-521, 800-804
 puffinus, 239
 Purrington, Robert D., Nesting of the Sooty Tern in Louisiana, 159-160
Pygoscelis adeliae, 568-572
 Quail,
 California, 729-737
 Scaled, 692-713

- Quinn, John R., Frontispiece, Royal Tern chicks, facing p. 1
- Quiscalus quiscula, 692-713
- Raikow, Robert J., The function and evolution of the supraorbital process in ducks, 568-572
- Raitt, Ralph J., and John William Hardy, Relationships between two partly sympatric species of thrushes (*Catharus*) in Mexico, 20-57
- Rand, Austin L., and E. Thomas Gilliard, Handbook of New Guinea birds (rev.), 596-597
- Raphus cucullatus, 369-370
- Redstart, American, 296-304, 359-361
- Reese, Jan G., Reproduction in Chesapeake Bay Osprey population, 747-759
- Reichel, William, see Lamont, Thair, and —
- Reilly, Edgar M., Jr., The Audubon illustrated handbook of American birds (rev.), 379-381
- Remiz, 363-366
- Remizinae, 363-366
- Respiratory rate, *Cathartes aura*, 113-124
- Rhodonessa caryophyllacea*, 568-572
- Richardson, Frank, A North American record of the Bristle-thighed Curlew outside Alaska, 815
- Richmondia cardinalis*, 98, 692-713
- Ricklefs, Robert E., An analysis of nesting mortality in birds (rev.), 826-828
- Riparia paludicola*, 577
- Ripley, S. Dillon, A paddling of ducks (rev.), 604
- Rissa tridactyla*, 804
- Roadrunner, 787-793
- Robin, 95, 692-713
- Roost tree, *Dendrocopos borealis*, 258-278
- Rostrhamus sociabilis*, 158-159, 580-584
- Roueché, Berton, What's left: reports on a diminishing America (rev.), 185
- Rumsey, Robert L., Woodpecker nest failures in creosoted utility poles, 367-369
- Russell, Dennis N., see Lay, Daniel W., and —
- Rylander, M. Kent, and Eric G. Bolen, Ecological and anatomical adaptations of North American Tree Ducks, 72-90, review by, 180-182
- Rynchops nigra*, 159
- Salomonsen, Finn, Bird migration and its riddles (*Fugletraekket og dets gæder*) (rev.), 389-390
- Salt use,
Spizella arborea, 329-341
S. breweri, 329-341
- Sanderling, 134-135
- Sandpiper,
 Least, 100-110, 134-135, 160
 Semipalmated, 131-135
 Solitary, 160
 Spotted, 134-135, 160
 Western, 131-135
- Sapsucker, Yellow-bellied, 546-547
- Sarkidiornis melanotos*, 568-572
- Savage, Jr., Henry, Lost Heritage (rev.), 829-830
- Savage, James, Obituary, 630-631
- Sayornis phoebe, 97
- Schorger, A. W., A new subspecies of *Meleagris gallopavo*, 168-170, review by, 185
- Screamer, Black-necked, 805
- Seleucidis melanoleucus*, 664
- Service, William, Owl (rev.), 604
- Setophaga ruticilla*, 296-304, 359-361
- Shearwater, Wedge-tailed, 514-521
- Short, Lester L., A new Anseriform genus and species from the Nebraska Pliocene, 537-543, and Bock, Walter J., Correspondence: taxonomy, 209
- Sialia sialis*, 262
- Siegel, P. B., and George W. Cornwell, see Prince, Harold H., —
- Siskin, Pine, 809
- Sitta carolinensis*, 95, 532, 552
- Skaar, Palmer David, Birds of the Bozeman latilong (rev.), 829
- Skimmer, Black, 159
- Slessers, M., Bathing behavior of land birds, 91-99
- Smith, Dwight G., Close nesting and aggression contacts between Great Horned Owls and Red-tailed Hawks, 170-171

- Smith, E. Linwood, see Ohmart, Robert D., and —
- Smith, F. V., Attachment of the young. Imprinting and other developments (rev.), 604
- Smithe, Frank B., *Las aves de Tikal* (rev.), 185
- Snipe, Common, 174
- Snow, Henry James, 800–804
- Sodium chloride solutions, see Salt use
- Solitaire, 369–370
- Somateria
 fischeri, 568–572
 mollissima, 568–572
 spectabilis, 568–572
- Songs of, see Vocalizations of
- Sparrow,
 Brewer's, 329–341
 House, 452, 650–691, 692–713
 Lincoln's, 809
 Song, 692–713
 Tree, 329–341
 White-crowned, 441–443, 809
- Spheniscus
 humboldti, 568–572
 magellanicus, 568–572
 mendiculus, 568–572
- Sphyrapicus varius, 546–547
- Spinus
 pinus, 809
 tristis, 96
- Spizella
 arborea, 329–341
 breweri, 329–341
- Spofford, Sally Hoyt, Obituary: Elsa Guerdrum Allen, 210–211
- Sporopipes frontalis, 650–691
- Starling, 163, 452, 527, 692–713
- Stefanski, Raymond A., and F. Neil Folks, see Dixon, Keith L., —
- Stein, Robert C., review by, 175–176
- Stercorarius parasiticus, 370–371
- Sterna
 dougallii, 245–254, 584–586
 fusca, 159–160, 800–804
 hirundo, 244–254, 584–586
 lunata, 800–804
 maxima, 1–13
 paradisaea, 244–254
 sumatrana, 800–804
 superciliaris, 574–577
- Stewart, Paul A., and J. P. B. Connell, An excessively large but unfinished Starling nest, 163
- Stiles, F. Gary, review by, 179–180, and Larry L. Wolf, Hummingbird territoriality at a tropical flowering tree, 467–491
- Storer, Robert W., Independent evolution of the Dodo and the Solitaire, 369–370, see Gill, Frank B., Christian Jouanin, and —
- Stott, Richard S., A Ruffed Grouse with an abnormal bill, 172–173
- Strauss, Michael, see Balda, Russell P., Gary Weisenberger, and —
- Sturnella
 magna, 167, 174
 n. neglecta, 173–174
- Sturnus vulgaris, 163, 452, 527, 692–713
- Sublegatus
 obscurior, 358
 sordidus, 358
- Sula
 dactylatra, 219, 568–572, 800–804
 leucogaster, 800–804
 neboxii, 219
 sula, 219, 800–804
- Supraorbital process, evolution, 568–572
 function, 568–572
- Surinam, 167, 358, 580–584, 584
- Survival, *Parus bicolor*, 533–536
- Swann, H. Kirke, A dictionary of English and folk-names of British birds (rev.), 184
- Swallow,
 Barn, 577, 579
 Cliff, 579
- Tachyeres
 brachypterus, 568–592
 patachonicus, 568–572
 pteneres, 568–572
- Tadorna tadornoides, 568–572
- Tanager,
 Puerto Rican, 376–378
 Scarlet, 692–713
 Summer, 692–713

- Tangavius a. aeneus, 588
- Tate, D. Jean, and James Tate, Jr., Mating behavior of the Common Loon, 125-130
- Tate, James, Jr., see Tate, D. Jean, and —
- Taxonomy,
 Aechmorrhynchus cancellatus, 760-780
 Auriparus, 363-366
 Coereba, 364-366
 Phegornis mitchellii, 760-780
 Poliolimnas cinereus, 805-808
 Porzana flaviventer, 805-808
 Prosonia leucoptera, 760-780
 Remiz, 363-366
 Remizinae, 363-366
- Taxonomy and paleontology, periodical literature on, 207-208, 413-415, 858-861 see Short, Lester L., Correspondence, —
- Taylor, Walter Kingsley, Some taxonomic comments on the genus Auriparus, 363-366
- Telmatodytes palustris, 557-567
- Temperature of,
 Cathartes aura, 111-124
 Chordeiles acutipennis, 372-374
 Molothrus ater obscurus, 743-746
- Tern,
 Arctic, 244-254
 Common, 244-254, 584-586
 Roseate, 245-254, 584-586
 Royal, 1-13, 159
 Sandwich, 159
 Sooty, 159-160
 Yellow-billed, 574-577
- Terres, John K., From Laurel Hill to Siler's Bog/the walking adventures of a naturalist (rev.), 603
- Territoriality,
 Amazilia rutila, 467-491
 A. saucerottei, 467-491
 Anthus spinoletta, 427-451
 Catharus frantzii, 33
 C. occidentalis, 33
 Dendrocopos borealis, 258-278
 D. pubescens, 544-556
 Larus bulleri, 504
 Passerina cyanea, 58-71
 Phaeochroa cuvierii, 467-491
 Setophaga ruticilla, 359-361
 Telmatodytes palustris, 557-567
- Testicular growth, Lophortyx californicus, 729-737
- Texas, 68, 73-90, 158, 170, 378, 651, 781-786, 811-812, 815
- Thalasseus
 bergii, 800-804
 maximus, 1-13, 159
 sandvicensis, 159
- Thompson, Richard L., Florida Sandhill Crane nesting on the Loxahatchee National Wildlife Refuge, 492-502
- Thompson, William L., Song variation in a population of Indigo Buntings, 58-71
- Thrasher, Brown, 692-713
- Thrush, Wood, 97, 692-713
- Thryothorus ludovicianus, 98
- Tit, Penduline, 363-366
- Titmouse, Tufted, 93-94, 522-536
- Todd, Walter Edmond Clyde, bibliography, 648-649, memorial, 635-649, photograph of, frontispiece facing p. 635
- Towhee,
 Green-tailed, 809
 Rufous-sided, 692-713
- Toxostoma rufum, 692-713
- Tringa solitaria, 160
- Troglodytes aedon, 323
- Tropic-bird, Red-billed, 220
- Turdus migratorius, 95, 692-713
- Turkey, 168-170, 794
 Merriam's, 168-170
 Tularosa, 168-170
- Turnstone, 134
- Tyto alba, 573-574
- Udvardy, Miklos D. F., review by, 593-596, 825-826
- Uganda, 154-156
- Uria aalge, 568-572
- Uruguay, 574-577
- Utah, 170-171, 322-328
- Vaurie, Charles, review by, 828-829
- Verbeek, Nicolaas A. M., Breeding ecology of the Water Pipit, 425-451
- Verdin, 363-366

- Vermivora pinus*, 692-713
 Verner, Jared, and Gay H. Engelsen,
 Territories, multiple nest building,
 and polygyny in the Long-billed
 Marsh Wren, 557-567
 Vireo,
 Black-whiskered, 584
 Red-eyed, 96
 Vireo
 altiloquus, 584
 olivaceus, 96
 Virginia, 1-13, 163
 Vocalizations of,
 Amazilia rutila, 470
 A. saucerottei, 470
 Anthus spinoletta, 430-435
 Buteo jamaicensis, 586
 B. platypterus, 580
 Catharus frantzii, 21-57
 C. occidentalis, 21-57
 Dendrocopos borealis, 256-278
 Dendroica pensylvanica, 296-304
 D. petechia, 296-304
 D. virens, 296-304
 Erolia minutilla, 101
 Gavia immer, 129-130
 Grus canadensis, 156-157
 Larus bulleri, 503-513
 Paradisaea apoda apoda, 307-321
 Parus atricapillus, 324-328
 P. bicolor, 527-536
 P. gambeli, 322-328
 Passerina cyanea, 58-71
 Phaeochroa cuvierii, 471
 Phaethornis ruber, 720-728
 Phasianus colchicus, 279-295
 Pterodroma arminjoniana, 515-516
 Rostrhamus sociabilis, 582
 Setophaga ruticilla, 296-304
 Sterna supercilii, 574
 Vulture, Turkey, 111-124, 479

 Warbler,
 Blackburnian, 378
 Blackpoll, 100-110
 Black-throated Green, 296-304
 Blue-winged, 692-713
 Chestnut-sided, 296-304
 Prothonotary, 692-713
 Swainson's, 163
 Yellow, 296-304
 Warren, Robert Penn, Audubon: A vision
 (rev.), 830
 Washington, 557-567, 579
 Water changes, *Geococcyx californianus*,
 787-793
 Water economy, *Junco oreganus*, 161-163
 Watson, George E., A presumed wild
 hybrid Baldpate \times Eurasian Wigeon,
 353-357, review by, 818-820
 Wauer, Roland H., The occurrence of the
 Black-vented Oriole, *Icterus wagleri*,
 in the United States, 811-812
 Weight changes,
 Spizella arborea, 329-341
 S. breweri, 329-341
 Weights and measurements,
 Accipiter striatus, 457-477
 Aechmorrhynchus cancellatus, 760-780
 Amazilia rutila, 469
 A. saucerottei, 469
 Anas platyrhynchos, 347-352
 Anthus spinoletta, 436-451
 Bonasa umbellus, 172-173
 Cathartes aura, 112
 Catharus frantzii, 53-57
 C. occidentalis, 53-57
 Chordeiles acutipennis, 372-374
 Creagrus furcatus, 217-243
 Dendrocopos borealis, 255-271
 Dendrocoryna autumnalis, 75-90
 D. bicolor, 75-90
 Dendroica striata, 104-110
 Erolia alpina, 102-110
 E. minutilla, 103-110
 Heterochen pratensis, 537-543
 Meleagris gallopavo tularosa, 169-170
 Molothrus ater obscurus, 742
 Oceanodroma tethys kelsalli, 588
 Oenanthe oenanthe leucorhoa, 171-172
 Phaeochroa cuvierii, 469
 Phegornis mitchellii, 760-780
 Poliolimnas cinereus, 806
 Porzana albicollis, 806
 P. bicolor, 806
 P. carolina, 806
 P. flaviventer, 806
 P. fusca, 806
 P. porzana, 806

- P. pusilla*, 806
P. tabuensis, 806
Prosobonia leucoptera, 760-780
Rostrhamus sociabilis, 582
Sterna superciliaris, 575-577
Sturnella n. neglecta, 173-174
Vireo altiliquus, 584
 Weisenberger, Gary, and Michael Strauss,
 see Balda, Russell P. —
 Weller, Milton W., review by, 822-824
 West Indies, 305-321
 Wheatear, 171-172
 Wigeon, American, 353-357
 Willet, 133-134
 Williams, Lovett E., Jr., Spring departure
 of Sandhill Cranes from northern
 Florida, 156-157
 Willis, Edwin O., review by, 826-828
 Wigeon, Eurasian, 353-357
 Winnegar, Andrew, see Bell, Joseph, Don-
 ald Bruning, and —
 Wisconsin, 375-376, 452-457, 580
 Wolf, Larry L., see Stiles, F. Gary, and —
 Wolfe, L. R., The eastern race of Eve-
 ning Grosbeak in south-central Texas,
 378
 Wood-ibis, 371-372
 Woodpecker,
 Downy, 275-278, 532, 544-556
 Hairy, 262-278, 546-556
 Pileated, 367-369
 Red-bellied, 256-278, 786
 Red-cockaded, 255-278, 781-786
 Red-headed, 262, 367-369
 Wood Pewee, 97
 Woolfenden, Glen E., editor of periodical
 literature, 186-208, 392-415, 605-629,
 831-861
 Wren,
 Carolina, 98
 House, 323
 Long-billed Marsh, 557-567
 Wynne, Owen E., Biographical key/names
 of birds of the world/to authors and
 those commemorated (rev.), 601
 Wyoming, 425-451
 Yadon, Vernal L., *Oceanodroma tethys*
 kelsalli, new to North America, 588-
 589
 Yarbrough, Charles G., Summer lipid
 levels of some subarctic birds, 100-
 110
 Yarrow, Ruth M., Changes in redstart
 breeding territory, 359-361
 Yellowthroat, 94
 Common, 362-363
 Yocom, Charles F., The Giant Canada
 Goose in New Zealand, 812-814
 Zonotrichia leucophrys, 441-443, 809