

INDEX TO VOLUME 92

Compiled by James J. Dinsmore

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type. Note that page numbers followed by "A" refer to the July supplement to No. 3, those followed by "B" will be found in the October supplement to No. 4.

- Abnormality of, *Anous stolidus*, 369–370
 Sterna hirundo, 58–65
- Acanthis flammea*, 390–392, 768
 hornemannii, 390–392
- Accipiter cooperii*, 157–158
 gentilis, 391–392
- Acestrura mulsant*, 310, 316
- Acridoheres tristis*, 616
- Acrocephalus familiaris kingi*, 12B
- Aegolius acadicus*, 768
 funereus, 391–392
- Aethia cristatella*, 528–538
 pusilla, 528–538
- Agapornis fischeri*, 370–371
 personata, 370
- Agelaius phoeniceus*, 815–817
 xanthomus, 129
- Aimophila aestivalis*, 260–269
- Akepa, Hawaii, 13B
 Maui, 13B
- Akialoa, Kauai, 13B
- Akiapolaau, 13B
- Akohekohe, 14B
- Alala, 12B
- Alaska, 127–128, 390–393, 528–538, 811,
 6B–8B, 14B
- Alauwahio, 12B–13B
- Albatross, Black-browed, 596
 Laysan, 433–441
- Light-mantled Sooty, 286
 Short-tailed, 6B
- Alberta, 159–160, 606
- Aldabra Atoll, 16–39
- Aldrich, John W., In Memoriam: Thomas
 Dearborn Burleigh, 539–546; Report
 of the *ad hoc* committee on scientific
 and educational use of wild birds,
 1A–27A
- Alexander, H. G., Seventy years of bird-
 watching (rev.), 187
- Allaire, Pierre N., and Charles D. Fisher,
 Feeding ecology of three resident
 sympatric sparrows in eastern Texas,
 260–269
- Amadon, Dean, Variation in the Ever-
 glade Kite, 380–382; reviews by, 626,
 628, 832–833, 838
- Amazilia cyanifrons*, 310, 316
 rutila, 595
 saucerrottei, 595
 tzacatl, 310, 316
- Amazona vittata*, 11B
- American Ornithologists' Union Amend-
 ments, 353–356
- Attendance, 356–357
- Awards, 347–350
- Business sessions, 347–356
- Committee on scientific and educational
 use of wild birds, 1A–27A, (suppl. to
 July issue)
- Committees, 364–365
- Conservation, Report of the Committee
 on, 1973–74, 126–136; 1974–75, 1B–
 16B, (suppl. to October issue)
- Membership, 350–351
- Officers, 347, 364
- Proceedings of the 92nd stated meet-
 ing, 347–368
- Public sessions, 357–360
- Resolutions, 362–363
- Treasurer's Report, 366–368
- Ammospiza caudacuta*, 465, 471–480, 489–
 491

- leconteii*, 145
mariima, 461-492
m. nigrescens, 14B
m. pelonota, 14B
- Amory, Cleveland, Man kind?/Our incredible war on wildlife (rev.), 622-623
- Amphispiza belli*, 805-806
b. clementae, 14B
bilineata, 805-806
- Anas acuta*, 377-378
americana, 159-160
aucklandica, 280-297
cyanoptera, 153
diazi, 152-153
laysanensis, 7B
platyrhynchos, 281, 377, 706-731
poeicolorhyncha, 281
- Anatomy and embryology, foreign periodical literature on, 629-630
- Anatomy and morphology of, *Anhinga grandis*, 137-140
Eudocimus albus, 168-169
- Anderson, Kathleen S., First Massachusetts specimen of Le Conte's Sparrow, 145
- Andigena nigrirostris*, 316
- Anhinga anhinga*, 116
grandis, 137-140
nana, 374-376
- Ani, Groove-billed, 379
Smooth-billed, 310, 313-316
- Anisognathus flavinucha*, 319
- Annotated lists, see Distribution and
-
- Anous stolidus*, 369-370
- Anthracothorax nigricollis*, 310, 316
- Anthus bogotensis*, 318
- Antpitta, Chestnut-crowned, 317
- Antshrike, Bar-crested, 310, 314, 317
Uniform, 317
- Aphelocoma coerulescens*, 1-15
- Ar, A., see Rahn, H., et al.
- Aramus guarauna*, 569
- Archilochus alexandri*, 83, 84, 89
- Arenaria interpres*, 606
- Argentina, 442-451, 566-575, 596-598
- Arizona, 81-97, 153-154, 817
- Arnold, Keith A., First record of the Greater Shearwater from the Gulf of Mexico, 394-395
- Arremonops conirostris*, 319
- Arvin, John, Jimmie Arvin, Clarence Cot tam, and George Unland, Mexican Crow invades south Texas, 387-390
- Ashby, Mark, see Bildstein, Keith L., and
-
- Asio flammeus*, 593, 807-808
- Atlapetes albofrenatus*, 315, 319
gutturalis, 319
schistaceus, 315, 319-320
- Auckland Islands, 280-297
- Auklet, Crested, 528-538
Least, 528-538
Parakeet, 528, 534-535, 537
Rhinoceros, 135
- Aulacorhynchus prasinus*, 316
- Austin, Elizabeth S., reviews by, 186-188, 404, 407-408, 622-623, 627-628, 838; and O. L. Austin, Jr., review by, 408
- Austin, Jr., O. L., reviews by, 406-407, 626-628
- Avocet, American, 135
- Aythya affinis*, 159-160
americana, 135, 152-153
valisineria, 135
- Baird, Timothy D., see Bierregaard, Jr., Richard O., et al.
- Baker, James N., Egg-carrying by a Common Flicker, 614-615
- Bananaquit, 312, 314, 318
- Banks, Richard C., Invalid record of a rail from Mazatlán, Mexico, 166-168
- Bartramia longicauda*, 128
- Basileuterus coronatus*, 315, 318, 320
luteoviridis, 318
rivularis, 311, 318
rufifrons, 311, 318
tristriatus, 315, 318
- Becard, Cinereous, 317
- Beebe, Frank L., Field studies of the Falconiformes of British Columbia (rev.), 626
- Behavior, activity patterns, 83-96, 808-810
aerial displays, 21-23
aggressive, 584-585, 594-595
agonistic, 337-340

- allopreening, 598–599
 antipredator, 160
 bill wiping, 480
 copulatory, 153, 481, 616–617
 courtship, 21–23, 566, 616
 courtship feeding, 616
 distraction, 478
 egg-carrying, 614–615
 feeding, 523–527, 556–558, 802–803
 flocking, 160–162
 food-storing, 382–384
 foraging, 160–162, 261–265, 287–291,
 395, 443–446, 515–516, 547–552, 590–
 592, 594–595, 599–600, 601–602, 604–
 606, 611–612, 616–617, 649–654, 739–
 748, 798–801
 foreign periodical literature on, 190–
 197, 409–413, 630, 839–840
 function of displays, 481–487
 helpers at the nest, 1–15, 801–802
 incubation, 710–719, 726–728
 intersexual interactions, 514–515
 interspecific, 116, 157–159, 160–162, 303,
 584–585, 594–595, 599–600, 741–742,
 807–808
 intraspecific, 1–15, 239, 383
 lek, 808–810
 mate fidelity, 149–150
 nest building, 241–242
 nest checking, 393–394
 nest-searching, 610–611
 pair formation, 168–169, 498–499
 parental, 274–276
 prey selection, 812–814
 roosting, 42–43, 48–49, 53–54
 site fixation, 698–705
 site tenacity, 149–150
 social, 1–15
 territorial, 236–240, 246–250, 383, 513–
 521, 594–595, 741–742
 vocal, 226–228, 335–345, 462–475
- Best, Louis B., Interpretational errors in the “mapping method” as a census technique, 452–460
- Bierregaard, Jr., Richard O., Augustus Ben David, II, Timothy D. Baird, and Robert E. Woodruff, First northwestern Atlantic breeding record of the Manx Shearwater, 145–147
- Bildstein, Keith L., and Mark Ashby,
- Short-eared Owl robs Marsh Hawk of prey, 807–808
- Binford, Laurence C., and Kenneth L. Carlson, Birds of western North America, Nonpasserines (rev.), 403–404
- Bioenergetics of, *Calypte anna*, 92–96
Phalacrocorax auritus, 554–564
- Biology, General, foreign periodical literature on, 203–206, 419–424, 635–637, 846–849
- Bittern, American, 786–792
- Blackbird, 286
 Mona Island Yellow-shouldered, 129
 Red-winged, 815–817
- Blackburne, Ashton, 607–610
- Blake, Emmet R., obituary of Charles Blair Coursen, 427
- Bleich, Vernon C., Roadrunner predation on ground squirrels in California, 147–149
- Bluebird, Eastern, 265, 768, 798–801, 801–802
- Bobwhite, 803–805
 Black-throated, 803–805
 Crested, 316, 803–805
- Bock, Walter, editor of Reviews, 170–188, 396–408, 619–628, 830–838; reviews by, 835–837, 838
- Bohlen, H. David, Ash-throated Flycatcher in Illinois: summary of records east of the Mississippi River, 165–166
- Bolen, Eric G., In Memoriam: Clarence Cottam, 118–125; see Crawford, John A., and —
- Bombycilla garrulus*, 392
- Bonasa umbellus*, 392
- Booby, Blue-footed, 601–602
 Brown, 601
 Masked, 601
 Red-footed, 37, 129, 601
- Borrero, Jose Ignacio, obituary of Armando Dugand, 210
- Botaurus lentiginosus*, 786–792
- Botswana, 604–606
- Brambling, 811
- Brandon-Cox, Hugh, Summer of a million wings/Arctic quest for the Sea Eagle (rev.), 627–628

- Branta canadensis*, 611–612
c. leucopareia, 7B
sandvicensis, 7B
- Braun, Clait E., see Gutiérrez, R. J., et al.
- Breeding cycles of, *Phaethon lepturus*, 29–30
P. rubricauda, 29–30
- Breeding of (see also Behavior; Breeding cycles; Breeding season; Breeding success; Clutch size; Eggs, descriptions and measurements; Incubation and incubation period; Nest and nest site), *Bubulcus ibis*, 111–117
Catoptrophorus semipalmatus, 164–165
Columba fasciata, 665–677
Larus argentatus, 678–697
Passerculus sandwichensis, 235–251
Phaethon aethereus, 36
P. rubricauda, 36
P. lepturus, 36
Streptopelia decaocto, 322–332
- Breeding season of, *Aethia cristatella*, 533–535
A. pusilla, 533–535
Buteo jamaicensis, 733
Circus cyaneus, 105–110
Columba fasciata, 668–676
Corvus corone, 779–781
Cyclorrhynchus psittacula, 533–535
Gavia immer, 340–342
Heteronetta atricapilla, 569–570
Larus argentatus, 682–684
Passerculus sandwichensis, 240–241
Phaethon lepturus, 21–22
P. rubricauda, 21–22
Pycnonotus jocosus, 48–49
Streptopelia decaocto, 322–326
- Breeding success of, *Agelaius phoeniceus*, 815–816
Aphelocoma coerulescens, 3–6
Buteo jamaicensis, 733–735
Corvus corone, 781–784
Larus argentatus, 689–693
L. occidentalis, 271–274, 276–278
Passerculus sandwichensis, 242, 244–245
Phaethon lepturus, 28–29
P. rubricauda, 28–29
Streptopelia decaocto, 327–330
- Breeding success, relationship to nesting synchrony, 779–784
- British Columbia, 523–527
- Brown, Charles R., Polygamy in the Purple Martin, 602–604
- Browning, M. Ralph, First Oregon specimen of *Icterus galbula galbula*, 162–163
- Brush-Finch, Moustached, 315, 319
 Slaty, 315, 319–320
 Yellow-throated, 319
- Bubo virginianus*, 157–159, 377–378, 612–614, 768
- Bubulcus ibis*, 111–117, 378–380
- Bulbul, Red-whiskered, 40–57
 Seychelles, 616
- Bull, John, Birds of New York state (rev.), 830–832
- Bunni, Munir K., Letter to the editor, 854
- Bunting, Indigo, 66–80
 Lazuli, 66–80
- Buphagus africanus*, 604–606
erythrorynchus, 604–606
- Burger, Joana, and Marshall Howe, Notes on winter feeding behavior and molt in Wilson's Phalaropes, 442–451
- Burleigh, Thomas Dearborn, Memorial, 539–546
- Bursa length of, *Heteronetta atricapilla*, 567–568
Nicticryphes semicollaris, 572–573
- Buskirk, William H., Substrate choices of oxpeckers, 604–606
- Buteo jamaicensis*, 547–552, 612–614, 732–736, 768, 11B
lineatus, 157, 768
platypterus, 313, 316
regalis, 613
swainsoni, 613
- Byhovskii, B. E. (ed.), Bird migrations—ecological and physiological factors (rev.), 398–400
- Cacicus leucorhamphus*, 319
- Cacique, Mountain, 319
- Calder, William A., Daylength and the hummingbird's use of time, 81–97
- Caldwell, Patrick J., and George W. Cornwell, Incubation behavior and temperatures of the Mallard Duck, 706–731
- Calidris alba*, 606

- maritima*, 606–607
melanotos, 570
ruficollis, 593
 California, 147–149, 157–159, 270–279, 395,
 586–588, 698–705, 737–749, 7B, 8B,
 10B, 12B, 14B–15B
 Callahan, Phillip S., The magnificent birds
 of prey (rev.), 407–408
 Calls, see Vocalizations
Calypte anna, 82–95
 costae, 83, 84
Campetherus principalis, 11B–12B
Camptorhynchus rufinucha, 595
 zonatus, 311, 314, 318
 Canvasback, 135
Capella gallinago, 169
Caprimulgus noctitherus, 11B
 Caracara, Chimango, 568–569
 Cardinal, 265, 768
Cardinalis cardinalis, 265, 768
 Carib, Green-throated, 511–512, 516–517,
 519, 520
 Purple-throated, 511–522
 Carleton, Alison Rand, and Oscar T. Owre,
 The Red-whiskered Bulbul in Flor-
 ida: 1960–71, 40–57
 Carlquist, Sherwin, Island biology (rev.),
 835–836
 Carpenter, F. Lynn, reviews by, 172–174,
 397–398
Carpodacus cassini, 581–582
 mexicanus, 741
 purpureus, 768
Casmerodus albus, 116, 378–379
Catharacta skua, 286
Cathartes aura, 313, 316
Catharus ustulatus, 311, 314, 318
Catoptrophorus semipalmatus, 164–165
 Census methods, 452–460
Centurus carolinus, 46, 371–374, 768
Cerorhinca monocerata, 135
Certhia familiaris, 768, 773
Chalybura buffonii, 316
 Chamberlain, Dwight R., see Harlow,
 Richard F., et al.
 Chappuis, C., Les oiseaux de l'Ouest
 Africain (rev.), 623–624; Illustration
 sonore de problèmes bioacoustiques
 posés par les oiseaux de la zone
 Éthiopienne (rev.), 623–624
Charadrius alexandrinus, 128
 vociferus, 149–151, 854
 Chatham Islands, 15B
Chen caerulescens, 493–510
 Chickadee, Black-capped, 160–162, 390–
 392, 768, 773
 Boreal, 391–392, 768
 Chile, 378–380
Chlorostilbon canivetii, 595
 gibsoni, 316
 Christmas Island, 369–370
Chrysotilus punctigula, 310, 317
 Cink, Calvin L., Egg fertility and hatch-
 ability in *Colinus* quail and their
 hybrids, 803–805
Circus cyaneus, 105–110, 768, 807–808
 Clements, James F., Birds of the world:
 a check list (rev.), 818–830
 Cleptoparasitism by, *Asio flammeus*, 807–
 808
 Clutch size of *Agelaius phoeniceus*, 815–
 816
 Anas aucklandica, 293
 A. platyrhynchos, 711
 Bubulcus ibis, 111
 Larus argentatus, 155–156, 684
 Passerculus sandwichensis, 242–243
 Sterna albifrons, 143–145
 Streptopelia decaocto, 326–327
 Clutch size, relationship to egg and body
 weight, 760–761
Coccycus americanus, 128, 153
 melacoryphus, 313
Cochlearius cochlearius, 590–592
Coeligena coeligena, 315–316, 320
 torquata, 315–316, 320
Coereba flaveola, 312, 314, 318
Colaptes auratus, 383, 614–615, 768
Colibri coruscans, 310, 316
 thalassinus, 315–316, 320
Colinus cristatus, 316, 803–805
 nigrogularis, 803–805
 virginianus, 803–805
 Collecting birds, A.O.U. committee report
 on, 1A–27A
 Colombia, 307–321
 Colorado, 81–97, 614–615, 665–677
 Coloration, soft parts, *Heteronetta atricapilla*, 567
Nicticryphes semicollaris, 571–572

- Steganopus tricolor*, 446–447
Sterna dougallii, 222, 224–227, 229
S. hirundo, 222, 224–227, 229
S. hirundo × *S. dougallii*, 222, 224–227, 229
Columba fasciata, 665–577
inornata wetmorei, 10B–11B
livia, 310
Columba passerina, 316, 595–596
talpacoti, 310, 316, 604
Condor, California, 7B–8B
Conebill, Capped, 318
Rufous-browed, 318
Conirostrum albifrons, 318
rufum, 318
Conner, Richard N., Orientation of entrances to woodpecker nest cavities, 371–374
Conservation, see Management and ——
Contopus sordidulus, 737, 743
virens, 311, 314, 317, 386
Cook, Joseph J., and Ralph W. Schreiber, Wonders of the pelican world (rev.), 408
Cooke, F., C. D. MacInnes, and J. P. Prevett, Gene flow between breeding populations of Lesser Snow Geese, 493–510
Coot, American, 153, 377
Hawaiian, 9B
Coracias benghalensis, 327
Coragyps atratus, 313, 316, 802–803
Cormorant, Blue-eyed, 596
Double-crested, 553–565
King, 596
Olivaceous, 596
Rock, 596
Cornwell, George W., see Caldwell, Patrick J., and ——
Corvus brachyrhynchos, 303, 768
corax, 298–306, 391–392
corone, 779–785
imparatus, 387–390
splendens, 327
tropicus, 12B
Costa Rica, 152, 594–595
Cotinga, Shrike-like, 583–584
Cottam, Clarence, Memorial, 118–125; see Arvin, John, et al.
Coursen, Charles Blair, obituary of, 427
Courser, William D., and James J. Dinsmore, Foraging associates of White Ibis, 599–601
Cowbird, Brown-headed, 610–611
Shiny, 312, 315, 319
Crake, Rufous-sided, 310, 316, 320
Crane, Mississippi Sandhill, 9B
Sandhill, 135
Whooping, 135, 9B–10B
Cranioleuca curtata, 310, 317
Crawford, Hewlette S., see Harlow, Richard F., et al.
Crawford, John A., and Eric G. Bolen, Spring lek activity of the Lesser Prairie Chicken in west Texas, 808–810
Creeper, Brown, 768, 773
Hawaii, 12B
Molokai, 13B
Oahu, 12B–13B
Crossbill, White-winged, 390–392
Crotophaga ani, 310, 313–316
sulcirostris, 379
Crow, Carrion, 779–785
Common, 303, 768
Hawaiian, 12B
House, 327
Mexican, 387–390
Cuckoo, Dark-billed, 313
Squirrel, 316
Striped, 315, 316
Yellow-billed, 128, 153
Cunningham, Michael A., and Joseph G. Griffith, An annotated list of birds of the world (rev.), 818–830
Cunningham-van Someren, G. R., *Agapornis fischeri* Reichenow in Kenya?, 370–371
Curlew, Eskimo, 10B
Long-billed, 128
Curtsinger, William E., see Schreiber, Ralph W., et al.
Cyanocitta cristata, 53, 383, 768
stelleri, 581–582
Cyanocorax yncas, 317
Cyclarhis gujanensis, 311, 318
Cyclorrhynchus psittacula, 528, 534–535, 537
Cygnus melanocoryphus, 596
Cynanthus latirostris, 83, 84

- Dacnis-Tanager, Turquoise, 312–320
Damophila julie, 310, 316
 David, II, Augustus Ben, see Bierregaard,
 Jr., Richard O., et al.
 Davis, John, review by, 405–406
 Dawson, William R., review by, 396–
 397
 Deferred maturity, *Diomedea immutabilis*,
 433–441
 Deformity, see Abnormality
 Dejouxs, Pierre (ed.), Receptors and con-
 trol of respiration in birds (rev.),
 837
Dendrocopos pubescens, 371–374, 768, 773
 villosum, 371–374, 392, 768
Dendrocygna autumnalis, 376–377
 bicolor, 568–569
Dendroica coronata, 265, 768, 773
 fusca, 311, 314, 318
 petechia, 311, 318, 595
 pinus, 265
 deVries, Tjritte, The Galapagos Hawk/An
 ecogeographical study with special
 reference to its systematic position
 (rev.), 832–833
 Diamond, A. W., The biology of tropic-
 birds at Aldabra Atoll, Indian Ocean,
 16–39
 Digestion by, *Botaurus lentiginosus*, 786–
 791
Diglossa albiflava, 315, 318, 320
 baritula, 312, 318
 Dimorphism, sexual, *Eudocimus albus*,
 168–169
 Dinsmore, James J., see Courser, William
 D., and ———; Index to Volume 92,
 856–880
Diomedea albatrus, 6B
 immutabilis, 433–441
 melanophris, 596
 Diseases and parasites, foreign periodical
 literature on, 630–631, 840
 Distribution and annotated lists, foreign
 periodical literature on, 197–198, 413–
 416, 631–632, 840–843
 Distribution of, *Agapornis fischeri*, 370–
 371
 A. personata, 370–371
 Ammospiza leconteii, 145
 Anas aucklandica, 281, 283–284
 A. cyanoptera, 153
 A. diazi, 152–153
 A. platyrhynchos, 281
 A. poecilorhyncha, 281
 Anhinga grandis, 137–139
 Asio flammeus, 593
 Aythya americana, 152–153
 Bubulcus ibis, 378–380
 Calidris maritima, 606–607
 C. ruficollis, 593
 Casmerodius albus, 378–379
 Catoptrophorus semipalmatus, 164–165
 Chen caerulescens, 495–498
 Columbina passerina, 595–596
 C. talpacoti, 604
 Corvus imparatus, 387–390
 Egretta thula, 378–379
 Florida caerulea, 378–379
 Fringilla montifringilla, 811
 Fulica americana, 153
 Gallinula chloropus, 153
 Icterus galbula, 162–163
 Laniisoma elegans, 583–584
 Larus argentatus, 145, 154–157
 L. atricilla, 154–155
 L. marinus, 145, 154–157
 Leucosticte atrata, 587–588
 L. tephrocotis, 586–588
 Limosa limosa, 811
 Motacilla cinerea, 811
 Myiarchus cinerascens, 164–165
 Nycticorax nycticorax, 378–379
 Oxyura jamaicensis, 153
 Passerina amoena, 66–80
 P. cyanea, 66–80
 Psilorhinus morio, 797–798
 Pterodroma hypoleuca, 592–593
 Puffinus gravis, 146, 394–395
 P. puffinus, 145–147
 Rallus elegans, 166–168
 R. longirostris, 166–168
 Sterna albifrons, 143–145
 S. paradisaea, 153–154
 Telmatodytes palustris, 806–807
 Turdus obscurus, 811
 Dominica, 511–522
 Doughty, Robin W., Feather fashions and
 bird preservation/A study in nature
 protection (rev.), 627
 Dove, Eared, 316

- Ground, 595–596
 Indian Ring, 322–332
 Mourning, 768
 Rock, 310
 Ruddy Ground, 604
 White-tipped, 310, 316
- Dryocopus pileatus*, 371–374
- Dubusia taeniata*, 319
- Duck, Black-headed, 566–570
 Fulvous Tree, 568–569
 Laysan, 7B
 Mexican, 152–153
 New Zealand Grey, 281
 Ruddy, 153
- Dugand, Armando, obituary of, 210
- Duke, Gary E., see Rhoades, Daniel D., and —
- Dunn, Erica H., Caloric intake of nestling Double-crested Cormorants, 553–565
- Dwight, Jr., Jonathan, The sequence of plumages and moults of the passerine birds of New York (rev.), 838
- Eagle, Bald, 584–585, 8B
- Eaton, Stephen W., review by, 830–832
- Ecology,
 bird species diversity, 766–777
 colonizations, 40–57
 competition, 116
 effects of weather on wintering birds, 766–777
 feeding, 260–269
 group adherence, 98–104
 habitat selection, 98–104
 intercolony interchange, 499–509
 nest site tenacity, 98–104
 perch selection, 738–739
 snow cover and nesting, 528–538
 social organization, 487–490
- Ecology and populations, foreign periodical literature on, 198–201, 416–419, 632–634, 843–845
- Ecology of, *Aethia cristatella*, 528–538
A. pusilla, 528–538
Aimophila aestivalis, 260–269
Ammospiza maritima, 487–490
Anas aucklandica, 280–297
Archilochus alexandri, 84, 89
Calyptra anna, 82–95
C. costae, 84
- Cyclorrhynchus psittacula*, 528, 534–535, 537
- Cynanthus latirostris*, 84
- Laridae, 98–104
Larus occidentalis, 270–279
 New Jersey wintering birds, 766–777
Sayornis nigricans, 738–748
Selasphorus platycercus, 82–94
Spizella passerina, 260–269
S. pusilla, 260–269
Stellula calliope, 82–93
- Edwards, Ernest Preston, A coded list of birds of the world (rev.), 818–830
- Eggs, descriptions and measurements,
Anas acuta, 377–378
A. aucklandica, 293
A. platyrhynchos, 377
Bulbulus ibis, 111
Fulica americana, 377
Larus argentatus, 684–685
L. marinus, 156
Perdix perdix, 377
Phaethon lepturus, 23
P. rubricauda, 23
Psilorhinus morio, 798
Puffinus puffinus, 145
Sterna dougallii, 228
S. hirundo, 228
S. hirundo × *S. dougallii*, 221, 228
Streptopelia decaocto, 327
Troglodytes aedon, 163–164
- Eggs, relationship between egg and body weights, 750–765
- Egg volume, 576–580
- Egret, Cattle, 111–117, 378–380
 Great, 116, 378–379
 Snowy, 116, 378–379, 599–600
- Egretta thula*, 116, 378–379, 599–600
- Eisenmann, E., review by, 181–183
- Elaenia chiriquensis*, 311, 314, 317
flavogaster, 311, 314, 317
frantzii, 317
- Elanus leucurus*, 395
- Ely, Charles A., review by, 401–403
- Embryology (see also Anatomy and —), *Larus argentatus*, 685–687
- Emerald, Fork-tailed, 595
 Red-billed, 316
- Empidonax difficilis*, 737, 743

- flaviventris*, 386
minimus, 386
traillii, 386
virescens, 386
- Endangered species, 3B-15B
 Eniwetok Atoll, 592-594
 Ethics for collecting birds, 13A
Eucometis penicillata, 312, 315, 319
Eudocimus albus, 168-169, 599-600
Eugenes fulgens, 152
Eulampis jugularis, 511-522
Euphonia laniirostris, 312, 314, 318, 321
Eutoxeres aquila, 310, 316
- Evans, Roger M., Responsiveness of young Herring Gulls to adult "mew" calls, 140-143
- Evolution and genetics, foreign periodical literature on, 202-203, 634-635, 846
- Evolution, kin selection, 13-14
- Falco novaeseelandiae*, 286
peregrinus anatum, 8B
punctatus, 15B
sparverius, 53, 158, 768
- Falcon, American Peregrine, 8B
 New Zealand, 286
- Farner, Donald S. (ed.), Breeding biology of birds, proceedings of a symposium on breeding behavior and reproductive physiology in birds (rev.), 624-625; and J. R. King (eds.), Avian biology, vols. II, III, and IV (rev.), 836
- Feare, Christopher J., Observations on the Seychelles White-eye *Zosterops modesta*, 615-618
- Feathers, see Molts and plumages
- Fertility of, *Colinus cristatus*, 803-805
Colinus hybrids, 803-805
C. nigrogularis, 803-805
C. virginianus, 803-805
- Finch, Black Rosy, 587-588
 Cassin's, 581-582
 Gray-crowned Rosy, 586-588
 House, 741
 Laysan, 13B
 Nihoa, 13B
 Purple, 768
- Fisher, Charles D., see Allaire, Pierre N., and ——
- Fisher, Harvey I., The relationship between deferred breeding and mortality in the Laysan Albatross, 433-441
- Fitzpatrick, John W., A record of allopreening in the Barred Owl, 598-599
- Fledging success, *Agelaius phoeniceus*, 815-816
- Aphelocoma coerulescens*, 3-6
Bubo virginianus, 158
Bubulcus ibis, 113-116
Buteo jamaicensis, 733-735
B. lineatus, 158
Larus argentatus, 692-693
Streptopelia decaocto, 327-328
- Flicker, Common, 383, 614-615, 768
- Florida, 1-15, 40-57, 111-117, 369, 598-599, 599-601, 649-654, 806-807, 8B, 9B, 14B
- Florida caerulea*, 378-379
- Flower-Piercer, Slaty, 312, 318
 White-sided, 315, 318, 320
- Fluvicola pica*, 317
- Flycatcher, Acadian, 386
 Ash-throated, 165-166
 Boat-billed, 317
 Bran-colored, 317
 Cinnamon, 315, 317
 Great Crested, 386
 Least, 386
 Ornate, 317
 Rusty-margined, 311, 317
 Vermilion, 310, 314, 317
 Western, 737, 743
 Willow, 386
 Yellow-bellied, 386
 Yellow-olive, 317
- Food and feeding habits of (see also Behavior, foraging)
Aimophila aestivalis, 263-267
Anas aucklandica, 287-290
Botaurus lentiginosus, 786-792
Bubo virginianus, 377-378
Bubulcus ibis, 113-115
Buphagus africanus, 604-606
B. erythrorynchus, 604-606
Buteo jamaicensis, 547-552
Carpodacus cassini, 581-582
Cochlearius cochlearius, 590

- Contopus virens*, 385–386
Coragyps atratus, 802–803
Corvus corax, 298–306
Cyanocitta stelleri, 581–582
Empidonax flaviventris, 385–386
E. minimus, 385–386
E. traillii, 385–386
E. virescens, 385–386
Gavia immer, 611–612
Geococcyx californianus, 147–149
Haliaeetus leucocephalus, 584
Junco hyemalis, 581–582
Larus argentatus, 585, 693–694
L. marinus, 585, 691–692
Melanerpes erythrocephalus, 383–384
Myiarchus cinerascens, 165–166
M. crinitus, 385–386
 North American flycatchers, 746–747
Nyctanassa violacea, 590
Passerculus sandwichensis, 243–244
Passerella iliaca, 581–582
Phaethon lepturus, 26, 32–35
P. rubricauda, 26, 32–35
Phalacrocorax auritus, 553–565
Pica pica, 606
Pycnonotus jocosus, 44–48
Sialia sialis, 799, 801–802
Spizella passerina, 263–267
S. pusilla, 263–267
Streptopelia decaocto, 327
Sula dactylatra, 601
S. leucogaster, 601
S. nebulosus, 601–602
S. sula, 601
Zonotrichia leucophrys, 581–582
Zosterops modesta, 616
 Food habits, methods of study, 581–583
 Foraging behavior, see Behavior, foraging;
 Food and feeding habits
Forpus conspicillatus, 310, 313, 316
 Fossils, *Anhinga grandis*, 137–140
 A. nana, 374–376
 Francis, William J., Clutch size and
 nesting success in Red-winged Black-
 birds, 815–817
 Franzreb, Kathleen E., and Alton E. Hig-
 gins, Possible bear predation on a
 Yellow-bellied Sapsucker nest, 817
Fratercula arctica, 691–694
Fregata magnificens, 129
 Fries, Waldemar H., The double elephant
 folio: The story of Audubon's birds
 of America (rev.), 186–187; Another
 copy of Audubon's double elephant
 folio, 626–627
 Frigatebird, Magnificent, 129
Fringilla montifringilla, 811
 Fruiteater, Green-and-black, 317
Fulica americana, 153, 377
 americana alai, 9B
 Fulmar, Southern, 596
Fulmarus glacialisoides, 596
 Galápagos Islands, 601–602
Gallinula chloropus, 153
 Gallinule, Common, 153
Gavia arctica, 393–394
 immer, 333–346, 611–612
 Genetics (see also Evolution and ——),
 Chen caerulescens, 493–510
Geococcyx californianus, 147–149
 Georgia, 806–807
Geothlypis philadelphica, 311, 314, 318
 Ghiselin, Jon, Postmortem change in
 a Black-crowned Night-Heron's eye
 color, 589
 Gibson, Daniel D., see Jones, Jr., Robert
 D., and ——
 Gochfeld, Michael, Developmental defects
 in Common Terns of western Long
 Island, New York, 58–65
 Godwit, Black-tailed, 811
 Goetzinger, Charles, see Rummel, Lynda,
 and ——
 Goldfinch, American, 768
 Dark-backed, 312, 313, 319
 Goldman, Peter, Hunting behavior of
 Eastern Bluebirds, 798–801
 Gonads of, *Columba fasciata*, 667–675
 Heteronetta atricapilla, 567–568
 Nicticryphes semicollaris, 572–573
 Streptopelia decaocto, 322–326
 Goodpasture, Katherine A., In memoriam:
 Amelia Rudolph Laskey, 252–259
 Goose, Aleutian Canada, 7B
 Canada, 611–612
 Hawaiian, 7B
 Lesser Snow, 493–510
 Goshawk, 391–392

- Goulden, Loran L., Magpie kills a ground squirrel, 606
- Gackle, Common, 383
- Grallaria ruficapilla*, 317
- Grassquit, Black-faced, 312, 319
Yellow-faced, 312, 319
- Greene, Earle Rosenbury, obituary of, 646–647
- Greenland, 126
- Greenlaw, Jon S., see Post, William and —
- Greenlet, Scrub, 311, 314, 318
- Grosbeak, Black-backed, 319
Pine, 391
Rose-breasted, 312, 319
- Ground-Dove, Common, 316
Ruddy, 310, 316
- Grouse, Ruffed, 392
- Growth and development of, *Bubulcus ibis*, 115–116
- Larus argentatus*, 685–689
L. occidentalis, 274
Phaethon lepturus, 24–27
P. rubricauda, 24–27
- Grus americana*, 135, 9B–10B
canadensis, 135
c. pulla, 9B
- Grzimek, Bernhard (ed.), Grzimek's animal life encyclopedia, vols. 7, 8, and 9 (rev.), 178–181
- Guan, Andean, 316
- Gulf of Mexico, 394–395
- Gull, Black-billed, 141–142
California, 159–160
Glaucous-winged, 523–527
Great Black-backed, 145, 154–157, 584–585, 684, 691–692
- Herring, 140–143, 145, 154–157, 393, 533, 585, 655–664, 678–697
- Kelp, 596
- Laughing, 154–155, 600
- Red-billed, 286
- Ring-billed, 141–142, 369
- Southern Black-backed, 286
- Western, 270–279
- Gustafson, John R., A Sage Sparrow egg in a Black-throated Sparrow nest, 805–806
- Gutiérrez, R. J., Clait E. Braun, and Thomas P. Zapatka, Reproductive biology of the Band-tailed Pigeon in Colorado and New Mexico, 665–677
- Gymnogyps californianus*, 7B–8B
- Habitat of, *Anas aucklandica*, 282–285
- Colombian highland birds, 307–321
- Laridae, 98–104
- Leucosticte atrata*, 586
L. tephrocotis, 586
- Nictirhynchus semicollaris*, 570
- North American flycatchers, 746–747
- Passerina amoena*, 67
P. cyanea, 67
- Pycnonotus jocosus*, 40–42
- Zosterops modesta*, 616
- Hailman, Jack P., review by, 184–186
- Halberg, Henry N., obituary of Ruth Harris Thomas, 646
- Haliaeetus leucocephalus*, 584–585, 8B
- Hamilton, Robert B., and Robert E. Noble, First record of Purple Sandpiper for Louisiana, 606–607
- Hardy, John William, reviews by, 403–404, 623–624
- Harlow, Richard F., Robert G. Hooper, Dwight R. Chamberlain, and Hewlette S. Crawford, Some winter and nesting season foods of the Common Raven in Virginia, 298–306
- Harris, M. P., Unusual feeding by Blue-footed Booby, 601–602
- Hatching success of, *Agelaius phoeniceus*, 815–816
- Aphelocoma coerulescens*, 3–6
- Colinus cristatus*, 803–805
- Colinus hybrids*, 803–805
- C. nigrogularis*, 803–805
- C. virginianus*, 803–805
- Larus argentatus*, 689–691
- Passerculus sandwichensis*, 242–243, 245
- Streptopelia decaocto*, 327–328
- Hawaii, 6B, 7B, 9B, 12B, 13B, 14B
- Hawk, Broad-winged, 313, 316
Cooper's, 157–158
Ferruginous, 613
- Marsh, 105–110, 768, 807–808
- Red-shouldered, 157, 768
- Red-tailed, 547–552, 612–614, 732–736, 768, 11B
- Swainson's, 613

- Haycock, Karole A., and William Threlfall, The breeding biology of the Herring Gull in Newfoundland, 678-697
- Hays, Helen, Probable Common \times Roseate Tern hybrids, 219-234
- Heliomaster constanti*, 595
- Helms, Carl W., review by, 398-400
- Hemignathus lucidus affinis*, 13B
l. hanapepe, 13B
procerus, 13B
wilsoni, 13B
- Hemispingus frontalis*, 315, 319, 320
- Hendricks, D. Paul, Copulatory behavior of a pair of Yellow-billed Cuckoos, 153
- Henicorhina leucophrys*, 315, 318, 320
- Hermit, Green, 310, 316
 Pale-bellied, 316
- Heron, Boat-billed, 590-592
 Little Blue, 378-379
 Louisiana, 116, 600
- Hess, Eckhard H., Imprinting: early experience and the developmental psychobiology of attachment (rev.), 184-186
- Heteronetta atricapilla*, 566-570
- Higgins, Alton E., see Franzreb, Kathleen E., and —
- Himantopus h. knudseni*, 10B
mexicanus, 135
- Hines, Bob, and Peter A. Anastasi, Fifty birds of town and city (rev.), 408
- Hodges, R. D., The histology of the fowl (rev.), 836
- Höhn, E. Otto, Notes on Black-headed Ducks, Painted Snipe, and Spotted Tinamous, 566-575
- Honeycreeper, Crested, 14B
- Hooper, Robert G., see Harlow, Richard F., et al.
- Horner, Kenneth O., review by, 400-401
- Houston, C. Stuart, Close proximity of Red-tailed Hawk and Great Horned Owl nests, 612-614; To the Arctic by canoe 1819-1821/The journal and paintings of Robert Hood/Midshipman with Franklin (rev.), 622; and D. W. A. Whitfield, Eggs of other species in Great Horned Owl nests, 377-378
- Howe, Marshall, see Burger, Joanna, and —
- Hubbard, John P., and David M. Niles, Two specimen records of the Brown Jay from southern Texas, 797-798
- Hudson Bay, 493-510
- Hummingbird, Anna's, 82-95
 Antillean Crested, 512, 516-517, 519, 520
 Black-chinned, 83, 84, 89
 Blue-vented, 595
 Broad-billed, 83, 84
 Broad-tailed, 82-94
 Calliope, 82-93
 Cinnamon, 595
 Costa's, 83, 84
 Indigo-capped, 310, 316
 Rivoli's, 152
 Rufous-tailed, 310, 316
 Violet-bellied, 310, 316
- Hunt, Jr., George L., and Molly W. Hunt, Reproductive ecology of the Western Gull; the importance of nest spacing, 270-279; and Steven C. McLoon, Activity patterns of gull chicks in relation to feeding by parents: their potential significance for density-dependent mortality, 523-527
- Hunter, Jr., Malcolm L., Least Tern breeding range extension in Maine, 143-145
- Hybrids and hybridization, *Passerina cyanea* \times *P. amoena*, 66-80
Sterna hirundo \times *S. dougallii*, 219-234
- Hydranassa tricolor*, 116, 600
- Hylophilus flavipes*, 311, 314, 318
- Hypsipetes crassirostris*, 616
- Ibis, Japanese Crested, 15B
 White, 168-169, 599-600
 White-faced, 128, 135
- Icterus chrysater*, 312, 314, 319
galbula, 162-163, 594-595
pustulatus, 595
- Idaho, 10B
- Illinois, 165-166, 452-460, 10B
- Inca, Bronzy, 315, 316, 320

- Collared, 315, 316, 320
 Incubation and incubation period, *Anas platyrhynchos*, 710-731
Bubo virginianus, 158
Bubulcus ibis, 112-113
Buteo lineatus, 158
Larus argentatus, 685
Passerculus sandwichensis, 242
Phaethon lepturus, 23-24
P. rubricauda, 23-24
 relationship to body weight, 763-764
Streptopelia decaocto, 327
 Incubation patches, *Nicticryphes semicoloris*, 572-573
Nothura maculosa, 574
 India, 322-332
 Ingram, Collingwood, The migration of the swallow (rev.), 838
 Iris color, *Nycticorax nycticorax*, 589
 Irving, Laurence, Arctic life of birds and mammals including man, Zoophysiology and ecology, vol. 2 (rev.), 396-397
- Jackson, Jerome A., Regurgitative feeding of young Black Vultures in December, 802-803
 James, Frances C., reviews by 170-171, 624-625
 Japan, 15B
 Jay, Blue, 53, 383, 768
 Brown, 797, 797-798
 Florida Scrub, 1-15
 Gray, 390-392
 Green, 317
 Steller's, 581-582
 Jehl, Jr., Joseph R., Mortality of Magellanic Penguins in Argentina, 596-598
 Johansen, Hans Christian, obituary of, 644-646
 Johnsgard, Paul A., Song of the north wind/A story of the Snow Goose (rev.), 186
 Johnson, Oscar W., and Ronald J. Kienholz, New avifaunal records from Eniwetok, 592-594
 Johnson, Richard E., New breeding localities for *Leucosticte* in the contiguous western United States, 586-589
 Johnson, Sara Jane, Productivity of the Red-tailed Hawk in southwestern Montana, 732-736
 Johnston, R. F. (ed.), Annual review of ecology and systematics (rev.), 837
 Jones, Jr., Robert D., and Daniel D. Gibson, Specimens of birds from Amchitka Island, Alaska, 811
Junco hyemalis, 265, 581-582, 768, 773
- Kale, II, Herbert W., editor of Foreign Periodical Literature, 189-209, 409-427, 629-644, 839-853; Extension of winter range of *Telmatodytes palustris waynei* to Georgia and Florida, 806-807
 Kansas, 10B
 Keast, Allen, review by, 833-834
 Keith, Stuart, review by, 177-178
 Kendigh, S. Charles, Effect of parentage on egg characteristics, 163-164
 Kenya, 370-371
 Kestrel, American, 53, 158, 768
 Mauritius, 15B
 Kienholz, Ronald J., see Johnson, Oscar W., and —
 Kilham, Lawrence, Association of Red-breasted Nuthatches with chickadees in a hemlock cone year, 160-162
 Killdeer, 149-151, 854
 King, Ben, review by, 625-626
 King, James R., recipient of William Brewster Memorial Award, 348
 King, Joseph E., obituary of Earle Rosenbury Greene, 646-647
 King, Warren B. (ed.), Pelagic studies of seabirds in the central and eastern Pacific Ocean (rev.), 401-403
 Kingbird, Tropical, 311, 314, 317
 Kinglet, Golden-crowned, 161, 768, 773
 Kiskadee, Great, 311, 317
 Kite, Everglade (Snail), 380-382, 568-570, 9B
 White-tailed, 395
 Kittiwake, Black-legged, 693-694
 Koenig, Lilli, Das Aktionssystem der Zwergohreule *Otus scops scops* (Linné 1758) (rev.), 171-172
 Kricker, John C., Diversity in two

- wintering bird communities: possible weather effects, 766-777
- Kron, Thomas M., Late winter bird populations in subarctic taiga forest near Fairbanks, Alaska, 390-393
- Kroodsma, Roger L., Hybridization in buntings (*Passerina*) in North Dakota and eastern Montana, 66-80
- Lagopus lagopus*, 391-392
- Lanius elegans*, 583-584
- Lanius excubitor*, 391-392
ludovicianus, 812-814
l. mearnsi, 12B
- Lapedes, D. N. (ed.), McGraw-Hill dictionary of scientific and technical terms (rev.), 837
- Laridae, 98-104
- Larus argentatus*, 140-143, 145, 154-157, 393, 533, 585, 655-664, 678-697
atricilla, 154-155, 600
bulleri, 141-142
californicus, 159-160
delawarensis, 141-142, 369
dominicanus, 286, 596
glaucus, 523-527
marinus, 145, 154-157, 584-585, 684, 691-692
novaehollandiae, 286
occidentalis, 270-279
- Laskey, Amelia Rudolph, Memorial, 252-259
- Laterallus jamaicensis coturniculus*, 10B
melanophaius, 310, 316, 320
- Lederer, Roger J., Bill size, food size, and jaw forces of insectivorous birds, 385-387
- Lenington, Sarah, and Terry Mace, Mate fidelity and nesting site tenacity in the Killdeer, 149-151
- Leptotila verreauxii*, 310, 316
- Leucosticte atrata*, 587-588
tephrocotis, 586-588
- Lien, Jon, Aggression between Great Black-backed Gulls and Bald Eagles, 584-585
- Limosa limosa*, 811
- Limpkin, 569
- Lipaugus fuscocinereus*, 317
- Löhrl, Hans, Die Tannenmeise (rev.), 628
- Longevity of, *Larus delawarensis*, 369
- Loon, Arctic, 393-394
Common, 333-346, 611-612
- Lord Howe Island, 15B
- Lorenz, Konrad, and Paul Leyhausen, Motivation of human and animal behavior: an ethological view (rev.), 184-186
- Louisiana, 169, 382-385, 606-607, 11B, 14B
- Lowery, Jr., George H., Louisiana birds, third edition (rev.), 404; In memoriam: Francis Marion Weston, 793-796
- Loxia leucoptera*, 390-392
- Loxops coccinea coccinea*, 13B
c. ochracea, 13B
maculata maculata, 12B-13B
m. mana, 12B
m. montana, 13B
- Lurocalis semitorquatus*, 316
- Lynch, Gerry M., and John E. Toepfer, California Gulls attack waterfowl broods in Alberta, 159-160
- MacArthur, Robert H., recipient of Elliott Coues Award, 349
- MacBriar, Jr., Wallace N., First specimen of Ground Dove from Wisconsin, 595-596
- Macdonald, J. D., Birds of Australia: a summary of information (rev.), 833-834
- Mace, Terry, see Lenington, Sarah, and —
- MacInnes, C. D., see Cooke, F., et al.
- MacRoberts, Michael H., Food storage and winter territory in Red-headed Woodpeckers in northwestern Louisiana, 382-385
- Macronectes giganteus*, 286
- Magpie, Black-billed, 606
- Maine, 143-145, 8B
- Mallard, 281, 377, 706-731
- Management and conservation, foreign periodical literature on, 424-425, 637-638, 849-850
- Mango, Black-throated, 310, 316
- Manitoba, 140-143, 393-394, 493-510, 706-731

- Margarops fuscatus*, 11B
Marianas Islands, 9B
Marshall Islands, 592–594
 Martin, Larry D., and Robert M. Mengel,
 A new species of anhinga (Anhingidae) from the Upper Pliocene of
 Nebraska, 137–140
 Martin, Purple, 602–604, 814–815
Massachusetts, 145, 145–147, 10B
Mauritius, 374–376, 15B
 McClure, H. Elliott, Migration and survival of the birds of Asia (rev.), 626
 McFarlane, Robert W., Heron expansion in the Atacama Desert, 378–380
 McLoon, Steven C., see Hunt, Jr., George L., and ——
 McNicholl, Martin K., Larid site tenacity and group adherence in relation to habitat, 98–104; Arctic Loon “checking” nest, 393–394
Meadowlark, Eastern, 312, 314, 319
 Measurements, see Weights and ——
Megapodius laperouse, 9B
Megarhynchus pitangua, 317
Melamprosops phaeosoma, 14B
Melanerpes erythrocephalus, 371–374, 382–385
 ruficapillus, 310, 314, 317
Melospiza melodia, 239, 610
 melodia amaka, 14B
 melodia graminea, 14B–15B
 Memoriam (see also Obituary), Burleigh, Thomas Dearborn, 539–546
 Cottam, Clarence, 118–125
 Laskey, Amelia Rudolph, 252–259
 Weston, Francis Marion, 793–796
 Mengel, Robert M., see Martin, Larry D., and ——
 Mewaldt, L. Richard, see Ralph, C. John, and ——
Mexico, 152–153, 166–168, 387–390, 590–592
Michigan, 655–664, 801–802, 8B
Midway Atoll, 433–441
 Migration and orientation, foreign periodical literature on, 425–427, 638, 850
Millerbird, Nihoa, 12B
Milvago chimango, 568–569
Mimus gilvus, 311, 318
 polyglottos, 768
 Minnesota, 149–151, 8B
 Mississippi, 802–803, 9B
 Missouri, 10B
Mniotilla varia, 315, 318
 Mock, Douglas W., Feeding methods of the Boat-billed Heron, a deductive hypothesis, 590–592
Mockingbird, 768
 Tropical, 311, 318
Moho braccatus, 12B
Molothrus ater, 610–611
 bonariensis, 312, 315, 319
 Molts and plumages, *Anous stolidus*, 369–370
 Circus cyaneus, 105–110
 Eugenes fulgens, 152
 Passerina amoena, 68–79
 P. cyanea, 68–79
 Phaethon lepturus, 30–32
 P. rubricauda, 30–32
 Puffinus puffinus, 146
 Pycnonotus jocosus, 51–53
 Steganopus tricolor, 446–450
 Sterna dougallii, 220–230
 S. hirundo, 220–230
 S. hirundo × *S. dougallii*, 220–230
 Zosterops modesta, 615–616
Mona Island, 129
 Monson, Gale, and Stephen M. Russell, Arctic Tern in Arizona, 153–154
Montana, 66–80, 732–736
 Moore, Frank R., Influence of solar and geomagnetic stimuli on the migratory orientation of Herring Gull chicks, 655–664
 Morony, Jr., John J., Walter J. Bock, and John Farrand, Jr. (rev.), 818–830
 Mortality in, *Buteo jamaicensis*, 734–735
 Diomedea immutabilis, 433–441
 Larus argentatus, 691–692
 L. glaucescens, 526–527
 L. occidentalis, 271–274, 276–278
 man-caused, 7A–10A
 seabirds, 126–128
 Spheniscus magellanicus, 596–598
Motacilla cinerea, 811
 Mountain-Tanager, Blue-winged, 319
 Buff-breasted, 319
 Mountain-Toucan, Black-billed, 316
 Munves, James, Birds of a highland

- clearing in Cundinamarca, Colombia, 307-321
- Murray, Joseph James, obituary of, 209-210
- Murre, Common, 691-694
Thick-billed, 126
- Murton, R. K., Man and birds (rev.), 188
- Myiarchus cinerascens*, 165-166
crinitus, 386
- Myioborus miniatus*, 315, 318
- Myiophobus fasciatus*, 317
- Myotriccus ornatus*, 317
- Myiozetetes cayanensis*, 311, 317
- Myology of, *Dendrocygna autumnalis*, 376-377
- Naney, Robert H., Snipe breeding displays performed on wintering grounds, 169
- Nebraska, 137-140
- Nectarinia dussumieri*, 617
- Nelson, Bryan, Azraq: desert oasis (rev.), 628
- Nene, 7B
- Nest and nest site, *Accipiter cooperi*, 157
Amphispiza bellii, 805-806
A. bilineata, 805-806
Anas aucklandica, 293
Bubo virginianus, 158, 377-378, 612-614
Buteo jamaicensis, 612-614
B. lineatus, 158
B. regalis, 613
B. swainsoni, 613
Centurus carolinus, 371-374
Dendrocopos pubescens, 371-374
D. villosus, 371-374
Dryocopus pileatus, 371-374
Laridae, 98-104
Larus argentatus, 680-682
Melanerpes erythrocephalus, 371-374
Passerculus sandwichensis, 241-242
Phaethon lepturus, 17-20
P. rubricauda, 17-20
Progne subis, 814-815
Pycnonotus jocosus, 50-51
Sphyrapicus varius, 817
Sterna dougallii, 231
S. hirundo, 231
S. hirundo × *S. dougallii*, 228, 231
- Streptopelia decaocto*, 324-326
- Zosterops modesta*, 617
- Nest parasitism, 568-569, 610-611, 805-806
- Nesting, see Breeding
- Nesting synchrony, *Corvus corone*, 779-783
- Nestling period, *Bubulcus ibis*, 116
Passerculus sandwichensis, 242-243
Streptopelia decaocto, 327
- Netta peposaca*, 570
- Nevada, 135, 587-588, 805-806, 6B
- Newfoundland, 584-585, 678-697
- New Hampshire, 160-162, 553-565
- New Jersey, 766-777
- New Mexico, 665-677, 10B
- New York, 58-65, 219-234, 461-492
- Nicticryphes semicollaris*, 570-573
- Nieboer, Ebel, Geographical and ecological differentiation in the genus *Circus* (rev.), 832-833
- Nighthawk, Semicollared, 316
- Night-Heron, Black-crowned, 378-379, 589
Yellow-crowned, 590
- Niles, David M., see Hubbard, John P., and —
- Nipponia nippon*, 15B
- Noble, Robert B., see Hamilton, Robert B., and —
- Noddy, Brown, 369-370
- Nomenclature of, *Rallus elegans*, 166-168
R. longirostris, 166-168
- Nørgaard-Olesen, E., Tanagers. Vol. 1,
Tersinidae. Thraupidae genera 1-16,
vol. 2, Thraupidae genera 17-57
(rev.), 181-183
- Norman, Richard F., and Raleigh J. Robertson, Nest-searching behavior in the Brown-headed Cowbird, 610-611
- North Carolina, 154-157
- North Dakota, 66-80, 446-450
- Northwest Territories, 493-510
- Nothura maculosa*, 574
- Notiochelidon cyanoleuca*, 311, 313, 317
- Nova Scotia, 235-251
- Noyes, John H., and Donald R. Progulske (eds.), Wildlife in an urbanizing environment (rev.), 187-188

- Nukupuu, Kauai, 13B
 Maui, 13B
Numenius americanus, 12B
borealis, 10B
 Nuthatch, Red-breasted, 160–162
 White-breasted, 161, 383, 768, 773
Nyctanassa violacea, 590
Nycticorax nycticorax, 378–379, 589
- Obituary of (see also Memoriam), Courten, Charles Blair, 427
 Dugand, Armando, 210
 Greene, Earle Rosenbury, 646–647
 Johansen, Hans Christian, 644–646
 Murray, Joseph James, 209–210
 Thomas, Ruth Harris, 646
Oceanodroma leucorhoa, 691–694
Odontophorus strophioides, 316
 Ohio, 798–801, 815–817
 Oiling of, *Diomedea melanophris*, 596
Spheniscus magellanicus, 596–597
 Oklahoma, 153, 10B
Olor buccinator, 6B–7B
columbianus, 135
 Olson, Storrs L., An evaluation of the supposed anhinga of Mauritius, 374–376
 Ontario, 333–346, 369, 610–611
 Oo, Kauai, 12B
 Oregon, 162–163, 586–588, 6B, 8B, 11B
 Orientation (see also Migration and —)
Larus argentatus, 655–664
 Oriole, Flame-headed, 595
 Northern, 162–163, 594–595
 Yellow-backed, 312, 314, 319
 Ornithological Society of Japan, Check-list of Japanese birds/fifth and revised edition (rev.), 406–407
 Ornithologists, early American, 607–610
Orthorhynchus cristatus, 512, 516–520
Otus asio, 768
 Ou, 13B
 Owl, Barred, 598–599
 Boreal, 391–392
 Great Horned, 157–159, 377–378, 612–614, 768
 Hawk, 392
 Northern Spotted, 11B
 Saw-whet, 768
- Screech, 768
 Short-eared, 593, 807–808
 Owre, Oscar T., see Carleton, Allison Rand, and —
 Oxpecker, Red-billed, 604–606
 Yellow-billed, 604–606
Oxyura jamaicensis, 153
- Pachyramphus rufus*, 317
 Paganelli, C. V., see Rahn, H., et al.
 Painted Snipe, South American, 570–573
 Paleontology, see Fossils
 Palila, 13B–14B
 Palmer, Ralph S., review by, 186–187; obituary of Hans Christian Johansen, 644–646
Palmeria dolei, 14B
Panyptila cayennensis, 315–316
 Parakeet, Flame-winged, 316
 Parasites, see Diseases and —
 Parasitism, see Cleptoparasitism, Nest parasitism
 Parkes, Kenneth C., reviews by, 178–181, 818–830
 Parnell, James F., and Robert F. Soots, Herring and Great Black-backed Gulls nesting in North Carolina, 154–157
 Parrot, Puerto Rican, 11B
 Parrotbill, Maui, 13B
 Parrotlet, Spectacled, 310, 313, 316
 Parslow, John, Breeding birds of Britain and Ireland (rev.), 177–178
 Partridge, Gray, 377
Parula pityayuma, 315, 318
Parus atricapillus, 160–162, 390–392, 768, 773
bicolor, 383, 768, 773
hudsonicus, 391–392, 768
Passer domesticus, 53, 602–603
Passerculus sandwichensis, 235–251
Passerella iliaca, 581–582
Passerina amoena, 66–80
cyanea, 66–80
 Paxton, Robert O., obituary of Joseph James Murray, 209–210
Pelecanus occidentalis, 649–654
 Pelican, Brown, 649–654
 Pellet formation, *Botaurus lentiginosus*, 787–791
Penelope montagnii, 316

- Penguin, Magellanic, 596-598
- Peppershrike, Rufous-browed, 311, 318
- Perdix perdix*, 377
- Perisoreus canadensis*, 390-392
- Peru, 378-380, 583-584
- Pesticides and pollution, foreign periodical literature on, 639-642
- Pesticides (see also Oiling), *Gymnogyps californianus*, 8B
- Petrel, Black-winged, 592-593
- Giant, 286
- Hawaiian Dark-rumped, 6B
- White-headed, 284
- Petroica traversi*, 15B
- Pettingill, Jr., Olin Sewall, Ornithology at The University of Michigan Biological Station and the birds of the region (rev.), 188; The bird watcher's America (rev.), 627
- Pewee, Eastern Wood, 311, 314, 317, 386
- Phaeomyias murina*, 317
- Phaeornis obscurus myadestinus*, 12B
- obscurus rutha*, 12B
- palmeri*, 12B
- Phaethon aethereus*, 36
- lepturus*, 16-39
- rubericauda*, 16-39
- Phaethornis anthophilus*, 316
- guy*, 310, 316
- Phalacrocorax africanus*, 374-476
- albiventer*, 596
- atriceps*, 596
- auritus*, 553-565
- magellanicus*, 596
- olivaceus*, 596
- Phalarope, Wilson's, 442-451
- Phasianus colchicus*, 768
- Phelps, Jr., William H., Willet breeding in Los Roques archipelago, Venezuela, 164-165
- Pheucticus aureoventris*, 319
- ludovicianus*, 312, 319
- Phoebe, Black, 315, 317, 737-749
- Say's, 741-742
- Phoebetria palpebrata*, 286
- Phylomyias griseiceps*, 311, 314, 317
- Physiology, foreign periodical literature on, 207, 642, 851-852
- Piaya cayana*, 316
- Pica pica*, 606
- Picoides tridactylus*, 391-392
- Piculet, Olivaceous, 310, 314, 316
- Piculus rufolii*, 317
- Picumnus olivaceus*, 310, 314, 316
- Pigeon, Band-tailed, 665-677
- Puerto Rican Plain, 10B-11B
- Piha, Dusky, 317
- Pinicola enucleator*, 391
- Pinkowski, Benedict C., Yearling male Eastern Bluebird assists parents in feeding young, 801-802
- Pintail, 377-378
- Pipit, Paramo, 318
- Pipraeidea melanonota*, 312, 318
- Pipreola riefferii*, 317
- Piranga ludoviciana*, 595
- rubra*, 312, 314, 319
- Pistorius, Alan, Ground-nesting Purple Martins, 814-815
- Pitangus sulphuratus*, 311, 317
- Plegadis chihi*, 128, 135
- Plotus nanus*, 374-376
- Plover, Snowy, 128
- Plumages, see Molts and ——
- Plumeleteer, White-vented, 316
- Pochard, Rosy-billed, 570
- Pollution, see Pesticides and ——
- Polygamy by, *Passerculus sandwichensis*, 240, 245-250
- Progne subis*, 602-604
- Polymorphism, *Chen caerulescens*, 493-510
- Poo Uli, 14B
- Population of, *Acanthis flammea*, 391-392
- A. hornemannii*, 391-392
- Accipiter gentilis*, 391-392
- Aegolius funereus*, 391-392
- Anas aucklandica*, 284
- Buteo jamaicensis*, 732-733
- Corvus corax*, 391-392
- Lagopus lagopus*, 391-392
- Lanius excubitor*, 391-392
- Loxia leucoptera*, 391
- Parus atricapillus*, 391-392
- P. hudsonicus*, 391-392
- Perisoreus canadensis*, 391-392
- Phaethon lepturus*, 18, 20-21
- P. rubricauda*, 18, 20-21
- Picooides tridactylus*, 391-392
- Pinicola enucleator*, 391

- Pycnonotus jocosus*, 43–44, 53–55
 Populations, see Ecology and —
 Population structure, *Aphelocoma coerulescens*, 7–8, 12
 Porter, R. F., Ian Willis, Steen Christensen, and Bent Pors Nielsen, Field identification of European raptors (rev.), 625–626
 Post, William, and Jon S. Greenlaw, Seaside Sparrow displays: their function in social organization and habitat, 461–492
 Prairie Chicken, Attawater's, 134, 9B
 Lesser, 808–810
 Predation by, *Bubo virginianus*, 159, 377–378
Buteo jamaicensis, 11B
Catharacta skua, 286
Coracias benghalensis, 327
Corvus corax, 298–306
C. splendens, 327
Cyanocitta cristata, 53
Falco sparverius, 53
Gavia immer, 611–612
Geococcyx californianus, 147–149
Lanius ludovicianus, 812–814
Larus argentatus, 156, 533, 691–694
L. californicus, 159–160
L. marinus, 156, 684, 691–692
Margarops fuscatus, 11B
Pica pica, 606
 Predation on, *Aethia cristatella*, 533
A. pusilla, 533
Amazona vittata, 11B
Anas acuta, 377–378
A. americana, 159–160
A. aucklandica, 286
Aythya affinis, 159–160
Branta canadensis, 611–612
Buteo lineatus, 159
Fratercula arctica, 691–694
Fulica americana, 377
Larus argentatus, 684, 690–691
Oceanodroma leucorhoa, 691–694
Passer domesticus, 53
Pycnonotus jocosus, 53
Rissa tridactyla, 694
Spheniscus magellanicus, 597–598
Sphyrapicus varius, 817
Streptopelia decaocto, 327
Thalasseus maximus, 156
Uria aalge, 691–694
 Prevett, J. P., see Cooke, F., et al.
Progne subis, 602–604, 814–815
Pseudodacnis hartlaubi, 312–320
Pseudonestor xanthophrys, 13B
Psilorhinus morio, 797, 797–798
Psittirostra bailleui, 13B–14B
 cantans cantans, 13B
 c. ultima, 13B
 psittacea, 13B
 Ptarmigan, Willow, 391–392
Pterodroma hypoleuca, 592–593
 lessoni, 284
phaeopygia sandwichensis, 6B
 Puerto Rico, 129, 10B–11B
 Puffin, Common, 691–694
Puffinus gravis, 146, 394–395
 griseus, 284
puffinus, 145–147
p. nevelli, 6B
Pycnonotus jocosus, 40–57
Pyrocephalus rubinus, 310, 314, 317
Pyrrhomystis cinnamomea, 315, 317
Pyrrhura calliptera, 316

Quiscalus quiscula, 383

 Rahn, H., C. V. Paganelli, and A. Ar, Relation of avian egg weight to body weight, 750–765
 Rail, California Black, 10B
 Lord Howe Wood, 15B
Rallus elegans, 166–168
longirostris, 166–168
l. levipes, 10B
 Ralph, C. John, and L. Richard Mewaldt, Timing of site fixation upon the wintering grounds in sparrows, 698–705
Ramphocelus dimidiatus, 312–321
 Rana, B. D., Breeding biology of the Indian Ring Dove in the Rajasthan Desert, 322–332
 Raven, Common, 298–306, 391–392
Recurvirostra americana, 135
 Redhead, 135, 152–153
 Redpoll, Common, 390–392, 768
 Hoary, 390–392

- Redstart, Slate-throated, 315, 318
- Regenstein, Lewis, The politics of extinction/The shocking story of the world's endangered wildlife (rev.), 838
- Regulations for collecting birds, 16A-21A
- Regulus satrapa*, 161, 768, 773
- Rhoades, Daniel D., and Gary E. Duke, Gastric function in a captive American Bittern, 786-792
- Rhodinicichla rosea*, 319
- Richards, Lawrence P., and Walter J. Bock, Functional anatomy and adaptive evolution of the feeding apparatus in the Hawaiian honeycreeper genus *Loxops* (Drepanidae) (rev.), 176-177
- Richardson, Frank, review by, 176-177
- Ricklefs, Robert E., Ecology (rev.), 170-171
- Rissa tridactyla*, 693-694
- Roadrunner, 147-149
- Robards, Fred, and Allan Taylor, Bald Eagles in Alaska (rev.), 408
- Robertson, Raleigh J., see Norman, Richard F., and ——
- Robin, 768
- Chatham Islands Black, 15B
- Roller, Indian, 327
- Rostrhamus sociabilis*, 380-382, 568-570
- sociabilis plumbeus*, 9B
- Rudegeair, Thomas, The gular pouch of the female White Ibis, 168-169
- Rummel, Lynda, and Charles Goetzinger, The communication of intraspecific aggression in the Common Loon, 333-346
- Russell, Stephen M., see Monson, Gale M., and ——
- Rylander, M. K., On the function of the posterior iliotrochantericus muscle in young whistling ducks (*Dendrocygna autumnalis*), 376-377
- Saltator albicollis*, 312, 314, 319
- Sanderling, 606
- Sandpiper, Pectoral, 570
- Purple, 606-607
- Rufous-necked, 593
- Upland, 128
- Sapsucker, Yellow-bellied, 383, 817
- Saskatchewan, 377-378, 612-614
- Sayornis nigricans*, 315, 317, 737-749
- saya*, 741-742
- Scaup, Lesser, 159-160
- Schemske, Douglas W., Territoriality in a nectar feeding Northern Oriole in Costa Rica, 594-595
- Schmutz, Josef K., and Shelia M. Schmutz, Primary molt in *Circus cyaneus* in relation to nest brood events, 105-110
- Schreiber, Ralph W., Abnormal *Anous stolidus* from Christmas Island, Pacific Ocean, 369-370; Glen E. Woolfenden, and William E. Curtsinger, Prey capture by the Brown Pelican, 649-654
- Scientific collecting of birds, 1A-27A
- Scotland, 779-785
- Seabirds, mortality from gill nets, 126-127
- Sealy, Spencer G., Influence of snow on egg-laying in auklets, 528-538
- Seedeater, Black-and-white, 313, 319
- Dull-colored, 319
- Gray, 312, 319
- Ruddy-breasted, 312, 319
- Yellow-bellied, 312, 319
- Seiurus noveboracensis*, 313, 318
- Selasphorus platycercus*, 82-94
- Sericotes holosericeus*, 511, 516-520
- Serpophaga cinerea*, 311, 317
- Sex ratios, *Aphelocoma coerulescens*, 8-9, 12
- Chen caerulescens*, 501-503
- Streptopelia decaocto*, 327-328
- Seychelles Islands, 615-618
- Shearwater, Greater, 146, 394-395
- Manx, 145-147
- Newell's Manx, 6B
- Sooty, 284
- Shiflett, Wayne A., Ruddy Ground Dove in south Texas, 604; First photographic record of the Brown Jay in the United States, 797
- Shrike, Island Loggerhead, 12B
- Loggerhead, 812-814
- Northern, 391-392
- Sialia sialis*, 265, 768, 798-801, 801-802

- Sicklebill, White-tipped, 310, 316
 Siskin, Andean, 312, 319
 Pine, 161
 Site fixation, *Zonotrichia atricapilla*, 699–705
 Z. leucophrys, 699–705
Sitta canadensis, 160–162
 carolinensis, 161, 383, 768, 773
 Skua, Southern, 286
 Skutch, A. F., The life of the hummingbird (rev.), 397–398
 Slack, Roy S., Effects of prey size on Loggerhead Shrike predation, 812–814
 Small, Arnold, The birds of California (rev.), 405–406
 Snipe, Common, 169
 Snow, D. W., *Laniisoma elegans* in Peru, 583–584
 Snyder, Ron L., Some prey preference factors for a Red-tailed Hawk, 547–552
 Song, see Vocalizations
 Soots, Robert F., see Parnell, James F., and ——
 South Carolina, 14B
 South Dakota, 6B, 10B
 Southern, William E., Longevity records for Ring-billed Gulls, 369
 Sparrow, Amak Song, 14B
 Bachman's, 260–269
 Black-striped, 319
 Black-throated, 805–806
 Chipping, 260–269, 610–611
 Dusky Seaside, 14B
 Field, 260–269, 452–460, 610
 Fox, 581–582
 Golden-crowned, 699–705
 House, 53, 602–603
 Le Conte's, 145
 Rufous-collared, 312, 313, 314, 319, 320
 Sage, 805–806
 San Clemente Sage, 14B
 Santa Barbara Song, 14B–15B
 Savannah, 235–251
 Seaside, 461–492
 Sharp-tailed, 465, 471, 472, 474–475, 477, 479, 480, 489–491
 Smyrna Seaside, 14B
 Song, 239, 610
 Tree, 768, 773
 White-crowned, 581–582, 699–705, 768
Spheniscus magellanicus, 596–598
Sphyrapicus varius, 383, 817
 Spinetail, Ash-browed, 310, 317
 Pale-breasted, 310, 314, 317
 Slaty, 317
Spinus pinus, 161
 psaltria, 312, 313, 319
 spinescens, 312, 319
 tristis, 768
Spizella arborea, 768, 773
 passerina, 260–269, 610–611
 pusilla, 260–269, 452–460, 610
 Spofford, Walter R., review by, 834–835
Sporophila intermedia, 312, 319
 luctuosa, 313, 319
 minuta, 312, 319
 nigricollis, 312, 319
 obscura, 319
 Starling, 768
 Starthroat, Plain-capped, 595
 Steamer-Duck, Flightless, 596
Steganopus tricolor, 442–451
Stelgidopteryx ruficollis, 311, 317
Stellula calliope, 82–93
Sterna albifrons, 143–145, 164
 a. athalassos, 10B
 dougallii, 219–234
 hirundo, 58–65, 156, 160, 219–234
 paradisea, 153–154, 393
 Steyn, Peter, Eagle days (rev.), 834–835
 Stiles, F. Gary, Food supply and the annual cycle of the Anna Hummingbird (rev.), 172–175
 Stilt, Black-necked, 135
 Hawaiian, 10B
 Storm-Petrel, Leach's, 691–694
Streptopelia decaocto, 322–332
Streptoprocne zonaris, 313, 316
Strix occidentalis caurina, 11B
 varia, 598–599
Sturnella magna, 312, 314, 319
Sturnus vulgaris, 768
Sula dactylatra, 601
 leucogaster, 601
 nebouxii, 601–602
 sula, 37, 129, 601
Surnia ulula, 392

- Survival rates, *Diomedea immutabilis*, 433-441
- Swallow, Blue-and-white, 311, 313, 317
Rough-winged, 311, 317
- Swan, Black-necked, 596
Trumpeter, 6B-B
Whistling, 135
- Swift, Lesser Swallow-tailed, 315, 316
White-collared, 313, 316
- Synallaxis albescens*, 310, 314, 317
brachyura, 317
- Tachyeres pteneres*, 596
- Tachyphonus rufus*, 312, 314, 315, 319, 321
- Tangara arthus*, 315, 318
cyanicollis, 312, 314, 315, 318
gyrola, 312, 314, 315, 318
heinei, 312, 314, 315, 319
labradorides, 315, 318
nigroviridis, 315, 319
parzudakii, 318
ruficervix, 315, 318
vassorii, 315, 319
vitriolina, 312, 314, 318, 320-321
xanthocephala, 318
- Tapera naevia*, 315, 316
- Tatum, J. B., Egg volume, 576-580
- Taxonomy and paleontology, foreign periodical literature on, 207-209, 642-644, 852-853
- Taxonomy of, *Rallus elegans*, 166-168
R. longirostris, 166-168
- Teal, Auckland Islands Flightless, 280-297
Cinnamon, 153
- Telmatodytes palustris*, 806-807
- Temperature, egg, *Anas platyrhynchos*, 722-726
- Temperature regulation, *Anas platyrhynchos*, 726-728
- Tennessee, 10B
- Tern, Arctic, 153-154, 393
Common, 58-65, 156, 160, 219-234
Crested, 37
Interior Least, 10B
Least, 143-145, 165
Roseate, 219-234
Royal, 156
- Territoriality, *Ammospiza maritima*, 462-465
- Anas aucklandica*, 291-293
- Eulampis jugularis*, 511-521
- Icterus galbula*, 594-595
- Larus occidentalis*, 272-273, 275-278
- Melanerpes erythrocephalus*, 383
- Orthorhyncus cristatus*, 512, 516-520
- Passerculus sandwichensis*, 236-240, 246-250
- Sayornis nigricans*, 741-742
- Sericotes holosericeus*, 511, 516-520
- Spizella pusilla*, 452-460
- Texas, 260-269, 387-390, 394-395, 602-604, 604, 797, 797-798, 808-810, 9B, 10B
- Thalasseus bergii*, 37
maximus, 156
- Thalurania furcata*, 310, 316
- Thamnophilus multistriatus*, 310, 314, 317
unicolor, 317
- Thomas, Ruth Harris, obituary of, 646
- Thompson, Bruce C., A new prey-pursuit behavior by White-tailed Kites, 395
- Thorpe, W. H., Letter to the editor, 216-218
- Thrasher, Pearly-eyed, 11B
- Thraupis cyanocephala*, 315, 319, 320
episcopus, 312, 314, 319, 320-321
palmarum, 312, 314, 315, 319
- Threlfall, William, see Haycock, Karole, and —
- Thrush, Black-billed, 311, 313-315, 318, 320
Eye-browed, 811
Glossy-black, 313, 315, 318
Large Kauai, 12B
Molokai, 12B
Small Kauai, 12B
Swainson's, 311, 314, 318
- Thrush-Tanager, Rose-breasted, 319
- Thryomanes bewickii leucophrys*, 12B
- Tiaris bicolor*, 312, 319
olivacea, 312, 319
- Tinamou, Spotted, 574
- Titmouse, Tufted, 383, 768, 773
- Todirostrum cinereum*, 311, 314, 317, 320
- Tody-Flycatcher, Common, 311, 314, 317, 320

- Toepfer, John E., see Lynch, Gerry M., and ——
- Tolmomyias sulphurescens*, 317
- Tomback, Diana F., An emetic technique to investigate food preferences, 581–583
- Toucanet, Emerald, 316
- Tree Duck, Black-bellied, 376–377
- Tricholimnas sylvestris*, 158
- Troglodytes aedon*, 163–164, 311, 318
- Tropicbird, Red-billed, 36
Red-tailed, 16–39
White-tailed, 16–39
- Tubbs, Colin R., The buzzard (rev.), 838
- Tunisia, 589
- Turdus ignobilis*, 311, 313–315, 318, 320
merula, 286
migratorius, 768
obscurus, 811
serranus, 313, 315, 318
- Turnstone, Ruddy, 606
- Tympanuchus cupido*, 134
c. attwateri, 9B
pallidicinctus, 808–810
- Tyrannulet, Mouse-colored, 317
Sooty-headed, 311, 314, 317
Torrent, 311, 317
- Tyrannus melancholicus*, 311, 314, 317
- Ulfstrand, Staffan, Gunnar Roos, Thomas Alerstam, and Lars Österdahl, Visible bird migration at Falsterbo, Sweden (rev.), 400–401
- Unland, George, see Arvin, John, et al.
- Uria aalge*, 691–694
lomvia, 126
- Variation in, *Rorhamphus sociabilis*, 380–382
- Venezuela, 164–165
- Veniliornis kirkii*, 310, 314, 317
- Verbeek, Nicolaas A. M., Northern wintering of flycatchers and residency of Black Phoebes in California, 737–749
- Vermivora bachmanii*, 14B
chrysoptera, 315, 318
peregrina, 311, 314, 318, 595
- Violetear, Green, 315, 316, 320
- Sparkling, 310, 316
- Vireo gilvus*, 311, 314, 318
- Virginia, 298–306, 371–374
- Vocalizations of, *Ammospiza caudacuta*, 465, 471, 474–475
A. maritima, 462–475
Anas aucklandica, 286, 291–293
Eudocimus albus, 169
Gavia immer, 335–345
Larus argentatus, 140–143
L. bulleri, 141–142
L. delawarensis, 141–142
Sterna dougallii, 225–228
S. hirundo, 225–228
S. hirundo × *S. dougallii*, 225–228
Zosterops modesta, 616
- Vuilleumier, François, review by, 619–621
- Vulture, Black, 313, 316, 802–803
Turkey, 313, 316
- Wagtail, Gray, 811
- Warbler, Bachman's, 14B
Black-and-white, 315, 318
Blackburnian, 311, 314, 318
Canada, 311, 318
Citrine, 318
Golden-winged, 315, 318
Mourning, 311, 314, 318
Pine, 265
River, 311, 318
Rufous-capped, 311, 318
Russet-crowned, 315, 318, 320
Tennessee, 311, 314, 318, 595
Three-striped, 315, 318
Yellow, 311, 318, 595
Yellow-rumped, 265, 768, 773
- Washington, 135, 6B, 8B
- Waterthrush, Northern, 313, 318
- Water-Tyrant, Pied, 317
- Wattel, Jan, Geographical differentiation in the genus *Accipiter* (rev.), 832–833
- Waxwing, Bohemian, 392
- Weber, William J., Notes on Cattle Egret breeding, 111–117
- Weights and measurements, *Aimophila aestivalis*, 267
Anhinga anhinga, 138
A. grandis, 138
A. nana, 375
Anous stolidus, 369

- Contopus virens*, 386
Empidonax flaviventris, 386
E. minimus, 386
E. traillii, 386
E. virescens, 386
Eulampis jugularis, 513
Heteronetta atricapilla, 566
Laniisoma elegans, 583–584
Larus argentatus, 686–689
Myiarchus cinerascens, 165–166
M. crinitus, 386
Nicticryphes semicollaris, 570–571
Passerina amoena, 75–76
P. cyanea, 75–76
Phaethon lepturus, 17–18
P. rubricauda, 17–18
Phalacrocorax africanus, 375
Puffinus puffinus, 145
 relationship between egg and body weights, 750–765
Rostrhamus sociabilis, 381–382
Spizella passerina, 267
S. pusilla, 267
Sterna hirundo × *S. dougallii*, 220, 222, 230
Streptopelia decaocto, 328–330
 Weller, Milton W., Ecological studies of the Auckland Islands Flightless Teal, 280–297
 Welsh, Daniel A., Savannah Sparrow breeding and territoriality on a Nova Scotia dune beach, 235–251
 Weston, Francis Marion, Memorial, 793–796
 Whip-poor-will, Puerto Rican, 11B
 White-eye, Seychelles, 615–618
 Whitfield, D. W. A., see Houston, C. Stuart, and —
 Wigeon, American, 159–160
 Wiley, James W., Relationships of nesting hawks with Great Horned Owl, 157–159
 Willet, 164–165
 Williams, III, Sartor O., Redhead breeding in the state of Jalisco, Mexico, 152–153
Wilsonia canadensis, 311, 318
 Winkler, Hans, review by, 171–172
 Wisconsin, 105–110, 595–596, 611–612, 807–808, 814–815, 8B
 Wolf, Larry L., Mechanism of feather replacement in a hummingbird, 152; Female territoriality in the Purple-throated Carib, 511–522
 Woodcreeper, Strong-billed, 317
 Woodnymph, Fork-tailed, 310, 316
 Woodpecker, Crimson-mantled, 317
 Downy, 371–374, 768, 773
 Hairy, 371–374, 392, 768
 Ivory-billed, 11B–12B
 Northern Three-toed, 391–392
 Pileated, 371–374
 Red-bellied, 46, 371–374, 768
 Red-crowned, 310, 314, 317
 Red-headed, 371–374, 382–385
 Red-rumped, 310, 314, 317
 Spot-breasted, 310, 317
 Wood Pewee, Western, 737, 743
 Wood-Quail, Gorgeted, 316
 Woodruff, Robert E., see Bierregaard, Jr., Richard O., et al.
 Woodstar, White-bellied, 310, 316
 Wood-Wren, Gray-breasted, 315, 318, 320
 Woolfenden, G. E., Florida Scrub Jay helpers at the nest, 1–15; see Schreiber, Ralph W., et al.
 Wren, Band-backed, 311, 314, 318
 House, 163–164, 311, 318
 Long-billed Marsh, 806–807
 Rufous-naped, 595
 San Clemente, 12B
 Wyoming, 81–97, 6B
 Wystrach, V. P., Ashton Blackburne's place in American ornithology, 607–610
Xiphocolaptes promeropirhynchus, 317
 Yamashina, Yoshimaro, Birds in Japan/A field guide (rev.), 628
 Yom-Tov, Yoram, Synchronization of breeding and intraspecific interference in the Carrion Crow, 778–785
 Zapatka, Thomas P., see Gutiérrez, R. J., et al.
Zenaida auriculata, 316
 macroura, 768

- Zicus, Michael C., Loon predation on a Canada Goose gosling, 611-612
- Zink, Gerhardt, Der Zug europäischer Singvögel. Ein Atlas der Wiederfunde beringter Vogel, part 1 (rev.), 619-621
- Zonotrichia albicollis*, 768
atricapilla, 699-705
capensis, 312, 314, 319, 320
leucophrys, 581-582, 699-705
- Zosterops modesta*, 615-618

DATE OF ISSUE (VOL. 92, No. 4): 29 October 1975