

## INDEX TO VOLUME 100

COMPILED BY JEAN FERNER

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, only scientific names have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Abraham, Kenneth F., C. Davison Ankney, and H. Boyd, Assortative mating by Brant, 201-203  
*Accipiter nisus*, 344-353  
*A. striatus*, 488-490  
*A. superciliosus*, 627  
*Actitis macularia*, 272-284  
Adegoke, A. S., The pattern of migration of Village Weaverbirds (*Ploceus cuculatus*) in southwestern Nigeria, 863-870  
*Aeronautes*, 735  
*Agelaius phoeniceus*, 141, 206-208, 363, 461-467, 830  
Aidley, David J. (Ed.), Animal migration (rev.), 242-243  
*Aimophila ruficeps*, 186  
*A. stolzmanni*, 228  
Ainley, David G., Commentary: Further notes on variation in Leach's Storm-Petrel, 230-233; Gary W. Page, Lisa T. Jones, Lynne E. Stenzel, and Ronald L. LeValley, Beached marine birds and mammals of the North American west coast: a manual for their census and identification (rev.), 255-257; review by, 777  
Ainley, Marianne Gosztonyi, reviews by, 764-766, 790-792, 1016-1017  
*Aix sponsa*, 729-730  
Alaska, 161-167, 214, 440-450, 469-475, 500-501, 560-566, 593-599, 608-619  
Albatross, Wandering, 395-398, 401; Waved, 801-802, 805-806, 808  
Alberta, 25-31, 608  
Aldrich, Thomas W., and Dennis G. Raveling, Effects of experience and body weight on incubation behavior of Canada Geese, 670-679  
*Alectoris chukar*, 33-47  
Ali, Salim, and S. Dillon Ripley, Handbook of the birds of India and Pakistan (rev.), 266  
Alliston, W. George, see Haramis, G. Michael, et al.  
Altruism (see Communal Breeding)  
Amadon, Dean, see Bull, John, and ——  
*Amazilia amabilis*, 627  
*A. saucerrottei*, 627  
*Amazona ochrocephala*, 127  
*Amazonetta brasiliensis*, 220  
American Ornithologists' Union, Award, 268; Proceedings of the One-Hundredth Stated Meeting, 3AA-37AA  
*Ammodramus henslowii henslowii*, 504-505  
*A. h. houstonensis*, 504-505  
*A. h. susurrans*, 504-505  
*A. savannarum*, 106  
*Amphispiza belli*, 186, 828  
*Anas acuta*, 719-721, 950  
*A. americana*, 949-950  
*A. clypeata*, 950  
*A. crecca*, 950  
*A. cyanoptera*, 719-721  
*A. platyrhynchos*, 302-309, 689-696, 719-721, 932-946, 950, 997  
*A. rubripes*, 950, 997  
*A. strepera*, 719, 947-951  
Anatomy and morphology of *Aeronautes*, 735; *Amazona ochrocephala*, 127; *Ammodramus henslowii henslowii*, 504-505; *A. h. houstonensis*, 504-505; *A. h. susurrans*, 504-505; *Apus affinis*, 735-736; *A. apus*, 735; *Aquila chrysaetos*, 399, 401; *Argentavis magnificens*, 390-402; *Attila cinnamomeus*, 100, 102; *Brachypteryx leptosomus*, 132; *Branta bernicla*, 201-202; *B. canadensis*, 401; *Bubalornis albirostris*, 501-504; *Bucco tamatia*, 135; *Buteo jamaicensis*, 161-167; *Caprimulgus cubanensis cubanensis*, 989-990; *C. c. eckmani*, 989-990; *C. c. insulaepinorum*, 989-990; *Carpodacus mexicanus*, 180-186; *Cathartes aura*, 395, 398; *Carthartornis gracilis*, 390; *Centropus ateralbus*, 127; *Colaptes auratus*, 132, 135; *Colius macrourus*, 735; *C. striatus*, 735; *Coracias benghalensis*, 129; *C. garrulus*, 131; *Coragyps atratus*, 395, 398; *Cygnus olor*, 401; *Cymbilaimus lineatus*, 646-648, 650; *C. sanctaemariae*, 646-648, 650; *Cypsiurus*, 735; *Deltarhynchus flammlatus*, 100, 102; *Diomedea exulans*, 395-398, 401; *Ephippiorhynchus senegalensis*, 400; *Fratercula corniculata*, 593-599; *Fulmarus glacialis*, 593-599; *Galbulia dea*, 135; *G. ruficauda*, 127; *Gymnogyps californianus* 393-401; *Gyps fulvus*, 401; *Hirundo pyrrhonota*, 205, 798; *H. rustica*, 205; hybrid of *Icterus chrysater* × *I. mesomelas*, 733-734; hybrid of *Uria aalge* × *U. lomvia*, 236-238; *Hypnelus bicinctus*, 128; *Icterus chrysater*, 733-734; *I. galbula*, 889-892; *I. mesomelas*, 733-734; *Leptoptilos crumeniferus*, 401; *Malacoptila panamensis*, 129, 132; *Manacus manacus*, 740-741; *Meleagris gallopavo*, 401; *Micropanyptila*, 735; *Micropsitta*, 736; *Microrhopias quixensis*, 924-925; *Molothrus aeneus*, 992; *M. armenti*, 992; *M. atter*, 583-591; *Myiarchus cephalotes*, 100; *M. ferox*, 102; *M. oberi*, 102; *M. tuber-*

- culifer*, 100; *Notharchus pectoralis*, 131; *Notiochelidon cyanoleuca*, 203–205; *Oceanodroma leuconota*, 230–232, 593–599; *Otis tarda*, 401; *Oxyruncus cristatus*, 118; *Panyptila*, 735; *Pedionomus torquatus*, 136; *Pharomachrus mocinno*, 291; *Phylloscopus fuscatus*, 995–996; *Piciformes*, 126–133, 134–138; *Pluvialis dominica*, 607–611; *P. fulva*, 607–611; *Pteroptochos megapodus*, 132; *Ramphastos toco*, 127; *Reinarda*, 735; *Rhytipterna immunda*, 100; *R. holerythra*, 102; *Riparia riparia*, 204; *Sarcoramphus papa*, 395, 398; *Selasphorus ardens*, 311–324; *S. flammula*, 311–324; *S. platycercus*, 324; *S. scintilla*, 311–324; *S. simoni*, 311–324; *S. torridus*, 311–324; *S. "underwoodii"*, 321, 324; *Sirystes sibilator*, 100–103; *Spheniscus magellanicus*, 221–223; *Sphyrapicus nuchalis*, 871; *S. ruber*, 871; *S. thyroideus*, 871; *S. varius*, 871; *Steatornis*, 736; *Stelgidopteryx serripennis*, 204; *Stercorarius parasiticus*, 971–973; *Tachornis*, 735; *Tachycineta bicolor*, 204; *Teratornis incredibilis*, 390, 396; *T. merrami*, 390–402; *Tetrao urogallus*, 401; *Thamnophilus doliatus*, 650; *T. multistriatus*, 650; *T. palliatus*, 650; *Trachyphonus darnaudii*, 128, 131; *T. purpuratus*, 129; *Uria aalge*, 236–238; *U. lomvia*, 236–238; *Vultur gryphus*, 395, 398; *Zenaida auriculata*, 912–916; *Z. graysoni*, 911–918; *Z. macroura*, 911–918
- Anatomy and morphology, color polymorphism, 971–973; phalloid organ, 501–504; sex-determination method, 221–223; sperm-storage glands, 593–599; syrinx, 853–860
- Anderson, Richard B., and Irving Richardson (Eds.), Enjoying Maine birds: an aid to finding, studying, and attracting birds in Maine (rev.), 265–266
- Angell, T., and K. C. Balcomb III, Marine birds and mammals of Puget Sound (rev.), 777
- Ankney, C. Davison, see Abraham, Kenneth F., et al.; see Scott, D. M., and —
- Anous minutus*, 623
- Antbird, Bicolored, 624; Chestnut-backed, 626; Ocelated, 624; Spotted, 624; Wing-banded, 627
- Antpitta, Fulvous-bellied, 627; Streak-chested, 624
- Antwren, Checker-throated, 626; Dot-winged, 920–925; White-flanked, 624
- Apapane, 977–978
- Aphanotriccus capitalis*, 627
- Aphriza virgata*, 446
- Apus affinis*, 426, 428, 430, 435, 735  
*A. apus*, 435, 735–736
- Aquila audax*, 631, 633
- A. chrysaetos*, 399, 401, 630–634, 743–746, 747–748
- A. clanga*, 631, 633
- A. heliaca*, 631, 633
- A. pomarina*, 631, 633
- A. rapax*, 631, 633–634
- A. verreauxi*, 631–633
- Ara ambiguus*, 623
- Aratinga finschi*, 627
- Archilochus alexandri*, 828
- Ardea herodias*, 478
- Argentavis magnificens*, 390–402
- Argentina, 220–221, 485–486
- Arizona, 45, 496
- Arkansas, 932–946
- Arnold, Keith A., Eva Jolene Boyd, and Charles T. Collins, Natal and juvenal plumages of the Blue-and-white Swallow (*Notiochelidon cyanoleuca*), 203–205; A new subspecies of Henslow's Sparrow (*Ammodramus henslowii*), 504–505
- Arremon aurantiirostris*, 107
- Atkins, Anselm, Commentary: The capitalization of birds' names, 1003–1004
- Attila cinnamomeus*, 100, 102
- Auklet, Cassin's, 214; Rhinoceros, 979–981
- Aulacorhynchus prasinus*, 289
- Automolus dorsalis*, 651  
*A. melanopezus*, 651
- Aythya affinis*, 950  
*A. americana*, 717–725, 950  
*A. valisineria*, 950
- Baker, Myron Charles, see Tomback, Diana F., et al.
- Balaban, Evan, review by, 1011–1012
- Ball, Gregory F., Functional incubation in male Barn Swallows, 998–1000
- Balph, David F., and Martha Hatch Balph, Commentary: On the psychology of watching birds: the problem of observer-expectancy bias, 755–757
- Balph, Martha Hatch, see Balph, David F., and —
- Banks, Richard C., review by, 1015–1016
- Baptista, Luis F., review by, 782–783; William I. Boarman, and Paraskevas Kandianidis, Behavior and taxonomic status of Grayson's Dove, 907–919
- Barlow, Jon C., Songs of vireos and their allies. Family Vireonidae: vireos, peppershrikes, shrike-vireos, and greenlets (rev.), 520–521
- Barre, Nicolas, and Armand Barau, Oiseaux de la Réunion (rev.), 541–543
- Barth, Edvard K., review by, 259
- Baryphthengus martii*, 623–624
- Beaver, Donald L., see Rabe, Dale L., et al.
- Becard, Black-and-White, 627
- Beczy, Thomas L., Catalogue of the oological collection of the Museum in Oradea (rev.), 267
- Beecher, Michael D., see Stoddard, Philip K., and —
- Bee-eater, Blue-throated, 425–437
- Beehler, Bruce, Frugivory and polygamy in birds of paradise, 1–12; Lek behavior of the Lesser Bird of Paradise, 992–995
- Begon, Michael, and Martin Mortimer, Population ecology: a unified study of animals and plants (rev.), 514–515
- Behavior of *Actitis macularia*, 279–281; *Agelaius phoeniceus*, 461–467; *Aix sponsa*, 730; *Anas platyrhynchos*, 308–309, 997; *A. rubripes*, 997; *A. strepera*, 947–951; *Aquila chrysaetos*, 630–634, 745, 747–748; *Branta bernicla*, 201–202; *B. canadensis*, 670–678; *Bubulcus ibis*, 960–968; *Butorides striatus*, 195–197;

- Calidris alpina*, 440, 443–444; *C. fuscicollis*, 500–501; *C. himantopus*, 440–443; *C. pusilla*, 440, 444, 446; *Caprimulgus cubanensis insulaepinorum*, 990; *Casmerodius albus*, 195–197, 960–968; *Cerorhinca monocerata*, 979–981; *Charadrius alexandrinus*, 22–23; *Chondrohierax uncinatus*, 749–750; *Chordeiles gundlachii*, 986; *C. minor*, 986; *Corvus brachyrhynchos*, 478–479, 482; *C. corax*, 21–23; *Cymbilaimus lineatus*, 649–650; *C. sanctaemariae*, 649–650; *Dendragapus obscurus*, 653–657; *Dendrocygna autumnalis*, 728–729; *Diomedea irrorata*, 806; *Diphyllodes magnificus*, 3–8; *Egretta caerulea*, 960–968; *E. thula*, 195–197, 960–968; *E. tricolor*, 960–968; *Epimachus albertisi*, 3–8; *Falco columbarius*, 489; *F. peregrinus*, 489; *Fringilla coelebs*, 493–495; *Fulmarus glacialis*, 598–599; *Geospiza fortis*, 192–194; *G. scandens*, 192–194; *Haliaeetus leucocephalus*, 477–483; *Himantopus mexicanus*, 997; *Hirundo pyrrhonota*, 797–798; *Larosterna inca*, 806; *Larus argentatus*, 997; *L. atricilla*, 636–643; *L. belcheri*, 806; *L. californicus*, 21–23; *L. delawarensis*, 210–212, 217–220, 997; *L. dominicensis*, 806; *L. glaucescens*, 979–981; *L. heermanni*, 980–981; *L. marinus*, 63–74; *L. modestus*, 806; *L. pipixcan*, 806; *Lophorina superba*, 3–8; *Manacus manacus*, 741; *Manucodia chalybatus*, 3–8; *M. keraudrenii*, 3–8; *Melanerpes formicivorus*, 731–732; *Microrhopias quixensis*, 920–925; *Mimus polyglottos*, 153–156, 403–413, 497–499; *Molothrus ater*, 139–147, 363, 366; *Oceanodroma leucorhoa*, 599; *Oxyruncus cristatus*, 117–124; *Pandion haliaetus*, 489; *Paradisaea minor*, 992–994; *P. raggiana*, 3–8; *P. rudolphi*, 3–8; *Parotia lawesii*, 3–8; *Parus bicolor*, 414–423; *P. major*, 898–905; *Pelecanoides garnoti*, 806; *Pelecanus occidentalis*, 636–643, 682–683, 806; *Phaethon rubricauda*, 953–959; *Phalacrocorax bougainvillii*, 682–683, 806; *P. gaimardi*, 806; *P. olivaceus*, 806; *P. pelagicus*, 980–981; *Pharomachrus mocinno*, 289–294; *Pheucticus melanocephalus*, 105–115; *Phoenicopterus chilensis*, 997; *P. ruber*, 997; *Plegadis falcinellus*, 960–968; *Ploceus cucullatus*, 866–869; *Ptiloris magnificus*, 3–8; *Puffinus griseus*, 806; *Rissa tridactyla*, 469–475; *Rosstratula benghalensis*, 48–54; *Rostrhamus sociabilis*, 84–91, 93–97; *Rynchops niger*, 997–998; *Scolopax minor*, 711–716; *Selasphorus flammula*, 321; *S. scintilla*, 321; *S. simoni*, 321; *S. torridus*, 320–321; *Sirystes sibilator*, 98; *Spheniscus humboldti*, 806; *Stercorarius pomarinus*, 806; *Sterna hirundo*, 1001–1002; *Sula variegata*, 682–683, 806; *Tachyeres leucocephalus*, 485–486; *T. patachonicus*, 485–486; *T. pteneres*, 485–486; *Tyrannus verticalis*, 496; *Uria aalge*, 980–981; *Xema sabini*, 806; *Zenaida graysoni*, 908, 911–912; *Z. macroura*, 908, 911–912; *Zonotrichia leucophrys*, 452–460
- Behavior, activity patterns, 85–86, 153–156, 363, 366, 406–413, 653–657, 921–924, 949–950, 994, 997–998; age-related, 94, 279–280, 421, 636–643, 842, 938–942; agonistic, 65, 67–73, 86, 107–109, 119, 122, 139–147, 155, 217–220, 421–422, 456–457, 471–475, 631, 639, 641, 643, 682–683, 731, 745, 948–951, 986; altruistic (see Communal breeding); antipredator, 497–499, 990, 997–998; bill-tucking, 997–998; breeding, 48–54, 63–74, 99, 105–115, 117–124, 153–156, 192–194, 201–202, 210–212, 217–220, 279–281, 291–294, 308–309, 320–321, 366, 403–413, 440–450, 469–475, 497–499, 500–501, 598–599, 630–634, 653–657, 670–678, 682–683, 728–729, 730, 731–732, 741, 745, 797–798, 911–912, 921–925, 990, 993–994; cannibalistic, 731–732; copulatory, 294, 411–413, 598–599, 921, 993–994; courtship, 52, 54, 122–123, 320–321, 366, 411–413, 440, 500–501, 911–912, 921, 993; defecation, 1001–1002; dominance, 139–147, 366, 471–475, 631, 682–683, 741, 922, 948–951, 994; effect of environment on, 69, 86–90, 192–194, 471, 475, 479–481, 496; feeding, 3–8, 65–66, 72–74, 84–91, 93–97, 98–99, 110, 118–119, 123–124, 155–156, 192–194, 195–197, 217–220, 286–299, 363, 461–467, 471–475, 477–483, 496, 598, 630, 636–643, 673, 676, 711–716, 731–732, 747–748, 800–809, 866–869, 921–925, 948–951, 960–968, 979–981, 1001–1002; feeding aggregation, 118–119; foraging (see Behavior, feeding); forced copulation, 308–309; incubation, 49–53, 64–66, 71, 73, 108–109, 155, 407–413, 670–678, 921, 990; individual distance, 145–146; infanticide, 731–732; interspecific, 139–147, 493–495, 636–643, 682–683, 949–951, 960–968, 979–981, 986; learning, 201–202, 421, 461–467, 493–495, 640–641; lek, 123, 992–994; locomotion, 86–90, 118, 153–154, 440–450, 456, 479, 482, 485–486, 500–501, 749–750, 912, 954; maintenance, 86, 90; mate fidelity, 210–211; mate replacement, 728–729; mating preference, 201–202, 745; movements in the home range, 866–869; nesting, 64–65, 99, 102, 108, 154, 406–413, 497–499, 673, 730, 911–912, 921, 953–959; pair, 52–54, 67–68, 71, 109, 114–115, 122–123, 440, 500–501, 598–599, 747–748, 911–912, 922, 947–951; parental care, 48–54, 63–74, 109, 112–115, 192–194, 217–220, 292–293, 472, 475, 630, 731–732, 797–798, 921–925; preening, 139–147; roosting, 86, 363, 483; sexual differences in, 48–54, 63–74, 293, 420, 500–501, 604–606, 747–748, 921–925, 938–942, 994; site tenacity, 210, 279–281; social, 73, 139–147, 366, 414–423, 568–576, 749–750, 997–998; territorial, 65, 67, 69–72, 110, 119, 121–122, 156, 404–405, 411–413, 421–422, 440–450, 452–460, 653–657, 683, 741, 745, 898–905, 921, 923, 986, 1001–1002; thermoregulatory, 146, 153, 958; vocal, 65–67, 69–73, 98–99, 101, 105–115, 119–123, 320–321, 403–413, 414–423, 440–450, 452–460, 493–495, 500, 568–581, 797–798, 898–905, 908, 911–912
- Beissinger, Steven R., Hunting behavior, prey selection, and energetics of Snail Kites in Guyana: consumer choice by a specialist, 84–92
- Bellbird, Three-wattled, 289
- Bellrose, Frank C., Ducks, geese and swans of North America (rev.), 246–248

- Bentz, Gregory Dean, Myology and histology of the phalloid organ of the Buffalo Weaver (*Bubalornis albirostris*), 501-504
- Bermuda, 212-213
- Bewick, Thomas, Thomas Bewick's birds (watercolors and engravings) (rev.), 515-516
- Bezzel, E., F. Lechner, and H. Ranttl, Arbeitsatlas der Brutvogel Bayerns (rev.), 518-520
- Biebach, Herbert, Genetic determination of partial migration in the European Robin (*Erithacus rubecula*), 601-606
- Biedenweg, Douglas W., Time and energy budgets of the Mockingbird (*Mimus polyglottos*) during the breeding season, 149-160
- Bird of Paradise, Blue, 1-10; Lawes' Six-wired, 1-10; Lesser, 992-994; Loria's, 2; Magnificent, 1-10; Raggiana, 1-10; Superb, 1-10
- Blackbird, Brewer's, 360, 363; European, 106; Red-winged, 141, 206-208, 363, 461-467, 830; Rusty, 141
- Blackshaw, Susan R., review by, 546
- Bluebird, Eastern, 106; Mountain, 362; Western, 362
- Boarman, William I., see Baptista, Luis F., et al.
- Boekelheide, Robert J., see Pyle, Peter B., et al.
- Bohn, Paul W., Sr., A glimpse into the sparkling world of our lovely hummingbirds (rev.), 266-267
- Bolin, Susan B., see Linz, George M., et al.
- Bolivia, 645-646
- Bombycilla cedrorum*, 491-493
- Bonner, John Tyler, The evolution of culture in animals (rev.), 264
- Booby, Blue-footed, 801-802, 805; Peruvian, 680-687, 800-808
- Boyd, Eva Jolene, see Arnold, Keith A., et al.
- Boyd, H., see Abraham, Kenneth F., et al.
- Brachypteryx leptosomus*, 132
- Brachyramphus brevirostris*, 214
- B. marmoratus*, 214
- Bradley, David W., see Bradley, Richard A., and —
- Bradley, Richard A., and David W. Bradley, Co-occurring groups of wintering birds in the lowlands of Southern California, 491-493; review by, 1015-1016
- Brant, 201-202
- Branta bernicla*, 201-202
- B. canadensis*, 401, 670-678
- Braun, Barbara M., and George L. Hunt, Jr., Brood reduction in Black-legged Kittiwakes, 469-476
- Brazil, 220, 645-646
- Breeding of (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site) *Accipiter nisus*, 344-353; *Actitis macularia*, 272-284; *Agelaius phoeniceus*, 206-207, 363; *Aix sponsa*, 729-730; *Anas acuta*, 719-721; *A. cyanoptera*, 719-721; *A. platyrhynchos*, 302-309, 689-696, 719-721; *A. strepera*, 719; *Aquila audax*, 631, 633; *A. chrysaetos*, 630-634, 743-746; *A. clanga*, 631, 633; *A. heliaca*, 631-633; *A. pomarina*, 631, 633; *A. rapax*, 631, 633-634; *A. verrauxi*, 631-633; *Aythya americana*, 717-725; *Branta bernicla*, 201-202; *B. canadensis*, 670-678; *Bubulcus ibis*, 76-82; *Buteo jamaicensis*, 163-166; *Calidris alpina*, 440-450; *C. fuscicollis*, 500-501; *C. himantopus*, 440-450; *C. pusilla*, 440-450; *Caprimulgus cubanensis insulae-pinorum*, 990; *Carduelis psaltria*, 363; *Carpodacus cassini*, 363; *C. purpureus*, 363; *Casmerodus albus*, 76-82; *Catharus guttatus*, 363; *Catherpes mexicanus*, 363; *Certhia americana*, 362; *Charadrius alexandrinus*, 13-23; *Chen caerulescens*, 215-217, 335-342; *C. rossii*, 335-342; *Chordeiles gundlachii*, 983-987; *C. minor*, 983-987; *Collocalia esculenta*, 425-437; *Contopus borealis*, 362; *C. sordidulus*, 362; *Cyanocitta stelleri*, 362; *Dendragapus obscurus*, 653-657; *Dendrocygna autumnalis*, 728-729; *Dendroica coronata*, 360, 362; *D. kirtlandii*, 974-976; *D. occidentalis*, 361-362; *D. petechia*, 362; *Egretta thula*, 76-82; *E. tricolor*, 76-82; *Empidonax hammondi*, 362; *E. oberholseri*, 362; *E. trailii*, 362; *Eudocimus albifrons*, 76-82; *Euphagus cyanocephalus*, 363; *Falco kreyenborgi*, 269-271; *F. peregrinus*, 269-271; *Fratercula corniculata*, 593-599; *Fulmarus glacialis*, 593-599; *Gallus gallus*, 583, 590-591; *Geospiza fortis*, 192-194; *G. scandens*, 192-194; *Haliaeetus leucocephalus*, 631, 633; *Hiernaeetus fasciatus*, 631-633; *H. pennatus*, 631, 633; *Hirundo pyrrhonota*, 795-799; *H. rustica*, 362, 998-1000; *H. tahitica*, 425-437; *Icterus galbula*, 893; *Junco hyemalis*, 363, 367; *Larus atricilla*, 76-82; *L. delawarensis*, 210-212, 217-220, 658-667, 726-727; *L. marinus*, 63-74; *Manacus manacus*, 740-742; *Melanerpes formicivorus*, 731-732; *Melospiza lincolni*, 363; *M. melodia*, 363; *Merops viridis*, 425-437; *Microrhopias quixensis*, 920-925; *Mimus polyglottos*, 149-159, 403-413, 497-499; *Molothrus ater*, 360-368, 583-591; *Myadestes townsendi*, 362; *Nycticorax nycticorax*, 76-82, 699-708; *Oceanodroma leucorhoa*, 230-232, 593-599; *Oporornis tolmieii*, 362; *Oxyruncus cristatus*, 117-124; *Oxyura jamaicensis*, 717-725; *Paradisaea minor*, 992-994; *Parus gambeli*, 362; *Passer domesticus*, 25-31; *Passerella iliaca*, 363; *Passerina amoena*, 363; *Pelecanus occidentalis*, 680-687; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 680-687; *Pharomachrus mocinno*, 291-297; *Pheucticus melanocephalus*, 105-115, 363; *Pipilo chlorurus*, 363; *P. erythrorynchus*, 363; *Piranga ludoviciana*, 363; *Plegadis falcinellus*, 76-82; *Pluvialis dominica*, 615; *P. fulva*, 615; *Regulus satrapa*, 361-362; *Rissa tridactyla*, 469-475; *Rostratula benghalensis*, 48-54; *Selasphorus flammula*, 320-321; *S. scintilla*, 320-321; *S. simoni*, 320-321; *S. torridus*, 320-321; *Sialia currucoides*, 362; *S. mexicana*, 362; *Sirystes sibilator*, 99; *Spinus cucullatus*, 738; *Spizella passerina*, 363; *Stelgidopteryx serripennis*, 362; *Stephanoaetus coronatus*, 631, 633; *Sterna caspia*, 369-379; *S. maxima*, 76-82; *S. sandvicensis*, 76-82; *Sturnus vulgaris*, 926-930; *Sula variegata*, 680-687; *Tachycineta bicolor*, 750-753; *Troglodytes troglodytes*, 362; *Turdus migratorius*, 362; *Tyrannus tyrannus*

- nus*, 326–332; *Vermivora ruficapilla*, 362; *Vireo gilvus*, 361–362, 367; *V. huttoni*, 362; *V. solitarius*, 362; *Wilsonia pusilla*, 363; *Zonotrichia leucophrys*, 56–61, 363, 811–824
- Breeding, energy costs of, 28–31; intraseasonal variation in, 25–31
- Breeding season of *Accipiter nisus*, 345–347; *Anas acuta*, 719; *A. cyanoptera*, 719; *A. platyrhynchos*, 692, 719; *A. strepera*, 719; *Aythya americana*, 718–719; *Charadrius alexandrinus*, 15, 18–20; *Chen caerulescens*, 336; *C. rossii*, 336; *Larus delawarensis*, 659–660, 727; *Manacus manacus*, 741; *Melanerpes formicivorus*, 731–732; *Microrhopias quixensis*, 921; *Mimus polyglottos*, 154, 498; *Molothrus ater*, 360, 364–365, 584–586; *Nycticorax nycticorax*, 701–702; *Oceanodroma leucorhoa*, 232; *Oxyruncus cristatus*, 119; *Oxyura jamaicensis*, 718–719; *Passer domesticus*, 25–31; *Pelecanus occidentalis*, 683; *Phalacrocorax bougainvillii*, 683; *Pharomachrus mocinno*, 294; *Pheucticus melanocephalus*, 105–115; *Pluvialis dominica*, 608, 612; *P. fulva*, 608, 612; *Rostratula benghalensis*, 49–50; *Selasphorus ardens*, 317–318; *S. flammula*, 317–318; *S. scintilla*, 317–318; *S. simoni*, 317–318; *S. torridus*, 317–318; *Spinus cucullatus*, 738; *Sula variegata*, 683; *Zonotrichia leucophrys*, 811
- Breeding success of *Accipiter nisus*, 347; *Actitis macularia*, 273–284; *Aix sponsa*, 730; *Anas acuta*, 719–720; *A. cyanoptera*, 720; *A. platyrhynchos*, 693–694, 719–720; *Aquila chrysaetos*, 744–745; *Aythya americana*, 719–721; *Branta canadensis*, 670–678; *Charadrius alexandrinus*, 16–23; *Chen caerulescens*, 339; *C. rossii*, 339; *Collocalia esculenta*, 426; *Dendrocygna autumnalis*, 728; *Dendroica kirtlandii*, 974–976; *Geospiza fortis*, 192–194; *G. scandens*, 192–193; *Hirundo tahitica*, 426; *Larus delawarensis*, 210–212, 217–220, 660–667; *Merops viridis*, 426; *Mimus polyglottos*, 158; 498; *Molothrus ater*, 364–368; *Nycticorax nycticorax*, 699–708; *Oxyura jamaicensis*, 719–721; *Passer domesticus*, 25–31; *Phaethon rubricauda*, 958; *Pharomachrus mocinno*, 296–297; *Rissa tridactyla*, 471, 475; *Tachycineta bicolor*, 752–753; *Tyrannus tyrannus*, 326–332; *Zonotrichia leucophrys*, 56–61, 811–824
- Breeding success, effects of forced copulation on, 302–309; effects of interference on, 367–368, 694, 745, 823–824; effects of pollutants on, 699–708; intraseasonal variation in, 25–31
- British Columbia, 653–657
- Brown, Leslie H., Emil K. Urban, and Kenneth Newman, The birds of Africa, Vol. 1 (rev.), 1005–1009
- Brown, R. G. B., review by, 249–250
- Bryant, David M., and Christopher J. Hails, Energetics and growth patterns of three tropical bird species, 425–439
- Bubalornis albirostris*, 501–504
- Bubo virginianus*, 829
- Bubulcus ibis*, 76–82, 960–968
- Bucco tamatia*, 135
- Bull, John, and Dean Amadon, In Memoriam: Eugene Eisenmann, 188–191
- Bull, P. C., P. D. Gaze, and C. J. R. J. Robertson, Bird distribution in New Zealand. A provisional atlas 1969–1976 (rev.), 518–520
- Bunn, D. S., A. B. Warburton, and R. D. S. Wilson, The Barn Owl (rev.), 532–535
- Bunting, Lazuli, 363
- Burger, J., review by, 516
- Burns, Jeffrey T., see Cheng, Kimberly M., et al.
- Bustard, Great, 401
- Butcherbird, 107
- Buteo jamaicensis*, 161–167, 478, 554–555
- Butler, Ronald G., and Saskia Janes-Butler, Sexual differences in the behavior of adult Great Black-backed Gulls (*Larus marinus*) during the pre- and post-hatch periods, 63–75
- Butorides striatus*, 195–197
- Byers, Steven M., review by, 547–548
- Cacicus uropygialis*, 625
- Cacique, Scarlet-rumped, 625
- Cairns, D. K., Commentary: Evidence for hybrid murre reconsidered—a comment, 237–238
- Caldwell, Gloria Sullivan, and Roberta Wolff Rubino, Avoidance of venomous sea snakes by native herons and egrets, 195–198
- Calidris alba*, 447–449
- C. alpina*, 283–284, 440, 443–444, 446–450
- C. bairdii*, 446, 448–449
- C. canutus*, 448
- C. ferruginea*, 447, 449
- C. fuscicollis*, 448–449, 500–501
- C. himantopus*, 440–444, 446–450
- C. maritima*, 449
- C. mauri*, 447
- C. minuta*, 447–448
- C. minutilla*, 444, 446–449
- C. ptilocnemis*, 448–449
- C. pusilla*, 440, 444–450
- C. subminuta*, 449
- C. temminckii*, 283–284, 448–449
- California, 13–23, 45, 149–159, 180–186, 355–368, 369–379, 452–460, 491–493, 568–581, 811–824, 826–851, 874, 907–918, 995–996
- Callipepla squamata*, 33–47
- Calls (see Vocalizations)
- Camarhynchus parvulus*, 229
- Campbell, Kenneth E., Jr., and Eduardo P. Tonni, Size and locomotion in teratorns (Aves: Teratornithidae), 390–403
- Canary, 493–495
- Capercaillie, 401
- Caprimulgus cubanensis*, 989–990
- C. c. eckmani*, 989–990
- C. c. insulaepinorum*, 988–991
- C. europaeus*, 106
- Capsiempis flaveola*, 627
- Cardinal, Northern, 107

- Cardinalis cardinalis*, 107  
*Carduelis chloris*, 107  
*C. lawrencei*, 107  
*C. pinus*, 491–493  
*C. psaltria*, 186, 363, 828  
*C. tristis*, 107, 828  
*Carpodacus cassini*, 363, 491–493  
*C. mexicanus*, 180–186, 491–493, 828  
*C. purpureus*, 363, 491–493  
*Casmerodus albus*, 76–82, 195–197, 960–968  
*Cassel*, J. Frank, see Linz, George M., et al.  
*Catbird*, Gray, 106, 170–178  
*Cathartes aura*, 395, 398  
*Cathartornis gracilis*, 390, 396  
*Catharus guttatus*, 363, 491–493, 995  
*C. minimus*, 106  
*C. occidentalis*, 106  
*Catherpes mexicanus*, 362  
*Celeus loricatus*, 627  
*C. spectabilis*, 651  
*Centropus ateralbus*, 127  
*Cercomacra* sp. nov., 651  
*Cerorhinca monocerata*, 979–981  
*Certhia americana*, 362, 491–493  
*Certhidea olivacea*, 226, 229  
*Chachalaca*, Gray-headed, 623; Plain, 623  
*Chaetura cinereiventris*, 627  
*Chaffinch*, 493–495  
*Chalybura urochrysia*, 623  
*Chamaea fasciata*, 106  
*Chang*, James Wanfu, A field guide to the birds of Taiwan (rev.), 546  
*Charadrius alexandrinus*, 13–23  
*C. vociferus*, 854  
*Chasiempis sandwichensis*, 106  
*Cheeseman*, C. L., and R. B. Mitson (Eds.), Telemetric studies of vertebrates (rev.), 545–546  
*Chen caerulescens*, 215–217, 335–342  
*C. rossii*, 335–342  
*Cheng*, Kimberly M., Jeffrey T. Burns, and Frank McKinney, Forced copulation in captive Mallards III. Sperm competition, 302–310  
*Cherry*, Jeffrey D., see Kerlinger, Paul, et al.  
*Chickadee*, Mountain, 362, 491–493  
*China*, 608  
*Chlorothraupis carmioli*, 627  
*Chondrohierax uncinatus*, 749–750  
*Chordeiles acutipennis*, 984–986  
*C. gundlachii*, 983–987  
*C. minor*, 983–987  
*Christmas Island*, 953–959  
*Chukar*, 33–47  
*Cinclus cinclus*, 106  
*C. mexicanus*, 106  
*Circus cyaneus*, 279  
*Cistothorus palustris*, 829  
*Clark*, L., R. E. Ricklefs, and R. W. Schreiber, Nest-site selection by the Red-tailed Tropicbird, 953–959  
*Clutch size of Accipiter nisus*, 347, 349, 351; *Actitis macularia*, 277–278; *Anas platyrhynchos*, 692, 695–696; *Aythya americana*, 718, 723; *Branta canadensis*, 670, 673, 676–677; *Caprimulgus cubanensis insulaepinorum*, 990; *Chen caerulescens*, 215–216, 337–339; *C. rossii*, 337–339; *Chordeiles gundlachii*, 984; *C. minor*, 984; *Collocalia esculenta*, 426; *Dendrocopina autumnalis*, 728; *Gallus gallus*, 591; *Hirundo tahitica*, 426; *Larus delawarensis*, 211, 659–660, 726–727; *Merops viridis*, 426; *Molothrus ater*, 586–591; *Nycticorax nycticorax*, 701–706; *Oxyura jamaicensis*, 718, 723; *Passer domesticus*, 25–31; *Pharomachrus mocinno*, 295; *Rissa tridactyla*, 470–471; *Rostratula benghalensis*, 49; *Tachycineta bicolor*, 751; *Tyrannus tyrannus*, 326–332; *Zonotrichia leucophrys*, 812–815  
*Cnemophilus loriae*, 2  
*Coccothraustes vespertinus*, 836  
*Coccyczus americanus*, 844  
*Colaptes auratus*, 132, 135, 491–493, 828  
*Colinus virginianus*, 33–47  
*Colius macrourus*, 735  
*C. striatus*, 735  
*Collins*, Charles T., see Arnold, Keith A., et al., A reinterpretation of pamprodactyl in swifts: a convergent grasping mechanism in vertebrates, 735–737  
*Collins*, Scott L., Geographic variation in habitat structure of the Black-throated Green Warbler (*Dendroica virens*), 382–389  
*Collocaia esculenta*, 425–437  
*Collopy*, Michael W., Foraging behavior and success of Golden Eagles, 747–749  
*Colombia*, 93–97, 733, 991–992  
*Colonia colonus*, 625  
*Colorado*, 886  
*Columba livia*, 828  
*Colwell*, Robert K., review by, 261–262  
*Commentaries*: The capitalization of birds' names, see Atkins, Anselm; Do Darwin's finches lay small eggs?, see Scott, D. M., and C. Davison Ankney; Evidence for hybrid murre reconsidered, see Sluys, Ronald; Evidence for hybrid murre reconsidered—a comment, see Cairns, D. K.; Further notes on variation in Leach's Storm-Petrel, see Ainley, David G.; On the psychology of watching birds: the problem of observer-expectancy bias, see Balph, David F., and Martha Hatch Balph; On sightings and specimens, see Stiles, F. Gary; The relative size of Darwin's finch eggs, see Grant, P. R.; What systematic method will ornithology adopt?—a reply to Olson (1982), see Cracraft, Joel  
*Communal breeding of Geospiza fortis*, 192–194; *G. scandens*, 192–194; *Melanerpes formicivorus*, 731–732  
*Condor*, Andean, 395; California, 393–401  
*Connors*, Peter G., Taxonomy, distribution, and evolution of golden plovers (*Pluvialis dominica* and *Pluvialis fulva*), 607–620

- Conopias parva*, 625  
*Contopus borealis*, 362  
*C. sordidulus*, 362  
 Cooke, F., and R. Harmsen, Does sex ratio vary with egg sequence in Lesser Snow Geese?, 215–217  
 Cooperative breeding (see Communal breeding)  
*Coracias benghalensis*, 129  
*C. garrulus*, 131  
*Coragyps atratus*, 395, 398  
 Cormorant, Guanay, 680–687, 800–808; Neotropical, 801, 805–808; Pelagic, 980–981; Red-legged, 801–808  
*Corvus brachyrhynchos*, 478–479, 482, 667  
*C. corax*, 16, 21–23, 478–479  
 Costa Rica, 117–124, 286–299, 311–324, 733  
*Coturnix coturnix*, 33–47  
 Cowbird, Bronzed, 991–992; Brown-headed, 139–147, 355–368, 583–591, 974  
 Cracraft, Joel, Commentary: What systematic method will ornithology adopt?—a reply to Olson (1982), 233–236; see Raikow, Robert J., and ———; review by, 523  
*Cracticus* sp., 107  
 Crawford, Robert L., Storrs L. Olson, and Walter Kingsley Taylor, Winter distribution of subspecies of Clapper Rails (*Rallus longirostris*) in Florida with evidence for long-distance and overland movements, 198–200  
 Creeper, Brown, 362, 491–493  
 Crossbill, Red, 107, 491–493, 836; White-winged, 107  
 Crow, Common, 478–479, 482, 667  
 Cruickshank, Allan D., The birds of Brevard County, Florida (rev.), 523–524  
 Cuba, 988–991  
 Cuckoo, Yellow-billed, 844  
 Curry-Lindahl, Kai, Das große Buch vom Vogelzug (rev.), 265; Bird migration in Africa: movements between six continents (rev.), 1009–1010  
 Custer, Thomas W., Gary L. Hensler, and T. Earl Kaiser, Clutch size, reproductive success, and organochlorine contaminants in Atlantic Coast Black-crowned Night-Herons, 699–710  
 Cutright, Paul Russell, and Michael J. Brodhead, Elliott Coues: naturalist and frontier historian (rev.), 245–246  
*Cyanocitta stelleri*, 362  
*Cygnus olor*, 401  
*Cymbilaimus lineatus*, 645–651  
*C. sanctaemariae*, 645–651  
*Cyphorhinus phaeocephalus*, 625  
*Cypsiurus*, 735  
*Cyrtonyx cooki*, 39–40  
*C. montezumae*, 33–47  
  
*Dacnis*, Blue, 625  
*Dacnis cayana*, 625  
*Daption capense*, 801–805  
 Davis, David E. (Ed.), CRC handbook of census methods for terrestrial vertebrates (rev.), 771–772  
  
 Davis, William A., and Stephen M. Russell, Birds in southeastern Arizona (rev.), 518  
*Delichon urbica*, 435–436  
 Delnicki, Don, Mate changes by Black-bellied Whistling Ducks, 728–729  
*Deltarhynchus flammulatus*, 100, 102  
*Dendragapus obscurus*, 653–657  
*Dendrocygna autumnalis*, 220, 728–729  
*D. viduata*, 220  
*Dendroica chrysoparia*, 829  
*D. coronata*, 360, 362, 828  
*D. kirtlandii*, 974–976  
*D. occidentalis*, 361–362  
*D. petechia*, 362  
*D. striata*, 843  
*D. townsendi*, 995  
*D. virens*, 382–387  
 DeSante, David F., and David G. Ainley, The avifauna of the South Farallon Islands, California (rev.), 240–242; Annual variability in the abundance of migrant landbirds of southeast Farallon Island, California, 826–852; see Pyle, Peter B., et al.  
 Diamond, Jared, reviews by, 543–545, 1013–1014  
 Diem, Kenneth L., review by, 547  
*Diomedea exulans*, 395–398, 401  
*D. irrorata*, 801–802, 805–806, 808  
*Diphyloides magnificus*, 1–10  
 Dipper, American, 106; European, 106;  
 Distribution of *Accipiter striatus*, 488–490; *A. superciliosus*, 627; *Actitis macularia*, 284; *Amazilia amabilis*, 627; *A. saucerottei*, 627; ***Ammodramus henslowii houstonensis***, 504–505; *Anas platyrhynchos*, 932–946; *Anous minutus*, 623; *Aphanotriccus capitalis*, 627; *Ara ambiguus*, 623; *Aratinga finschi*, 627; *Baryphthengus martii*, 623–624; *Bombycilla cedrorum*, 491–493; *Buteo jamaicensis*, 161–167; *Cacicus uropygialis*, 625; *Callipepla squamata*, 40–41; ***Caprimulgus cubanensis insulaepinorum***, 989; *Caprimulgus flaveola*, 627; *Carduelis pinus*, 491–493; *Cardodacus cassini*, 491–493; *C. mexicanus*, 491–493; *C. purpureus*, 491–493; *Cathartes aura*, 491–493; *Cathartes guttatus*, 491–493; *Celeus loricatus*, 627; *Certhia americana*, 491–493; *Chaetura cinereiventris*, 627; *Chalybura urochrysia*, 623; *Chlorothraupis carmioli*, 627; *Chordeiles gundlachii*, 983; *C. minor*, 983; *Coccyzus americanus*, 844; *Colaptes auratus*, 491–493; *Colinus virginianus*, 40–41; *Colonia colonus*, 625; *Conopias parva*, 625; *Cymbilaimus lineatus*, 645–646; *C. sanctaemariae*, 645–646; *Cyphorhinus phaeocephalus*, 625; *Dacnis cayana*, 625; *Dendroica kirtlandii*, 974–976; *Eriothacus rubecula*, 602–603; *Euphonia luteicapilla*, 627; *Falco columbarius*, 488–490; *F. femoralis*, 622–623; *F. peregrinus*, 488–490, 560–566; *F. sparverius*, 488–490; *Gampsonyx swainsonii*, 627; *Geotrygon violacea*, 627; *Glaucis aenea*, 627; *Hyloctistes subulatus*, 627; *H. fulviventer*, 627; *H. perspicillatus*, 624; *Hylophilax naevioides*, 624; *Icterus chrysater*, 733–734; *I. galbula*, 885–896; *I. mesomelas*, 733–734; *Ixoreus naevius*, 491–493, 995; *Junco hyemalis*, 491–493;

- landbirds, 826-851; *Leucopernis semiplumbea*, 626; *Lophortyx californicus*, 40-41; *L. gambeli*, 40-41; *Lophotriccus pileatus*, 626; *Loxia curvirostra*, 491-493; *Lurocalis semitorquatus*, 627; *Mesembrinibis cayennensis*, 625-626; *Microbates cinereiventris*, 627; *Mimodes graysoni*, 553-554; *Mimus polyglottos*, 553-554; *Molothrus amenti*, 991-992; *M. ater*, 355-368; *Muscicapa sibirica*, 212-213; *Myiozetetes granadensis*, 626; *Myrmeciza exsul*, 626; *Myrmornis torquata*, 627; *Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Neomorphus geoffroyi*, 627; *Netta erythrophthalma*, 220; *Oreortyx pictus*, 40-41; *Ornalis cinereiceps*, 623; *Oryzoborus maximiliani*, 627; *Oxyruncus cristatus*, 117; *Pachyramphus albogriseus*, 627; *Pandion haliaetus*, 488-490; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Phaeostictus mcleannani*, 624; *Phylloscopus fuscatus*, 995; *Pitylus grossus*, 626; *Pluvialis dominica*, 607-613; *P. fulva*, 607-613; *Rallus longirostris*, 198-200; *Ramphastos swainsonii*, 624; *Regulus calendula*, 491-493; *R. satrapa*, 491-493; *Selasphorus ardens*, 319-320; *S. flammula*, 319-320; *S. scintilla*, 319-320; *S. simoni*, 319-320; *S. torridus*, 319-320; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmea*, 491-493; *Spinus cucullatus*, 738; *Sporophila schistacea*, 626-627; *Sterna caspia*, 369-379; *Tachyphonus delatrii*, 626; *Thraupis palmarum*, 627; *Thryothorus atrogularis*, 627; *T. nigricapillus*, 627; *T. thoracicus*, 627; *Tigrisoma lineatum*, 622; *Turdus migratorius*, 491-493; *Vermivora ruficapilla*, 625; *Xiphorhynchus lachrymosus*, 627; *Zenaida graysoni*, 552-553; *Z. macroura*, 552-553; *Zonotrichia atricapilla*, 843-844; *Z. leucophrys*, 452-460
- Distribution, spatial, 18, 20-23, 121, 335-342, 452-460, 489, 572-574, 579, 653-657, 660, 680-687, 693-695, 740-741
- Diving-Petrel, Peruvian, 801-802, 805-806, 808
- Dod, Anabelle Stockton de, Aves de la Republica Dominicana (rev.), 266
- Dolnik, V. R., Population ecology of the Chaffinch (*Fringilla coelebs*) (rev.), 529-530
- Dolphin, William F., and Daniel McSweeney, Incidental ingestion of Cassin's Auklets by humpback whales, 214
- Doremus, J. H., see Steenhof, K., et al.
- Dove, Mourning, 551-558, 828, 907-919; Rock, 828; Socorro (Grayson's), 551-558, 907-919; Violaceous Quail 627
- Drawe, D. Lynn (Ed.), Proceedings of the first Welder Wildlife Foundation symposium (rev.), 264
- Drymophila devillei*, 651
- Duck, Black, 950, 997; Ruddy, 717-725; Wood, 729-730
- Duffy, David Cameron, Competition for nesting space among Peruvian guano birds, 680-688; The foraging ecology of Peruvian seabirds, 800-810
- Dugand, Armando, and Eugene Eisenmann, Rediscovery of, and new data on, *Molothrus amenti Cabanis*, 991-992
- Dumetella carolinensis*, 106, 170-178
- Dunlin, 283-284, 440, 443-444, 446-450
- Dunning, John S., South American landbirds, a photographic aid to identification (rev.), 775-777
- Dybbro, Tommy, De danske yngle fugles utbredelse (rev.), 518-520
- Eagle, African Hawk, 631-633; Bald, 477-484, 631, 633, 828; Booted, 631, 633; Crowned, 631, 633; Golden, 399, 401, 630-634, 743-746, 747-748; Greater-spotted, 631, 633; Imperial, 631, 633; Lesser-spotted, 631, 633; Tawny, 631, 633-634; Verreaux's, 631-633; Wedge-tailed, 631, 633
- Ecology of *Accipiter nisus*, 349-350; *Actitis macularia*, 272-284; *Anas platyrhynchos*, 689-696, 932-946; *Aquila chrysaetos*, 743-746; *Bombycilla cedrorum*, 491-493; *Brachyramphus brevirostris*, 214; *B. marmoratus*, 214; *Bubulcus ibis*, 960-968; *Calidris alpina*, 283-284; *C. temminckii*, 283-284; *Carduelis pinus*, 491-493; *Carpodacus cassini*, 491-493; *C. mexicanus*, 186, 491-493; *C. purpureus*, 491-493; *Casmerodium albus*, 960-968; *Catharus guttatus*, 491-493; *Cerorhinca monocerata*, 979-981; *Certhia americana*, 491-493; *Charadrius alexandrinus*, 13-23; *Chen caeruleus*, 335-342; *C. rossii*, 335-342; *Colaptes auratus*, 491-493; *Cymbilaimus lineatus*, 649-650; *C. sanctaemariae*, 649-650; *Daption capense*, 801, 805; *Dendragapus obscurus*, 653-657; *Dendroica kirtlandii*, 974-976; *D. virens*, 382-387; *Diomedea irrorata*, 801-802, 805-806, 808; *Egretta caerulea*, 960-968; *E. thula*, 960-968; *E. tricolor*, 960-968; *Erithacus rubecula*, 605-606; *Fratercula corniculata*, 597-599; *Fregata magnificens*, 801; *Fulmarus glacialis*, 597-599; *Haliaeetus leucocephalus*, 477-483; *Ixoreus naevius*, 491-493; *Junco hyemalis*, 491-493; *Larosterna inca*, 801-808; *Larus argentatus*, 214; *L. belcheri*, 801-808; *L. delawarensis*, 658-667; *L. dominicanus*, 801-808; *L. glaucescens*, 980-981; *L. heermanni*, 980-981; *L. modestus*, 801-808; *L. philadelphica*, 214; *L. pipixcan*, 801-808; *Loxia curvirostra*, 491-493; *Manacus manacus*, 739-742; *Mimodes graysoni*, 551-558; *Mimus polyglottos*, 498, 551-558; *Molothrus ater*, 355-368; *Oceanites gracilis*, 801, 805; *O. oceanicus*, 801-803; *Oceanodroma leuconota*, 597-599; *O. markhami*, 801; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Pelecanoides garnoti*, 801-802, 805-806, 808; *Pelecanus occidentalis*, 680-687, 800-808; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 680-687, 800-808; *P. gaimardi*, 801-808; *P. olivaceus*, 801, 805-808; *P. pelagicus*, 980-981; *Phalaropus lobatus*, 214, 801, 805; *Pharomachrus mocinno*, 286-299; *Plegadis falcinellus*, 960-968; *Ploceus cucullatus*, 863-869; *Ptychoramphus aleuticus*, 214; *Puffinus griseus*, 801-808; *Regulus calendula*, 491-493; *R. satrapa*, 491-493; *Rostrhamus sociabilis*, 84-91, 93-97; *Selasphorus ardens*, 322-323; *S. flammula*, 322-323; *S. scintilla*, 322-323; *S. simoni*, 322-323; *S. torridus*, 322-323; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmea*, 491-493; *Spheniscus humboldti*, 801-802, 804-808; *Stereo-*

- rarius pomarinus*, 801–802, 805–806, 808; *Sterna caspia*, 369–379; *S. elegans*, 801–802, 805; *S. lorata*, 801, 805; *S. paradisea*, 804, 806; *S. sandvicensis*, 801, 805; *Sula nebulosus*, 801–802, 805; *S. variegata*, 680–687, 800–808; *Synthliboramphus antiquus*, 214; *Tachycineta bicolor*, 750–753; *Turdus migratorius*, 491–493; *Tyrannus verticalis*, 496; *Uria aalge*, 980–981; *Xema sabini*, 801–808; *Zenaidura graysoni*, 551–558; *Z. macroura*, 551–558; *Zonotrichia leucophrys*, 818–819
- Ecology, breeding communities, 335–342, 680–687; commensal feeding, 214, 477–483, 800–809, 960–968, 979–981; community structure, 335–342, 551–558, 680–687; competition, 341–342, 551–558, 601, 680–687, 695, 941; demography, 17–18, 272–284, 335–342, 818–819; dispersal, 374–376, 378–379, 850, 866–869; habitat partitioning, 556–557, 680–687; habitat selection, 89–90, 291, 299, 335–342, 357–358, 369–379, 382–387, 498, 552–554, 556–558, 649–650, 660, 663–664, 680–687, 750–753, 866–869, 932–946, 953–959, 960–968; migration, 826–851, 974–976; population structure, 17–18, 20, 186, 272–284, 335–342, 349–350, 360–361, 369–379, 602–606, 653–657, 658–667, 739–742, 818–819, 932–946, 974–976; predator-prey relationships, 18, 20–23, 84–91, 93–97, 195–197, 214, 273–279, 282–283, 480, 486, 496, 498, 555–558, 744–745, 751, 805, 971–973, 979–981; seasonal variation, 358–368, 372, 374–375, 605, 689–696, 866–869, 932–946; sex ratio, 273–277, 282–283; territoriality, 272–273, 277, 341, 653–657, 680–687, 739–742, 745–746
- Ectoparasitism (see Diseases and parasites)
- Ecuador, 733
- Edwards, Ernest P., A coded workbook of birds of the world, Vol. 1: non-passerines, second ed. (rev.), 1015–1016
- Edwards, Thomas C., Jr., and Michael W. Collopy, Obligate and facultative brood reduction in eagles: an examination of factors that influence fratricide, 630–635; see Stacey, Peter B., and
- Eggs (descriptions and measurements) of *Aimophila stolzmanni*, 228; *Aquila audax*, 633; *A. chrysaetos*, 633; *A. clanga*, 633; *A. heliaca*, 633; *A. pomarina*, 633; *A. rapax*, 633; *A. verrauxii*, 633; *Bubulcus ibis*, 76–82; *Camarhynchus parvulus*, 229; *Casmerodius albus*, 76–82; *Certhidea olivacea*, 226–227, 229; *Chen caeruleus*, 215–217; *Chordeiles acutipennis*, 984; *C. gundlachii*, 983–984; *C. minor*, 983–984; *Egretta thula*, 76–82; *E. tricolor*, 76–82; *Eudocimus albus*, 76–82; *Geospiza conirostris*, 226–228; *G. difficilis*, 226, 229; *G. fuliginosa*, 229; *G. magnirostris*, 226–228; *Haliaeetus leucocephalus*, 633; *Hieraaetus fasciatus*, 633; *H. pennatus*, 633; *Larus atricilla*, 76–82; *L. delawarensis*, 660–661, 726–727; *Nycticorax nycticorax*, 76–82; *Pharomachrus mocinno*, 295; *Piezorhina cinerea*, 228; *Pipilo erythrrophthalmus*, 226–227; *Platypiza crassirostris*, 228; *Plegadis falcinellus*, 76–82; *Poospiza hispaniolensis*, 228; *Rissa tridactyla*, 471–472; *Sicalis flaveola*, 228; *Spizella passerina*, 226–227; *S. pusilla*, 226–227; *Sporophila peruviana*, 228; *Stephanoaetus coronatus*, 633; *Sterna maxima*, 76–82; *S. sandvicensis*, 76–82; *Sturnus vulgaris*, 926–930; *Volatinia jacarina*, 228; *Zonotrichia albicollis*, 226–227
- Eggs, density, specific gravity, and volume, 633, 660; effect of environment on, 228–229; effect of predation on, 228–229; fertility, 661, 666; laying, 49–51, 344–353, 365, 583–591, 660, 926–930; physiology, 76–82; sequence, 726–727; sex ratio, 215–217, 726–727; temperature, 79–80, 998–1000; water loss from, 78–82
- Egret, Cattle, 76–82, 960–968; Great, 76–82; 195–197, 960–968; Snowy, 76–82, 195–197, 960–968
- Egretta caerulea*, 960–968
- E. thula*, 76–82, 195–197, 960–968
- E. tricolor*, 76–82, 960–968
- Eisenmann, Eugene, Memorial of, 188–191; see Stevenson, Henry M., et al.
- Elepaio, 106
- Elgood, J. H., The birds of Nigeria (rev.), 517–518
- Ellis, David H., Development of behavior in the Golden Eagle (rev.), 254–255; and Cesar Peres Garat, The Pallid Falcon *Falco kreyenborgi* is a color phase of the Austral Peregrine Falcon (*Falco peregrinus cassini*), 269–271
- Elston, Sue F., and William E. Southern, Effects of intraspecific piracy on breeding Ring-billed Gulls, 217–220
- Empidonax euleri*, 651
- E. flaviventris*, 828
- E. hammondi*, 362
- E. oberholseri*, 362
- E. traillii*, 362
- von Ende, Carl N., review by, 514–515
- England, 898–905
- Environment, influence on *Accipiter nisus*, 351; *Anas platyrhynchos*, 689–696, 932–946; *Aquila chrysaetos*, 744–746; *Argentavis magnificens*, 390–391; *Aythya americana*, 721–724; *Buteo jamaicensis*, 166; *Erithacus rubecula*, 605; *Geospiza fortis*, 192–194; *G. scandens*, 192–194; *Haliaeetus leucocephalus*, 479–481; *Icterus galbula*, 893; *Mimus polyglottos*, 551–558; *Nycticorax nycticorax*, 699–708; *Oxyura jamaicensis*, 721–724; *Pelecanus occidentalis*, 682, 687; *Phalacrocorax bougainvillii*, 682, 687; *Rissa tridactyla*, 471, 475; *Rostrhamus sociabilis*, 86–90; *Selasphorus flammula*, 322; *S. simoni*, 322; *S. torridus*, 322; *Sula variegata*, 682, 687; *Tyrannus tyrannus*, 326–332; *T. verticalis*, 496; *Zenaidura macroura*, 551–558; *Zonotrichia leucophrys*, 56–61, 578–579, 814–816, 820
- Environment, influence on breeding, 56–61; breeding success, 56–61; hormones, 56–61; migration, 844–846, 848–850; physiology, 56–61
- Ephippiorhynchus senegalensis*, 400
- Epimachus albertisi*, 1–10

- Erithacus rubecula*, 106, 601–606  
 Erwin, R. Michael, Feeding habits of nesting wading birds: spatial use and social influences, 960–970  
*Eudocimus albus*, 76–82  
*Euphagus carolinus*, 141  
*E. cyanocephalus*, 360, 363  
*Euphonia luteicapilla*, 627  
*Euphonia*, Yellow-crowned, 627  
*Eurynorhynchus pygmeus*, 448–449  
 Evolution of *Alectoris chukar*, 38–42; *Buteo jamaicensis*, 166–167; *Callipepla squamata*, 38–42; *Carpodacus mexicanus*, 185–186; *Colinus virginianus*, 38–42; *Coturnix coturnix*, 38–42; *Cyrtonyx cooki*, 39–40; *C. montezumae*, 38–42; *Hirundo pyrrhonota*, 798–799; *Icterus galbula*, 894–895; *Lophortyx californicus*, 38–42; *L. gambeli*, 38–42; *L. shotwelli*, 39–42; *Oreortyx pictus*, 38–42; *Pharomachrus mocinno*, 298–299; *Phasianus colchicus*, 38–42; *Pluvialis dominica*, 617–619; *P. fulva*, 617–619; *Selasphorus ardens*, 323; *S. flammula*, 323; *S. scintilla*, 323; *S. simoni*, 323; *S. torridus*, 323; *Sphyrapicus nuchalis*, 878–881; *S. ruber*, 878–881; *S. thyroideus*, 878–881; *S. varius*, 878–881; *Tympانuchus pallidicinctus*, 38–42  
 Evolution, clutch size, 634; color polymorphism, 971–973; individual recognition, 798–799; polygamy, 1–2, 8–10; vocalizations, 798–799  
 Ewan, Joseph and Nesta Dunn, A biographical dictionary of Rocky Mountain naturalists (rev.), 267  
  
*Falco columbarius*, 488–490  
*F. femoralis*, 622–623  
*F. kreyenborgi*, 269–271  
*F. peregrinus*, 269–271, 488–490, 560–566, 830  
*F. sparverius*, 488–490  
 Falcon, *Aplomado*, 622–623; *Pallid*, 269–271; *Peregrine*, 269–271, 488–490, 560–566, 830  
 Farber, Paul Lawrence, The emergence of ornithology as a scientific discipline: 1760–1850 (rev.), 764–766  
 Farner, Donald S., see Wingfield, John C., et al.; James R. King, and Kenneth C. Parkes (Eds.), Avian biology, vol. 6 (rev.), 509–511; review by, 507–509  
 Feathers (see Molts and Plumages)  
 Finch, *Cactus*, 192–194; *Cassin's*, 363, 491–493; *Great-billed Seed*, 627; *House*, 180–186, 491–493, 828; *Purple*, 363, 491–493  
 Finch, R., Common ground, a naturalist's Cape Cod (rev.), 516  
 Fitzpatrick, John W., see Lanyon, Wesley E., and —; see Pierpont, Nina, and —  
 Flamingo, Chilean, 997; Greater, 997  
 Fledging success (see Breeding success)  
 Flegg, Jim, Bird of the week (rev.), 267  
 Flicker, Common, 828; Northern, 491–493  
 Florida, 170–178, 198–200, 983–987, 997–998  
 Flycatcher, Dusky, 362; Gray-capped, 106, 626; Hammond's, 362; Olive-sided, 362; Paradise, 106; Si-berian, 212–213; Social, 625; Tawny-chested, 627; White-ringed, 625; Willow, 362; Yellow-bellied, 828  
 Food and feeding habits of *Accipiter nisus*, 344–353; *Agelaius phoeniceus*, 461–467; *Anas acuta*, 950; *A. americana*, 949–950; *A. clypeata*, 950; *A. crecca*, 950; *A. platyrhynchos*, 694–695, 950; *A. rubripes*, 950; *A. strepera*, 947–951; *Aquila chrysaetos*, 747–748; *Ara ambiguia*, 623; *Ardea herodias*, 478; *Argentavis magnificens*, 390–391; *Aulacorhynchus prasinus*, 289; *Aythya affinis*, 950; *A. americana*, 950; *A. valisineria*, 950; *Brachyramphus brevirostris*, 214; *B. marmoratus*, 214; *Branta canadensis*, 673, 676; *Bubulcus ibis*, 960–968; *Buteo jamaicensis*, 478; *Butorides striatus*, 195–197; *Cacicus uropygialis*, 625; *Casmerodus albus*, 195–197, 960–968; *Cathartornis gracilis*, 390–391; *Cerorhinca monocerata*, 979–981; *Corvus brachyrhynchos*, 478–479, 482; *C. corax*, 478–479; *Cymbilaimus lineatus*, 649–650; *C. sanctaemariae*, 649–650; *Dacnis cayana*, 625; *Daption capense*, 801–805; *Diomedea irrorata*, 801–802, 805–806, 808; *Diphylloides magnificus*, 1–10; *Egretta caerulea*, 960–968; *E. thula*, 195–197, 960–968; *E. tricolor*, 960–968; *Epimachus albertisi*, 1–10; *Falco peregrinus*, 565–566; *Fregata magnificens*, 801; *Haliaetus leucocephalus*, 477–483; *Larosterna inca*, 801–808; *Larus argentatus*, 214; *L. atricilla*, 636–643; *L. belcheri*, 801–808; *L. delawarensis*, 217–220; *L. dominicanus*, 801–808; *L. glaucescens*, 478, 980–981; *L. heermanni*, 980–981; *L. marinus*, 65–66, 72–74; *L. modestus*, 801–808; *L. philadelphicus*, 214; *L. pipixcan*, 801–808; *Lophorina superba*, 1–10; *Manucodia chalybatus*, 1–10; *M. keraudrenii*, 1–10; *Mesembrinibis cayennensis*, 625–626; *Microrhopias quixensis*, 922–924; *Mimus polyglottos*, 155–156; *Molothrus ater*, 364–367; *Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Oceanites gracilis*, 801, 805; *O. oceanicus*, 801–803; *Oceanodroma markhami*, 801; *Ornithodoris cinereiceps*, 623; *Oxyruncus cristatus*, 118–119, 123–124; *Paradisaea raggiana*, 1–10; *P. rudolphi*, 1–10; *Parotia lawesi*, 1–10; *Pelecanoides garnoti*, 801–802, 805–806, 808; *Pelecanus occidentalis*, 636–643, 800–808; *Phalacrocorax bougainvillii*, 800–808; *P. gaimardi*, 801–808; *P. olivaceus*, 801, 805–808; *P. pelagicus*, 980–981; *Phalaropus lobatus*, 214, 801, 805; *Pharomachrus mocinno*, 286–299; *Pitylus grossus*, 626; *Plegadis falcinellus*, 960–968; *Ploceus cucullatus*, 866–869; *Procnias tricarunculata*, 289; *Ptiloris magnificus*, 1–10; *Ptychoramphus aleuticus*, 214; *Puffinus griseus*, 801–808; *Rissa tridactyla*, 469–475; *Rostromamus sociabilis*, 84–91, 93–97; *Scolopax minor*, 711–716; *Sirystes sibilator*, 98–99; *Spheniscus humboldti*, 801–802, 804–808; *Sporophila schistacea*, 626–627; *Stercorarius pomarinus*, 801–802, 805–806, 808; *Sterna elegans*, 801–802; *S. lorata*, 801, 805; *S. paradisea*, 804, 806; *S. sandvicensis*, 801, 805; *Sula nebouxii*, 801–802, 805; *S. variegata*, 800–808; *Synthliboramphus antiquus*, 214; *Tachyphonus delatrii*, 626; *Teratornis incredibilis*, 390–391; *T. merriami*, 390–391; *Tyrannus tyran-*

- nus*, 331; *T. verticalis*, 496; *Uria aalge*, 980–981; *Xema sabini*, 801–808
- Foraging (see Food and feeding habits; Behavior, feeding)
- Fossils of *Argentavis magnificens*, 390–402; *Teratornis merriami*, 390–402
- Fratercula corniculata*, 593–599
- Fregata magnificens*, 801
- Friedmann, Herbert, 991
- Frigatebird, Magnificent, 801
- Fringilla coelebs*, 493–495
- Frisch, Johan Dalgas, Aves Brasileiras (rev.), 1021
- Fuller, R. J., Bird Habitats in Britain (rev.), 766–767
- Fulmar, Northern, 593–599
- Fulmarus glacialis*, 593–599
- Gadwall, 719, 947–951
- Galapagos Islands, 192–194
- Galbula dea*, 135
- G. ruficauda*, 127
- Gale, Barry G., Evolution without evidence. Charles Darwin and *The Origin of Species* (rev.), 779–780
- Gallus gallus*, 583
- Gampsomys swainsonii*, 627
- Gardner, Kenneth A., Birds of Oak Hammock Marsh Wildlife Management Area (rev.), 263
- Garrido, Orlando H., A new subspecies of *Caprimulgus cubanensis* (Aves: Caprimulgidae) from the Isle of Pines, Cuba, 988–991
- Gaston, A. J., review by, 547
- Gauch, Hugh G., Jr., Multivariate analysis of community ecology (rev.), 769–770
- Gaunt, Abbot S., An hypothesis concerning the relationship of syrinxal structure to vocal abilities, 853–862
- Gauthreaux, Sidney A., Jr., reviews by, 242–245
- Gehlbach, Frederick R., Mountain islands and desert seas—a natural history of the U.S.-Mexican borderlands (rev.), 525–528
- Genetic variation (see Genetics, genetic variation)
- Genetics of *Alecto chukar*, 33–47; *Callipepla squamata*, 33–47; *Carpodacus mexicanus*, 180–186; *Chordeiles gundlachii*, 986–987; *C. minor*, 986–987; *Colinus virginianus*, 33–47; *Coturnix coturnix*, 33–47; *Cyrtonyx montezumae*, 33–47; *Erythacus rubecula*, 601–606; *Falco kreyenborgi*, 270; *F. peregrinus*, 270; hybrid of *Sphyrapicus nuchalis* × *S. ruber*, 874, 877–878; *Lophortyx californicus*, 33–47; *L. gambelii*, 33–47; *Oreortyx pictus*, 33–47; *Phasianus colchicus*, 33–47; *Sphyrapicus nuchalis*, 871–884; *S. ruber*, 871–884; *S. thyroideus*, 871–884; *S. varius*, 871–884; *Tympanuchus pallidicinctus*, 33–47
- Genetics, gene flow, 166–167, 180, 186, 323, 452–453, 458, 577–578, 894–895; genetic variation, 873–874; migratory behavior, 601–606
- Geographic variation in *Carpodacus mexicanus*, 180–186; *Dendroica virens*, 382–387; *Falco peregrinus*, 560–566; *Icterus galbula*, 885–896; *Manacus manacus*, 739–742; *Mimus polyglottos*, 158–159; *Nycticorax nycticorax*, 701–706; *Oceanodroma leucorhoa*, 230–232; *Selasphorus flammula*, 322; *S. simoni*, 322; *S. torridus*, 322; *Sphyrapicus nuchalis*, 874–876; *S. ruber*, 874–876; *S. thyroideus*, 874–876; *S. varius*, 874–876; *Zonotrichia leucophrys*, 452–460, 568–581, 812–824
- Geographic variation in anatomy, 180–186, 885–896; breeding season, 701–702; breeding success, 813–824; chemical composition of feathers, 560–566; clutch size, 701–706, 812–815; habitat structure, 382–387; molts and plumages, 885–896; mortality and survival, 817, 823–824; vocalizations, 452–460, 568–581
- Geospiza conirostris*, 226, 228
- G. difficilis*, 226, 229
- G. fortis*, 192–194
- G. fuliginosa*, 229
- G. magnirostris*, 226, 228
- G. scandens*, 192–194
- Geothlypis trichas*, 828
- Geotrygon violacea*, 627
- Germany, 601–606
- Gérodet, Paul, Limicoles, Gangas et Pigeons d'Europe (rev.), 795
- Gerrard, Edward C., Instinctive navigation of birds (rev.), 244–245
- Gibson, Dan, Solitudes. Environmental sound experiences (rev.), 549
- Gill, Frank B., review by, 538
- Gill, Robert E., Jr., and L. Richard Mewaldt, Pacific Coast Caspian Terns: dynamics of an expanding population, 369–381
- Glaucis aenea*, 627
- Glutz von Blotzheim, Urs, and Kurt M. Bauer, Handbuch der Vögel Mitteleuropas. Volume 8, Parts I and II. Charadriiformes (Part 3) (rev.), 795
- Gnatwren, Tawny-faced, 627
- Golden Plover, Lesser, 607–619
- Goldfinch, American, 107, 828; Lawrence's, 107; Lesser, 363, 828
- Gooders, John (Ed.), Collins British birds (rev.), 772–775
- Goodwin, Clive E., A bird-finding guide to Ontario (rev.), 1019–1020
- Goodwin, Derek, Estrildid finches of the world (rev.), 782–783
- Goose, Canada, 401, 670–678; Lesser Snow, 215–217, 335–342; Ross', 335–342
- Grackle, Common, 107, 278
- Gradwohl, Judy, see Greenberg, Russell, and —
- Grallina cyanoleuca*, 107
- Grant, Gilbert S., Avian incubation: egg temperature, nest humidity, and behavioral thermoregulation in a hot environment (rev.), 777–779
- Grant, Peter, Commentary: The relative size of Darwin's finch eggs, 228–230; see Price, Trevor, et al.; Gulls. A guide to identification (rev.), 536–537
- Grassquit, Cuban, 106

- Grebe, Pied-billed, 220  
 Greenberg, Russell, and Judy Gradwohl, Sexual roles in the Dot-winged Antwren (*Microrhopias quixensis*), a tropical passerine, 920-925  
 Greenfinch, 107  
 Greenland, 560-566  
 Greenshank, 106  
 Grosbeak, Black-headed, 105-115, 363; Evening, 836; Rose-breasted, 107; Slate-colored, 626  
 Ground-Cuckoo, Rufous-vented, 627  
 Ground-Finch, Medium, 192-194  
 Grouse, Blue, 653-657  
 Grover, Jill J., and Bori L. Olla, The role of the Rhinoceros Auklet (*Cerorhinca monocerata*) in mixed-species feeding assemblages of seabirds in the Strait of Juan de Fuca, Washington, 979-982  
 Growth and development of *Aquila chrysaetos*, 630-634; *Collocalia esculenta*, 425-437; *Hirundo tahitica*, 425-437; *Larus delawarensis*, 661-665, 667; *Merops viridis*, 425-437; *Notiochelidon cyanoleuca*, 203-205; *Rissa tridactyla*, 471-474; *Tachycineta bicolor*, 751-752; *Tyrannus tyrannus*, 326-332  
 Grubb, Thomas G., Jr., review by, 1017-1018  
 Grunstrup-Scott, Judith, see Scott, Thomas W., and —  
 Guatemala, 375-376  
 Gull, Band-tailed, 801-808; Bonaparte's, 214; California, 16, 21-23; Franklin's, 801-808; Glaucous-winged, 478, 979-981; Great Black-backed, 63-74; Grey, 801-808; Heermann's, 980-981; Herring, 214, 997; Kelp, 801-808; Laughing, 76-82, 636-643; Ring-billed, 210-212, 217-220, 658-667, 726-727, 997; Sabine's, 801-808  
 Gutiérrez, R. J., Robert M. Zink, and Suh Y. Yang, Genic variation, systematic, and biogeographic relationships of some galliform birds, 33-47  
 Guyana, 84-91  
*Gymnogyps californianus*, 393-401  
*Gymnopithys leucaspis*, 624  
*Gymnorhina tibicen*, 107  
*Gymnostomus montezuma*, 625  
*Gyps fulvus*, 401  
 Habitat of *Accipiter nisus*, 345; *Actitis macularia*, 273; *Anas platyrhynchos*, 689-696; *Anous minutus*, 623; *Ara ambiguus*, 623; *Baryphthengus martii*, 623-624; *Buteo jamaicensis*, 162; *Cacicus uropygialis*, 625; *Chalybura urochrysia*, 623; *Charadrius alexandrinus*, 14; *Chen caerulescens*, 335-342; *C. rossii*, 335-342; *Colonia colonus*, 625; *Conopias parva*, 625; *Cymbilaimus lineatus*, 645-646, 649-650; *C. sanctaemariae*, 645-646, 649-650; *Cyphorhinus phaeocephalus*, 625; *Dacnis cayana*, 625; *Dendragapus obscurus*, 653; *Dendroica virens*, 382-387; *Diphylloides magnificus*, 2; *Epimachus albirtisii*, 2; *Falco femoralis*, 622-623; hybrid of *Icterus chrysater* × *I. mesomelas*, 734; *Hylopetes perspicillatus*, 624; *Hylophylax naevioides*, 624; *Icterus chrysater*, 734; *I. mesomelas*, 734; *Leucopternis semiplumbea*, 626; *Lophorina superba*, 2; *Lophotriccus pileatus*, 626; *Manacus manacus*, 740; *Manucodia chalybatus*, 2; *M. keraudrenii*, 2; *Mesembriornis cayennensis*, 625-626; *Mimus polyglottos*, 497-499; *Molothrus ater*, 366-367; *Myiozetetes granadensis*, 626; *Myrmeciza exsul*, 626; *Myrmotherula axillaris*, 624; *M. fulviventer*, 624; *Netta erythrophthalma*, 220; *Ornithodoras cinereiceps*, 623; *Oxyruncus cristatus*, 117-118, 120; *Paradisaea raggiana*, 2; *P. rudolphi*, 2; *Parotia lawesi*, 2; *Pelecanus occidentalis*, 680-687; *Phaenostictus mcleannani*, 624; *Phalacrocorax bougainvillii*, 680-687; *Pharomachrus mocinno*, 287; *Pitylus grossus*, 626; *Ploceus cucullatus*, 863-864; *Ptiloris magnificus*, 2; *Ramphastos swainsonii*, 624; *Spinus cucullatus*, 738; *Sporophila schistacea*, 626-627; *Sula variegata*, 680-687; *Tachyphonus delatrii*, 626; *Vermivora ruficapilla*, 625; *Zonotrichia leucophrys*, 578-579, 812, 819  
 Hailman, Jack P., review by, 250-252  
 Hails, Christopher J., see Bryant, David M., and —  
*Haliaeetus leucocephalus*, 477-483, 631, 633, 828  
 Halkin, Sylvia L., Resting birds tuck bills toward outside of group, 997-998  
 Hall, Martin A., see Scolaro, José A., et al.  
 Hamerstrom, Frances, review by, 253-254  
 Haramis, G. Michael, W. George Alliston, and Milo E. Richmond, Dump nesting in the Wood Duck traced by tetracycline, 729-730  
 Hardy, J. W., reviews by, 548-549  
 Harmsen, R., see Cooke, F., and —  
 Harrier, Northern, 279  
 Harris, James T., The Peregrine Falcon in Greenland (rev.), 549  
 Harrison, Colin, An atlas of the birds of the Western Palearctic (rev.), 528-529  
 Hatch, Scott A., Mechanism and ecological significance of sperm storage in the Northern Fulmar with reference to its occurrence in other birds, 593-600  
 Hatching success (see Breeding success)  
 Hatching, timing of, 630-634  
 Hawaii, 977-978  
 Hawk, Harlan's, 161-167; Red-tailed, 161-167, 478, 554-555; Semiplumbeous, 626; Sharp-shinned, 488-490; Tiny, 627  
 Heady, H. F., and E. B. Heady, Range and wildlife management in the Tropics (rev.), 795  
*Hemitriccus flammulatus*, 651  
 Henderson, Robert P., see Pyle, Peter B., et al.  
 Hensler, Gary L., see Custer, Thomas W., et al.  
 Hermit, Bronzy, 627  
 Heron, Great Blue, 478; Green-backed, 195-197; Little Blue, 960-968; Rufescent Tiger, 622; Tricolored, 76-82, 960-968  
*Hieraetus fasciatus*, 631-633  
*H. pennatus*, 631, 633  
 Hildebrand, Milton, Analysis of vertebrate structure (rev.), 523  
*Himantopus mexicanus*, 997

- Himatione sanguinea*, 977-978  
*Hines*, James E., see Nichols, James D., et al.  
*Hirundo pyrrhonota*, 205, 795-799  
*H. rustica*, 205, 362, 435, 998-1000  
*H. tahitica*, 425-437  
*Hoffman*, Wayne, reviews by, 255-257, 536-537, 768-769  
 Home range (see Territory)  
*Honduras*, 621-628  
*Hooper*, James P., review by, 522-523  
*Hummingbird*, Black-chinned, 828; Blue-cheasted, 627; Steely-vented, 627  
*Humphrey*, Philip S., see Livezey, Bradley C., and —  
*Hunt*, George L., Jr., see Braun, Barbara M., and —  
 Hybridization of *Icterus chrysater* × *I. mesomelas*, 733-735; *I. galbula*, 885-896; *Pluvialis dominica* × *P. fulva*, 613-615; *Selasphorus flammula* × *S. scintilla*, 321, 324; *Sphyrapicus nuchalis* × *S. ruber*, 874, 877-878, 880-881; *Uria aalge* × *U. lomvia*, 236-238; *Zenaida graysoni* × *Z. macroura*, 917  
*Hyloctistes subulatus*, 627  
*Hylopezus fulviventris*, 627  
*H. perspicillatus*, 624  
*Hylophylax naevioides*, 624  
*Hypnelus bicinctus*, 128  
*Ibis*, Glossy, 76-82, 960-968; Green, 625-626; White, 76-82  
*Icterus chrysater*, 733-735  
*I. galbula*, 828, 885-896  
*I. mesomelas*, 733-735  
*I. parisorum*, 828  
*Idaho*, 369-379, 630-634, 743-746, 747-748  
*Illinois*, 932-946  
*Immelmann*, Klaus, Introduction to ethology (rev.), 252-253; Wörterbuch der Verhaltensforschung (rev.), 789-790  
 Incubation and incubation period of *Accipiter nisus*, 348-351; *Branta canadensis*, 670-678; *Bubulcus ibis*, 78, 80-82; *Caprimulgus cubanensis insulaepiponorum*, 990; *Casmerodius albus*, 78, 80-82; *Charradrius alexandrinus*, 15-16; *Egretta thula*, 78, 80-82; *E. tricolor*, 78, 80-82; *Eudocimus albus*, 78, 80-82; *Hirundo rustica*, 998-1000; *Larus atricilla*, 78, 80-82; *Larus marinus*, 64-66, 71, 73; *Microrhopias quixensis*, 921; *Minus polyglottos*, 154-159; *Nycticorax nycticorax*, 78, 80-82; *Pharomachrus mocinno*, 294-295; *Plegadis falcinellus*, 78, 80-82; *Rostratula benghalensis*, 49-54; *Sterna maxima*, 78, 80-82; *S. sandvicensis*, 78, 80-82; *Sturnus vulgaris*, 926-930  
*Iowa*, 932-946  
 Islands, biogeography, 180-186, 192-194, 551-558, 739-742, 918, 920-925, 989-991; colonization, 551-558;  
*Ixoreus naevius*, 491-493, 995  
*Jackson*, James F., see Joern, William T., and —  
*Jaeger*, Parasitic, 971-973; Pomarine, 801-802, 805-806, 808  
*James*, Frances C., review by, 766-767  
*Jamieson*, Ian G., and Fred C. Zwickel, Spatial patterns of yearling male Blue Grouse and their relation to recruitment into the breeding population, 653-657  
*Janes-Butler*, Saskia, see Butler, Ronald G., and —  
 —  
*Janovy*, John, Jr., Yellowlegs (rev.), 516-517  
*Japan*, 48-54, 608  
*Jay*, Steller's, 362  
*Jehl*, J. R., Jr., review by, 262-263; and Kenneth C. Parkes, "Replacements" of land bird species on Socorro Island, Mexico, 551-559  
*Joern*, William T., and James F. Jackson, Homogeneity of vegetational cover around the nest and avoidance of nest predation in Mockingbirds, 497-499  
*Johnsgard*, Paul A., Birds of the Great Plains—breeding species and their distribution (rev.), 259-261; Teton wildlife. Observations by a naturalist (rev.), 547  
*Johnson*, Ned K., reviews by, 240-242, 783-785; and Robert M. Zink, Speciation in sapsuckers (*Sphyrapicus*): I. Genetic differentiation, 871-884  
*Jollie*, Malcolm, reviews by, 254-255, 779-780  
*Jorde*, Dennis G., see Krappi, Gary L., et al.  
*Joyner*, David E., Parasitic egg laying in Redheads and Ruddy Ducks in Utah: incidence and success, 717-725  
*Junco hyemalis*, 186, 363, 367, 491-493, 828  
*Junco*, Dark-eyed, 186, 363, 367, 491-493, 828  
*Jussi*, Fred, Voices of Matsalu (rev.), 548  
*Kaiser*, T. Earl, see Custer, Thomas W., et al.  
*Kale*, Herbert W., II, see Snyder, Noel F. R., and —; Editor of Recent Literature, 1A-35A, 1B-27B, 1C-24C, 1D-22D  
*Kandianidis*, Paraskevas, see Baptista, Luis F., et al.  
*Kansas*, 885-896, 932-946  
*Karlin*, Alvan, see Stevenson, Henry M., et al.  
*Karr*, James R., reviews by, 795, 1014-1015  
*Keith*, Stuart, (Chief Ed.), A.B.A. checklist (rev.), 768-769; review by, 520-521  
*Kendeigh*, S. Charles, Bird populations in east central Illinois: fluctuations, variations, and development over a half century (rev.), 770-771; Invertebrate populations of the deciduous forest: fluctuations and relations to weather (rev.), 770-771  
*Kentucky*, 932-946  
*Kerlinger*, Paul, Jeffrey D. Cherry, and Kevin D. Powers, Records of migrant hawks from the North Atlantic Ocean, 488-490  
*Kestrel*, American, 488-490  
*Kilham*, Lawrence, review by, 511-514  
*Kingbird*, Eastern 326-332; Ruby-crowned, 995; Western, 496

- Kinglet, Golden-crowned, 361-362, 491-498; Ruby-crowned, 491-493; 995
- Kite, Hook-billed, 749-750; Pearl, 627; Snail, 84-91, 93-97
- Kittiwake, Black-legged, 469-475
- Kleptoparasitism, 217-220, 636-643, 808
- Klett, Albert T., see Krapu, Gary L., et al.
- Knight, Susan K., and Richard L. Knight, Aspects of food finding by wintering Bald Eagles, 477-484
- Knight, Richard L., see Knight, Susan K., and \_\_\_\_\_
- Knot, Red, 448
- Kochert, M. N., see Steenhof, K., et al.
- Komeda, Shigemoto, Nest attendance of parent birds in the Painted Snipe (*Rostratula benghalensis*), 48-55
- Korea, 608
- Kovacs, Kit M., and John P. Ryder, Reproductive performance of female-female pairs and polygynous trios of Ring-billed Gulls, 658-669
- Krapu, Gary L., reviews by, 246-248, 535-536; Albert T. Klett, and Dennis G. Jorde, The effect of variable spring water conditions on Mallard reproduction, 689-698
- Krebs, J. R., and N. B. Davies, An introduction to behavioural ecology (rev.), 785-787; see Mc Gregor, Peter K., et al.
- Kroodsma, Donald E., review by, 785-787; and David A. Spector, review by, 792
- Lagrenade, Marie-Christine and Pierre Mousseau, Female-female pairs and polygynous associations in a Quebec Ring-billed Gull colony, 210-212
- Lanius ludovicianus*, 106
- Lank, David B., see Oring, Lewis W., et al.
- Lanyon, Wesley E., and John W. Fitzpatrick, Behavior, morphology, and systematics of *Sirystes sibilator* (Tyrannidae), 98-104
- Lark, Magpie, 106
- Larkin, Ronald P., review by, 545-546
- Larosterna inca*, 801-808
- Larus argentatus*, 214, 997
- L. atricilla*, 76-82, 636-643
- L. belcheri*, 801-808
- L. californicus*, 16, 21-23
- L. delawarensis*, 210-212, 217-220, 658-667, 726-727, 997
- L. dominicanus*, 801-808
- L. glaucescens*, 478, 979-981
- L. heermanni*, 980-981
- L. marinus*, 63-74
- L. modestus*, 801-808
- L. philadelphica*, 214
- L. pipixcan*, 801-808
- Laughlin, Sarah B. (Ed.), Proceedings of the northeastern breeding bird atlas conference (rev.), 547-548
- Leaf-gleaner, Striped, 627
- Leahy, Christopher, The birdwatcher's companion: an encyclopedic handbook of North American birdlife (rev.), 1012-1013
- Leptoptilos crumeniferus*, 401
- Leucophaeus semiplumbeus*, 626
- Limicola falcinellus*, 448-449
- Linz, George M., Susan B. Bolin, and J. Frank Cassel, Postnuptial and postjuvenile molts of Red-winged Blackbirds in Cass County, North Dakota, 206-209
- Livezey, Bradley C., and Philip S. Humphrey, Mechanics of steaming in steamer-ducks, 485-488
- Lockley, Ronald M., Flight of the storm petrel (rev.), 1017-1018
- Logan, Cheryl A., Reproductively dependent song cyclicity in mated male Mockingbirds (*Mimus polyglottos*), 403-413
- Lohrer, Fred E., review by, 523-524
- Longevity (see Mortality and Survival)
- Loof, Volker, and Günther Busche (Eds.), Vogelwelt Schleswig-Holsteins. Band 2: Greifvogel (rev.), 530-531
- Lophorina superba*, 1-10
- Lophortyx californicus*, 33-47
- L. gambelii*, 33-47
- L. shotwelli*, 39-40
- Lophotriccus eulophotes*, 651
- L. pileatus*, 626
- Lorenz, Konrad Z., The foundations of ethology (rev.), 252-253
- Louisiana, 497-499, 932-946, 947-951
- Loxia curvirostra*, 107, 491-493, 836
- L. leucoptera*, 107
- Ludwig, Daniel R., review by, 265
- Lurocalis semitorquatus*, 627
- Macaw, Great Green, 623
- Mackworth-Praed, C. W., and C. H. B. Grant, African handbook of birds (rev.), 263
- Maclean, Gordon L., review by, 517-518
- Magpie, Black-backed, 107
- Maine, 63-74, 382-387
- Malacoptila panamensis*, 129, 132
- Malaysia, 425-437
- Mallard, 302-309, 689-696, 719-721, 932-946, 950, 997
- Malurus cyaneus*, 106
- Manacus manacus*, 739-742
- Manakin, White-bearded, 739-742
- Manitoba, 215-217, 440-450
- Manucode, Crinkle-collared, 1-10; Trumpet, 1-10
- Manucodia chalybatus*, 1-10
- M. keraudrenii*, 1-10
- Marcus, Mickey J., Additions to the avifauna of Honduras, 621-629
- Marler, Peter, and J. G. Vandenbergh (Eds.), Handbook of behavioral neurobiology, volume 3: social behavior and communication (rev.), 250-252
- Marquiss, M., see Newton, I., et al.
- Marsh, Richard L., Adaptations of the Gray Catbird

- Dumetella carolinensis* to long distance migration: energy stores and substrate concentrations in plasma, 170-179
- Marti, Carl D., review by, 535-536
- Martin, House, 435-436
- Mason, J. Russell, and Russell F. Reidinger, Jr., Generalization of and effects of pre-exposure on color-avoidance learning by Red-winged Blackbirds (*Agelaius phoeniceus*), 461-468
- Massachusetts, 699-708, 1001-1002
- Mathews, G. V. T., and M. Smart (Eds.), Proceedings of the Second International Swan Symposium, Sapporo, Japan, 21-22 February 1980 (rev.), 1021
- Mating systems of *Actitis macularia*, 272-284; *Cygnalaimus lineatus*, 650; *C. sanctaemariae*, 650; *Dendragapus obscurus*, 653-657; *Dendrocygna autumnalis*, 728-729; *Diphylloides magnificus*, 1-2, 8-10; *Epimachus albirtisi*, 1-2, 8-10; *Larus delawarensis*, 210-212; *Lophorina superba*, 1-2, 8-10; *Manacus manacus*, 739-742; *Manucodia chalybatus*, 1-2, 8-10; *M. keraudrenii*, 1-2, 8-10; *Melanerpes formicivorus*, 731-732; *Mimus polyglottos*, 158; *Oxyruncus cristatus*, 123; *Paradisaea minor*, 992-994; *P. ragiana*, 1-2, 8-10; *P. rudolphi*, 1-2, 8-10; *Parotia lawesii*, 1-2, 8-10; *Ptiloris magnificus*, 1-2, 8-10; *Rostratula benghalensis*, 48-54; *Tachycineta bicolor*, 750-753
- Mating systems, influence of frugivory on, 1-2, 8-10
- Maxson, Stephen J., see Oring, Lewis W., et al.
- May, Robert M. (Ed.), Theoretical ecology: principles and applications (rev.), 261-262
- Mayfield, Harold F., Kirtland's Warbler, victim of its own rarity?, 974-976
- Mayr, Ernst, The growth of biological thought. Diversity, evolution, and inheritance (rev.), 507-509
- McCaffery, Brian J., Breeding flight display in the female White-rumped Sandpiper (*Calidris fuscicollis*), 500-501
- McDowell, Michael K., see Olson, Deanna H., and —
- McFarland, David (Ed.), The Oxford companion to animal behavior (rev.), 1011-1012
- McGillivray, W. Bruce, Intraseasonal reproductive costs for the House Sparrow (*Passer domesticus*), 25-32
- McGregor, Peter K., John R. Krebs, and Laurence M. Ratcliffe, The reactions of Great Tits (*Parus major*) to playback of degraded and undegraded songs: the effect of familiarity with the stimulus song type, 898-906
- McKelvey, Richard W., review by, 1021
- McKinney, Frank, see Cheng, Kimberly M., et al.
- McLandress, M. Robert, Temporal changes in habitat selection and nest spacing in a colony of Ross' and Lesser Snow Geese, 335-343
- McLaren, Ian A., The birds of Sable Island, Nova Scotia (rev.), 242
- McSweeney, Daniel, see Dolphin, William F., and —
- Measurements (see Weights and ——)
- Meininger, Peter L., and Wim C. Mullié, The significance of Egyptian wetlands for wintering waterbirds (rev.), 540-541
- Melanerpes aurifrons*, 625
- M. formicivorus*, 731-732
- Meleagris gallopavo*, 401
- Melospiza lincolni*, 363
- M. melodia*, 186, 363, 995
- Memorial of Eisenmann, Eugene, 188-191
- Merlin, 488-490
- Merops viridis*, 425-437
- Mesembrinibis cayennensis*, 625-626
- Mewaldt, L. Richard, see Gill, Robert E., and —
- Mexico, 180-186, 373-374, 376, 551-558, 636-643, 733
- Michigan, 170-178, 217-220, 712, 974-976
- Microbates cinereiventris*, 627
- Micropanyptila*, 735
- Micropsitta*, 736
- Microrhopias quixensis*, 920-925
- Migration and orientation of *Accipiter striatus*, 488-490; *Agelaius phoeniceus*, 208; *Bombycilla cedrorum*, 491-493; *Buteo jamaicensis*, 164; *Carduelis pinus*, 491-493; *Carpodacus cassini*, 491-493; *C. mexicanus*, 491-493; *C. purpureus*, 491-493; *Catharus guttatus*, 491-493, 995; *Certhia americana*, 491-493; *Coccothraustes vespertinus*, 836; *Coccycus americanus*, 844; *Colaptes auratus*, 491-493; *Dendroica kirtlandii*, 974-976; *D. townsendi*, 995; *D. striata*, 843; *Dumetella carolinensis*, 170-178; *Erithacus rubecula*, 601-606; *Falco columbarius*, 488-490; *F. peregrinus*, 488-490; *F. sparverius*, 488-490; *Ixoreus naevius*, 491-493, 995; *Junco hyemalis*, 491-493; landbirds, 826-851; *Loxia curvirostra*, 491-493, 836; *Melospiza melodia*, 995; *Molothrus ater*, 367; *Muscicapa sibirica*, 212-213; *Nucifraga columbiana*, 836; *Pandion haliaetus*, 488-490; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Phylloscopus fuscatus*, 996; *Ploceus cucullatus*, 863-869; *Pluvialis dominica*, 616-619; *P. fulva*, 616-619; *Rallus longirostris*, 198-200; *Regulus calendula*, 491-493, 995; *R. satrapa*, 491-493; *Selasphorus flammula*, 318; *S. torridus*, 318; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmaea*, 491-493; *Sterna caspia*, 374-376; *Turdus migratorius*, 491-493; *Zonotrichia atricapilla*, 843-844, 995; *Z. leucophrys*, 995
- Milkman, Roger (Ed.), Perspectives on evolution (rev.), 538
- Miller, Edward H., The structure of aerial displays in three species of Calidridinae (Scolopacidae), 440-451
- Millington, Stephen, see Price, Trevor, et al.
- Mimicry in *Fringilla coelebs*, 493-495
- Mimodes graysoni*, 551-558
- Mimus polyglottos*, 106, 149-159, 403-413, 497-499, 551-558, 828
- Mindell, David P., Harlan's Hawk (*Buteo jamaicensis harlani*): a valid subspecies, 161-169

- Minnesota, 272–284, 382–387, 874  
 Mississippi, 932–946  
 Missouri, 932–946  
 Mockingbird, Northern, 106, 149–159, 403–413, 497–499, 551–558, 828; Socorro, 551–558  
*Molothrus aeneus*, 992  
*M. armenti*, 991–992  
*M. ater*, 139–147, 355–368, 583–591, 974  
 Molts and plumages of *Agelaius phoeniceus*, 206–208; *Aquila chrysaetos*, 745; *Caprimulgus cubanensis cubanensis*, 989; *C. c. eckmani*, 989; *C. c. insulaepionorum*, 989; *Chondrohierax uncinatus*, 749–750; *Chordeiles acutipennis*, 985–986; *C. gundlachii*, 984–986; *C. minor*, 984–986; *Cymbilaimus lineatus*, 647–648; *C. sanctaemariae*, 647–648; *Eriothacus rubecula*, 603; *Falco peregrinus*, 269–271, 560–566; *Hirundo pyrrhonota*, 205; *H. rustica*, 205; *Microrhopias quixensis*, 924–925; *Netta erythrophthalma*, 220; *Nothochelidon cyanoleuca*, 203–205; *Pluvialis dominica*, 609–611, 616; *P. fulva*, 609–611, 616; *Riparia riparia*, 204; *Selasphorus ardens*, 317–319; *S. flammula*, 317–319; *S. scintilla*, 317–319; *S. simoni*, 317–319; *S. torridus*, 317–319; *Stelgidopteryx serripennis*, 204; *Tachycineta bicolor*, 204  
*Monasa flavirostris*, 651  
 Monson, Gale, and Allan R. Phillips, Annotated checklist of the birds of Arizona (rev.), 518  
 Montana, 874  
 Montevercchi, W. A., review by, 257–259  
 Montgomery, Robert A., review by, 538–539  
 Moore, Frank R., reviews by, 252–253  
 Moore, Michael C., see Wingfield, John C., et al.  
 Morency, Pierre, Une journée chez les oiseaux (rev.), 792  
 Mortality and survival of *Accipiter nisus*, 349–353; *Actitis macularia*, 279–281; *Aquila chrysaetos*, 630–634; *Charadrius alexandrinus*, 17, 20, 23; *Dendragapus obscurus*, 655–656; *Dendroica kirtlandii*, 974–976; *Eriothacus rubecula*, 605; *Larus delawarensis*, 661–662, 666–667; *Passer domesticus*, 25–31; *Phaethon rubricauda*, 958–959; *Rissa tridactyla*, 471–472, 474–475; *Sterna caspia*, 372; *Zonotrichia leucophrys*, 816, 822–824  
 Motmot, Rufous, 623–624  
 de Moura Lara Resende, Susana, see de Tarso Zúquim Antas, Paulo, and ———  
 Mousseau Pierre, see Lagrenade, Marie-Christine, and ———  
 Mueller, Helmut C., reviews by, 530–531, 789–790  
 Munz, Lucile Thompson, and Nedra G. Sluson, Index to illustrations of living things outside North America (rev.), 795  
 Murphy, Joseph R., review by, 792–794  
 Murphy, Michael T., Clutch size in the Eastern Kingbird: factors affecting nestling survival, 326–334  
 Murray, Bertram G., Jr., review by, 1009–1011  
 Murre, Common, 236–238, 980–981; Thick-billed, 236–238  
 Murrelet, Ancient, 214; Kittlitz's, 214; Marbled, 214  
*Muscicapa sibirica*, 212–213  
 Muse, Corey, and Shirley Muse, The birds and birdlore of Samoa (rev.), 1013–1014  
*Myadestes townsendi*, 362  
*Myiarchus cephalotes*, 100  
*M. ferox*, 102  
*M. oberi*, 102  
*M. tuberculifer*, 100  
*Myiozetetes granadensis*, 106, 626  
*M. similis*, 625  
*Myrmeciza exsul*, 626  
*Myrmornis torquata*, 627  
*Myrmotherula axillaris*, 624  
*M. fulviventris*, 624  
*M. ornata*, 651  
 Nebraska, 932–946  
*Neomorphus geoffroyi*, 627  
 Nest and nest site of *Actitis macularia*, 272–273; *Bubulus ibis*, 78–81; *Casmerodus albus*, 78–81; *Charadrius alexandrinus*, 16, 18, 20–23; *Chen caerulescens*, 337–342; *C. rossii*, 337–342; *Egretta thula*, 78–81; *E. tricolor*, 78–81; *Eudocimus albus*, 78–81; *Hirundo pyrrhonota*, 795–799; *Larus atricilla*, 78–81; *L. delawarensis*, 210, 659–660; *Microrhopias quixensis*, 920; *Mimus polyglottos*, 497–499; *Nycticorax nycticorax*, 78–81; *Pelecanus occidentalis*, 682; *Phaethon rubricauda*, 953–959; *Phalacrocorax bougainvillii*, 682; *Pharomachrus mocinno*, 294–295; *Plegadis falcinellus*, 78–81; *Pluvialis dominica*, 615; *P. fulva*, 615; *Sirystes sibilator*, 99, 102; *Spinus cucullatus*, 738; *Sterna maxima*, 78–81; *S. sandvicensis*, 78–81; *Sturnus vulgaris*, 926–930; *Sula variegata*, 682; *Zonotrichia leucophrys*, 822  
 Nest parasitism, 355–368, 717–725, 729–730  
 Nestling of *Aquila chrysaetos*, 630–634; *Collocalia esculenta*, 425–437; *Hirundo pyrrhonota*, 795–799; *H. tahitica*, 425–437; *Larus delawarensis*, 661–665; *Merops viridis*, 425–437; *Rissa tridactyla*, 469–475; *Tyrannus tyrannus*, 326–332  
*Netta erythrophthalma*, 220  
 Nevada, 369–379, 886  
 New Guinea, 992–994  
 New Hampshire, 382–387  
 New Jersey, 998–1000  
 New Mexico, 45, 731–732, 889  
 Newton, I., M. Marquiss, and A. Village, Weights, breeding, and survival in European Sparrow-hawks, 344–354; review by, 529–530  
 New York, 326–332, 382–387, 729–730  
 Nichols, James D., Kenneth J. Reinecke, and James E. Hines, Factors affecting the distribution of Mallards wintering in the Mississippi Alluvial Valley, 932–946  
 Nicholson, John C., The birds of Manitoulin Island and adjacent islands within Manitoulin District (rev.), 255  
 Nigeria, 863–869

- Nighthawk, Antillean, 983–987; Common, 983–987;  
Short-tailed, 627
- Night-Heron, Black-crowned, 76–82, 699–708
- Nightjar, Cuban, 988–991; European, 106
- Nisbet, I. C. T., Defecation behavior of territorial and nonterritorial Common Terns (*Sterna hirundo*), 1001–1002
- Nohring, Rölf (Ed.), Acta XVII Congressus Internationalis Ornithologici (rev.), 524–525
- Nonnula ruficapilla*, 651
- Norderhaug, M., E. Brun, and G. U. Möllen, Seabird resources of the Barents Sea (rev.), 257–259; Breeding biology of the Little Auk (*Plautus alle*) in Svalbard (rev.), 547
- Nores, Manuel, and Dario Yzurieta, Aves de ambientes acuáticos de Córdoba y Centro de Argentina (rev.), 1018–1019
- North Atlantic, 488–490
- North Carolina, 76–82, 403–413, 414–423, 699–708, 960–968
- North Dakota, 206–208, 689–696
- Northwest Territories, 201–202, 335–342, 608–612
- Notharchus pectoralis*, 131
- Notiochelidon cyanoleuca*, 203–205
- Nucifraga columbiana*, 836
- Nutcracker, Clark's, 836
- Nuthatch, Pygmy, 491–493; Red-breasted, 491–493; White-breasted, 491–493
- Nyctea scandiaca*, 667
- Nycticorax nycticorax*, 76–82, 699–708
- Oceanites gracilis*, 801, 805
- O. oceanicus*, 801–803
- Oceanodroma leucorhoa*, 230–232, 593–599
- O. markhami*, 801
- O'Connor, Raymond J., review by, 772–775
- Ohio, 139–147, 461–467
- Ohmart, Robert D., review by, 518
- Oklahoma, 887–896
- Olendorff, Richard R., A. Dean Miller, and Robert N. Lehman, Suggested practices for raptor protection on power lines: the state of the art in 1981 (rev.), 263
- Olla, Bori L., see Grover, Jill J., and ——
- Olson, Deanna H., and Michael K. McDowell, A comparison of White-bearded Manakin (*Manacus manacus*) populations and lek systems in Suriname and Trinidad, 739–742
- Olson, Storrs L., see Crawford, Robert L., et al.; Evidence for a polyphyletic origin of the Piciformes, 126–133; A hybrid between the orioles *Icterus chrysater* and *I. mesomelas*, 733–735
- O'Neill, John P., review by, 780–782
- Ontario, 583–591, 658–667, 726–727, 750–753, 887, 974–976
- Opornis tolmiei*, 362
- Oregon, 372–373, 874
- Oreortyx pictus*, 33–47
- Orians, Gordon H., review by, 767–768
- Orientation (See Migration and ——)
- Oring, Lewis W., David B. Lank, and Stephen J. Maxson, Population studies of the polyandrous Spotted Sandpiper, 272–285
- Oriole, Northern, 828, 885–896; Scott's, 828; Yellow-backed, 733–735; Yellow-tailed, 733–735
- Oropendola, Montezuma, 625
- Ornithodoris cinereiceps*, 623
- O. vetula*, 623
- Oryzoborus maximiliani*, 627
- Osprey, 488–490
- Osteology of *Argentavis magnificens*, 390–402; *Teratornis merriami*, 390–402
- Otis tarda*, 401
- Owl, Great Horned, 829; Snowy, 667
- Oxyruncus cristatus*, 117–124
- Oxyura jamaicensis*, 717–725
- Pachyramphus albogriseus*, 627
- Paganelli, Charles V., see Vleck, Carol Masters, et al.
- Page, Gary W., Lynne E. Stenzel, David W. Winkler, and Christopher W. Swarth, Spacing out at Mono Lake: breeding success, nest density, and predation in the Snowy Plover, 13–24
- Paleontology (see Fossils)
- Panama, 195–197, 319–320, 733, 920–925
- Pandion haliaetus*, 488–490
- Panyptila*, 735
- Papp, J., and Zs. Réthy, Bibliographia ornithologica hungarica (rev.), 267
- Papua New Guinea, 1–12
- Paradisaea minor*, 992–994
- P. raggiana*, 1–10
- P. rudolphi*, 1–10
- Parakeet, Crimson-fronted, 627
- Parasitism (see Nest parasitism; see also Kleptoparasitism)
- Parker, Theodore A., III, review by, 775–777
- Parkes, Kenneth C., see Jehl, Joseph R., Jr., and ——
- Parmelee, David F., Bird Island in Antarctic waters (rev.), 248–249; reviews by, 515–516, 521–522
- Parotia lawesi*, 1–10
- Parrish, Jimmie R., David T. Rogers, Jr., and F. Prescott Ward, Identification of natal locales of Peregrine Falcons (*Falco peregrinus*) by trace-element analysis, 560–567
- Parus bicolor*, 414–423
- P. caeruleus*, 436
- P. gambeli*, 362, 491–493
- P. major*, 436, 898–905
- Passer domesticus*, 25–31, 141, 436, 828
- Passerculus sandwichensis*, 186
- Passerella iliaca*, 363, 491–493
- Passerina amoena*, 363
- Patterson, I. J., The Shelduck: a study in behavioural ecology (rev.), 760–762
- Patterson, Thomas L., see Petrinovich, Lewis, and ——

- Paulson, Dennis R., Flocking in the Hook-billed Kite, 749-750
- Paulus, Stuart L., Dominance relations, resource use, and pairing chronology of Gadwalls in winter, 947-952
- Pedionomus torquatus*, 136
- Pelecanoides garnoti*, 801-802, 805-806, 808
- Pelecanus occidentalis*, 636-643, 680-687, 800-808
- Pelican, Brown, 636-643, 680-687, 800-808
- Penguin, Humboldt, 801-802, 804-808; Magellanic, 221-223
- Pennsylvania, 140-147, 926-930
- Perdeck, A. C., and C. Clason, Some results of water-fowl ringing in Europe (rev.), 539-540
- Peres Garat, Cesar, see Ellis, David H., and ———
- Peru, 98-103, 645-651, 680-687, 733, 800-809
- Pesticides (see Pollutants)
- Petersen, Peter C. (Ed.), Birding areas in Iowa (rev.), 264
- Petrel, Cape, 801, 805
- Petrinovich, Lewis, and Thomas L. Patterson, The White-crowned Sparrow: reproductive success (1975-1980), 811-825
- Pettingill, Olin Sewall, Jr., review by, 794
- Pewee, Western Wood, 362
- Phaeostictus mcleannani*, 624
- Phaethon rubricauda*, 953-959
- Phainopepla nitens*, 828
- Phainopepla*, 828
- Phalacrocorax bougainvillii*, 680-687, 800-808
- P. gaimardi*, 801-808
- P. olivaceus*, 801, 805-808
- P. pelagicus*, 980-981
- Phalarope, Red-necked, 214, 801, 805
- Phalaropus lobatus*, 214, 801, 805
- Pharomachrus mocinno*, 286-299
- Phasianus colchicus*, 33-47
- Pheasant, Ring-necked, 33-47
- Pheucticus ludovicianus*, 107
- P. melanocephalus*, 105-115, 186, 363
- Phillips, David, and Hugh Nash (Eds.), The condor question: captive or forever free? (rev.), 239-240
- Phoenicopterus chilensis*, 997
- P. ruber*, 997
- Phylloscopus fuscatus*, 995-996
- Physiology of *Accipiter nisus*, 344-353; *Anas platyrhynchos*, 302-309; *Apus affinis*, 426, 428, 430, 435; *A. apus*, 435; *Branta canadensis*, 670-678; *Collocalia esculenta*, 427-437; *Delichon urbica*, 435-436; *Dumetella carolinensis*, 170-178; *Himatione sanguinea*, 977-978; *Hirundo rustica*, 435; *H. tahitica*, 427-437; *Merops viridis*, 427-437; *Mimus polyglottos*, 149-159; *Parus caeruleus*, 436; *Passer domesticus*, 436; *Riparia riparia*, 435-436; *Rostrhamus sociabilis*, 90; *Sturnus vulgaris*, 436; *Zonotrichia leucophrys*, 56-61
- Physiology, egg-laying, 344-353; energy cost of activities, 90, 149-159, 344-353, 429-431, 436; flight, 149-159; forced copulation, 302-309; growth, 427-437; hormones, 56-61; incubation, 149-159, 670-678; metabolism, 149-159, 427-437, 977-978; migration, 170-178; nutrient reserves, 56-61, 170-178, 344-353, 677; temperature regulation, 153, 429, 431, 436; water balance, 427-428; water loss from eggs, 76-82
- Pierpont, Nina, and John W. Fitzpatrick, Specific status and behavior of *Cymbilaimus sanctaemariae*, the Bamboo Antshrike, from southwestern Amazonia, 645-652
- Piezorhina cinerea*, 228
- Pintail, Northern, 719-721, 950
- Pipilo aberti*, 107
- P. chlorurus*, 363
- P. erythrorthalmus*, 186, 226, 363
- P. fuscus*, 106
- Piranga flava*, 828
- P. ludoviciana*, 363
- Pitylus grossus*, 626
- Platyspiza crassirostris*, 228
- Plegadis falcinellus*, 76-82, 960-968
- Ploceus cucullatus*, 863-869
- Ploger, Bonnie J., see Schnell, Gary D., et al.
- Plover, Snowy, 13-23
- Plumages (see Molts and ———)
- Plumeleteer, Bronze-tailed, 623
- Pluvialis dominica*, 607-619
- P. fulva*, 607-619
- Pochard, South American, 220
- Podilymbus podiceps*, 220
- Poecilotriccus albifacies*, 651
- Pollutants, 699-708
- Polyandry (see Mating systems)
- Polygamy (see Mating systems)
- Polygyny (see Mating systems)
- Poospiza hispaniolensis*, 228
- Power, Dennis M., Variability in island populations of the House Finch, 180-187; (Ed.), The California islands: proceedings of a multidisciplinary symposium (rev.), 783-785
- Powers, Kevin D., see Kerlinger, Paul, et al.
- Prairie Chicken, Lesser, 33-47
- Prater, A. J., Estuary birds of Britain and Ireland (rev.), 262-263
- Predation by *Circus cyaneus*, 279; *Corvus brachyrhynchos*, 667; *C. corax*, 16, 21-22; *Larus californicus*, 16, 21-22; *Nyctea scandiaca*, 667; *Quiscalus quiscula*, 278
- Predation on *Actitis macularia*, 273-274, 278-279; *Charadrius alexandrinus*, 16, 22-23; *Chen caerulescens*, 340; *C. rossii*, 340; *Dendragapus obscurus*, 655-656; *Larus delawarensis*, 667; *Mimodes graysoni*, 555-558; *Mimus polyglottos*, 157-158, 497-499; *Pharomachrus mocinno*, 296-297; *Tyrannus tyrannus*, 329; *Zenaida graysoni*, 555-558; *Zonotrichia leucophrys*, 816-818, 821-824
- Price, Trevor, Stephen Millington, and Peter Grant, Helping at the nest in Darwin's finches as misdirected parental care, 192-194
- Prince, Harold H., see Rabe, Dale L., et al.
- Procnias tricarunculata*, 289

- Pteroptochos megapodus*, 132  
*Ptiloris magnificus*, 1-10  
*Ptychoramphus aleuticus*, 214  
Puerto Rico, 737-739  
Puffin, Horned, 593-599  
*Puffinus griseus*, 801-808  
Pulich, Warren M., Birds of Tarrant County, second edition (rev.), 264-265  
Pygmy-Tyrant, Scale-crested, 626  
Pyle, Peter B., David F. DeSante, Robert J. Boekelheide, and Robert P. Henderson, A Dusky Warbler (*Phylloscopus fuscatus*) on Southeast Farallon Island, California, 995-996
- Quail, Bobwhite, 33-47; California, 33-47; Common, 33-47; Gambel's, 33-47; Montezuma, 33-47; Mountain, 33-47; Scaled, 33-47  
Québec, 210-212, 974-976  
Quetzal, Resplendent, 286-299  
Quinney, Terry E., Tree Swallows cross a polygyny threshold, 750-754  
*Quiscalus quiscula*, 107, 278
- Rabe, Dale L., Harold H. Prince, and Donald L. Beaver, Feeding-site selection and foraging strategies of American Woodcock, 711-716  
Raffaele, Herbert A., The raising of a ghost—*Spinus cucullatus* in Puerto Rico, 737-739  
Rahn, Hermann, see Vleck, Carol Masters, et al.  
Raikow, Robert J., and Joel Cracraft, Monophyly of the Piciformes: a reply to Olson, 134-138  
Rail, Clapper, 198-200  
*Rallus longirostris*, 198-200  
*Ramphastos sulfuratus*, 624  
*R. swainsonii*, 624  
*R. toco*, 127  
*Ramphotrigon megacephala*, 651  
Ratcliffe, Laurence M., see McGregor, Peter K., et al.  
Ratti, J. T., L. D. Flake, and W. A. Wentz (Compilers), Waterfowl ecology and management: selected readings (rev.), 535-536  
Raveling, Dennis G., see Aldrich, Thomas W., and —; review by, 760-762  
Raven, Common, 16, 21-23, 478-479  
Redhead, 717-725  
*Regulus calendula*, 491-493, 995  
*R. satrapa*, 361-362, 491-493  
Reidinger, Russell F., Jr., see Mason, J. Russell, and —  
*Reinarda*, 735  
Reinecke, Kenneth J., see Nichols, James D., et al.  
*Rhipidura leucophrys*, 106  
Rhode Island, 699-708  
*Rhytipterna holerythra*, 102  
*R. immunda*, 100  
Richmond, Milo E., see Haramis, G. Michael, et al.  
Ricklefs, Robert E., Brewster Award, 268; and Cynthia A. Smeraski, Variation in incubation period within a population of the European Starling, 926-931; see Clark, L., et al.
- Riflebird, Magnificent, 1-10  
Ringelman, James K., reviews by, 539-541  
*Riparia riparia*, 204, 435-436  
van Riper, Charles III, see Weathers, Wesley W., et al.
- Rising, J. D., The progress of oriole hybridization in Kansas, 885-897  
*Rissa tridactyla*, 469-475  
Ritchison, Gary, The function of singing in female Black-headed Grosbeaks (*Pheucticus melanocephalus*): family-group maintenance, 105-116  
Ritter, Lyman V., see Verner, Jared, and —  
Robin, American, 106, 362, 491-493, 829; European, 106, 601-606; Mountain, 289  
Robinson, William L., Fool hen: the Spruce Grouse on the Yellow Dog Plains (rev.), 253-254  
Rogers, David T., Jr., see Parrish, Jimmie R., et al.  
Rohwer, Sievert, Formalizing the avoidance-image hypothesis: critique of an earlier prediction, 971-974  
*Rostratula benghalensis*, 48-54  
*Rostrhamus sociabilis*, 84-91, 93-97  
Rubinoff, Roberta Wolff, see Caldwell, Gloria Sullivan, and —  
Russell, Stephen M., review by, 525-528  
Ryder, John P., reviews by, 242, 255; see Kovacs, Kit M., and —; Sex ratio and egg sequence in Ring-billed Gulls, 726-728  
*Rynchops niger*, 997
- Salomonsen, Finn, Ornithological and ecological studies in S.W. Greenland (59°46'–62°27'N Lat.) (rev.), 249-250; The seabirds of Greenland (rev.), 257-259  
Sanderling, 447-449  
Sanderson, Glen C. (Ed.), Management of migratory shore and upland game birds in North America (rev.), 538-539  
Sandpiper, Baird's, 446, 448-449; Broad-billed, 448-449; Buff-breasted, 488; Curlew, 447, 449; Least, 444, 446-449; Purple, 449; Rock, 448-449; Semipalmated, 440, 444, 450; Spoon-billed, 448-449; Spotted, 272-284; Stilt, 440-444, 446-450; Western, 447; White-rumped, 448-449, 500-501  
Sapsucker, Red-breasted, 871-884; Red-naped, 871-884; Williamson's, 871-884; Yellow-bellied, 871-884  
*Sarcoramphus papa*, 395, 398  
Sauer, Gordon C., John Gould. The bird man. A chronology and bibliography (rev.), 1016-1017  
Savage, C. (Ed.), Pheasants in Asia 1979. Proceedings of the First International Symposium on Pheasants in Asia, Kathmandu, Nepal, 21-23 November 1979 (rev.), 263-264  
Schnell, Gary D., Barbara L. Woods, and Bonnie J. Ploger, Brown Pelican foraging success and kleptoparasitism by Laughing Gulls, 636-644

- Schreiber, Ralph W., reviews by, 509-511, 794; see Clark, L., et al.
- Schroeder, Donna J., and R. Haven Wiley, Communication with shared song themes in Tufted Titmice, 414-424
- Schultz, Thomas D., Opportunistic foraging of Western Kingbirds on aggregations of tiger beetles, 496-497
- Scolaro, José A., Martin A. Hall, and Isaías M. Ximénez, The Magellanic Penguin (*Spheniscus magellanicus*): sexing adults by discriminant analysis of morphometric characters, 221-224
- Scolopax minor*, 711-716
- Scotland, 344-353
- Scott, D. A., A preliminary inventory of wetlands of international importance for waterfowl in west Europe and northwest Africa (rev.), 541
- Scott, D. M., and C. Davison Ankney, Commentary: Do Darwin's finches lay small eggs?, 226-227; and C. Davison Ankney, The laying cycle of Brown-headed Cowbirds: passerine chickens?, 583-592
- Scott, Jack Denton, Orphans from the sea (rev.), 794-795
- Scott, Thomas W., and Judith Grumstrup-Scott, Why do Brown-headed Cowbirds perform the head-down display?, 139-148
- Seedeater, Slate-colored, 626-627; Variable, 106
- Selasphorus ardens*, 311-324
- S. flammula*, 311-324
- S. platycercus*, 324
- S. scintilla*, 311-324
- S. simoni*, 311-324
- S. torridus*, 311-324
- S. "underwoodii"*, 321, 324
- Serinus canaria*, 493-495
- Sharpbill, Costa Rican, 117-124
- Shearwater, Sooty, 801-808
- Shields, William M., Philopatry, inbreeding, and the evolution of sex (rev.), 767-768
- Short, Lester L., Woodpeckers of the world (rev.), 511-514
- Shrike, Loggerhead, 106
- Sialia currucoides*, 362
- S. mexicana*, 362
- S. sialis*, 106
- Siberia, 608-619
- Sicalis flaveola*, 228
- Sicklebill, Black-billed, 1-10
- Simoxenops ucayalae*, 651
- Sirystes, 98-103
- Sirystes sibilator*, 98-103
- Siskin, Pine, 491-493; Red, 737-739
- Sitta canadensis*, 491-493
- S. carolinensis*, 491-493
- S. pygmea*, 491-493
- Skimmer, Black, 997
- Skutch, Alexander F., Birds of tropical America (rev.), 1014-1015
- Slater, P. J. B., Chaffinch imitates Canary song elements and aspects of organization, 493-495
- Sluys, Ronald, Commentary: Evidence for hybrid murre reconsidered, 236-237
- Smeraski, Cynthia A., see Ricklefs, Robert E., and —
- Smith, Kimberly G., reviews by, 769-771
- Smithe, Frank B., Naturalist's color guide part III (rev.), 521-522
- Snipe, Painted, 48-54
- Snow, D. W., The cotingas (rev.), 780-782
- Snyder, Noel F. R., and Herbert W. Kale, II, Mollusk predation by Snail Kites in Colombia, 93-97
- Solitaire, Townsend's, 362
- Song (see Vocalizations)
- Sonograms of *Calidris alpina*, 445-446; *C. himantopus*, 441-443; *C. pusilla*, 447-449; *Charadrius vociferus*, 854; *Cymbilaimus lineatus*, 649; *C. sanctaemariae*, 649; *Fringilla coelebs*, 494; *Hirundo pyrrhonota*, 797; *Oxyruncus cristatus*, 119; *Parus bicolor*, 415-418; *P. major*, 900; *Pheucticus melanocephalus*, 108; *Serinus canaria*, 494; *Zenaida graysoni*, 909-910; *Z. macroura*, 909-910; *Zonotrichia leucophrys*, 454, 572, 854
- South Dakota, 874, 932-946
- Southern, Linda Kinkel, reviews by, 264
- Southern, William E., Editor of Reviews, 239-267, 507-549, 760-795, 1005-1021; reviews by, 263-267, 549, 794-795, 1012-1013; see Elston, Sue F., and —
- Sparrow, Chipping, 363; Fox, 363, 491-493; Golden-crowned, 843-844, 995; Grasshopper, 106; Henslow's, 504-505; House, 25-31, 141, 436, 828; Lincoln's, 363; Orange-billed, 107; Sage, 828; Song, 363, 995; White-crowned, 56-61, 106, 363, 452-460, 568-581, 811-824, 995
- Sparrowhawk, European, 344-353
- Spector, David A., see Kroodsma, Donald E., and —
- Spheniscus humboldti*, 801-802, 804-808
- S. magellanicus*, 221-223
- Sphyrapicus nuchalis*, 871-884
- S. ruber*, 871-884
- S. thyroideus*, 871-884
- S. varius*, 871-884
- Spinus cucullatus*, 738
- Spizella passerina*, 186, 226, 363
- S. pusilla*, 226
- Sporophila aurita*, 106
- S. peruviana*, 228
- S. schistacea*, 626-627
- Stacey, Peter B., and Thomas C. Edwards, Jr., Possible cases of infanticide by immigrant females in a group-breeding bird, 731-733
- Starling, European, 436, 926-930
- Steamer-Duck, Flying, 485-486; Magellanic Flightless, 485-486; White-headed Flightless, 485-486
- Steatornis*, 736
- Steenhof, K., M. N. Kochert, and J. H. Doremus,

- Nesting of subadult Golden Eagles in southwestern Idaho, 743-747
- Stelgidopteryx serripennis*, 204, 362
- Stenzel, Lynne E., see Page, Gary W., et al.
- Stephanoaetus coronatus*, 631, 633
- Stercorarius parasiticus*, 971-973
- S. pomarinus*, 801-802, 805-806, 808
- Sterling, Keir B., review by, 245-246
- Sterna caspia*, 369-379
- S. elegans*, 801-802
- S. hirundo*, 1001-1002
- S. lorata*, 801, 805
- S. maxima*, 76-82
- S. paradisaea*, 804, 806
- S. sandvicensis*, 76-82, 801, 805
- Stevenson, Henry M., Eugene Eisenmann, Chester Winegarner, and Alvan Karlin, Notes on Common and Antillean nighthawks of the Florida Keys, 983-988
- Stiles, F. Gary, Commentary: On sightings and specimens, 225-226; Systematics of the southern forms of *Selasphorus* (Trochilidae), 311-325; and Bret Whitney, Notes on the behavior of the Costa Rican Sharpbill (*Oxyruncus cristatus frater*), 117-125
- Stilt, Black-necked, 997
- Stint, Little, 447-448; Long-toed, 449; Temminck's, 283-284, 448-449
- Stoddard, Philip K., and Michael D. Beecher, Parental recognition of offspring in the Cliff Swallow, 795-799
- Stork, Marabou, 401; Saddle-billed, 400
- Storm-Petrel, Elliot's, 801, 805; Leach's, 230-232, 593-599; Markham's, 801; Wilson's, 801-803
- Sturnus vulgaris*, 436, 926-930
- Sula nebouxii*, 801-802, 805
- S. variegata*, 680-687, 800-808
- Surfbird, 446
- Suriname, 739-742
- Sutherland, Patricia, The pet bird handbook (rev.), 256
- Swallow, Bank, 435-436; Barn, 362, 998-1000; Blue-and-White, 203-205; Cliff, 795-799; Northern Rough-winged, 362; Pacific, 425-437; Tree, 750-753
- Swan, Mute, 401
- Swarth, Christopher W., see Page, Gary W., et al.
- Swift, Gray-rumped, 627; House, 426, 428, 430, 435
- Swiftlet, White-bellied, 425-437
- Synthliboramphus antiquus*, 214
- Tachornis*, 735
- Tachycineta bicolor*, 204, 750-753
- Tachyeres leucocephalus*, 485-486
- T. patachonicus*, 485-486
- T. pteneres*, 485-486
- Tachyphonus delatrii*, 626
- Tanager, Carmiol's, 627; Hepatic, 828; Palm, 627; Tawny-crested, 626; Western, 363
- de Tarso Zuquim Antas, Paulo, and Susana de Moura Lara Resende, First record of the South American Pochard in central Brazil, 220-221
- Taxonomy of *Alectoris chukar*, 42-43; *Ammodramus henslowii henslowii*, 504-505; *A. h. houstonensis*, 504-505; *A. h. susurrans*, 504-505; *Aphriza virgata*, 446; *Argentavis magnificens*, 390-391; *Buteo jamaicensis*, 161-167; *Calidris alba*, 447-449; *C. alpina*, 446-450; *C. bairdii*, 446, 448-449; *C. canutus*, 448; *C. ferruginea*, 447, 449; *C. fuscicollis*, 448-449; *C. himantopus*, 446-450; *C. maritima*, 449; *C. mauri*, 447; *C. minuta*, 447-448; *C. minutilla*, 446-449; *C. ptilocnemis*, 448-449; *C. pusilla*, 446-450; *C. subminuta*, 449; *C. temminckii*, 448-449; *Callipepla squamata*, 42-43; *Cathartornis gracilis*, 390-391; *Chordeiles gundlachii*, 987; *C. minor*, 987; *Colinus virginianus*, 42-43; *Coturnix coturnix*, 42-43; *Cymbilaimus lineatus*, 650-651; *C. sanctaemariae*, 650-651; *Cyrtonyx montezumae*, 42-43; *Eurynorhynchus pygmeus*, 448-449; *Falco kreyenborgi*, 269-271; *Icterus chrysater*, 735; *I. mesomelas*, 735; *Limicola falcinellus*, 448-449; *Lophortyx californicus*, 42-43; *L. gambeli*, 42-43; *Molothrus armenti*, 992; *Oceanodroma leucorhoa*, 232; *Oreortyx pictus*, 42-43; *Oxyruncus cristatus*, 124; *Pedionomus torquatus*, 136; *Phasianus colchicus*, 42-43; *Piciformes*, 126-133, 134-138; *Pluvialis dominica*, 615-619; *P. fulva*, 615-619; *Selasphorus ardens*, 311-324; *S. flammula*, 311-324; *S. platycercus*, 324; *S. scintilla*, 311-324; *S. simoni*, 311-324; *S. torridus*, 311-324; *S. "underwoodii"*, 321, 324; *Sirystes sibilator*, 98-103; *Sphyrapicus nuchalis*, 874-881; *S. ruber*, 874-881; *S. thyroideus*, 874-881; *S. varius*, 874-881; *Teratornis incredibilis*, 390-391; *T. merriami*, 390-391; *Thamnophilus doliatus*, 650-651; *T. multistriatus*, 650-651; *T. palliatus*, 650-651; *Tryngites subruficollis*, 448; *Tympanuchus pallidicinctus*, 42-43; *Zenaida auriculata*, 913; *Z. graysoni*, 913, 917-918; *Z. macroura*, 913, 917-918
- Taylor, Walter Kingsley, see Crawford, Robert L., et al.
- Teal, Brazilian, 220; Cinnamon, 719-721; Green-winged, 950
- Temple, Stanley A., reviews by, 239-240, 263
- Tennessee, 932-946
- Teratornis incredibilis*, 390, 396
- T. merriami*, 390-402
- Tern, Arctic, 804, 806; Black Noddy, 623; Caspian, 369-379; Common, 1001-1002; Elegant, 801-802, 805; Inca, 801-808; Peruvian, 801, 805; Royal, 76-82; Sandwich, 76-82, 801, 805
- Terpsiphone viridis*, 106
- Territory of *Anas platyrhynchos*, 691, 693-695; *Aquila chrysaetos*, 744-746; *Dendragapus obscurus*, 653-657; *Dendroica kirtlandii*, 974; *Larus delawarensis*, 660; *L. marinus*, 65, 67, 69-72; *Manacus manacus*, 741-742; *Microrhopias quixensis*, 921; *Mimus polyglottos*, 156-159; *Oxyruncus cristatus*, 119, 121-122; *Parus major*, 898-905; *Pelecanus occidentalis*, 680-687; *Phalacrocorax bougainvillii*, 680-687; *Sterna hirundo*,

- 1001–1002; *Sula variegata*, 680–687; *Zonotrichia leucophrys*, 452–460
- Tetrao urogallus*, 401
- Texas, 504–505, 560–566, 728–729
- Thamnophilus devillei*, 651
- T. doliatus*, 650
- T. multistriatus*, 650
- T. palliatus*, 650
- Thompson, Daniel B., see Tomback, Diana F., et al.
- Thrasher, Brown, 106
- Thraupis palmarum*, 627
- Thrush, Gray-cheeked, 106; Hermit, 362, 491–493, 995; Russet Nightingale, 106; Varied, 491–493, 995
- Thryothorus atrogularis*, 627
- T. genibarbis*, 651
- T. nigricapillus*, 627
- T. thoracicus*, 627
- Tiaris canora*, 106
- Tigrisoma lineatum*, 622
- Tilman, David, Resource competition and community structure (rev.), 762–764
- Tit, Blue, 436; Great, 436, 898–905
- Titmouse, Tufted, 414–423
- Tomalin, Ruth, W. H. Hudson—a biography (rev.), 790–792
- Tomback, Diana F., Daniel B. Thompson, and Myron Charles Baker, Dialect discrimination by White-crowned Sparrows: reactions to near and distant dialects, 452–460
- Tonni, Eduardo P., see Campbell, Kenneth E., Jr., and
- 
- Toucan, Chestnut-mandibled, 624; Keel-billed, 624
- Toucanet, Emerald, 289
- Towhee, Abert's, 107; Brown, 106; Green-tailed, 363; Rufous-sided, 363
- Townsend, Colin R., and Peter Callow (Eds.), Physiological ecology: an evolutionary approach to resource use (rev.), 787–789
- Toxostoma rufum*, 106
- Trachyphonus darnaudii*, 128, 131
- T. purpuratus*, 129
- Trainer, Jill M., Changes in song dialect distributions and microgeographic variation in song of White-crowned Sparrows (*Zonotrichia leucophrys nuttalii*), 568–582
- Tree-Duck, Black-bellied, 220; White-faced, 220
- Tringa nebularia*, 106
- Trinidad, 739–742
- Troglodytes aedon*, 106
- T. troglodytes*, 362
- Tropicbird, Red-tailed, 953–959
- Tryngites subruficollis*, 448
- Turdus merula*, 106
- T. migratorius*, 106, 362, 491–493, 829
- T. plebejus*, 289
- Turkey, 401
- Tympanuchus pallidicinctus*, 33–47
- Tyrannulet, Yellow, 627
- Tyrannus tyrannus*, 326–332
- T. verticalis*, 496
- Tyrant, Long-tailed, 625
- Udvardy, Miklos D. F., reviews by, 259–261, 266–267, 518–520, 1018–1019
- Uria aalge*, 236–238, 980–981
- U. lomvia*, 236–238
- Utah, 105–115, 717–724
- Vaughan, Richard, Arctic summer—birds in north Norway (rev.), 259
- Venezuela, 203–205, 733, 749–750
- Vermivora luciae*, 828
- V. ruficapilla*, 362, 625
- Verner, Jared, and Lyman V. Ritter, Current status of the Brown-headed Cowbird in the Sierra National Forest, 355–368
- Vickery, Peter D., Annotated checklist of Maine birds (rev.), 265–266
- Village, A., see Newton, I., et al.
- Viprenstsev, Boris N., Birds of the Soviet Union. A sound guide (rev.), 548–549
- Vireo gilvus*, 361–362, 367
- V. huttoni*, 362
- V. solitarius*, 362
- Vireo, Hutton's, 362; Solitary, 362; Warbling, 361–362, 367
- Vleck, Carol Masters, David Vleck, Hermann Rahn, and Charles V. Paganelli, Nest microclimate, water-vapor conductance and water loss in heron and tern eggs, 76–83
- Vleck, David, see Vleck, Carol Masters, et al.
- Vocalizations of *Ammodramus savannarum*, 106; *Arremon aurantiirostris*, 107; *Cacus uropygialis*, 625; *Calidris alba*, 447–449; *C. alpina*, 440–450; *C. bairdii*, 446, 448–449; *C. canutus*, 448; *C. ferruginea*, 447, 449; *C. fuscicollis*, 448–449, 500–501; *C. himantopus*, 440–450; *C. maritima*, 449; *C. mauri*, 447; *C. minuta*, 447–448; *C. minutilla*, 444, 446–449; *C. ptilocnemis*, 448–449; *C. pusilla*, 440–450; *C. subminuta*, 449; *C. temminckii*, 448–449; *Caprimulgus cubanensis*, 990–991; *C. c. eckmani*, 990–991; *C. c. insulaepinorum*, 990–991; *C. europaeus*, 106; *Cardinalis cardinalis*, 107; *Carduelis chloris*, 107; *C. lawrencei*, 107; *C. tristis*, 107; *Catharus minimus*, 106; *C. occidentalis*, 106; *Chamaea fasciata*, 106; *Chasiempis sandwichensis*, 106; *Chordeiles gundlachii*, 985–986; *C. minor*, 985–986; *Cinclus cinclus*, 106; *C. mexicanus*, 106; *Cracticus* sp., 107; *Cymbilaimus lineatus*, 645–646, 648–649; *C. sanctaemariae*, 645–646, 648–649; *Cyphorhinus phaeocephalus*, 625; *Dumetella carolinensis*, 106; *Erithacus rubecula*, 106; *Eurynorhynchus pygmeus*, 448–449; *Fringilla coelebs*, 493–495; *Grallina cyanoleuca*, 107; *Gymnorhina tibicen*, 107; *Hirundo pyrrhonota*, 795–799; *Lanius ludovicianus*, 106; *Larus marinus*, 65–67, 69–73; *Limicola falcinellus*, 448–449; *Loxia curvirostra*, 107; *L. leucoptera*, 107; *Malurus cyaneus*, 106; *Mimus polyglottos*, 106, 403–413; *Myiozetetes granadensis*, 106;

- Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Oceanodroma leucorhoa*, 232; *Oxyruncus cristatus*, 119–123; *Parus bicolor*, 414–423; *P. major*, 898–905; *Pheucticus ludovicianus*, 107; *P. melanocephalus*, 105–115; *Pipilo aberti*, 107; *P. fuscus*, 106; *Pitylus grossus*, 626; *Quiscalus quiscula*, 107; *Ramphastos swainsonii*, 624; *Rhipidura leucophrys*, 106; *Serinus canaria*, 493–495; *Sialia sialis*, 106; *Sirystes sibilator*, 98–99, 101; *Sporophila aurita*, 106; *S. schistacea*, 626–627; *Tachycinon delatrii*, 626; *Terpsiphone viridis*, 106; *Tiaris canora*, 106; *Toxostoma rufum*, 106; *Tringa nebularia*, 106; *Troglodytes aedon*, 106; *Tryngites subruficollis*, 448; *Turdus merula*, 106; *T. migratorius*, 106; *Zenaidura graysoni*, 908–911, 917; *Z. macroura*, 908–911, 917; *Zonotrichia leucophrys*, 106, 452–460, 568–581  
Vocalizations, relationship to syringeal structure, 853–860  
*Volatinia jacarina*, 228  
Vuilleumier, François, reviews by, 540–543  
*Vultur gryphus*, 395, 398  
Vulture, Black, 395, 398; Griffon, 401; King, 395, 398; Turkey, 395, 398
- Wagtail, Willie, 106  
Walsberg, Glenn E., review by, 777–779  
Walter, Hartmut, review by, 528–529  
Warbler, Blackpoll, 843; Black-throated Green, 382–387; Dusky, 995–996; Golden-cheeked, 829; Hermit, 361–362; Kirtland's, 974–976; Lucy's, 828; MacGillivray's, 362; Nashville, 362, 625; Townsend's, 995; Wilson's, 363; Yellow, 362; Yellow-rumped, 360, 362, 828  
Ward, F. Prescott, see Parrish, Jimmie R., et al.  
Washington, 56–61, 369–379, 477–483, 795–799, 979–981  
Watling, Dick, Birds of Fiji, Tonga, and Samoa (rev.), 543–545  
Waxwing, Cedar, 491–493  
Weather, influence on (see Environment, influence on)  
Weathers, Debra L., see Weathers, Wesley W., et al.  
Weathers, Wesley W., Debra L. Weathers, and Charles van Riper III, Basal metabolism of the Apapane: comparison of freshly caught birds with long-term captives, 977–978  
Weaver, Buffalo, 501–504  
Weaver, Peter, The bird-watcher's dictionary (rev.), 264  
Weaverbird, Village, 863–869  
Weights and measurements of *Accipiter nisus*, 344–353; *Aimophila stolzmanni*, 228; ***Ammodramus henslowii . houstonensis***, 504–505; *Aquila chrysaetos*, 401; *Argentavis magnificens*, 390–402; *Branta canadensis*, 401, 673; *Camarhynchus parvulus*, 229; *Caprimulgus cubanensis cubanensis*, 989–990; *C. c. eckmani*, 989–990; ***C. c. insulaepinorum***, 989–990; *Carpodacus mexicanus*, 183; *Cathartes aura*, 395, 398; *Certhidea olivacea*, 226, 229; *Collocalia esculenta*, 426–436; *Coragyps atratus*, 395, 398; *Cygnus olor*, 401; *Cymbilaimus lineatus*, 646–648; *C. sanctaemariae*, 646–648; *Diomedea exulans*, 395–398, 401; *Diphylodes magnificus*, 2; *Dumetella carolinensis*, 173–174; *Epimachus albertisii*, 2; *Erithacus rubecula*, 603; *Fulmarus glacialis*, 594; *Geospiza conirostris*, 226, 228; *G. difficilis*, 226, 229; *G. fuliginosa*, 229; *G. magnirostris*, 226, 228; *Gymnogyps californianus*, 393–401; *Gyps fulvus*, 401; *Himatione sanguinea*, 977–978; *Hirundo pyrrhonota*, 205; *H. rustica*, 205; *H. tahitica*, 426–436; *Icterus galbula*, 889–890; *Larus delawarensis*, 661, 663–665; *Leptoptilos crumeniferus*, 401; *Lophorina superba*, 2; *Manacus manacus*, 741; *Manucodia chalybatus*, 2; *M. keraudrenii*, 2; *Meleagris gallopavo*, 401; *Merops viridis*, 426–436; *Microrhopias quixensis*, 924; *Molothrus ater*, 584–585, 588; *Muscicapa sibirica*, 213; *Notiochelidon cyanoleuca*, 203–205; *Otis tarda*, 401; *Paradisea raggiana*, 2; *P. rudolphi*, 2; *Parotia lawesii*, 2; *Passer domesticus*, 27–28, 30; *Pharomachrus mocinno*, 291; *Phylloscopus fuscatus*, 995; *Piezorhina cinerea*, 228; *Pipilo erythrorynchus*, 226; *Platyspiza crassirostris*, 228; *Ploceus cucullatus*, 867; *Pluvialis dominica*, 609; *P. fulva*, 609; *Poospiza hispaniolensis*, 228; *Ptiloris magnificus*, 2; *Riparia riparia*, 204; *Rissa tridactyla*, 472–474; *Sarcocampus papa*, 395, 398; *Selasphorus ardens*, 316–317; *S. flammula*, 316–317; *S. scintilla*, 316–317; *S. simoni*, 316–317; *S. torridus*, 316–317; *S. "underwoodii"*, 321; *Sicalis flaveola*, 228; *Spheniscus magellanicus*, 221; *Spizella passerina*, 226; *S. pusilla*, 226; *Sporophila peruviana*, 228; *Stelgidopteryx serripennis*, 204; *Tachycineta bicolor*, 204, 752; *Teratornis merriami*, 390–402; *Tetrao urogallus*, 401; *Thamnophilus doliatus*, 650; *T. multistriatus*, 650; *T. palliatus*, 650; *Tyrannus tyrannus*, 328–329; *Volatinia jacarina*, 228; *Vultur gryphus*, 395, 398; *Zenaida auriculata*, 914; *Z. graysoni*, 913–915; *Z. macroura*, 913–915; *Zonotrichia albicollis*, 59, 226
- Wenner, Lettie M., The environmental decade in court (rev.), 522–523  
Weseloh, D. V. (Chip), review by, 1019–1020  
Wheelwright, Nathaniel T., Fruits and the ecology of Resplendent Quetzals, 286–301  
Whistling Duck, Black-bellied, 728–729  
White, Gary C., David R. Anderson, Kenneth P. Burnham, and David L. Otis, Capture-recapture and removal methods for sampling closed populations (rev.), 794  
Whitney, Bret, see Stiles, F. Gary, and ——  
Whitney, Stephen, A field guide to the Grand Canyon (rev.), 792–794  
Wiens, John A., reviews by, 248–249, 263–267, 516–517, 762–764, 771–772, 795  
Wigeon, American, 949–950  
Wiley, R. Haven, see Schroeder, Donna J., and ——  
*Wilsonia pusilla*, 363  
Winegarner, Chester, see Stevenson, Henry M., et al.  
Wingate, David B., A record of the Siberian Flycatch-

- er (*Muscicapa sibirica*) from Bermuda: an extreme extra-limital vagrant, 212-213
- Wingfield, John C., Michael C. Moore, and Donald S. Farner, Endocrine responses to inclement weather in naturally breeding populations of White-crowned Sparrows (*Zonotrichia leucophrys pugetensis*), 56-62
- Winkler, David W., see Page, Gary W., et al.
- Wisconsin, 974-976, 997
- Woodcock, American, 711-716
- Woodcreeper, Black-striped, 627
- Woodpecker, Acorn, 731-732; Cinnamon, 627; Golden-fronted, 625
- Woods, Barbara L., see Schnell, Gary D., et al.
- Woods, Robin W., Falkland Islands birds (rev.), 794
- Woolfenden, Glen E., review by, 264, 524-525
- Wren, Bay, 627; Black-throated, 627; Blue, 106; Canyon, 362; House, 106; Marsh, 829; Song, 627; Stripe-breasted, 627; Winter, 362
- Wrentit, 106
- Xema sabini*, 801-808
- Ximénez, Isaías M., see Scolaro, José A., et al.
- Xiphorhynchus lachrymosus*, 627
- Yang, Suh Y., see Gutiérrez, R. J., et al.
- Yapp, Brunsdon, Birds in medieval manuscripts (rev.), 265
- Yellowthroat, Common, 828
- Yucon, 608-612
- Zar, Jerrold H., review by, 787-789
- Zenaida auriculata*, 907-919
- Z. graysoni*, 551-558, 907-919
- Z. macroura*, 551-558, 828, 907-919
- Zimmerman, Dale A., review by, 1005-1009
- Zink, Robert M., see Gutiérrez, R. J., et al.; see Johnson, Ned K., and ——
- Zonotrichia albicollis*, 226
- Z. atricapilla*, 843-844, 995
- Z. leucophrys*, 56-61, 106, 363, 452-460, 568-581, 811-824, 854, 995
- Zwickel, Fred C., see Jamieson, Ian G., and ——

DATE OF ISSUE (Vol. 100, No. 4): 16 December 1983