

INDEX TO VOLUME 103

COMPILED BY MICHELLE PALMER

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Able, Kenneth P., see Cherry, Jeffrey D., and ———
Abrams, R. W., and L. G. Underhill, Relationships of pelagic seabirds with the Southern Ocean environment assessed by correspondence analysis, 221-225
Abs, Michael (Ed.), Physiology and behavior of the pigeon (rev.), 255-256
Actitis macularia, 820-821
Age, determination of, 210-212
Agelaius phoeniceus, 318-325
Ainley, David G., see Power, Dennis M., and ———
Ainley, Marianne Gosztonyi, reviews by, 251-252, 651-652
Aix sponsa, 813-816
Alaska, 214-215, 635-636
Altruism (see Communal breeding)
Amakihi, Common, 564-572
American Ornithologists' Union, Awards, 450-451; Bylaws [suppl. to vol. 103(2)], 1-6; Proceedings of the One-Hundred-Third Stated Meeting, 1AA-37AA; Report of the Committee for the Conservation of the Red-cockaded Woodpecker, 848-855
Anas acuta, 637-638
A. platyrhynchos, 701-708
A. rubripes, 477-482, 701-708
Anatidae, 737-754
Anatomy and morphology of Anhimidae, 737-754; *Anhinga subvolans*, 804-807; Anatidae, 737-754; ***Lathrotriccus (Empidonax) euleri***, 341-349; *Melospiza melodia*, 210-212; *Oceanodroma leucorhoa*, 575-581; *Parus atricapillus*, 655-665; *P. carolinensis*, 655-665
Anderson, Douglas C., and James A. MacMahon, An assessment of ground-nest depredation in a catastrophically disturbed region, Mount St. Helens, Washington, 622-626
Anderson, Mary E., see Conner, Richard N., et al.
Andrewartha, H. G., and L. C. Birch, The ecological web: more on the distribution and abundance of animals (rev.), 444-445
Angell, Tony, In memoriam: Frank Richardson, 812
Anhimidae, 737-754
Anhinga subvolans, 804-807
Ankney, C. Davison, Darrell G. Dennis, Lisa N. Wishard, and James E. Seeb, Low genic variation between Black Ducks and Mallards, 701-709; see Kremmentz, David G., and ———; see Quinney, Terry E., et al.
Anous stolidus, 351-357, 359-368
Antarctica, 160-167, 379-387, 726-735, 777-780
Apapane, 564-572
Aptenodytes forsteri, 485-492
Arcese, Peter, see Smith, James N. M., et al.
Archibald, George W., see Ricklefs, Robert E., et al.
Argentina, 52-59, 61-66
Astheimer, Lee B., Egg formation in Cassin's Auklet, 682-693
Atwood, Jonathan L., Delayed nocturnal occupation of breeding colonies by Least Terns (*Sterna antillarum*), 242-244
Auklet, Cassin's, 682-691
Austin, Jane E., and Leigh H. Fredrickson, Molt of female Lesser Scaup immediately following breeding, 293-298
Austin, O. L., Jr., and A. Singer, Families of birds (rev.), 653-654
Australia, 189-194, 515-528
Aythya affinis, 293-297
A. americana, 219-220
A. collaris, 181-187
A. valisineria, 220, 506-513
Bailey, Stephen F., review by, 840-841
Balcomb, Richard, Songbird carcasses disappear rapidly from agricultural fields, 817-820
Balph, David F., and H. Charles Romesburg, Commentary: The possible impact of observer bias on some avian research, 831-832
Bancroft, G. Thomas, Nesting success and mortality of the Boat-tailed Grackle, 86-99
Banks, Richard C., A taxonomic reevaluation of the Plain Pigeon (*Columba inornata*), 629-631
Barlow, Jon C., see Long, R. Charles, and ———
Barrowclough, George F., see Dickerman, Robert W., et al.
Bartholomew, George A., see Bucher, Theresa L., et al.; see Smith, Neal G., et al.
Becker, Jonathan J., Reidentification of "*Phalacrocorax*" *subvolans* Brodkorb as the earliest record of Anhingidae, 804-808
Beedy, Edward C., and Stephen L. Granholm, Discovering Sierra birds (rev.), 448-449

- Beehler, Bruce M., and Brian W. Finch, Species-checklist of the birds of New Guinea (rev.), 846
- Behavior, activity patterns, 14-20, 370-376, 726-735; age related, 408-417, 569-571, 717-718; agonistic, 135-140, 542, 726-735; anting, 835; antipredator, 14-20, 276, 318-325, 422, 494-503; breeding, 242-244, 408-417, 726-735; courtship, 189-194, 477-482, 726-735; diving, 828-829; dominance, 70-76, 564-572; effect of environment on, 1-7, 370-376, 491-492, 734-735; feeding, 70-76, 100-109, 141-149, 152-157, 213, 263-271, 421-423, 515-528, 541-542, 710-724, 726-735, 768-775, 777-780; feeding aggregation, 494-503; flight, 244-246; hovering, 832-833, 834; individual distance, 828-829; infanticide, 619-621; interspecific, 564-572; mating preference, 189-194, 659, 694-699, 782-789; nest defense, 318-325; nesting, 196-201, 273-279; parental care, 152-157, 398, 424-426; roosting, 1-7, 32-40, 149, 242-244, 413-414, 726-735; sexual differences in, 70-76, 152-157, 421-423; sibling aggression, 768-775; site fidelity, 782-789; social, 32-40; territorial, 135-140, 542-546, 694-699; thermoregulatory, 1-7; vigilance patterns, 263-271; vocal, 189-194, 351-357, 359-368, 371-372
- Behavior of *Catharacta lonnbergi*, 726-735; *C. macrorhynchos*, 726-735; *Circus cyaneus*, 70-76; *Cistothorus palustris*, 135-140; *Coragyps atratus*, 32-40; *Cyanocorax yncas*, 540-546; *Dendroica striata*, 782-789; *Egretta caerulea*, 494-503; *Eudocimus albus*, 244-246; *Fratercula arctica*, 828-829; *Haliaeetus leucocephalus*, 263-271; Drepanidinae, 564-572; *Locustella ochotensis*, 694-699; *Oceanodroma leucorhoa*, 14-20; *Phainopepla nitens*, 1-7; *Ploceus cucullatus*, 408-417; *Pygoscelis antarctica*, 777-780; *P. papua*, 777-780; *Sterna antillarum*, 242-244; *Uria aalge*, 828-829; *Xanthocephalus xanthocephalus*, 135-140
- Behle, William H., Ella D. Sorenson, and Clayton M. White, Utah birds: a revised checklist (rev.), 644-645
- Bellrose, Cheryl A., see Pierotti, Raymond, and ———
- Bengtson, John L., see Trivelpiece, Wayne Z., et al.
- Best, Louis B., see Westmoreland, David, et al.
- Birch, L. C., see Andrewartha, H. G., and ———
- Blackbird, Red-winged, 318-325; Yellow-headed, 135-140
- Black-Hawk, Common, 494-503
- Blake, John G., and William G. Hoppes, Influence of resource abundance on use of tree-fall gaps by birds in an isolated woodlot, 328-340
- Blakers, M., S. J. J. F. Davies, and P. N. Reilly, The atlas of Australian birds (rev.), 260
- Blockstein, David E., see Westmoreland, David, et al.
- Bohall-Wood, Petra, and Michael W. Collopy, Abundance and habitat selection of two American Kestrel subspecies in north-central Florida, 557-563
- Borgia, Gerald, see Loffredo, Christopher A., and ———
- Borrer, Donald J., Common bird songs (rev.), 846; Songs of eastern birds (rev.), 846; Songs of western birds (rev.), 846
- Bowerbird, Satin, 189-194
- Bradley, Patricia, and Yves-Jacques Rey-Millet, Birds of the Cayman Islands (rev.), 444
- Brant, 237-241
- Branta bernicla*, 237-241
- Braun, Michael J., and Mark B. Robbins, Extensive protein similarity of the hybridizing chickadees *Parus atricapillus* and *P. carolinensis*, 667-675; see Robbins, Mark B., et al.
- Breeding (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site), 181-187, 306-312, 465-475, 755-765
- Breeding season of *Tyrannus tyrannus*, 465-475; *Zenaidura macroura*, 196-201
- Breeding success, 8-12, 42-50, 86-98, 196-201, 214-215, 230-234, 237-241, 242-244, 273-279, 306-312, 379-387, 389-398, 432-434, 698-699, 755-765, 768-775
- Breeding success of *Branta bernicla*, 237-241; *Bubulcus ibis*, 768-775; *Colaptes auratus auratus*, 42-50; *C. a. cafer*, 42-50; *Eumomota superciliosa*, 8-12; *Fratercula cirrhata*, 214-215; *Himantopus himantopus leucocephalus*, 273-279; *H. novaeseelandiae*, 273-279; *Locustella ochotensis*, 698-699; *Numenius americanus*, 755-765; *Phalacrocorax auritus*, 230-234; *P. pelagicus*, 230-234; *P. urile*, 306-312; *Pygoscelis adeliae*, 379-387; *Quiscalus major*, 86-98; *Rissa brevirostris*, 306-312; *R. tridactyla*, 306-312; *Sterna antillarum*, 242-244; *Tachycineta bicolor*, 389-398; *Uria aalge*, 306-312; *U. lomvia*, 306-312; *Zenaidura macroura*, 196-201
- Breitwisch, Randall, Peter G. Merritt, and George H. Whitesides, Parental investment by the Northern Mockingbird: male and female roles in feeding nestlings, 152-159
- British Columbia, 210-212, 230-234
- Bruning, Donald F., see Ricklefs, Robert E., et al.
- Brush, Alan H., editorial, 248; reviews by, 261-262, 448-449, 653-654, 838-839, 846-847
- Bruun, B., Common birds of Egypt (rev.), 846
- Bryant, David M., see Tatner, Paul, and ———
- Bubo virginianus*, 10
- Bubulcus ibis*, 619-621, 768-775
- Bucher, Theresa L., George A. Bartholomew, W. Z. Trivelpiece, and N. J. Volkman, Metabolism, growth, and activity in Adélie and Emperor penguin embryos, 485-493
- Buckley, Francine G., see Buckley, Paul A., et al.
- Buckley, Paul A., Mercedes S. Foster, Eugene S. Morton, Robert S. Ridgely, and Francine G. Buckley (Eds.), Neotropical ornithology (rev.), 649-651
- Bull, John, Birds of New York state (rev.), 654
- Bull, P. C., P. D. Gaze, and C. J. R. Robertson, The

- atlas of bird distribution in New Zealand (rev.), 646-647
- Bunting, Indigo, 281-291
- Burger, Alan E., and Mark Simpson, Diving depths of Atlantic Puffins and Common Murres, 828-830
- Burger, Joanna, Pattern, mechanism, and adaptive significance of territoriality of Herring Gulls (*Larus argentatus*) (rev.), 257-258; review by, 445-446
- Buteo platypterus*, 607-611
- B. swainsoni*, 607-611
- Buteogallus anthracinus*, 494-503
- Butler, P. J., see Phillips, J. G., et al.
- Calcarius lapponicus coloratus*, 635-636
- Caldwell, Gloria S., Predation as a selective force on foraging herons: effects of plumage color and flocking, 494-505
- California, 70-76, 117-123, 242-244, 401-406
- Calls (see Vocalizations)
- Calypte anna*, 453-463
- Cannell, Peter F., see Dickerman, Robert W., et al.
- Canvasback, 220, 506-513
- Capen, David E., review by, 447-448
- Caprimulgidae, 370-376
- Caprimulgus vociferus*, 370-376
- Cardinal, Northern, 23-30
- Cardinalis cardinalis*, 23-30
- Carothers, John H., Behavioral and ecological correlates of interference competition among some Hawaiian Drepanidinae, 564-574
- Carpenter, F. Lynn, see Karasov, William H., et al.
- Catamenia homochroa*, 227-230
- Catharacta lonnbergi*, 726-735
- C. maccormicki*, 379-387, 726-735
- Cathartes aura*, 586-591
- Census methods, 79-84, 117-123, 557-559, 593-601, 795, 825-827
- Chancellor, R. D., see Newton, I., and ———
- Chardine, John W., Commentary: Mass or weight: what is measured and what should be reported?, 832
- Cherry, Jeffrey D., and Kenneth P. Able, An alternative method for the analysis of Emlen funnel data, 225-227
- Chickadee, Black-capped, 655-665, 667-675, 676-680; Carolina, 655-665, 667-675, 676-680
- Circus cyaneus*, 70-76
- Cistothorus palustris*, 135-140
- Clark, George A., Jr., review by, 448
- Clutch size of *Colaptes auratus auratus*, 42-50; *C. a. cafer*, 42-50; *Eumomota superciliosa*, 8-12; *Larus occidentalis*, 402; *Numenius americanus*, 757, 763; *Ploceus cucullatus*, 411-412; Prairie ducks, 637, 638-639; *Quiscalus major*, 88-89; *Tyrannus tyrannus*, 465-475; *Zenaidura macroura*, 196-201
- Cody, Martin L. (Ed.), Habitat selection in birds (rev.), 841-843
- Colaptes auratus auratus*, 42-50
- C. a. cafer*, 42-50
- Colburn, Robert, see Mack, Andrew L., et al.
- Collias, E. C., see Collias, N. E., et al.
- Collias, N. E., E. C. Collias, C. H. Jacobs, C. R. Cox, and F. A. McAlary, Old age and breeding behavior in a tropical passerine bird *Ploceus cucullatus* under controlled conditions, 408-419
- Collopy, Michael W., see Bohall-Wood, Petra, and ———
- Columba inornata*, 629-631
- Colwell, Mark A., The first documented case of polyandry for Wilson's Phalarope (*Phalaropus tricolor*), 611-612
- Commentaries, The adaptive significance of anting, see Ehrlich, Paul R., et al.; Design of song playback experiments, see Kroodsma, Donald E.; Does food limit clutch size in prairie ducks?, see Duncan, David C.; Long laying intervals, see Marchant, S.; Mass or weight: what is measured and what should be reported?, see Chardine, John W.; Polygyny in Tree Swallows: response to R. E. Simmons, see Quinney, Terry E.; The possible impact of observer bias on some avian research, see Balph, David F.; Response to D. C. Duncan, see Rohwer, Frank C.; Response to F. R. Hainsworth, see Miller, Richard S.; Why hummingbirds hover: a commentary, see Hainsworth, F. Reed
- Communal breeding of *Cyanocorax yncas*, 540-546
- Conner, Richard N., Mary E. Anderson, and James G. Dickson, Relationships among territory size, habitat, song, and nesting success of Northern Cardinals, 23-31
- Cooch, F. G., In memoriam: Finn Salomonsen, 811
- Cooke, Fred, see Francis, Charles M., and ———
- Cooper, J., see Williams, A. J., et al.
- Cooperative breeding (see Communal breeding)
- Coragyps atratus*, 32-40
- Cormorant, Double-crested, 230-234; Pelagic, 230-234; Red-faced, 306-317
- Corvus corax*, 622-625
- C. ossifragus*, 531-537
- Cowbird, Brown-headed, 213, 626-628; Screaming, 52-59; Shiny, 52-59, 61-66
- Cox, C. R., see Collias, N. E., et al.
- Cracraft, Joel, review by, 250-251
- Crane, Brolga, 125-134; Common, 125-134; Demoiselle, 125-134; Hooded, 125-134; Japanese, 125-134; Sandhill, 125-134; Sarus, 125-134; Siberian, 125-134; Stanley, 125-134; Whooping, 125-134
- Crow, Fish, 531-537
- Croxall, J. P., P. G. H. Evans, and R. W. Schreiber (Eds.), Status and conservation of the world's seabirds (rev.), 446-447
- Cunningham, Michael A., Dispersal in White-crowned Sparrows: a computer simulation of the effect of study-area size on estimates of local recruitment, 79-85
- Curlew, Long-billed, 755-765

- Cutright, Paul Russell, Theodore Roosevelt: the making of a conservationist (rev.), 651-652
- Cyanocorax yncas*, 540-546
- Daption capense*, 427-428
- Davies, S. J. F., see Blakers, M., et al.
- Davis, Lloyd S., and Frances T. McCaffrey, Survival analysis of eggs and chicks of Adélie Penguins (*Pygoscelis adeliae*), 379-388
- Davis, Shirley S., review by, 652
- DeJong, Michael J., see Emlen, John T., et al.
- Dendroica petechia*, 213
- D. striata*, 782-789
- Denniss, Darrell G., see Ankney, C. Davison, et al.
- Diamond, A. W., and T. E. Lovejoy (Eds.), Conservation of tropical forest birds (rev.), 643-644
- Diamond, Jared M., see Karasov, William H., et al.
- Dickerman, Robert W., Notes on the plumages of the Paramo Seedeater (*Catamenia homochroa*), 227-230; George F. Barrowclough, Peter F. Cannell, William H. Phelps, Jr., and David E. Willard, *Philydor hylobius* Wetmore and Phelps is a synonym of *Automolus roraimae* Hellmayr, 431-432
- Dickson, James G., see Conner, Richard N., et al.
- Distribution of *Zonotrichia leucophrys nuttalli*, 79-84
- Distribution, spatial, 79-84, 791-802
- Dobkin, David S., see Ehrlich, Paul R., et al.
- Dove, Mourning, 196-201; White-winged, 825-827
- Drepanidinae, 564-572
- Duck, American Black, 477-482, 701-708; Northern Pintail, 637-638; Redhead, 219-220; Red-necked, 181-187; Wood, 813-816
- Duncan, David C., Commentary: Does food limit clutch size in prairie ducks?, 637-638
- Eagle, Bald, 263-271
- Ecology, competition, 564-572, 800-801; dispersal, 141-149, 791-802; habitat partitioning, 421-423; habitat selection, 328-337, 557-562; population energetics, 299-302; population structure, 755-765; predator-prey relationships, 494-503, 531-537
- Ecology of *Calonectris diomedea*, 143-147; *Chlidonias niger*, 141-149; *Falco sparverius*, 557-562; *Hemignathus virens*, 564-572; *Himatione sanguinea*, 564-572; *Larus argentatus*, 146; *Numenius americanus*, 755-765; *Oceanites oceanicus*, 143, 146, 147; *Oceanodroma castro*, 146; *O. leucorhoa*, 146; *Palmeria dolei*, 564-572; *Phaethon aethereus*, 144, 146; *P. lepturus*, 141-149; *Phalaropus fulicaria*, 146; *P. lobatus*, 143, 146, 147; *Pterodroma hasitata*, 146, 147; *Puffinus gravis*, 146; *P. lherminieri*, 141-149; *Stercorarius parasiticus*, 146; *S. pomarinus*, 146; *Sterna anaethetus*, 141-149; *S. antillarum*, 143, 146; *S. fuscata*, 146; *S. hirundo*, 143, 146, 147; *S. maxima*, 143, 146; *S. paradisaea*, 146; *Sula dactylatra*, 141-149; *S. leucogaster*, 144, 146; *Vestiaria coccinea*, 564-572
- Editorial, 248
- Eggs, composition, 299-302, 465-475, 485-492, 682-691; density, specific gravity, and volume, 9, 125-134, 235-237, 402-403, 465-475, 485-492, 682-691; laying, 9, 247, 403, 637, 638-639, 682-691; physiology, 682-691
- Eggs, descriptions and measurements of *Aptenodytes forsteri*, 485-492; *Ficedula hypoleuca*, 235-237; *Passer domesticus*, 299-302; *Phoenicurus phoenicurus*, 235-237; *Pygoscelis adeliae*, 485-492; *Ptychoramphus aleuticus*, 682-691; *Tyrannus tyrannus*, 465-475
- Egret, Cattle, 619-621, 768-775; Little, 619-621
- Egretta caerulea*, 494-503
- E. garzetta*, 619-621
- Ehrlich, Paul R., David S. Dobkin, and Darryl Wheye, Commentary: The adaptive significance of anting, 835
- Eliason, Bonita, Female site fidelity and polygyny in the Blackpoll Warbler (*Dendroica striata*), 782-790
- El Halawani, Mohamed E., see Oring, Lewis W., et al.
- Emlen, John T., Michael J. DeJong, Michael John Jaeger, Timothy C. Moermond, Kurt A. Rusterholz, and Robin P. White, Density trends and range boundary constraints of forest birds along a latitudinal gradient, 791-803
- Empidonax euleri*, 341-349
- E. traillii*, 213
- Endangered species, 216-218, 632-633
- Energy of flight, 169-178, 832-833, 834
- Environment, influence on *Caprimulgus vociferus*, 370-376; *Catharacta lonnbergi*, 726-735; *C. maccormicki*, 726-735; pelagic seabirds, 221-223; *Vermivora bachmanii*, 216-218
- Environment, influence on breeding success, 214-215; insulation of down and feathers, 160-167; egg volume, 235-237; population growth and dispersion, 791-802; predation, 622-625
- Eopsaltria australis*, 247
- Eppley, Zoe A., see Hunt, George L., Jr., et al.
- Erithacus rubecula*, 169-178
- Erskine, Anthony J., review by, 647-648
- Eudocimus albus*, 244-246, 531-537
- Eumomota superciliosa*, 1-12
- Evans, P. G. H., see Croxall, J. P., et al.
- Evans, P. R., J. D. Goss-Custard, and W. G. Hale (Eds.), Coastal waders and wildfowl in winter (rev.), 252-253
- Faaborg, John, review by, 843-844
- Falco punctatus*, 632-633
- F. sparverius paulus*, 557-562
- F. s. sparverius*, 557-562
- Farallon Island, 682-691
- Farner, Donald S., James R. King, and Kenneth C. Parkes (Eds.), Avian biology, vol. VIII (rev.), 836-838
- Feathers (see Molts and plumages)
- Ficedula hypoleuca*, 235-236
- Finch, Brian W., see Beehler, Bruce M., and ———
- Fivizzani, Albert J., see Oring, Lewis W., et al.
- Fledging, success of (see Breeding success)

- Flicker, Northern, 42-50; Red-shafted, 42-50; Yellow-shafted, 42-50
- Florida, 86-98, 351-357, 359-368, 424-426, 557-562
- Flycatcher, Euler's, 341-349; Pied, 235-236; Willow, 213
- Food and feeding habits (see also Behavior, feeding) of *Anas rubripes*, 477-482; *Aythya americana*, 219-220; *Egretta caerulea*, 494-503; forest birds, 328-337; pelagic seabirds, 221-223; *Pygoscelis antarctica*, 777-780; *P. papua*, 777-780; *Tachycineta bicolor*, 389-398; tropical hummingbirds, 436-441; *Turdus migratorius*, 710-724; *Zonotrichia leucophrys*, 429-430
- Food and feeding habits, methods of measurement, 427-428, 777-780
- Foraging (see Food and feeding habits; Behavior, feeding)
- Fossils of *Anhinga subvolans*, 804-807
- Foster, Mercedes S., see Buckley, Paul A., et al.
- Francis, Charles M., and Fred Cooke, Differential timing of spring migration in wood warblers (Parulinae), 548-556
- Fratercula arctica*, 828-829
- F. cirrhata*, 214-215
- Fredrickson, Leigh H., see Austin, Jane E., and ———
- Freethy, Ron, British birds in their habitats (rev.), 647-648
- Fujioka, Masahiro, Infanticide by a male parent and by a new female mate in colonial egrets, 619-621
- Gallagher, Michael, and Martin W. Woodcock, The birds of Oman (rev.), 654
- Gayou, Douglas C., The social system of the Texas Green Jay, 540-547
- Gaze, P. D., see Bull, P. C., et al.
- Genetic variation in (see Genetics, genetic variation)
- Genetics, gene flow, 667-675, 676-680, 701-708; genetic variation, 667-675, 676-680, 701-708
- Genetics of *Anas platyrhynchos*, 701-708; *A. rubripes*, 701-708; *Parus atricapillus*, 667-675, 676-680; *P. bicolor*, 676-680; *P. carolinensis*, 667-675, 676-680; *P. gambeli*, 667-675
- Geographic variation in *Catamenia homochroa*, 227-230; *Oceanodroma leucorhoa*, 575-583
- Geographic variation in molts and plumages, 227-230
- Gibson, Daniel D., *Calcarius lapponicus coloratus* in the Aleutian Islands, Alaska, 635-636
- Gill, Frank B., see Mack, Andrew L., et al.
- Goatsuckers, 370-376
- Gochfeld, Michael, review by, 252-253
- Goldstein, David L., see Smith, Neal G., et al.
- Goss-Custard, J. D., see Evans, P. R., et al.
- Grackle, Boat-tailed, 86-98
- Granholt, Stephen L., see Beedy, Edward C., and ———
- Grasshopper-Warbler, Middendorff's, 694-699
- Growth and development of *Aythya collaris*, 181-187; Gruidae, 125-134
- Gruidae, 125-134
- Gulls, Slaty-backed, 14-22; Western, 401-406
- Habitat of *Cardinalis cardinalis*, 23-30; *Falco sparverius*, 557-562; pelagic seabirds, 221-223; *Vermivora bachmanii*, 216-218
- Haila, Y., see Stjernberg, T., and ———
- Hainsworth, F. Reed, Commentary: Why hummingbirds hover, 832-833
- Hale, W. G., see Evans, P. R., et al.
- Haliaeetus leucocephalus*, 263-271
- Haney, J. Christopher, Seabird patchiness in tropical oceanic waters: the influence of *Sargassum* "reefs," 141-151
- Hanson, R. C., see Hawkins, A. S., et al.
- Haramis, G. M., J. D. Nichols, K. H. Pollock, and J. E. Hines, The relationship between body mass and survival of wintering Canvasbacks, 506-514
- Haraszthy, László (Ed.), [The breeding birds of Hungary] (rev.), 259
- Hardy, John William, and Theodore A. Parker, III, Voices of the New World thrushes (rev.), 653
- Harrier, Northern, 70-76
- Hartshorne, Charles, In memoriam: Edgar Bryan Kincaid, Jr., 208
- Hatching, success of (see Breeding success)
- Hatching, timing of, 770-771
- Hawaii, 564-572, 634-635
- Hawk, Broad-winged, 607-611; Swainson's, 607-611
- Hawkins, A. S., R. C. Hanson, H. K. Nelson, and H. M. Reeves (Eds.), Flyways: pioneering waterfowl management in North America (rev.), 844-845
- Hecht, M. K., J. H. Ostrom, G. Viohl, and P. Wellenhofer (Eds.), The beginnings of birds (rev.), 838-839
- Heintzelman, Donald S., review by, 645
- Hemignathus virens*, 564-572
- Hendricks, Paul, see Hutto, Richard L., et al.
- Hepp, Gary R., Effects of body weight and age on the time of pairing of American Black Ducks, 477-484
- Heron, Green-backed, 497, 498; Little Blue, 494-503; Tricolored, 498
- Himantopus himantopus leucocephalus*, 273-279
- H. novaeseelandiae*, 273-279
- Himantione sanguinea*, 564-572
- Hines, J. E., see Haramis, G. M., et al.
- Hoffman, Wayne, reviews by, 257-258, 836-838
- Hohman, William L., Changes in body weight and body composition of breeding Ring-necked Ducks (*Aythya collaris*), 181-188
- Holmes, Richard T., and Harry F. Recher, Search tactics of insectivorous birds foraging in an Australian eucalypt forest, 515-530
- Home range (see Territory of)
- Honeycreeper, Crested, 564-572
- Hoppes, William G., see Blake, John G., and ———
- Houston, C. Stuart, review by, 846
- Howell, Thomas R., review by, 254-255
- Hubbard, John P., review by, 644-645

- Hummingbird, 436-441, 832-833, 844; Anna's, 453-463; Rufous, 453-463
- Hunt, George L., Jr., review by, 446-447; Zoe A. Eppley, and David C. Schneider, Reproductive performance of seabirds: the importance of population and colony size, 306-317; see Siegel-Causey, Douglas, and ———
- Hussell, David J. T., see Quinney, Terry E., et al.
- Hutto, Richard L., Sandra M. Pletschet, and Paul Hendricks, A fixed-radius point count method for nonbreeding and breeding season use, 593-602
- Hybrids and hybridization of *Anas platyrhynchos* × *A. rubripes*, 701-708; *Colaptes auratus auratus* × *C. a. cafer*, 42-50; *Parus atricapillus* × *P. carolinensis*, 655-665, 667-675
- Ibis, White, 244-246, 531-537
- Idaho, 755-765
- Illinois, 328-337
- Iiwi, 564-572
- Incubation and incubation period of *Aptenodytes forsteri*, 485-492; *Fratercula cirrhata*, 214-215; *Larus occidentalis*, 403; *Pygoscelis adeliae*, 485-492; *Zenaidura macroura*, 196-197, 199-200
- Islands, colonization, 306-312
- Jackson, Sue, and Peter G. Ryan, Differential digestion rates of prey by White-chinned Petrels (*Procellaria aequinoctialis*), 617-619; see Ryan, Peter G., and ———
- Jacobs, C. H., see Collias, N. E., et al.
- Jaeger, Michael John, see Emlen, John T., et al.
- James, Frances C., review by, 444-445
- Japan, 14-20, 619-621, 694-699
- Järvinen, Antero, and Juha Ylimaunu, Intraclutch egg-size variation in birds: physiological responses of individuals to fluctuations in environmental conditions, 235-237
- Jay, Gray, 622-625; Green, 540-546
- Jenni, Donald A., see Redmond, Roland L., and ———
- Junco, Dark-eyed, 622-625
- Junco hyemalis*, 622-623
- Kale, Herbert W., II, In memoriam: Charles Russell Mason, 209
- Kansas, 626-628
- Karasov, William H., Duong Phan, Jared M. Diamond, and F. Lynn Carpenter, Food passage and intestinal nutrient absorption in hummingbirds, 453-464
- Karr, James R., reviews by, 643-644, 649-651
- Keith, Stuart, review by, 259-260
- Keller, Charles E., Shirley A. Keller, and Timothy C. Keller, Indiana birds and their haunts (rev.), 847; see Mumford, Russell E., and ———
- Keller, Shirley A., see Keller, Charles E., et al.
- Keller, Timothy C., see Keller, Charles E., et al.
- Kestrel, American, 557-562; Mauritius, 632-633; Southeastern American, 557-562
- Kibbe, Douglas P., see Laughlin, Sarah B., and ———
- King, A. S., and J. McLelland (Eds.), Form and function in birds, vol. 3 (rev.), 648-649
- King, James R., see Farnier, Donald S., et al.; see Murphy, Mary E., and ———
- Kingbird, Eastern, 465-475, 626-628
- Kirby, Ronald E., review by, 844-845
- Kittiwake, Black-legged, 306-317; Red-legged, 306-317
- Klein, Nedra K., and Kenneth V. Rosenberg, Feeding of Brown-headed Cowbird (*Molothrus ater*) fledglings by more than one "host" species, 213-214
- Klein, Tom, Loon magic (rev.), 847
- Kloeckner, Phillip D., see Williams, Timothy C., et al.
- Knight, Richard L., and Stanley A. Temple, Why does intensity of avian nest defense increase during the nesting cycle?, 318-327; see Knight, Susan K., and ———
- Knight, Susan K., and Richard L. Knight, Vigilance patterns of Bald Eagles feeding in groups, 263-272
- Koenig, Walter D., see Moore, William S., and ———; review by, 652-653
- Krementz, David G., and C. Davison Ankney, Bioenergetics of egg production by female House Sparrows, 299-305
- Kress, Stephen W., The Audubon Society guide to attracting birds (rev.), 652
- Kroodsma, Donald E., Commentary: Design of song playback experiments, 640-642; review by, 653
- Lanyon, Scott M., see Lanyon, Wesley E., and ———
- Lanyon, Wesley E., and Scott M. Lanyon, Generic status of Euler's Flycatcher: a morphological and biochemical study, 341-350
- Lapland, 235-236
- Larus occidentalis*, 401-406
- L. schistisagus*, 14-22
- Lathrotriccus euleri***, 341-349
- Laughlin, Sarah B., and Douglas P. Kibbe (Eds.), The atlas of breeding birds of Vermont (rev.), 447-448
- Lawrence, Richard K., see Vangilder, Larry D., et al.
- Lein, M. Ross, editor of book reviews, 643-654, 836-847
- Leonard, Marty L., and Jaroslav Picman, Why are nesting Marsh Wrens and Yellow-headed Blackbirds spatially segregated?, 135-140
- Lindsay, Alton A. (Ed.), The bicentennial of John James Audubon (rev.), 251-252
- Livezey, Bradley C., A phylogenetic analysis of recent anseriform genera using morphological characters, 737-754
- Lloyd, Clare, The travelling naturalists (rev.), 846
- Locustella ochotensis*, 694-699

- Loffredo, Christopher A., and Gerald Borgia, Male courtship vocalizations as cues for mate choice in the Satin Bowerbird (*Ptilonorhynchus violaceus*), 189-195
- Lohrer, Fred E., editor of Recent Ornithological Literature, 1A-56A, 1B-31B, 1C-59C, 1D-53D
- Long, R. Charles, and John C. Barlow, In memoriam: Lester L. Snyder, 809-811
- Longevity (see Mortality and survival)
- Longspur, Lapland, 635-636
- Lovejoy, T. E., see Diamond, A. W., and ———
- Mack, Andrew L., Frank B. Gill, Robert Colburn, and Christina Spolsky, Mitochondrial DNA: a source of genetic markers for studies of similar passerine bird species, 676-681
- MacMahon, James A., see Anderson, Douglas C., and ———
- Malaysia, 100-109
- Mallard, 701-708
- Mänd, Raivo, Agu Nigul, and Enok Sein, Oomorphology: a new method, 613-617
- Manitoba, 135-140, 293-297
- Marchant, S., Commentary: Long laying intervals, 247
- Martin, Robert F., see Scott, Peter E., and ———
- Maryland, 506-513, 817-820
- Mason, Paul, Brood parasitism in a host generalist, the Shiny Cowbird: I. The quality of different species as hosts, 52-60; II. Host selection, 61-69
- Mating systems of *Dendroica striata*, 782-789; *Locustella ochotensis*, 694-699; *Mimus polyglottos*, 424-426; *Phalaropus tricolor*, 611-612; *Tachycineta bicolor*, 442
- Mauritius, 632-633
- McAlary, F. A., see Collias, N. E., et al.
- McCaffrey, Frances T., see Davis, Lloyd S., and ———
- McLelland, J., see King, A. S., and ———
- Measurements (see Weights and ———)
- Melospiza melodia*, 210-212, 213
- Meltofte, H., Populations and breeding schedules of waders, Charadrii, in high arctic Greenland (rev.), 653
- Memorials of Boulton, W. Rudyerd, 420; Delacour, Jean (Theodore), 603-605; Keve, Andrew, 207; Kincaid, Edgar Bryan, Jr., 208; Mason, Charles Russell, 209; Meyer de Schauensee, Rodolphe, 204-206; Miller, Robert Cunningham, 606; Richardson, Frank, 812; Salomonsen, Finn, 811; Snyder, Lester L., 809-811
- Merritt, Peter G., see Breitwisch, Randall, et al.
- Metabolism of *Erithacus rubecula*, 169-178
- Mexico, 8-12, 593-601, 825-827
- Migration and orientation, 634-635; energetics of, 607-610; timing of, 548-554
- Migration and orientation of *Branta bernicla*, 237-241; *Buteo swainsoni*, 607-610; *B. platypterus*, 607-610; Parulinae, 548-554; *Spizella arborea*, 225-227
- Miller, Richard S., Commentary: Response to F. R. Hainsworth, 834
- Mills, Alexander M., The influence of moonlight on the behavior of goatsuckers (Caprimulgidae), 370-378
- Mimus polyglottos*, 152-157, 424-426
- M. saturninus*, 54-59, 62-64
- Minnesota, 181-187, 820-821
- Missouri, 655-665, 813-816
- Mock, Douglas W., see Ploger, Bonnie J., and ———
- Mockingbird, Chalk-browed, 54-59, 62-64; Northern, 152-157, 424-426
- Moermond, Timothy C., see Emlen, John T., et al.
- Moiseff, Andrew, review by, 648-649
- Molothrus ater*, 213, 626-628
- M. bonariensis*, 52-59, 61-66
- M. rufoaxillaris*, 52-59
- Molts and plumages of *Anous stolidus*, 357; *Aythya affinis*, 293-297; *Catamania homochroa*, 227-230; *Egretta caerulea*, 494-503; *Passerina cyanea*, 281-291; *Pygoscelis antarctica*, 160-167; *P. papua*, 160-167; *Zonotrichia leucophrys gambellii*, 822-825
- Monarcha melanopsis*, 247
- Montana, 213
- Moore, Alick, A field guide to the warblers of Britain and Europe (rev.), 259-260
- Moore, William S., and Walter D. Koenig, Comparative reproductive success of Yellow-shafted, Red-shafted, and hybrid flickers across a hybrid zone, 42-51
- Moors, P. J. (Ed.), Conservation of island birds (rev.), 445-446
- Mortality and survival of *Aythya valisineria*, 506-513; *Numenius americanus*, 758-762; *Quiscalus major*, 86-98
- Mortality rates, methods of measurement, 817-820
- Morton, Eugene S., see Buckley, Paul A., et al.
- Motmot, Turquoise-browed, 1-12
- Mumford, Russell E., and Charles E. Keller, The birds of Indiana (rev.), 253-254
- Murphy, Mary E., and James R. King, A safe and accurate method for force-feeding small granivorous birds, 429-431; Composition and quantity of feather sheaths produced by White-crowned Sparrows during the postnuptial molt, 822-825
- Murphy, Michael T., Body size and condition, timing of breeding, and aspects of egg production in Eastern Kingbirds, 465-476; Brood parasitism of Eastern Kingbirds by Brown-headed Cowbirds, 626-628
- Murre, Common, 306-317, 828-829; Thick-billed, 306-317
- Myers, J. P., review by, 653
- Nagata, Hisashi, Female choice in Middendorff's Grasshopper-Warbler (*Locustella ochotensis*), 694-700
- Nebraska, 42-50
- Nelson, H. K., see Hawkins, A. S., et al.
- Nest and nest site of *Phalacrocorax auritus*, 230-234; *P. pelagicus*, 230-234; *Pygoscelis adeliae*, 379-387; *Quiscalus major*, 86-98; *Tachycineta bicolor*, 389-398;

- Vermivora bachmanii*, 216-218; *Zenaida asiatica asiatica*, 825-827
- Nest parasitism, 52-59, 61-66, 213, 626-628, 813-816
- Nesting success of *Cardinalis cardinalis*, 23-30
- Nestling of *Anous stolidus*, 351-357; *Bubulcus ibis*, 768-775; *Mimus polyglottos*, 152-157; *Tachycineta bicolor*, 389-398
- Nettleship, David N., Gerald A. Sanger, and Paul F. Springer (Eds.), Marine birds: their feeding ecology and commercial fisheries relationships (rev.), 256-257
- Nevada, 219-220
- New Brunswick, 782-789
- Newfoundland, 828-829
- New Hampshire, 421-423
- Newton, I., and R. D. Chancellor (Eds.), Conservation studies on raptors (rev.), 645
- Newton, I. P., See Williams, A. J., et al.
- New York, 626-628
- New Zealand, 273-279
- Nichols, James D., Roy E. Tomlinson, and Gary Wagerman, Estimating nest detection probabilities for White-winged Dove nest transects in Tamalipas, Mexico, 825-828; see Haramis, G. M., et al.
- Nigul, Agu, see Mänd, Raivo, et al.
- Nilsson, Sven G., Evolution of hole-nesting in birds: on balancing selection pressures, 432-435
- Noddy, Brown, 351-357, 359-368
- Nolan, Val, Jr., review by, 253-254
- North Carolina, 32-40, 531-537
- Norton, Robert L., review by, 444
- Noyes, J. H., Consumption of largemouth bass eggs by Redhead Ducks at Ruby Lake, Nevada, 219-221
- Numenius americanus*, 755-765
- Nutting, William B., review by, 646
- Observer bias, 831-832
- Oceanites oceanicus*, 427-428
- Oceanodroma leucorhoa*, 14-22, 575-583
- Olson, Storrs L., see Wetmore, Alexander, et al.
- Ontario, 299-303, 370-376, 389-398, 548-554
- Oren, David C., review by, 249-250
- Orientation (see Migration and ———)
- Oring, Lewis W., Albert J. Fivizzani, and Mohamed E. El Halawani, Changes in plasma prolactin associated with laying and hatch in the Spotted Sandpiper, 820-822
- Ostrom, J. H., see Hecht, M. K., et al.
- Ouellet, Henri, review by, 261
- Pachyptila vittata salvini*, 427-428
- Paevskii, V. A., [Demography of birds] (rev.), 839
- Paleontology (see Fossils)
- Palmeria dolei*, 564-572
- Panama, 494-503
- Papp, Jozsef, and Zsigmond Rethy, Bibliographia ornithologica hungarica (rev.), 261
- Parasitism (see Nest parasitism)
- Parker, Theodore A., III, Voices of the Peruvian rain-forest (rev.), 845-846; see Hardy, John William, and ———
- Parkes, Kenneth C., see Farner, Donald S., et al.
- Parnell, James F., see Shields, Mark A., and ———
- Parulinae, 548-554
- Parus atricapillus*, 655-665, 667-675, 676-680
- P. bicolor*, 676-680
- P. carolinensis*, 655-665, 667-675, 676-680
- P. gambeli*, 667-675
- Paselk, Richard A., see Smith, Steven A., and ———
- Pasquier, Roger F., see Wetmore, Alexander, et al.
- Passer domesticus*, 299-303
- Passerina cyanea*, 281-291
- Patton, Stephen R., review by, 256-257
- Penguin, Adélie, 379-387, 485-492; Chinstrap, 160-167, 777-780; Emperor, 485-492; Gentoo, 160-167, 777-780
- Perisoreus canadensis*, 622-625
- Pesticides (see Pollutants)
- Petit, Daniel R., and Keith L. Bildstein, Development of formation flying in juvenile White Ibises (*Eudocimus albus*), 244-246
- Petrel, Cape, 427-428; White-chinned, 427-428, 617-619
- Phainopepla, 1-7
- Phainopepla nitens*, 1-7
- Phalacrocorax auritus*, 230-234
- P. pelagicus*, 230-234
- P. subvolans*, 804-807
- P. urile*, 306-317
- Phalarope, Wilson's, 611-612
- Phalaropus tricolor*, 611-612
- Phan, Duong, see Karasov, William H., et al.
- Phelps, William H., Jr., see Dickerman, Robert W., et al.
- Phillips, C. M., see Williams, A. J., et al.
- Phillips, J. G., P. J. Butler, and P. J. Sharp, Physiological strategies in avian biology (rev.), 654
- Phoenicurus phoenicurus*, 235-236
- Physiology, body mass and composition, 181-187, 506-513; digestive rates, 617-619; energy cost of activities, 169-178, 832-833, 834; flight, 169-178; hormones, 820-821; incubation, 820-821; metabolism, 169-178; molt, 822-825; nutrient absorption, 453-463; nutrient reserves, 181-187, 237-241, 477-482, 506-513; olfactory sensitivity, 586-591
- Physiology of *Actitis macularia*, 820-821; *Aythya colaris*, 181-187; *Calypte anna*, 453-463; *Erithacus rubecula*, 169-178; *Procellaria aequinoctialis*, 617-619; *Selasphorus rufus*, 453-463; *Zonotrichia leucophrys gambelii*, 822-825
- Picman, Jaroslav, see Leonard, Marty L., and ———
- Pierce, D. J., and T. R. Simons, The influence of human disturbance on Tufted Puffin breeding success, 214-215
- Pierce, Raymond J., Differences in susceptibility to

- predation during nesting between Pied and Black stilts (*Himantopus* spp.), 273-280
- Pierotti, Raymond, and Cheryl A. Bellrose, Proximate and ultimate causation of egg size and the "third-chick disadvantage" in the Western Gull, 401-407
- Pietz, Pamela J., Daily activity patterns of South Polar and Brown skuas near Palmer Station, Antarctica, 726-736
- Pigeon, Plain, 629-631
- Pletschet, Sandra M., see Hutto, Richard L., et al.
- Ploceus cucullatus*, 408-417
- Ploger, Bonnie J., and Douglas W. Mock, Role of sibling aggression in food distribution to nestling Cattle Egrets (*Bubulcus ibis*), 768-776
- Plumages (see Molts and ———)
- Pollock, K. H., see Haramis, G. M., et al.
- Pollutants, 238
- Polyandry (see Mating systems)
- Polygamy (see Mating systems)
- Polygyny (see Mating systems)
- Power, Dennis M., and David G. Ainley, Seabird geographic variation: similarity among populations of Leach's Storm-Petrel, 575-585
- Predation by *Bubo virginianus*, 10; *Buteogallus anthracinus*, 494-503; *Catharacta maccormicki*, 379-387; *Corvus ossifragus*, 531-537; *Larus schistisagus*, 14-20; *Tyto alba*, 10
- Predation on *Egretta caerulea*, 494-503; *Eudocimus albus*, 531-537; *Eumomota superciliosa*, 10-11; *Himantopus himantopus leucocephalus*, 273-279; *H. novaeseelandiae*, 273-279; *Larus occidentalis*, 403; *Oceanodroma leucorhoa*, 14-20; *Pygoscelis adeliae*, 379-387; *Quiscalus major*, 91-93
- Pribilof Islands, 306-312
- Prion, Salvin's, 427-428
- Procellaria aequinoctialis*, 427-428, 617-619
- Ptilonorhynchus violaceus*, 189-194
- Ptychoramphus aleuticus*, 682-691
- Puffin, Atlantic, 828-829; Tufted, 214-215
- Pygoscelis adeliae*, 379-387, 485-492
- P. antarctica*, 160-167, 777-780
- P. papua*, 160-167, 777-780
- Quinney, Terry E., David J. T. Hussell, and C. Davison Ankney, Sources of variation in growth of Tree Swallows, 389-400; Commentary: Polygyny in Tree Swallows: response to R. E. Simmons, 442-443
- Quiscalus major*, 86-98
- Rabenold, Patricia Parker, Family associations in communally roosting Black Vultures, 32-41
- Rasch, Gretchen, review by, 646-647
- Raven, Common, 622-625
- Rayner, Jeremy M. V., Vertebrate flight: a bibliography (rev.), 654
- Recher, Harry F., see Holmes, Richard T., and ———
- Redmond, Roland L., and Donald A. Jenni, Population ecology of the Long-billed Curlew (*Numenius americanus*) in western Idaho, 755-767
- Redstart, 235-236; American, 213
- Reeves, H. M., see Hawkins, A. S., et al.
- Reilly, P. N., see Blakers, M., et al.
- Rensen, J. V., Jr., Was Bachman's Warbler a bamboo specialist?, 216-219; F. Gary Stiles, and Peter E. Scott, Frequency of arthropods in stomachs of tropical hummingbirds, 436-441
- Rethy, Zsigmond, see Papp, Jozsef, and ———
- Rey-Millet, Yves-Jacques, see Bradley, Patricia, and ———
- Ricklefs, Robert E., Donald F. Bruning, and George W. Archibald, Growth rates of cranes reared in captivity, 125-134
- Ridgely, Robert S., see Buckley, Paul A., et al.
- Ripley, S. Dillon, In memoriam: Rodolphe Meyer de Schauensee, 204-206
- Riska, Diane E., An analysis of vocal communication in young Brown Noddies (*Anous stolidus*), 351-358; An analysis of vocal communication in the adult Brown Noddy (*Anous stolidus*), 359-369
- Rissa brevirostris*, 306-317
- R. tridactyla*, 306-317
- Ritter, Lyman V., see Verner, Jared, and ———
- Ritter, Ronald C., and Julia Zaias, Parental behavior of a bigamous male Northern Mockingbird, 424-427
- Robbins, Mark B., Michael J. Braun, and Emily A. Tobey, Morphological and vocal variation across a contact zone between the chickadees *Parus atricapillus* and *P. carolinensis*, 655-666; see Braun, Michael J., and ———
- Robertson, C. J. R., see Bull, P. C., et al.
- Robin, American, 318-325, 710-725; European, 169-178
- Robinson, Scott K., review by, 845-846
- Rohwer, Frank C., Commentary: Response to D. C. Duncan, 638-639
- Rohwer, Sievert, A previously unknown plumage of first-year Indigo Buntings and theories of delayed plumage maturation, 281-292
- Romesburg, H. Charles, see Balph, David F., and ———
- Rosenberg, Kenneth V., see Klein, Nedra K., and ———
- Rossotti, Hazel, Colour: why the world isn't grey (rev.), 261-262
- Rotenberry, John T., review by, 841-843
- Rusterholz, Kurt A., see Emlen, John T., et al.
- Ryan, Peter G., and Susan Jackson, Stomach pumping: is killing seabirds necessary?, 427-428; see Jackson, Sue, and ———
- Sandpiper, Spotted, 820-821
- Sanger, Gerald A., see Nettleship, David N., et al.
- Scaup, Lesser, 293-297

- Scavenger activity, 817-820
- Schluter, Dolph, see Smith, James N. M., et al.
- Schneider, David C., see Hunt, George L., Jr., et al.
- Schreiber, R. W., see Croxall, J. P., et al.
- Scott, Peter E., and Robert F. Martin, Clutch size and fledging success in the Turquoise-browed Motmot, 7-13; see Remsen, J. V., Jr., et al.
- Seeb, James E., see Ankney, C. Davison, et al.
- Seedeater, Paramo, 227-230
- Sein, Enok, see Mänd, Raivo, et al.
- Selasphorus rufus*, 453-463
- Semel, Brad, and Paul W. Sherman, Dynamics of nest parasitism in Wood Ducks, 813-816
- Setophaga ruticilla*, 213
- Sharp, P. J., see Phillips, J. G., et al.
- Sherman, Paul W., see Semel, Brad, and ———
- Shields, Mark A., and James F. Parnell, Fish Crow predation on eggs of the White Ibis at Battery Island, North Carolina, 531-539
- Sick, Helmut, Ornitologia brasileira, uma introdução (rev.), 249-250
- Siegel-Causey, Douglas, and George L. Hunt, Jr., Breeding-site selection and colony formation in Double-crested and Pelagic cormorants, 230-234; reviews by, 839-840
- Simons, T. R., see Pierce, D. J., and ———
- Simpson, Mark, see Burger, Alan E., and ———
- Singer, A., see Austin, O. L., Jr., and ———
- Skua, Brown, 726-735; South Polar, 379-387, 726-735
- Skutch, Alexander F., Life of the woodpecker (rev.), 652-653
- Smith, James N. M., Peter Arcese, and Dolph Schluter, Song Sparrows grow and shrink with age, 210-212
- Smith, Loren M., see Vangilder, Larry D., et al.
- Smith, Neal G., David L. Goldstein, and George A. Bartholomew, Is long-distance migration possible for soaring hawks using only stored fat?, 607-611
- Smith, Steven A., and Richard A. Paselk, Olfactory sensitivity of the Turkey Vulture (*Cathartes aura*) to three carrion-associated odorants, 586-592
- Song (see Vocalizations)
- Sorenson, Ella D., see Behle, William H., et al.
- South Atlantic Bight, 141-149
- South Carolina, 244-246
- Southern, William E., editor of book reviews, 249-262, 444-449
- Sparrow, American Tree, 225-227; House, 299-303; Song, 210-212, 213; White-crowned, 79-84, 429-430, 822-825; White-throated, 421-423
- Spectrograms of *Vermivora pinus*, 640-641
- Spizella arborea*, 225-227
- Spolsky, Christina, see Mack, Andrew L., et al.
- Springer, Paul F., see Nettleship, David N., et al.
- Sterna antillarum*, 242-244
- Stiles, F. Gray, see Remsen, J. V., Jr., et al.
- Stilt, Black, 273-279; Pied, 273-279
- Stjernberg, T., and Y. Haila (Eds.), Proceedings of the Fourth Nordic Ornithological Congress (rev.), 260-261
- Storm-Petrel, Leach's, 14-22, 575-583; Wilson's, 427-428
- Swallow, Tree, 389-398, 442-443
- Sweden, 432-434
- Tachycineta bicolor*, 389-398, 442-443
- Tatner, Paul, and David M. Bryant, Flight cost of a small passerine measured using doubly labeled water: implications for energetics studies, 169-180
- Taxonomy of Anhimidae, 737-754; *Anhinga subvolans*, 804-807; Anatidae, 737-754; *Automolus roraimae*, 431; *Columba inornata*, 629-631; *Empidonax euleri*, 341-349; *Lathrotriccus euleri*, 341-349; *Oceanodroma leucorhoa*, 583; *Phalacrocorax subvolans*, 804-807; *Philydor hylobius*, 431
- Taylor, Jan R. E., Thermal insulation of the down and feathers of pygoscelid penguin chicks and the unique properties of penguin feathers, 160-168
- Temeles, Ethan J., Reversed sexual size dimorphism: effect on resource defense and foraging behaviors of nonbreeding Northern Harriers, 70-78
- Temple, Stanley A., Recovery of the endangered Mauritius Kestrel from an extreme population bottleneck, 632-633; see Knight, Richard L., and ———; Bird conservation, 2 (rev.), 843-844
- Tern, Least, 242-244
- Territory of *Calcarius lapponicus coloratus*, 635-636; *Cardinalis cardinalis*, 23-30; *Dendroica striata*, 782-789; *Zonotrichia leucophrys nuttalli*, 79-84
- Texas, 23-30, 540-546, 768-775
- Tobey, Emily A., see Robbins, Mark B., et al.
- Tomlinson, Roy E., see Nichols, James D., et al.
- Traylor, Melvin A., Jr., In memoriam: W. Rudyerd Boulton, 420
- Trivelpiece, Susan G., see Trivelpiece, Wayne Z., et al.
- Trivelpiece, Wayne Z., John L. Bengtson, Susan G. Trivelpiece, and Nicholas J. Volkman, Foraging behavior of Gentoo and Chinstrap penguins as determined by new radiotelemetry techniques, 771-781; see Bucher, Theresa L., et al.
- Tsybulin, S. M., [Birds of sparsely settled towns] (rev.), 839-840
- Titmouse, Tufted, 676-680
- Turdus migratorius*, 318-325, 710-725
- Tyrannus tyrannus*, 465-475, 626-628
- Tyrell, Ester Quesada, Hummingbirds: their life and behavior (rev.), 449
- Tyto alba*, 10
- Udvardy, Miklos D. F., In memoriam: Andrew Keve, 207; reviews by, 259, 260-261
- Ulinski, Philip S., Dorsal ventricular ridge: a treatise on forebrain organization in reptiles and birds (rev.), 250-251
- Underhill, L. G., see Abrams, R. W., and ———

- Uria aalge*, 306–317, 828–829
U. lomvia, 306–317
- Vangilder, Larry D., Loren M. Smith, and Richard K. Lawrence, Nutrient reserves of premigratory Brant during spring, 237–241
- Vermivora bachmanii*, 216–218
V. luciae, 213
V. pinus, 640–641
- Verner, Jared, and Lyman V. Ritter, Hourly variation in morning point counts of birds, 117–124
- Vestiaria coccinea*, 564–572
- Viohl, G., see Hecht, M. K., et al.
- Vireo olivaceus*, 213
- Vireo, Red-eyed, 213
- Vocalizations, geographic variation in, 640–641, 655–665; variety of, 189–194, 351–357, 359–368, 655–665
- Vocalizations of *Anous stolidus*, 351–357, 359–368; *Cardinalis cardinalis*, 23–30; *Parus atricapillus*, 655–665; *P. carolinensis*, 655–665; *Ptilonorhynchus violaceus*, 189–194; *Vermivora pinus*, 640–641
- Volkman, N. J., see Bucher, Theresa L., et al.; see Trivelpiece, Wayne Z., et al.
- Vulture, Black, 32–40; Turkey, 586–591
- Waggerman, Gary, see Nichols, James D., et al.
- Walsberg, Glenn E., Thermal consequences of roost-site selection: the relative importance of three modes of heat conservation, 1–7
- Walton, Richard K., Birds of the Sudbury River Valley: an historical perspective (rev.), 646
- Warbler, Bachman's, 216–218; Blackpoll, 782–789; Blue-winged, 640–641; Lucy's, 213; Wood, 548–554; Yellow, 213
- Ward-Smith, A. J., Biophysical aerodynamics and the natural environment (rev.), 261
- Washington, 263–271, 622–625, 822–825
- Wasserman, Fred E., Sexual differences in the spatial distribution of foraging in White-throated Sparrows (*Zonotrichia albicollis*), 421–423
- Watanuki, Yutaka, Moonlight avoidance behavior in Leach's Storm-Petrels as a defense against Slaty-backed Gulls, 14–22
- Watkins, B. P., see Williams, A. J., et al.
- Weather, influence on (see Environment, influence on)
- Weaver, African Village, 408–417
- Weights and measurements of *Anas rubripes*, 477–482; *Anhinga subvolans*, 804–807; *Calcarius lapponicus coloratus*, 636; *Columba inornata*, 630; *Oceanodroma leucorhoa*, 575–581
- Weights and measurements, methods of, 613–616, 832
- Wellnhofer, P., see Hecht, M. K., et al.
- Westmoreland, David, Louis B. Best, and David E. Blockstein, Multiple brooding as a reproductive strategy: time-conserving adaptations in Mourning Doves, 196–203
- Wetmore, Alexander, Roger F. Pasquier, and Storrs L. Olson, The birds of the Republic of Panama, Part 4, Passeriformes: Hirundinidae (swallows) to Fringillidae (finches) (rev.), 254–255
- Wheelwright, Nathaniel, The diet of American Robins: an analysis of U.S. Biological Survey records, 710–725
- Wheye, Darryl, see Ehrlich, Paul R., et al.
- Whip-poor-will, 370–376
- White, Clayton M., see Behle, William H., et al.
- White, Robin P., see Emlen, John T., et al.
- Whitesides, George H., see Breitwisch, Randall, et al.
- Willard, David E., see Dickerman, Robert W., et al.
- Williams, A. J., J. Cooper, I. P. Newton, C. M. Phillips, and B. P. Watkins, Penguins of the world: a bibliography (rev.), 448
- Williams, Janet M., see Williams, Timothy C., et al.
- Williams, Timothy C., Janet M. Williams, and Phillip D. Kloeckner, Airspeed and heading of autumnal migrants over Hawaii, 634–635
- Wingfield, John C., review by, 255–256
- Wisconsin, 318–325
- Wishard, Lisa N., see Ankney, C. Davison, et al.
- Woodcock, Martin W., see Gallagher, Michael, and ———
- Woolfenden, Glen, review by, 260
- Wong, Marina, Trophic organization of understory birds in a Malaysian dipterocarp forest, 100–116
- Wren, Marsh, 135–140
- Wyoming, 42–50
- Xanthocephalus xanthocephalus*, 135–140
- Ylimaunu, Juha, see Järvinen, Antero, and ———
- Zaia, Julia, see Breitwisch, Randall, et al.
- Zenaida asiatica*, 825–827
- Z. macroura*, 196–201
- Zimmer, Kevin J., The western bird watcher: an introduction to birding in the American West (rev.), 840–841
- Zonotrichia albicollis*, 421–423
- Z. leucophrys*, 79–84, 429–430, 822–825