

## INDEX TO VOLUME 104

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Able, Kenneth P., and Scott P. Terrill, A new technique for releasing migrants from orientation cages, 135-139  
*Accipiter bicolor*, 500  
*A. cooperii*, 60  
*A. nisus*, 117, 118, 120  
*Aegithalos temporalis*, 382-389, 392  
Age, determination of, 86, 87, 482  
*Agelaius phoeniceus*, 56-61, 311-314, 405-411, 413-418, 628-633, 777-778  
Ahlquist, Jon E., Anthony H. Bledsoe, Frederick H. Sheldon, and Charles G. Sibley, Commentary: DNA hybridization and avian systematics, 556-563  
*Aidemosyne modesta*, 382-389, 392  
*Aix sponsa*, 435-442  
*Ajaia ajaja*, 740-748  
Alaska, 450-460, 542-543, 707-716, 779-783  
Alberta, 73-75, 421-426, 681-686, 687, 767-769  
Alcock, John, review by, 808-809  
Ali, Sálim, The fall of a sparrow (rev.), 364-365  
Alisauskas, Ray T., Morphometric correlates of age and breeding status in American Coots, 640-646; C. Davison Ankney, and David G. Krementz, Commentary: Body condition in Eastern Kingbirds, 546-547  
*Amadina erythrocephala*, 382-389, 392  
*A. fasciata*, 382-389, 392  
*Amandava amandava*, 382-389, 392  
*A. subflava*, 382-389, 392  
American Ornithologists' Union, Awards, 367-368; Proceedings of the One-Hundred-Fourth Stated Meeting, 1AA-23AA; Thirty-sixth supplement to the Check-list of North American Birds, 591-596  
*Anas platyrhynchos*, 126-127, 597-601  
Anatomy and morphology of *Aythya affinis*, 694-698; *Catherpes mexicanus*, 529, 530; *Chlorostilbon bracei*, 296, 297, 298; *Corvidae*, 665-679; *Epimachus albirtisi*, 48, 54; *Eudocimus albus*, 771-774; *Falco sparverius*, 321-323; *Fulica americana*, 640-645, 779-783; *Hylocichlus sumichrasti*, 529, 530; *Microcerulus philomela*, 530; *Oceanodroma furcata*, 779-783; *Passer domesticus*, 681-686; *Picidae*, 757-764; *Picoides albolarvatus*, 230; *P. villosus*, 230; *Poephila guttata*, 155-165; *Salpinctes obsoletus*, 530; *Spheniscus magellanicus*, 779-783  
Anderson, David J., see Curry, Robert L., and ——
- Andigena cucullata*, 325, 326  
Angle, J. Phillip, see Olson, Storrs L., et al.  
Ankney, C. Davison, see Alisauskas, Ray T., et al.  
*Anous stolidus*, 790  
*Anser caerulescens*, 119  
*A. indicus*, 688-692  
Antarctica, 617-625  
*Apheloeca coerulescens*, 665-679, 680  
Applegate, Roger D., In memoriam: Samuel Charles Kendigh, 508-509  
*Aptenodytes patagonica*, 254-261  
*Apteryx australis*, 126-127  
Aquadro, Charles F., see Avise, John C., and ——  
Araya M., Braulio, and Guillermo Millie H., Guía de campo de las aves de Chile (rev.), 573-574  
*Ardea cocoi*, 97-107  
*A. herodias*, 38-45, 47, 97-107, 740-748  
*A. melanocephala*, 97-107  
*A. pacifica*, 97-107  
*A. sumatrana*, 97-107  
Ardeidae, 97-107  
*Ardeola grayii*, 97-107  
Argentina, 779-783  
Arizona, 783-786  
Armani, Gilbert C., Guide des passereaux granivores (rev.), 152-153  
Armstrong, Douglas P., Economics of breeding territoriality in male Calliope Hummingbirds, 242-253  
*Asio flammeus*, 520  
Astheimer, Lee B., see Buttemer, William A., et al.  
*Astrapia stephaniae*, 52  
Astrapia, Stephanie's, 52  
*Auriparus flaviceps*, 531-534  
Austin, Jane E., and Leigh H. Fredrickson, Body and organ mass and body composition of postbreeding female Lesser Scaup, 694-699  
Australia, 380-389  
Avise, John C., and Charles F. Aquadro, Malate dehydrogenase isozymes provide a phylogenetic marker for the Piciformes (woodpeckers and allies), 324-328  
*Aythya affinis*, 694-698  
Bahamas, 296-301  
Baker, Leslie A., see Hepp, Gary R., et al.  
Bakken, George S., see Santee, William R., and ——

- Bakst, Murray R., and David M. Bird, Localization of oviductal sperm-storage tubules in the American Kestrel (*Falco sparverius*), 321-324
- Barlow, Jon C., review by, 800-801
- Barn-Owl, Common, 520
- Barry, T. W., see Gollop, J. B., et al.
- Bartramia longicauda*, 777-778
- Bech, Claus, see Klaassen, Marcel, et al.
- Becker, Jonathan J., Revision of "Falco" ramenta Wetmore and the Neogene evolution of the Falconidae, 270-276
- Bednarz, James C., Successive nesting and autumnal breeding in Harris' Hawks, 85-96; Pair and group reproductive success, polyandry, and cooperative breeding in Harris' Hawks, 393-404
- Beehler, Bruce M., Ecology and behavior of the Buff-tailed Sicklebill (Paradisaeidae: *Epimachus albertisi*), 48-55
- Behavior, activity patterns, 209, 210, 218-222, 225, 229-230, 231, 243, 244, 249, 250, 255-256, 280, 620-621, 708-709, 740-748; age-related, 191-193, 196, 263-268, 292-293, 294, 483-485, 488, 648-649, 650, 652; agonistic, 79-80, 81, 82, 188-196, 244, 245, 249, 251-252, 290-295, 335, 342-343, 397-398, 413-418, 431, 433, 456, 459, 462, 464, 471, 472, 621, 625, 645, 649-650, 717-722; antipredator, 343, 429-433, 496-505, 713-714; breeding, 52-55, 85-94, 209, 210, 234-241, 277, 280, 284-287, 322-323, 344-346, 393-402, 405-411, 450-460, 491-494, 521-522, 597-601, 649; cannibalistic, 620; copulatory, 81-82, 323, 450-460, 465, 488, 597-601, 630, 720; courtship, 52-53, 54, 251, 456, 628-633; dominance, 1-10, 77-83, 113, 114, 133, 135, 188-196, 290-295, 333-335, 429-433, 501, 513, 650, 651, 652, 717-722; effect of environment on, 11-15, 80, 82-83, 90-91, 93, 94, 180, 186, 237-238, 240, 303-309, 413-418, 487, 622, 623, 624, 628-633; effect of predation on, 196; extrapair, 450-460, 597-601; feeding, 49, 50, 54, 134, 173-177, 180-186, 190, 192-193, 194, 218-222, 225-232, 233, 242, 244-248, 250, 255-257, 259-260, 263-268, 277-287, 290-295, 429-433, 517-520, 617-625, 649, 650-652, 712, 713, 771-774; feeding aggregation, 290-295, 429-433; flight, 218-222, 370, 609, 611; foraging (see Behavior, feeding); forced copulation, 82, 597-601; homing, 369-378; incubation, 218, 219, 221, 277, 281, 285, 707-715; individual distance, 50; interspecific, 180, 184, 231, 249, 290-295, 513-514, 625, 775-778; learning, 266-267, 268, 339, 514-515, 519; maintenance, 221, 709, 710; mate guarding, 450-460, 464, 465, 467, 470, 472; mating preference, 60, 82, 83, 234, 237-238, 240, 243, 409, 410, 411, 459-460, 494, 505, 549-550, 550-551, 628-633, 643-644; migratory, 303-309; movements in home range, 50-51, 79-80, 82, 483-486; nest defense, 791-793; nest helper (see Communal breeding); nest-site tenacity, 521-522; nesting, 38-45, 85-94, 281, 452, 453, 457-458, 630-633; ontogeny of, 267, 512-515, 650; pair, 202-204, 393-402, 450-460, 521-522; parental care, 54, 73, 75, 94, 157-158, 164, 218, 219, 220, 221-222, 254-257, 259-260, 268, 277, 281, 283-287, 393, 396, 400, 401, 462-464, 467-468, 470, 472, 476, 478, 624, 635-639, 688-692, 750-755; play, 338-340; roosting, 342-343, 531-534, 647-652; sexual differences in, 49, 50, 191-193, 225, 227-230, 231, 429-433, 717-722, 771-774; site fidelity, 54, 59, 79, 251, 304, 308-309, 405, 408-409, 410-411, 483, 484, 486-488, 493, 648; social, 188-196, 202-204, 205, 339-340, 393-402, 429-433, 450-460, 496-505, 519; status-signaling, 188-196, 717-722; territorial, 50, 52, 54, 59, 60, 77-83, 113, 114, 133-135, 202-204, 242-252, 277-280, 285, 286, 313-314, 330, 344-346, 397-398, 405-411, 413-418, 483-488, 535-537, 620, 645; vocal, 50, 52, 63, 66-70, 134, 198-205, 329-330, 498-500, 505, 512-515, 528-529, 775-778, 790
- Behavior of *Agelaius phoeniceus*, 59, 60, 311-314, 405-411, 413-418, 628-633; *Anas platyrhynchos*, 597-601; *Anser indicus*, 688-692; *Aptenodytes patagonica*, 254-257, 259-260; *Ardea herodias*, 38-45; *Branta canadensis*, 73, 75; *Bucephala islandica*, 521-522; *Cathartes aura*, 290-295; *Centrocercus urophasianus*, 77-83; *Chen canagica*, 707-715; *Circus cyaneus*, 11-15; *Cistothorus palustris*, 491-494; *Columba livia*, 369-371, 374-378; *Coragyps atratus*, 290-295, 647-652; *Corvus caurinus*, 263-268; *Dendroica kirtlandii*, 234-241; *Empidonax traillii*, 329-330; *Epimachus albertisi*, 48-55; *Eudocimus albus*, 771-774; *Euphonia gouldi*, 173-177; *Falco sparverius*, 322-323; *Fulica americana*, 643-645; *Fulmarus glacialis*, 450-460; *Juncos hyemalis*, 1-6, 303-309; *Larus occidentalis*, 33-36; *Manacus candei*, 173-177; *Microdynamis parva*, 50; *Mimus polyglottos*, 198-205; *Molothrus ater*, 512-515; *Nesomimus macdonaldi*, 517-520; *N. melanotis*, 517-520; *N. parvulus*, 517-520; *N. trifasciatus*, 517-520; *Oceanodroma leucophrys*, 750-755; *Parabuteo unicinctus*, 85-94, 393-402; *Parus caeruleus*, 109-114; *Passer domesticus*, 462-468; *Passerulus sandwichensis*, 277-287; *Picoides albolarvatus*, 225-232, 233; *P. villosus*, 225-232, 233; *Pipra mentalis*, 173-177; *Polyborus plancus*, 290-295; *Progne chalybea*, 342-343; *Quiscalus mexicanus*, 635-639; *Ramphocelus passerinii*, 173-177; *Rupicola rupicola*, 496-505; *Sarcoramphus papa*, 290-295; *Seiurus motacilla*, 180-186; *S. noveboracensis*, 180-186; *Sitta carolinensis*, 429-433; *Stellula calliope*, 242-252; *Sturnella magna*, 775-778; *Tachycineta bicolor*, 717-722; *Tachyphonus delatrii*, 173-177; *Tetrao urogallus*, 481-488; *Thraupis palmarum*, 173-177; *Uria aalge*, 218-222; *Vultur gryphus*, 290-295; *Wilsonia citrina*, 133-135; *Zonotrichia leucophrys*, 1-6, 188-196; *Z. querula*, 1-6
- Bekoff, Marc, see Ortega, Joseph C., and ——
- Bent, Arthur Cleveland, Life histories of North American diving birds (rev.), 589; Life histories of North American gulls and terns (rev.), 589
- Bergerud, A. T., and H. E. Butler, Commentary: Re-

- sponse to S. J. Hannon and F. C. Zwickel, 345-347
- Bildstein, Keith L., Energetic consequences of sexual size dimorphism in White Ibises (*Eudocimus albus*), 771-775; see Collopy, Michael W., and —
- Bingman, Verner, Earth's magnetism and the nocturnal orientation of migratory European Robins, 523-525
- Bird, David M., see Bakst, Murray R., and —
- Bird of Paradise, Raggiana, 52
- Birkhead, Tim R., Prolonged sperm storage duration in domesticated canaries, 770-771; see Nettleship, David, and —
- Birks, H. J. B., see Huntley, B., and —
- Bittern, American, 97-107; Cinnamon, 97-107; Least, 97-107; Little, 97-107; Palearctic, 97-107
- Blackbird, Red-winged, 56-61, 311-314, 405-411, 413-418, 628-633, 777-778
- Black-Hawk, Great, 500
- Blacklock, Gene W., see Rappole, J. H., and —
- Blake Plateau (Atlantic Ocean), 129-132
- Bledsoe, Anthony H., Molecular distance data: the issue of variable rates, 563-565; see Ahlquist, Jon E., et al.
- Blokpoel, H., and G. D. Tessier, The Ring-billed Gull in Ontario: a review of a new problem species (rev.), 359-361
- Bluebird, Western, 783-786
- Blum, P. N., see Mikheil'son, H. A., et al.
- Boag, Peter T., Effects of nestling diet on growth and adult size of Zebra Finches (*Poephila guttata*), 155-166; see Lessells, C. M., and —
- Bobolink, 777-778
- Boersma, P. Dee, and Emily M. Davies, Sexing monomorphic birds by vent measurements, 779-783
- Bonasa umbellus, 126-127
- Booby, Masked, 517-519
- Botaurus lentiginosus, 97-107
- B. stellaris, 97-107
- Bowman, Robert J., review by, 357
- Boyd, John Morton, Fraser Darling's islands (rev.), 365
- Boyer, Trevor, see Gooders, John, and —
- Bradbury, J. W., see Gibson, R. M., and —
- Branta canadensis, 73-75
- Braune, Birgit M., Seasonal aspects of the diet of Bonaparte's Gulls (*Larus philadelphia*) in the Quoddy region, New Brunswick, Canada, 167-172
- Brawn, Jeffrey D., Density effects on reproduction of cavity nesters in northern Arizona, 783-787
- Bredin, K. A., see Cairns, D. K., et al.
- Breeding of (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site), *Agelaius phoeniceus*, 405-411; *Anas platyrhynchos*, 597-601; *Catharacta lönbergi*, 621-624; *C. maccormicki*, 621-624; *Corvus caurinus*, 267; *Denigratus obscurus*, 344-346; *Epimachus albirtisi*, 52-55; *Falco sparverius*, 322-323; *Fulica americana*, 644-645; *Fulmarus glacialis*, 450-460; *Larus californicus*, 424-425; *L. occidentalis*, 33-36; *Parabuteo unicinctus*, 85-94, 393-402; *Parus major*, 700-705; *Passer domesticus*, 470-479; *Passerculus sandwichensis*, 277-287; *Serinus canaria*, 770-771; *Sialia mexicana*, 783-786; *Sitta pygmaea*, 783-786; *Stellula calliope*, 242-243, 244, 251-252; *Tachycineta bicolor*, 717-722; *T. thalassina*, 783-786
- Breeding season of *Agelaius phoeniceus*, 57-58; *Catharacta lönbergi*, 621-623, 624; *C. maccormicki*, 621-623, 624; *Larus argentatus*, 526-527; *Parabuteo unicinctus*, 85-94; *Passerculus sandwichensis*, 279-280; *Rupicola rupciola*, 497; *Sialia mexicana*, 785; *Sitta pygmaea*, 785; *Stellula calliope*, 243; *Tachycineta thalassina*, 785
- Breeding success, 87-92, 94, 110, 157, 234-241, 251, 331, 332, 397, 398, 400, 402, 410, 462, 465-468, 470, 473-476, 491-494, 622-625, 783-786
- Breeding success of *Agelaius phoeniceus*, 410, 630, 631; *Bucephala islandica*, 332; *Catharacta lönbergi*, 622-625; *C. maccormicki*, 622-625; *Cistothorus palustris*, 491-494; *Dendroica kirtlandii*, 234-241; *Parabuteo unicinctus*, 87-92, 94, 397, 398, 400, 402; *Parus caeruleus*, 110; *Passer domesticus*, 462, 465-468, 470, 473-476; *Poephila guttata*, 157; *Sialia mexicana*, 783-786; *Sitta pygmaea*, 783-786; *Stellula calliope*, 251; *Tachycineta thalassina*, 783-786
- Brisbin, I. Lehr, Jr., Charles T. Collins, Gary C. White, and D. Archibald McCallum, Commentary: A new paradigm for the analysis and interpretation of growth data: the shape of things to come, 552-554
- British Columbia, 242-252, 263-268, 330-332, 405-411, 521-522
- Brown, David E., Arizona wetlands and waterfowl (rev.), 149-150
- Brown, Jerram L., review by, 350-352
- Brush, Alan H., Editorial, 369; reviews by, 153, 154, 365-366, 588-590, 806-808, 809-810
- Bubulcus ibis, 97-107
- Bucephala albeola, 521-522
- B. islandica, 330-332
- Bufflehead, 521-522
- Busse, P., Key to ageing and sexing of European passerines (rev.), 580
- Buteo galapagoensis, 519-520
- Buteogallus urubitinga, 500
- Butler, H. E., see Bergerud, A. T., and —
- Butorides striatus, 97-107
- Buttemer, William A., Lee B. Astheimer, Wesley W. Weathers, and Anita M. Hayworth, Energy savings attending winter-nest use by Verdins (*Auriparus flaviceps*), 531-535
- Bystrak, Danny, see Robbins, Chandler S., et al.
- Cacicus cela, 499
- Cairns, D. K., K. A. Bredin, and W. A. Monteverchi,

- Activity budgets and foraging ranges of breeding Common Murres, 218–224
- California, 33–36, 63–70, 77–83, 188–196, 225–232, 285, 421–426, 512–515, 531–534, 681–686, 687, 767–769
- Calls (see Vocalizations)
- Campetherabingoni*, 326
- Canary, Common, 770–771
- Capercaillie, Common, 481–488
- Caracara, Crested, 290–295
- Carbonel, Montserrat, see Scott, Derek A., and —
- Carduelis cannabina*, 770
- C. carduelis*, 386, 389, 392, 770
- C. chloris*, 386, 389, 392
- C. flammea*, 770
- C. spinus*, 770
- Carpenter, James W., see Scott, J. Michael, and —
- Casmerodius albus*, 97–107, 740–748
- Casuarius casuarius*, 126–127
- Cathartacta lönbergi*, 617–625
- C. maccormicki*, 617–625
- Cathartes aura*, 290–295, 373
- Catherpes mexicanus*, 528–530
- Census methods, 336–338
- Centrocercus urophasianus*, 77–83
- Ceryle alcyon*, 326
- Chambers, M. L., Annotated checklist of the birds of Hong Kong (rev.), 153
- Chandler, William J., see Eno, Amos S., et al.
- Chardine, John W., Commentary: Brown Noddy vocal behavior, 790
- Chelidoptera tenebrosa*, 325, 326
- Chen canagica*, 707–715
- Cheng, Kimberly M., see Eadie, John McA., et al.
- Cherel, Yves, Jean-Claude Stahl, and Yvon Le Maho, Ecology and physiology of fasting in King Penguin chicks, 254–262
- Chloebia gouldiae*, 382–389, 392
- Chlorostilbon bracei*, 296–301
- C. ricordii*, 296–301
- Christidis, L., Biochemical systematics within palaeotropic finches (Aves: Estrildidae), 380–392
- Ciochia, Victor, Dinamica si migratia pasarilor [Movements and migrations of birds] (rev.), 364
- Circus cyaneus*, 11–15
- Cistothorus palustris*, 63–70, 491–494
- Clark, George A., Jr., reviews by, 588, 808
- Clark, Ricardo, Aves de Tierra del Fuego y Cabo de Hornos (rev.), 573–574
- Clark, Robert G., and Patrick J. Weatherhead, Influence of population size on habitat use by territorial male Red-winged Blackbirds in agricultural landscapes, 311–315
- Cleptoparasitism (see Kleptoparasitism)
- Clutch size of *Aix sponsa*, 438, 442; *Anser indicus*, 688–692; *Chen canagica*, 712, 714–715; *Cistothorus palustris*, 492; *Fulmarus glacialis*, 459; *Larus argentatus*, 526–527; *Parabuteo unicinctus*, 89, 396, 398; *Parus major*, 700–705; *Passer domesticus*, 465, 470–479; *Passerculus sandwichensis*, 277; Picidae, 757–764; *Sialia mexicana*, 784–785; *Sitta pygmaea*, 784–785; *Tachycineta thalassina*, 784–785
- Cochlearius cochlearius*, 97–107
- Cock-of-the Rock, Guianan, 496–505
- Colaptes auratus*, 325, 326, 654–659, 661–664
- Coleman, Ronald M., Commentary: Does experience with predators affect parental investment?, 791–792
- Colius striatus*, 326
- Collar, N. J., and S. N. Stuart, Threatened birds of Africa and related islands (rev.), 586–587
- Collins, B. L., see Gaston, A. J., et al.
- Collins, Charles T., see Brisbin, I. Lehr, Jr., et al.
- Collopy, Michael W., and Keith L. Bildstein, Foraging behavior of Northern Harriers wintering in southeastern salt and freshwater marshes, 11–16
- Colorado, 421–426, 654–659, 661–664, 681–686, 687
- Colston, Peter R., and Kai Curry-Lindahl, The birds of Mount Nimba, Liberia (rev.), 589
- Columba livia*, 369–378, 733–738
- Commentaries, The water repellancy of water-bird feathers, see Rijke, Arie M.; Response to A. M. Rijke, see Elowson, A. Margaret; Jackknifing and bootstrapping: important “new” statistical techniques for ornithologists, see Lanyon, Scott M.; Spacing behavior and population regulation in female Blue Grouse, see Hannon, Susan J., and Fred C. Zwicker; Response to S. J. Hannon and F. C. Zwicker, see Bergerud, A. T., and H. E. Butler; Ornithology in Central and South America, see James, Paul C.; Release of captive-reared or translocated birds: what do we need to know?, see Scott, J. Michael, and James W. Carpenter; Body condition in Eastern Kingbirds, see Alisauskas, Ray T., et al.; Response to Alisauskas, Ankney, and Krementz, see Murphy, Michael T.; Female choice in Middendorff's Grasshopper-Warbler?, see Lightbody, Jill P.; Response to J. P. Lightbody, see Nagata, Hisashi; A new paradigm for the analysis and interpretation of growth data: the shape of things to come, see Brisbin, I. Lehr, Jr., et al.; On paradigms vs. methods in the study of growth, see Gochfeld, Michael; A historical explanation for polyandry in Wilson's Phalarope, see Jehl, Joseph R., Jr.; DNA hybridization and avian systematics, see Ahlquist, Jon E., et al.; Estimation of phylogeny from molecular distance data: the issue of variable rates, see Bledsoe, Anthony H.; Response to A. H. Bledsoe and J. E. Ahlquist et al. see Houde, Peter; Brown Noddy vocal behavior, see Chardine, John W.; Does experience with predators affect parental investment?, see Coleman, Ronald M.; Response to R. M. Coleman, see Knight, Richard L., and Stanley A. Temple
- Communal breeding in *Parabuteo unicinctus*, 393–402
- Condor, Andean, 290–295
- Connecticut, 180–186
- Conner, Richard N., review by, 805–806

- Cook, J. Richard, see Grudzien, Thaddeus A., et al.
- Cooper, J., see Harper, P. C., et al.
- Cooperative breeding (see Communal breeding)
- Coot, American, 640–645, 779–783
- Coracias caudata*, 326
- Coragyps atratus*, 290–295, 499, 647–652
- Corvidae, 665–679, 680
- Corvus brachyrhynchos*, 673
- C. caurinus*, 263–268
- Costa Rica, 173–177
- Cowbird, Brown-headed, 512–515; Shiny, 514–515
- Cracraft, Joel, review by, 570–571
- Craig, Robert J., Divergent prey selection in two species of waterthrushes (*Seiurus*), 180–187
- Cranmer-Byng, John, In memoriam: Terence M. Shortt, 766
- Crax rubra*, 126–127
- Crow, American, 673; Northwestern, 263–268
- Croxall, J. P., see Harper, P. C., et al.
- Cunningham, James B., review by, 357–358
- Curry, Robert L., and David J. Anderson, Interisland variation in blood drinking by Galápagos mockingbirds, 517–521
- Curry-Lindahl, Kai, see Colston, Peter R., and ———
- Cuthill, Innes C., see Lohrer, Fred E., et al.
- Cyanocitta cristata*, 665–679, 680
- Cyanocorax caeruleus*, 665–679, 680
- C. cristatellus*, 665–679, 680
- C. cyanomelas*, 665–679, 680
- C. dickeyi*, 665–679, 680
- C. heilprini*, 665–679, 680
- C. violaceus*, 665–679, 680
- Cyanolyca cucullata*, 665–679, 680
- C. viridicyana*, 665–679, 680
- Cygnus olor*, 126–127
- Daptrius americanus*, 499
- Davies, Emily M., see Boersma, P. Dee, and ———
- Davis, M. Benjamin, and Helga Guderley, Energy metabolism in the locomotor muscles of the Common Murre (*Uria aalge*) and the Atlantic Puffin (*Fratercula arctica*), 733–739
- DeGraaf, Richard M., and Deborah D. Rudis, New England wildlife: habitat, natural history and distribution (rev.), 589
- Delaney, Dale J., see Hardy, John William, and ———
- Dendragapus obscurus*, 344–346
- Dendroica kirtlandii*, 234–241
- D. petechia*, 777–778
- Dendropicos fuscescens*, 326
- Derrickson, Kim C., Yearly and situational changes in the estimate of repertoire size in Northern Mockingbirds (*Mimus polyglottos*), 198–207
- DeSante, David F., review by, 150–151
- Diamond, A. W., see Gaston, A. J., et al.
- Dickinson, Thomas E., review by, 361–362
- Di Silvestro, Roger L., see Eno, Amos S., et al.
- Distribution of *Ardea herodias*, 38–45; *Chlorostilbon ricordii*, 296; *Larus californicus*, 421–426; *Saxicola torquata*, 452–453; *Vermivora chrysoptera*, 444; *V. pinus*, 446
- Distribution, spatial, 38–45, 129–132, 311–314, 483–487, 497
- DNA evolution, 17–29, 563–565
- DNA hybridization, 17–29, 97–107, 556–561, 566–567
- DNA molecular clock, 27–29, 560–561, 567
- Dolichonyx oryzivorus*, 777–778
- Dove, Gray-fronted, 499; Rock, 733–738
- Dryocopus pileatus*, 326
- Duck, Wood, 435–442
- Dunne, Pete, Tales of a low-rent birder (rev.), 153
- Eadie, John McA., Kimberly M. Cheng, and Cathleen R. Nichols, Limitations of tetracycline in tracing multiple maternity, 330–333
- Eagle, Crested, 500; Harpy, 500
- Echeverri E. A. T., Horacio, Avifauna Parcial Parque Nacional Natural "Las Orquídeas" (rev.), 807–808
- Ecology, community structure, 180–186; competition, 43–44, 180, 185, 186, 225, 231, 290, 407, 410, 411, 625, 762–763; demography, 110, 395–396; dispersal, 59; habitat partitioning, 133–135, 180, 225, 227–229, 230–231, 237–238, 239, 240, 311–314, 407, 410; habitat selection, 38–45, 47, 129–132, 238, 240, 242–252, 311–314, 491–494; population structure, 234, 237–238, 239, 344, 492; predator-prey relationships, 14–15, 90–94, 167–171, 184, 185–186, 225, 230–231, 503, 617–625; seasonal variation, 90–94, 167–171, 225, 227–229, 230–231, 246–248, 254–261, 279–280, 620–621, 740–748; territoriality, 134–135, 180, 184, 242–252, 535–537
- Ecology of *Aegialia phoeniceus*, 311–314, 628–633; *Ajaia ajaja*, 740–748; *Aptenodytes patagonica*, 254–261; *Ardea herodias*, 38–45, 47, 740–748; *Casmerodius albus*, 740–748; *Cathartacta lönbergi*, 617–625; *C. macrourus*, 617–625; *Circus cyaneus*, 11–15; *Cistothorus palustris*, 491–494; *Dendroica kirtlandii*, 234, 237–239, 240; *Egretta caerulea*, 740–748; *E. rufescens*, 740–748; *E. thula*, 740–748; *E. tricolor*, 740–748; *Epinomachus alburtisi*, 48–55; *Eudocimus albus*, 740–748; *Fulica americana*, 644–645; *Larus philadelphia*, 167–171; *Oceanites oceanicus*, 129–132; *Oceanodroma castro*, 129–132; *O. leucorhoa*, 129–132; *Parabuteo unicinctus*, 90–94; *Parus major*, 702–703; *Passer domesticus*, 681–686; *Phaethon lepturus*, 129–132; *Picidae*, 762–763; *Picoides albolarvatus*, 225, 227–229, 230–231; *P. villosus*, 225, 227–229, 230–231; *Pterodroma hasitata*, 129–132; *Puffinus lherminieri*, 129–132; *Seiurus motacilla*, 180–186; *S. noveboracensis*, 180–186; *Stellula calliope*, 242–252; *Stercorarius pomarinus*, 129–132; *Sterna fuscata*, 129–132; *Wilsonia citrina*, 133–135
- Eggs, composition, 435–442; laying, 330–332; laying sequence, 526–527; sexual differences in, 73–75
- Eggs, descriptions and measurements, *Aix sponsa*, 435–442; *Branta canadensis*, 74; *Larus occidentalis*, 34, 35
- Egret, Cattle, 97–107; Eastern Reef, 97–107; Great, 97–107, 740–748; Intermediate, 97–107; Little, 97–107;

- Reddish, 740–748; Slatey, 97–107; Snowy, 97–107, 740–748
- Egretta caerulea*, 97–107, 740–748
- E. garzetta*, 97–107
- E. intermedia*, 97–107
- E. novaehollandiae*, 97–107
- E. rufescens*, 740–748
- E. sacra*, 97–107
- E. thula*, 97–107, 740–748
- E. tricolor*, 97–107, 740–748
- E. vinaceigula*, 97–107
- Elowson, A. Margaret, Commentary: Response to A. M. Rijke, 142–143
- Emberizidae, 380, 381, 382, 386, 389
- Emblema guttata*, 382–389, 392
- E. picta*, 382–389, 392
- Empidonax alnorum*, 329
- E. traillii*, 329–330, 777–778
- Endangered species, 234–241, 544–545
- Eno, Amos S., Roger L. Di Silvestro, and William J. Chandler, Audubon wildlife report 1986 (rev.), 805–806
- Environment, influence on *Agelaius phoeniceus*, 413–418; *Ardea herodias*, 38–45; *Cathartes lonnbergi*, 622; *C. macconnicki*, 622, 623, 624; *Centrocercus urophasianus*, 80, 82–83; *Chen canagica*, 713; *Circus cyaneus*, 11–15; *Dendroica kirtlandii*, 237–238, 240; *Fulica americana*, 644; *Juncos hyemalis*, 303–309; *Larus argentatus*, 124–125; *Parabuteo unicinctus*, 90–91, 93, 94; *Passer domesticus*, 681–686; *Passerculus sandwichensis*, 280–281, 284, 285, 286; *Poephila guttata*, 162–165; *Seiurus boracensis*, 180, 186; *S. motacilla*, 180, 186
- Eobucco*, 126–127
- Epimachus alburtisi*, 48–55
- Erithacus rubecula*, 523–525
- Erythrura trichroa*, 382–389, 392
- Estrilda astrild*, 382–389, 392
- Estrildidae*, 380–389, 392
- Eudocimus albus*, 740–748, 771–774
- Eudromia elegans*, 126–127
- Euphonia gouldi*, 173–177
- Euphonia*, Olive-backed, 173–177
- Evarts, Susan, and Christopher J. Williams, Multiple paternity in a wild population of Mallards, 597–602
- Evolution of behavior, 196; mating systems, 240, 504–505; song repertoires, 69–70; territoriality, 60
- Evolution of Ardeidae, 97, 103–104; *Cochlearius cochlearius*, 104; Falconidae, 273–275; *Larus californicus*, 422, 424–426; Piciformes, 324–328; *Vermivora chrysophtera*, 444, 446, 447; *V. pinus*, 444, 446, 447
- “*Falco*” *ramenta*, 270–275
- Falco sparverius*, 321–323
- F. tinnunculus*, 603–613, 615–616
- Farner, Donald S., review by, 352–354; see Hiatt, Eve S., et al.
- Feathers (see Molt and plumages)
- Feduccia, Alan (Ed.), Catesby’s birds of colonial America (rev.), 363
- Finch, Zebra, 155–165
- Fitzpatrick, John W., see Woolfenden, Glen E., and —
- Fledgling, success of (see Breeding success)
- Fleischer, Robert C., see Rothstein, Stephen I., and —
- Flicker, Northern, 325, 326, 654–659, 661–664
- Flint, V. E., see Illichev, V. D., and —
- Florida, 11–15, 681–686, 687, 740–748
- Flycatcher, Alder, 329; Willow, 329–330, 777–778
- Food and feeding habits of *Ajaia ajaja*, 740–748; *Aptenodytes patagonica*, 255–257, 259–260; *Ardea herodias*, 40, 42–45, 740–748; *Casmerodius albus*, 740–748; *Cathartes lonnbergi*, 617–625; *C. macconnicki*, 617–625; *Cathartes aura*, 290–295; *Circus cyaneus*, 11–15; *Coragyps atratus*, 290–295, 647–652; Corvidae, 671–673, 677–679; *Corvus caurinus*, 263–268; *Egretta caerulea*, 740–748; *E. rufescens*, 740–748; *E. thula*, 740–748; *E. tricolor*, 740–748; *Epimachus alburtisi*, 48–50, 54; *Eudocimus albus*, 740–748, 771–774; *Euphonia gouldi*, 173–177; *Larus philadelphia*, 167–171; *Manacus candei*, 173–177; *Nesomimus macdonaldi*, 517–520; *N. melanotus*, 517–520; *N. parvulus*, 517–520; *N. trifasciatus*, 517–520; *Parabuteo unicinctus*, 86–87, 89–94; *Passerculus sandwichensis*, 277–287; *Picidae*, 760–763; *Picoides albolarvatus*, 225–232, 233; *P. villosus*, 225–232, 233; *Pipra mentalis*, 173–177; *Poephila guttata*, 157–159, 163–164; *Polyborus plancus*, 290–295; *Pterodroma hasitata*, 129–132; *Puffinus lherminieri*, 129–132; *Quiscalus mexicanus*, 635–639; *Ramphocelus passerinii*, 173–177; *Sarcoramphus papa*, 290–295; *Seiurus motacilla*, 180–186; *S. noveboracensis*, 180–186; *Stercorarius pomarinus*, 129–132; *Tachyphonus delatrii*, 173–177; *Thraupis palmarum*, 173–177; *Uria aalge*, 218–222; *Vultur gryphus*, 290–295; *Wilsonia citrina*, 134
- Foraging (see Food and feeding habits; Behavior, feeding)
- Ford, Hugh A., and D. C. Paton (Eds.), The dynamic partnership: birds and plants in southern Australia (rev.), 798–799; see Lohrer, Fred E., et al.
- Forest-Falcon, Barred, 499; Collared, 500–501; Lined, 500; Slaty-backed, 500
- Fossils of *Chlorostilbon bracei*, 296, 299, 300; Falconidae, 274–275; *Hesperornis*, 125–128; *Pediohierax ramenta*, 270–275; Piciformes, 327
- Foudia madagascariensis*, 386, 387, 389, 392
- Fratercula arctica*, 733–738
- Fredrickson, Leigh H., see Austin, Jane E., and —
- Fringillidae, 380, 381, 382, 386, 389
- Fugle, Gary N., and Stephen I. Rothstein, Experiments on the control of deceptive signals of status in White-crowned Sparrows, 188–197
- Fulica americana*, 640–645, 779–783
- Fulmar, Northern, 337, 450–460
- Fulmarus glacialis*, 337, 450–460

- Galápagos, 517-520  
*Galbula ruficauda*, 325, 326  
*Gallus gallus*, 126-127, 787-789  
*Garrulus glandarius*, 665-679, 680  
*G. lanceolatus*, 665-679, 680  
Gaston, A. J., B. L. Collins, and A. W. Diamond, The "snapshot" count for estimating densities of flying seabirds during boat transects: a cautionary comment, 336-338  
Gauthier, Gilles, Further evidence of long-term pair bonds in ducks of the genus *Bucephala*, 521-522  
Geissler, Paul H., see Robbins, Chandler S., et al.  
Genetic variation in (see Genetics, genetic variation)  
Genetics, 156-157, 324-328, 380-389, 392, 599-600, 654-659, 724-731, 767-769; calculating repeatability in, 116-121; gene flow, 654-659; genetic variation, 1-10, 444, 446-447, 654-659, 724-731, 767-769  
Genetics of *Anas platyrhynchos*, 599-600; Ardeidae, 97-107; *Colaptes auratus*, 654-659, 661-664; Emberizidae, 380, 381, 382, 386, 389; Estrildidae, 380-389, 392; Fringillidae, 380, 381, 382, 386, 389; *Junco hyemalis*, 1-10; *Larus californicus*, 767-769; Pici-formes, 324-328, 724-731; Ploceidae, 380, 381, 382, 386, 389; *Vermivora chrysoptera*, 444-447, 448-449; *V. pinus*, 444-447, 448-449; *Zonotrichia leucophrys*, 1-10; *Z. querula*, 1-10  
Geographic variation in body size, 681-686; diet, 170-171; mating systems, 401; molts and plumages, 421, 423, 424; size, 421-425; vocalizations, 64-70  
Geographic variation in *Chlorostilbon ricordii*, 300; *Cistothorus palustris*, 63-70; *Junco hyemalis*, 303-309; *Larus californicus*, 421-426; *L. philadelphicus*, 170-171; *Parabuteo unicinctus*, 401; *Passer domesticus*, 681-686  
*Geothlypis trichas*, 777-778  
Giant-Petrel, Antarctic, 256; Hall's, 256  
Gibbs, James P., Susan Woodward, Malcolm L. Hunter, and Alan E. Hutchinson, Determinants of Great Blue Heron colony distribution in coastal Maine, 38-47  
Gibson, R. M., and J. W. Bradbury, Lek organization in Sage Grouse: variations on a territorial theme, 77-84  
Gill, Frank B., Allozymes and genetic similarity of Blue-winged and Golden-winged warblers, 444-449  
Giraldeau, Luc-Alain, and Ron Ydenberg, The center-edge effect: the result of a war of attrition between territorial contestants?, 535-538  
Glutz Von Blotzheim, Urs N. (Ed.), Handbuch der Vögel mitteleuropas. Vol. 10, Passeriformes, parts I and II (rev.), 153  
Gochfeld, Michael, Commentary: On paradigms vs. methods in the study of growth, 554-555  
Godfrey, W. Earl, The birds of Canada (rev.), 800-801  
Goldeneye, Barrow's, 330-332  
Goldfinch, European, 770  
Goldsmith, Arthur R., see Hiatt, Eve S., et al.  
Gollop, J. B., T. W. Barry, and E. H. Iverson, Eskimo Curlew: a vanishing species? (rev.), 580-581  
Gooders, John, and Trevor Boyer, Ducks of North America and the Northern Hemisphere (rev.), 581-582  
Goodwin, Derek, Crows of the world (rev.), 366  
Goose, Bar-headed, 688-692; Canada, 73-75; Emperor, 707-715; Snow, 119  
Grackle, Great-tailed, 635-639  
Grady, Frederick V., see Olson, Storrs L., et al.  
Grasshopper-Warbler, Middendorff's, 549-550, 550-551  
Graves, Gary R., and Storrs L. Olson, *Chlorostilbon braeui* Lawrence, an extinct species of hummingbird from New Providence Island, Bahamas, 296-302  
Grayson, Andrew Jackson, Birds of the Pacific slope (rev.), 803-805  
Greenwood, Paul J., see Swingland, Ian R., and —  
Grinnell, Joseph, and Alden H. Miller, The distribution of the birds of California (rev.), 365  
Grouse, Blue, 344-346; Sage, 77-83  
Growth and development of *Aphelocoma coerulescens*, 669-670; *Branta canadensis*, 74-75; *Fulica americana*, 640-645; *Larus occidentalis*, 35; *Poephila guttata*, 155-165; *Quiscalus mexicanus*, 635-639  
Grudzien, Thaddeus A., William S. Moore, J. Richard Cook, and Danilo Tagle, Genic population structure and gene flow in the Northern Flicker (*Colaptes auratus*) hybrid zone, 654-664  
Guderley, Helga, see Davis, M. Benjamin, and —  
Gull, Bonaparte's, 167-171; California, 421-426, 428, 767-769; Glaucous, 123-125, 713; Herring, 123-125, 526-527; Western, 33-36  
*Gymnorhinus cyanocephalus*, 677  
Habitat of *Agelaius phoeniceus*, 311-314, 406, 628-633; *Ajaia ajaja*, 740-748; *Ardea herodias*, 40, 41, 47, 740-748; *Casmerodus albus*, 740-748; *Catherpes mexicanus*, 529; *Circus cyaneus*, 11-15; *Cistothorus palustris*, 491-492, 494; *Dendroica kirtlandii*, 234-241; *Egretta caerulea*, 740-748; *E. rufescens*, 740-748; *E. thula*, 740-748; *E. tricolor*, 740-748; *Epimachus alberti*, 49; *Eudocimus albus*, 740-748; *Hylorchilus sumichrasti*, 528, 529; *Oceanites oceanites*, 129-132; *Oceanodroma castro*, 129-132; *O. leucorhoa*, 129-132; *Parabuteo unicinctus*, 394; *Passerculus sandwichensis*, 278; *Phaethon lepturus*, 129-132; *Picoides albolarvatus*, 225-226; *P. villosus*, 225-226; *Pterodroma hasitata*, 129-132; *Puffinus lherminieri*, 129-132; *Rupicola rupicola*, 496-498, 503; *Seiurus motacilla*, 180-181, 184-185; *S. noveboracensis*, 180-181, 184-185; *Sialia mexicana*, 783-784; *Sitta pygmaea*, 783-784; *Stellula calliope*, 244-246, 247, 249-250; *Stercorarius pomarinus*, 129-132; *Sterna fuscata*, 129-132; *Tachycineta thalassina*, 783-784; *Tetrao urogallus*, 482, 487; *Wilsonia citrina*, 133-135; *Zonotrichia leucophrys*, 209

- Hails, Christopher, and Frank Jarvis, Birds of Singapore (rev.), 807-808
- Hall, George A., review by, 577-578
- Hamerstrom, Frances, review by, 582
- Handford, Paul, In memoriam: Claes Christian Olrog, 319
- Haney, J. Christopher, Ocean internal waves as sources of small-scale patchiness in seabird distribution on the Blake Plateau, 129-133
- Hannon, Susan J., and Fred C. Zwickel, Commentary: Spacing behavior and population regulation in female Blue Grouse, 344-345
- Hansen, Paul W., Acid rain and waterfowl: the case for concern in North America (rev.), 809
- Hardy, John William, In memoriam: George J. Wallace, 316-317; and Dale J. Delaney, The vocalizations of the Slender-billed Wren (*Hylorchilus sumichrasti*): who are its closest relatives?, 528-530
- Harper, P. C., J. P. Croxall, and J. Cooper (Compilers), A guide to foraging methods used by marine birds in antarctic and subantarctic seas (rev.), 589
- Harpia harpyja*, 500
- Harrier, Northern, 11-15
- Hatch, Scott A., Copulation and mate guarding in the Northern Fulmar, 450-461
- Hatching, timing of, 86, 111-112, 209
- Hawk, Bicolored, 500; Black-faced, 499; Cooper's, 60; Galápagos, 519-520; Harris', 85-94, 393-402; White, 500
- Hawk-Eagle, Black, 500; Black-and-white, 500; Ornate, 500-501, 502
- Hayes, Jack P., see Probst, John R., and ———
- Hayworth, Anita M., see Buttemer, William A., et al.
- Hegner, Robert E., and John C. Wingfield, Effects of experimental manipulation of testosterone levels on parental investment and breeding success in male House Sparrows, 462-469; and John C. Wingfield, Effects of brood-size manipulations on parental investment, breeding success, and reproductive endocrinology of House Sparrows, 470-480
- Heintzelman, Donald S., Guide to owl watching in North America (rev.), 582; The migration of hawks (rev.), 799-800
- Hepp, Gary R., Donna J. Stangoehr, Leslie A. Baker, and Robert A. Kennamer, Factors affecting variation in the egg and duckling components of Wood Ducks, 435-443
- Herman, Steven G., The naturalist's field journal (rev.), 796-797
- Heron, Black-headed, 97-107; Boat-billed, 97-107; Cocoi, 97-107; Great-billed, 97-107; Great Blue, 38-45, 97-107, 740-748; Green-backed, 97-107; Indian Pond, 97-107; Little Blue, 97-107, 740-748; Tricolored, 97-107, 740-748; Whistling, 97-107; White-faced, 97-107; White-necked, 97-107
- Hesperornis*, 125-128
- Hiatt, Eve S., Arthur R. Goldsmith, and Donald S. Farner, Plasma levels of prolactin and gonadotropins during the reproductive cycle of White-crowned Sparrows (*Zonotrichia leucophrys*), 208-217
- Hill, Brad G., review by, 153
- Histology of *Anas platyrhynchos*, 126-127; *Apteryx australis*, 126-127; *Bonasa umbellus*, 126-127; *Casuarius casuarius*, 126-127; *Crax rubra*, 126-127; *Cygnus olor*, 126-127; *Eobucco*, 126-127; *Eudromia elegans*, 126-127; *Gallus gallus*, 126-127; *Hesperornis*, 125-128; *Lithornis*, 126-127; *Paracathartes howardae*, 126-127; *Plegadis falcinellus*, 126-127; *Rhea americana*, 126-127; *Rhynchotus rufescens*, 126-127; *Thambetochen*, 126-127
- Hogstad, Olav, It is expensive to be dominant, 333-336
- Home range (see Territory of)
- Houde, Peter, Critical evaluation of DNA hybridization studies in avian systematics, 17-32; Histological evidence for the systematic position of *Hesperornis* (Odontornithes: Hesperornithiformes), 125-129; Commentary: Response to A. H. Bledsoe and J. E. Ahlquist et al., 566-568
- Houlihan, Patrick F., The birds of ancient Egypt (rev.), 589-590
- Howell, Thomas R., review by, 803-805
- Hudec, Karel (Ed.), Fauna CRRS: Ptaci, vol. 3(1-2) (rev.), 364
- Hudson, Jocelyn, review by, 152-153
- Hummingbird, Calliope, 242-252
- Humphries, C. J., and L. R. Parenti, Cladistic biogeography (rev.), 570-571
- Hunt, George L., Jr., see Sayce, James R., and ———
- Hunter, Malcolm L., see Gibbs, James P., et al.
- Huntley, B., and H. J. B. Birks, An atlas of past and present pollen maps for Europe: 0-13,000 years ago (rev.), 794-795
- Hutchinson, Alan E., see Gibbs, James P., et al.
- Hutto, Richard L., review by, 578-579
- Hybrids and hybridization of *Colaptes auratus auratus* × *C. a. cafer*, 654-659, 661-664; *Larus argentatus* × *L. hyperboreus*, 123-125; *Vermivora chrysopera* × *V. pinus*, 444, 446
- Hylorchilus sumichrasti*, 528-530
- Ibis, Glossy, 97-107; White, 740-748, 771-774
- Idaho, 421-426
- Ilichev, V. D., and V. E. Flint (Eds.), Handbuch der Vögel der Sowjetunion. [Vol. 1, History of exploration. Gaviiformes, Podicipediformes, Procellariiformes] (rev.), 571-573
- Illinois, 63-70
- Incubation and incubation period of *Chen canagica*, 707-715; *Parabuteo unicinctus*, 398, 401-402; *Passerulus sandwichensis*, 277, 280, 285, 287; *Stellula calliope*, 243; *Uria aalge*, 218, 219, 221; *Zonotrichia leucophrys*, 208, 211-214
- Indiana, 1-10, 56-61, 303-309, 413-418
- Indicator minor*, 326

- Inskip, Carol, and Tim Inskip, *A guide to the birds of Nepal* (rev.), 148-149
- Inskip, Tim, see Inskip, Carol, and ——
- Iowa, 681-686, 687
- Islands, colonization, 41-43
- Italy, 523-525
- Iverson, E. H., see Gollop, J. B., et al.
- Ixobrychus cinnamomeus*, 97-107
- I. exilis*, 97-107
- I. minutus*, 97-107
- Jackson, Christine E., *Bird etchings: the illustrators and their books, 1655-1855* (rev.), 362-363
- Jackson, Michael H., *Galapagos, a natural history guide* (rev.), 357
- Jaeger, Parasitic, 713; Pomarine, 130-132
- James, Frances C., review by, 363
- James, Helen F., see Olson, Storrs L., et al.
- James, Paul C., *Commentary: Ornithology in Central and South America*, 348-349
- Jarvis, Frank, see Hails, Christopher, and ——
- Jay, Azure, 665-679, 680; Azure-hooded, 665-679, 680; Azure-naped, 665-679, 680; Blue, 665-679, 680; Curl-crested, 665-679, 680; Eurasian, 665-679, 680; Pinyon, 677; Purplish, 665-679, 680; Scrub, 665-679, 680; Violaceous, 665-679, 680
- Jehl, Joseph R., Jr., *Geographic variation and evolution in the California Gull (*Larus californicus*)*, 421-428; *Commentary: A historical explanation for polyandry in Wilson's Phalarope*, 555-556; see Karl, Stephen A., et al.
- Johnsgard, Paul A., *The pheasants of the world* (rev.), 802-803
- Johnson, Ned K., review by, 796-797
- Johnston, Richard F., see McGillivray, M. Bruce, and ——
- Junco, Dark-eyed, 1-10, 303-309
- Junco hyemalis*, 1-10, 303-309
- Källander, Hans, see Smith, Henrik G., et al.
- Kansas, 654-659, 661-664, 681-686, 687
- Karl, Stephen A., Robert M. Zink, and Joseph R. Jehl, Jr., *Allozyme analysis of the California Gull (*Larus californicus*)*, 767-769
- Kaufmann, Gerald W., review by, 152
- Keith, Stuart, review by, 580
- Kennamer, Robert A., see Hepp, Gary R., et al.
- Kerlinger, Paul, review by, 799-800
- Kestrel, American, 321-323; Eurasian, 603-613, 615-616
- Ketterson, Ellen D., and Val Nolan, Jr., *Suppression of autumnal migratory unrest in Dark-eyed Juncos held during summer on, near, or far from their previous wintering sites*, 303-310
- King, Ben, reviews by, 148-149, 588
- King, Carolyn M., *Immigrant killers: introduced predators and the conservation of birds in New Zealand* (rev.), 357-358
- King, Warren B., review by, 364; and Stanley A. Temple, review by, 586-587
- Kingbird, Eastern, 546-547, 547-549
- Kirby, Ronald E., reviews by, 149-150, 581-582
- Kitchell, J. H., see Nitecki, M. H., and ——
- Kittiwake, Black-legged, 787-789
- Klaassen, Marcel, Guri Slagsvold, and Claus Bech, *Metabolic rate and thermostability in relation to availability of yolk in hatchlings of Black-legged Kittiwake and domestic chicken*, 787-789; see Masman, Dirkjan, and ——
- Kleptoparasitism, 431, 619
- Knapton, Richard W., *Intraspecific avoidance and interspecific overlap of song series in the Eastern Meadowlark*, 775-779
- Knight, Richard L., and Stanley A. Temple, *Commentary: Response to R. M. Coleman*, 792-793; see Yasukawa, Ken, et al.
- Koel, Dwarf, 50
- Koenig, Walter D., *Morphological and dietary correlates of clutch size in North American woodpeckers*, 757-765
- Komárek, Vladimír, *Anatomia avium domesticarum* (rev.), 588; Lubomír Malinovský, Leo Lemesž, and others, *Anatomia avium domesticarum et embryologia galli* (rev.), 588
- Krementz, David G., see Alisauskas, Ray T., et al.
- Kroodsma, Donald E., and Jared Verner, *Use of song repertoires among Marsh Wren populations*, 63-72
- Lack, Peter, *The atlas of wintering birds in Britain and Ireland* (rev.), 809-810
- Lagonosticta senegala*, 382-389, 392
- Lamprecht, Jürg, see Schindler, Martin, and ——
- Lanyon, Scott M., *Commentary: Jackknifing and bootstrapping: important "new" techniques for ornithologists*, 144-146; and Robert M. Zink, *Genetic variation in piciform birds: monophyly and generic and familial relationships*, 724-732
- Larsen, Bjørn Bjerke, see Wegge, Per, and ——
- Larus argentatus*, 123-125, 526-527
- L. californicus*, 421-426, 428, 767-769
- L. californicus albertensis*, 422
- L. hyperboreus*, 123-125, 713
- L. occidentalis*, 33-36
- L. philadelphica*, 167-171
- Leblanc, Yves, *Relationships between sex of gosling and position in the laying sequence, egg mass, hatchling size, and fledgling size*, 73-76
- Lefor, Michael Wm., review by, 358-359
- Leikola, A., J. Lokki, and T. Stjernberg, [The artist brothers von Wright. The most beautiful bird paintings of Finland] (rev.), 795-796
- Lein, M. Ross, editor of book reviews, 147-154, 350-366, 570-590, 794-810
- Le Maho, Yvon, see Cherel, Yves, et al.
- Lemesž, Leo, see Komárek, Vladimír, et al.
- Leonard, Marty L., and Jaroslav Picman, *Nesting mor-*

- tality and habitat selection by Marsh Wrens, 491–495
- Leptotila rufaxilla*, 499
- Lessells, C. M., and Peter T. Boag, Unrepeatable repeatabilities: a common mistake, 116–121
- Leucophaeus albicollis*, 500
- L. melanops*, 499
- Levey, Douglas J., Sugar-tasting ability and fruit selection in tropical fruit-eating birds, 173–179
- Lightbody, Jill P., Commentary: Female choice in Middendorff's Grasshopper-Warbler?, 549–550
- Ligon, J. David, review by, 801–802
- Linnet, Eurasian, 770
- Lithornis*, 126–127
- Locustella ochotensis*, 549–550, 550–551
- Lohrer, Fred E., Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1A–52A, 1B–40B; David A. Wiedenfeld, Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1C–43C, 1D–55D
- Lokki, J., see Leikola, A., et al.
- Lonchura bicolor*, 382–389, 392
- L. castaneothorax*, 382–389, 392
- L. flaviprymna*, 382–389, 392
- L. maja*, 382–389, 392
- L. malacca*, 382–389, 392
- L. pectoralis*, 382–389, 392
- Longevity (see Mortality and survival)
- Lophostrix cristata*, 499–500
- Löppenthin, Bernt, Johann Friedrich von Brandt: *Icones Avium Rossico-Americanarum*, Tabulae VII, Ineditae, with comments on birds, expeditions and people involved (rev.), 354–355
- Lovejoy, T. E., Jr., see Rappole, J. H., et al.
- Luther, Dieter, Die ausgestorbene Vögel der Welt (rev.), 587–588
- Lybius torquatus*, 326
- Lynch, James F., see Morton, Eugene S., et al.
- Macronectes giganteus*, 256
- M. halli*, 256
- Magpie, Yellow-billed, 665–679, 680
- Maine, 38–45
- Malacoptila semicincta*, 325, 326
- Malinovský, Lubomír, see Komárek, Vladimír, et al.
- Mallard, 597–601
- Manacus candei*, 173–177
- Manakin, Red-capped, 173–177; White-collared, 173–177
- Manitoba, 597–601, 640–645, 694–698
- Martin, Gray-breasted, 342–343
- März, Robert, see Piechocki, Rudolf, and ——
- Masman, Dirkjan, and Marcel Klaassen, Energy expenditure during free flight in trained and free-living Eurasian Kestrels (*Falco tinnunculus*), 603–616
- Mass and measurements of *Aix sponsa*, 435, 438; *Apodetes patagonica*, 256–258, 259; *Aythya affinis*, 696, 697; *Branta canadensis*, 74–75; *Cathartes aura*, 293; *Chen canagica*, 712; *Chlorostilbon bracei*, 297, 299; *C. ricordii*, 297, 299; *Cistothorus palustris*, 492; *Coragyps atratus*, 293; *Eudocimus albus*, 773; *Falco tinnunculus*, 606, 607, 611; *Fulica americana*, 640–645, 780–782; *Gallus gallus*, 788; *Junco hyemalis*, 307; *Larus californicus*, 421–423, 424, 428; *L. occidentalis*, 34, 35; *Oceanodroma furcata*, 780–782; *O. leucomelas*, 752–754; *Parabuteo unicinctus*, 394, 399; *Parus caeruleus*, 112, 113; *P. major*, 704; *P. montanus*, 334; *Passer domesticus*, 465, 466, 474–476; *Passerculus sandwichensis*, 280, 282–283, 286; *Pediohierax ranamenta*, 271, 273; *Picidae*, 758, 759; *Picoides albolarvatus*, 230; *P. villosus*, 230; *Poephila guttata*, 158–161; *Polyborus plancus*, 293; *Quiscalus mexicanus*, 636–637; *Rissa tridactyla*, 788; *Sarcoramphus papa*, 293; *Spheniscus magellanicus*, 780–782; *Vultur gryphus*, 293
- Mathewson, Worth, William L. Finley, pioneer wildlife photographer (rev.), 590
- Mating systems of *Anas platyrhynchos*, 597–601; *Centrocercus urophasianus*, 77–83; *Cistothorus palustris*, 492–494; *Dendroica kirtlandii*, 234, 240; *Epimachus albirtisi*, 54–55; *Fulmarus glacialis*, 450–460; *Parabuteo unicinctus*, 393–402; *Phalaropus tricolor*, 555–556; *Stellula calliope*, 251–252; *Tetrao urogallus*, 481
- Mayr, Ernst, review by, 364–365
- McCallum, D. Archibald, review by, 576–577; see Brisbin, I. Lehr, Jr., et al.
- McDonald, John P., review by, 354–355
- McGillivray, W. Bruce, and Richard F. Johnston, Differences in sexual size dimorphism and body proportions between adult and subadult House Sparrows in North America, 681–687
- Meadowlark, Eastern, 775–778
- Meanley, Brooke, The marsh hen: a natural history of the Clapper Rail of the Atlantic coast salt marsh (rev.), 152
- Measurements (see Mass and ——)
- Mednis, A. A., see Mikhel'son, H. A., et al.
- Mehlhof, Patricia, see Morton, Eugene S., et al.
- Mehner, Alfred, and Wilhelm Hartfiel (Eds.), *Handbuch der Geflügelphysiologie* (rev.), 352–354
- Melanerpes carolinus*, 325, 326
- M. cruentatus*, 325, 326
- M. erythrocephalus*, 326
- M. formicivorus*, 326
- Melospiza melodia*, 119, 777–778
- Memorial of William Walker Hamilton Gunn, 318–319; Samuel Charles Kend Leigh, 508–509; Cyrus Mark, 318; Claes Christian Olrog, 319; Terence M. Shortt, 766; George J. Wallace, 316–317; Joel Carl Welty, 122
- Mengel, Robert M., review by, 362–363
- Metabolism of *Parus montanus*, 333–335; *Passerculus sandwichensis*, 277–287
- Mexico, 133–135, 342–343, 528–530
- Michigan, 234–241
- Micrastur gilvicollis*, 500
- M. mirandollei*, 500

- M. ruficollis*, 499  
*M. semitorquatus*, 500–501  
*Microcerculus marginatus*, 529–530  
*M. philomela*, 529–530  
*Microdynamis parva*, 50  
 Migration and orientation, 135–138, 303–309; effects of latitude on, 303–309; olfactory cues, 369–378  
 Migration and orientation of *Columba livia*, 369–378;  
*Erithacus rubecula*, 523–525; *Junco hyemalis*, 303–309; *Parus caeruleus*, 109–114; *Zonotrichia albicollis*, 136–138  
 Mikhel'son, H. A., A. A. Mednis, and P. N. Blum, [Population ecology of migratory ducks in Latvia] (rev.), 575–576  
 Miller, Alden H., see Grinnell, Joseph, and —  
 Millie H., Guillermo, see Araya M., Braulio, and —  
*Mimus polyglottos*, 198–205  
 Minnesota, 444–447, 448–449  
 Missouri, 444–447, 448–449  
 Mock, Douglas W., see Watt, Doris J., and —  
 Mockingbird, Floreana, 517–520; Galápagos, 517–520; Northern, 198–205; San Cristóbal, 517–520  
*Molothrus ater*, 512–515  
*M. bonariensis*, 514–515  
 Molts and plumages of *Aythya affinis*, 694–698; *Chlorostilbon bracei*, 297, 298–299; *C. ricordii*, 299; *Junco hyemalis*, 307; *Larus californicus*, 421, 423, 424; *Tachycineta bicolor*, 717–722; *Vermivora chrysoptera*, 444–447; *V. pinus*, 444–447; *Zonotrichia leucophrys*, 188–189  
*Momotus momota*, 326  
*Monasa atra*, 499  
*M. nigrifrons*, 325, 326  
 Montana, 421–426, 654–659, 661–664  
 Montevechi, W. A., see Cairns, D. K., et al.  
 Moore, William S., see Grudzien, Thaddeus A., et al.  
 Morgan, B. J. T., and P. M. North (Eds.), Statistics in ornithology (rev.), 147–148  
*Morphnus guianensis*, 500  
 Morrison, Michael L., and Kimberly A. With, Interseasonal and intersexual resource partitioning in Hairy and White-headed woodpeckers, 225–233  
 Mortality and survival of *Aegelaius phoeniceus*, 56–61; *Anser indicus*, 688–692; *Aptenodytes patagonica*, 254, 256, 259, 260; *Cathartes macrourus*, 623–624; *Cistothorus palustris*, 491–494; *Dendroica kirtlandii*, 236; *Fulica americana*, 643–644, 645; *Larus occidentalis*, 35–36; *Parus caeruleus*, 110; *P. major*, 701; *Passer domesticus*, 465–466, 474–476; *Poephila guttata*, 157; *Rupicola rupicola*, 503–504  
 Morton, Eugene S., Do male Hooded Warblers exclude females from nonbreeding territories in tropical forest?, 133–135; see Rappole, J. H., et al.  
 Murphy, Michael T., Commentary: Response to Aliauskas, Ankney, and Krementz, 547–549  
 Murphy, William L., A birder's guide to Trinidad and Tobago (rev.), 807–808  
 Murre, Common, 218–222, 733–738  
 Nagata, Hisashi, Commentary: Response to J. P. Lightbody, 550–551  
 Nebraska, 270–275, 654–659, 661–664  
*Neochmia phaeton*, 382–389, 392  
*N. ruficauda*, 382–389, 392  
*Nesomimus macdonaldi*, 517–520  
*N. melanotis*, 517–520  
*N. parvulus*, 517–520  
*N. trifasciatus*, 517–520  
 Nest and nest site of *Ardea herodias*, 38–45, 47; *Auriparus flaviceps*, 531–534; *Cathartes lönbergi*, 620; *C. macrourus*, 620; *Cistothorus palustris*, 491–494; *Coragyps atratus*, 649; *Larus californicus*, 423, 424–425; *Stellula calliope*, 243, 251  
 Nestling of *Aphelocoma coerulescens*, 669–670; *Branta canadensis*, 73–75; *Gallus gallus*, 787–789; *Larus occidentalis*, 33–36; *Parabuteo unicinctus*, 396, 398–400; *Parus caeruleus*, 112, 113; *P. major*, 701–702, 703; *Passer domesticus*, 465–466, 474–475; *Passerculus sandwichensis*, 281; *Poephila guttata*, 155–158, 160–164; *Quiscalus mexicanus*, 635–639; *Rissa tridactyla*, 787–789  
 Nettleship, David N., and Tim R. Birkhead (Eds.), The Atlantic Alcidae. The evolution, distribution and biology of the auks inhabiting the Atlantic Ocean and adjacent water areas (rev.), 582–585  
 Nevada, 421–426  
 New Brunswick, 167–171, 277–287, 750–755  
 Newfoundland, 218–222, 733–738  
 Newman, Kenneth, Birds of South Africa 1: Kruger National Park (rev.), 365–366  
 New Mexico, 85–94, 393–402, 654–659, 661–664, 681–686, 687  
 Newton, Ian, The Sparrowhawk (rev.), 574–575  
 New York, 63–70, 369–378, 462–468, 470–479, 681–686, 687  
 Nichols, Cathleen R., see Eadie, John McA., et al.  
 Night-Heron, Black-crowned, 97–107; Nankeen, 97–107; Yellow-crowned, 97–107  
 Nilsson, Jan-Åke, see Smith, Henrik G., and —; see Smith, Henrik G., et al.  
 Nitecki, M. H., and J. H. Kitchell (Eds.), Evolution of animal behavior (rev.), 808–809  
 Noddy, Brown, 790  
 Nolan, Val, Jr., see Ketterson, Ellen D., and —  
 Nomenclature, avian, 538–542  
*Nonnula ruficapilla*, 326  
 North Carolina, 63–70, 647–652  
 North Dakota, 421–426, 681–686, 687  
 North, P. M., see Morgan, B. J. T., and —  
 Northwest Territories, 123–125, 421–426  
 Norway, 333–335, 481–488, 787–789  
*Nucifraga columbiana*, 677  
 Nutcracker, Clark's, 677  
 Nuthatch, Pygmy, 783–786; White-breasted, 429–433  
*Nycticorax caledonicus*, 97–107  
*N. nycticorax*, 97–107  
*N. violaceus*, 97–107  
*Nystalus striolatus*, 326

- Oceanites oceanites*, 130–132  
*Oceanodroma castro*, 130–132  
*O. furcata*, 779–783  
*O. leucorhoa*, 130–132, 750–755  
 Ohio, 429–433  
 Oklahoma, 1–10  
 Olfaction of *Cathartes aura*, 373; *Columba livia*, 369–378  
 Olson, Storrs L., On the extent and source of instability in avian nomenclature, as exemplified by North American birds, 538–542; J. Phillip Angle, Frederick V. Grady, and Helen F. James, A technique for salvaging anatomical material from study skins of rare or extinct birds, 510–512; see Graves, Gary R., and ——  
 Ontario, 329–330, 526–527, 717–722, 775–778  
 Oregon, 421–426  
 Orians, Gordon H., Blackbirds of the Americas (rev.), 361–362  
 Orientation (see Migration and ——)  
*Ornithodoros motmot*, 499  
 Ortega, Joseph C., and Marc Bekoff, Avian play: comparative evolutionary and developmental trends, 338–341  
 Osborne, G. Kasha, see Osborne, Timothy O., and ——  
 Osborne, Timothy O., and G. Kasha Osborne, First specimen of Stonechat (*Saxicola torquata*) for North America, 542–543  
 Osteology of *Aphelocoma coerulescens*, 665–679; *Chlorostilbon bracei*, 300; *C. ricordii*, 300; Corvidae, 665–679; *Cyanocitta cristata*, 665–679; *Cyanocorax dickeyi*, 665–679; *C. violaceus*, 665–679; *Cyanolyca cucullata*, 665–679; *C. viridicyana*, 665–679; *Garrulus glandarius*, 665–679; *G. lanceolatus*, 665–679; *Pediohierax ramenta*, 270–275; *Philodice evelynae*, 300; *Pica nuttalli*, 665–679  
 Owl, Crested, 499–500; Short-eared, 520; Spectacled, 499–500  
  
*Padda oryzivora*, 382–389  
 Paleontology (see Fossils)  
 Papua New Guinea, 48–55  
*Parabuteo unicinctus*, 85–94, 393–402  
*Paracathartes howardae*, 126–127  
*Paradisaea raggiana*, 52  
 Parenti, L. R., see Humphries, C. J., and ——  
 Parkes, Kenneth C., review by, 355–356  
*Parus caeruleus*, 109–114  
*P. major*, 700–705  
*P. montanus*, 333–335  
*Passer domesticus*, 386, 387, 389, 392, 462–468, 470–479, 681–686, 687  
*P. montanus*, 386, 387, 389, 392  
*Passerculus sandwichensis*, 277–287, 777–778  
 Paton, D. C., see Ford, Hugh A., and ——  
*Pediohierax ramenta*, 270–275  
 Penguin, Adélie, 618–619, 620, 624–625; King, 254–261; Magellanic, 779–783  
 Pennsylvania, 198–205, 444–447, 448–449  
 Peru, 290–295  
 Petrel, Black-capped, 130–132  
*Phaethon lepturus*, 130–132  
 Phalarope, Wilson's, 555–556  
*Phalaropus tricolor*, 555–556  
*Phasianus colchicus*, 733–738  
 Pheasant, Ring-necked, 733–738  
 Phillips, John C., A natural history of the ducks (rev.), 365  
 Phillips, Karen, see Viney, Clive, and ——  
*Philodice evelynae*, 300, 301  
*Phoeniculus purpureus*, 326  
 Physiology, diving, 733–738; egg laying, 208, 209, 213–214, 330–332, 435, 441, 714–715; energy cost of activities, 277–287, 333–335, 532–534, 603–613, 615–616, 773–774; flight, 603–613, 733–738; growth, 35, 256–258, 281, 398–400, 552–554, 554–555; hematocrit, 254, 255, 257, 258, 259; hormones, 208–215, 462–468, 470–473, 477–478; incubation, 208, 211–214, 277, 280–281, 285, 711, 714–715; metabolism, 258, 259, 260, 277–287, 333–335, 531–534, 733–738, 754, 787–789; migration, 303, 306–307; molt, 694–698; nutrient reserves, 435–436, 441, 534, 694–698; temperature regulation, 531–534, 787–789  
 Physiology of *Aix sponsa*, 435–436, 441; *Aptenodytes patagonicus*, 254–261; *Auriparus flaviceps*, 531–534; *Aythya affinis*, 694–698; *Columba livia*, 733–738; *Falco tinnunculus*, 603–613; *Fratercula arctica*, 733–738; *Gallus gallus*, 787–789; *Junco hyemalis*, 306–307; *Larus occidentalis*, 35; *Oceanodroma leucorhoa*, 754; *Parabuteo unicinctus*, 398–400; *Parus montanus*, 333–335; *Passer domesticus*, 462–468, 470–473, 477–478; *Passerculus sandwichensis*, 277–287; *Phasianus colchicus*, 733–738; *Rissa tridactyla*, 787–789; *Stellula calliope*, 248; *Uria aalge*, 733–738; *Zonotrichia leucophrys*, 208–215  
*Pica nuttalli*, 665–679, 680  
 Picidae, 757–764  
 Piciformes, 324–328, 724–731  
 Picman, Jaroslav, Territory establishment, size, and tenacity by male Red-winged Blackbirds, 405–412; see Leonard, Marty L., and ——  
*Picoidea albolarvatus*, 225–232, 233  
*P. pubescens*, 325, 326  
*P. scalaris*, 326  
*P. villosus*, 225–232, 233, 326  
*Piculus rivolii*, 325, 326  
 Piehocki, Rudolf, and Robert März, Der Uhu (The Owl) (rev.), 153  
 Pietz, Pamela J., Feeding and nesting ecology of sympatric South Polar and Brown skuas, 617–627  
 Pigmentation of *Larus argentatus*, 123, 124; *L. hyperboreus*, 124  
*Pipra mentalis*, 173–177  
*Plegadis falcinellus*, 97–107, 126–127  
 Ploceidae, 380, 381, 382, 386, 389  
 Plumages (see Molt and ——)  
*Poephila acuticauda*, 382–389, 392

- P. bichenovii*, 382–389, 392  
*P. cincta*, 382–389, 392  
*P. guttata*, 155–165, 382–389, 392  
*P. personata*, 382–389, 392  
 Polyandry (see Mating systems)  
*Polyborus planucus*, 290–295  
 Polygyny (see Mating systems)  
 Powell, George V. N., Habitat use by wading birds in a subtropical estuary: implications of hydrography, 740–749  
 Predation by *Accipiter bicolor*, 500; *A. cooperii*, 60; *Buteogallus urubitinga*, 500; *Cathartes lönnebergi*, 618–620; *C. maccormicki*, 619–620; *Cistothorus palustris*, 492, 493; *Larus hyperboreus*, 713; *Leucopternis albicollis*, 500; *Macronectes giganteus*, 256; *M. halli*, 256; *Micrastur mirandollii*, 500; *M. semitorquatus*, 500–501; *Morphaetus guianensis*, 500; *Nesomimus macdonaldi*, 517–520; *N. melanotis*, 517–520; *N. parvulus*, 517–520; *N. trifasciatus*, 517–520; *Spizaetus ornatus*, 500–501, 502; *Stercorarius parasiticus*, 713
- Predation on *Agelaius phoeniceus*, 60; *Aptenodytes patagonica*, 256; *Chen canagica*, 713–714; *Cistothorus palustris*, 491–494; *Larus dominicanus*, 619; *Oceanites oceanicus*, 619; *Pygoscelis adeliae*, 618–619, 620, 624–625; *Rupicola rupicola*, 496–505; *Sterna vittata*, 619; *Sula dactylatra*, 517–519
- Probst, John R., and Jack P. Hayes, Pairing success of Kirtland's Warblers in marginal vs. suitable habitat, 234–241
- Progne chalybea*, 342–343
- Pterodroma hasitata*, 130–132
- Pteroglossus castanotis*, 325, 326
- Puffin, Atlantic, 733–738
- Puffinus lherminieri*, 130–132
- Pulich, Warren M., review by, 798
- Pulsatrix perspicillata*, 499–500
- Pygoscelis adeliae*, 618–619, 620, 624–625
- Pytilia melba*, 382–389, 392
- P. phoenicoptera*, 382–389, 392
- Quebec, 311–314, 329–330, 681–686, 687
- Querula purpurata*, 499
- Quiscalus mexicanus*, 635–639
- Rabenold, Patricia Parker, Roost attendance and aggression in Black Vultures, 647–653
- Ramphastos culminatus*, 325, 326
- R. toco*, 326
- R. tucanus*, 499
- Ramphocelus passerinii*, 173–177
- Rappole, J. H., and Gene W. Blacklock, Birds of the Texas Coastal Bend—abundance and distribution (rev.), 798; E. S. Morton, T. E. Lovejoy, Jr., and J. L. Ruos, Nearctic avian migrants in the Neotropics (rev.), 578–579
- Raveling, Dennis G., see Thompson, Steven C., and
- Redpoll, Common, 770
- Rhea americana*, 126–127
- Rhynchotus rufescens*, 126–127
- Rice, Jake C., review by, 147–148
- Richardson, Howard, and Nicolaas A. M. Verbeek, Diet selection by yearling Northwestern Crows (*Corvus caurinus*) feeding on littleneck clams (*Vernerupis japonica*), 263–269
- Richardson, W. John, In memoriam: William Walker Hamilton Gunn, 318–319
- Ricklefs, Robert E., Response of adult Leach's Storm-Petrels to increased food demand at the nest, 750–756
- Rijke, Arie M., Commentary: The water repellancy of water-bird feathers, 140–142
- Rissa tridactyla*, 787–789
- Robbins, Chandler S., Danny Bystrak, and Paul H. Geissler, The Breeding Bird Survey: its first fifteen years, 1965–1979 (rev.), 577–578
- Roberson, Don, Monterey birds (rev.), 150–151
- Robertson, Raleigh J., see Stutchbury, Bridget J., and
- Robin, European, 523–525
- Rothstein, Stephen I., and Robert C. Fleischer, Brown-headed Cowbirds learn flight whistles after the juvenile period, 512–516; see Fugle, Gary N., and
- Rudis, Deborah D., see DeGraaf, Richard M., and
- Ruos, J. L., see Rappole, J. H., et al.
- Rupicola rupicola*, 496–505
- Ryder, John P., and Beatrice M. Termaat, Secondary sex ratios and egg sequence in Herring Gulls, 526–528
- Sage, Brian, The Arctic and its wildlife (rev.), 588
- Salpinctes obsoletus*, 529–530
- Sandpiper, Upland, 777–778
- Santee, William R., and George S. Bakken, Social displays in Red-winged Blackbirds (*Agelaius phoeniceus*): sensitivity to thermoregulatory costs, 413–420
- Sarcoramphus papa*, 290–295
- Saskatchewan, 421–426, 681–686, 687
- Sasvári, Lajos, Madárökológia [Bird ecology] (rev.), 364
- Savory, John (Ed.), George Lodge (rev.), 154
- Saxicola torquata*, 542–543
- Sayce, James E., and George L. Hunt, Jr., Sex ratios of pre fledging Western Gulls, 33–37
- Scaup, Lesser, 694–698
- Schindler, Martin, and Jürg Lamprecht, Increase of parental effort with brood size in a nidifugous bird, 688–693
- Scott, Derek A., and Montserrat Carbonell (Compilers), A dictionary of neotropical wetlands (rev.), 358–359
- Scott, J. Michael, and James W. Carpenter, Commentary: Release of captive-reared or translocated endangered birds: what do we need to know?, 544–545

- Sealy, Spencer G., review by, 582–585  
*Sciurus motacilla*, 180–186  
*S. noveboracensis*, 180–186  
*Serinus canaria*, 770–771  
 Seutin, Gilles, Female song in Willow Flycatchers (*Empidonax traillii*), 329–330  
 Sex, determination of, 779–783  
 Sex ratio of *Branta canadensis*, 74; *Fulica americana*, 641, 643; *Fulmarus glacialis*, 457; *Larus argentatus*, 526–527; *L. occidentalis*, 33–36; *Quiscalus mexicanus*, 635–639; *Parabuteo unicinctus*, 396; *Parus caeruleus*, 111  
 Shearwater, Audubon's, 130–132  
 Sheldon, Frederick H., Phylogeny of herons estimated from DNA-DNA hybridization data, 97–108; see Ahlquist, Jon E., et al.  
*Sialia mexicana*, 783–786  
 Sibley, Charles G., See Ahlquist, Jon E., et al.  
 Sicklebill, Buff-tailed, 48–55  
 Siegel-Causey, Douglas, review by, 575–576  
 Simmons, K. E. L., The sunning behavior of birds. A guide for ornithologists (rev.), 808  
 Siskin, Eurasian, 770  
*Sitta carolinensis*, 429–433  
*S. pygmaea*, 783–786  
 Skagen, Susan Knight, see Yasukawa, Ken, et al.  
 Skua, Brown, 617–625; South Polar, 617–625  
 Slagsvold, Guri, see Klaassen, Marcel, et al.  
 Smith, Henrik G., Hans Källander, and Jan-Åke Nilsson, Effect of experimentally altered brood size on frequency and timing of second clutches in the Great Tit, 700–706; and Jan-Åke Nilsson, Intraspecific variation in migratory pattern of a partial migrant, the Blue Tit (*Parus caeruleus*): an evaluation of different hypotheses, 109–115  
 Smythies, B. E., The birds of Burma (rev.), 806  
 Song (see Vocalizations)  
 Soulé, M. E., Conservation biology. The science of scarcity and diversity (rev.), 801–802  
 South Carolina, 11–15, 435, 442, 771–774  
 South Dakota, 654–659, 661–664, 681–686, 687  
 Southern, William E., review by, 359–361  
 Sparrow, Field, 777–778; Harris', 1–10; House, 462–468, 470–479, 681–686, 687; Savannah, 277–287, 777–778; Song, 119, 777–778; White-crowned, 1–10, 188–196; White-throated, 136–138  
 Sparrowhawk, Eurasian, 117, 118, 120  
 Spear, Larry B., Hybridization of Glaucous and Herring gulls at the Mackenzie Delta, Canada, 123–125  
 Spectrograms of *Catherpes mexicanus*, 528, 529; *Epinomachus albirtisi*, 52; *Hylorchilus sumichrasti*, 528, 529; *Microcerclus philomela*, 530; *Mimus polyglottos*, 200; *Molothrus ater*, 513, 514; *M. bonariensis*, 514; *Rupicola rupicola*, 498; *Salpinctes obsoletus*, 529  
 Sperm storage, 770–771  
*Spheniscus magellanicus*, 779–783  
*Sphyrapicus varius*, 326  
*Spizaetus ornatus*, 500–501, 502  
*S. tyrannus*, 500  
*Spizastur melanoleucus*, 500  
*Spizella pusilla*, 777–778  
 Spoonbill, Roseate, 740–748  
 Stahl, Jean-Claude, see Cherel, Yves, et al.  
 Stangoehr, Donna J., see Hepp, Gary R., et al.  
 Statistical techniques, 144–145  
*Stellula calliope*, 242–252  
*Stercorarius parasiticus*, 713  
*S. pomarinus*, 130–132  
*Sterna fuscata*, 130–132  
 Stjernberg, T., see Leikola, A., et al.  
 Stokes, Allen W., review by, 802–803  
 Stonechat, 542–543  
 Storm-Petrel, Band-rumped, 130–132; Fork-tailed, 779–783; Leach's, 130–132, 750–755; Wilson's, 130–132  
 Strauch, J. G., Jr., review by, 580–581  
 Stuart, S. N., see Collar, N. J., and ———  
 Sturkie, P. D. (Ed.), Avian physiology (rev.), 352–354  
*Sturnella magna*, 775–778  
 Stutchbury, Bridget J., and Raleigh J. Robertson, Signaling subordinate and female status: two hypotheses for the adaptive significance of subadult plumage in female Tree Swallows, 717–723  
*Sula dactylatra*, 517–519  
 Suriname, 496–505  
 Swallow, Tree, 717–722; Violet-green, 783–786  
 Sweden, 109–114, 700–705  
 Swingland, Ian R., and Paul J. Greenwood (Eds.), The ecology of animal movement (rev.), 576–577  
*Syrigma sibilatrix*, 97–107  
*Tachycineta bicolor*, 717–722  
*T. thalassina*, 783–786  
*Tachyphonus delatrii*, 173–177  
 Tagle, Danilo, see Grudzien, Thaddeus A., et al.  
 Tanager, Palm, 173–177; Scarlet-rumped, 173–177; Tawny-crested, 173–177  
 Tate, Peter, Birds, men and books: a literary history of ornithology (rev.), 355–356  
 Taxonomy of Ardeidae, 97–107; *Chlorostilbon bracei*, 296–301; Corvidae, 676–677; Emberizidae, 380, 389; Estrildidae, 380–389; Falconidae, 273–275; Fringillidae, 380, 389; *Gymnorhinus cyanocephalus*, 677; *Hesperornis*, 125–128; *Hylorchilus sumichrasti*, 529–530; *Nucifraga columbiana*, 677; *Pediohierax ramenta*, 270, 273–275; Piciformes, 324–328, 724–731; Ploceidae, 380, 389  
 Teather, Kevin L., Intersexual differences in food consumption by hand-reared Great-tailed Grackle (*Quiscalus mexicanus*) nestlings, 635–639  
 Temple, Stanley A., see King, Warren B., and ———; see Knight, Richard L., and ———; see Wallace, Michael P., and ———  
 Termaat, Beatrice M., see Ryder, John P., and ———  
 Tern, Sooty, 130–132  
 Territory of *Agelaius phoeniceus*, 405–411; *Cathartes lönnerbergi*, 620, 624; *C. maccormicki*, 620; *Centrocercus urophasianus*, 79; *Epimachus albirtisi*, 50–51; *Rupicola rupicola*, 497; *Stellula calliope*, 242–247, 249–

- 251; *Tetrao urogallus*, 481–488; *Wilsonia citrina*, 133–135
- Tessier, G. D., see Blokpoel, H., and ——
- Tetrao urogallus*, 481–488
- Texas, 635–639, 654–659, 661–664, 681–686, 687
- Thamnophis*, 126–127
- Thompson, John N., review by, 798–799
- Thompson, Steven C., and Dennis G. Raveling, Incubation behavior of Emperor Geese compared with other geese: interactions of predation, body size, and energetics, 707–716
- Thraupis palmarum*, 173–177
- Tiaris canora*, 386, 389, 392
- Tiger-Heron, Rufescent, 97–107
- Tigrisoma lineatum*, 97–107
- Tit, Blue, 109–114; Great, 700–705; Willow, 333–335
- Tockus erythrorhynchus*, 326
- T. flavirostris*, 326
- Toucan, Red-billed, 499
- Trachyphonus vaillantii*, 326
- Trail, Pepper W., Predation and antipredator behavior at Guianan Cock-of-the-Rock leks, 496–507
- Traylor, Melvin A., Jr., In memoriam: Cyrus Mark, 318
- Tricholaema leucomelas*, 326
- Tropicbird, White-tailed, 130–132
- Tyrannus tyrannus*, 546–547, 547–549
- Tyto alba*, 520
- Udvardy, M. D. F., reviews by, 364, 571–574, 587–588; see Udvardy, Maud E., and ——
- Udvardy, Maud E., and Miklos D. F. Udvardy, review by, 795–796
- Upupa epops*, 326
- Uraeginthus bengalus*, 382–389, 392
- Uria aalge*, 218–222, 733–738
- Uria* spp., 337
- Urocolius indicus*, 326
- Utah, 421–426, 681–686, 687
- Venegas C., Claudio, Aves de Patagonia y Tierra del Fuego Chileno-Argentina (rev.), 573–574
- Veniliornis nigriceps*, 325, 326
- V. passerinus*, 326
- Verbeek, Nicolaas A. M., see Richardson, Howard, and ——
- Verdin, 531–534
- Vermivora chrysoptera*, 444–447, 448–449
- V. pinus*, 444–447, 448–449
- Verner, Jared, see Kroodsma, Donald E., and ——
- Viney, Clive, and Karen Phillips, New colour guide to Hong Kong birds (rev.), 588
- Vocalizations, 329–330, 512–515, 775–778, 790; geographic variation in, 64–70; variety of, 63, 65–70, 198–205
- Vocalizations of *Anous stolidus*, 790; *Astrapia stephaniae*, 52; *Bartramia longicauda*, 778; *Catherpes mexicanus*, 528–530; *Cistothorus palustris*, 63–70; *Dendroica pectechia*, 778; *Dolichonyx oryzivorus*, 778; *Empidonax traillii*, 329–330; *Epimachus albirtisi*, 51–52; *Hylorchilus sumichrasti*, 528–530; *Microcerculus philomela*, 529; *Mimus polyglottos*, 198–205; *Molothrus ater*, 512–515; *Paradisaea raggiana*, 52; *Passerulus sandwichensis*, 778; *Rupicola rupicola*, 498; *Salpinctes obsoletus*, 529; *Sturnella magna*, 775–778; *Wilsonia citrina*, 134
- Vuitteumier, François, review by, 794–795
- Vultur gryphus*, 290–295
- Vulture, Black, 290–295, 499, 647–652; King, 290–295; Turkey, 290–295, 373
- Waite, Thomas A., Vigilance in the White-breasted Nuthatch: effects of dominance and sociality, 429–434
- Waldvogel, Jerry A., Olfactory navigation in homing pigeons: are the current models atmospherically realistic?, 369–379
- Wallace, Michael P., and Stanley A. Temple, Competitive interactions within and between species in a guild of avian scavengers, 290–295
- Warbler, Blue-winged, 444–447, 448–449; Golden-winged, 444–447, 448–449; Hooded, 133–135; Kirtland's, 234–241; Yellow, 777–778
- Washington, 63–70, 208–215, 344–345, 421–426, 779–783
- Waterthrush, Louisiana, 180–186; Northern, 180–186
- Watt, Doris J., and Douglas W. Mock, A selfish herd of martins, 342–343; see Zink, Robert M., and ——
- Weather, influence on (see Environment, influence on)
- Weatherhead, Patrick J., see Clark, Robert G., and ——
- Weathers, Wesley W., see Buttemer, William A., et al.
- Wegge, Per, and Bjørn Bjerke Larsen, Spacing of adult and subadult male Common Capercaillie during the breeding season, 481–490
- West Germany, 688–692
- White, Clayton M., review by, 574–575
- White, Gary C., see Brisbin, I. Lehr, Jr., et al.
- Wiedenfeld, David A., see Lohrer, Fred E., et al.
- Wiens, John A., review by, 585–586
- Williams, Christopher J., see Evarts, Susan, and ——
- Williams, Joseph B., Field metabolism and food consumption of Savannah Sparrows during the breeding season, 277–289
- Wilsonia citrina*, 133–135
- Wingfield, John C., see Hegner, Robert E., and ——
- Wisconsin, 628–633
- With, Kimberly A., see Morrison, Michael L., and ——
- Woodpecker, Downy, 325, 326; Hairy, 225–232, 233; White-headed, 225–232, 233
- Woodward, Susan, see Gibbs, James P., et al.
- Woolfenden, Glen E., and John W. Fitzpatrick, The

- Florida Scrub Jay: demography of a cooperative-breeding bird (rev.), 350-352
- Wren, Canyon, 528-530; Marsh, 63-70, 491-494; Nightingale, 529-530; Rock, 529-530; Scaly-breasted Nightingale, 529-530; Slender-billed, 528-530
- Wynne-Edwards, V. C., Evolution through group selection (rev.), 585-586
- Wyoming, 421-426, 654-659, 661-664
- Yasukawa, Ken, Breeding and nonbreeding season mortality of territorial male Red-winged Blackbirds (*Agelaius phoeniceus*), 56-62; In memoriam: Joel Carl Welty, 122; Richard L. Knight, and Susan Knight Skagen, Is courtship intensity a signal of male parental care in Red-winged Blackbirds (*Agelaius phoeniceus*)?, 628-634
- Ydenberg, Ron, see Girardeau, Luc-Alain, and ——
- Yellowthroat, Common, 777-778
- Young, Kimberly, see Morton, Eugene S., et al.
- Yukon, 123-125
- Zink, Robert M., and Doris J. Watt, Allozymic correlates of dominance rank in sparrows, 1-10; see Karl, Stephen A., et al.; see Lanyon, Scott M., and ——
- Zonotrichia albicollis*, 136-138
- Z. leucophrys*, 1-10, 188-196, 208-215
- Z. querula*, 1-10
- Zusi, Richard L., A feeding adaptation of the jaw articulation in New World jays (Corvidae), 665-680
- Zwickel, Fred C., see Hannon, Susan J., and ——

DATE OF ISSUE (Vol. 104, No. 4): 9 November 1987