

# INDEX TO VOLUME 107

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Accentor, Alpine, 284-294  
*Accipiter cooperii*, 96-106  
*A. gentilis*, 96-106  
*A. striatus*, 96-106  
*Aethia cristatella*, 342-349  
*A. pusilla*, 342-349, 679, 685  
Age, determination of, 689-690  
*Agelaius phoeniceus*, 69-73, 544-548  
Aguilera, Eduardo, Sexual differences in nest attendance and chick-feeding rhythms of White Spoonbills, 416-420  
*Aimophila aestivalis*, 463-471  
Ainley, David G., review by, 226-227; see Emslie, S. D., et al.  
Ainley, Marianne Gosztonyi, In memoriam: Margaret Howell Mitchell, 601-602  
*Aix sponsa*, 756-762  
Alabama, 18-23  
Alaska, 342-349, 387-395, 620-622, 750-754  
Albatross, Laysan, 119-123  
Alberta, 161-170  
Alcorn, J. R., The birds of Nevada (rev.), 218-220  
Alisauskas, Ray T., and C. Davison Ankney, Commentary: Body size and fecundity in Lesser Snow Geese, 440-443  
Amadon, D., review by, 639-640  
Amat, Juan A., Age-related pair bonding by male Eurasian Wigeons in relation to courtship activity, 197-198  
American Ornithologists' Union, Elliott Coues Award, 238; William Brewster Memorial Award, 236-237; Proceedings of the One Hundred and Seventh Stated Meeting, 1AA-29AA  
Amundsen, Trond, and Jogeir N. Stokland, Egg size and parental quality influence nestling growth in the Shag, 410-413  
*Anas americana*, 188-190  
*A. bahamensis*, 188-190  
*A. crecca*, 3, 188-190  
*A. flavirostris*, 188-190  
*A. penelope*, 197-198  
*A. platyrhynchos*, 188-190, 255-259  
*A. strepera*, 188-190  
Anatini, 188-190  
Anatomy and morphology of *Compsohalieus fuscescens*, 110-116; *C. penicillatus*, 110-116; *Drymophila devillei*, 477-478; *Dysithamnus mentalis*, 477-478; *Formicivora rufa*, 477-478; *Grallaria quitensis*, 477-478; *Herpsilochmus rufimarginatus*, 477-478; *Hylophylax poeilonota*, 477-478; *Hypocnemis cantator*, 477-478; *Hypoleucus auritus*, 110-116; *H. olivaceus*, 110-116; *H. sulcirostris*, 110-116; *H. varius*, 110-116; *Junco hyemalis*, 490-497, 669-676; *Leucocarbo capensis*, 110-116; *L. nigrogularis*, 110-116; *Lonchura striata*, 193-196; *Microcarbo africanus*, 110-116; *M. melanoleucos*, 110-116; *Microhoppas quixensis*, 477-478; *Myrmotherula* spp., 477-478; *Notocarbo atriceps*, 110-116; *N. bransfieldensis*, 110-116; *N. georgianus*, 110-116; *N. verrucosus*, 110-116; *Oporornis philadelphia*, 164, 166; *Oporornis tolmiei*, 164, 166; *Pachyptila belcheri*, 306, 308; *P. desolata*, 306-308; *P. salivini*, 306, 308; *P. turtur*, 306, 308; Phalacrocoracidae, 110-116; *Phalacrocorax carbo*, 110-116; *Podiceps nigricollis*, 649-658; *Poephila guttata*, 193-196; *Prunella collaris*, 284-294; *Pygiptila stellaris*, 477-478; *Somateria mollissima*, 661; *Stictocarbo gaimardi*, 110-116; *S. magellanicus*, 110-116; *S. pelagicus*, 110-116; *Terenura humeralis*, 477-478; *Thamnophilus doliatus*, 477-478; *Zonotrichia querula*, 669-676  
Ankney, C. Davison, see Alisauskas, Ray T., and ———; see Gregoire, Paul E., and ———  
Antas, P., see Myers, J. P., et al.  
*Aphelocoma coerulescens*, 202-203  
*Aquila chrysaetos*, 96-106, 438-439  
*Arenaria interpres*, 696, 700, 704  
Arizona, 299-303, 367-374, 522-530, 531, 532, 606-607  
Armstrong, Robert H., Guide to the birds of Alaska (rev.), 819  
Arnold, Keith A., review by, 454  
Auklet, Cassin's, 1, 2, 3, 4-5, 6, 7, 689-694; Crested, 342-349; Least, 342-349, 679, 685; Rhinoceros, 1, 2, 3-4, 6  
Austin, David H., see Williams, Lovett E., Jr., and ———  
Australia, 334-340  
Avery, Michael L., and Curtis O. Nelms, Food avoidance by Red-winged Blackbirds conditioned with a pyrazine odor, 544-549  
*Aythya valisineria*, 75-84  
Bakken, George S., Estimating the effect of wind on avian metabolic rate with standard operative temperature, 587-594

- Baldassarre, Guy A., see Losito, Michael P., et al.
- Banks, Richard C., Taxonomic status of the Coquette Hummingbird of Guerrero, Mexico, 191-192
- Barlow, Jon C., review by, 232
- Barnes, Michael E., see Robel, Robert J., et al.
- Barrowclough, George F., and R. J. Gutiérrez, Genetic variation and differentiation in the Spotted Owl (*Strix occidentalis*), 737-744.
- Barzen, Jeb A., and Jerome R. Serie, Nutrient reserve dynamics of breeding Canvasbacks, 75-85
- Bednarz, James C., Daniel Klem Jr., Laurie J. Goodrich, and Stanley E. Senner, Migration counts of raptors at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934-1986, 96-109; review by, 801-802
- Beehler, Bruce M., see Lein, M. Ross, and ———
- Behavior, activity patterns, 18-23, 319-336, 337, 416-420, 655; age-related, 197-198, 554-555, 557; agonistic, 18-23, 188-190, 354, 355, 502, 510, 550-559, 606-607; antipredator, 258, 506, 513, 518, 530, 584, 666, 696, 704; breeding, 35-43, 119-123, 126-131, 153-158, 205-206, 206-208, 275-282, 284-294, 296-303, 317-325, 334-340, 376-382, 407-409, 416-420, 580-585, 603-605, 626-627, 750-754, 772-774; copulatory, 284-294, 334-340, 419-420; courtship, 122, 188-190, 197-198; dispersal, 129-130, 131; effect of environment on, 146-149, 327-332, 550-559; extrapair, 275-282, 334-340, 419-420, 584-585; feeding, 1-8, 18-23, 133-143, 146-149, 151-152, 153-158, 210-211, 211-212, 244-245, 260-272, 327-332, 354-357, 376-382, 400-402, 416-420, 434-437, 500-505, 506-513, 516-518, 519, 522-530, 544-548, 550-559, 678-687; feeding aggregation, 678-687; foraging (see Behavior, feeding); forced copulation, 275-282; dominance, 550-559; homosexual, 189-190; incubation, 10-16, 264, 320, 324, 418-419, 773; individual distance, 129, 130; interspecific, 522-530, 606-607; learning, 202-203, 544-548; maintenance, 18-23; mating preference, 35-43, 157-158, 197-198, 248-250, 251-252, 296-303; nest helper, 626-627; nesting, 39-40, 43, 154-155, 156, 337, 376-382, 407-409, 507, 515-516, 517, 519, 606-607; nest-site tenacity, 126-131, 281, 319, 321, 339, 408, 506, 519; pair, 202, 319, 321, 334-340; parental care, 40-41, 43, 205-206, 206-208, 260-272, 279, 281, 345, 349, 416-420, 580-585, 626-627, 766-767, 772-774; roosting, 18-23, 567-578; sexual differences in, 133-143, 260-272, 416-420, 580-585, 603-605; site fidelity, 126-131, 319, 321, 339, 603-605, 745-748; social, 119-123, 502, 506-519, 530, 550-559, 606-607; territorial, 627, 781-784; thermoregulatory, 10-16; vocal, 13, 14, 37-39, 42, 202-203, 243, 278, 510, 623-625
- Behavior of *Agelaius phoeniceus*, 522-530; *Anas americana*, 188-190; *A. bahamensis*, 188-190; *A. crecca*, 188-190; *A. flavirostris*, 188-190; *A. platyrhynchos*, 188-190; *A. penelope*, 197-198; *A. strepera*, 188-190; *Aphelocoma coerulescens*, 202-203; *Bubulcus ibis*, 334-357; *Bucephala albeola*, 126-131; *Carpodacus erythrinus*, 35-43; *Chen caerulescens*, 550-559; *Cercomacra manu*, 244-245; *Cleptornis marchei*, 500-505; *Diomedea immutabilis*, 119-123; *Fulmarus glacialis*, 683, 686, 750-754; *Gymnorhinus cyanocephalus*, 296, 299-302; *Larus heermanni*, 772-774; *Loxia curvirostra*, 376-382; *L. leucoptera*, 376-382; *Myzomela rubrata*, 502; *Opisthocomus hoazin*, 626-627; *Otus asio*, 567-578; *Pandion haliaetus*, 506-513; 516-519; *Parus gambeli*, 522-530; *P. inornatus*, 522-530; *Phalaropus fulicaria*, 682-683, 686; *Phylloscopus borealis*, 434-437; *Platalea leucorodia*, 416-420; *Podiceps nigricollis*, 655; *Progne subis*, 275-282; *Protonotaria citrea*, 133-143, 146-149, 151-152; *Prunella collaris*, 284-294; *Pterodroma phaeopygia*, 317-325; *Pyrenestes ostrinus*, 153-158; *Rhipidura rufifrons*, 502; *Rissa tridactyla*, 681-682, 686; *Rostrhamus sociabilis*, 327-332; *Rynchops niger*, 260-272; *Scolopax minor*, 407-409; *Sialia mexicana*, 606-607; *Spizella arborea*, 210-211, 211-212; *S. pusilla*, 580-585; *Sterna caspia*, 260-272; *S. dougallii*, 354-357; *S. hirundo*, 354-357; *Tachycineta thalassina*, 606-607; *Troglodytes aedon*, 781-784; *Tyto alba*, 248-250, 251-252; *Uria aalge*, 603-605; *U. lomvia*, 683-684, 686; *Vanellus coronatus*, 10-16; *V. lugubris*, 10-16; *V. melanopterus*, 10-16; *Xanthocephalus xanthocephalus*, 205-206, 206-208; *Zenaidura macroura*, 18-23; *Zosterops conspici-latus*, 500-505
- Beissinger, Steven R., Alternative foods of a diet specialist, the Snail Kite, 327-333
- Beletsky, Les D., Gordon H. Orians, and John C. Wingfield, Steroid hormones in relation to territoriality, breeding density, and parental behavior in male Yellow-headed Blackbirds, 60-68
- Belgium, 86-93
- Below, T., see Myers, J. P., et al.
- Belthoff, James R., and Gary Ritchison, Roosting behavior of postfledgling Eastern Screech-Owls, 567-579
- Benkman, Craig W., Intake rates and the timing of crossbill reproduction, 376-386
- Bering Sea, 678-687
- Birkhead, T. R., and F. M. Hunter, Numbers of sperm-storage tubules in the Zebra Finch (*Poephila guttata*) and Bengalese Finch (*Lonchura striata*), 193-197
- Björklund, Mats, Mate choice is not important for female reproductive success in the Common Rosefinch (*Carpodacus erythrinus*), 35-44
- Blackbird, Red-winged, 69-73, 544-548; Yellow-headed, 60-67, 205-206, 206-208
- Bluebird, Western 606-607
- Bock, Walter J., A special review: Peters' "Check-list of birds of the world" and a history of avian checklists, 629-639
- Boersma, P. D., see Paine, R. T., et al.
- Bohlen, H. David, The birds of Illinois (rev.), 461-462
- Boles, Walter E., see Longmore, N. W., and ———
- Bolivia, 473-483
- Bollinger, Eric K., see Bollinger, Patricia Blair, et al.

- Bollinger, Patricia Blair, Eric K. Bollinger, and Richard A. Malecki, Tests of three hypotheses of hatching asynchrony in the Common Tern, 696-706
- Brachyramphus marmoratus*, 3, 387-395
- Brant, 620-622
- Branta bernicla*, 620-622
- Braun, Michael, see Morton, Eugene S., et al.
- Brawn, Jeffrey D., Interspecific competition and social behavior in Violet-green Sparrows, 606-608
- Breeding of *Aethia cristatella*, 342-349; *A. pusilla*, 342-349; *Aix sponsa*, 756-762; *Aythya valisineria*, 75-84; *Bubulcus ibis*, 334-340; *Bucephala albeola*, 126-131; *Calidris pusilla*, 718-727; *Carpodacus erythrinus*, 35-43; *Cercomacra manu*, 242-243; *Chen caerulescens*, 440-443, 444-446; *Falco columbarius*, 29-30, 32; *Fulmarus glacialis*, 750-754; *Gymnorhinus cyanocephalus*, 296, 299-302; *Larus heermanni*, 772-774; *Loxia curvirostra*, 376-382; *L. leucoptera*, 376-382; *Mimus polyglottus*, 414-415; *Pachyptila belcheri*, 309, 310; *P. desolata*, 309, 310; *P. salvini*, 309, 310; *P. turtur*, 309, 310; *Pandion haliaetus*, 513-515, 516, 518-519; *Passer domesticus*, 45-57; *P. montanus*, 45-57; *Phalaropus lobatus*, 718-727; *Phoeniculus purpureus*, 765-770; *Platalea leucorodia*, 416-420; *Progne subis*, 275-282; *Prunella collaris*, 284-294; *Pterodroma phaeopygia*, 317-325; *Ptychoramphus aleuticus*, 691-692, 693-694; *Pyrenestes ostrinus*, 153-158; *Rynchops niger*, 260-272; *Scolopax minor*, 407-409, 748; *Somateria mollissima*, 660-667; *Spizella pusilla*, 580-585; *Sterna caspia*, 260-272; *S. hirundo*, 696-704; *Sturnus vulgaris*, 359-365; *Troglodytes aedon*, 782-783; *Uria aalge*, 5, 603-605; *Xanthocephalus xanthocephalus*, 60-67, 205-206, 206-208
- Breeding season of *Aethia cristatella*, 343-344, 346-347; *A. pusilla*, 343-344, 346-347; *Fulmarus glacialis*, 752, 754; *Loxia curvirostra*, 376-382; *L. leucoptera*, 376-382; *Mimus polyglottus*, 415; *Pandion haliaetus*, 513-515; *Passer domesticus*, 47; *P. montanus*, 47; *Pterodroma phaeopygia*, 319, 323-324; *Ptychoramphus aleuticus*, 693; *Pyrenestes ostrinus*, 155, 156, 158; *Scolopax minor*, 408-409, 748; *Sterna hirundo*, 698; *Sturnus vulgaris*, 360; *Uria aalge*, 603-605; *Xanthocephalus xanthocephalus*, 62
- Breeding success, 1, 5, 29-30, 32, 39-40, 60, 65, 67, 128, 129, 130, 155, 157, 205-206, 206-208; 300-301, 342, 344-346, 347-348, 360, 361-364, 408, 409, 513-515, 516, 518, 519, 595-600, 692, 699, 700, 701, 750-754, 759, 772-774
- Breeding success of *Aethia cristatella*, 342, 344-346, 347-348; *A. pusilla*, 342, 344-346, 347-348; *Aix sponsa*, 759; *Bucephala albeola*, 128, 129, 130; *Carpodacus erythrinus*, 39-40; *Falco columbarius*, 29-30, 32; *Fulmarus glacialis*, 750-754; *Gymnorhinus cyanocephalus*, 300-301; *Haematopus bachmani*, 1, 5; *Larus heermanni*, 772-774; *Pandion haliaetus*, 513-515, 516, 518, 519; *Ptychoramphus aleuticus*, 692; *Pyrenestes ostrinus*, 155, 157; *Scolopax minor*, 408, 409; *Sterna hirundo*, 699, 600, 601; *Sturnus vulgaris*, 360, 361-364; *Xanthocephalus xanthocephalus*, 60, 65, 67, 205-206, 206-208
- Breeding, timing of (see Breeding season)
- Breitwisch, Randall, see Zaias, Julia, and ———
- Bretagnolle, V., R. Zotier, and P. Jouventin, Comparative population biology of four prions (genus *Pachyptila*) from the Indian Ocean and consequences for their taxonomic status, 305-316
- Briskie, James V., and Spencer G. Sealy, Evolution of short incubation periods in the parasitic cowbirds, *Molothrus* spp., 789-794
- British Columbia, 126-131, 161-170
- Bromley, Peter T., review by, 221-222
- Brown, David E., Arizona game birds (rev.), 817-818
- Brown, James H., and Raymond Pierotti, review by, 216-218
- Bruce, Murray D., see McAllan, Ian A. W., and ———
- Brush, Alan H., reviews by, 232-233, 459, 460-462, 647-648, 819
- Bryan, A. Lawrence, see Stangel, Peter W., et al.
- Bubulcus ibis*, 334-340
- Bucephala albeola*, 126-131
- Bufflehead, 126-131
- Burger, Joanna (Ed.), Seabirds and other marine vertebrates: competition, predation, and other interactions (rev.), 225-226
- Burns, Kevin J., and Robert M. Zink, Temporal and geographic homogeneity of gene frequencies in the Fox Sparrow (*Passerella iliaca*), 421-425
- Buteo jamaicensis*, 96-106
- B. lagopus*, 96-106
- B. lineatus*, 96-106
- B. platypterus*, 96-106
- Butler, William, see Piatt, John F., et al.
- Cade, Tom J., review by, 213-216; James H. Enderson, Carl G. Thelander, and Clayton M. White (Eds.), Peregrine Falcon populations, their management and recovery (rev.), 803-806
- Calidris alba*, 172-179
- C. pusilla*, 718-727
- California, 161-170, 202-203, 421-424, 434-437, 649-658, 689-694, 737-742
- Calls (see Vocalizations)
- Cameroon, 153-158
- Campbell, R. Wayne, review by, 460
- Canvasback, 75-84
- Carey, Cynthia, review by, 799-801
- Carey, Michael, Effects of brood size and nestling age on parental care by male Field Sparrows (*Spizella pusilla*), 580-586
- Carpodacus erythrinus*, 35-43
- Cash, Kevin J., and L. Scott Johnson, Commentary: Male parental investment and female competence in Yellow-headed Blackbirds, 205-206
- Castro, G., see Myers, J. P., et al.
- Census methods, 96-106, 447-450, 451-452, 595-600
- Cephus columba*, 3, 7, 387-395

- Cercomacra carbonaria*, 242  
*C. ferdinandi*, 242  
**C. manu**, 239-245  
*C. melanaria*, 242  
*C. nigricans*, 242  
*Cerorhinca monocerata*, 1, 2, 3-4, 6  
Chancellor, R. D., see Meyburg, B.-U., and ———  
Chandler, C. Ray, see Mulvihill, Robert S., and ———  
Chat, Yellow-breasted, 784-787  
*Chen caerulescens*, 199-201, 440-443, 444-446, 550-559  
Chickadee, Mountain, 522-530, 531, 532  
China, 404-406  
*Chordeiles minor*, 610-613  
*Circus cyaneus*, 96-106  
*Clangula hyemalis*, 387-395  
Clapp, Roger G., see Marks, Jeffrey S., et al.  
Clark, George A., Jr., review by, 456-457  
Clark, William S., A field guide to hawks—North America (rev.), 220-221  
*Cleptornis marchei*, 500-505  
Clutch size of *Aix sponsa*, 760, 761, 762; *Bubulcus ibis*, 335, 337; *Bucephala albeola*, 128, 129; *Chen caerulescens*, 440-443, 444-446; *Larus heermanni*, 772-773; *Pandion haliaetus*, 516; *Passer domesticus*, 47-49, 50, 53-54, 56; *P. montanus*, 47-49, 50, 53-54, 56; *Pyrenestes ostrinus*, 156; *Scolopax minor*, 408, 409; *Sturnus vulgaris*, 359-365  
Clutton-Brock, T. H. (Ed.), Reproductive success: studies of individual variation in contrasting breeding systems (rev.), 223-224  
Coffey, Ben B., Jr., and Lula C. Coffey, Songs of Mexican birds (rev.), 232  
Coffey, Lula C., see Coffey, Ben B., Jr., and ———  
Cooke, Fred, J. Chris Davies, and R. F. Rockwell, Commentary: Response to Alisauskas and Ankney, 444-446; see Gratto-Trevor, Cheri L., et al.; see Quinn, Thomas W., et al.  
*Colaptes auratus*, 367-374  
Commentaries, Male parental investment and female competence in Yellow-headed Blackbirds, see Cash, Kevin J., and L. Scott Johnson; Response to Cash and Johnson, see Gori, David F.; Half a million eiders off Cape Cod: compounded errors or changed populations, see Erskine, Anthony J.; Comparison of patch-use models for wintering American Tree Sparrows, see Tome, Michael W.; Response to Tome, see Gaines, Sarah; A note on statistical power, see Forbes, L. Scott; Body size and fecundity in Lesser Snow Geese, see Alisauskas, Ray T., and C. Davison Ankney; Response to Alisauskas and Ankney, see Cooke, Fred, J. Chris Davies, and R. F. Rockwell; Do point counting and spot mapping produce equivalent estimates of bird densities?, see Tomiałoć, Ludwik, and Jared Verner; Response to Tomiałoć and Verner, see Hamel, Paul B.  
Communal breeding in *Diomedea immutabilis*, 119-123; *Opisthocomus hoazin*, 626-627; *Phoeniculus porphyreus*, 765-770; *Progne subis*, 275-282; *Tachycineta thalassina*, 607  
*Compsohalieu fuscescens*, 110-116  
*C. penicillatus*, 110-116  
Copperative breeding (see Communal breeding)  
Coquette, Rufous-crested, 191-192; Short-crested, 191-192  
Cormorant, Black-faced, 100-116; Brandt's, 3, 110-116; Double-crested, 110-116; Great, 100-116, 400-402; Little Black, 110-116; Little Pied, 110-116; Pelagic, 3, 5, 6, 7, 387-395; Pied, 110-116; Reed, 110-116  
*Corvus caurinus*, 1, 2, 3, 5-6, 7, 8  
*C. ossifragus*, 518  
Cottrell, G. William, see Mayr, Ernst, and ———  
Cowbird, Bay-winged, 789-792; Bronzed, 789-792; Brown-headed, 789-792; Screaming, 789-792; Shiny, 789-792  
Cracraft, Joel, review by, 222-223  
Craig, Robert J., Foraging behavior and microhabitat use of two species of white-eyes (*Zosteropidae*) on Saipan, Micronesia, 500-505  
Cramp, Stanley (Chief Ed.), Handbook of the birds of Europe, the Middle East and North Africa. The birds of the western Palearctic. Volume V: Tyrant flycatchers to thrushes (rev.), 809-812  
Crossbill, Red, 69-73, 376-382, 385-386; White-winged, 376-382, 385-386  
Crow, Fish, 518; Northwestern, 1, 2, 3, 5-6, 7, 8  
Cruz, Felipe, and Justine B. Cruz, Breeding, morphology, and growth of the endangered Dark-rumped Petrel, 317-326  
Cruz, Justine B., see Cruz, Felipe, and ———  
Curlew, Bristle-thighed, 779-780  
Cuthill, Innes C., see Lohrer, Fred E., et al.  
Davies, J. Chris, see Cooke, Fred, et al.  
*Dendroica caerulescens*, 784-787  
*D. castanea*, 784-787  
*D. coronata*, 784-787  
*D. fusca*, 784-787  
*D. magnolia*, 539-543, 784-787  
*D. palmarum*, 784-787  
*D. pensylvanica*, 784-787  
*D. petechia*, 539-543, 784-787  
*D. striata*, 784-787  
*D. tigrina*, 784-787  
*D. virens*, 539-543, 784-787  
Derleth, Eric L., see Diefenbach, Duane R., et al.  
DeWolfe, Barbara B., review by, 817  
Dickerman, Robert W., Geographic variation in the juvenal plumage of the Common Nighthawk (*Chordeiles minor*) in North America, 610-613  
Diefenbach, Duane R., Eric L. Derleth, W. Matthew Vander Haegen, James D. Nichols, and James E. Hines, American Woodcock winter distribution and fidelity to wintering areas, 745-749  
Dilley, William E., see Toops, Connie, and ———  
*Diomedea immutabilis*, 119-123

- Distribution of *Aimophila aestivalis*, 463–471; **Cercomacra manu**, 240–241; *Parus bicolor*, 184–187; *Scolopax minor*, 745–748
- Distribution, spatial, 466, 515, 679–680, 684–685
- Dixon, Keith L., Constancy of margins of the hybrid zone in titmice of *Parus bicolor* complex in coastal Texas, 184–188
- Doughty, Robin W., Return of the Whooping Crane (rev.), 812–814
- Dove, Mourning, 18–23
- Drummond, Hugh, see Urrutia, Lena P., and ———
- Drymophila devillei*, 475–476, 477–478, 481, 485, 487, 489
- Duck, Harlequin, 387–395; Wood, 756–762
- Duffy, David Cameron, review by, 225–226
- Dunning, John B., Jr., and Bryan D. Watts, Regional differences in habitat occupancy by Bachman's Sparrow, 463–472
- Dunning, John S., South American birds: a photographic aid to identification (rev.), 461
- Dysithamnus mentalis*, 475–476, 477–478, 481, 485, 487, 489
- Eagle, Bald, 96–106, 390, 394, 395; Golden, 96–106; 438–439
- Ecology, breeding communities, 387–395; commensal feeding, 678–687; community structure, 6–7, 353–354, 776; competition, 8, 31, 133–143, 351–357, 367–374, 504–505, 606–607; demography, 24–33; dispersal, 471; habitat partitioning, 351–357; habitat selection, 367–374, 434–437, 463–471, 522–530, 531, 532, 539–543, 567–578, 608–609, 775, 778; population structure, 25–33, 614–618; predator-prey relationships, 1–8, 327–332, 438–439, 686–687, 775–778; resource partitioning, 133–143, 500–505; seasonal variation, 25–33; territoriality, 86–93
- Ecology of *Aimophila aestivalis*, 463–471; *Aquila chrysaetos*, 438–439; **Cercomacra manu**, 244–245; *Cleptornis marchei*, 500–505; *Colaptes auratus*, 367–374; *Dendroica magnolia*, 539–543; *D. petechia*, 539–543; *D. virens*, 539–543; *Falco columbarius*, 25–33; *F. peregrinus*, 1–8; *Fulmarus glacialis*, 686–687; *Geothlypis trichas*, 539–543; *Loxia curvirostra*, 376–382; *L. leucoptera*, 376–382; *Melanerpes uropygialis*, 367–374; *Melospiza melodia*, 775–778; *Mniotilta varia*, 539–543; *Mycteria americana*, 614–618; *Otus asio*, 567–578; *Parula americana*, 539–543; *Parus gambeli*, 522–530, 531, 532; *P. inornatus*, 522–530, 531, 532; *Passerulus sandwichensis*, 775–778; *Phalaropus fulicaria*, 686–687; *Phylloscopus borealis*, 434–437; *Protonotaria citrea*, 133–143, 146–149, 151–152, 539–543; *Rissa tridactyla*, 686; *Rostrhamus sociabilis*, 327–332; *Setophaga ruticilla*, 539–543; *Sialia mexicana*, 606–607; *Sitta europaea*, 86–93; *Spizella arborea*, 210–211, 211–212; *Sterna dougallii*, 351–357; *S. hirundo*, 351–357; *Sturnus vulgaris*, 367–374; *Tachycineta thalassina*, 606–607; *Uria lomvia*, 686; *Wilsonia citrina*, 539–543; *Zosterops conspicillatus*, 500–505
- Eggs, 410–412, 696–704, 789–792, 794; density, specific volume, and volume, 319, 789–792, 794; laying, 309, 310, 319, 324, 376–382, 693, 696–704, 792; temperature, 431–433
- Eggs, descriptions and measurements, *Larus heermanni*, 773; *Passer domesticus*, 47, 49–50; *P. montanus*, 47, 49–50; *Pterodroma phaeopygia*, 319
- Egret, Cattle, 334–340
- Eider, Common, 208–209, 660–667
- El Halawani, Mohamed E., see Gratto-Trevor, Cheri L., et al.
- Ellis, David H., and Dwight G. Smith, review by, 812–814
- Empidonax minimus*, 790, 792
- Emslie, S. D., R. P. Henderson, and D. G. Ainley, Annual variation of primary molt with age and sex in Cassin's Auklet, 689–695
- Endangered species, 123, 317–325, 351, 463–471, 608–609, 737–742
- Enderson, James H., see Cade, Tom J., et al.
- England, 623–625
- Engstrom, R. Todd, and Gregory W. Evans, Hurricane damage to Red-cockaded Woodpecker (*Picoides borealis*) cavity trees, 608–610
- Environment, influence on, *Aimophila aestivalis*, 463–471; *Chen caerulescens*, 550–559; Phalacrocoracidae, 113–114, 115–116; *Phoeniculus purpureus*, 766; *Protonotaria citrea*, 146–149; *Pterodroma phaeopygia*, 323; *Rostrhamus sociabilis*, 327–332
- Erskine, Anthony J., Commentary: Half a million eiders off Cape Cod: compounded errors or changed populations., 208–209
- Evans, Gregory W., see Engstrom, R. Todd, and ———
- Evans, Roger M., Terminal-egg chilling and hatching intervals in the American White Pelican, 431–434
- Evered, Duncan Stuart, Measures of wing area and wing span from wing formula data, 784–787
- Evolution of communal breeding, 275–282; reproductive divergence, 153–158
- Evolution of *Myrmotherula* spp., 473–483; *Phaenicophilus palmarum*, 712–713, 715–716; *P. poliocephalus*, 712–713, 715–716; *Pyrenestes ostrinus*, 153–158
- Falco columbarius*, 25–33, 96–106
- F. peregrinus*, 1–8, 96–106
- F. sparverius*, 96–106
- Falcon, Peregrine, 1–8, 96–106
- Falls, J. Bruce, see Weary, Daniel M., et al.
- Fantail, Rufous, 502
- Feathers (see Molts and plumages)
- Fecundity (see Clutch size)
- Feducia, A., Birds of colonial Williamsburg: a historical portfolio (rev.), 647–668
- Fenbert, Lisa, see Gaunt, Abbot S., et al.
- Ficedula albicollis*, 429–431
- F. hypoleuca*, 429–431, 730–734

- Finch, Bengalese, 193-196; Zebra, 193-196
- Fitzpatrick, John W., and David E. Willard, *Cercomacra manu*, a new species of antbird from southwestern Amazonia, 239-245
- Fivizzani, Albert J., see Gratto-Trevor, Cheri L., et al.
- Fledgling of *Passer domesticus*, 50-52, 57; *P. montanus*, 50-52, 57
- Fleming, W. James, see Petit, Lisa J., et al.
- Flicker, Northern, 367-374
- Florida, 202-203, 327-332, 414-415, 544-548, 614-618
- Flycatcher, Least, 790, 792; Pied, 730-734
- Food and feeding habits of (see also Behavior, feeding) *Aethia cristatella*, 346, 348, 349; *A. pusilla*, 346, 348, 349, 679, 685; *Cercomacra manu*, 244-245; *Chen caerulescens*, 550-559; *Cleptornis marchei*, 500-505; *Falco peregrinus*, 1-8; *Fulmarus glacialis*, 678-681, 683, 684-687; *Loxia curvirostra*, 376-382; *L. leucoptera*, 376-382; *Pachyptila belcheri*, 309-310, 311; *P. desolata*, 309-310, 311; *P. salvini*, 309-310, 311; *P. turtur*, 309-310, 311; *Parus gambeli*, 522-530, 531, 532; *P. inornatus*, 522-530, 531, 532; *Passer domesticus*, 53, 55, 57; *P. montanus*, 53, 55, 57; *Phalacrocorax carbo*, 400-402; *Phalaropus fulicaria*, 678-687; *Phylloscopus borealis*, 434-437; *Protonotaria citrea*, 133-143, 146-149, 151-152; *Pyrenestes ostrinus*, 153-158; *Quiscalus major*, 327, 331, 332; *Rissa tridactyla*, 678-682, 684-687; *Rostrhamus sociabilis*, 327-332; *Rynchops niger*, 260-272; *Somateria mollissima*, 662, 666; *Spizella arborea*, 210-211, 211-212; *Sterna caspia*, 260-272; *S. dougallii*, 351-357; *S. hirundo*, 351-357; *Tyto alba*, 252; *Uria lomvia*, 678-681, 683-687; *Zosterops conspicillatus*, 500-505
- Foraging (see Food and feeding habits; Behavior, feeding)
- Forbes, L. Scott, Commentary: A note on statistical power, 438-439
- Ford, Hugh A., Ecology of birds: an Australian perspective (rev.), 814-815; see Lohrer, Fred E., et al.
- Forman, Lisa, see Morton, Eugene S., et al.
- Formicivora rufa*, 475-476, 477-478, 481, 485, 487, 489
- Fox, A. D., review by, 806-808
- Fratercula cirrhata*, 7, 387-395
- F. corniculata*, 387-395
- Freeman, Scott, and Wendy M. Jackson, Univariate metrics are not adequate to measure avian body size, 69-74
- Fukuda, Michio, see Mizutani, Hiroshi, et al.
- Fulmar, Northern, 387-395, 678-687, 750-754
- Fulmarus glacialis*, 387-395, 678-687, 750-754
- Furness, Robert W., The skuas (rev.), 226-227
- and Lisa Fenbert, Rapid atrophy and hypertrophy of an avian flight muscle, 649-659
- Gauthier, Gilles, Philopatry, nest-site fidelity, and reproductive performance in Buffleheads, 126-132
- Gavia adamsii*, 387-395
- Gelter, Hans P., and Håkan Tegelström, Restriction enzyme cleavage of nuclear DNA reveals differences in repetitive sequences in two species pair (*Ficedula* and *Parus*), 429-431; see Tegelström, Håkan, et al.
- Genetic variation in (see Genetics, genetic variation)
- Genetics, 31-32, 199-201, 278-279, 280, 310, 421-424, 429-431, 473-475, 478-483, 486-487, 614-618, 620-622, 707-716, 730-734, 737-742; gene flow, 617-618, 716, 742; genetic variation, 421-424, 473-475, 478-482, 614-618, 620-622, 707-716, 730-734, 737-742
- Genetics of *Branta bernicla*, 620-622; *Chen caerulescens*, 199-201; *Drymophila devillei*, 481, 487; *Dysithamnus mentalis*, 481, 487; *Falco columbarius*, 31-32; *Ficedula albicollis*, 429-431; *F. hypoleuca*, 429-431, 730-734; *Formicivora rufa*, 481, 487; *Grallaria quitensis*, 481, 487; *Herpsilochmus rufimarginatus*, 481, 487; *Hyllophylax poecilonota*, 481, 487; *Microrhopias quixensis*, 481, 487; *Mycteria americana*, 614-618; *Myrmotherula* spp., 473-475, 478-483, 486-487; *Pachyptila belcheri*, 310; *P. desolata*, 310; *P. salvini*, 310; *P. turtur*, 310; *Parus caeruleus*, 429-431; *P. major*, 429-431; *Passerella iliaca*, 421-424; *Phaenicophilus palmarum*, 707-716; *P. poliocephalus*, 707-716; *Progne subis*, 278-279, 280; *Pygiptila stellaris*, 481, 487; *Strix occidentalis*, 737-742; *Terenura humeralis*, 481, 487; *Thamnophilus doliatus*, 481, 487
- George, T. Luke, review by, 802-803
- Geographic variation in molts and plumages, 184-187, 610-613; vocalizations, 202-203
- Geographic variation in *Aphelocoma coerulescens*, 202-203; *Chordeiles minor*, 610-613; *Parus bicolor*, 184-187; *Passerella iliaca*, 421, 424
- Georgia, 608-609, 775-778
- Geothlypis trichas*, 539-543, 784-787
- Gill, Robert E., Jr., see Marks, Jeffrey S., et al.
- Goldstein, David L., and Afshan Zahedi, Variation in osmoregulatory parameters of captive and wild House Sparrows (*Passer domesticus*), 533-538
- Goodman, Steven M., and Peter L. Meininger (Eds.), The birds of Egypt (rev.), 460-461
- Goodrich, Laurie J., see Bednarz, James C., et al.
- Goose, Snow, 199-201, 440-443, 550-559
- Gordon, L. M., see Myers, J. P., et al.
- Gori, David F., Commentary: Response to Cash and Johnson, 206-208
- Goriup, Paul D. (Ed.), Ecology and conservation of grassland birds (rev.), 802-803
- Goshawk, Northern, 96-106
- Grackle, Boat-tailed, 327, 331, 332
- Grallaria quitensis*, 477-478, 481, 485, 487
- Gratto-Trevor, Cheri L., Lewis W. Oring, Albert J. Fivizzani, Mohamed E. El Halawani, and Fred

- Cooke, The role of prolactin in parental care in a monogamous and a polyandrous shorebird, 718-729
- Grebe, Eared, 649-658
- Greenberg, Russell, reviews by, 640-642, 815-817; see Ornat, Arturo Lopez, and ———
- Gregoire, Paul E., and C. Davison Ankney, Agonistic behavior and dominance relationships among Lesser Snow Geese during winter and spring migration, 550-560
- Grimmett, R. F. A., and T. A. Jones, Important bird areas in Europe (rev.), 461
- Growth and development of *Aethia cristatella*, 342, 346, 347, 349; *A. pusilla*, 342, 346, 347, 349; *Passer domesticus*, 50-52, 53, 57; *P. montanus*, 50-52, 53, 57; *Phalacrocorax aristotelis*, 410-412; *Pterodroma phaeopygia*, 321, 323, 324-325; *Sterna hirundo*, 698-700, 701-702
- Guam, 404-406
- Guillemot, Pigeon, 3, 7, 387-395
- Gull, Glaucous-winged, 3, 387-395; Heerman's, 3, 772-774
- Gutiérrez, R. J., see Barrowclough, George F., and ———
- Gwynne, J. A., see Ridgely, Robert S., and ———
- Gymnorhinus cyanocephalus*, 296-303
- Habitat of *Aimophila aestivalis*, 463-471; **Cercomacra manu**, 244-245; *Parus gambeli*, 525; *P. inornatus*, 525; *Phylloscopus borealis*, 434-437; *Sitta europaea*, 87, 89-90, 91, 93; *Sterna dougallii*, 352-353, 356-357; *S. hirundo*, 352-353, 356-357
- Hackett, Shannon I., and Kenneth V. Rosenberg, Comparison of phenotypic and genetic differentiation in South American antwrens (Formicariidae), 473-489
- Haematopus bachmani*, 1, 3, 5-6, 7
- Hagan, John M., III, and Jeffrey R. Walters, Foraging behavior, reproductive success, and colonial nesting in Ospreys, 506-521
- Haiti, 707-716
- Haliaeetus leucocephalus*, 96-106, 390, 394, 395
- Hamel, Paul B., Commentary: Response to Tomiałojć and Verner, 451-453
- Harrier, Northern, 96-106
- Harris, M. P., and S. Wanless, Breeding status and sex of Common Murres (*Uria aalge*) at a colony in autumn, 603-605
- Harris, Tony, Shrikes of southern Africa (rev.), 232-233
- Hart, Mark, see McKinney, Frank, et al.
- Harvey, William F., IV, see Hepp, Gary R., et al.
- Hatch, Scott A., Individual variation in behavior and breeding success of Northern Fulmars, 750-755; see Piatt, John F., et al.
- Hatching, success of (see Breeding success)
- Hatching, timing of, 30, 32, 206, 309, 310, 344, 347, 359-365, 431-433, 696-704, 773
- Hawaii, 199-123, 779-780
- Hawk, Broad-winged, 96-106; Cooper's, 96-106; Red-shouldered, 96-106; Red-tailed, 96-106; Rough-legged, 96-106; Sharp-shinned, 96-106
- Hayman, Peter, John Marchant, and Tony Prater, Shorebirds: an identification guide to the waders of the world (rev.), 454-455
- Henderson, R. P., see Emslie, S. D., et al.
- Henricks, Paul, see Marks, Jeffrey S., et al.
- Henny, Charles J., review by, 808-809
- Hepp, Gary R., Robert A. Kennamer, and William F. Harvey IV, Incubation as a reproductive cost in female Wood Ducks, 756-764
- Herpsilochmus rufimarginatus*, 475-476, 477-478, 481, 485, 487, 489
- Hickey, Joseph J., In memoriam: Alfred E. Eynon, 398
- Hikida, Robert S., see Gaunt, Abbot S., et al.
- Hines, James E., see Diefenbach, Duane R., et al.
- Histrionicus histrionicus*, 387-395
- Hoatzin, 626-627
- Holm, Halvor, see Parker, Howard, and ———
- Home range (see Territory of)
- Honeyeater, Micronesian, 502
- Houde, Peter W., Paleognathous birds from the Early Tertiary of the Northern Hemisphere (rev.), 455-456
- Houston, C. Stuart, In memoriam: Willetta Lueshen, 399
- Hudec, Karel, see Štastný, Karel, et al.
- Hunt, George L., Jr., see Obst, Bryan S., and ———
- Hunter, F. M., see Birkhead, T. R., and ———
- Hutchinson, Clive D., Birds in Ireland (rev.), 233
- Hybrids and hybridization of *Ficedula albicollis* × *F. hypoleuca*, 430-431; *Oporornis philadelphia* × *O. tolmiei*, 161-170; *Parus bicolor* complex, 184-187
- Hylophylax poecilonota*, 475-476, 477-478, 481, 485, 487, 489
- Hypocnemis cantator*, 475-476, 477-478, 481, 485, 487, 489
- Hypoleucis auritus*, 110-116; *H. olivaceus*, 110-116; *H. sulcirostris*, 110-116; *H. varius*, 110-116
- Iapichino, Carmelo, and Bruno Massa, The birds of Sicily (rev.), 647
- Icteria virens*, 784-787
- Idaho, 161-170
- Illinois, 784-787
- Incubation and incubation period of *Passer domesticus*, 50; *P. montanus*, 50; *Pelecanus erythrorhynchos*, 431-433; *Pterodroma phaeopygia*, 320, 324; *Rynchops niger*, 264, 272; *Somateria mollissima*, 663; *Sterna caspia*, 264, 272; *Sturnus vulgaris*, 359, 361, 363; *Vanellus coronata*, 10-16; *V. lugubris*, 10-16; *V. melanopterus*, 10-16;
- Indian Ocean, 305-314
- Isler, Morton, and Phyllis Isler, review by, 228-229
- Isler, Phyllis, see Isler, Morton, and ———

- Jaarola, Maarit, see Tegelström, Håkan, et al.
- Jackson, Wendy M., see Freeman, Scott, and ———
- James, Paul C., see Warkentin, Ian G., et al.
- Japan, 284-294, 400-402
- Jay, Pinyon, 296-303; Scrub, 202-203
- Jehl, Joseph R., Jr., see Gaunt, Abbot S., et al.
- Johnson, Douglas H., and Terry L. Shaffer, Estimating nest success: when Mayfield wins, 595-600
- Johnson, Kristine, and John M. Marzluff, Some problems and approaches in avian mate choice, 296-304
- Johnson, L. Scott, see Cash, Kevin J., and ———; and L. Henry Kermott, Possible causes of territory takeovers in a north-temperate population of House Wrens, 781-784
- Johnson, Ned K., review by, 218-220
- Johnson, Timothy H., Biodiversity and conservation in the Caribbean: profiles of selected islands (rev.), 799-801
- Jones, T. A., see Grimmett, R. F. A., and ———
- Jouventin, P., see Bretagnolle, V., et al.
- Junco, Dark-eyed, 490-497, 561-566, 669-676
- Junco hyemalis*, 490-497, 561-566, 669-676
- Kabaya, Yuko, see Mizutani, Hiroshi, et al.
- Kale, Herbert W., II, and David S. Maehr, Florida's birds (rev.), 797-799; review by, 818-819
- Kansas, 69-73, 669-676
- Kaufman, Kenn, review by, 454-455
- Keast, J. Allen, In memoriam: Julian R. Ford, 601
- Keith, Stuart, review by, 647
- Kemp, Kenneth E., see Robel, Robert J., et al.
- Kendziorek, Marshal, see Piatt, John F., et al.
- Kenamer, Robert A., see Hepp, Gary R., et al.
- Kentucky, 567-578
- Kenya, 765-770
- Kepler, Cameron B., see Snyder, Noel F. R., et al.
- Kerlinger, Paul, Flight strategies of migrating hawks (rev.), 801-802
- Kermott, L. Henry, see Johnson, L. Scott, and ———
- Kerpez, Theodore A., and Norman S. Smith, Competition between European Starlings and native woodpeckers for nest cavities in saguaros, 367-375
- Kestrel, American, 96-106
- Kilham, Lawrence, The American Crow and the Common Raven (rev.), 230-231
- King, A. A., and J. McLelland (Eds.), Form and function in birds, vol. 4 (rev.), 229-230
- Kite, Snail, 327-332
- Kittiwake, Black-legged, 3, 7, 387-395, 678-687
- Klem, Daniel, Jr., see Bednarz, James C., et al.
- Koenig, Walter D., review by, 223-224
- Kofalk, Harriet, No woman tenderfoot: Florence Merriam Bailey, pioneer naturalist (rev.), 817
- Larus glaucescens*, 3, 387-395
- L. heermanni*, 3, 772-774
- Lehmann, Val W., Bobwhites in the Rio Grande plain of Texas (rev.), 454
- Lein, M. Ross, and Bruce M. Beehler, editors of book reviews, 213-233, 454-462, 629-648, 795-819
- Lensink, Calvin J., see Piatt, John F., et al.
- Leucocarbo capensis*, 110-116
- L. nigrogularis*, 110-116
- Lewis, Mark G., and Fred A. Sharpe, Birding in the San Juan Islands (rev.), 460
- Lidster, Wayne W., see Piatt, John F., et al.
- Ligon, J. David, and Sandra H. Ligon, Female-biased sex ratio at hatching in the Green Woodhoopoe, 765-771
- Ligon, Sandra H., see Ligon, J. David, and ———
- Livezey, Bradley C., review by, 455-456
- Lohrer, Fred E., John L. Trapp, David A. Wiedenfeld, Hugh A. Ford, Innes C. Cuthill, and Robert D. Magrath, editors of *Recent Ornithological Literature*, 1A-27A, 1B-37B, 1C-36C, 1D-68D
- Lonchura striata*, 193-196
- Longcore, Jerry R., see McAuley, Daniel G., et al.
- Longevity (see Mortality and survival)
- Longmore, N. W., and Walter E. Boles, A method of combined skin-fluid specimen preparation, 788-789
- Loon, Yellow-billed, 387-395
- Lophornis brachylopha*, 191-192
- L. delattrei*, 191-192
- Losito, Michael P., Ralph E. Mirarchi, and Guy A. Baldassarre, Summertime activity budgets of hatching-year Mourning Doves, 18-24
- Louisiana, 550-559, 745-748
- Loxia curvirostra*, 69-73, 376-382, 385-386
- L. leucoptera*, 376-382, 385-386
- Lynch, James F., review by, 814-815
- Lyrebird, Albert's, 788
- Maehr, David S., see Kale, Herbert S., II, and ———
- Magrath, Robert D., see Lohrer, Fred E., et al.
- Maine, 376-382, 407-409
- Majewski, Przemyslaw, see Panek, Marek, and ———
- Malecki, Richard A., see Bollinger, Patricia Blair, et al.
- Mallard, 188-190, 255-259
- Manitoba, 75-84, 199-201, 431-433, 718-727, 790-792
- Mao Ying, see Williams, Timothy C., and ———
- Marchant, John, see Hayman, Peter, et al.
- Marks, Jeffrey S., Roland L. Redmond, Paul Hendricks, Roger B. Clapp, and Robert E. Gill, Jr., Notes on longevity and flightlessness in Bristle-thighed Curlews, 779-781
- Maron, J. L., see Myers, J. P., et al.
- Marti, Carl D., Sex and age dimorphism in the Barn Owl and a test of mate choice, 246-254



- Martin, Purple, 275–282  
 Maryland, 275–282  
 Marzluff, John M., review by 230–231; see Johnson, Kristine, and ———
- Mass and measurements of *Aethia cristatella*, 346, 347; *A. pusilla*, 346, 347; *Agelaius phoeniceus*, 69–73; *Aix sponsa*, 759; *Anas platyrhynchos*, 256–257, 258; *Aythya valisineria*, 75–84; *Cercomacra carbonaria*, 242; *C. ferdinandi*, 242; **C. manu**, 240–242; *C. melanaria*, 242; *C. nigricans*, 242; *Chen caerulescens*, 440–443, 444–446; *Dendroica caerulescens*, 784–787; *D. castanea*, 784–787; *D. coronata*, 784–787; *D. fusca*, 784–787; *D. magnolia*, 784–787; *D. palmarum*, 784–787; *D. pensylvanica*, 784–787; *D. petechia*, 784–787; *D. striata*, 784–787; *D. tigrina*, 784–787; *D. virens*, 784–787; *Falco columbarius*, 27, 28; *Geothlypis trichas*, 784–787; *Icteria virens*, 784–787; *Junco hyemalis*, 492, 562, 564, 671, 672, 673; *Loxia curvirostra*, 69–73; *Mniotilta varia*, 784–787; *Myrmotherula* spp. 474; *Oporornis agilis*, 784–787; *O. formosus*, 784–787; *O. philadelphia*, 164, 166, 784–787; *O. tolmiei*, 164, 166; *Pachyptila belcheri*, 307; *P. desolata*, 307; *P. salvini*, 307; *P. turtur*, 307; *Passer domesticus*, 50–52, 56; *P. montanus*, 50–52, 56; *Phalacrocorax aristotelis*, 411, 412; *Podiceps nigricollis*, 652, 653; *Prunella collaris*, 288; *Pterodroma phaeopygia*, 320–321, 322, 323; *Ptychoramphus aleuticus*, 691–692, 693; *Rynchops niger*, 263, 264; *Scolopax minor*, 409; *Seiurus aurocapillus*, 784–787; *S. noveboracensis*, 784–787; *Setophaga ruticilla*, 784–787; *Sitta europaea*, 91, 92; *Somateria mollissima*, 660–667; *Spizella pusilla*, 583; *Sterna caspia*, 263, 264; *S. hirundo*, 699; *Tyto alba*, 248, 249–251; *Vermivora celata*, 784–787; *V. chrysoptera*, 784–787; *V. peregrina*, 784–787; *V. ruficapilla*, 784–787; *Wilsonia canadensis*, 784–787; *W. citrina*, 784–787; *W. pusilla*, 784–787; *Zonotrichia querula*, 69–73
- Massa, Bruno, see Ipachino, Carmelo, and ———
- Massachusetts, 784–787
- Mating systems of *Carpodacus erythrinus*, 35–43; *Gymnorhinus cyanocephalus*, 296, 299–302; *Opisthocomus hoazin*, 627; *Progne subis*, 275–282
- Matthysen, Erik, Behavioral and ecological correlates of territory quality in the Eurasian Nuthatch (*Sitta europaea*), 86–95
- Mayr, Ernst, and G. William Cottrell (Eds.), Checklist of birds of the world: a continuation of the work of James L. Peters, vol. XI (rev.), 629–639
- McAllan, Ian A. W., and Murray D. Bruce, The birds of New South Wales: a working list (rev.), 458–459
- McAuley, Daniel G., Jerry R. Longcore, and Greg F. Sepik, Renesting by American Woodcocks (*Scolopax minor*) in Maine, 407–410
- McDonald, Mara M., and Michael H. Smith, Speciation, heterochrony, and genetic variation in Hispaniolan palm-tanagers, 707–717
- McIntyre, Judith W., The Common Loon: spirit of northern lakes (rev.), 457–458
- McKilligan, N. G., Promiscuity in the Cattle Egret (*Bubulcus ibis*), 334–341
- McKinney, Frank, Lisa Guminski Sorenson, and Mark Hart, Multiple functions of courtship displays in dabbling ducks (Anatini), 188–191
- Measurements (see Mass and ———)
- McKittrick, Mary C., review by, 797–799
- McLelland, J., see King, A. S., and ———
- Meininger, Peter L., see Goodman, Steven M., and ———
- Melanerpes uropygialis*, 367–374
- Melospiza melodia*, 775–778
- Memorial of Alfred E. Eynon, 398; Julian R. Ford, 601; Willetta Lueshen, 399; Margaret Howell Mitchell, 601–602; William H. Phelps Jr., 181–183; Sir Peter Markham Scott, 602
- Menura alberti*, 788
- Merlin, 25–33, 96–106
- Metabolism of *Junco hyemalis*, 562–563
- Mexico, 191–192, 539–543, 772–774
- Meyburg, B.-U., and R. D. Chancellor (Eds.), Raptors in the modern world (rev.), 639–640
- Meštrov, M. M., and G. Sušić (Eds.), [Ornithology in Croatia] (rev.), 817
- Michigan 784–787
- Microcarbo africanus*, 110–116
- M. Melanoleucos*, 110–116
- Micronesia, 500–505
- Microrhopias quixensis*, 475–476, 477–478, 481, 485, 487, 489
- Migration and orientation, 25–33, 172–179, 180, 404–406, 425–427, 490–497; effects of weather on, 425–427
- Migration and orientation of *Calidris alba*, 172–179; *Falco columbarius*, 25–33; *Junco hyemalis*, 490–497; *Oporornis formosus*, 425–427; *Seiurus aurocapillus*, 425–427; *S. noveboracensis*, 425–427; *Wilsonia citrina*, 425–427
- Mikuska, József, review by, 817
- Mimus polyglottos*, 414–415
- Mirarchi, Ralph E., see Losito, Michael P., et al.
- Mizutani, Hiroshi, Michio Fukuda, Yuko Kabaya, and Eitaro Wada, Carbon isotope ratio of feathers reveals feeding behavior of cormorants, 400–403
- Mniotilta varia*, 539–543, 784–787
- Mockingbird, Northern, 414–415
- Molothrus aeneus*, 789–792; *M. ater*, 789–792; *M. badius*, 789–792; *M. bonariensis*, 789–792; *M. rufoaxillaris*, 789–792
- Molts and plumages of *Anas platyrhynchos*, 225–259; *Bubulcus ibis*, 338; **Cercomacra manu**, 239–240, 241–242; *Chordeiles minor*, 610–613; *Drymophila devillei*, 475–476, 489; *Dysithamnus mentalis*, 475–476, 489; *Formicivora rufa*, 475–476, 489; *Herpsilochmus rufimarginatus*, 475–476, 489; *Hylophylax poecilonota*, 475–476, 489; *Hypocnemis cantator*, 475–476, 489; **Lophornis brachylopha**, 191–192; *Microrhopias quixensis*, 475–476, 489; *Mimus polyglottos*, 414–415;

- Myrmotherula* spp., 475-476, 488; *Numenius tahitiensis*, 779-780; *Oporornis philadelphia*, 162, 164, 165, 169, 170; *O. tolmiei*, 162, 164, 165, 169, 170; *Parus bicolor*, 184-187; *Phalacrocorax carbo*, 400-402; *Ptychoramphus aleuticus*, 689-694; *Pygiptila stellaris*, 475-476, 489; *Terenera humeralis*, 475-476, 489; *Thamnophilus doliatus*, 475-476, 489
- Monson, Gale, review by, 817-818
- Montana, 161-170
- Moore, Frank R., Evidence for redetermination of migratory direction following wind displacement, 425-428
- Morrison, Michael L., see With, Kimberly A., and ———
- Morse, Douglass H., American Warblers (rev.), 815-817
- Mortality and survival of *Aethia cristatella*, 345, 349; *A. pusilla*, 345, 349; *Aix sponsa*, 759, 760; *Brachyramphus marmoratus*, 387-395; *Cephus columba*, 387-395; *Cerorhinca monocerata*, 4; *Clangula hyemalis*, 387-395; *Falco columbarius*, 32-33; *Fratercula cirrhata*, 387-395; *F. corniculata*, 387-395; *Fulmarus glacialis*, 387-395; *Gavia adamsii*, 387-395; *Gymnorhinus cyanocephalus*, 296, 301; *Haliaeetus leucocephalus*, 390, 395; *Histrionicus histrionicus*, 387-395; *Larus glaucescens*, 387-395; *L. heermanni*, 772-774; *Melospiza melodia*, 777; *Numenius tahitiensis*, 779-780; *Oceanodroma furcata*, 387-395; *Passer domesticus*, 52-53, 54-55; *P. montanus*, 52-53, 54-55; *Passerculus sandwichensis*, 777; *Phalacrocorax pelagicus*, 387-395; *Phoeniculus purpureus*, 768-769; *Picoides borealis*, 609; *Puffinus griseus*, 387-395; *P. tenuirostris*, 387-395; *Rissa tridactyla*, 387-395; *Sitta europaea*, 91, 92; *Sterna hirundo*, 696-704; *Sturnus vulgaris*, 359, 361-364; *Uria aalge*, 387-395; *U. lomvia*, 387-395
- Morton, Eugene S., Lisa Forman, and Michael Braun, Extrapair fertilizations and the evolution of colonial breeding in Purple Martins, 275-283
- Mulvihill, Robert S., and C. Ray Chandler, The relationship between wing shape and differential migration in the Dark-eyed Junco, 490-499
- Murre, Common, 1, 3, 5, 387-395, 603-605; Thick-billed, 387-395, 678-687
- Murrelet, Marbled, 3, 387-395
- Mycteria americana*, 614-618
- Myers, J. P., M. Sallaberry, A. E. Ortiz, G. Castro, L. M. Gordon, J. L. Maron, C. T. Schick, E. Tabilo, P. Antas, and T. Below, Migration routes of New World Sanderlings (*Calidris alba*), 172-180
- Myrmotherula assimilis*, 473-483, 485-489
- M. axillaris*, 473-483, 485-489
- M. behni*, 473-483, 485-489
- M. brachyura*, 473-483, 485-489
- M. erythrura*, 473-483, 485-489
- M. fulviventris*, 473-483, 485-489
- M. grisea*, 473-483, 485-489
- M. haematonota*, 473-483, 485-489
- M. hauxwelli*, 473-483, 485-489
- M. leucophthalma*, 473-483, 485-489
- M. longicauda*, 473-483, 485-489
- M. longipennis*, 473-483, 485-489
- M. menetriesii*, 473-483, 485-489
- M. obscura*, 473-483, 485-489
- M. ornata*, 473-483, 485-489
- M. schisticolor*, 473-483, 485-489
- M. sclateri*, 473-483, 485-489
- M. surinamensis*, 473-483, 485-489
- Myzomela rubrata*, 502
- Nakamura, Masahiko, Cloacal protuberance and copulatory behavior of the Alpine Accentor (*Prunella collaris*), 284-295
- Nelms, Curtis O., see Avery, Michael L., and ———
- Nest and nest site of *Bubulcus ibis*, 337; *Carpodacus erythrinus*, 36, 39-40, 43; *Colaptes auratus*, 367-374; *Melanerpes uropygialis*, 367-374; *Pachyptila belcheri*, 307, 309; *P. desolata*, 307, 309; *P. salvini*, 307, 309; *P. turtur*, 307, 309; *Pandion haliaetus*, 507, 515-516, 517, 519; *Picoides borealis*, 608-609; *Pterodroma phaeopygia*, 319; *Pyrenestes ostrinus*, 154-155, 157; *Scolopax minor*, 408; *Sturnus vulgaris*, 367-374; *Uria aalge*, 5
- Nest parasitism, 760, 761, 762, 789-792
- Nestling of *Aethia cristatella*, 345, 346, 349; *A. pusilla*, 345, 346, 349; *Phalacrocorax aristotelis*, 410-412; *Pyrenestes ostrinus*, 157; *Spizella pusilla*, 583
- Nevada, 161-170, 421-424
- New Brunswick, 376-382
- New Jersey, 359-365
- New Mexico, 737-742
- New York, 161-170, 351-357, 376-382, 696-704
- Nichols, James D., see Diefenbach, Duane R., et al.
- Nighthawk, Common, 610-613
- Norris, Ken J., see Weary, Daniel M., et al.
- North Carolina, 506-519
- Northwest Territories, 620-622
- Norway, 410-412, 660-667
- Notocarbo atriceps*, 110-116
- N. bransfieldensis*, 110-116
- N. georgianus*, 110-116
- N. verrucosus*, 110-116
- Numenius tahitiensis*, 779-780
- Nuthatch, Eurasian, 86-93
- Nysewander, David R., see Piatt, John F., et al.
- Obst, Bryan S., and George L. Hunt, Jr., Marine birds feed at gray whale mud plumes in the Bering Sea, 678-688
- Oceanodroma furcata*, 1, 2-3, 6, 7, 387-395
- O. leucorhoa*, 1, 3, 6, 7
- Ohio, 533-538, 784-787
- Oldsquaw, 387-395
- Oliphant, Lynn W., see Warkentin, Ian G., et al.
- Olson, Storrs, L., review by, 458-459
- Ontario, 161-170, 376-382, 784-787
- Opisthocomus hoazin*, 626-627

- Oporornis agilis*, 784-787  
*O. formosus*, 425-427, 784-787  
*O. philadelphia*, 161-170, 784-787  
*O. tolmiei*, 161-170  
 Oregon, 161-170, 561-566, 737-742  
 Orians, Gordon H., see Beletsky, Les D., et al.  
 Oring, Lewis W., see Gratto-Trevor, Cheri L., et al.  
 Ornat, Arturo Lopez, and Russell Greenberg, Sexual segregation by habitat in migratory warblers in Quintana Roo, Mexico, 539-543  
 Ortiz, E., see Myers, J. P., et al.  
 Osprey, 96-106, 506-519  
 Osteology of *Compsohalieu fuscescens*, 110-116; *C. penicillatus*, 110-116; *Hypoleucus auritus*, 110-116; *H. olivaceus*, 110-116; *H. sulcirostris*, 110-116; *H. varius*, 110-116; *Leucocarbo capensis*, 110-116; *L. nigrogularis*, 110-116; *Microcarbo africanus*, 110-116; *M. melanoleucos*, 110-116; *Notocarbo atriceps*, 110-116; *N. bransfieldensis*, 110-116; *N. georgianus*, 110-116; *N. verrucosus*, 110-116; Phalacrocoracidae, 110-116; *Phalacrocorax carbo*, 110-116; *Stictocarbo gaimardi*, 110-116; *S. magellanicus*, 110-116; *S. pelagicus*, 110-116  
*Otis asio*, 567-578  
*O. kennicottii*, 3  
 Owl, Barn, 246-253; Spotted, 737-742  
 Oystercatcher, Black, 1, 3, 5-6, 7  
  
*Pachyptila belcheri*, 305-314  
*P. desolata*, 305-314  
*P. macgillivrayi*, 313-314  
*P. salvini*, 305-314  
*P. turtur*, 305-314  
*P. vittata*, 312-314  
 Paine, R. T., J. T. Wootton, and P. D. Boersma, Direct and indirect effects of Peregrine Falcon predation on seabird abundance, 1-9  
 Palm-Tanager, Black-crowned, 707-716; Gray-crowned, 707-716  
 Palmer, Ralph S. (Ed.), Handbook of North American birds (rev.), 213-216  
 Panama, 473-483  
*Pandion haliaetus*, 96-106, 506-519  
 Panek, Marek, and Przemyslaw Majewski, Remex growth and body mass of Mallards during wing molt, 255-259  
 Parasitism (see Nest parasitism)  
 Parker, Howard, and Halvor Holm, Patterns of nutrient and energy expenditure in female Common Eiders nesting in the High Arctic, 660-668  
*Parula americana*, 539-543  
 Parula, Northern, 539-543  
*Parus bicolor*, 184-187  
*P. caeruleus*, 429-431  
*P. gambeli*, 522-530, 531, 532  
*P. inornatus*, 522-530, 531, 532  
*P. major*, 429-431, 623-625  
*Passer domesticus*, 45-57, 533-538  
*P. montanus*, 45-57  
*Passerculus sandwichensis*, 775-778  
*Passerella iliaca*, 421-424  
*Pelecanus erythrorhynchos*, 431-433  
 Pelican, American White, 431-433  
 Pennsylvania, 96-106, 490-497, 580-585  
 Pennycuik, C. J., Bird flight performance: a practical calculation manual (rev.), 642-644  
 Peru, 239-245, 473-483  
 Pesticides (see Pollutants)  
 Peterjohn, Bruce G., The birds of Ohio (rev.), 461-462  
 Petit, Daniel R., see Petit, Lisa J., et al.  
 Petit, Kenneth E., see Petit, Lisa J., et al.  
 Petit, Lisa J., Daniel R. Petit, Kenneth E. Petit, and W. James Fleming, Intersexual and temporal variation in foraging ecology of Prothonotary Warblers during the breeding season, 133-145; Daniel R. Petit, Kenneth E. Petit, and W. James Fleming, Annual variation in foraging ecology of Prothonotary Warblers during the breeding season, 146-152  
 Petrel, Dark-rumped, 317-325  
*Phaenicophilus palmarum*, 707-716  
*P. poliocephalus*, 707-716  
 Phalacrocoracidae, 110-116  
*Phalacrocorax aristotelis*, 410-412  
*P. carbo*, 110-116, 400-402  
*P. pelagicus*, 3, 5, 6, 7, 387-395  
*P. penicillatus*, 3  
 Phalarope, Red, 678-687; Red-necked, 718-727  
*Phalaropus fulicaria*, 678-687  
*P. lobatus*, 718-727  
*Phoeniculus purpureus*, 765-770  
*Phylloscopus borealis*, 434-437  
 Phylogeny (see Taxonomy)  
 Physiology, energy cost of activities, 587-593, 663, 664, 667; flight, 649-658; hematocrit, 533-538; hormones, 60-67, 718-727; incubation, 320, 324, 718-727; metabolism, 562-563, 587-593; migration, 649-658; nutrient reserves, 75-84, 660-667; osmoregulation, 533-538; temperature regulation, 561-566, 587-593; thermal tolerance, 561-566  
 Physiology of *Aythya valisineria*, 75-84; *Calidris pusilla*, 718-727; *Passer domesticus*, 533-538; *Junco hyemalis*, 561-566; *Phalaropus lobatus*, 718-727; *Podiceps nigricollis*, 649-658; *Pterodroma phaeopygia*, 320, 321, 323, 324-325; *Somateria mollissima*, 660-667; *Xanthocephalus xanthocephalus*, 60-67  
 Piatt, John F., Calvin J. Lensink, William Butler, Marshall Kendziorek, and David R. Nysewander, Immediate impact of the 'Exxon Valdez' oil spill on marine birds, 387-397; Bay D. Roberts, Wayne W. Lidster, John L. Wells, and Scott A. Hatch, Effects of human disturbance on breeding Least and Crested auklets at St. Lawrence Island, Alaska, 342-350  
*Picoides borealis*, 608-609  
 Pierotti, Raymond, see Brown, James H., and ———  
 Pintail, White-cheeked, 188-190

- Pitocchelli, Jay, Plumage, morphometric, and song variation in Mourning (*Oporornis philadelphia*) and MacGillivray's (*O. tolmiei*) warblers, 161-171
- Platalea leucorodia*, 416-420
- Plover, Black-winged, 10-16; Crowned, 10-16; Lesser Black-winged, 10-16
- Plumages (see Molts and ———)
- Podiceps nigricollis*, 649-658
- Podolsky, Richard H., Effectiveness of social stimuli in attracting Laysan Albatross to new potential nesting sites, 199-125
- Poephila guttata*, 193-196
- Poland, 255-259
- Pollutants, 96-106, 387-395
- Polygamy (see Mating systems)
- Poole, Alan F., Ospreys: a natural and unnatural history (rev.), 808-809
- Population size estimates, 208-209
- Power, Dennis M. (Ed.), Current ornithology, volume 6 (rev.), 456-457
- Power, Harry W., see Stouffer, Philip C., and ———
- Prater, Tony, see Hayman, Peter, et al.
- Predation by *Arenaria interpres*, 696, 700, 704; *Corvus caurinus*, 1, 6; *C. ossifragus*, 518; *Falco peregrinus*, 1-8; *Haliaeetus leucocephalus*, 390; *Otus kennicottii*, 3
- Predation on *Aethia cristatella*, 342, 345, 348-349; *A. pusilla*, 342, 345, 348-349; *Anas crecca*, 3; *Brachyramphus marmoratus*, 3; *Carpodacus erythrinus*, 39, 43; *Cephus columba*, 3; *Cerorhinca monocerata*, 1, 2, 3-4, 6; *Corvus caurinus*, 1, 2, 3, 5-6, 7, 8; *Haematopus bachmani*, 1, 3, 5-6, 7; *Larus glaucescens*, 3; *L. heermanni*, 3; *Melospiza melodia*, 775-778; *Numenius tahitiensis*, 780; *Oceanodroma furcata*, 1, 2-3, 6, 7; *O. leucorhoa*, 1, 3, 6, 7; *Pandion haliaetus*, 506, 513, 518; *Passerculus sandwichensis*, 775-778; *Phalacrocorax pelagicus*, 3, 5, 6, 7; *P. penicillatus*, 3; *Ptychoramphus aleuticus*, 1, 2, 3, 4-5, 6, 7; *Pyrenestes ostrinus*, 157; *Rissa tridactyla*, 3, 7; *Somateria mollissima*, 666; *Sterna hirundo*, 696, 700-701, 704; *Uria aalge*, 1, 3, 5
- Pribil, Stanislav, review by, 818
- Price, Trevor, see Van Patten, Kristen C., and ———
- Progne subis*, 275-282
- Protonotaria citrea*, 133-143, 146-149, 151-152, 539-543
- Prunella collaris*, 284-294
- Pterodroma phaeopygia*, 317-325
- Ptychoramphus aleuticus*, 1, 2, 3, 4-5, 6, 7, 689-694
- Puffin, Horned, 387-395; Tufted, 7, 387-395
- Puffinus griseus*, 387-395
- P. tenuirostris*, 387-395
- Pygmytila stellaris*, 475-476, 477-478, 481, 487, 489
- Pyrenestes ostrinus*, 153-158
- Quebec, 161-170, 376-382
- Quinn, James S., Sexual size dimorphism and parental care patterns in a monomorphic and dimorphic larid, 260-274
- Quinn, Thomas W., Fred Cooke, and Bradley N. White, Molecular sexing of geese using a cloned Z chromosomal sequence with homology to the W chromosome, 199-202
- Quiscalus major*, 327-331, 332
- Raikow, Robert J., Hindlimb myology and evolution of the Old World suboscine passerine birds (Acanthisittidae, Pittidae, Philepittidae, Eurylaimidae) (rev.), 222-223
- Randík, Aladár, see Štátný, Karel, et al.
- Redmond, Roland L., see Marks, Jeffrey S., et al.
- Redstart, American, 539-543
- Rhipidura rufifrons*, 502
- Ridgely, Robert S., and J. A. Gwynne, A guide to the birds of Panama (rev.), 648; and Guy Tudor, The birds of South America: I. The oscine passerines (rev.), 459
- Rissa tridactyla*, 3, 7, 387-395, 678-687
- Ritchison, Gary, see Belthoff, James R., and ———
- Robel, Robert J., Michael E. Barnes, Kenneth E. Kemp, and John L. Zimmerman, Influences of time post-mortem, feeding activity, and diet on digestive organ morphology of two emberizids, 669-677
- Roberts, Bay D., see Piatt, John F., et al.
- Robinson, Scott K., review by, 644-647
- Rockwell, R. F., see Cooke, Fred, et al.
- Rodgers, James A., Jr., see Stangel, Peter W., et al.
- Rosenberg, Kenneth V., see Hackett, Shannon J., and ———
- Rostrhamus sociabilis*, 327-332
- Rosefinch, Common, 35-43
- Rynchops niger*, 260-272
- Safina, Carl, Foraging habitat partitioning in Roseate and Common terns, 351-358
- Sallaberry, A. M., see Myers, J. P., et al.
- Sanderling, 172-179
- Sandpiper, Semipalmated, 718-727
- Saskatchewan, 25-33
- Schick, C. T., see Myers, J. P., et al.
- Scolopax minor*, 407-409, 745-748
- Scotland, 603-605
- Screech-Owl, Eastern, 567-578; Western, 3
- Sealy, Spencer, G., see Briskie, James V., and ———
- Seedcracker, Black-bellied, 153-158
- Seiurus aurocapillus*, 425-427, 784-787
- S. noveboracensis*, 425-427, 784-787
- Senner, Stanley E., see Bednarz, James C., et al.
- Sepik, Greg F., see McAuley, Daniel G., et al.
- Serie, Jerome R., see Barzen, Jeb A., and ———
- Setophaga ruticilla*, 539-543, 784-787
- Sex, determination of, 199-201, 262, 263-264
- Sex ratio of *Anas penelope*, 197; *Aquila chrysaetos*, 438-439; *Falco columbarius*, 28; *Pheniculus purpureus*, 765-770
- Shaffer, Terry L., see Johnson, Douglas H., and ———

- Shag, 410-412; Antarctic, 110-116; Cape, 110-116; Imperial, 110-116; Kerguelen, 110-116; Pelagic, 110-116; Red-legged, 110-116; Rock, 110-116; Socotra, 110-116; South Georgian, 110-116
- Sharpe, Fred A., see Lewis, Mark G., and ———
- Shearwater, Short-tailed, 387-396; Sooty, 387-395
- Shields, Gerald F., Analysis of mitochondrial DNA of Pacific Black Brent (*Branta bernicla nigricans*), 620-623
- Sialia mexicana*, 606-607
- Siegel-Causey, Douglas, Phylogenetic patterns of size and shape of the nasal gland depression in Phalacrocoracidae, 110-118
- Silva, Tony, A monograph of endangered parrots (rev.), 795-797
- Sitta europaea*, 86-93
- Skimmer, Black, 260-272
- Skutch, Alexander F., Life of the tanager (rev.), 228-229
- Smith, Dwight G., see Ellis, David H., and ———
- Smith, Michael H., see McDonald, Mara A., and ———
- Smith, Norman S., see Kerpez, Theodore A., and ———
- Smith, Thomas Bates, Comparative breeding biology of the two bill morphs of the Black-bellied Seed-cracker, 153-160
- Snow, Barbara, and David Snow, Birds and berries: a study of an ecological interaction (rev.), 227-228
- Snow, David, see Snow, Barbara, and ———
- Snyder, Noel F. R., reviews by, 795-797, 803-806; James W. Wiley, and Cameron B. Kepler, The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot (rev.), 216-218
- Somateria mollissima*, 208-209, 660-667
- Song (see Vocalizations)
- Sonograms of *Aphelocoma coerulescens*, 203; *Oporornis philadelphia*, 165; *O. tolmiei*, 165; *Pachyptila belcheri*, 312; *P. desolata*, 312; *P. salvini*, 312, *P. turtur*, 312
- South Africa, 10-16
- South Carolina, 463-471, 756-762
- Sorenson, Lisa Guminski, see McKinney, Frank, et al.
- Spain, 45-57, 197-198, 416-420
- Sparrow, American Tree, 210-211, 211-212; Bachman's, 463-471; Eurasian Tree, 45-57; Field, 580-585; Fox, 421-424; Harris', 69-73, 669-676; House, 45-57, 533-538; Savannah, 775-778; Song, 775-778
- Specimen preparation, 788-789
- Spectograms, see Sonograms
- Spizella arborea*, 210-211, 211-212
- S. pusilla*, 580-585
- Spoonbill, White, 416-420
- Stangel, Peter W., James A. Rodgers Jr., and A. Lawrence Bryan, Genetic variation and population structure of the Florida Wood Stork, 614-619
- Starling, European, 359-365, 367-374
- Štátný, Karel, Aladár Randík, and Karel Hudec, Atlas hnízdního rozšíření ptáků v ČSSR 1973/77. [The atlas of breeding birds in Czechoslovakia.] (rev.), 818
- Statistical and analytical methods, 69-73, 296-299, 302-303, 400-402, 438-439, 447-450, 451-452, 587-593, 595-600, 784-787
- Stefani, Rosemary A., see Webber, Tom, and ———
- Sterna caspia*, 260-272
- S. dougallii*, 351-357
- S. hirundo*, 351-357, 696-704
- Stictocorbo gaimardi*, 110-116
- S. magellanicus*, 110-116
- S. pelagicus*, 110-116
- Stokland, Jogeir N., see Amundsen, Trond, and ———
- Stork, Wood, 614-618
- Storm-Petrel, Fork-tailed, 1, 2-3, 6, 7, 387-395; Leach's, 1, 3, 6, 7
- Stouffer, Philip C., and Harry W. Power, Density effects on asynchronous hatching and brood reduction in European Starlings, 359-366
- Strahl, Stuart D., see VanderWerf, Eric A., and ———
- Strix occidentalis*, 737-742
- Sturnus vulgaris*, 359-365, 367-374
- Sušić, G., see Meštrov, M. M., and ———
- Swallow, Violet-green, 606-607
- Swanson, David L., Seasonal variation in cold hardness and peak rates of cold-induced thermogenesis in the Dark-eyed Junco (*Junco hyemalis*), 561-566
- Swanson, Gustav A., In memoriam: Sir Peter Markham Scott, 602
- Sweden, 35-43, 730-734
- Systematics (see Taxonomy)
- Tabilo, E., see Myers, J. P., et al.
- Tachycineta thalassina*, 606-607
- Taxonomy of *Lophornis brachylopha*, 191-192; *L. delattrei*, 191-192; *Myrmotherula* spp., 479-483; *Oporornis philadelphia*, 161, 170; *O. tolmiei*, 161, 170; *Pachyptila belcheri*, 305, 312-314; *P. desolata*, 305, 312-314; *P. macgillivrayi*, 313-314; *P. salvini*, 305, 312-314; *P. turtur*, 305, 312-314; *P. vittata*, 312-314; *Strix occidentalis*, 742
- Teal, Chilean, 188-190; Green-winged, 3, 188-190
- Tegelström, Håkan, Hans P. Gelter, and Maarit Jaarola, Variation in Pied Flycatcher (*Ficedula hypoleuca*) mitochondrial DNA, 730-736; see Gelter, Hans P., and ———
- Tennessee, 133-143, 146-149, 151-152
- Terborgh, J., Where have all the birds gone? (rev.), 640-642
- Terenura humeralis*, 475-476, 477-478, 481, 487, 489
- Tern, Caspian, 260-272; Common, 351-357, 696-704; Roseate, 351-357
- Territory of *Cercomacra manu*, 244; *Sitta europaea*, 86-93
- Texas, 184-187, 260-272
- Thamophilus doliatus*, 475-476, 477-478, 481, 487, 489

- Thelander, Carl G., see Cade, Tom J., et al.
- Tit, Great, 623-625
- Titmouse, Plain, 522-530, 531, 532; Tufted, 183-187
- Tome, Michael W., Commentary: Comparisons of patch-use models for wintering American Tree Sparrows, 210-211
- Tomiałoć, Ludwik, and Jared Verner, Commentary: Do point counting and spot mapping produce equivalent estimates of bird densities? 447-450
- Toops, Connie, and William E. Dilley, Birds of south Florida. An interpretive guide (rev.), 818-819
- Trapp, John L., see Lohrer, Fred E., et al.
- Troglodytes aedon*, 781-784
- Tucker, Vance A., review by, 642-644
- Tudor, Guy, see Ridgely, Robert S., and ———
- Turnstone, Ruddy, 696, 700, 704
- Tyto alba*, 246-253
- Uria aalge*, 1, 3, 5, 387-395, 603-605
- U. lomvia*, 387-395, 678-687
- Urrutia, Lena P., and Hugh Diamond, Brood reduction and parental infanticide in Heermann's Gull, 772-774
- Utah, 246-253
- Van Patten, Kristen C., and Trevor Price, Habitat choice in captive Arctic Warblers, 434-437
- Vander Haegen, W. Matthew, see Diefenbach, Duane R., et al.
- VanderWerf, Eric A., and Stuart D. Strahl, Effects of unit size and territory defense on communal nest care in the Hoatzin (*Opisthocomus hoazin*), 626-628
- Vanellus coronatus*, 10-16
- V. lugubris*, 10-16
- V. melanopterus*, 10-16
- Veiga, José, A comparative study of reproductive adaptations in House and Tree sparrows, 45-49
- Venezuela, 327-332, 473-483, 626-627
- Vermivora celata*, 784-787
- V. chrysoptera*, 784-787
- V. peregrina*, 784-787
- V. ruficapilla*, 784-787
- Vermont, 376-382
- Verner, Jared, see Tomiałoć, Ludwik, and ———
- Vocalizations of *Aphelocoma coerulescens*, 202-203; *Cercomacra manu*, 243; *Oporornis philadelphia*, 164-165, 166-168, 169-170; *O. tolmiei*, 164-165, 166-168, 169-170; *Pachyptila belcheri*, 310, 312, 313; *P. desolata*, 310-312, 313; *P. salvini*, 310, 312, 313; *P. turtur*, 310, 312, 313; *Parus major*, 623-625; *Vanellus melanopterus*, 13; *V. lugubris*, 14
- Vocus, Karel H., Owls of the Northern Hemisphere (rev.), 233
- Vuilleumier, François, In memoriam: William H. Phelps Jr., 181-183; review by, 809-812
- Wada, Eitaro, see Mizutani, Hiroshi, et al.
- Wanless, S., see Harris, M. P., and ———
- Walters, Jeffrey R., see Hagan, John M., III, and ———
- Warbler, Arctic, 434-437; Black-and-white, 539-543; Black-throated Green, 539-543; Hooded, 539-543; MacGillivray's, 161-170; Magnolia, 539-543; Mourning, 161-170; Prothonotary, 133-143, 146-149, 151-152, 539-543; Yellow, 539-543
- Ward, David, Incubation temperatures and behavior of Crowned, Black-winged, and Lesser Black-winged plovers, 10-17
- Warkentin, Ian G., Paul C. James, and Lynn W. Oliphant, Body morphometrics, age structure, and partial migration of urban Merlins, 25-34
- Washington, 1-8, 60-67, 69-73, 161-170, 205-206, 206-208
- Watts, Bryan D., Cover use and predator-related mortality in Song and Savannah sparrows, 775-778; see Dunning, John B., Jr., and ———
- Weary, Daniel M., Ken J. Norris, and J. Bruce Falls, Song features birds use to identify individuals, 623-625
- Weather, influence on (see Environment, influence on)
- Webber, Tom, and Rosemary A. Stefani, Evidence for vocal learning by a Scrub Jay, 202-204
- Weights (see Mass and measurements)
- Wiedenfeld, David A., see Lohrer, Fred E., et al.
- Weller, Milton W. (Ed.), Waterfowl in winter (rev.), 806-808
- Wells, John L., see Piatt, John F., et al.
- Wentz, Lauren E., review by, 457-458
- Whelan, Christopher J., review by, 227-228
- White, Bradley N., see Quinn, Thomas W., et al.
- White, Clayton M., review by, 220-221; see Cade, Tom J., et al.
- White-eye, Bridled, 500-505; Golden, 500-505
- Wiens, John A., The ecology of bird communities. Vol. 1, Foundations and patterns; Vol. 2, Processes and variations (rev.), 644-647
- Wigeon, American, 188-190; Eurasian, 197-198
- Wiley, James W., see Snyder, Noel F. R., et al.
- Willard, David E., see Fitzpatrick, John W., and ———
- Williams, Lovett E., Jr., and David H. Austin, Studies of the wild turkey in Florida (rev.), 221-222
- Williams, Timothy C., and Mao Ying, A comparison of radar observations of bird migration at Hainan Bay, China, and Guam, Marianas, 404-406
- Wilsonia canadensis*, 784-787
- W. citrina*, 425-427, 539-543, 784-787
- W. pusilla*, 784-787
- Wingfield, John C., see Beletsky, Les D., et al.
- With, Kimberly A., and Michael L. Morrison, Flock formation of two parids in relation to cyclical seed production in a pinyon-juniper woodland, 522-532
- Woodcock, American, 407-409, 745-748
- Woodhoopoe, Green, 765-770
- Woodpecker, Gila, 367-374; Red-cockaded, 608-609

Wootton, J. T., see Paine, R. T., et al.

Wren, House, 781-784

Wyoming, 161-179, 781-784

*Xanthocephalus xanthocephalus*, 60-67, 205-206, 206-208

Yellowthroat, Common, 539-543

Zahedi, Afshan, see Goldstein, David L., and ——

Zaias, Julia, and Randall Breitwisch, Molt-breeding overlap in Northern Mockingbirds, 414-416

*Zenaida macroura*, 18-23

Zimmerman, John L., see Robel, Robert J., et al.

Zink, Robert M., see Burns, Kevin J., and ——

*Zonotrichia querula*, 69-73, 669-676

*Zosterops conspicillatus*, 500-505

Zotier, R., see Bretagnolle, V., et al.

DATE OF ISSUE (Vol. 107, No. 4): 31 October 1990