

Index to Volume 111



The Auk 111(4):1037-1049, 1994

COMPILED BY GENEVIEVE M. TVRDIK

- Abundance, gull, 427-440
Abundance patterns, bird, in mangrove communities, 405-415
Accipiter cooperii, 787-805; *gentilis*, 274-284, 748-750, 787-805; *nisus*, 274-284; *striatus*, 787-805; *virgatus*, 787-805
Actitis hypoleucos, 190-191; *macularia*, 190-191
Aegolius, 787-805
Aegyptius, 787-805
Age, role in competition, Hooded Warbler, 63-69
Age of first breeding, Common Murre, 207-209
Age ratio, raptor, 274-284
Ageing, *Ampelion*, 5-6; *Doliornis*, 5-6
Agelaius phoeniceus, 210-214
Aggression, female-female, Red-winged Blackbird, 210-214; interspecific, Mute Swan, 744-748; Tundra Swan and Snow Goose, 204-207; Yellow Warbler, 672-682
Agelaiocercus, 703-710
Ahlquist, J. E., commentary on phylogeny, see Harshman, John
Ainley, David G., review by, 249-250
Alectoris chukar, 416-426
Algorithms, phylogenetic, 377-388
Alkon, Philip U., see Randi, Ettore, and ———
Allard, Marc W., see Miyamoto, Michael M., et al.
Allometry, Laridae, 873-880
Allozymes, grouse, 661-671; Imperial Shag, 143-161; *Leptopogon* (Tyrannidae), 507-515; penguin, 1018-1022
Ampelion, 1-7
Anas platyrhynchos, 744-748, 970-978; *rubripes*, 744-748; *superciliosa*, 970-978
Anderson, Stanley, H., see Gutzwiller, Kevin J., et al.
Andersson, Malte, see Andersson, Staffan, and ———
Andersson, Staffan, and Malte Andersson, Tail ornamentation, size dimorphism and wing length in the genus *Euplectes* (Ploceinae), 80-86
Androdon, 703-710; *aequatorialis*, 8-19
Anser anser, 759-764
Antbirds, 1006-1013
Anthracothorax, 703-710; *nigricollis*, 706; *viridis*, 706
Anthropoides paradisea, 351-365; *virgo*, 351-365
Antipredator behavior, Spotted and Common sandpipers, 190-191
Antwren, Foothill, 469-475; Plain-winged, 469-475; Rio Suno, 469-475; Slaty, 469-475
AOU check-list of birds, comments by Allan R. Phillips, 770-773
Apanius, Victor, see Malcarney, Hylary L., et al.
Aphelocoma coerulescens coerulescens, 459-464
Aptenodytes patagonicus, 1018-1022
Aquila, 787-805
Ar, Amos, see Sidis, Yisrael, et al.
Aramides cajanea, 200-204
Aramus guarauna, 351-365
Ardea, 787-805
Arenaria interpres 366-376, 605-616
Arnold, Todd W., Effects of supplemental food on egg production in American Coots, 337-350
Arrival, spring, Red-winged Blackbird, 210-214
Ashes, eaten by hummingbirds, 755-756
Asio otus, 787-805; *stygius*, 787-805
Aspect ratio, thrush, 683-692
Asynchrony, hatching, 806-813; Common Tern, 263-273; House Wren, 516-524
Augastes, 703-710
Aulacorhynchus derbianus, 389-397
Austin, Jeremy J., Robert W. G. White, and Jennifer R. Ovenden, Population-genetic structure of a philopatric, colonially nesting seabird, the Short-tailed Shearwater (*Puffinus tenuirostris*), 70-79
Aviceda, 787-805
Avocettula, 703-710
Bacorn, John E., see Boal, Clint W., and ———
Bagnolini, Constant, see Sarrazin, François, et al.
Baker, Myron Charles, Loss of function in territorial song: Comparison of island and mainland populations of the Singing Honeyeater (*Meliphaga virescens*), 178-184
Balda, Russell P., see Ganey, Joseph L., and ———
Balearica pavonina, 351-365; *regulorum*, 351-365
Bancroft, G. Thomas, and Reed Bowman, Temporal patterns in diet of nestling White-crowned Pigeons: Implications for conservation of frugivorous birds, 844-852
Band color, effect on reproductive effort, Zebra Finch, 131-142
Baptista, Luis F., see Gaunt, Sandra L. L., et al.
Barbets, mitochondrial DNA, 389-397; phylogeny, 389-397
Barg, Jennifer J., and Ronald L. Mumme, Parental recognition of juvenile begging calls in the Florida Scrub Jay, 459-464
Bates, John M., and Robert M. Zink, Evolution into the Andes: Molecular evidence for species relationships in the genus *Leptopogon*, 507-515
Bates, John M., review by, 781
Beaches, intertidal, 605-616
Beehler, Bruce M., review by, 243-245
Behavior, antwren, 469-475; foraging, Elepaio, 917-932; nocturnal, Trumpeter Swan, 1013-1018; pa-

- rental, Ring-billed Gull, 596-604, Snow Goose, 563-572; pre-roosting, Greylag Goose, 759-764
- Bill shape, hummingbird, 703-710
- Biodiversity, 225-227
- Biosystematics, 773-780
- Birkhead, T. R., and F. Fletcher, Numbers of spermatozoa attached to and penetrating perivitelline layers of Japanese Quail eggs, 997-1000
- Bishop, Black, 80-86; Black-winged, 80-86; Orange, 80-86; Yellow-crowned, 80-86; Zanzibar, 80-86
- Björklund, Mats, Phylogenetic relationships among Charadriiformes: Reanalysis of previous data, 825-832
- Blackbird, Red-winged, 210-214
- Bleiweiss, Robert, John A. W. Kirsch, and Juan Carlos Matheus, DNA-DNA hybridization evidence for subfamily structure among hummingbirds, 8-19
- Blem, Charles R., and Leann B. Blem, Composition and microclimate of Prothonotary Warbler nests, 197-200
- Blem, Leann B., see Blem, Charles R., and ———
- Bluebird, Eastern, 739-744; Mountain, 33-34
- Bluethroat, 556-562
- Boag, Peter T., see Meek, Susan B., et al.
- Boal, Clint W., and John E. Bacorn, Siblicide and cannibalism at Northern Goshawk nests, 748-750
- Body condition, vultures, 933-944
- Body-mass change, Garden Warbler, 888-899; Grey-breasted Silvereye, 721-723
- Body size, related to mate choice, Burrowing Owl, 724-727; variation, Evening Grosbeak, 693-702; variation with latitude, feral pigeon, 398-404
- Body-size hypothesis, 693-702
- Boersma, P. Dee, see Gandini, Patricia, et al.; see also Yorio, Pablo, and ———
- Boles, Walter E., see Leeton, Peter R. J., et al.
- Bollinger, Patricia Blair, Relative effects of hatching order, egg-size variation, and parental quality on chick survival in Common Terns, 263-273
- Botton, Mark L., Robert E. Loveland, and Timothy R. Jacobsen, Site selection by migratory shorebirds in Delaware Bay, and its relationship to beach characteristics and abundance of horseshoe crab (*Limulus polyphemus*) eggs, 605-616
- Bourlière, François, 1913-1993, in memoriam, 993-995
- Bowman, Reed, see Bancroft, G. Thomas, and ———
- Branta canadensis*, 744-748
- Braun, Clait E., review by, 1029-1030
- Braun, Michael J., see Rhymer, Judith M., et al.
- Breeding, cooperative, Hoatzin, 643-651
- Breeding bird survey, 50-62; chickadees, 191-197
- Breeding dynamics, in mangrove communities, 405-415
- Breeding success, 806-813; Burrowing Owl, 724-727; Pied Flycatcher, 714-716; Red Junglefowl, 863-872; Savannah Sparrow, 962-969; Tree Swallow, 814-824
- Breitwisch, Randall, review by, 246-247, 1030
- Brennan, Leonard A., review by, 1030-1031
- Brewster Memorial Award, 1993: Richard T. Holmes, 237-238
- Brood parasite, Brown-headed Cowbird, 979-990
- Brood reduction, 115-123; Eastern Phoebe, 617-633
- Brood-reduction hypothesis, Common Tern, 263-273
- Brood size, Common Tern, 263-273; Snow Goose, 563-572
- Brooke, Richard K., and Timothy M. Crowe, review by, 783-784
- Brooks, Maurice, 1900-1993, in memoriam, 185-187
- Brush, Alan H., review by, 241-242
- Bubo virginianus*, 787-805
- Bubulcus*, 787-805
- Bugeranus carunculatus*, 351-365
- Bunting, Tristan, 314-327; Wilkins', 314-327
- Burger, Joanna, see Spendelow, Jeffrey A., et al.; see also Staine, Kevin J., and ———
- Burgess, Robert M., and Alice A. Stickney, Interspecific aggression by Tundra Swans toward Snow Geese on the Sagavanirktok River delta, Alaska, 204-207
- Busarellus*, 787-805
- Butastur*, 787-805
- Buteo albicaudatus*, 787-805; *buteo*, 274-284, 787-805; *jamaicensis*, 787-805; *lagopus*, 274-284; *magnirostra*, 787-805
- Buteogallus*, 787-805
- Butorides*, 787-805
- Buzzard, Common, 274-284
- Cahalane, Victor Harrison, 1901-1993, in memoriam, 188
- Calidris alba*, 605-616; *canutus*, 605-616; *pusilla*, 605-616
- Calliphlox evelynae*, 706
- Calyptorhynchus*, 833-843
- Campylorhamphus procurvovides*, 104-114; *pusillus*, 104-114; *trochilirostris*, 104-114
- Cane, W. Parker, Ontogenetic evidence for relationships within the Laridae, 873-880
- Cannibalism, Northern Goshawk, 748-750
- Capito dayi*, 389-397; *niger*, 389-397
- Capitonidae, phylogeny, 389-397
- Captivity, effect on plumage color, House Finch, 218-221, 221-225
- Carduelis pinus*, 33-34
- Carotenoids, House Finch, 218-221, 221-225
- Carpodacus cassinii*, 33-34; *mexicanus*, 218-221, 221-225
- Casmerodius albus*, 328-336
- Catbird, Gray, 170-177
- Cathartes*, 787-805; *aura meridionalis*, 933-944; *aura ruficollis*, 933-944
- Catharus fuscescens*, 683-692; *guttatus*, 33-34; *minimus*, 683-692; *ustulatus*, 683-692
- Cavity roosting, Green Woodhoopoe, 292-299
- Cercomacra cinerascens*, 1007
- Certhia americana*, 33-34
- Chaetura pelagica*, 8-19

- Chalybura*, 703-710
Chamaeza nobilis, 1007
 Chan, Ken, Winter body mass and overnight energetics of a South Temperate passerine, 721-723
 Charadriiformes, phylogeny of, 825-832
Charadrius melodus, 579-587; *montanus*, 504-506
Chasiempis sandwichensis, 917-932
Chen caerulescens, 204-207; *caerulescens caerulescens*, 563-572
 Cherel, Yves, and Frederic Freby, Daily body-mass loss and nitrogen excretion during molting fast of Macaroni Penguins, 492-495
 Chickadee, Black-capped, 191-197; Carolina, 191-197; Mountain, 33-34; see also Breeding Bird Survey
Chlorostilbon, 703-710; *maugaeus*, 706; *mellisugus*, 706; *ricordii*, 706
 Christidis, Leslie, see Leeton, Peter R. J., et al.
Chrysolampis, 703-710
Chrysuronia, 703-710
 Chukar, 416-426
Ciccaba huhula, 787-805; *virgata*, 787-805
Circaetus, 787-805
Circus, 787-805; *cyaneus*, 274-284
 Cladistic analysis, woodcreepers, 104-114; Charadriiformes, 825-832
 Clements, Krista L., see Gutzwiller, Kevin J., et al.
 Climate changes, effect on bird distribution, 495-499, 499-503
 Climatic conditions, Arctic, 366-376
 Clobert, Jean, see Sarrazin, François, et al.
 Clutch size, American Coot, 337-350; Eastern Phoebe, 617-633; House Wren, 545-555; Savannah Sparrow, 962-969
 Clutch-size equation, 806-813
Coccothraustes vespertinus, 693-702
Coeligena torquata, 8-19
 Coffey, Ben B., Jr., 1904-1993, in memoriam, 991-993
Colibri, 703-710; *coruscans*, 8-19, 87-103; *thalassinus*, 87-103, 706
 Collias, Elsie, see Collias, Nicholas, et al.
 Collias, Nicholas, Elsie Collias, and Robert I. Jennrich, Dominant Red Junglefowl (*Gallus gallus*) hens in an unconfined flock rear the most young over their lifetime, 863-872
 Colonial nesting, Short-tailed Shearwater, 70-79
 Color, role in competition, Hooded Warbler, 63-69
 Color-band, effects on reproductive effort, Zebra Finch, 131-142; loss, Roseate Tern, 881-887
Columba inornata, 910-916; *leucocephala*, 844-852; *livia*, 398-404
 Communal breeding, European Starling, 482-486
 Communal roosting, Green Woodhoopoe, 292-299
 Communities, bird, in mangroves, 405-415
 Competition, vulture, 933-944; winter territory, Hooded Warbler, 63-69; Yellow Warbler, 672-682
 Competitor abundance, Black-shouldered Kite, 588-595
Conopophaga aurita, 1007
 Conover, Michael R., and Gary S. Kania, Impact of interspecific aggression and herbivory by Mute Swans on native waterfowl and aquatic vegetation in New England, 744-748
 Conspecific recognition, American Robin, 634-642; Blue Jay, 634-642
 Convective-soaring hypothesis, 427-440
 Conway, Albert E., In memoriam: Crawford H. Greenewalt, 1902-1993, 188-189
 Cooke, Fred, see Williams, Tony D., et al.
 Cooper, James A., see Henson, Paul, and ———
 Cooper, Robert J., see Dunk, Jeffrey R., and ———
 Coot, American, 337-350
Coragyps, 787-805; *atratus brasiliensis*, 933-944
 Cormons, Grace D., see Spendelow, Jeffrey A., et al.
Corvus corax, 764-769
 Cotinga, Bay-vented, 1-7; Chestnut-bellied, 1-7 plus frontispiece
 Cotingidae, 1-7
Coturnix japonica, 997-1000
 Coues Award, 1993: Joel L. Cracraft, 239-240
 Cowbird, Brown-headed, 734-739, 979-990
 Crab, horseshoe, 605-616
 Cracraft, Joel L., 1993 Coues Award, 239-240
 Cranes, 351-365
 Creeper, Brown, 33-34
 Cristol, Daniel A., and Torgeir S. Johnsen, Spring arrival, aggression and testosterone in female Red-winged Blackbirds (*Agelaius phoeniceus*), 210-214
 Crop milk, White-crowned Pigeon, 844-852
 Crowe, Timothy M., review by, 782-783; see also Brooke, Richard K., and ———
Cyanocitta cristata, 634-642
Cygnus buccinator, 1013-1018; *columbianus*, 204-207; *olor*, 744-748
Cymbilaimus lineatus, 1007
Cynanthus, 703-710
 Cytochrome-*b* gene, barbets, 389-397; cranes, 351-365; parrots, 833-843

Damophila, 703-710
 Danchin, Etienne, see Sarrazin, François, et al.
Daptrius americanus, 787-805; *ater*, 787-805
Deconychura longicauda, 104-114; *stictolaema*, 104-114
 Degen, A. Allan, Gary E. Duke, and James K. Reynolds, Gastroduodenal motility and glandular stomach function in young Ostriches, 750-755
Dendrexetastes rufigula, 104-114
Dendrocincla anabatina, 104-114; *fuliginosa*, 105; *homochroa*, 105; *merula*, 105; *tyrannina*, 104-114
Dendrocolaptes certhia, 104-114; *concolor*, 104-114; *hoffmannsi*, 104-114; *picumnus*, 104-114; *platyrostris*, 104-114
 Dendrocolaptinae, 104-114
Dendroica coronata, 33-34; *nigrescens*, 441-449; *petechia*, 672-682, 727-729; *townsendi*, 441-449; *townsendi* × *nigrescens*, 441-449
 Densities, Savannah Sparrow, 962-969

- Des Lauriers, James R., Hummingbirds eating ashes, 755-756
- Desertion, nest, Magellanic Penguin, 215-218
- Digestion of insects, European Starling, 478-481
- Dilger, Michael L., see Whelan, Christopher J., et al.
- Dilger, Steven, see Whelan, Christopher J., et al.
- Dimorphism, sex, *Euplectes*, 80-86; size, *Euplectes*, 80-86
- Dispersal, postbreeding, Japanese Murrelet, 953-961
- Distribution patterns, bird, in Argentina, 495-499
- Disturbance, human, effects on bird song, 28-37
- Dittmann, Donna L., review by, 784-785
- Diurnal pattern, song, Bluethroat, 556-562
- DNA, mitochondrial, barbet, 389-397; crane, 351-365; *Empidonax*, 710-713; Grey Duck, 970-978; grouse 661-671; *Leptopogon* (Tyrannidae), 507-515; Mallard, 970-978; Oilbird, 573-578; Plain Pigeon, 910-916; Short-tailed Shearwaters, 70-79; warbler, 441-449
- DNA fingerprinting, Eastern Bluebird, 739-744; Plain Pigeon, 910-916
- DNA-DNA hybridization, hummingbirds, 8-19
- Doliornis remseni*, 1-7 + frontispiece; *sclateri*, 1-7
- Dominance hierarchies, in Red Junglefowl, 863-872
- Dominguez-Bello, M. G., F. Michelangeli, M. C. Ruiz, A. García, and E. Rodríguez, Ecology of the folivorous Hoatzin (*Opisthocomus hoazin*) on the Venezuelan plains, 643-651
- Doryfera*, 703-710; *ludoviciae*, 8-19
- Doubly-labeled water technique, Arctic Tern, 453-459; Ruddy Turnstone, 366-376
- Dove, Rock, geographic variation, 398-404
- Drymornis bridgesii*, 104-114
- Duck, American Black, 744-748; Grey, 970-978; Mallard, 744-748
- Duffy, Alfred M., Jr., and James K. Pugh, Response of male Brown-headed Cowbirds to broadcast of complete or partial flight whistles, 734-739
- Duke, Gary E., see Degen, A. Allan, et al.
- Dumetella carolinensis*, 170-177
- Dunk, Jeffrey R., and Robert J. Cooper, Territory-size regulation in Black-shouldered Kites, 588-595
- Du Plessis, Morné A., and Joseph B. Williams, Communal cavity roosting in Green Woodhoopoes: Consequences for energy expenditure and the seasonal pattern of mortality, 292-299
- Eagle, White-tailed, 274-284
- Earnst, Susan L., see Grubb, Thomas C., Jr., et al.
- Eberhardt, Laurie S., Oxygen consumption during singing by male Carolina Wrens (*Thryothorus ludovicianus*), 124-130
- Eens, Marcel, see Pinxten, Rianne, et al.
- Egg, size variation, American Coot, 337-350; survivorship, effect of olfactory cues, 945-952; temperatures, Ring-billed Gull, 596-604
- Egret, Common, 328-336
- Egretta*, 787-805; *tricolor*, 328-336
- Eider, Common, 900-909
- Elanoides*, 787-805
- Elanus*, 787-805; *caeruleus*, 588-595
- Electrophoresis, multilocus protein, 416-426; starch-gel, penguins, 1018-1022
- Elepaio, 917-932
- Ellsworth, Darrell L., Rodney L. Honeycutt, Nova J. Silvy, Kevin D. Rittenhouse, and Michael H. Smith, Mitochondrial-DNA and nuclear-gene differentiation in North American prairie grouse (genus *Tympanuchus*), 661-671
- Elvira*, 703-710
- Emlen, John T., see Temple, Stanley A., and ———
- Empidonax alnorum*, 710-713; *difficilis*, 770-773, 773-780; *oberholseri*, 34; *occidentalis*, 770-773, 773-780; *trillii*, 710-713
- Energetic demand for migration, thrush, 683-692
- Energetics, tern chick, 525-544
- Energy conservation, in Green Woodhoopoe, 292-299
- Energy expenditure, Arctic Tern, 453-459; daily, Ruddy Turnstone, 366-376
- Energy requirements, Macaroni Penguin, 492-495; winter, Grey-breasted Silveryeye, 721-723
- Eudypetes chrysocome*, 716-720, 1018-1022; *chrysolophus*, 492-495, 716-720
- Eulampis*, 703-710; *jugularis*, 706
- Eupherusa*, 703-710; *eximia*, 706
- Euplectes afer* 80-86; *albonotatus* 80-86; *ardens* 80-86; *axillaris* 80-86; *capensis* 80-86; *franciscanus* 80-86; *gierowi* 80-86; *hartlaubi* 80-86; *hordeacea* 80-86; *jacksoni* 80-86; *macrourus* 80-86; *nigroventris* 80-86; *progne* 80-86
- Eustrongylidosis, herons and egrets, 328-336
- Eutoxeres aquila*, 8-19
- Evans, Roger M., Alison Whitaker, and Myra O. Wiebe, Development of vocal regulation of temperature by embryos in piped eggs of Ring-billed Gulls, 596-604
- Evolutionary relationship, antwrens, 469-475
- Extrapair paternity, Eastern Bluebird, 739-744
- Falco berigora*, 787-805; *columbarius*, 787-805; *mexicanus*, 787-805; *rufigularis*, 787-805; *sparverius*, 787-805; *tinnunculus*, 274-284
- Falconiformes, phylogeny of, 787-805
- Fasting, Macaroni Penguin, 492-495
- Fecundity, future, 115-123
- Feeding, Common Raven, 764-769; Hoatzin, 643-651; nocturnal, Trumpeter Swan, 1013-1018
- Feeding rates, Common Eider, 900-909
- Feeding sites, shorebird, 605-616
- Fermentation, pre-gastric, Hoatzin, 643-651
- Fetzner, James W., Jr., see Krajewski, Carey, and ———
- Ficedula hypoleuca*, 714-716
- Finch, Cassin's, 33-34; House, 218-221, 221-225; Zebra, 131-142
- Fletcher, F., see Birkhead, T. R., and ———
- Flight, Spotted and Common sandpipers, 190-191
- Flight morphology, thrush, 683-692
- Floaters, Hooded Warbler, 63-69

- Flycatcher, Alder, 710-713; Dusky, 34; Pied, 714-716; Willow, 710-713
- Folivory, Hoatzin, 643-651
- Food abundance, in mangrove communities, 405-415
- Food, supplemental, American Coot, 337-350; Pied Flycatcher, 714-716
- Foraging, olfactory, Procellariiformes, 285-291
- Foraging behavior, Elepaio, 917-932; Piping Plover, 579-587
- Forbes, L. Scott, see Mock, Douglas W., and ———
- Formicariidae, 469-475
- Formicarius analis*, 1007; *colma*, 1007
- Forrester, Donald J., see Spalding, Marilyn G., et al.
- Forsman, Eric D., see Hamer, Thomas E., et al.
- Freby, Frederic, see Cherel, Yves, and ———
- Frederickena unduligera*, 1007
- Frere, Esteban, see Gandini, Patricia, et al.
- Frugivory, White-crowned Pigeon, 844-852
- Fruit, fed to young, White-crowned Pigeon, 844-852
- Fry, Adam J., review by, 1034-1035
- Fuchs, A. D., see Hamer, Thomas E., et al.
- Fulica americana*, 337-350
- Furnariidae, 104-114
- Gallus gallus*, 863-872
- Gampsonyx*, 787-805
- Gandini, Marcelo, see Gandini, Patricia, et al.
- Gandini, Patricia, P. Dee Boersma, Esteban Frere, Marcelo Gandini, Tomas Holik, and Victoria Lichtschein, Magellanic Penguins (*Spheniscus magellanicus*) affected by chronic petroleum pollution along coast of Chubut, Argentina, 20-27
- Ganey, Joseph L., and Russell P. Balda, Habitat selection by Mexican Spotted Owls in northern Arizona, 162-169
- García, A., see Domínguez-Bello, M. G., et al.
- Gastroduodenal motility, Ostrich, 750-755
- Gaunt, Sandra L. L., Luis F. Baptista, Julio E. Sánchez, and Daniel Hernandez, Song learning as evidenced from song sharing in two hummingbird species (*Colibri coruscans* and *C. thalassinus*), 87-103
- Gelter, Hans P., review by, 247-249
- Gene flow, in Chukar populations, 416-426
- Genetic structure, Chukar populations, 416-426
- Genetics, Short-tailed Shearwater, 70-79
- Geographic range, chickadee, 191-197
- Geographic variation, clutch size, House Wren, 545-555; feral pigeon, 398-404; Imperial Shag, 143-161
- Geopsittacus occidentalis*, 833-843
- George, T. Luke, see Miller, Clinton K., et al.
- Geranospiza*, 787-805
- Glaucis*, 703-710; *aenea*, 8-19
- Glossy-Starling, Purple-headed, 170-177
- Glyphorhynchus spirurus*, 104-114
- Gochfeld, Michael, see Spendelow, Jeffrey A., et al.
- Goldmania*, 703-710
- Goose, Canada, 744-748; Greylag, 759-764; Lesser Snow, 204-207, 563-572
- Goshawk, 274-284; Northern, 748-750
- Gosler, Andrew G., see Kirk, David A., and ———
- Götmark, Frank, and Uno Unger, Are conspicuous birds unprofitable prey? Field experiments with hawks and stuffed prey species, 251-262
- Gould, Patrick J., see Piatt, John F., and ———
- Grant, W. Stewart, David C. Duffy, and Rob W. Leslie, Allozyme phylogeny of *Spheniscus* penguins, 716-720
- Grasshoppers, as food, Savannah Sparrow, 962-969
- Greenberg, Russell, and Javier Salgado Ortiz, Inter-specific defense of pasture trees by wintering Yellow Warblers, 672-682
- Greenewalt, Crawford H., 1902-1993, in memoriam, 188-189
- Griffiths, Carole S., Monophyly of the Falconiformes based on syringeal morphology, 787-805
- Grosbeak, Evening, 693-702
- Grouse, prairie, 661-671
- Growth, heron and egret, 328-336; Hoatzin, 643-651; Savannah Sparrow, 962-969; tern, 525-544; White-crowned Pigeon, 844-852
- Grubb, Thomas C., Jr., Robert A. Mauck, and Susan L. Earnst, On no-chickadee zones in midwestern North America: Evidence from the Ohio Breeding Bird Atlas and the North American Breeding Bird Survey, 191-197
- Grubb, Thomas C., Jr., and Reuven Yosef, Habitat-specific nutritional condition in Loggerhead Shrikes (*Lanius ludovicianus*): Evidence from ptilochronology, 756-759
- Grubb, Thomas C., Jr., see Yosef, Reuven, and ———
- Gruiformes, 351-365
- Grus*, 833-843; *americana*, 351-365; *antigone*, 351-365; *canadensis*, 351-365; *grus*, 351-365; *japonensis*, 351-365; *lucogeranus*, 351-365; *monachus*, 351-365; *nigricollis*, 351-365; *rubicunda*, 351-365; *vipio*, 351-365
- Guillemette, Magella, Digestive-rate constraint in wintering Common Eiders (*Somateria mollissima*): Implications for flying capabilities, 900-909
- Gull, Great Black-backed, 873-880; Herring, 873-880; Laughing, 605-616; Ring-billed, 596-604
- Gulls, dispersal of, 427-440
- Gutierrez, Patricia C., Mitochondrial-DNA polymorphism in the Oilbird (*Steatornis caripensis*, Steatornithidae) in Venezuela, 573-578
- Gutierrez, R. J., review by, 1032-1034
- Gutzwiller, Kevin J., Richard T. Wiedenmann, Krista L. Clements, and Stanley H. Anderson, Effects of human intrusion on song occurrence and singing consistency in subalpine birds, 28-37
- Gymnophithys leucaspis*, 1007
- Gypaetus*, 787-805
- Gyps fulvus fulvus*, 853-862
- Habitat, effect on bird distribution, 495-499, 499-503;

- mangrove, 405–415; Mountain Plover, 504–506; nesting, of Prothonotary Warbler, 197–200
- Habitat segregation, American Redstart, 38–49
- Habitat selection, Spotted Owl, 162–169
- Habitat use, Brown-headed Cowbird, 979–990
- Haig, Susan M., review by, 1028–1029
- Haliaeetus*, 787–805; *albicilla*, 274–284
- Haliastur*, 787–805
- Hall, John G., see Lanyon, Scott M., and ———
- Halley, D. J., see Harris, M. P., et al.
- Hallyn, Nathalie, see Whelan, Christopher J., et al.
- Halverson, Joy L., see Sabo, Thomas J., et al.
- Hamer, Thomas E., Eric D. Forsman, A. D. Fuchs, and M. L. Walters, Hybridization between Barred and Spotted owls, 487–492
- Haney, J. Christopher, and David S. Lee, Air-sea heat flux, ocean wind fields, and offshore dispersal of gulls, 427–440
- Harpagus*, 787–805
- Harper, R. Given, Steven A. Juliano, and Charles F. Thompson, Intrapopulation variation in hatching synchrony in House Wrens: Test of the individual-optimization hypothesis, 516–524
- Harrier, Northern, 274–284
- Harris, M. P., D. J. Halley, and R. L. Swann, Age of first breeding in Common Murres, 207–209
- Harshman, John, Reweaving the tapestry: What can we learn from Sibley and Ahlquist (1990)?, 377–388
- Hatch, Jeremy J., see Sabo, Thomas J., et al.
- Hatch, Scott A., review by, 242–243
- Hatching, asynchronous, 115–123, 806–813; Eastern Phoebe, 617–633; House Wren, 516–524; Northern Goshawk, 748–750
- Hatching order, Common Tern, 263–273
- Hatching synchrony, Eastern Phoebe, 617–633
- Hawk, Rough-legged, 274–284
- Hays, Helen, see Spendelow, Jeffrey A., et al.
- Heat flux, air-sea, effect on gull dispersal, 427–440
- Heinrich, Bernd, Does the early Common Raven get (and show) the meat?, 764–769
- Heliodoxa jacula*, 706
- Heliothryx*, 703–710; *barroti*, 706
- Henicopernis*, 787–805
- Henson, Paul, and James A. Cooper, Nocturnal behavior of breeding Trumpeter Swans, 1013–1018
- Herbivory, Mute Swan, 744–748
- Hernandez, Daniel, see Gaunt, Sandra L. L., et al.
- Heron, Tricolored, 328–336
- Herpetotheres*, 787–805
- Heterospizias*, 787–805
- Hickey, Joseph J., 1907–1993, in memoriam, 450–452
- Hieraaetus*, 787–805
- Hill, Geoffrey E., House Finches are what they eat: A reply to Hudon, 221–225
- Hines, James E., see Spendelow, Jeffrey A., et al.
- Hoatzin, 643–651
- Holik, Tomas, see Gandini, Patricia, et al.
- Holmes, Richard T., 1993 Brewster Award, 237–238
- Honeycutt, Rodney L., see Ellsworth, Darrell L., et al.
- Honeyeater, Singing, 178–184
- Houston, C. Stuart, In memoriam: Hamilton Mack Laing, 1883–1982, 187; In memoriam: Victor Harrison Cahalane, 1901–1993, 188; review by, 245–246
- Hudon, Jocelyn, Showiness, carotenoids, and captivity: A comment on Hill (1992), 218–221; see also Ryan, Peter G., et al.
- Human intrusion, effects on bird song, 28–37
- Hummingbird, Green Violet-ear, 87–103; Sparkling Violet-ear, 87–103
- Hummingbirds, eating ashes, 755–756; phylogeny of, 8–19; serrated tomsia of, 703–710
- Hybrid complex, *Nesospiza* buntings, 314–327
- Hybridization, *Empidonax*, 710–713; Mallard and Grey Duck, 970–978; owl, 487–492; warbler, 441–449
- Hylexetastes perrotii*, 104–114
- Hylocichla mustelina*, 683–692
- Hylophylax naevia*, 1007; *poecilnota*, 1007
- Hypocnemis cantator*, 1007
- Ichthyophaga*, 787–805
- Ictinia*, 787–805
- Incubation, Magellanic Penguin, 215–218; Ruddy Turnstone, 366–376
- Incubation energetics, Orange-tufted Sunbird, 1001–1005
- Individual-optimization hypothesis, 516–524
- Infection, nematode, heron and egret, 328–336
- Intrusion, human, effects on bird song, 28–37
- Ixobrychus*, 787–805
- Jackson, Jerome A., In memoriam: Ben B. Coffey, Jr., 1904–1993, 991–993
- Jacobsen, Timothy R., see Botton, Mark L., et al.
- Jay, Blue, 634–642; Florida Scrub, 459–464
- Jenni, Lukas, see Jenni-Eiermann, Susanne, and ———
- Jenni-Eiermann, Susanne, and Lukas Jenni, Plasma metabolite levels predict individual body-mass changes in a small long-distance migrant, the Garden Warbler, 888–899
- Jennrich, Robert I., see Collias, Nicholas, et al.
- Johnsen, Torgeir S., see Cristol, Daniel A., and ———
- Johnson, Ned K., Old-school taxonomy versus modern biosystematics: Species-level decisions in *Stelgidopteryx* and *Empidonax*, 773–780
- Johnston, Richard F., Geographic variation of size in feral pigeons, 398–404
- Jouventin, Pierre, see Verheyden, Christophe, and ———
- Juliano, Steven A., see Harper, R. Given, et al.
- Junco, Dark-eyed, 33–34
- Junco hyemalis*, 33–34
- Junglefowl, Red, 863–872

- Kania, Gary S., see Conover, Michael R., and ———
 Karasov, William H., see Levey, Douglas J., and ———
- Karron, Jeffrey D., see Thumser, Nina N., and ———
Kaupifalco, 787–805
- Kessell, Rick, see Sabo, Thomas J., et al.
- Kestrel, Eurasian, 274–284
- Ketupa ketupu*, 787–805
- Kinglet, Ruby-crowned, 33–34
- Kirk, David A., and Andrew G. Gosler, Body condition varies with migration and competition in migrant and resident South American vultures, 933–944
- Kirsch, John A. W., see Bleiweiss, Robert, et al.
- Kite, Black-shouldered, 588–595; Red, 274–284
- Kjellén, Nils, Differences in age and sex ratio among migrating and wintering raptors in southern Sweden, 274–284
- Klaassen, Marcel, Growth and energetics of tern chicks from temperate and polar environments, 525–544
- Knight, Richard L., see Miller, Clinton K., et al.
- Knopf, Fritz L., and Brian J. Miller, *Charadrius montanus*—Montane, grassland or bare-ground plover?, 504–506
- Knot, Red, 605–616
- Krajewski, Carey, and James W. Fetzner, Jr., Phylogeny of cranes (Gruiformes: Gruidae) based on cytochrome-*b* DNA sequences, 351–365
- Laing, Hamilton Mack, 1883–1982, in memoriam, 187
- Lamprotornis purpureiceps*, 170–177
- Laniidae, 228–233
- Lanius ludovicianus*, 465–469, 756–759
- Lanyon, Scott M., and John G. Hall, Reexamination of barbet monophyly using mitochondrial-DNA sequence data, 389–397
- Laridae, phylogeny, 873–880
- Larus argentatus*, 873–880; *atricilla*, 605–616; *delawarensis*, 596–604; *marinus*, 873–880
- Laying date, variation, American Coot, 337–350
- Laying rate, variation, American Coot, 337–350
- Learning, interactive, Grey Parrot, 300–313; vocal, Grey Parrot, 300–313
- Lee, David S., see Haney, J. Christopher, and ———
- Leeton, Peter R. J., Leslie Christidis, Michael Westerman, and Walter E. Boles, Molecular phylogenetic affinities of the Night Parrot (*Geopsittacus occidentalis*) and the Ground Parrot (*Pezoporus wallicus*), 833–843
- Lefebvre, Gaëtan, Brigitte Poulin, and Raymond McNeil, Temporal dynamics of mangrove bird communities in Venezuela with special reference to migrant warblers, 405–415
- Lemon, Robert E., see Weary, Daniel M., et al.
- Lepidocolaptes affinis*, 104–114; *albolineatus*, 104–114; *angustirostris*, 104–114; *fuscus*, 104–114; *leucogaster*, 104–114; *squamatus*, 104–114
- Leptodon*, 787–805
- Leptopogon amaurocephalus*, 507–515; *rufipectus*, 507–515; *superciliaris*, 507–515; *taczanowskii*, 507–515
- Lesbia*, 706
- Leucopternis albicollis*, 787–805; *kuhli*, 787–805
- Levey, Douglas J., Why we should adopt a broader view of Neotropical migrants, 233–236
- Levey, Douglas J., and William H. Karasov, Gut passage of insects by European Starlings and comparison with other species, 478–481
- Lichtschein, Victoria, see Gandini, Patricia, et al.
- Life-span, in Red Junglefowl, 863–872
- Limpkin, 351–365
- Limulus polyphemus*, 605–616
- Link, William A., see Sauer, John R., et al.
- Lombardo, Michael P., Nest architecture and reproductive performance in Tree Swallows (*Tachycineta bicolor*), 814–824
- Loonen, Maarten J. J. E., see Williams, Tony D., et al.
- Loveland, Robert E., see Botton, Mark L., et al.
- Luscinia svecica*, 556–562
- Lutz, R. Scott, see Plumpton, David L., and ———
- Lybius bidentatus*, 389–397
- Malcarney, Hylary L., Carlos Martínez del Rio, and Victor Apanius, Sucrose intolerance in birds: Simple nonlethal diagnostic methods and consequences for assimilation of complex carbohydrates, 170–177
- Mallard, 744–748; 970–978
- Mangrove habitats, 405–415
- Martínez del Rio, Carlos, see Malcarney, Hylary L., et al.
- Mass loss, in fasting Macaroni Penguins, 492–495
- Mate choice, Burrowing Owl, 724–727
- Matheus, Juan Carlos, see Bleiweiss, Robert, et al.
- Mating system, European Starling, 482–486
- Mauck, Robert A., see Grubb, Thomas C., Jr., et al.
- McDonald, Mary Victoria, see Rappole, John H., and ———
- McEwen, Lowell C., see Miller, Clinton K., et al.
- McNeil, Raymond, see Lefebvre, Gaëtan, et al.
- Meek, Susan B., Raleigh J. Robertson, and Peter T. Boag, Extrapair paternity and intraspecific brood parasitism in Eastern Bluebirds revealed by DNA fingerprinting, 739–744
- Melierax*, 787–805
- Meliphaga virescens*, 178–184
- Melopsittacus*, 833–843
- Merilä, Juha, and Jorma Sorjonen, Seasonal and diurnal patterns of singing and song-flight activity in Bluethroats (*Luscinia svecica*), 556–562
- Metabolism, basal, Carolina Wren, 124–130; tern chick, 525–544
- Michelangeli, F., see Domínguez-Bello, M. G., et al.
- Micrastur gilvicolis*, 787–805; *semitorquatus*, 787–805
- Microclimate, nest, Orange-tufted Sunbird, 1001–1005
- Microhabitat, nesting, Prothonotary Warbler, 197–200
- Microhierax*, 787–805

- Microtus californicus*, 588-595
 Migrants, Neotropical, 233-236
 Migration, Evening Grosbeak, 693-702; raptor, 274-284; thrush, 683-692
 Migratory birds, population declines, 652-660
 Miller, Brian J., see Knopf, Fritz L., and ———
 Miller, Clinton K., Richard L. Knight, Lowell C. McEwen, and T. Luke George, Responses of nesting Savannah Sparrows to fluctuations in grasshopper densities in interior Alaska, 962-969
Milvus, 787-805; *milvus*, 274-284
 Mindell, David, review by, 1035-1036
 Miyamoto, Michael M., Marc W. Allard, and Jorge A. Moreno, Conservation genetics of the Plain Pigeon (*Columba inornata*) in Puerto Rico, 910-916
 Mock, Douglas W., and L. Scott Forbes, Life-history consequences of avian brood reduction, 115-123
 Moloney, Coleen L., see Ryan, Peter G., et al.
Molothrus ater, 734-739, 979-980
 Molt, Macaroni Penguin, 492-495
 Molt dynamics, in mangrove communities, 405-415
 Monaghan, P., see Uttley, J., et al.
 Moore, Frank R., see Yong, Wang, and ———
 Moreno, Jorge A., see Miyamoto, Michael M., et al.
 Morphology, woodcreeper, 104-114; flight, thrush, 683-692; syringeal, Falconiformes, 787-805
 Morrison, R. I. Guy, see Piersma, Theunis, and ———
 Mortality, Eastern Phoebe, 617-633; Japanese Murrelet, 953-961; Magellanic Penguin, 20-27; migratory bird, 652-660
 Movements, Brown-headed Cowbird, 979-990
 Mumme, Ronald L., see Barg, Jennifer J., and ———
 Murphy, Michael T., Breeding patterns of Eastern Phoebes in Kansas: Adaptive strategies or physiological constraint?, 617-633
 Murray, Bertram G., Jr., Effect of selection for successful reproduction on hatching synchrony and asynchrony, 806-813
 Murre, Common, 207-209
 Murrelet, Japanese, 953-961
 Musculature, hindlimb, woodcreeper, 104-114
Mycteria, 787-805
Myrmeciza atrothorax, 1007; *fortis*, 1007; *hyperythra*, 1007; *melanoceps*, 1007
Myrmoborus myotherinus, 1007
Myrmothera campanisona, 1007
Myrmotherula axillaris, 1007; *behni*, 469-475; *brachyura*, 1007; *erythrura*, 1007; *hauxwelli*, 1007; *longipennis*, 1007; *menetriesii*, 1007; *ornata*, 1007; *schisticolor*, 1007; *schisticolor interior*, 469-475; *spodionota*, 469-475; *sunensis*, 469-475, 1007; *surinamensis*, 1007
Nasica longirostris, 104-114
 Natural history, Gray-necked Wood-Rail, 200-204
Necrosyrtes, 787-805
 Nectar robbing, by hummingbirds, 703-710
Nectarinia osea, 1001-1005
 Nematode parasites, heron and egret, 328-336
Neoctantes niger, 1007
Neophema, 833-843
Neophron, 787-805
Nesospiza acunhae, 314-327; *wilkinsi*, 314-327
 Nest architecture, Tree Swallow, 814-824
 Nest placement, Orange-tufted Sunbird, 1001-1005
 Nest predation, effect of olfactory cues, 945-952
 Nesting, Hoatzin, 643-651
 Nesting habitat, Prothonotary Warbler, 197-200
 Nestling growth, heron and egret, 328-336; Savannah Sparrow, 962-969
 Nets, drift, effects on Japanese Murrelet mortality, 953-961
 Nichols, James D., see Spendelow, Jeffrey A., et al.
Ninos jacquinoti 787-805
Ninox connivens, 787-805; *odiosa*, 787-805
 Nisbet, Ian C. T., see Sabo, Thomas J., et al.; see also Spendelow, Jeffrey A., et al.
 Nitrogen excretion, Macaroni Penguin, 492-495
 Nocturnal behavior, Trumpeter Swan, 1013-1018
 Nocturnal foraging, Piping Plover, 579-587
 Nores, Manuel, Quaternary vegetational changes and bird differentiation in subtropical South America, 499-503
 North American Breeding Bird Survey, 50-62; chickadees, 191-197
 Nuthatch, Red-breasted, 33-34
 Nutritional condition, Loggerhead Shrike, 756-759
Nyctea, 787-805
Nycticorax, 787-805
 Observer quality, 50-62
 Offspring-survivorship hypothesis, 545-555
 Ohio Breeding Bird Atlas, chickadees, 191-197
 Oil pollution, effects, Magellanic Penguin, 20-27
 Oilbird, 573-578
 Olfactory cues on nest predation, 945-952
 Olfactory foraging, Procellariiformes, 285-291
 Ontogeny of skeleton, in Laridae, 873-880
Opisthocomus hoazin, 643-651
Oreonympha, 703-710
 Ornamentation, tail, *Euplectes*, 80-86
 Ornelas, Juan Francisco, Serrate tomia: An adaptation for nectar robbing in hummingbirds?, 703-710
 Osteology, Imperial Shag, 143-161
 Ostrich, 750-755
Otus asio, 787-805; *watsonii*, 787-805
 Ovenden, Jennifer R., see Austin, Jeremy J., et al.
 Owl, Barred, 487-492; Burrowing, 724-727; Mexican Spotted, 162-169; Spotted, 487-492
 Oxygen consumption, Carolina Wren, 124-130
 Palmgren, Pontus, 1907-1993, in memoriam, 995-996
Pandion, 787-805

- Panterpe insignis*, 706
Parabuteo, 787-805
 Parent-offspring recognition, Florida Scrub Jay, 459-464
 Parentage, determination, hybrid warblers, 441-449
 Parental behavior, Orange-tufted Sunbird, 1001-1005; Snow Goose, 563-572
 Parental care, Magellanic Penguin, 215-218
 Parental fitness, Snow Goose, 563-572
 Parental quality, Common Tern, 263-273
 Parental role-reversal, 476-478
 Parental survival, Pied Flycatcher, 714-716
 Parental work levels, 115-123
 Parrish, Jeffrey David, and Thomas W. Sherry, Sexual habitat segregation by American Redstarts wintering in Jamaica: Importance of resource seasonality, 38-49
 Parrot, Grey, 300-313; Ground, 833-843; Night, 833-843
Parus atricapillus, 191-197; *carolinensis*, 191-197; *gambeli*, 33-34
Passerculus sandwichensis, 962-969
 Paternity, extrapair, Eastern Bluebird, 739-744; in relation to polyandry, 476-478
 PCR, used for sexing Roseate Tern, 1023-1027
Pelecanus, 787-805
 Penguin, Humboldt, 716-720, 1018-1022; Jackass, 716-720, 1018-1022; King, 1018-1022; Macaroni, 492-495, 716-720; Magellanic, 20-27, 215-218, 716-720, 1018-1022; Rockhopper, 716-720, 1018-1022
 Pepperberg, Irene M., Vocal learning in Grey Parrots (*Psittacus erithacus*): Effects of social interaction, reference, and context, 300-313
 Perch addition, effect on Loggerhead Shrikes, 465-469
Percnostola leucostigma, 1007
 Perivitelline membrane, in Japanese Quail, 997-1000
 Perreault, Stephane, see Weary, Daniel M., et al.
 Peterjohn, Bruce G., see Sauer, John R., et al.
Pezoporus wallicus, 833-843
Phaethornis longuemareus, 706; *yaruqui*, 8-19
Phalacrocorax atriceps, 143-161
 Phenology, bird, in mangrove communities, 405-415
 Phillips, Allan R., The known birds of North and Middle America versus the current AOU list, 770-773
 Philopatry, Short-tailed Shearwater, 70-79
Phlegopsis erythroptera, 1007; *nigromaculata*, 1007
Phodilus, 787-805
 Phoebe, Eastern, 617-633
Phoeniculus purpureus, 292-299
 Phylogeny, barbet, 389-397; bird, 377-388; Charadriiformes, 825-832; crane, 351-365; hummingbird, 8-19; Laridae, 873-880; parrot, 833-843; woodcreeper, 104-114
 Piatt, John F., and Patrick J. Gould, Postbreeding dispersal and drift-net mortality of endangered Japanese Murrelets, 953-961
 Piersma, Theunis, and R. I. Guy Morrison, Energy expenditure and water turnover of incubating Ruddy Turnstones: High costs under High Arctic climatic conditions, 366-376
 Pigeon, Plain, 910-916; White-crowned, 844-852
 Pigeons, feral, geographic variation, 398-404
 Pinna, Jean Louis, see Sarrazin, François, et al.
 Pinxten, Rianne, Marcel Eens, and Rudolf F. Verheyen, Communal breeding in the European Starling: Evidence from DNA fingerprinting, 482-486
Piranga ludoviciana, 33-34
Pithecopaga, 787-805
Pitta, 833-843
 Plasma metabolites, Garden Warbler, 888-899
Platycercus, 833-843
 Ploceinae, 80-86
 Plover, Mountain, 504-506; Piping, 579-587
 Plumage, color variation, *Nesospiza* buntings, 314-327
 Plumage, conspicuous, 251-262
 Plumage, cryptic, 251-262
 Plumage color, House Finch, 218-221, 221-225
 Plumage sequences *Ampelion*, 5-6; *Doliornis*, 5-6
 Plumage variation, of Imperial Shags, 143-161
 Plumpton, David L., and R. Scott Lutz, Sexual size dimorphism, mate choice, and productivity of Burrowing Owls, 724-727
Pogoniulus bilineatus, 389-397
 Pollution effects, petroleum, on Magellanic Penguins, 20-27
 Polyandry, 476-478
Polyborus, 787-805
Polyhierax insignis, 787-805; *semitorquatus*, 787-805
 Polymerase chain reaction, for sexing Roseate Terns, 1023-1027
 Polymerase-chain-reaction/dideoxy sequencing, Plain Pigeon, 910-916
Polytelis, 833-843
Polytmus, 703-710
 Population decline, migratory birds, 652-660; shrike, 228-233
 Population numbers, effect of adding perches, Loggerhead Shrike, 465-469
 Poulin, Brigitte, see Lefebvre, Gaëtan, et al.
 Powell, Abby N., review by, 781-782
 Preference, species, 634-642
 Prerooting behavior, Greylag Goose, 759-764
 Prescott, David R. C., Intraspecific and geographical trends in body size of a differential migrant, the Evening Grosbeak, 693-702
 Prey, unprofitable, 251-262
 Prey abundance, 605-616; Black-shouldered Kite, 588-595
 Procellariiformes, foraging, 285-291
 Protein dynamics, Macaroni Penguin, 492-495
Protonotaria citrea, 197-200
Psittacus erithacus, 300-313
 Ptilochronology, Loggerhead Shrike, 756-759
Puffinus tenuirostris, 70-79

- Pugh, James K., see Duffy, Alfred M., Jr., and ———
Pygiptila stellaris, 1007
- Quail, Japanese, 997–1000
- Quaternary climate changes, effect on bird distribution, 495–499, 499–503
- Radio-telemetry, Brown-headed Cowbird, 979–990
- Raikow, Robert J., A phylogeny of the woodcreepers (*Dendrocolaptinae*), 104–114
- Rail, Gray-necked Wood-, 200–204
Ramphodon, 703–710
- Randi, Ettore, and Philip U. Alkon, Genetic structure of Chukar (*Alectoris chukar*) populations in Israel, 416–426
- Random-amplified polymorphic DNA, sexing Roseate Terns, 1023–1027
- RAPD, sexing Roseate Terns, 1023–1027
- Rappole, John H., and Mary Victoria McDonald, Cause and effect in population declines of migratory birds, 652–660
- Raptors, 588–595
- Rasmussen, Pamela C., Geographic variation in morphology and allozymes of South American Imperial Shags, 143–161
- Raven, Common, 764–769
- Recognition, parent-offspring, Florida Scrub Jay, 459–464
- Recruitment, Pied Flycatcher, 714–716
- Redstart, American, 38–49, 730–734
Regulus calendula, 33–34
- Removals, experimental, Hooded Warbler, 63–69
- Remsen, J. V., Jr., Use and misuse of bird lists in community ecology and conservation, 225–227
- Reproductive pattern, seasonal, Eastern Phoebe, 617–633
- Resource depletion, Yellow Warbler, 672–682
- Restriction-enzyme analysis, of mitochondrial DNA, Short-tailed Shearwater, 70–79
- Reynhout, James K., see Degen, A. Allan, et al.
Rhamphastos tucanus, 389–397
- Rhymer, Judith M., Murray J. Williams, and Michael J. Braun, Mitochondrial analysis of gene flow between New Zealand Mallards (*Anas platyrhynchos*) and Grey Ducks (*A. superciliosa*), 970–978
- Rittenhouse, Kevin D., see Ellsworth, Darrell L., et al.
- Robbins, Mark B., Gary H. Rosenberg, and Francisco Sornoza Molina, A new species of cotinga (*Cotingidae: Doliornis*) from the Ecuadorian Andes, with comments on plumage sequences in *Doliornis* and *Ampelion*, 1–7 + frontispiece
- Robertson, Raleigh J., see Meek, Susan B., et al.
- Robin, American, 33–34, 634–642
- Robson, Dave, see Whelan, Christopher J., et al.
- Rodríguez, E., see Domínguez-Bello, M. G., et al.
- Rohwer, Sievert, Two new hybrid *Dendroica* warblers and new methodology for inferring parental species, 441–449
- Role-reversal, parental, 476–478
- Roosting, Green Woodhoopoe, 292–299
- Rosenberg, Gary H., see Robbins, Mark B., et al.
Rostrhamus, 787–805
- Ruiz, M.C., see Domínguez-Bello, M. G., et al.
- Ryan, Peter G., Coleen L. Moloney, and Jocelyn Hudson, Color variation and hybridization among *Nesospiza* buntings on Inaccessible Island, Tristan da Cunha, 314–327
Rynchops niger, 873–880
- Sabo, Thomas J., Rick Kessell, Joy L. Halverson, Ian C. T. Nisbet, and Jeremy J. Hatch, PCR-based method for sexing Roseate Terns (*Sterna dougallii*), 1023–1027
Sagittarius, 787–805
- Salgado Ortiz, J., see Greenberg, Russell, and ———
- Samuel, David E., see Smith, Robert Leo, and ———
- Sánchez, Julio E., see Gaunt, Sandra L. L., et al.
- Sanderling, 605–616
- Sandpiper, Common, 190–191; Semipalmated, 605–616; Spotted, 190–191
Sappho, 703–710
- Sarrazin, François, Constant Bagnolini, Jean Louis Pinna, Etienne Danchin, and Jean Clobert, High survival estimates of Griffon Vultures (*Gyps fulvus fulvus*) in a reintroduced population, 853–862
- Sauer, John R., Bruce G. Peterjohn, and William A. Link, Observer differences in the North American Breeding Bird Survey, 50–62
Sayornis phoebe, 617–633
- Schimmel, K.L., and Frederick E. Wasserman, Individual and species preference in two passerine birds: Auditory and visual cues, 634–642
Schistes, 703–710
- Schmidt, Alain, Influence of abiotic factors on pre-roosting behavior of Greylag Geese (*Anser anser*), 759–764
Sclateria naevia, 1007
- Seasonal changes in body condition, vulture, 933–944
- Seasonal pattern, of song, Bluethroat, 556–562
- Seasonal variation, clutch-size, House Wren, 545–555
- Segregation, habitat, American Redstart, 38–49; sexual, American Redstart, 38–49
- Selasphorus flammula*, 706
- Sericotes*, 703–710
- Serrations, bill, hummingbird, 703–710
- Setophaga ruticilla*, 38–49, 730–734
- Sex, role in competition, Hooded Warbler, 63–69
- Sex ratio, of raptors, 274–284
- Sexing Roseate Terns, 1023–1027
- Shag, Imperial, 143–161
- Shearwater, Short-tailed, 70–79
- Sherry, Thomas W., see Parrish, Jeffrey David, and ———
- Shorebirds, migratory, 605–616

- Shrike, Loggerhead, 465-469, 756-759
 Shrikes, evaluation of global decline, 228-233
Sialia currucoides, 33-34; *sialis*, 739-744
 Sibley, C. G., commentary on phylogeny, see Harshman, John
 Siblicide, Northern Goshawk, 748-750
 Sidis, Yisrael, Ronit Zilberman, and Amos Ar, Thermal aspects of nest placement in the Orange-tufted Sunbird (*Nectarinia osea*), 1001-1005
 Silva, Jose Maria Cardoso da, Can avian distribution patterns in northern Argentina be related to gallery-forest expansion-retraction caused by Quaternary climatic changes?, 495-499
 Silvereye, Grey-breasted, 721-723
 Silvy, Nova J., see Ellsworth, Darrell L., et al.
 Siskin, Pine, 33-34
Sitta canadensis, 33-34
Sittasomus griseicapillus, 104-114
 Size dimorphism, sexual, Burrowing Owl, 724-727
 Skeletal characteristics, Laridae, 873-880
 Skimmer, Black, 873-880
 Skutch, Alexander F., The Gray-necked Wood-Rail: Habits, food, nesting, and voice, 200-204
 Smith, Jeff P., see Spalding, Marilyn G., et al.
 Smith, Michael H., see Ellsworth, Darrell L., et al.
 Smith, Robert Leo, and David E. Samuel, In memoriam: Maurice Brooks, 1900-1993, 185-187
 Social-dominance hypothesis, 274-284
 Social interaction, Grey Parrot, 300-313
 Sociality, Brown-headed Cowbird, 979-990
Somateria mollissima, 900-909
 Song, territorial, Singing Honeyeater, 178-184
 Song-flight activity, Bluethroat, 556-562
 Song function, Bluethroat, 556-562
 Song learning, 87-103
 Song occurrence, effects of human disturbance, 28-37
 Song sharing, 87-103
 Song types, 87-103; Yellow Warbler, 727-729; responses, American Redstart, 730-734
 Sorjonen, Jorma, see Merilä, Juha, and ———
 Sornoza Molina, Francisco, see Robbins, Mark B., et al.
 Spalding, Marilyn G., Jeff P. Smith, and Donald J. Forrester, Natural and experimental infections of *Eustrongylides ignotus*: Effect on growth and survival of nestling wading birds, 328-336
 Sparrow, Savannah, 962-969
 Sparrowhawk, 274-284
 Spatial pattern, Brown-headed Cowbird, 979-990
 Speciation, Grey Duck, 970-978; grouse, 661-671
 Species richness, 225-227
 Spendelow, Jeffrey A., Joanna Burger, Ian C. T. Nisbet, James D. Nichols, James E. Hines, Helen Hays, Grace D. Cormons, and Michael Gochfeld, Sources of variation in loss rates of color bands applied to adult Roseate Terns (*Sterna dougallii*) in the western North Atlantic, 881-887
Speotyto cucularia, 724-727
 Spermatozoa, penetration of Japanese Quail eggs, 997-1000
Spheniscus demersus, 716-720, 1018-1022; *humboldti*, 716-720, 1018-1022; *magellanicus*, 20-27, 215-218, 716-720, 1018-1022
Sphyrapicus varius, 389-397
Spilornis, 787-805
Spizaetus, 787-805
Spizaapteryx, 787-805
 Staine, Kevin J., and Joanna Burger, Nocturnal foraging behavior of breeding Piping Plovers (*Charadrius melodus*) in New Jersey, 579-587
 Starling, European, 478-481, 482-486; Purple-headed Glossy-, 170-177
Steatornis caripensis, 573-578
Stelgidopteryx, 770-773, 773-780
Sterna dougallii, 881-887, 1023-1027; *hirundo*, 263-273, 525-544, 873-880; *paradisaea*, 453-459, 525-544; *sandvicensis*, 525-544; *vittata*, 525-544
 Stickney, Alice A., see Burgess, Robert M., and ———
 Stomach, glandular, Ostrich, 750-755
Strigops, 833-843
Strix occidentalis caurina, 487-492; *occidentalis caurina* × *varia varia*, 487-492; *occidentalis lucida*, 162-169; *varia varia*, 487-492
Struthio camelus, 750-755
Sturnus vulgaris, 478-481, 482-486
 Stutchbury, Bridget, J., Competition for winter territories in a Neotropical migrant: The role of age, sex and color, 63-69
 Sucrose intolerance, 170-177
Sula, 787-805
 Sunbird, Orange-tufted, 1001-1005
 Survival, chick, Common Tern, 263-273; Griffon Vulture, 853-862; nestling, heron and egret, 328-336; White-crowned Pigeon, 844-852
 Survivorship, effects of band color, Zebra Finch, 131-142; parental, 115-123; within-brood, 806-813
 Swallow, Tree, 814-824
 Swan, Mute, 744-748; Trumpeter, 1013-1018; Tundra, 204-207
 Swann, R. L., see Harris, M. P., et al.
Sylvia borin, 888-899
 Synchronous hatching, 806-813
Synthliboramphus wumizusume, 953-961
 Syringeal morphology, Falconiformes, 787-805

Tachycineta bicolor, 814-824
Taeniopygia guttata, 131-142
 Tallman, Dan A., see Tallman, Erika J., and ———
 Tallman, Erika J., and Dan A. Tallman, The trematode fauna of an Amazonian antbird community, 1006-1013
 Tanager, Western, 33-34
Taphroesbia, 703-710
Taraba major, 1007
 Tatner, P., see Uttley, J., et al.

- Taxonomy, 770-773, 773-780
- Temple, Stanley A., and John T. Emlen, In memoriam: Joseph J. Hickey, 1907-1993, 450-452
- Terathopius*, 787-805
- Tern, Arctic, 453-459; Common, 263-273, 873-880; Roseate, 881-887, 1023-1027
- Territoriality, Yellow Warbler, 672-682
- Territories, feeding, Hooded Warbler, 63-69; winter, Hooded Warbler, 63-69
- Territory size, Black-shouldered Kite, 588-595; Log-head Shrike, 465-469
- Testosterone, plasma concentrations, Red-winged Blackbird, 210-214
- Thalurania*, 703-710; *ridgwayi*, 706
- Thamnomanes ardesiacus*, 1007; *caesius*, 1007
- Thamnophilus murinus*, 1007; *schistaceus*, 1007
- Thermoregulation, Green Woodhoopoe, 292-299; Ring-billed Gull, 596-604; Ruddy Turnstone, 366-376; tern chick, 525-544
- Thompson, Charles F., see Harper, R. Given, et al.
- Thompson, Frank R., III, Temporal and spatial patterns of breeding Brown-headed Cowbirds in the midwestern United States, 979-990
- Threnetes ruckeri*, 8-19, 706
- Thrush, Gray-cheeked, 683-692; Hermit, 33-34; Swainson's, 683-692; Wood, 683-692
- Thryothorus ludovicianus*, 124-130
- Thumser, Nina N., and Jeffrey D. Karron, Patterns of genetic polymorphism in five species of pengguins, 1018-1022
- Toucans, mitochondrial DNA, 389-397
- Trematode parasites, antbird, 1006-1013
- Trochilidae, phylogeny, 8-19
- Trochilus*, 703-710; *polytmus*, 706
- Troglodytes aedon*, 516-524, 545-555
- Turdus migratorius*, 33-34, 634-642
- Turnstone, Ruddy, 366-376, 605-616
- Tympanuchus cupido*, 661-671; *pallidicinctus*, 661-671; *phasianellus*, 661-671
- Tyrannidae, 507-515
- Tyto*, 787-805
- Unger, Uno, see Götmark, Frank, and ———
- Uria aalge*, 207-209
- Uttley, J., P. Tatner, and P. Monaghan, Measuring the daily energy expenditure of free-living Arctic Terns (*Sterna paradisaea*), 453-459
- Valle, Carlos A., Parental role-reversal polyandry and paternity, 476-478
- VanderWerf, Eric A., Intraspecific variation in Elepaio foraging behavior in Hawaiian forests of different structure, 917-932
- Veery, 683-692
- Vegetational changes, effect on bird distribution, 495-499, 499-503
- Verheyden, Christophe, and Pierre Jouventin, Olfactory behavior of foraging procellariiforms, 285-291
- Verheyen, Rudolf, F., see Pinxten, Rianne, et al.
- Verhulst, Simon, Supplementary food in the nestling phase affects reproductive success in Pied Flycatchers (*Ficedula hypoleuca*), 714-716
- Vireo, Warbling, 33-34
- Vireo gilvus*, 33-34
- Vocal learning, Grey Parrot, 300-313
- Vocal recognition, Singing Honeyeater, 178-184
- Vocal signaling system, Singing Honeyeater, 178-184
- Vocalization, antwren, 469-475; Brown-headed Cowbird, 734-739; embryonic, Ring-billed Gull, 596-604
- Vole, California, 588-595
- Von Haartman, Lars, In memoriam: Pontus Palmgren, 1907-1993, 995-996
- Vuilleumier, François, In memoriam: François Bourlière, 1913-1993, 993-995; review by, 1032
- Vultur*, 787-805
- Vulture, Black, 933-944; Griffon, 853-862; Turkey, 933-944
- Walters, M. L., see Hamer, Thomas E., et al.
- Warbler, Garden, 888-899; Hooded, 63-69; Prothonotary, 197-200; Yellow, 672-682, 727-729; Yellow-rumped, 33-34
- Wasserman, Frederick E., see Schimmel, K. L., and ———
- Water turnover, Ruddy Turnstone, 366-376
- Watt, Doris J., review by, 1029
- Weary, Daniel M., Robert E. Lemon, and Stephane Perreault, Male Yellow Warblers vary use of song types depending on pairing status and distance from nest, 727-729
- Weary, Daniel M., Robert E. Lemon, and Stephane Perreault, Different responses to different song types in American Redstarts, 730-734
- Weather, maritime, effect on gull dispersal, 427-440
- Westerman, Michael, see Leeton, Peter R. J., et al.
- Whelan, Christopher J., Michael L. Dilger, Dave Robson, Nathalie Hallyn, and Steven Dilger, Effects of olfactory cues on artificial-nest experiments, 945-952
- Whitaker, Alison, see Evans, Roger M., et al.
- White, Robert W. G., see Austin, Jeremy J., et al.
- Whitney, Bret M., Behavior, vocalizations, and possible relationships of four *Myrmotherula* antwrens (Formicariidae) from eastern Equador, 469-475
- Widowbird, Buff-shouldered, 80-86; Fan-tailed, 80-86; Jackson's, 80-86; Long-tailed, 80-86; Red-naped, 80-86; White-winged, 80-86; Yellow-rumped, 80-86; Yellow-shouldered, 80-86
- Wiebe, Myra O., see Evans, Roger M., et al.
- Wiedenmann, Richard T., see Gutzwiller, Kevin J., et al.

- Williams, Joseph B., see Du Plessis, Morné A., and ———
- Williams, Murray J., see Rhymer, Judith M., et al.
- Williams, Tony D., Maarten J. J. E. Loonen, and Fred Cooke, Fitness consequences of parental behavior in relation to offspring number in a precocial species: The Lesser Snow Goose, 563-572
- Willis, Edwin O., Are *Actitis* sandpipers inverted flying fishes?, 190-191
- Wilsonia citrina*, 63-69
- Wind-speed variance, effect on gull dispersal, 427-440
- Wing length, *Euplectes*, 80-86
- Wing loading, thrush, 683-692; affected by feeding, Common Eider, 900-909
- Winker, Kevin, Divergence in the mitochondrial DNA of *Empidonax traillii* and *E. alnorum*, with notes on hybridization, 710-713
- Wintering populations, American Redstart, 38-49
- Wintering raptors, 274-284
- Woodcreepers, 104-114
- Woodhoopoe, Green, 292-299
- Wren, Carolina, 124-130; House, 516-524; House, 545-555
- Xiphocolaptes albicollis*, 104-114; *major*, 104-114; *promeropirhynchus*, 104-114
- Xiphorhynchus elegans*, 104-114; *erythropygius*, 104-114; *eytoni*, 104-114; *flavigaster*, 104-114; *guttatus*, 104-114; *lachrymosus*, 105; *obsoletus*, 105; *ocellatus*, 104-114; *pardalotus*, 104-114; *picus*, 104-114; *spixii*, 104-114; *triangularis*, 104-114
- Yong, Wang, and Frank R. Moore, Flight morphology, energetic condition, and the stopover biology of migrating thrushes, 683-692
- Yorio, Pablo, and P. Dee Boersma, Consequences of nest desertion and inattendance for Magellanic Penguin hatching success, 215-218
- Yosef, Reuven, Conservation commentary: Evaluation of the global decline in the true shrikes (Family Laniidae), 228-233; see also Grubb, Thomas C., Jr., and ———
- Yosef, Reuven, and Thomas C. Grubb, Jr., Resource dependence and territory size in Loggerhead Shrikes (*Lanius ludovicianus*), 465-469
- Young, Bruce E., Geographic and seasonal patterns of clutch-size variation in House Wrens, 545-555
- Zann, Richard, Effects of band color on survivorship, body condition and reproductive effort of free-living Australian Zebra Finches, 131-142
- Zilberman, Ronit, see Sidis, Yisrael, et al.
- Zink, Robert M., see Bates, John M., and ———
- Zosterops lateralis*, 721-723