

LIBRARY
UNIV OF IDAHO
MOSCOW

THE CONDOR.

— CONTINUATION OF THE —

BULLETIN OF THE COOPER ORNITHOLOGICAL CLUB OF CALIFORNIA.

— A BI-MONTHLY MAGAZINE OF —

PACIFIC COAST ORNITHOLOGY.

Volume Two, 1900.

— PUBLISHED BY —



SANTA CLARA, CALIFORNIA.

WABU
 GAO TO WABU
 WABU

- Acanthis hornemannii exilipes*, 114.
 linaria, 113.
- Accipiter atricapillus striatulus*, 63.
 cooperi, 16, 63.
 velox, 16, 63, 90.
- Actitis macularia*, 15.
- Adams, E, notes on the California Clapper Rail, 31.
- Ægialitis hiaticula*, 71.
 vocifera, 15.
- Æronautes melanoleucus*, 37, 131.
- Agelaius gubernator californicus*, 65, 87, 122, 132.
 phoeniceus, 38, 87, 132.
 tricolor, 38, 65, 122, 132.
- Aimophila ruficeps*, 66, 133.
- Alle alle, 71.
- Ammodramus beldingi*, 2.
 caudacutus, 87.
 caudacutus becki, 132.
 caudacutus nelsoni, 132.
 sandwichensis, 35.
 sandwichensis alaudinus, 35, 38, 65, 132.
 sandwichensis byranti, 65.
 savannarum perpallidus, 38, 65, 132.
- Ampelis cedrorum*, 39, 66.
 garrulus, 34.
- Amphispiza belli*, 66.
- Anas americana*, 14.
 boschas, 14.
 carolinensis, 14.
 cyanoptera, 14.
 discors, 14.
- Anorthura hiemalis pacifica*, 40, 67, 92, 133, 138.
- Anser albifrons gambeli*, 14.
 segetum, 71.
- Anthony, A. W., a night on land, 28; eggs of the Black Oystercatcher, 43.
- Anthus pensilvanicus*, 40, 67, 110.
- Antrostomus carolinensis*, 77.
- Aphelocoma californica*, 64, 126, 137.
 californica obscura, 38.
 insularis, 42.
- Aquila chrysaetos*, 16, 63, 136.
- Archibuteo ferrugineus*, 16, 63, 131.
 lagopus, 71, 131.
 lagopus sancti-johannis, 131.
- Ardea egretta*, 15.
 herodias, 15.
 virescens anthonyi, 15.
- Arenaria interpres*, 113.
- Arquatella maritima*, 71.
- Asio accipitrinus*, 63.
 wilsonianus, 63.
- Astragalinus lawrencei*, 65.
 psaltria, 65, 137.
 psaltria arizonæ, 35.
- Atkinson, W. L.*, odd nesting sites of Samuels' Song Sparrow, 18; queer antics of a Western Redtail, 18.
- Auklet, Cassin's, 28.
 Crested, 113.
- Avocet, American, 15, 34.
- Aythya affinis*, 14.
 americana, 14.
 collaris, 14.
 marila nearctica, 19.
 vallisneria, 14.
- BALDPATE, 14.
- Barlow, C., Brewer's Blackbird nesting in cavities, 18; Sierran Crossbill in El Dorado Co., Cal., 18; nest and eggs of the Hermit Warbler, 45; nest and eggs of the California Creeper, 59; an outing into the Pyramid Peak region of California, 103; some additions to Van Denburgh's list of the land birds of Santa Clara Co., Cal., 131.
- Beal, F.E.L., notice of his 'Food of the Bobolink, Blackbirds and Grackles,' 143
- Beck, R.H., an unusually high nest of Audubon's Hermit Thrush, 19.
- Belding, L., a part of my experience in collecting, 1; the Sierras in June (poem), 78; early migration at Stockton, Cal., 89; tape worm in young Mountain Quail, 91; the White-crowned Sparrow, 134; are blackbirds injurious or beneficial? 139.
- Bishop, L.B., notice of his 'Annotated List of Birds' of the Yukon River region, 142.
- Bittern, American, 15.
 Least, 15.
- Blackbird, Bicolored, 65, 132.
 Brewer's, 18, 29, 38, 65, 92, 137, 139.
 Redwinged, 38, 132.
 Tricolored, 38, 65, 132.
 Yellow-headed, 38.
- Bluebird, Eastern, 88.
 Mountain, 41, 88, 89, 107.
 Western, 41, 55, 68, 138.
- Bobwhite, 131.
- Botaurus exilis*, 15.
 lentiginosus, 15.
- Bowles, J. H., nesting of the Streaked Horned Lark, 30; the Northwest Crow, 84; nesting notes from Tacoma, Wash., 91.
- Brachyramphus hypoleucus*, 29.
- Branta bernicla*, 71.
- Bruce, R. E., Western Winter Wren in Santa Clara, Co., Cal., 92.
- Bryan, Mollie, the little widow, 82.
- Bubo virginianus pacificus*, 16, 136.

- virginianus subarcticus*, 63.
Budytes flavus leucostriatus, 113.
 Buffle-head, 14.
 Bunting, Indigo, 90.
 Lazuli, 17, 39, 66.
 Burnett, W. L., unique nesting site of Say's Phoebe, 89; the Indigo Bunting in Colorado, 90.
 Burns, F. L., notice of his 'A Monograph of the Flicker(*Colaptes auratus*),' 92.
 Burton, Estelle C., the Evening Grosbeak as a pet, 111.
 Bush-tit, 92.
 California, 40, 138.
Buteo borealis calurus, 16, 63, 87, 136.
 lineatus elegans, 16, 63, 131, 136.
 swainsoni, 16, 123.
 Buzzard, Turkey, 76, 136.
CALCARIUS lapponicus alascensis, 113.
Callipepla californica vallicola, 16.
 gambeli, 16.
Calypte anna, 37, 64, 87, 91, 136.
 costæ, 37.
 Canvasback, 14.
Carpodacus cassini, 105, 132.
 mexicanus clementis, 35.
 mexicanus frontalis, 38, 63, 90.
 mexicanus obscurus, 87, 137.
 purpureus californicus, 38, 63, 90, 105.
Cathartes aura, 16, 63, 76, 136.
Catherpes mexicanus punctulatus, 133, 138.
Cephus columba, 76.
 mandti, 71.
Certhia familiaris occidentalis, 19, 59, 67, 138.
Ceryle alcyon, 37, 64.
Chætura vauxii, 37, 64.
Chamaea fasciata, 67, 85; 138.
 fasciata henshawi, 86.
 fasciata intermedia, 86.
 fasciata phæa, 85.
 Chapman, F. M., notice of his 'Bird Studies With a Camera,' 92.
Charadrius dominicus, 113.
 squatarola, 122.
 Chat, Long-tailed, 40, 67, 126.
 Chickadee, Barlow's, 127.
 California, 19, 67.
 Mountain, 99, 106.
 Red-backed, 138.
Chondestes grammacus strigatus, 38, 65, 126.
Chordeiles acutipennis texensis, 37.
 Chuck-wills-widow, 77.
Cinclus mexicanus, 67.
Circus hudsonius, 16, 63, 131.
Cistothorus palustris paludicola, 40, 67, 88.
Clivicola riparia, 39, 60.
Coccythraustes vespertinus montanus, 65, 109, 132.
Coccyzus americanus occidentalis, 16, 34, 63, 131.
 Cohen, D. A., casual observations on a colony of Black-crowned Night Herons; 10; notes from Alameda Co., Cal., 17; notes from Alameda, Cal. 90.
Colaptes auratus, 64.
 cafer, 37, 52, 64, 90, 108.
 cafer collaris, 136.
Colinus virginianus, 131.
Columba fasciata, 16, 63.
Columbus arcticus, 71.
 Condor, California, 12, 60, 124.
Contopus borealis, 37, 64, 107, 132.
 richardsonii, 37, 64, 109, 136.
 Cooper Ornithological Club, Directory of members of the, 148.
 Coot, American, 15.
 Cormorant, Farallone, 14, 89.
Corvus americanus, 38, 65.
 caurinus, 84.
 corax sinuatus, 38, 64.
 Coues, Elliott, obituary notice of, 23.
 Crane, Little Brown, 114.
 Creeper, California, 19, 59, 67, 138.
 Crossbill, Mexican, 65.
 Sierran, 18.
 White-winged, 113.
 Crow, American, 38, 65.
 Northwest 84.
Crymophilus fulicarius, 71.
 Cuckoo, California, 16, 34, 63, 131.
 Curlew, Long-billed, 79.
Cyanocitta stelleri, 127.
 stelleri annectens, 127.
 stelleri carbonacea, 127, 132.
 stelleri frontalis, 64, 106, 126, 127, 137.
 stelleri litoralis, 127.
 stelleri macrolopha, 127.
Cyanospiza amcena, 39, 66.
DAFILA acuta, 14, 114.
 Daggett, F. S., occurrence of the American Scaup Duck in Los Angeles Co., Cal., 19; concerning the active membership of the A. O. U., 68; a protest against the indiscriminate use of poison by orchardists, 139.
Dendragapus obscurus fuliginosus, 109.
Dendrocycna fulva, 14.
Dendroica æstiva, 40, 66, 114.
 auduboni, 40, 67, 103.
 coronata, 19, 40, 66.
 coronata hooveri, 133.
 occidentalis, 19, 40, 55, 133.

- maculosa*, 40.
nigrescens, 19, 40, 67, 91, 103, 133, 137.
striata, 114.
townsendi, 40, 67, 91, 137.
- Dille, F. M., the club collection of birds, 69;
 nesting of the Pine Siskin at Denver,
 Colo., 73; nesting of the Eastern Blue-
 bird at Denver Colo., 88.
- Dipper, American, 67.
- Dove, Mourning, 16, 63, 136.
- Dryobates nuttallii, 13, 37, 52, 64.
 pubescens gairdnerii, 37, 52, 64, 136.
 villosus harrisi, 64.
 villosus hyloscopus, 52, 91, 131.
- Duck, American Scaup, 19.
 Fulvous Tree, 14.
 Lesser Scaup, 14.
 Ring-necked, 14.
 Ruddy, 14.
- Dugmore, A. R., notice of his 'Bird Homes,'
 119.
- EAGLE, Bald, 131.
 Golden, 16, 63, 90, 136.
- Editorial notes, 22, 46, 72, 94, 116, 146.
- Egret, American, 15.
- Elanus leucurus, 16, 63.
- Emerson, W.O., notes from Hayward, Cal., 19;
 Junco hyemalis at Hayward, Cal., 33; oc-
 currence of American White Pelican and
 American Avocet at Hayward, Cal., 34;
 occurrence in California of Harris's Spar-
 row, 145.
- Empidonax difficilis, 37, 64, 90.
 griseus, 38.
 hammondi, 38.
 trailli, 38, 132, 137.
- Ereunetes occidentalis, 15.
- Erismatura rubida, 14.
- Eugenes fulgens, 101.
- FALCO *æsalon*, 71.
 columbarius, 16, 63, 131.
 mexicanus, 16, 131.
 peregrinus anatum, 16, 63, 87, 131.
 rusticolus gyrfalco, 114.
 sparverius deserticolus, 16, 63, 90, 136.
- Falcon, Prairie, 16, 131.
- Finch, California Purple, 38, 65, 90, 105.
 Cassin's Purple, 105, 132.
 House, 38, 65, 90.
- Fisher, W.K., a list of birds observed on Mt.
 St. Helena, Cal., 135.
- Flicker, 64.
 Red-shafted, 17, 37, 52, 64, 90, 108, 136.
- Flycatcher, Ash-throated, 17, 37, 64.
 Gray, 38.
 Hammond's, 38.
- Olive-sided, 37, 64, 107, 132.
 Traill's, 38, 132, 138.
 Vermilion, 38.
 Western, 37, 64, 90.
- Fratercula arctica glacialis*, 71.
- Fulica americana*, 15.
- Fulmarus glacialis*, 71.
- GALLINAGO *delicata*, 15.
- Gallinula galeata*, 15.
- Gallinule*, Florida, 15.
- Gavia arctica*, 113.
 lumme, 114.
- Gedney, P. L., nesting of the condor on the
 slope of the Cuyamacas, San Diego Co.,
 Cal., 124.
- Geococcyx californianus*, 34, 63.
- Geothlypis beldingi*, 3.
 macgillivrayi, 40.
 tolmiei, 67, 91.
 trichas occidentalis, 40, 67.
- Glaucidium gnoma californicum*, 63, 136.
- Glaucionetta clangula americana*, 14.
- Gnatcatcher, Western, 41, 67, 133, 138.
- Godwit, Pacific, 113.
- Golden-eye, 14.
- Goldfinch, Arkansas, 35, 38, 65, 90, 137.
 Lawrence's, 38, 65.
 Western, 63.
 Willow, 38, 65.
- Goose, American White-fronted, 14.
 Emperor, 113.
- Grosbeak, Black-headed, 17, 39, 66, 103.
 California Pine, 107.
 Western Blue, 39.
 Western Evening, 65, 109, 111, 132.
- Grackle, Purple, 77.
- Grebe, Pied-billed, 14.
- Grinnell, J., the Varied Thrush in summer, 5;
 early nesting of the Pasadena Thrasher,
 19; against the general use of scientific
 names, 20; the Intermediate Wren-tit, 85;
 notes on some birds of Cape Nome,
 Alaska, 112; new races of birds from the
 Pacific Coast, 127; notice of his 'Birds of
 the Kotzebue Sound Region, Alaska,'
 140.
- Grouse, Sooty, 109.
- Grus canadensis*, 114.
- Guillemot, Pigeon, 76.
- Guiraca cærulea lazula*, 39.
 melanocephala, 129.
- Gull, American Herring, 14.
 Herrmann's, 29.
 Point Barrow, 113.
 Sabine's, 114.
 Western, 14, 28.

- Gyr Falcon, 114.
- HABIA melanocephala, 39.
- Hæmatopus bachmani, 28, 43.
frazari, 2, 28.
- Haliæetus leucocephalus, 131.
- Halocryptena microsoma, 29.
- Harelda glacialis, 71.
- Harporynchus redivivus, 67, 138.
redivivus pasadenensis, 19.
- Hawk, Cooper's, 16, 63.
Desert Sparrow, 16, 63, 90, 136.
Duck, 16, 63, 87, 131.
Marsh, 16, 63, 131.
Pigeon, 16, 63, 131.
Red-bellied, 16, 63, 131, 136.
Sharp-shinned, 16, 63, 90.
Swainson's, 16.
- Helminthophila celata lutescens, 40, 66
celata sordida, 40.
rubricapilla gutturalis, 40, 105.
- Heron, Anthony's Green, 15.
Black-crowned Night, 10, 15.
Great Blue, 10, 15.
- Hesperocichla nævia, 5, 41, 68, 91.
- Heteractitis incanus, 28.
- Himantopus mexicanus, 15, 122.
- Hirundo erythrogaster, 39, 66.
- Howard, O. W., nesting of the Mexican Wild Turkey in the Huachuca Mts., Ariz., 55; nesting of the Rivoli Hummingbird in southern Arizona, 101.
- Hummingbird, Allen's, 17, 64, 91, 132.
Anna's, 17, 35, 37, 64, 91, 136.
Black-chinned, 37.
Calliope, 37.
Costa's, 37.
Rivoli, 101.
Rufous, 17, 37, 43, 64.
- Hylocichla aliciaæ, 114.
aonalaschkæ, 67, 91.
aonalaschkæ auduboni, 106.
aonalaschkæ sequoiensis, 138.
ustulata, 67, 90, 126.
- ICTERIA virens longicauda, 40, 67, 126.
- Icterus bullocki, 38, 65, 137.
cucullatus nelsoni, 38.
- JAEGER, Long-tailed, 113.
- Jay, Belding's, 38.
Blue-fronted, 64, 106, 126, 137.
California, 45, 58, 64, 126, 137.
Coast, 127, 132.
Santa Cruz, 42.
- Johnson, H. C., in the breeding home of Clarke's Nutcracker, 49.
- Jones, L., notice of his "Warbler Songs," 69.
- Junco bairdi, 3.
hyemalis, 33, 39.
hyemalis oregonus, 65, 87, 91.
hyemalis thurberii, 39, 65, 110.
- Junco, Oregon, 65, 91.
Slate-colored, 39.
Thurber's, 39, 65, 110.
- KEELER, C. A., notice of his "Bird Notes Afeld," 47.
- Killdeer, 15.
- Kingbird, Arkansas, 37, 64.
Cassin's, 37.
- Kingfisher, Belted, 37, 64.
- Kinglet, Ruby-crowned, 67, 91.
Western Golden-crowned, 41, 67, 138.
- Kite, White-tailed, 16, 63.
- Kittiwake, Pacific, 113.
- LAGOPUS lagopus, 71, 114.
- Lanius ludovicianus gambeli, 39, 66.
- Lark, Mexican Horned, 38, 64, 91.
Streaked Horned, 30.
- Larus argentatus, 71.
argentatus smithsonianus, 14.
barrovianus, 113.
fuscus, 71.
glaucus, 71.
maritimus, 71.
occidentalis, 14, 28.
- Leucosticte tephrocotis, 109.
- Leucosticte, Gray-crowned, 109.
- Limosa lapponica baueri, 113.
- Linnet, 137.
- Linton, C. B., nesting of Say's Phoebe in California, 90.
- Longspur, Alaskan, 113.
McCown's, 79.
- Loomis, L. M., notice of his "California Water Birds, No. IV," 47.
- Loon, Black-throated, 113, 114.
Red-throated, 114.
- Lophortyx californicus, 63, 86, 126.
californicus vallicolus, 86, 136.
- Loxia curvirostra bendirei, 18.
curvirostra stricklandi, 65.
leucoptera, 113.
luzoniensis, 43.
- Lusk, R. D., parrots in the United States, 129.
- MAGPIE, yellow-billed, 137.
- Mailliard, J., a neglected point concerning the picidæ, 13; measurements of the Santa Cruz Jay, 42; California Jay again, 58; land birds of Marin Co., Cal., 62; breeding of Agelaius tricolor in Madera Co., Cal., 122; another Blue Jay incident, 126.
- Mallard, 14.

- Martin, Western, 66.
- McGregor, R. C., discoloration of plumage in certain birds, 18; woodpeckers as flycatchers, 33; on the range of some California birds, 34; description of a new *Pipilo*, 43; a list of unrecorded albinos, 86; the A. O. U. associate membership, 93.
- Meadowlark, Western, 38, 65, 137, 139.
- Merganser serrator, 14.
- Merganser, Red-breasted, 14.
- Megascops asio bendirei, 16, 63, 136.
- Melanerpes formicivorus bairdi, 13, 33, 37, 52, 64, 87, 136.
- torquatus, 33, 34, 64, 89, 136.
- Meleagris gallopavo, 55.
- Melospiza fasciata guttata, 66.
- fasciata samuelis, 66.
- lincolni, 39, 66.
- lincolni striata, 35.
- melodia guttata, 133.
- melodia heermanni, 39, 133.
- melodia pusillula, 133.
- Merula migratoria propinqua, 41, 67, 88, 91, 110, 138.
- Millikan, Catherine, capture of a condor in El Dorado Co., Cal., in 1854, 12.
- Mimus polyglottos, 40, 67, 89.
- Mockingbird, 40, 67, 82, 89.
- Murrelet, Xantus, 29.
- Myadestes townsendi, 67.
- Myiarchus cinerascens, 37, 64.
- NELSON, E. W., notice of his "Description of a New Subspecies of *Meleagris gallopavo* and Proposed Changes in the Nomenclature of Certain North American Birds," 143.
- Newton, A., notice of his "Dictionary of Birds," 21.
- Nighthawk, Texan, 37.
- Northern Division of the Cooper Club, Official minutes of the, 24, 48, 74, 95, 144.
- Nucifraga columbiana, 49, 107, 114.
- Numenius borealis, 113.
- longirostris, 79.
- Nutcracker, Clarke's, 49, 107, 115.
- Nuthatch, Canada, 40.
- Pygmy, 67, 110.
- Red-breasted, 19, 67, 138.
- Slender-billed, 67, 133, 138.
- Nyctea nyctea, 113.
- scandiaca, 71.
- Nycticorax nycticorax naevius, 15, 123.
- OCEANODROMA melania, 28.
- socorroensis, 29.
- Oreortyx pictus plumiferus, 91, 109, 136.
- Oroscoptes montanus, 89.
- Oriole, Arizona Hooded, 38.
- Bullock's, 38, 65, 137.
- Osprey, American, 63.
- Otocoris alpestris arenicola, 18.
- alpestris chrysolæma, 38, 64, 91.
- alpestris strigata, 30.
- Owl, American Barn, 16, 35, 63.
- American Long-eared, 63.
- Barred, 4.
- Burrowing, 16, 29, 63, 136.
- California Pygmy, 4, 63, 136.
- California Screech, 16, 17, 63, 90, 136.
- Flammulated Screech, 4.
- Pacific Horned, 16.
- Short-eared, 63.
- Snowy, 113.
- Western Horned, 63, 136.
- Oystercatcher, Black, 28, 43.
- Frazar's, 28.
- PAGOPHILA eburnea, 71.
- Palmer, F. M., nesting of the Dusky Poor-will, 130.
- Palmer, T. S., notice of his "A Review of Economic Ornithology in the United States," 142.
- Pandion haliaetus carolinensis, 63.
- Parker, W. H., the nesting of Clarke's Nutcracker, 115.
- Parrot, Thick-billed, 129.
- Partridge, California, 63, 126.
- Gambel's, 16.
- Valley, 16.
- Parus gambeli, 106.
- inornatus, 67, 138.
- rufescens, 127, 138.
- rufescens barlowi, 127.
- rufescens neglectus, 16, 67, 127.
- Passer domesticus, 88.
- Passerella iliaca, 114.
- iliaca megarhyncha, 66, 87, 103.
- iliaca schistacea, 39.
- iliaca unalaschcensis, 39, 66, 87.
- Passerina cyanea, 90.
- Pelecanus erythrorhynchos, 34.
- Pelican, American White, 34.
- Petrel, Black, 28.
- Least, 29.
- Socorro, 29.
- Petrochelidon lunifrons, 39, 66, 89, 137.
- Pewee, Western Wood, 37, 64, 109, 136.
- Phainopepla nitens, 39, 66, 133.
- Phainopepla, 39, 66, 133.
- Phalacrocorax dilophus albociliatus, 2, 14, 89.
- Phalacroptilus nuttalli californicus, 64, 130, 136.
- nuttalli nitidus, 37.

- Phalaropus hyperboreus*, 71.
 lobatus, 15.
Phalarope, Northern, 15.
Philacte canagica, 113.
Phoebe, Black, 37, 64.
 Say's, 37, 64, 89, 90, 136.
Pica nuttalli, 137.
Pigeon, Band-tailed, 16, 63.
Pinicola enucleator californica, 107.
Pintail, 14, 114.
Pipilo fuscus crissalis, 66, 87, 90, 137.
 fuscus senicula, 39.
 maculatus falcifer, 43.
 maculatus megalonyx, 39, 137.
 maculatus oregonus, 66.
Pipit, American, 40, 67.
Piranga ludoviciana, 39, 66, 110, 137.
Plectrophenax nivalis, 71.
Plover, Golden, 113.
Podilymbus podiceps, 14.
Polioptila cærulea obscura, 41, 67, 133, 138.
Poœetes gramineus affinis, 35.
Poor-will, Dusky, 37, 64, 130, 136.
Porzana carolina, 15.
Progne subis hesperia, 66.
Psaltriparus minimus, 92.
 minimus californicus, 40, 67, 138.
Ptarmigan, Willow, 114.
Ptychoramphus aleuticus, 28.
 Publications received, 24, 38, 74, 96, 143.
Puffinus gavia, 29.
Pyrocephalus rubineus mexicanus, 38.
 QUAIL, Plumed, 91, 109, 136.
 Valley, 136.
Querquedula cyanoptera, 86.
Quiscalus quiscula, 77.
 RAIL, California Clapper, 31, 91.
 Sora, 15.
 Virginia, 15.
Rallus beldingi, 3.
 obsoletus, 31, 91.
 virginianus, 15.
Raven, American, 38, 64.
Ray, M. S., notes on some unusual sets of
 eggs, 126.
Recurvirostra americana, 15, 34, 122.
Redhead, 14.
Redpoll, 113.
 Hoary, 114.
Redtail, 16, 18, 63, 87, 136.
Regulus calendula, 67, 91.
 satrapa olivaceus, 41, 67, 138.
Reiser, F., early collecting experiences in Cali-
 fornia, 41.
Reynolds, R., facts and the use we make of
 them, 117.
Rhodostethia rosea, 70.
Rhynchophanes mccownii, 79.
Rhynchops nigra, 77.
Rhynchopsitta pachyrhyncha, 129.
Ridgway, R., concerning the use of scientific
 names, 41.
Rissa tridactyla, 71.
 tridactyla pollicaris, 113.
Roadrunner, 34, 63.
Robin, 98.
 Western, 41, 67, 88, 91, 110, 138.
Rough-leg, American, 131.
 Ferruginous, 16, 63, 79, 131.
SALPINCTES obsoletus, 40, 67, 133, 138.
Sandpiper, Least, 15.
 Pectoral, 114.
 Spotted, 15.
 Western, 15.
 Western Solitary, 15.
Sapsucker, Red-breasted, 37, 52, 64.
 Red-naped, 37, 64.
 Williamson's, 107.
Sayornis nigricans, 37.
 saya, 37, 64, 89, 90, 136.
Schneider, J. J., nesting of the Pileolated Warbler
 in Los Angeles Co., 33; nesting of
 the California Cuckoo in Los Angeles
 Co., Cal., 34.
Scolecophagus cyanocephalus, 38, 65, 92, 122,
 147.
Selasphorus alleni, 64, 91, 132.
 rufus, 37, 43, 64.
Shearwater, Black-vented, 29.
Shields, A. M., sketch of 27.
Shoveller, 14.
Shrike, California, 17, 35, 39, 66.
Shufeldt, R. W., ornithological results of Dr.
 Nansen's expedition to the North Pole,
 70; on the scientific photography of
 birds' eggs, 75.
Sialia arctica, 41, 89, 107.
 mexicana occidentalis, 41, 55, 68, 138.
Silloway, P. M., notes on the Long-billed Cur-
 lew, 79.
Simorhynchus cristatellus 113.
Siskin, Pine, 65, 73, 107.
Sitta canadensis, 40, 67, 138,
 carolinensis aculeata, 67, 133, 138.
 pygmæa, 67, 110.
 pygmæa leuconucha, 3.
Skimmer, Black, 77.
Snipe, Wilson's, 15.
Snowbird, 99.
Solitaire, Townsend's, 4, 67.
Somateria mollissima, 71.
 Southern Division of the Cooper Club, Official

- minutes of the, 24, 48, 95, 120, 144.
- Sparrow, Bell's, 66.
 Brewer's, 39, 91.
 Bryant's Marsh, 65.
 English, 88.
 Fox, 114.
 Gambel's, 39, 65, 114.
 Golden-crowned, 39, 63, 114.
 Harris's, 145.
 Heermann's Song, 39, 133.
 Intermediate, 38, 65.
 Lincoln's, 39, 66.
 Nelson's Sharp-tailed, 133.
 Rufous-crowned, 66, 133.
 Rusty Song, 66, 133.
 Salt Marsh Song, 133.
 Samuel's Song, 66.
 Slate-colored, 39.
 Thick-billed, 66, 103.
 Townsend's, 39, 66.
 Western Chipping, 39, 65, 110.
 Western Grasshopper, 38, 65, 133.
 Western Lark, 38, 66, 126.
 Western Savanna, 35, 38, 65, 133.
 Western Tree, 114.
 White-crowned, 38, 107, 134.
- Spatula clypeata, 14.
- Speotyto cunicularia hypogæa, 16, 29, 63, 136.
- Sphyrapicus ruber, 37, 52, 64.
 thyroideus, 107,
 varius nuchalis, 37, 64.
- Spinus lawrencei, 38.
 pinus, 38, 65, 73, 107.
 psaltria, 38, 90.
 tristis salicamans, 38.
- Spizella breweri, 39, 91.
 monticola ochracea, 114.
 socialis arizonæ, 39, 65, 110.
- Squatrola helvetica, 71.
- Stelgidopteryx serripennis, 39, 66.
- Stellula calliope, 37.
- Stercorarius crepidatus, 71.
 longicaudus, 71, 113.
 pomatorhinus, 71.
- Sterna antillarum, 71.
 macrura, 71.
 maxima, 28.
 paradisæa, 113.
- Stilt, Black-necked, 15.
- Strix pratincta, 16, 63.
- Sturnella magna neglecta, 38, 65, 137.
- Swallow, Bank, 39, 66.
 Barn, 39, 66.
 Cliff, 39, 66, 89, 137.
 Rough-winged, 39, 66.
 Tree, 17, 39, 66.
 Violet-green, 39, 66, 137.
- Swarth, H. S., avifauna of a 100-acre ranch, 14,
 37; Sage Thrasher in Los Angeles Co.,
 Cal., 89; notes from Los Angeles, Cal. 91;
 the American Titlark in spring in Los
 Angeles Co. Cal., 110.
- Swift, Vaux's, 37, 64.
 White-throated, 37, 132.
- Sylvania pusilla pileolata, 40.
- Symphemia semipalmata inornata, 15.
- TACHYCINETA bicolor, 39, 66.
 thalassina, 39, 66, 137.
- Tanager, Louisiana, 17, 39, 66, 99, 110, 137.
- Tattler, Wandering, 28.
- Taylor, H. R., consolation for bird protection-
 ists, 36; a provident bluejay, 45; promi-
 nent Californian ornithologist III; A. M.
 Shields, 277.
- Teal, Blue-winged, 14.
 Cinnamon, 14, 86.
 Green-winged, 14.
- Tern, Arctic, 113.
 Least, 77.
 Royal, 28.
- Thompson, C. S., the woodpeckers of the
 upper Salinas valley, 52; notes from San
 Luis Obispo county, Cal., 89.
- Thrasher, California, 67, 138.
 Pasadena, 19.
 Sage, 89.
- Thrush, Audubon's Hermit, 19, 106.
 Dwarf Hermit, 41, 67, 91.
 Gray-cheeked, 114.
 Russet-backed, 41, 67, 90, 126.
 Sierra, 138.
 Varied, 5, 41, 68, 91.
- Thryomanes bewickii spilurus, 67, 138.
- Thryothorus bewickii spilurus, 40.
- Titlark, American, 110.
- Titmouse, Plain, 17, 67, 138.
- Totanus melanoleucus, 15, 122.
 nebularius, 71.
 solitarius cinnamomeus, 15.
- Towhee, Anthony's, 39.
 California, 66, 90, 137.
 Oregon, 66.
 Spurred, 39, 137.
- Tringa maculata, 14.
 minutilla, 15, 122.
 occidentalis, 122.
- Trochilus alexandri, 37.
- Troglodytes aedon parkmanii, 40, 67, 88.
- Turdus aonalaschkae, 41.
 aonalaschkae auduboni, 19.
 ustulatus, 41.

- Turkey, Mexican Wild, 55.
 Turnstone, 113.
 Tyrannus verticalis, 37, 64, 89.
 vociferans, 37.
 URIA lomvia, 71.
 VAN DENBURGH, J., notice of his "Notes on
 Some Birds of Santa Clara County, Cali-
 fornia," 120.
 Vireo belli pusillus, 40.
 gilvus, 39, 66, 105.
 gilvus swainsoni, 137.
 huttoni, 39, 66, 103, 137.
 solitarius cassinii, 39, 66, 103, 126, 133.
 Vireo, Cassin's, 39, 66, 103, 126, 133.
 Hutton's, 17, 39, 66, 103, 137.
 Least, 40.
 Warbling, 17, 39, 66, 105.
 Western Warbling, 137.
 Vulture, Turkey, 16, 63.
 WAGTAIL, Siberian Yellow, 113.
 Warbler, Audubon's, 17, 40, 103.
 Black-poll, 114.
 Black-throated Gray, 19, 40, 67, 91, 103,
 133, 137.
 Calaveras, 40, 103.
 Dusky, 40.
 Hermit, 19, 40, 45, 110, 133.
 Hoover's, 133.
 Lutescent, 17, 40, 66.
 Macgillivray's, 40, 67, 91.
 Magnolia, 40.
 Myrtle, 19, 40, 66.
 Pileolated, 33, 40, 67, 91, 98, 133, 138.
 Townsend's, 40, 67, 91, 137.
 Wilson's, 114.
 Yellow, 17, 40, 66, 114.
 Waxwing, Cedar, 39, 66.
 Welch, J. M., Lewis's Woodpecker, as a Fly-
 catcher, 89.
 Willet, Western, 15.
 Williams, J. J., probable causes of bird scarcity
 in parts of the Sierras, 97.
 Wilsonia pusilla pileolata, 67, 91, 114, 133, 138.
 Woodpecker, Cabanis, 52, 91, 131.
 California, 33, 37, 52, 64, 136.
 Gairdner's, 37, 52, 64, 136.
 Harris's, 64.
 Lewis's, 34, 52, 64, 89, 136.
 Nuttall's, 37, 52, 64,
 Round-headed, 4.
 Wren, Dotted Canon, 133, 138.
 Parkman's, 40, 67.
 Rock, 40, 67, 133, 138.
 Tule, 40, 67,
 Vigor's, 40, 67, 138.
 Western Winter, 40, 67, 92, 133, 138.
 Wren-Tit, 67.
 Intermediate, 85.
 Pallid, 138.
 XANTHOCEPHALUS xanthocephalus, 38, 122.
 Xema sabinii, 71, 114.
 YELLOWLEGS, Greater, 15.
 Yellowthroat, Western, 40, 67.
 ZAMELODIA melanocephala, 66, 103, 128.
 melanocephala **microrhyncha**, 128, 137.
 Zenaidura macroura, 16, 63, 136.
 Zonotrichia coronata, 39, 65, 87, 114.
 leucophrys, 38, 107, 134.
 leucophrys gambeli, 39, 65, 114.
 leucophrys, intermedia, 38, 65, 87.
 querula, 145.
 (New races printed in HEAVY-FACED type.)