

lew), one seen; *Plegadis* (?) (A black Ibis), one seen; *Fulica americana* (American Coot), two seen feeding under banks on the edge of the lagoon. Several hundred ducks were seen, the majority being of the following species: *Dafla acuta* (Pintail); *Mareca Americana* (Bald pate); *Querquedula discors* (Blue-winged Teal); *Spatula clypeata* (Shoveller); and a single *Fuligula vallisneria* (Canvasback). Tho several flocks flew quite near me in circling about the lagoon the only one shot was a Shoveller and this one was only winged and was not secured. *Sula variegata*—Amongst the thousands of Blue-faced Boobies, two of this species were seen and one of them, a female, shot. The other seemed to be paired with a Blue-faced Booby.

On Cocos Island, January 26, 1902: *Ægialitis semipalmata* (Semipalmated Plover), four seen; *Streptopelia interpres* (Turnstone), six seen; *Butorides virescens* (Green Heron), one shot; *Nyctanassa violacea* (Yellow-crowned Night Heron), two seen; *Querquedula discors* (Blue-wing Teal), one shot, two more seen; *Sula variegata* (Variegated booby), two seen; *Falco peregrinus* (Duck Hawk), one seen.—R. H. BECK, *Monterey, California*.

The Mew Gull in Southern California.—On the 14th of April, 1907, I secured a female specimen of *Larus canus* on Alamitos Bay, Los Angeles County, California.

The gull was resting on the mud flat exposed by low tide; it was standing alone, about fifteen feet from a large flock of American Herring and Western Gulls and was quite easily approached by boat, altho the Herring and Western Gulls were noisily leaving the vicinity.

This is the only individual of this species that I have seen this season, altho I have spent almost the entire time on the Los Angeles County coast and adjacent islands, since January 1st.—C. B. LINTON, *Long Beach, California*.

Magnolia Warbler in Oregon.—Mr. William Warner of Salem, Oregon, says that in January one of his friends brought in a Magnolia Warbler (*Dendroica maculosa*) which was picked up dead in his front yard. He thought the bird had killed itself by flying against the window. The person who found the bird reported seeing a small band of these Warblers about the locality. I do not know of any other record of this bird in Oregon.—W. L. FINLEY, *Portland, Oregon*.

The Horned Grebe in Southern California.—On the morning of November 4, 1906, while rowing in San Diego Bay, near the Hotel Del Coronado, I heard a shot from a yacht nearby and noticed the yachtsmen put about and pick up a bird from the water, glance at it and throw it back.

I was immediately upon the scene and gathered in the specimen which proved to be a beautiful adult female Horned Grebe (*Colymbus auritus*).

There were several hundred American Eared Grebes in the bay, but I observed no other *C. auritus* during my four months stay in this locality. I have since taken a juvenile female *C. auritus* in Alamitos Bay, Los Angeles County, January 14, 1907.—C. B. LINTON, *Long Beach, California*.

A New Record for Colorado.—In "May or June, 1900", Mr. B. G. Voigt (deceased) shot a Prothonotary Warbler (*Protonotaria citrea*) between Palmer Lake and Monument, Colorado. In "May 1902", he shot two more specimens of the same species on the Arkansas River about 2 miles east of Pueblo, Colorado. I examined and identified these birds and while doing so was struck with the paleness of the bill, corresponding to the fall and winter plumage of this species. I thereupon sent one of the birds to Mr. Robert Ridgway, who writes that there is in the National Museum collections a specimen in this plumage which was taken as early as July 28, and who thinks that the dates, "May" and "June", as given to me, are certainly erroneous. I cannot vouch for these dates, nor is it possible now to confirm the note which Mr. Voigt gave me. This establishes another new species for Colorado.—A. H. FELGER, *Denver, Colorado*.

Mexican Black Hawk in California.—On the 26th of November, 1906, I secure ad male *Urubitinga anthracina* within the city limits of National City, San Diego County, California. The hawk was making a second attempt to capture a tame duck on the shore of a pond about twenty-five yards from the Wallace racing stables of this city, and was shot by one of the stable hands, I being present at the time.

This is the third of this species killed in this locality during 1905-06.—C. B. LINTON, *Long Beach, California*.